

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://mascot.gdbc.gov.bc.ca/mascot>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://mascot.gdbc.gov.bc.ca/mascot/markercond.html>

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
57273	02H2415	E 493487.206	.999603	1.0000025	398255	V-612	GPS	23 1 43	1749.701	1750.399				
		N5449330.266			47209	v-4217	GPS	70 31 13	3214.882	3216.159				
		El 3.337			714972	78H8458	GPS	88 6 4	3104.086	3105.318				
					619213	94H1624	GPS	182 25 58	3781.429	3782.930				
					73981	77H4623	GPS	220 56 26	5255.385	5257.470				
					496687	77H4891	GPS	240 36 31	7330.283	7333.188				
					951376	77H4970	GPS	243 7 3	3388.642	3389.986				
					546226	83	GPS	311 0 4	1690.251	1690.922				
					652990	V-1292	GPS	314 50 41	3521.631	3523.045				
					812271	V-1900	GPS	358 5 42	2817.496	2818.632				
80101	02H2443	E 493074.374	.9996032	1.0000026	51441	02H2453	GPS	14 38 36	1208.308	1208.788				
		N5440810.161			839639	80H1300	GPS	73 58 58	3458.285	3459.659				
		El 3.082			528505	92H0579	GPS	118 21 6	4040.357	4041.962				
					991802	88H4194	GPS	140 20 40	5553.706	5555.911				
					737197	84H0431	GPS	148 5 18	2570.738	2571.759				
					546150	84H0346	GPS	168 59 35	4044.414	4046.019				
					703199	6846	GPS	180 46 31	5732.725	5734.999				
					394437	77H4671	GPS	254 27 42	3172.177	3173.434				
					869792	No Marking	GPS	261 49 30	3849.115	3850.645				
					537563	77H4827	GPS	280 44 51	5562.463	5564.666				
					59121	02H2452	GPS	295 36 3	3377.474	3378.813				
					73981	77H4623	GPS	326 19 57	5467.262	5469.429				
		59121			02H2452	E 490028.48	.999604	1.0000028	73981	77H4623	GPS	0 16 41	3090.869	3092.094
						N5442269.565			51441	02H2453	GPS	94 57 5	3363.907	3365.240
El 1.559	80101		02H2443	GPS		115 36 3			3377.474	3378.813				
	394437		77H4671	GPS		180 15 24			2309.199	2310.114				
	869792		No Marking	GPS		200 50 44			2147.286	2148.139				
	537563		77H4827	GPS		260 6 6			2455.547	2456.519				
51441	02H2453	E 493379.834	.9996033	1.0000028	832238	02H2457	GPS	29 38 40	3203.325	3204.597				
		N5441979.222			274696	78H8518	GPS	35 18 4	5578.634	5580.849				
		El 1.664			49908	02H2413	GPS	61 5 5	3689.514	3690.980				
					839639	80H1300	GPS	94 4 15	3026.204	3027.406				
					80101	02H2443	GPS	194 38 36	1208.309	1208.788				
					394437	77H4671	GPS	239 0 49	3921.314	3922.868				
					537563	77H4827	GPS	268 41 31	5771.853	5774.139				
					59121	02H2452	GPS	274 57 5	3363.907	3365.240				
					73981	77H4623	GPS	315 22 56	4750.114	4751.997				
					619213	94H1624	GPS	359 8 52	3573.419	3574.837				
99127	144-696	E 490048.374	.9996041	1.0000028	727784	82H5095	TERR	3 29 36	206.805	206.887				
		N5446387.052			317214	77H4674	TERR	91 16 43	368.666	368.812				
		El 1.263			8698	91H9830	TERR	178 45 33	401.414	401.573				
					244103	77H4717	TERR	181 34 39	404.228	404.388				
					194845	77H4628	TERR	269 24 47	267.785	267.890				
					133777	77H4899	TERR	359 51 53	400.066	400.224				

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
236976	152	E 490464.81	.9996039	1.0000028	706945	77H4968	TERR	90 21 8	197.956	198.034	
		N 5447997.14			951376	77H4970	TERR	180 0 55	199.092	199.172	
		E1 1.7			725010	77H4934	TERR	270 26 5	225.752	225.841	
704775	155	E 492144.228	.9996026	1.0000018	454207	78H8506	TERR	91 2 49	368.670	368.817	
		N5447990.136			795310	969	TERR	269 42 14	446.447	446.624	
		E1 7.65			780791	91H9833	TERR	270 43 19	461.140	461.323	
					911032	77H5829	TERR	313 1 24	896.751	897.106	
581959	158	E 492518.671	.9996034	1.0000027	384859	77H5828	TERR	180 0 5	504.580	504.780	
		N5449317.909			976464	77H4977	TERR	289 9 22	395.412	395.569	
		E1 1.902			247494	78H8494	TERR	359 46 0	137.594	137.648	

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
258020	19713	E 485736.979 N5441824.971 El 3.419	.999605	1.0000025	459552	83C213	GPS	3 39 45	73941.862	73971.689
					186437	677013	TERR	7 54 31	24808.409	24818.729
					58081	02H2408	GPS	10 46 20	5678.070	5680.314
					462267	V-3433	GPS	12 40 29	16544.179	16550.730
					693028	79H1206	GPS	14 37 20	26604.778	26615.646
					496687	77H4891	GPS	19 14 3	4138.816	4140.452
					681239	677011	GPS	25 13 36	23624.552	23634.137
					513952	81	TERR	37 40 46	12518.788	12523.809
					717355	71	TERR	43 2 24	13861.624	13867.215
					921874	77C107	GPS	43 40 18	28263.224	28274.421
					835058	78H8538	GPS	45 25 33	10669.585	10673.810
					415232		TERR	49 39 26	25902.734	25913.651
					670653	432	GPS	52 42 53	16024.752	16031.224
					821058	84H9889	GPS	54 15 46	27460.921	27472.077
					985606	86H1304	GPS	75 27 0	28495.480	28507.006
					546473	85H0764	GPS	77 42 31	49267.769	49287.420
					308429	90H6222	GPS	83 1 42	21413.666	21422.330
					537563	77H4827	GPS	89 18 43	1872.642	1873.382
					635201	897056	GPS	89 53 14	65142.924	65168.026
					929125	82H5827	GPS	90 42 44	56074.049	56096.474
					956441	77C048	GPS	92 4 39	86816.739	86849.126
					825034	3340	GPS	95 36 32	71958.907	71988.944
					328773	34	GPS	101 5 1	71861.935	71889.429
					967042	PIER 3	GPS	101 15 57	37502.220	37517.149
					55384	6202	GPS	101 35 7	21073.922	21082.285
					471508	19	GPS	105 19 56	52937.523	52958.364
					854612	88H3910	GPS	112 14 28	29364.874	29376.677
					132878	897058	GPS	113 22 5	34815.883	34829.681
					753483	5D	GPS	113 42 54	35078.590	35092.473
					869792	No Marking	GPS	113 53 12	3857.820	3859.350
					153528	137000	TERR	136 18 13	12704.503	12709.533
					57968	88H4187	GPS	137 23 54	12469.955	12474.893
					126011	0	GPS	151 38 36	16063.792	16070.151
					406991	77C032	GPS	160 10 18	3987.411	3988.986
					432716	907001	GPS	194 51 33	84955.082	84987.809
					534933	927000	GPS	194 53 19	84938.105	84970.868
					198150		GPS	199 34 13	56603.840	56625.829
					977454	677014	TERR	344 24 53	15677.782	15684.100
					939132	128-1950	GPS	349 52 11	23528.648	23537.916
					326595	PIER 3	GPS	350 53 39	25076.905	25087.128
					721837	83C193	GPS	356 50 59	47917.176	47935.987
					373399		TERR	357 36 55	25260.567	25271.593
					30031	77H4885	GPS	357 45 10	4568.310	4570.114
					20230		GPS			
					324194		GPS			
					600825		GPS			
					753988		GPS			
					890558		GPS			
					744664		GPS			

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
					74427		GPS			
					259598		GPS			
972026	323	E 491694.684 N5447346.657 El 1.884	.9996036	1.0000027	366559 314732 945238	77H5806 88H4815 77H4943	TERR TERR TERR	0 18 40 179 11 57 269 47 59	321.742 188.465 764.475	321.869 188.541 764.779
956375	77H4501	E 488403.139 N5441663.785 El 1.722	.9996044	1.0000028	71654 996298 270132	77H4507 77H4595 77H4517	TERR TERR TERR	1 0 43 179 43 48 277 18 7	298.704 159.769 139.278	298.822 159.832 139.334
226456	77H4502	E 486567.184 N5445365.119 El 1.005	.9996051	1.0000029	657098 956722	77H4540 77H4599	TERR TERR	95 36 50 270 14 46	165.089 164.271	165.154 164.336
266536	77H4503	E 486666.19 N5442437.244 El .929	.9996051	1.0000029	795385 851444	77H4524 77H4535	TERR TERR	6 32 13 269 13 9	178.334 110.729	178.405 110.773
64774	77H4504	E 488039.236 N5441646.958 El .874	.9996047	1.0000029	616243 328914	77H4523 77H4577	TERR TERR	55 5 34 268 36 10	140.011 232.956	140.066 233.048
808634	77H4505	E 486032.068 N5445126.393 El 1.173	.9996052	1.0000029	472308	77H4596	TERR	95 27 30	144.894	144.951
862524	77H4506	E 486539.801 N5442613.653 El 1.077	.9996051	1.0000029	795385 388611	77H4524 77H4543	TERR TERR	89 42 3 289 24 52	146.694 82.520	146.751 82.553
71654	77H4507	E 488408.414 N5441962.442 El 1.571	.9996045	1.0000028	864777 956375	77H4805 77H4501	TERR TERR	0 3 33 181 0 43	346.332 298.703	346.469 298.822
890202	77H4508	E 487996.418 N5441377.198 El 1.349	.9996046	1.0000028	881656 761122	77H4814 77H4826	TERR TERR	92 16 26 270 24 56	411.858 392.369	412.021 392.525
313189	77H4509	E 486005.207 N5443141.937 El 1.62	.9996052	1.0000028	475806 197764 614362	77H4848 77H4510 77H4534	TERR TERR TERR	88 39 5 174 43 40 274 47 17	357.521 180.130 162.384	357.662 180.201 162.448
197764	77H4510	E 486021.758 N5442962.569 El 1.464	.9996052	1.0000028	147850 840363 313189	77H4531 77H4569 77H4509	TERR TERR TERR	180 27 30 271 45 48 354 43 41	95.592 160.226 180.130	95.630 160.289 180.201

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance
		Metres							Metres	Metres
596312	77H4511	E 486158.737 N5444520.641 El 1.058	.9996052	1.0000029	183731 545970	77H4807 77H4582	TERR TERR	88 17 28 321 7 17	162.809 89.550	162.874 89.585
509604	77H4512	E 486436.283 N5442434.406 El 1.082	.9996051	1.0000029	388611 851444	77H4543 77H4535	TERR TERR	7 5 8 89 21 40	208.267 119.196	208.349 119.243
124164	77H4513	E 486955.772 N5443953.707 El 1.674	.9996049	1.0000028	762146 751800	77H4574 77H4855	TERR TERR	89 57 41 271 52 38	281.772 179.828	281.883 179.900
253500	77H4514	E 486006.949 N 5444504.86 El 1.335	.9996052	1.0000028	412189 614131	77H4558 77H4581	TERR TERR	4 16 24 231 45 46	117.277 127.373	117.323 127.424
288134	77H4515	E 487865.514 N5444316.383 El 1.354	.9996046	1.0000028	662379 59170	77H4538 77H4563	TERR TERR	169 47 4 276 46 28	100.204 119.575	100.243 119.622
468793	77H4516	E 487446.747 N5442472.478 El .939	.9996048	1.0000029	218933	77H4536	TERR	359 38 44	222.201	222.289
270132	77H4517	E 488264.99 N5441681.487 El .97	.9996046	1.0000029	956375 616243	77H4501 77H4523	TERR TERR	97 18 6 292 20 31	139.279 119.937	139.334 119.985
724716	77H4518	E 487085.353 N5442331.934 El 1.48	.9996049	1.0000028	570481 492181	77H4552 77H4858	TERR TERR	90 34 17 271 48 29	237.668 313.315	237.763 313.438
196303	77H4519	E 486446.64 N5442725.978 El .989	.9996051	1.0000029	991703 388611 744425	77H4819 77H4543 77H4533	TERR TERR TERR	94 3 44 169 45 44 270 41 24	324.172 86.269 158.290	324.301 86.303 158.352
859025	77H4520	E 486232.903 N 5443954.73 El 1.44	.9996051	1.0000028	393264 578880	77H4549 77H4841	TERR TERR	90 11 30 271 13 31	299.271 398.338	299.389 398.495
994806	77H4521	E 487060.625 N 5441849.3 El 1.58	.9996049	1.0000028	MARKER DESTROYED					
698365	77H4522	E 485941.604 N5442625.779 El 1.492	.9996052	1.0000028	483636 478099	77H4553 77H4530	TERR TERR	124 36 15 357 19 7	195.588 151.340	195.665 151.399

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
616243	77H4523	E 488154.056	.9996046	1.0000029	270132	77H4517	TERR	112 20 30	119.938	119.985
		N5441727.079			64774	77H4504	TERR	235 5 34	140.011	140.066
		El .965			104430	77H4546	TERR	351 18 53	168.393	168.459
795385	77H4524	E 486686.492	.9996051	1.0000029	266536	77H4503	TERR	186 32 12	178.335	178.405
		N5442614.419			862524	77H4506	TERR	269 42 4	146.693	146.751
		El .94								
150771	77H4525	E 486250.745	.9996052	1.0000029	744425	77H4533	TERR	10 59 8	197.399	197.477
		N5442534.103			483636	77H4553	TERR	262 32 25	149.418	149.477
		El 1.207								
336149	77H4526	E 486563.49	.9996051	1.0000029	351882	77H4560	TERR	180 39 7	244.710	244.806
		N5443051.208								
		El 1.197								
79624	77H4527	E 486176.504	.9996052	1.0000028	634105	77H4598	TERR	90 1 44	145.488	145.545
		N5444783.055			588319	77H4822	TERR	267 46 25	160.124	160.188
		El 1.247			331967	77H4587	TERR	347 50 45	90.527	90.562
287763	77H4528	E 485806.063	.9996053	1.0000028	614131	77H4581	TERR	44 4 39	144.962	145.019
		N5444321.886			93476	77H4537	TERR	178 26 15	187.661	187.736
		El 1.287								
855635	77H4529	E 486422.884	.9996052	1.0000029	956722	77H4599	TERR	353 14 44	169.788	169.854
		N5445197.215								
		El .939								
478099	77H4530	E 485934.524	.9996052	1.0000028	147850	77H4531	TERR	43 50 42	124.827	124.877
		N5442776.953			698365	77H4522	TERR	177 19 7	151.340	151.399
		El 1.561			395970	77H4565	TERR	286 28 51	90.424	90.459
147850	77H4531	E 486020.993	.9996052	1.0000028	197764	77H4510	TERR	0 27 32	95.592	95.630
		N 5442866.98			478099	77H4530	TERR	223 50 43	124.827	124.877
		El 1.491								
22475	77H4532	E 486763.206	.9996049	1.0000027	770453	83H6544	TERR	1 15 41	148.610	148.670
		N 5443357.91			4200	77H4836	TERR	178 51 25	206.453	206.534
		El 2.013								
744425	77H4533	E 486288.362	.9996052	1.0000029	196303	77H4519	TERR	90 41 24	158.289	158.352
		N5442727.884			150771	77H4525	TERR	190 59 8	197.399	197.477
		El 1.247								
614362	77H4534	E 485843.39	.9996053	1.0000028	313189	77H4509	TERR	94 47 16	162.384	162.448
		N5443155.491								
		El 1.473								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
851444	77H4535	E 486555.472	.9996051	1.0000029	266536	77H4503	TERR	89 13 9	110.729	110.773
		N5442435.735			520742	77H4557	TERR	182 17 12	86.462	86.496
		El .945			509604	77H4512	TERR	269 21 41	119.197	119.243
218933	77H4536	E 487445.372	.9996048	1.0000029	468793	77H4516	TERR	179 38 43	222.201	222.289
		N5442694.675								
		El .941								
93476	77H4537	E 485811.18	.9996053	1.0000028	578880	77H4841	TERR	172 11 6	172.650	172.719
		N5444134.294			287763	77H4528	TERR	358 26 15	187.662	187.736
		El 1.357								
662379	77H4538	E 487883.285	.9996046	1.0000028	288134	77H4515	TERR	349 47 5	100.203	100.243
		N5444217.768								
		El 1.292								
525931	77H4539	E 485986.34	.9996052	1.0000028	40444	77H4541	TERR	179 6 57	189.857	189.932
		N5444325.177			614131	77H4581	TERR	321 46 24	128.378	128.428
		El 1.356								
657098	77H4540	E 486731.481	.999605	1.0000029	226456	77H4502	TERR	275 36 51	165.089	165.154
		N5445348.969								
		El 1.107								
40444	77H4541	E 485989.27	.9996053	1.0000029	264002	77H4881	TERR	91 46 8	249.719	249.818
		N5444135.343			525931	77H4539	TERR	359 6 56	189.857	189.932
		El 1.118								
502351	77H4542	E 486564.114	.9996051	1.0000029	254128	77H4550	TERR	90 6 2	208.925	209.008
		N5441379.759			429506	77H4803	TERR	357 33 51	147.260	147.318
		El 1.271								
388611	77H4543	E 486461.973	.9996051	1.0000029	862524	77H4506	TERR	109 24 52	82.520	82.553
		N5442641.083			509604	77H4512	TERR	187 5 8	208.267	208.349
		El 1.061			196303	77H4519	TERR	349 45 43	86.269	86.303
62240	77H4544	E 487347.537	.9996048	1.0000028	770024	77H4597	TERR	1 41 45	219.131	219.218
		N5444764.334			484477	77H4813	TERR	88 52 43	240.521	240.616
		El 1.537			440099	77H4580	TERR	269 38 57	193.288	193.365
941252	77H4545	E 487620.399	.9996047	1.0000029	502286	78H8335	TERR	91 13 49	145.610	145.668
		N5441561.126			761122	77H4826	TERR	185 9 22	181.818	181.890
		El 1.238			537563	77H4827	TERR	357 49 2	286.540	286.653
104430	77H4546	E 488128.627	.9996046	1.0000029	616243	77H4523	TERR	171 18 52	168.393	168.459
		N5441893.541			437954	77H4573	TERR	341 49 25	185.878	185.952
		El 1.036								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
491076	77H4547	E 488221.737 N5444679.252 El .946	.9996046	1.0000029	830463	77H4588	TERR	265 9 21	153.574	153.635
227132	77H4548	E 486003.976 N5442157.233 El 2.149	.9996051	1.0000027	435636 208868 664508	77H4810 77H4897 88H4825	TERR TERR TERR	1 47 46 91 29 16 176 59 20	187.754 341.896 200.916	187.828 342.031 200.995
393264	77H4549	E 486532.172 N5443953.729 El 1.523	.999605	1.0000028	751800 859025 476440	77H4855 77H4520 77H4878	TERR TERR TERR	88 37 17 270 11 30 359 49 27	243.939 299.270 172.753	244.035 299.389 172.821
254128	77H4550	E 486773.039 N5441379.393 El 1.221	.999605	1.0000029	19794 516302 502351	77H4879 77H4583 77H4542	TERR TERR TERR	1 38 10 87 4 9 270 6 2	147.024 248.828 208.925	147.082 248.927 209.008
343293	77H4551	E 487362.067 N5443508.237 El 1.242	.9996048	1.0000029	199471	77H4570	TERR	268 52 2	387.553	387.706
570481	77H4552	E 487323.01 N5442329.564 El 1.739	.9996048	1.0000028	701698 724716	77H4816 77H4518	TERR TERR	88 35 55 270 34 17	287.126 237.669	287.240 237.763
483636	77H4553	E 486102.592 N5442514.704 El 1.405	.9996052	1.0000028	150771 698365	77H4525 77H4522	TERR TERR	82 32 25 304 36 15	149.418 195.588	149.477 195.665
781161	77H4554	E 487387.104 N5441388.585 El 1.176	.9996048	1.0000029	761122 516302	77H4826 77H4583	TERR TERR	92 15 16 270 33 12	217.123 365.579	217.209 365.724
994129	77H4555	E 487437.805 N5442788.644 El .995	.9996048	1.0000029	592741	77H4586	TERR	3 1 38	180.311	180.383
964460	77H4556	E 487959.448 N5444589.342 El .932	.9996047	1.0000029	232488 795344	77H4830 77H4590	TERR TERR	1 47 44 273 14 59	177.263 217.225	177.333 217.311
520742	77H4557	E 486552.022 N5442349.342 El 1.936	.999605	1.0000027	851444 492181 647032 366245	77H4535 77H4858 77H4820 77H4578	TERR TERR TERR TERR	2 17 12 91 57 25 177 30 40 270 12 27	86.462 220.301 202.255 205.542	86.496 220.388 202.334 205.623
412189	77H4558	E 486015.688 N5444621.811 El 1.262	.9996052	1.0000028	588319 545970 253500	77H4822 77H4582 77H4514	TERR TERR TERR	0 18 1 109 54 44 184 16 24	155.025 92.363 117.277	155.086 92.399 117.323

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
69864	77H4559	E 486786.369 N5445148.709 El 2.231	.9996048	1.0000027	441543	77H4889	TERR	178 36 0	372.536	372.684
351882	77H4560	E 486560.705 N5442806.514 El .945	.9996051	1.0000029	336149	77H4526	TERR	0 39 8	244.710	244.806
723742	77H4561	E 486487.382 N5444783.428 El 1.281	.9996051	1.0000028	441543 634105 184622	77H4889 77H4598 77H4576	TERR TERR TERR	91 19 42 269 50 43 356 23 4	308.172 165.391 206.024	308.294 165.456 206.105
3178	77H4562	E 486221.673 N5445359.754 El 1.07	.9996052	1.0000029	956722	77H4599	TERR	88 4 54	181.343	181.415
59170	77H4563	E 487746.774 N5444330.488 El 1.492	.9996047	1.0000028	117515 288134	77H4837 77H4515	TERR TERR	2 40 54 96 46 28	89.027 119.575	89.061 119.622
113902	77H4564	E 488067.594 N5444557.193 El 1.084	.9996046	1.0000029	830463	77H4588	TERR	0 35 12	109.096	109.139
395970	77H4565	E 485847.815 N5442802.606 El 1.499	.9996053	1.0000028	840363 478099	77H4569 77H4530	TERR TERR	4 46 54 106 28 52	165.469 90.424	165.535 90.459
626515	77H4566	E 487471.651 N5441854.503 El 1.655	.9996047	1.0000028	537563 680801	77H4827 77H4585	TERR TERR	92 55 34 268 40 27	138.014 164.608	138.069 164.673
914812	77H4567	E 487353.635 N5445124.636 El .999	.9996048	1.0000029	770024	77H4597	TERR	179 50 34	141.267	141.323
874537	77H4568	E 486190.137 N 5444927.73 El 1.203	.9996052	1.0000028	331967 472308	77H4587 77H4596	TERR TERR	210 11 51 355 43 17	64.998 185.397	65.024 185.470
840363	77H4569	E 485861.608 N5442967.499 El 1.275	.9996053	1.0000028	197764 395970	77H4510 77H4565	TERR TERR	91 45 47 184 46 53	160.226 165.469	160.289 165.535
199471	77H4570	E 486974.59 N5443500.574 El 1.42	.9996049	1.0000028	343293 770453	77H4551 83H6544	TERR TERR	88 52 1 271 37 36	387.553 208.197	387.706 208.279

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
839027	77H4571	E 487459.754	.9996047	1.0000028	123752	77H4867	TERR	86 55 16	156.957	157.019
		N5443139.313			592741	77H4586	TERR	184 9 58	171.061	171.129
		El 1.668			37200	77H4871	TERR	271 21 29	473.480	473.666
856708	77H4572	E 486961.25	.999605	1.0000029	350298	77H4877	TERR	86 19 51	177.022	177.092
		N5444314.311								
		El 1.042								
437954	77H4573	E 488070.644	.9996047	1.0000029	889758	77H4593	TERR	37 30 59	181.917	181.989
		N5442070.144			104430	77H4546	TERR	161 49 25	185.878	185.952
		El .916								
762146	77H4574	E 487237.544	.9996048	1.0000028	632893	77H4834	TERR	88 27 3	382.314	382.466
		N5443953.896			124164	77H4513	TERR	269 57 42	281.772	281.883
		El 1.623								
198788	77H4575	E 487045.142	.9996048	1.0000027	539973	77H4740	TERR	2 22 57	193.649	193.726
		N 5444766.99			440099	77H4580	TERR	92 0 56	109.178	109.221
		El 1.874			441543	77H4889	TERR	272 7 55	249.844	249.943
184622	77H4576	E 486474.39	.9996051	1.0000029	723742	77H4561	TERR	176 23 5	206.024	206.105
		N5444989.042								
		El .984								
328914	77H4577	E 487806.349	.9996047	1.0000029	64774	77H4504	TERR	88 36 10	232.956	233.048
		N5441641.278			502286	78H8335	TERR	205 51 51	92.549	92.586
		El .954								
366245	77H4578	E 486346.482	.9996051	1.0000028	520742	77H4557	TERR	90 12 27	205.542	205.623
		N5442350.086			208868	77H4897	TERR	180 12 22	201.731	201.810
		El 1.698			435636	77H4810	TERR	269 6 60	336.661	336.794
473595	77H4579	E 486775.241	.9996048	1.0000027	628669	77H4594	TERR	1 30 5	227.423	227.513
		N5444199.745			751800	77H4855	TERR	179 48 34	240.149	240.243
		El 2.196								
440099	77H4580	E 487154.252	.9996048	1.0000028	62240	77H4544	TERR	89 38 57	193.289	193.365
		N 5444763.15			124743	77H4880	TERR	183 12 2	257.075	257.176
		El 1.7			198788	77H4575	TERR	272 0 56	109.177	109.221
614131	77H4581	E 485906.903	.9996053	1.0000028	253500	77H4514	TERR	51 45 46	127.373	127.424
		N5444426.027			525931	77H4539	TERR	141 46 25	128.378	128.428
		El 1.294			287763	77H4528	TERR	224 4 39	144.962	145.019
545970	77H4582	E 486102.529	.9996052	1.0000029	596312	77H4511	TERR	141 7 19	89.550	89.585
		N5444590.354			412189	77H4558	TERR	289 54 45	92.363	92.399
		El 1.171								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
516302	77H4583	E 487021.542 N5441392.116 El 1.291	.9996049	1.0000029	781161 254128	77H4554 77H4550	TERR TERR	90 33 12 267 4 9	365.579 248.829	365.724 248.927
840702	77H4584	E 486003.661 N5441950.262 El 1.955	.9996051	1.0000027	MARKER DESTROYED					
680801	77H4585	E 487307.088 N5441850.694 El 1.413	.9996048	1.0000028	626515 449504 290890	77H4566 77H4873 83H5916	TERR TERR TERR	88 40 27 173 6 37 269 40 10	164.607 254.500 246.460	164.673 254.600 246.557
592741	77H4586	E 487447.327 N5442968.704 El .943	.9996048	1.0000029	839027 994129	77H4571 77H4555	TERR TERR	4 9 57 183 1 38	171.062 180.312	171.129 180.383
331967	77H4587	E 486157.444 N5444871.553 El .983	.9996052	1.0000029	874537 79624	77H4568 77H4527	TERR TERR	30 11 52 167 50 44	64.998 90.527	65.024 90.562
830463	77H4588	E 488068.711 N5444666.283 El .958	.9996046	1.0000029	491076 113902	77H4547 77H4564	TERR TERR	85 9 21 180 35 13	153.575 109.096	153.635 109.139
483206	77H4589	E 486766.479 N5443506.504 El 2.159	.9996049	1.0000027	MARKER DESTROYED					
795344	77H4590	E 487742.573 N5444601.656 El 1.069	.9996047	1.0000029	964460 117515	77H4556 77H4837	TERR TERR	93 14 59 177 22 17	217.225 182.431	217.311 182.503
168054	77H4591	E 488238.649 N5442304.484 El 1.449	.9996045	1.0000028	864777 889758 102251	77H4805 77H4593 78H8449	TERR TERR TERR	88 33 20 212 26 0 271 58 16	170.177 106.690 182.169	170.244 106.732 182.241
81547	77H4592	E 486002.834 N5441740.936 El 1.94	.9996052	1.0000027	MARKER DESTROYED					
889758	77H4593	E 488181.429 N5442214.436 El .835	.9996046	1.0000029	168054 437954	77H4591 77H4573	TERR TERR	32 26 1 217 30 60	106.690 181.916	106.732 181.989
628669	77H4594	E 486781.199 N 5444427.09 El 2.095	.9996049	1.0000027	441543 473595	77H4889 77H4579	TERR TERR	2 20 25 181 30 5	349.486 227.423	349.624 227.513

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
996298	77H4595	E 488403.892	.9996044	1.0000028	199620	77H4947	TERR	90 9 29	813.756	814.078
		N5441504.018			881656	77H4814	TERR	178 22 33	143.218	143.275
		El 1.823			956375	77H4501	TERR	359 43 48	159.769	159.832
472308	77H4596	E 486176.305	.9996052	1.0000028	874537	77H4568	TERR	175 43 17	185.397	185.470
		N 5445112.61			808634	77H4505	TERR	275 27 31	144.894	144.951
		El 1.286								
770024	77H4597	E 487354.022	.9996048	1.0000029	62240	77H4544	TERR	181 41 45	219.131	219.218
		N5444983.369			914812	77H4567	TERR	359 50 35	141.267	141.323
		El 1.044								
634105	77H4598	E 486321.991	.9996051	1.0000028	723742	77H4561	TERR	89 50 43	165.391	165.456
		N5444782.982			183731	77H4807	TERR	180 6 54	257.487	257.588
		El 1.539			79624	77H4527	TERR	270 1 44	145.487	145.545
956722	77H4599	E 486402.915	.9996052	1.0000029	226456	77H4502	TERR	90 14 45	164.271	164.336
		N5445365.824			855635	77H4529	TERR	173 14 45	169.787	169.854
		El .959			3178	77H4562	TERR	268 4 55	181.344	181.415
729079	77H4600	E 486766.222	.9996049	1.0000027	751800	77H4855	TERR	2 8 40	262.398	262.501
		N5443697.384			770453	83H6544	TERR	179 55 24	190.900	190.976
		El 1.92								
731612	77H4601	E 492142.676	.9996035	1.0000028	976464	77H4977	TERR	0 13 26	634.227	634.479
		N5448813.438			384859	77H5828	TERR	90 1 0	375.982	376.131
		El 1.48			156513	78H8475	TERR	269 42 41	331.425	331.557
910372	77H4602	E 490664.735	.9996038	1.0000028	172668	78H8469	TERR	0 40 14	309.547	309.670
		N5448800.967			716340	77H5813	TERR	85 56 16	198.592	198.671
		El 1.718			645291	77H5831	TERR	177 23 3	115.957	116.003
73973	77H4603	E 487607.185	.9996047	1.0000028	307413	77H4638	TERR	0 30 33	383.958	384.109
		N5446382.268			63164	77H4614	TERR	90 15 19	400.412	400.570
		El 1.185			625764	77H4625	TERR	270 7 45	357.357	357.499
373415	77H4604	E 490856.883	.9996039	1.0000029	247478	92H0976	TERR	176 15 13	196.706	196.783
		N5445343.184			6320	77H4648	TERR	271 2 21	403.365	403.525
		El .957			605337	77H4651	TERR	359 34 28	207.423	207.505
188813	77H4605	E 488004.292	.9996047	1.0000029	MARKER DESTROYED					
		N5445772.117								
		El .87								
128413	77H4606	E 492787.115	.9996034	1.0000028	835058	78H8538	TERR	100 12 25	559.119	559.342
		N5449412.297			909119	78H8455	TERR	179 52 29	602.074	602.313
		El 1.361			247494	78H8494	TERR	279 7 27	272.452	272.559

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
938308	77H4607	E 487012.012	.999605	1.0000029	625764	77H4625	TERR	90 4 51	237.817	237.911					
		N54446383.408					501999				77H4669	TERR	270 9 6	222.271	222.358
		El .852													
13995	77H4608	E 489429.807	.9996043	1.000003	258442	77H4686	TERR	0 22 57	200.693	200.772					
		N5443491.461					832394				77H4698	TERR	90 16 50	305.418	305.540
		El .539					708826				77H4626	TERR	179 40 56	358.364	358.506
578021	77H4609	E 490451.2	.999604	1.0000029	957035	77H4984	TERR	92 38 49	180.261	180.332					
		N5444289.483					157198				77H4967	TERR	179 59 25	352.009	352.148
		El .848					206359				77H4919	TERR	267 16 51	156.795	156.857
542068	77H4610	E 488215.147	.9996045	1.0000028	124818	77H4875	TERR	81 27 19	205.267	205.348					
		N54446774.742					992164				77H4654	TERR	264 2 34	203.351	203.431
		El 1.249													
931634	77H4611	E 487146.207	.9996049	1.0000029	301515	77H4612	TERR	2 25 46	236.351	236.445					
		N54446546.493													
		El .99													
301515	77H4612	E 487156.226	.9996049	1.0000028	931634	77H4611	TERR	182 25 46	236.352	236.445					
		N54446782.632					785469				77H4633	TERR	275 37 47	366.430	366.574
		El 1.175													
194001	77H4613	E 487428.611	.9996048	1.0000028	980938	77H4893	TERR	179 58 16	211.877	211.961					
		N 54446685.53													
		El 1.215													
63164	77H4614	E 488007.593	.9996046	1.0000028	992164	77H4654	TERR	0 48 50	373.192	373.339					
		N54446380.483					139659				77H4812	TERR	90 16 46	207.429	207.512
		El 1.206					73973				77H4603	TERR	270 15 20	400.412	400.570
66464	77H4615	E 491469.375	.9996036	1.0000027	300756	77H4693	TERR	90 3 35	218.594	218.681					
		N 5445561.58					579235				77H4945	TERR	179 43 9	403.780	403.939
		El 1.985					971515				77H4937	TERR	270 4 43	205.649	205.731
641860	77H4616	E 490414.774	.999604	1.0000029	317214	77H4674	TERR	0 18 22	407.036	407.197					
		N54445971.795					45146				77H4678	TERR	0 19 39	202.087	202.167
		El .866					468371				77H4927	TERR	89 27 36	283.998	284.111
							647230				91H9829	TERR	92 7 30	266.563	266.668
							648501				77H4653	TERR	180 59 53	199.768	199.847
							462523				88H4814	TERR	268 7 3	150.153	150.213
971762	77H4617	E 490545.384	.9996041	1.000003	979302	77H4776	TERR	104 42 14	106.951	106.994					
		N54442820.251					984401				77H4666	TERR	270 28 16	280.539	280.650
		El .637													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
356147	77H4618	E 490828.744	.9996039	1.0000029	568204	77H4677	TERR	89 45 46	553.220	553.440
		N5440688.831			231852	77H4808	TERR	270 13 46	804.133	804.451
		El 1.098								
800250	77H4619	E 487100.673	.9996049	1.0000029	542548	77H4664	TERR	180 3 60	196.158	196.236
		N5446111.868								
		El 1.106								
462556	77H4620	E 491686.058	.9996036	1.0000027	300756	77H4693	TERR	0 20 35	319.211	319.338
		N5445242.147			742114	77H4961	TERR	180 33 30	497.494	497.691
		El 2.075								
540435	77H4621	E 491335.091	.9996036	1.0000027	615542	77H4645	TERR	269 52 58	412.390	412.553
		N5446372.041								
		El 2.224								
890962	77H4622	E 489218.554	.9996044	1.0000029	867218	77H4685	TERR	0 17 41	166.586	166.652
		N5443785.614			103788	77H4667	TERR	180 23 44	328.405	328.535
		El .648			614156	77H4641	TERR	269 37 27	409.439	409.601
73981	77H4623	E 490043.484	.999604	1.0000028	951376	77H4970	GPS	9 48 18	2473.784	2474.764
		N5445360.398			57273	02H2415	GPS	40 56 26	5255.385	5257.470
		El 1.452			714972	78H8458	GPS	58 6 42	7709.639	7712.697
					619213	94H1624	GPS	86 39 21	3288.805	3290.109
					6320	77H4648	TERR	91 22 58	410.219	410.382
					51441	02H2453	GPS	135 22 56	4750.114	4751.997
					80101	02H2443	GPS	146 19 57	5467.261	5469.429
					394437	77H4671	GPS	180 16 8	5400.068	5402.207
					59121	02H2452	GPS	180 16 41	3090.869	3092.094
					677286	77H4694	TERR	180 35 17	194.453	194.530
					537563	77H4827	GPS	214 43 0	4273.769	4275.460
					507426	78H8340	TERR	270 51 36	275.603	275.712
					496687	77H4891	GPS	277 12 39	2966.525	2967.699
					201236	77H4895	TERR	359 25 2	191.142	191.218
403444	77H4624	E 487617.514	.9996048	1.0000029	892307	77H4660	TERR	0 5 50	370.937	371.084
		N5444917.443			484477	77H4813	TERR	191 14 37	151.306	151.366
		El .956								
625764	77H4625	E 487249.829	.9996049	1.0000029	73973	77H4603	TERR	90 7 45	357.357	357.499
		N5446383.073			938308	77H4607	TERR	270 4 51	237.818	237.911
		El 1.11								
708826	77H4626	E 489431.794	.9996043	1.0000029	252684	77H4787	TERR	91 52 39	425.083	425.252
		N5443133.103			513689	77H4636	TERR	271 6 19	218.651	218.737
		El .843			13995	77H4608	TERR	359 40 56	358.364	358.506

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
906560	77H4627	E 490520.116 N5446580.664 El .775	.999604	1.0000029		MARKER DESTROYED				
194845	77H4628	E 489780.603 N5446384.309 El 1.131	.9996041	1.0000029	282483 99127 545145	77H4783 144-696 77H4692	TERR TERR TERR	2 19 15 89 24 47 269 56 8	209.418 267.785 548.547	209.500 267.890 548.764
590240	77H4629	E 490454.427 N5445159.292 El .893	.999604	1.0000029	247478 680744 677286 6320	92H0976 77H4853 77H4694 77H4648	TERR TERR TERR TERR	91 42 33 180 9 18 270 55 28 359 44 51	415.494 202.049 412.993 191.208	415.659 202.129 413.156 191.284
264358	77H4630	E 491663.256 N5442293.541 El 1.191	.9996037	1.0000029	372896 787226 482240	77H4905 77H4673 77H4637	TERR TERR TERR	88 14 54 181 55 38 271 37 16	254.833 770.240 260.325	254.934 770.545 260.428
913483	77H4631	E 489216.426 N5440697.882 El .834	.9996044	1.0000029	199620 231852 10272	77H4947 77H4808 77H4662	TERR TERR TERR	0 5 13 90 24 48 180 3 4	803.892 808.213 732.265	804.210 808.532 732.555
88336	77H4632	E 490026.227 N5441489.533 El 1.511	.999604	1.0000028	698480 231852 199620	77H4650 77H4808 77H4947	TERR TERR TERR	0 34 44 180 6 56 270 52 2	818.307 797.483 808.675	818.632 797.798 808.995
785469	77H4633	E 486791.564 N5446818.579 El 1.379	.999605	1.0000028	301515 501999 981688	77H4612 77H4669 77H4821	TERR TERR TERR	95 37 48 180 14 25 276 25 19	366.429 434.587 643.303	366.574 434.758 643.557
262147	77H4634	E 489802.207 N5443950.195 El .611	.9996042	1.000003	570291 505	77H4681 77H4644	TERR TERR	90 9 52 270 10 3	231.380 362.202	231.471 362.345
640326	77H4635	E 490868.138 N5442305.499 El 1.432	.9996039	1.0000028	25098 467886 444323	77H4798 77H4759 77H4869	TERR TERR TERR	0 0 50 89 33 39 270 20 37	449.198 255.123 383.722	449.376 255.224 383.874
513689	77H4636	E 489213.184 N5443137.321 El .918	.9996043	1.0000029	103788 708826 361303 491456	77H4667 77H4626 77H4738 77H4646	TERR TERR TERR TERR	0 33 21 91 6 19 182 4 5 270 13 58	319.911 218.651 152.924 371.154	320.037 218.737 152.985 371.301
482240	77H4637	E 491403.036 N5442300.905 El 1.278	.9996038	1.0000029	264358 467886	77H4630 77H4759	TERR TERR	91 37 16 271 20 27	260.325 279.859	260.428 279.969

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
307413	77H4638	E 487610.597	.9996047	1.0000028	992164	77H4654	TERR	91 47 25	402.494	402.653					
		N54446766.211					73973				77H4603	TERR	180 30 33	383.958	384.109
		El 1.614													
167460	77H4639	E 491313.099	.9996037	1.0000027	122952	77H4652	TERR	90 12 47	377.079	377.229					
		N5445884.932					922336				77H4676	TERR	270 13 53	392.452	392.607
		El 1.867													
656629	77H4640	E 489223.255	.9996043	1.0000029	396689	84H0141	TERR	90 54 5	294.766	294.883					
		N5444759.636					504670				77H4856	TERR	180 15 55	405.238	405.399
		El .917					698266				84H0140	TERR	268 38 10	214.443	214.527
614156	77H4641	E 488809.124	.9996044	1.0000029	890962	77H4622	TERR	89 37 27	409.439	409.601					
		N5443782.929					699165				77H4882	TERR	270 32 28	403.926	404.086
		El 1.064													
596742	77H4642	E 490039.304	.9996041	1.0000029	677286	77H4694	TERR	0 37 30	200.220	200.299					
		N5444965.747					680744				77H4853	TERR	91 10 30	414.664	414.828
		El 1.055					549147				77H4665	TERR	180 38 37	205.993	206.074
846261	77H4643	E 489225.024	.9996043	1.0000029		MARKER DESTROYED									
		N5445553.894													
		El .943													
505	77H4644	E 489440.007	.9996043	1.000003	262147	77H4634	TERR	90 10 3	362.202	362.345					
		N5443951.254					867218				77H4685	TERR	270 14 43	220.598	220.685
		El .519													
615542	77H4645	E 490922.702	.9996038	1.0000028	275081	77H4915	TERR	0 13 6	406.993	407.154					
		N54446371.198					540435				77H4621	TERR	89 52 59	412.390	412.553
		El 1.594					510347				77H4697	TERR	180 21 10	163.162	163.227
							620757				83H5915	TERR	267 9 38	105.116	105.158
491456	77H4646	E 488842.033	.9996044	1.0000029	513689	77H4636	TERR	90 13 57	371.154	371.301					
		N5443138.828					565846				77H4802	TERR	270 33 58	438.626	438.799
		El .976													
412981	77H4647	E 488883.518	.9996044	1.0000029	795161	77H4811	TERR	178 47 44	263.930	264.035					
		N5445276.117					775114				77H4886	TERR	270 5 52	469.580	469.766
		El .849													
6320	77H4648	E 490453.584	.999604	1.0000029	373415	77H4604	TERR	91 2 20	403.365	403.525					
		N5445350.498					590240				77H4629	TERR	179 44 51	191.208	191.284
		El .916					73981				77H4623	TERR	271 22 58	410.219	410.382
							449405				77H4687	TERR	358 46 55	200.036	200.115

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
961003	77H4649	E 490241.903 N54446584.164 El .442	.9996041	1.000003		MARKER DESTROYED				
698480	77H4650	E 490034.496 N5442307.798 El 1.615	.999604	1.0000028	444323 88336 95604 905984	77H4869 77H4632 92H0963 77H4763	TERR TERR TERR TERR	89 59 59 180 34 44 270 55 57 357 42 2	449.927 818.307 407.400 204.049	450.106 818.632 407.560 204.129
605337	77H4651	E 490855.342 N5445550.601 El 1.008	.9996039	1.0000029	373415 449405	77H4604 77H4687	TERR TERR	179 34 28 269 59 3	207.423 406.010	207.505 406.171
122952	77H4652	E 491690.175 N 5445883.53 El 2.619	.9996035	1.0000026	192955 300756 167460	77H4940 77H4693 77H4639	TERR TERR TERR	0 26 4 180 23 32 270 12 47	322.482 322.185 377.079	322.610 322.313 377.229
648501	77H4653	E 490411.294 N5445772.057 El .554	.9996041	1.000003	641860 110122	77H4616 77H4925	TERR TERR	0 59 54 267 52 57	199.768 149.588	199.847 149.647
992164	77H4654	E 488012.894 N5446753.637 El 1.103	.9996046	1.0000029	542068 63164 307413	77H4610 77H4614 77H4638	TERR TERR TERR	84 2 34 180 48 50 271 47 25	203.351 373.191 402.494	203.431 373.339 402.653
954362	77H4655	E 486003.838 N5446387.153 El 1.346	.9996052	1.0000028	981688 501999 30031	77H4821 77H4669 77H4885	TERR TERR TERR	16 25 56 90 13 49 270 20 9	524.816 785.910 445.997	525.024 786.220 446.173
591644	77H4656	E 491701.828 N5441064.428 El 1.394	.9996037	1.0000028	568204	77H4677	TERR	220 35 30	491.603	491.798
224683	77H4657	E 488417.793 N5446379.945 El 1.346	.9996045	1.0000028	124818 281006 567131 139659	77H4875 77H4749 77H4670 77H4812	TERR TERR TERR TERR	0 2 46 91 47 52 180 1 37 269 51 58	425.296 270.304 610.111 202.774	425.464 270.411 610.352 202.854
724492	77H4658	E 490865.866 N5443119.885 El 1.236	.9996039	1.0000029	36525 782656 25098 119065	77H4784 77H4680 77H4798 77H4735	TERR TERR TERR TERR	1 45 34 90 49 40 179 37 35 269 32 14	317.721 246.406 365.196 469.114	317.847 246.504 365.341 469.299
846428	77H4659	E 491059.211 N5445562.833 El 1.368	.9996038	1.0000028	971515	77H4937	TERR	90 16 19	204.518	204.598

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
892307	77H4660	E 487618.144 N 5445288.38 El .804	.9996048	1.0000029	403444 968305	77H4624 77H4746	TERR TERR	180 5 50 346 43 43	370.938 184.040	371.084 184.113
69062	77H4661	E 490866.006 N5444343.302 El 1.069	.9996039	1.0000029	MARKER DESTROYED					
10272	77H4662	E 489215.773 N5439965.617 El 1.057	.9996043	1.0000029	913483 394437	77H4631 77H4671	TERR TERR	0 3 4 90 22 24	732.265 802.380	732.555 802.697
260307	77H4663	E 488213.361 N5445977.262 El .986	.9996046	1.0000029	139659	77H4812	TERR	0 14 11	402.213	402.372
542548	77H4664	E 487100.445 N 5445915.71 El 1.292	.9996049	1.0000028	800250 496687 460659	77H4619 77H4891 87H3143	TERR TERR TERR	0 4 0 180 0 26 270 57 43	196.159 182.949 317.777	196.236 183.021 317.903
549147	77H4665	E 490036.99 N5444759.767 El 1.323	.9996041	1.0000028	596742 64329 98301 713917	77H4642 77H4689 77H4731 84H0142	TERR TERR TERR TERR	0 38 37 90 45 10 182 49 16 269 2 51	205.993 416.959 206.594 268.795	206.074 417.125 206.675 268.901
984401	77H4666	E 490264.854 N5442822.558 El .69	.9996041	1.0000029	734111 971762 260588	77H4797 77H4617 77H4799	TERR TERR TERR	1 47 38 90 28 16 276 0 47	294.366 280.539 241.580	294.483 280.650 241.676
103788	77H4667	E 489216.287 N5443457.217 El .859	.9996043	1.0000029	890962 513689 795443	77H4622 77H4636 77H4684	TERR TERR TERR	0 23 44 180 33 21 270 32 53	328.405 319.911 422.644	328.535 320.037 422.811
858696	77H4668	E 491671.015 N5442758.978 El .74	.9996038	1.0000029	132340	77H4691	TERR	0 56 18	347.971	348.109
501999	77H4669	E 486789.742 N5446383.996 El 1.232	.999605	1.0000028	785469 938308 460659 954362	77H4633 77H4607 87H3143 77H4655	TERR TERR TERR TERR	0 14 25 90 9 6 180 52 12 270 13 48	434.587 222.270 463.004 785.910	434.758 222.358 463.188 786.220
567131	77H4670	E 488417.505 N5445769.834 El 1.435	.9996045	1.0000028	224683 863407 202242	77H4657 77H4863 83H6181	TERR TERR TERR	0 1 37 180 12 26 270 20 47	610.111 217.624 419.594	610.352 217.710 419.760



Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
782656	77H4680	E 491112.247 N5443116.326 El .818	.9996039	1.0000029	724492	77H4658	TERR	270 49 40	246.407	246.504
570291	77H4681	E 490033.586 N5443949.531 El 1.216	.9996041	1.0000029	292078 57174 262147	77H4688 77H4675 77H4634	TERR TERR TERR	0 7 13 180 6 36 270 9 52	265.663 257.488 231.380	265.768 257.589 231.471
374108	77H4682	E 489526.507 N5445469.573 El .805	.9996043	1.0000029	205229	77H4700	TERR	180 36 35	394.773	394.929
646695	77H4683	E 490754.612 N5446168.499 El .658	.999604	1.0000029	493775	77H4699	TERR	269 39 32	149.669	149.729
795443	77H4684	E 488793.663 N5443461.261 El 1.161	.9996044	1.0000029	103788 726356	77H4667 77H4854	TERR TERR	90 32 54 270 31 0	422.643 389.469	422.811 389.623
867218	77H4685	E 489219.411 N5443952.198 El .8	.9996043	1.0000029	504670 505 890962 611269	77H4856 77H4644 77H4622 77H4781	TERR TERR TERR TERR	0 16 50 90 14 42 180 17 41 271 30 36	402.209 220.598 166.586 404.751	402.368 220.685 166.652 404.911
258442	77H4686	E 489431.146 N 5443692.15 El .826	.9996043	1.0000029	520015 13995	77H4690 77H4608	TERR TERR	90 12 59 180 22 56	305.159 200.693	305.280 200.772
449405	77H4687	E 490449.332 N5445550.489 El .778	.999604	1.0000029	605337 6320 201236	77H4651 77H4648 77H4895	TERR TERR TERR	89 59 3 178 46 55 270 8 47	406.010 200.036 407.794	406.171 200.115 407.955
292078	77H4688	E 490034.144 N5444215.193 El 1.235	.9996041	1.0000029	728360 570291	84H0143 77H4681	TERR TERR	3 15 47 180 7 13	136.391 265.663	136.445 265.768
64329	77H4689	E 490453.913 N 5444754.29 El 1.251	.999604	1.0000028	695973 549147 680744	77H4921 77H4665 77H4853	TERR TERR TERR	91 31 55 270 45 10 359 59 27	408.396 416.959 202.954	408.557 417.125 203.035
520015	77H4690	E 489736.303 N5443690.997 El .706	.9996042	1.0000029	57174 832394 258442	77H4675 77H4698 77H4686	TERR TERR TERR	89 47 52 180 18 29 270 12 59	296.790 201.034 305.159	296.908 201.114 305.280
132340	77H4691	E 491676.714 N5443106.902 El 1.059	.9996037	1.0000029	706366 973826 858696	77H4986 77H4935 77H4668	TERR TERR TERR	1 8 11 90 22 9 180 56 18	263.231 361.957 347.971	263.336 362.100 348.109

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
545145	77H4692	E 489232.057	.9996043	1.0000029	194845	77H4628	TERR	89 56 7	548.547	548.764
		N5446383.691			798694	77H4775	TERR	183 47 30	134.145	134.198
		El 1.166			237628	77H4764	TERR	267 36 56	263.865	263.969
					637637	77H4709	TERR	359 32 5	353.201	353.340
300756	77H4693	E 491687.969	.9996035	1.0000027	122952	77H4652	TERR	0 23 33	322.186	322.313
		N5445561.352			134221	77H5848	TERR	90 6 44	416.968	417.133
		El 2.417			462556	77H4620	TERR	180 20 35	319.211	319.338
					66464	77H4615	TERR	270 3 35	218.594	218.681
677286	77H4694	E 490041.488	.9996041	1.0000029	73981	77H4623	TERR	0 35 18	194.453	194.530
		N5445165.955			590240	77H4629	TERR	90 55 28	412.992	413.156
		El 1.131			596742	77H4642	TERR	180 37 30	200.220	200.299
209486	77H4695	E 490973.943	.999604	1.000003	825455	77H4920	TERR	91 40 29	291.169	291.284
		N 5443386			36525	77H4784	TERR	297 37 31	110.973	111.016
		El .461								
573105	77H4696	E 491693.867	.9996035	1.0000027		MARKER DESTROYED				
		N5446370.004								
		El 2.151								
510347	77H4697	E 490921.697	.9996038	1.0000028	615542	77H4645	TERR	0 21 11	163.162	163.227
		N5446208.039			46011	77H4679	TERR	90 14 15	362.440	362.583
		El 1.468			922336	77H4676	TERR	180 11 11	321.524	321.651
832394	77H4698	E 489735.222	.9996043	1.000003	520015	77H4690	TERR	0 18 29	201.034	201.114
		N5443489.966			13995	77H4608	TERR	270 16 50	305.419	305.540
		El .458								
493775	77H4699	E 490604.945	.9996041	1.000003	646695	77H4683	TERR	89 39 32	149.670	149.729
		N5446167.608								
		El .441								
205229	77H4700	E 489522.307	.9996043	1.000003	374108	77H4682	TERR	0 36 35	394.773	394.929
		N5445074.823			396689	84H0141	TERR	180 46 28	319.853	319.980
		El .508								
401117	77H4701	E 488872.073	.9996044	1.0000029	945915	77H4779	TERR	86 16 46	337.382	337.515
		N 5442778.99								
		El 1.021								
444273	77H4702	E 488203.35	.9996046	1.0000029		MARKER DESTROYED				
		N5445544.342								
		El .996								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
230110	77H4703	E 489032.211 N5442450.237 El 1.07	.9996044	1.0000029	230367	77H4748	TERR	351 46 23	102.676	102.717
198283	77H4704	E 489767.45 N5444754.653 El 1.124	.9996042	1.0000029		MARKER DESTROYED				
242065	77H4705	E 488890.004 N5446571.511 El 1.459	.9996043	1.0000028	637637 228346	77H4709 77H4771	TERR TERR	64 0 31 183 46 7	377.350 199.633	377.499 199.713
230359	77H4706	E 489217.683 N5445364.233 El .948	.9996043	1.0000029		MARKER DESTROYED				
167429	77H4707	E 491486.986 N5442866.025 El 1.015	.9996038	1.0000029	670349	77H4755	TERR	269 3 50	179.533	179.604
176842	77H4708	E 487307.737 N5445481.994 El .945	.9996049	1.0000029	968305 693648	77H4746 77H4723	TERR TERR	93 5 34 179 45 48	268.549 258.493	268.656 258.595
637637	77H4709	E 489229.189 N 5446736.88 El 1.43	.9996042	1.0000028	545145 242065 330324	77H4692 77H4705 77H4792	TERR TERR TERR	179 32 5 244 0 31 323 58 48	353.201 377.350 357.940	353.340 377.499 358.082
324764	77H4710	E 489216.941 N5445242.308 El .876	.9996043	1.0000029	10678	88H4820	TERR	0 20 38	119.863	119.911
51391	77H4711	E 487039.052 N5445159.536 El .976	.9996049	1.0000029	539973	77H4740	TERR	175 56 13	199.566	199.646
370288	77H4712	E 490027.005 N5444358.855 El 1.235	.9996041	1.0000029		MARKER DESTROYED				
346825	77H4713	E 489437.001 N5446585.904 El 1.453	.9996042	1.0000028	155143 282483	77H4754 77H4783	TERR TERR	16 47 48 88 45 19	341.647 352.165	341.783 352.304
204214	77H4714	E 487526.202 N5445878.523 El 1.073	.9996048	1.0000029	388389 355131	77H4737 77H4768	TERR TERR	13 58 25 213 11 16	71.047 102.526	71.075 102.566

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
440727	77H4715	E 490036.232	.9996041	1.0000028	244103	77H4717	TERR	0 17 16	201.936	202.016
		N5445781.044			110122	77H4925	TERR	93 40 53	226.042	226.132
		El 1.284			201236	77H4895	TERR	178 40 31	229.575	229.666
297861	77H4716	E 488969.394	.9996044	1.0000029	798694	77H4775	TERR	90 26 40	253.800	253.900
		N5446251.808			642991	77H4752	TERR	268 4 39	170.184	170.252
		El .737			237628	77H4764	TERR	359 32 20	120.909	120.956
244103	77H4717	E 490037.246	.9996041	1.0000029	99127	144-696	TERR	1 34 39	404.227	404.388
		N5445982.978			462523	88H4814	TERR	94 3 10	228.026	228.117
		El 1.143			440727	77H4715	TERR	180 17 15	201.937	202.016
744722	77H4718	E 489519.129	.9996042	1.0000029	MARKER DESTROYED					
		N5444754.383								
		El 1.128								
850651	77H4719	E 487440.887	.9996048	1.0000029	388389	77H4737	TERR	125 8 22	125.308	125.357
		N5446019.591			562736	77H4727	TERR	340 23 37	87.722	87.757
		El 1.166								
928937	77H4720	E 489215.988	.9996043	1.0000029	MARKER DESTROYED					
		N5445119.369								
		El .965								
559203	77H4721	E 488764.028	.9996044	1.0000028	330324	77H4792	TERR	60 51 40	291.569	291.684
		N5446884.413			722256	77H4732	TERR	252 44 42	213.357	213.442
		El 1.399								
780460	77H4722	E 490233.108	.9996041	1.0000029	699660	77H4785	TERR	123 0 3	84.987	85.020
		N5442518.783			905984	77H4763	TERR	268 2 0	206.921	207.003
		El 1.039			500116	77H4791	TERR	356 32 46	143.853	143.910
693648	77H4723	E 487308.805	.9996049	1.0000029	176842	77H4708	TERR	359 45 47	258.494	258.595
		N5445223.503								
		El .996								
599555	77H4724	E 488515.46	.9996045	1.0000029	417956	77H4725	TERR	33 25 5	91.918	91.954
		N5442544.226			183574	77H4862	TERR	263 39 27	108.661	108.705
		El 1.079								
417956	77H4725	E 488566.083	.9996045	1.0000029	859140	78H8336	TERR	91 10 14	124.686	124.735
		N5442620.948			599555	77H4724	TERR	213 25 3	91.918	91.954
		El 1.012								
301267	77H4726	E 488023.136	.9996047	1.0000029	569178	77H4883	TERR	180 58 60	240.737	240.832
		N5445126.047								
		El .858								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
562736	77H4727	E 487411.451 N54446102.227 El 1.183	.9996048	1.0000029	850651	77H4719	TERR	160 23 36	87.722	87.757
957175	77H4728	E 488003.487 N54445546.822 El .97	.9996047	1.0000029	MARKER DESTROYED					
467860	77H4729	E 488621.187 N54444755.312 El 1.327	.9996044	1.0000028	698266 978155	84H0140 77H4829	TERR TERR	90 6 55 271 57 8	387.687 211.104	387.841 211.188
313452	77H4730	E 488818.569 N54442629.375 El 1.02	.9996044	1.0000029	486480	77H4786	TERR	86 53 50	189.626	189.701
98301	77H4731	E 490026.822 N5444553.424 El 1.375	.9996041	1.0000028	549147 728360	77H4665 84H0143	TERR TERR	2 49 16 175 43 49	206.594 202.623	206.675 202.703
722256	77H4732	E 488560.273 N54446821.126 El 1.338	.9996044	1.0000028	559203 124818	77H4721 77H4875	TERR TERR	72 44 42 263 37 23	213.358 143.023	213.442 143.080
396721	77H4733	E 490024.322 N54443425.714 El 1.304	.9996041	1.0000028	57174 76620 597161	77H4675 77H4793 77H4851	TERR TERR TERR	1 53 9 88 33 31 178 43 25	266.474 314.281 299.795	266.580 314.405 299.914
63461	77H4734	E 488665.733 N54445654.106 El .998	.9996045	1.0000029	760843 631564	77H4772 77H4774	TERR TERR	86 21 29 311 12 48	164.717 125.382	164.782 125.431
119065	77H4735	E 490396.768 N54443116.095 El 1.345	.999604	1.0000028	724492 734111	77H4658 77H4797	TERR TERR	89 32 13 270 19 11	469.113 122.701	469.299 122.749
971424	77H4736	E 489010.524 N54444754.529 El 1.089	.9996044	1.0000029	MARKER DESTROYED					
388389	77H4737	E 487543.358 N54445947.468 El 1.072	.9996048	1.0000029	204214 850651	77H4714 77H4719	TERR TERR	193 58 24 305 8 22	71.048 125.308	71.075 125.357
361303	77H4738	E 489207.666 N54442984.496 El .964	.9996043	1.0000029	513689 816223 945915	77H4636 78H8338 77H4779	TERR TERR TERR	2 4 4 90 29 4 179 39 50	152.925 660.516 183.617	152.985 660.778 183.690

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
349027	77H4739	E 489310.504 N5444136.195 El .931	.9996043	1.0000029	849208	77H4767	TERR	86 18 13	234.145	234.238
539973	77H4740	E 487053.192 N5444960.471 El .915	.999605	1.0000029	198788 51391	77H4575 77H4711	TERR TERR	182 22 56 355 56 13	193.649 199.567	193.726 199.646
6247	77H4741	E 489220.568 N5445944.614 El .937	.9996043	1.0000029	798694 208314 18051	77H4775 88H4823 77H4742	TERR TERR TERR	0 29 29 176 51 48 260 36 27	305.237 391.133 143.607	305.358 391.287 143.663
18051	77H4742	E 489078.887 N5445921.178 El 1.023	.9996043	1.0000029	6247 760843	77H4741 77H4772	TERR TERR	80 36 27 224 6 41	143.606 357.399	143.663 357.541
838730	77H4743	E 488728.703 N5442885.835 El .978	.9996045	1.0000029	730721	77H4747	TERR	269 13 29	312.920	313.044
957951	77H4744	E 490878.653 N 5443630.96 El .942	.9996039	1.0000029	693325 36525	77H4951 77H4784	TERR TERR	0 11 37 180 53 51	307.852 193.527	307.975 193.604
77834	77H4745	E 489893.473 N5442700.215 El .798	.9996042	1.0000029	247593	77H4762	TERR	273 4 18	196.745	196.822
968305	77H4746	E 487575.895 N5445467.505 El 1.246	.9996047	1.0000028	423145 892307 176842	77H4890 77H4660 77H4708	TERR TERR TERR	5 13 34 166 43 43 273 5 34	109.714 184.040 268.550	109.757 184.113 268.656
730721	77H4747	E 488415.812 N5442881.601 El 1.701	.9996044	1.0000028	838730 210518 565846	77H4743 77H4818 77H4802	TERR TERR TERR	89 13 29 184 20 8 357 17 22	312.920 131.937 261.855	313.044 131.989 261.958
230367	77H4748	E 489017.519 N5442551.857 El 1.072	.9996044	1.0000029	230110 486480	77H4703 77H4786	TERR TERR	171 46 24 353 45 28	102.677 88.306	102.717 88.341
281006	77H4749	E 488687.964 N5446371.466 El 1.304	.9996044	1.0000028	228346 224683	77H4771 77H4657	TERR TERR	89 44 39 271 47 51	188.921 270.304	188.996 270.411
188607	77H4750	E 490640.419 N5443431.467 El 1.085	.999604	1.0000029	36525 76620	77H4784 77H4793	TERR TERR	88 32 29 270 24 30	235.279 301.924	235.371 302.043

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
14290	77H4751	E 488556.602	.9996045	1.0000029	577460	77H4795	TERR	3 50 57	198.894	198.973			
		N5445833.569					TERR				171 18 20	97.979	98.018
		El 1.133											
642991	77H4752	E 488799.305	.9996044	1.0000029	297861	77H4716	TERR	88 4 39	170.185	170.252			
		N5446246.099					TERR				226 58 18	313.742	313.867
		El .982											
666651	77H4753	E 489577.93	.9996042	1.0000029	247593	77H4762	TERR	86 15 18	119.336	119.383			
		N5442702.963											
		El .945											
155143	77H4754	E 489535.728	.9996042	1.0000028	367151	88H4813	TERR	54 47 24	425.980	426.149			
		N5446912.976					TERR				196 47 47	341.648	341.783
		El 1.333											
670349	77H4755	E 491307.477	.9996038	1.0000029	167429	77H4707	TERR	89 3 51	179.533	179.604			
		N5442863.092											
		El .837											
284786	77H4756	E 488675.969	.9996044	1.0000028		MARKER DESTROYED							
331181	77H4757	E 489906.272	.9996041	1.0000028									
		N5447170.902											
		El 1.251											
703488	77H4758	E 488941.071	.9996043	1.0000028									
		N5442315.524											
		El 1.499											
467886	77H4759	E 491123.254	.9996038	1.0000029	482240	77H4637	TERR	91 20 27	279.858	279.969			
		N5442307.454					TERR				269 33 39	255.123	255.224
		El 1.266											
292797	77H4760	E 489627.33	.9996041	1.0000028		MARKER DESTROYED							
928317	77H4761	E 487249.206	.9996049	1.0000029	355131	77H4768	TERR	122 49 43	262.854	262.958			
		N5445935.222											
		El 1.025											
247593	77H4762	E 489697.011	.9996042	1.0000029	77834	77H4745	TERR	93 4 18	196.745	196.822			
		N5442710.757					TERR				266 15 18	119.335	119.383
		El .853											

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance
		Metres							Metres	Metres
905984	77H4763	E 490026.309 N5442511.682 El 2.109	.9996039	1.0000027	780460 698480 274043	77H4722 77H4650 77H4777	TERR TERR TERR	88 2 0 177 42 2 359 41 38	206.921 204.048 164.692	207.003 204.129 164.757
237628	77H4764	E 488968.421 N5446372.713 El 1.389	.9996043	1.0000028	545145 297861 228346	77H4692 77H4716 77H4771	TERR TERR TERR	87 36 56 179 32 20 269 44 50	263.864 120.909 91.539	263.969 120.956 91.575
849208	77H4767	E 489544.162 N 5444151.29 El .955	.9996042	1.0000029	349027	77H4739	TERR	266 18 13	234.145	234.238
355131	77H4768	E 487470.081 N5445792.721 El .864	.9996048	1.0000029	204214 655902 928317	77H4714 77H4794 77H4761	TERR TERR TERR	33 11 17 191 34 13 302 49 43	102.526 213.265 262.854	102.566 213.350 262.958
226035	77H4769	E 491168.628 N5442688.089 El .931	.9996039	1.0000029	MARKER ISOLATED					
486696	77H4770	E 489614.749 N5444547.897 El .822	.9996042	1.0000029	173849 117960	77H4800 77H4806	TERR TERR	91 28 8 168 7 15	236.780 198.931	236.874 199.010
228346	77H4771	E 488876.883 N5446372.309 El 1.306	.9996044	1.0000028	242065 237628 281006	77H4705 77H4764 77H4749	TERR TERR TERR	3 46 7 89 44 51 269 44 39	199.634 91.539 188.921	199.713 91.575 188.996
760843	77H4772	E 488830.117 N5445664.569 El .806	.9996044	1.0000029	18051 816157 63461	77H4742 78H8339 77H4734	TERR TERR TERR	44 6 41 178 32 48 266 21 30	357.400 119.986 164.716	357.541 120.033 164.782
631564	77H4774	E 488571.413 N5445736.716 El 1.088	.9996045	1.0000029	63461 14290	77H4734 77H4751	TERR TERR	131 12 47 351 18 20	125.382 97.979	125.431 98.018
798694	77H4775	E 489223.186 N 5446249.84 El 1.092	.9996043	1.0000029	545145 6247 297861	77H4692 77H4741 77H4716	TERR TERR TERR	3 47 30 180 29 29 270 26 39	134.145 305.237 253.800	134.198 305.358 253.900
979302	77H4776	E 490648.833 N5442793.104 El .854	.999604	1.0000029	25098 657767 971762	77H4798 77H4790 77H4617	TERR TERR TERR	99 55 43 182 10 47 284 42 15	222.751 223.857 106.952	222.840 223.945 106.994
274043	77H4777	E 490025.429 N5442676.372 El 1.829	.999604	1.0000028	905984 260588	77H4763 77H4799	TERR TERR	179 41 38 359 43 27	164.692 171.495	164.757 171.563

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
814897	77H4778	E 488690.149	.9996045	1.0000029	859140	78H8336	TERR	0 13 26	152.041	152.101					
		N5442466.361					773853				92H0961	TERR	181 12 42	164.024	164.089
		El .932													
945915	77H4779	E 489208.743	.9996043	1.0000029	807354	77H4931	TERR	178 34 11	489.986	490.180					
		N5442800.882					401117				77H4701	TERR	266 16 47	337.381	337.515
		El 1.025					361303				77H4738	TERR	359 39 50	183.618	183.690
19109	77H4780	E 491328.036	.9996038	1.0000029	MARKER ISOLATED										
		N5443105.939													
		El 1.201													
611269	77H4781	E 488814.8	.9996044	1.0000029	867218	77H4685	TERR	91 30 36	404.752	404.911					
		N5443962.864					902031				77H4801	TERR	269 27 28	408.941	409.103
		El 1.236													
439422	77H4782	E 487824.507	.9996047	1.0000029	897215	77H4833	TERR	180 19 58	293.544	293.660					
		N5445179.919													
		El .932													
282483	77H4783	E 489789.083	.9996041	1.0000028	194845	77H4628	TERR	182 19 14	209.417	209.500					
		N5446593.555					346825				77H4713	TERR	268 45 18	352.165	352.304
		El 1.434													
36525	77H4784	E 490875.621	.9996039	1.0000029	957951	77H4744	TERR	0 53 52	193.527	193.604					
		N5443437.456					209486				77H4695	TERR	117 37 29	110.972	111.016
		El .918					724492				77H4658	TERR	181 45 34	317.721	317.847
							188607				77H4750	TERR	268 32 29	235.278	235.371
699660	77H4785	E 490304.383	.9996041	1.0000029	502161	77H4789	TERR	89 31 12	231.583	231.674					
		N5442472.495					780460				77H4722	TERR	303 0 3	84.986	85.020
		El .921													
486480	77H4786	E 489007.917	.9996044	1.0000029	230367	77H4748	TERR	173 45 28	88.306	88.341					
		N5442639.639					313452				77H4730	TERR	266 53 50	189.626	189.701
		El .964													
252684	77H4787	E 489856.649	.9996041	1.0000029	597161	77H4851	TERR	87 45 39	174.484	174.553					
		N5443119.176					816223				78H8338	TERR	175 18 33	140.736	140.792
		El 1.111					708826				77H4626	TERR	271 52 39	425.083	425.252
456624	77H4788	E 491414.677	.9996038	1.0000029	MARKER ISOLATED										
		N5442676.509													
		El .92													
502161	77H4789	E 490535.958	.999604	1.0000029	657767	77H4790	TERR	47 41 47	141.107	141.163					
		N5442474.436					699660				77H4785	TERR	269 31 11	231.583	231.674
		El .79													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
657767	77H4790	E 490640.319 N5442569.409 El .832	.999604	1.0000029	797302 502161	77H4776 77H4789	TERR TERR	2 10 46 227 41 47	223.857 141.107	223.945 141.163
500116	77H4791	E 490224.441 N5442662.375 El .924	.9996041	1.0000029	780460	77H4722	TERR	176 32 45	143.854	143.910
330324	77H4792	E 489018.696 N5447026.387 El 1.559	.9996043	1.0000028	637637 559203	77H4709 77H4721	TERR TERR	143 58 49 240 51 39	357.941 291.569	358.082 291.684
76620	77H4793	E 490338.503 N5443433.619 El 1.057	.999604	1.0000029	188607 396721	77H4750 77H4733	TERR TERR	90 24 30 268 33 32	301.924 314.280	302.043 314.405
655902	77H4794	E 487427.307 N 5445583.79 El 1.156	.9996048	1.0000029	355131 423145 672113	77H4768 77H4890 77H4815	TERR TERR TERR	11 34 13 92 32 15 268 59 15	213.265 158.737 307.567	213.350 158.800 307.688
577460	77H4795	E 488569.954 N5446032.014 El 1.157	.9996045	1.0000029	642991 14290	77H4752 77H4751	TERR TERR	46 58 18 183 50 57	313.743 198.894	313.867 198.973
824854	77H4796	E 490822.57 N5443763.555 El 1.051	.9996039	1.0000029	MARKER ISOLATED					
734111	77H4797	E 490274.069 N 5443116.78 El .967	.9996041	1.0000029	119065 984401 597161	77H4735 77H4666 77H4851	TERR TERR TERR	90 19 11 181 47 38 272 10 14	122.701 294.367 243.244	122.749 294.483 243.340
25098	77H4798	E 490868.248 N5442754.697 El .845	.9996039	1.0000029	640326 979302 724492	77H4635 77H4776 77H4658	TERR TERR TERR	180 0 50 279 55 43 359 37 35	449.198 222.751 365.196	449.376 222.840 365.341
260588	77H4799	E 490024.603 N5442847.864 El 1.665	.999604	1.0000028	597161 984401 274043	77H4851 77H4666 77H4777	TERR TERR TERR	1 19 3 96 0 47 179 43 26	278.203 241.580 171.494	278.312 241.676 171.563
173849	77H4800	E 489851.451 N5444541.827 El .756	.9996042	1.0000029	486696	77H4770	TERR	271 28 9	236.780	236.874
902031	77H4801	E 488405.877 N5443958.995 El 1.723	.9996044	1.0000028	519777 611269 699165 632893	77H4824 77H4781 77H4882 77H4834	TERR TERR TERR TERR	0 17 40 89 27 28 180 13 12 270 22 54	356.222 408.942 172.253 786.176	356.363 409.103 172.321 786.487



Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
139659	77H4812	E 488215.02	.9996045	1.0000028	224683	77H4657	TERR	89 51 59	202.774	202.854
		N54446379.472			260307	77H4663	TERR	180 14 11	402.213	402.372
		El 1.274			63164	77H4614	TERR	270 16 46	207.430	207.512
484477	77H4813	E 487588.012	.9996047	1.0000028	403444	77H4624	TERR	11 14 38	151.306	151.366
		N5444769.041			232488	77H4830	TERR	90 23 0	376.998	377.148
		El 1.233			59972	77H4870	TERR	174 42 4	350.564	350.703
					62240	77H4544	TERR	268 52 43	240.521	240.616
881656	77H4814	E 488407.952	.9996045	1.0000028	890202	77H4508	TERR	272 16 25	411.858	412.021
		N5441360.858			996298	77H4595	TERR	358 22 32	143.218	143.275
		El 1.44								
672113	77H4815	E 487119.788	.9996049	1.0000029	655902	77H4794	TERR	88 59 15	307.567	307.688
		N5445578.355			84046	77H4844	TERR	269 25 37	331.331	331.462
		El 1.113			496687	77H4891	TERR	352 51 4	155.616	155.677
701698	77H4816	E 487610.05	.9996047	1.0000028	646570	77H4817	TERR	0 4 41	337.457	337.590
		N5442336.586			102251	78H8449	TERR	93 18 41	447.285	447.461
		El 1.368			537563	77H4827	TERR	180 3 58	489.129	489.322
					570481	77H4552	TERR	268 35 55	287.126	287.240
646570	77H4817	E 487610.51	.9996048	1.0000029	701698	77H4816	TERR	180 4 41	337.457	337.590
		N5442674.042								
		El 1.019								
210518	77H4818	E 488405.838	.9996045	1.0000028	730721	77H4747	TERR	4 20 7	131.938	131.989
		N5442750.041			183574	77H4862	TERR	179 34 20	217.825	217.911
		El 1.525			47464	77H4900	TERR	270 10 4	346.819	346.956
991703	77H4819	E 486769.998	.9996049	1.0000028	196303	77H4519	TERR	274 3 44	324.173	324.301
		N5442703.014			4200	77H4836	TERR	359 39 30	448.493	448.670
		El 1.744								
647032	77H4820	E 486560.805	.9996051	1.0000029	649129	77H4849	TERR	90 8 5	212.506	212.590
		N5442147.278			675603	77H4828	TERR	180 9 27	197.935	198.013
		El 1.121			208868	77H4897	TERR	270 17 15	215.051	215.136
					520742	77H4557	TERR	357 30 40	202.255	202.334
981688	77H4821	E 486152.297	.9996052	1.0000028	785469	77H4633	TERR	96 25 19	643.304	643.557
		N5446890.533			954362	77H4655	TERR	196 25 55	524.816	525.024
		El 1.292								
588319	77H4822	E 486016.501	.9996053	1.0000029	79624	77H4527	TERR	87 46 24	160.124	160.188
		N5444776.834			412189	77H4558	TERR	180 18 2	155.025	155.086
		El 1.1								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
906826	77H4823	E 486340.561	.9996052	1.0000029	752931	77H4850	TERR	180 7 20	168.690	168.757
		N5443516.917			236299	77H4894	TERR	270 20 8	331.203	331.334
		El .92								
519777	77H4824	E 488407.707	.9996045	1.0000028	978155	77H4829	TERR	0 19 12	447.299	447.476
		N5444315.212			902031	77H4801	TERR	180 17 40	356.222	356.363
		El 1.511								
355982	77H4825	E 486789.089	.9996049	1.0000027	MARKER DESTROYED					
		N5445915.964								
		El 1.822								
761122	77H4826	E 487604.059	.9996047	1.0000028	941252	77H4545	TERR	5 9 22	181.818	181.890
		N5441380.043			890202	77H4508	TERR	90 24 56	392.370	392.525
		El 1.463			781161	77H4554	TERR	272 15 17	217.123	217.209
					467324	77H4857	TERR	329 51 24	252.612	252.711
537563	77H4827	E 487609.485	.9996048	1.0000029	701698	77H4816	TERR	0 3 58	489.128	489.322
		N5441847.458			73981	77H4623	GPS	34 43 0	4273.769	4275.460
		El 1.044			59121	02H2452	GPS	80 6 6	2455.548	2456.519
					51441	02H2453	GPS	88 41 31	5771.853	5774.139
					80101	02H2443	GPS	100 44 51	5562.463	5564.666
					394437	77H4671	GPS	128 4 38	3059.841	3061.052
					869792	No Marking	GPS	133 45 27	2291.220	2292.128
					941252	77H4545	TERR	177 49 2	286.540	286.653
					406991	77C032	GPS	187 50 44	3809.155	3810.660
					258020	19713	GPS	269 18 43	1872.641	1873.382
					626515	77H4566	TERR	272 55 33	138.014	138.069
					30031	77H4885	GPS	335 41 33	4984.153	4986.123
					58081	02H2408	GPS	351 41 32	5614.443	5616.663
					496687	77H4891	GPS	352 32 8	3918.511	3920.060
675603	77H4828	E 486560.26	.9996051	1.0000029	647032	77H4820	TERR	0 9 28	197.935	198.013
		N5441949.344			274613	77H4892	TERR	89 55 17	214.405	214.489
		El 1.214			302380	77H4804	TERR	180 25 10	210.660	210.743
					346130	77H4809	TERR	270 11 18	215.102	215.187
978155	77H4829	E 488410.205	.9996044	1.0000028	288340	77H4874	TERR	0 22 27	179.682	179.753
		N5444762.504			467860	77H4729	TERR	91 57 9	211.105	211.188
		El 1.638			519777	77H4824	TERR	180 19 12	447.299	447.476
					232488	77H4830	TERR	270 30 60	445.221	445.398
232488	77H4830	E 487965.002	.9996047	1.0000029	978155	77H4829	TERR	90 30 60	445.222	445.398
		N5444766.518			964460	77H4556	TERR	181 47 44	177.263	177.333
		El .643			484477	77H4813	TERR	270 23 0	376.999	377.148

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
427203	77H4831	E 490048.179	.999604	1.0000027	993964	77H4896	TERR	0 9 24	152.457	152.518
		N 5447294.7			100081	88H4812	TERR	91 29 44	416.654	416.820
		El 1.809			854398	77H4965	TERR	172 13 53	116.433	116.479
128686	77H4832	E 488059.131	.9996046	1.0000028	565846	77H4802	TERR	90 19 16	344.303	344.439
		N5443145.093			47464	77H4900	TERR	180 0 58	394.036	394.192
		El 1.37			167163	77H4846	TERR	270 22 2	207.424	207.506
897215	77H4833	E 487822.802	.9996047	1.0000029	439422	77H4782	TERR	0 19 58	293.544	293.660
		N 5444886.38			569178	77H4883	TERR	90 18 7	196.205	196.283
		El .987								
632893	77H4834	E 487619.719	.9996048	1.0000029	59972	77H4870	TERR	0 5 2	455.743	455.923
		N5443964.233			902031	77H4801	TERR	90 22 54	786.176	786.487
		El .975			925693	77H4888	TERR	180 5 37	173.574	173.642
					762146	77H4574	TERR	268 27 2	382.315	382.466
532325	77H4835	E 486592.469	.9996051	1.0000029	574145	77H4866	TERR	180 24 10	428.284	428.454
		N5443779.535			904763	77H4847	TERR	270 9 45	489.296	489.489
		El 1.108								
4200	77H4836	E 486767.324	.9996049	1.0000028	37200	77H4871	TERR	90 15 8	219.086	219.172
		N5443151.499			991703	77H4819	TERR	179 39 30	448.493	448.670
		El 1.686			22475	77H4532	TERR	358 51 26	206.452	206.534
117515	77H4837	E 487750.939	.9996047	1.0000029	433730	77H4864	TERR	90 20 55	414.965	415.129
		N5444419.417			59170	77H4563	TERR	182 40 53	89.026	89.061
		El 1.164			59972	77H4870	TERR	270 14 42	130.553	130.605
					795344	77H4590	TERR	357 22 17	182.431	182.503
549162	77H4838	E 486343.875	.9996051	1.0000028	673384	77H4865	TERR	0 12 55	212.542	212.625
		N5441527.702			429506	77H4803	TERR	90 13 7	213.982	214.066
		El 1.561			686873	77H4884	TERR	270 13 25	342.150	342.286
530469	77H4839	E 488058.356	.9996046	1.0000029		MARKER DESTROYED				
304550	77H4840	E 486603.378	.9996051	1.0000029	183731	77H4807	TERR	270 2 2	281.904	282.016
		N 5444525.33								
		El 1.134								
578880	77H4841	E 485834.656	.9996053	1.0000028	859025	77H4520	TERR	91 13 31	398.338	398.495
		N5443963.247			93476	77H4537	TERR	352 11 6	172.651	172.719
		El 1.306								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
766956	77H4842	E 488082.471	.9996046	1.0000029	726356	77H4854	TERR	90 18 36	321.743	321.870					
		N5443466.514					318923				77H4898	TERR	270 18 16	464.222	464.406
		El 1.123													
84046	77H4844	E 486788.474	.9996049	1.0000028	672113	77H4815	TERR	89 25 37	331.331	331.462					
		N5445575.041					129866				77H4859	TERR	269 30 45	534.276	534.486
		El 1.568					460659				87H3143	TERR	359 2 46	346.052	346.188
394809	77H4845	E 486532.171	.9996051	1.0000029	476440	77H4878	TERR	180 7 48	233.018	233.110					
		N5444359.498													
		El 1.002													
167163	77H4846	E 487851.712	.9996047	1.0000029	128686	77H4832	TERR	90 22 2	207.423	207.506					
		N5443146.422					123752				77H4867	TERR	270 19 19	235.232	235.324
		El .975													
904763	77H4847	E 486103.175	.9996052	1.0000029	532325	77H4835	TERR	90 9 45	489.296	489.489					
		N5443780.922					443762				77H4860	TERR	182 0 8	180.917	180.988
		El 1.18													
475806	77H4848	E 486362.629	.9996052	1.0000029	807750	77H4872	TERR	180 53 27	240.807	240.902					
		N5443150.351					313189				77H4509	TERR	268 39 5	357.521	357.662
		El .987													
649129	77H4849	E 486773.31	.999605	1.0000028	274613	77H4892	TERR	179 36 23	197.145	197.223					
		N5442146.779					647032				77H4820	TERR	270 8 4	212.506	212.590
		El 1.436					492181				77H4858	TERR	359 40 20	195.043	195.121
752931	77H4850	E 486340.201	.9996052	1.0000029	906826	77H4823	TERR	0 7 20	168.690	168.757					
		N5443348.227					574145				77H4866	TERR	89 18 9	249.276	249.375
		El 1.049													
597161	77H4851	E 490031	.9996041	1.0000028	734111	77H4797	TERR	92 10 15	243.244	243.340					
		N5443125.993					260588				77H4799	TERR	181 19 3	278.202	278.312
		El 1.325					252684				77H4787	TERR	267 45 40	174.484	174.553
							396721				77H4733	TERR	358 43 25	299.796	299.914
440503	77H4852	E 490052.496	.9996039	1.0000027	676734	77H5826	TERR	32 6 22	430.987	431.158					
		N5447996.276					725010				77H4934	TERR	89 12 31	186.586	186.660
		El 1.9					993964				77H4896	TERR	180 24 25	549.134	549.351
680744	77H4853	E 490453.881	.9996041	1.000003	590240	77H4629	TERR	0 9 17	202.048	202.129					
		N5444957.244					302844				77H4922	TERR	91 1 24	406.605	406.766
		El .582					64329				77H4689	TERR	179 59 27	202.954	203.035
							596742				77H4642	TERR	271 10 30	414.664	414.828

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
726356	77H4854	E 488404.209	.9996044	1.0000028	699165	77H4882	TERR	0 10 45	321.971	322.098
		N5443464.774			795443	77H4684	TERR	90 31 1	389.470	389.623
		El 1.839			565846	77H4802	TERR	180 8 21	321.612	321.739
					766956	77H4842	TERR	270 18 36	321.742	321.870
751800	77H4855	E 486776.04	.9996049	1.0000027	124164	77H4513	TERR	91 52 38	179.829	179.900
		N5443959.598			729079	77H4600	TERR	182 8 40	262.397	262.501
		El 1.877			393264	77H4549	TERR	268 37 17	243.938	244.035
					473595	77H4579	TERR	359 48 33	240.148	240.243
504670	77H4856	E 489221.38	.9996044	1.0000029	656629	77H4640	TERR	0 15 54	405.239	405.399
		N5444354.402			117960	77H4806	TERR	90 9 18	434.321	434.493
		El .684			867218	77H4685	TERR	180 16 50	402.209	402.368
467324	77H4857	E 487477.206	.9996049	1.0000029	761122	77H4826	TERR	149 51 24	252.612	252.711
		N5441598.495			449504	77H4873	TERR	269 48 36	139.590	139.645
		El .813								
492181	77H4858	E 486772.194	.999605	1.0000028	724716	77H4518	TERR	91 48 29	313.315	313.438
		N5442341.819			649129	77H4849	TERR	179 40 20	195.044	195.121
		El 1.389			520742	77H4557	TERR	271 57 25	220.300	220.388
129866	77H4859	E 486254.218	.9996052	1.0000029	84046	77H4844	TERR	89 30 44	534.275	534.486
		N5444570.494								
		El 1.046								
443762	77H4860	E 486096.854	.9996052	1.0000028	904763	77H4847	TERR	2 0 8	180.917	180.988
		N5443600.115								
		El 1.393								
589846	77H4861	E 486174.904	.9996052	1.0000029	799999	77H4868	TERR	180 14 22	197.921	198.000
		N5443431.916								
		El 1.016								
183574	77H4862	E 488407.464	.9996045	1.0000028	599555	77H4724	TERR	83 39 27	108.662	108.705
		N5442532.222			864777	77H4805	TERR	179 39 53	223.452	223.540
		El 1.474			210518	77H4818	TERR	359 34 20	217.825	217.911
863407	77H4863	E 488416.718	.9996045	1.0000028	567131	77H4670	TERR	0 12 26	217.625	217.710
		N5445552.211			816157	78H8339	TERR	91 2 38	416.511	416.676
		El 1.417			775114	77H4886	TERR	180 34 43	275.306	275.415
					234062	83H6183	TERR	267 56 50	212.532	212.616
433730	77H4864	E 488165.896	.9996046	1.0000029	117515	77H4837	TERR	270 20 55	414.964	415.129
		N5444416.892								
		El .739								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
673384	77H4865	E 486344.674	.9996052	1.0000029	346130	77H4809	TERR	0 7 57	209.809	209.892
		N5441740.242			302380	77H4804	TERR	90 24 56	214.049	214.134
		El 1.072			549162	77H4838	TERR	180 12 55	212.541	212.625
					379743	88H4822	TERR	269 55 36	341.874	342.009
574145	77H4866	E 486589.459	.9996051	1.0000029	532325	77H4835	TERR	0 24 10	428.285	428.454
		N5443351.261			752931	77H4850	TERR	269 18 10	249.276	249.375
		El 1.069								
123752	77H4867	E 487616.484	.9996048	1.0000029	318923	77H4898	TERR	0 18 57	321.241	321.369
		N5443147.744			167163	77H4846	TERR	90 19 19	235.231	235.324
		El 1.136			839027	77H4571	TERR	266 55 16	156.957	157.019
799999	77H4868	E 486174.077	.9996052	1.0000029	589846	77H4861	TERR	0 14 22	197.921	198.000
		N5443233.997								
		El 1.185								
444323	77H4869	E 490484.423	.9996039	1.0000028	640326	77H4635	TERR	90 20 37	383.722	383.874
		N 5442307.8			698480	77H4650	TERR	269 59 59	449.928	450.106
		El 1.602								
59972	77H4870	E 487620.387	.9996047	1.0000029	117515	77H4837	TERR	90 14 41	130.554	130.605
		N5444419.975			632893	77H4834	TERR	180 5 3	455.743	455.923
		El 1.2			484477	77H4813	TERR	354 42 4	350.564	350.703
37200	77H4871	E 486986.407	.9996049	1.0000029	839027	77H4571	TERR	91 21 29	473.480	473.666
		N5443150.534			4200	77H4836	TERR	270 15 8	219.085	219.172
		El 1.146								
807750	77H4872	E 486358.885	.9996051	1.0000028	475806	77H4848	TERR	0 53 27	240.807	240.902
		N5442909.573								
		El 1.333								
449504	77H4873	E 487337.617	.9996049	1.0000029	467324	77H4857	TERR	89 48 37	139.590	139.645
		N5441598.032			680801	77H4585	TERR	353 6 37	254.500	254.600
		El .921								
288340	77H4874	E 488411.378	.9996044	1.0000028	775114	77H4886	TERR	0 26 18	334.747	334.880
		N5444942.182			978155	77H4829	TERR	180 22 26	179.682	179.753
		El 1.744								
124818	77H4875	E 488418.135	.9996045	1.0000028	722256	77H4732	TERR	83 37 24	143.023	143.080
		N5446805.241			224683	77H4657	TERR	180 2 46	425.296	425.464
		El 1.184			542068	77H4610	TERR	261 27 19	205.267	205.348
258962	77H4876	E 487963.838	.9996046	1.0000028	699165	77H4882	TERR	90 15 1	441.382	441.557
		N5443788.672			925693	77H4888	TERR	270 19 50	344.408	344.544
		El 1.412								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
350298	77H4877	E 487137.909	.999605	1.0000029	124743	77H4880	TERR	0 37 50	180.848	180.919					
		N 5444325.64					856708				77H4572	TERR	266 19 50	177.022	177.092
		El .59													
476440	77H4878	E 486531.642	.9996051	1.0000029	394809	77H4845	TERR	0 7 49	233.018	233.110					
		N5444126.481					393264				77H4549	TERR	179 49 27	172.753	172.821
		El .844					264002				77H4881	TERR	270 13 33	292.774	292.889
19794	77H4879	E 486777.237	.999605	1.0000028	254128	77H4550	TERR	181 38 10	147.024	147.082					
		N5441526.357					429506				77H4803	TERR	270 8 17	219.383	219.469
		El 1.301					256552				77H4887	TERR	359 37 22	212.416	212.500
124743	77H4880	E 487139.899	.9996049	1.0000029	440099	77H4580	TERR	3 12 2	257.074	257.176					
		N5444506.477					350298				77H4877	TERR	180 37 50	180.848	180.919
		El .927													
264002	77H4881	E 486238.87	.9996052	1.0000029	476440	77H4878	TERR	90 13 32	292.774	292.889					
		N5444127.634					40444				77H4541	TERR	271 46 8	249.719	249.818
		El .954													
699165	77H4882	E 488405.216	.9996045	1.0000028	902031	77H4801	TERR	0 13 12	172.253	172.321					
		N5443786.743					614156				77H4641	TERR	90 32 28	403.926	404.086
		El 1.547					726356				77H4854	TERR	180 10 45	321.971	322.098
							258962				77H4876	TERR	270 15 2	441.383	441.557
569178	77H4883	E 488019.005	.9996047	1.0000029	301267	77H4726	TERR	0 58 59	240.737	240.832					
		N5444885.346					897215				77H4833	TERR	270 18 7	196.206	196.283
		El .857													
686873	77H4884	E 486001.728	.9996051	1.0000027	379743	88H4822	TERR	0 17 29	210.769	210.852					
		N5441529.038					549162				77H4838	TERR	90 13 25	342.150	342.286
		El 2.085													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
30031	77H4885	E 485557.849	.9996054	1.0000029	538736	V-2980	GPS	5 15 29	5677.753	5679.995
		N54446389.767			174268	V-2982	GPS	6 4 39	6891.372	6894.099
		El 1.103			852939	02H2470	GPS	16 52 7	22075.682	22084.669
					485912	126	GPS	26 3 43	6525.894	6528.492
					611681	V-3719	GPS	36 10 40	13512.755	13518.104
					58081	02H2408	GPS	50 45 23	1601.615	1602.248
					274696	78H8518	GPS	89 15 43	11046.655	11051.031
					954362	77H4655	TERR	90 20 9	445.997	446.173
					496687	77H4891	GPS	113 4 12	1676.660	1677.322
					531079	6902	GPS	121 57 5	16871.233	16877.916
					869792	No Marking	GPS	148 49 41	7160.841	7163.679
					537563	77H4827	GPS	155 41 33	4984.153	4986.123
					406991	77C032	GPS	169 33 50	8455.688	8459.027
					258020	19713	GPS	177 45 10	4568.309	4570.114
					558759	02H2407	GPS	309 34 20	6205.898	6208.345
					654525	02H2489	GPS	325 48 24	25832.396	25842.803
					521617	PP	GPS	339 6 58	11761.899	11766.610
	632448	02H2492	GPS	339 23 32	29007.630	29019.062				
	528513	NFHC 5	GPS	345 12 0	8169.166	8172.415				
	326595	PIER 3	GPS	349 22 22	20548.531	20556.909				
	537829	02H2479	GPS	356 37 14	4164.155	4165.799				
775114	77H4886	E 488413.938	.9996044	1.0000027	863407	77H4863	TERR	0 34 43	275.307	275.415
		N54445276.919			412981	77H4647	TERR	90 5 52	469.580	469.766
		El 1.884			288340	77H4874	TERR	180 26 17	334.747	334.880
256552	77H4887	E 486775.838	.9996049	1.0000028	19794	77H4879	TERR	179 37 22	212.416	212.500
		N5441738.768			302380	77H4804	TERR	269 58 46	217.120	217.206
		El 1.659			274613	77H4892	TERR	359 40 52	210.874	210.957
925693	77H4888	E 487619.436	.9996048	1.0000029	632893	77H4834	TERR	0 5 36	173.573	173.642
		N 5443790.66			258962	77H4876	TERR	90 19 50	344.407	344.544
		El .997			318923	77H4898	TERR	180 12 37	321.682	321.809
441543	77H4889	E 486795.471	.9996049	1.0000028	198788	77H4575	TERR	92 7 55	249.844	249.943
		N54444776.284			628669	77H4594	TERR	182 20 25	349.486	349.624
		El 1.512			723742	77H4561	TERR	271 19 42	308.172	308.294
					69864	77H4559	TERR	358 36 0	372.537	372.684
423145	77H4890	E 487585.888	.9996047	1.0000029	674408	83H6182	TERR	94 7 23	416.682	416.847
		N54445576.763			968305	77H4746	TERR	185 13 33	109.714	109.757
		El 1.159			655902	77H4794	TERR	272 32 14	158.737	158.800

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
496687	77H4891	E 487100.422	.9996049	1.0000029	542548	77H4664	TERR	0 0 26	182.949	183.021
		N5445732.761			951376	77H4970	GPS	58 27 19	3947.677	3949.240
		El 1.125			57273	02H2415	GPS	60 36 31	7330.284	7333.188
					714972	78H8458	GPS	68 41 47	10185.132	10189.169
					619213	94H1624	GPS	91 39 38	6228.883	6231.351
					73981	77H4623	GPS	97 12 39	2966.525	2967.699
					537563	77H4827	GPS	172 32 8	3918.511	3920.060
					672113	77H4815	TERR	172 51 4	155.616	155.677
					406991	77C032	GPS	180 4 54	7658.809	7661.836
					258020	19713	GPS	199 14 3	4138.816	4140.452
274613	77H4892	E 486774.664	.999605	1.0000028	256552	77H4887	TERR	179 40 52	210.874	210.957
		N5441949.639			675603	77H4828	TERR	269 55 16	214.404	214.489
		El 1.499			649129	77H4849	TERR	359 36 23	197.144	197.223
980938	77H4893	E 487428.717	.9996048	1.0000029	194001	77H4613	TERR	359 58 17	211.877	211.961
		N5446473.653								
	El 1.102									
236299	77H4894	E 486009.363	.9996052	1.0000028	906826	77H4823	TERR	90 20 8	331.204	331.334
		N5443518.857								
	El 1.321									
201236	77H4895	E 490041.54	.9996041	1.0000029	71977	91H9831	TERR	3 21 38	234.944	235.037
		N 5445551.53			449405	77H4687	TERR	90 8 47	407.794	407.955
		El 1.137			73981	77H4623	TERR	179 25 2	191.142	191.218
					347526	91H9832	TERR	267 0 46	254.048	254.149
					688226	88H4824	TERR	267 42 47	255.168	255.269
					440727	77H4715	TERR	358 40 31	229.575	229.666
993964	77H4896	E 490048.596	.999604	1.0000028	440503	77H4852	TERR	0 24 25	549.134	549.351
		N5447447.156			826453	77H4946	TERR	90 32 9	417.446	417.611
		El 1.715			427203	77H4831	TERR	180 9 25	152.457	152.518
208868	77H4897	E 486345.756	.9996051	1.0000028	366245	77H4578	TERR	0 12 22	201.730	201.810
		N5442148.357			647032	77H4820	TERR	90 17 15	215.051	215.136
		El 1.303			346130	77H4809	TERR	180 10 21	198.307	198.385
					227132	77H4548	TERR	271 29 16	341.896	342.031
318923	77H4898	E 487618.255	.9996048	1.0000029	925693	77H4888	TERR	0 12 37	321.681	321.809
		N5443468.981			766956	77H4842	TERR	90 18 16	464.223	464.406
		El .869			123752	77H4867	TERR	180 18 57	321.242	321.369

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
133777	77H4899	E 490047.429 N5446787.117 El 1.29	.999604	1.0000028	854398 157172 727784 99127	77H4965 77H4672 82H5095 144-696	TERR TERR TERR TERR	2 24 26 90 52 27 175 59 54 179 51 53	392.565 363.173 194.118 400.066	392.721 363.318 194.195 400.224
47464	77H4900	E 488059.02 N5442751.057 El .899	.9996047	1.0000029	128686 210518 102251	77H4832 77H4818 78H8449	TERR TERR TERR	0 0 58 90 10 4 180 18 59	394.036 346.819 440.314	394.192 346.956 440.488
123075	77H4901	E 491265.957 N5444548.442 El 1.64	.9996037	1.0000028		MARKER DESTROYED				
446062	77H4902	E 492934.746 N5442623.163 El .893	.9996035	1.0000029	256461	77H4930	TERR	61 25 31	173.207	173.276
962548	77H4903	E 490465.085 N5447289.836 El .994	.999604	1.0000029		MARKER DESTROYED				
521385	77H4904	E 491680.01 N5443743.716 El .942	.9996038	1.0000029	382200	77H4914	TERR	357 26 43	169.214	169.281
372896	77H4905	E 491917.97 N 5442301.33 El 1.222	.9996037	1.0000029	563486 264358 113993	77H4962 77H4630 77H4958	TERR TERR TERR	90 18 5 268 14 54 336 25 28	272.799 254.833 184.453	272.907 254.934 184.526
391128	77H4906	E 491266.809 N5445154.002 El 1.758	.9996037	1.0000028	686931 247478 971515	88H4818 92H0976 77H4937	TERR TERR TERR	179 4 31 268 58 31 359 34 1	415.373 397.137 407.872	415.538 397.294 408.033
236752	77H4907	E 492302.209 N5442876.445 El .527	.9996037	1.0000003	164889	77H4990	TERR	181 14 47	287.563	287.677
404152	77H4908	E 490863.664 N5444547.353 El .775	.9996039	1.0000029		MARKER DESTROYED				
10967	77H4909	E 492483.97 N5443285.951 El .849	.9996036	1.0000029	766006 197632 675728	77H4926 77H4959 77H4955	TERR TERR TERR	15 16 40 163 27 40 271 33 3	223.778 192.550 367.688	223.867 192.627 367.834
562694	77H4911	E 491938.319 N5442596.672 El .806	.9996037	1.0000029	589093 164889	77H5802 77H4990	TERR TERR	0 54 41 91 14 13	306.978 357.718	307.100 357.859

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
792507	77H4912	E 492843.886	.9996036	1.0000029	266825	77H4932	TERR	4 27 39	178.384	178.455					
		N5442921.808					837518				77H4971	TERR	92 7 29	248.710	248.808
		El .808													
816553	77H4913	E 493090.628	.9996034	1.0000028	799379	77H4976	TERR	95 4 35	175.192	175.261					
		N5441279.953					860601				77H4929	TERR	311 36 48	137.975	138.029
		El 1.738													
382200	77H4914	E 491672.468	.9996038	1.0000029	550574	77H4916	TERR	0 34 58	412.367	412.531					
		N5443912.762					521385				77H4904	TERR	177 26 43	169.214	169.281
		El .794					51649				77H4983	TERR	271 0 7	416.486	416.651
275081	77H4915	E 490924.254	.9996038	1.0000028	698084	77H4939	TERR	0 43 58	390.549	390.704					
		N5446778.188					615542				77H4645	TERR	180 13 6	406.993	407.154
		El 1.455					786848				77H4998	TERR	271 5 52	107.971	108.013
550574	77H4916	E 491676.663	.9996036	1.0000028	742114	77H4961	TERR	0 37 15	419.593	419.760					
		N5444325.108					382200				77H4914	TERR	180 34 58	412.368	412.531
		El 1.711													
916668	77H4917	E 490931.085	.9996038	1.0000028	332874	77H4964	TERR	0 20 5	325.128	325.256					
		N 5447668.51					542662				77H5814	TERR	89 59 9	407.543	407.705
		El 1.413					945238				77H4943	TERR	180 9 14	324.526	324.654
838706	77H4918	E 492996.264	.9996034	1.0000028	922195	77H5820	TERR	91 49 6	283.309	283.422					
		N5442295.623					745612				77H4952	TERR	270 16 10	274.998	275.107
		El 1.581													
206359	77H4919	E 490294.582	.9996041	1.0000029	578021	77H4609	TERR	87 16 52	156.795	156.857					
		N5444282.045													
		El .735													
825455	77H4920	E 491264.987	.9996039	1.000003	450387	77H4973	TERR	0 14 46	380.992	381.143					
		N 5443377.49					706366				77H4986	TERR	91 1 5	417.014	417.178
		El .412					209486				77H4695	TERR	271 40 30	291.169	291.284
695973	77H4921	E 490862.163	.9996039	1.0000029	686931	88H4818	TERR	90 39 11	411.376	411.539					
		N5444743.372					479949				92H0975	TERR	181 37 13	189.317	189.392
		El 1.04					64329				77H4689	TERR	271 31 55	408.396	408.557
302844	77H4922	E 490860.421	.9996039	1.0000029	247478	92H0976	TERR	2 42 30	197.136	197.215					
		N5444949.983					695973				77H4921	TERR	179 31 1	206.618	206.699
		El 1.073					680744				77H4853	TERR	271 1 23	406.605	406.766
668020	77H4923	E 493101.167	.9996035	1.0000029	256461	77H4930	TERR	190 45 49	76.632	76.662					
		N5442781.292					837518				77H4971	TERR	356 11 26	131.586	131.638
		El .965													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
383885	77H4924	E 490858.463 N5445153.061 El .749	.999604	1.0000029		MARKER DESTROYED				
110122	77H4925	E 490261.808 N 5445766.53 El 1.109	.999604	1.0000029	648501 440727	77H4653 77H4715	TERR TERR	87 52 57 273 40 53	149.588 226.042	149.647 226.132
766006	77H4926	E 492542.936 N5443501.821 El .864	.9996036	1.0000029	294397 10967	77H4969 77H4909	TERR TERR	89 35 21 195 16 41	300.933 223.778	301.053 223.867
468371	77H4927	E 490698.76 N5445974.472 El 1.013	.9996039	1.0000029	641860	77H4616	TERR	269 27 36	283.998	284.111
981951	77H4928	E 491350.417 N5443768.481 El .849	.9996038	1.0000029	445296 450387	77H4966 77H4973	TERR TERR	113 25 3 263 11 35	150.657 84.388	150.717 84.421
860601	77H4929	E 492987.472 N5441371.582 El 1.901	.9996034	1.0000028	401190 816553	77H5809 77H4913	TERR TERR	5 30 5 131 36 47	113.544 137.975	113.589 138.029
256461	77H4930	E 493086.856 N5442706.009 El .842	.9996035	1.0000029	668020 446062	77H4923 77H4902	TERR TERR	10 45 49 241 25 32	76.631 173.208	76.662 173.276
807354	77H4931	E 489220.973 N5442311.048 El 1.322	.9996043	1.0000028	95604 199620 428284 945915	92H0963 77H4947 92H0962 77H4779	TERR TERR TERR TERR	89 31 24 180 14 8 268 5 36 358 34 11	406.192 809.282 291.507 489.987	406.353 809.603 291.623 490.180
266825	77H4932	E 492857.76 N5443099.652 El .876	.9996035	1.0000029	942409 792507 197632	92H0965 77H4912 77H4959	TERR TERR TERR	90 15 56 184 27 38 270 18 29	459.723 178.385 318.982	459.905 178.455 319.109
725010	77H4934	E 490239.064 N5447998.853 El 1.682	.9996039	1.0000028	236976 440503	152 77H4852	TERR TERR	90 26 5 269 12 31	225.752 186.586	225.841 186.660
973826	77H4935	E 492038.663 N 5443104.57 El .872	.9996037	1.0000029	132340	77H4691	TERR	270 22 9	361.957	362.100
392357	77H4936	E 490933.459 N5448209.943 El 1.91	.9996037	1.0000027	332874	77H4964	TERR	180 7 33	216.311	216.397

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
971515	77H4937	E 491263.726	.9996037	1.0000028	66464	77H4615	TERR	90 4 43	205.649	205.731
		N5445561.862			391128	77H4906	TERR	179 34 1	407.871	408.033
		El 1.698			846428	77H4659	TERR	270 16 20	204.517	204.598
400416	77H4938	E 491703.916	.9996037	1.0000028	439141	78H8462	TERR	0 15 39	487.043	487.236
		N5448812.045			156513	78H8475	TERR	90 8 51	107.340	107.382
		El 1.2			543504	77H5832	TERR	270 24 46	464.142	464.326
698084	77H4939	E 490929.25	.9996038	1.0000028	945238	77H4943	TERR	0 18 54	175.283	175.352
		N5447168.705			275081	77H4915	TERR	180 43 59	390.549	390.704
		El 1.406			854398	77H4965	TERR	270 42 14	865.398	865.740
192955	77H4940	E 491692.62	.9996035	1.0000027	122952	77H4652	TERR	180 26 4	322.482	322.610
		N5446206.003			46011	77H4679	TERR	270 4 29	408.487	408.648
		El 2.358			382044	89H5190	TERR	355 53 33	172.960	173.029
62422	77H4941	E 491266.518	.9996039	1.0000029	51649	77H4983	TERR	182 42 45	221.281	221.368
		N5444141.078			389437	92H0973	TERR	270 30 44	404.646	404.806
		El .707			253773	92H0977	TERR	359 8 38	400.872	401.031
415307	77H4942	E 490814.952	.9996039	1.0000029	MARKER DESTROYED					
945238	77H4943	E 490930.213	.9996038	1.0000028	916668	77H4917	TERR	0 9 14	324.526	324.654
		N5447343.985			989681	91H9828	TERR	89 32 57	748.810	749.106
		El 1.373			972026	323	TERR	89 47 59	764.476	764.779
					698084	77H4939	TERR	180 18 54	175.282	175.352
501627	77H4944	E 490243.311	.9996041	1.0000029	78188	77H4949	TERR	180 9 43	189.648	189.723
579235	77H4945	E 491471.354	.9996037	1.0000028	889493	88H4817	TERR	179 45 26	416.608	416.773
		N5445157.805			66464	77H4615	TERR	359 43 9	403.780	403.939
		El 1.747								
826453	77H4946	E 490466.023	.999604	1.0000029	100081	88H4812	TERR	180 28 43	159.433	159.496
		N5447443.252			993964	77H4896	TERR	270 32 9	417.445	417.611
		El 1.057			951376	77H4970	TERR	359 47 44	354.798	354.939
199620	77H4947	E 489217.644	.9996044	1.0000029	807354	77H4931	TERR	0 14 8	809.282	809.603
		N5441501.773			88336	77H4632	TERR	90 52 2	808.675	808.995
		El .84			913483	77H4631	TERR	180 5 12	803.892	804.210
					996298	77H4595	TERR	270 9 29	813.755	814.078

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
78188	77H4949	E 490242.775 N5444468.237 El .758	.9996041	1.0000029	501627	77H4944	TERR	0 9 43	189.649	189.723
193722	77H4950	E 493127.843 N5443188.713 El .919	.9996035	1.0000029	560094	77H4994	TERR	359 49 33	214.355	214.440
693325	77H4951	E 490879.693 N5443938.811 El .765	.9996039	1.0000029	51649 957951 819003 389437	77H4983 77H4744 77H4975 92H0973	TERR TERR TERR TERR	92 51 16 180 11 37 268 1 51 355 3 27	376.821 307.853 140.544 206.652	376.970 307.975 140.600 206.735
745612	77H4952	E 492721.269 N5442296.916 El 1.239	.9996035	1.0000029	838706 566372	77H4918 77H5843	TERR TERR	90 16 10 269 19 51	274.998 250.665	275.107 250.764
40998	77H4953	E 492036.935 N5443567.054 El .833	.9996037	1.0000029	356535	77H4956	TERR	265 42 1	174.534	174.603
564856	77H4954	E 493151.579 N5443495.818 El .873	.9996035	1.0000029	114330 294397	92H0966 77H4969	TERR TERR	91 17 40 271 31 9	160.544 307.826	160.607 307.948
675728	77H4955	E 492116.417 N5443295.903 El .886	.9996037	1.0000029	10967	77H4909	TERR	91 33 3	367.688	367.834
356535	77H4956	E 491862.893 N5443553.968 El .854	.9996037	1.0000029	40998 777995	77H4953 77H4991	TERR TERR	85 42 0 278 1 52	174.534 183.662	174.603 183.735
484345	77H4957	E 492842.177 N5443301.838 El .76	.9996036	1.0000029		MARKER ISOLATED				
113993	77H4958	E 491844.196 N5442470.387 El .854	.9996037	1.0000029	372896	77H4905	TERR	156 25 27	184.453	184.526
197632	77H4959	E 492538.782 N5443101.367 El .872	.9996036	1.0000029	266825 834739 10967	77H4932 77H5837 77H4909	TERR TERR TERR	90 18 29 181 20 40 343 27 41	318.983 549.170 192.551	319.109 549.388 192.627
591487	77H4960	E 491598.041 N5443710.189 El .879	.9996038	1.0000029	585216 445296	77H4992 77H4966	TERR TERR	177 6 16 269 10 14	79.091 109.387	79.122 109.431

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
742114	77H4961	E 491681.21	.9996036	1.0000028	462556	77H4620	TERR	0 33 30	497.494	497.691
		N5444744.677			160804	77H5811	TERR	89 53 34	416.227	416.391
		El 1.754			550574	77H4916	TERR	180 37 15	419.594	419.760
					889493	88H4817	TERR	269 2 35	208.120	208.203
563486	77H4962	E 492190.765	.9996036	1.0000028	566372	77H5843	TERR	91 12 33	279.918	280.029
		N5442299.895			372896	77H4905	TERR	270 18 5	272.799	272.907
		El 1.326								
165811	77H4963	E 491473.75	.9996037	1.0000028	MARKER DESTROYED					
		N5444743.881								
		El 1.712								
332874	77H4964	E 490932.984	.9996038	1.0000028	392357	77H4936	TERR	0 7 33	216.311	216.397
		N5447993.632			698936	77H5818	TERR	90 17 4	323.937	324.065
		El 1.576			916668	77H4917	TERR	180 20 5	325.127	325.256
					706945	77H4968	TERR	270 29 9	270.232	270.339
854398	77H4965	E 490063.918	.9996039	1.0000027	698084	77H4939	TERR	90 42 14	865.397	865.740
		N5447179.336			133777	77H4899	TERR	182 24 27	392.566	392.721
		El 2.042			367151	88H4813	TERR	263 25 46	181.337	181.408
					427203	77H4831	TERR	352 13 52	116.432	116.479
445296	77H4966	E 491488.665	.9996038	1.0000029	591487	77H4960	TERR	89 10 14	109.388	109.431
		N5443708.605			981951	77H4928	TERR	293 25 3	150.658	150.717
		El .973								
157198	77H4967	E 490451.26	.9996039	1.0000028	569491	77H4987	TERR	90 41 54	156.812	156.875
		N5443937.474			578021	77H4609	TERR	359 59 25	352.009	352.148
		El 1.422								
706945	77H4968	E 490662.762	.9996038	1.0000028	169573	77H5822	TERR	0 7 50	360.017	360.159
		N5447995.923			332874	77H4964	TERR	90 29 9	270.232	270.339
		El 1.73			236976	152	TERR	270 21 8	197.956	198.034
294397	77H4969	E 492843.861	.9996036	1.000003	564856	77H4954	TERR	91 31 9	307.826	307.948
		N5443503.979			766006	77H4926	TERR	269 35 21	300.933	301.053
		El .556								



Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance
		Metres							Metres	Metres
118844	77H4979	E 491174.966 N 5443773.59 El .861	.9996039	1.0000029	450387 917674	77H4973 77H4989	TERR TERR	99 21 43 244 6 49	92.895 112.089	92.932 112.134
56283	77H4980	E 490243.127 N5445980.486 El 1.129	.999604	1.0000029		MARKER DESTROYED				
333880	77H4982	E 490868.111 N5444141.106 El .716	.999604	1.0000029		MARKER DESTROYED				
51649	77H4983	E 491256.046 N5443920.045 El .981	.9996038	1.0000029	62422 382200 450387 693325	77H4941 77H4914 77H4973 77H4951	TERR TERR TERR TERR	2 42 45 91 0 7 176 15 15 272 51 16	221.281 416.486 161.912 376.820	221.368 416.651 161.977 376.970
957035	77H4984	E 490631.268 N5444281.158 El .919	.999604	1.0000029	578021	77H4609	TERR	272 38 49	180.260	180.332
654970	77H4985	E 490458.165 N5443596.603 El 1.015	.999604	1.0000029	109009	77H4996	TERR	84 49 18	181.633	181.705
706366	77H4986	E 491681.935 N5443370.082 El 1.073	.9996037	1.0000029	132340 825455 777995	77H4691 77H4920 77H4991	TERR TERR TERR	181 8 11 271 1 5 359 45 11	263.232 417.013 209.547	263.336 417.178 209.631
569491	77H4987	E 490608.061 N5443935.563 El 1.12	.999604	1.0000029	819003 157198	77H4975 77H4967	TERR TERR	90 41 27 270 41 54	131.180 156.813	131.233 156.875
962779	77H4988	E 490884.454 N5445972.113 El 1.202	.9996039	1.0000028	922336 647230	77H4676 91H9829	TERR TERR	157 4 39 267 7 38	92.935 203.556	92.972 203.636
917674	77H4989	E 491074.123 N5443724.653 El .893	.9996039	1.0000029	118844 865741	77H4979 77H4993	TERR TERR	64 6 49 263 29 15	112.090 108.007	112.134 108.050
164889	77H4990	E 492295.953 N 5442588.95 El .571	.9996037	1.000003	236752 834739 562694	77H4907 77H5837 77H4911	TERR TERR TERR	1 14 48 99 2 40 271 14 13	287.563 232.838 357.717	287.677 232.930 357.859
777995	77H4991	E 491681.032 N5443579.627 El .965	.9996037	1.0000029	356535 706366	77H4956 77H4986	TERR TERR	98 1 51 179 45 11	183.662 209.547	183.735 209.631

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
585216	77H4992	E 491602.036 N5443631.199 El .85	.9996038	1.0000029	591487	77H4960	TERR	357 6 17	79.091	79.122
865741	77H4993	E 490966.813 N5443712.403 El .853	.9996039	1.0000029	917674	77H4989	TERR	83 29 15	108.007	108.050
560094	77H4994	E 493127.191 N5443403.067 El .732	.9996035	1.0000029	193722	77H4950	TERR	179 49 32	214.355	214.440
129007	77H4995	E 490354.382 N5443685.342 El .895	.9996041	1.0000029	326561	77H4997	TERR	270 0 6	207.187	207.268
109009	77H4996	E 490639.056 N5443612.996 El .933	.999604	1.0000029	654970	77H4985	TERR	264 49 19	181.632	181.705
326561	77H4997	E 490147.195 N5443685.348 El .983	.9996041	1.0000029	129007	77H4995	TERR	90 0 6	207.187	207.268
786848	77H4998	E 490816.303 N5446780.257 El 1.58	.9996038	1.0000028	275081 694117 157172	77H4915 82H5093 77H4672	TERR TERR TERR	91 5 53 182 47 16 270 11 11	107.971 197.294 405.745	108.013 197.372 405.906
156844	77H4999	E 491269.266 N5444743.076 El 1.564	.9996037	1.0000028		MARKER DESTROYED				
589093	77H5802	E 491943.202 N5442903.611 El .563	.9996038	1.000003	562694	77H4911	TERR	180 54 41	306.978	307.100
217117	77H5803	E 493310.566 N5443097.677 El 1.065	.9996034	1.0000029		MARKER DESTROYED				
861443	77H5804	E 493305.295 N5443501.155 El 1.142	.9996034	1.0000029		MARKER DESTROYED				
989384	77H5805	E 490972.583 N5448606.515 El 1.445	.9996038	1.0000028	509109 908376	77H5819 77H5836	TERR TERR	90 39 21 180 8 40	186.663 201.929	186.737 202.009

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
366559	77H5806	E 491696.431	.9996037	1.0000028	795310	969	TERR	0 14 36	319.438	319.565
		N5447668.394			972026	323	TERR	180 18 40	321.741	321.869
		El 1.337			542662	77H5814	TERR	270 2 5	357.803	357.944
669366	77H5808	E 493311.509	.9996033	1.0000027	MARKER DESTROYED					
401190	77H5809	E 492998.358	.9996034	1.0000028	301069	78H8342	TERR	0 47 21	477.215	477.404
		N5441484.602			972406	77H5810	TERR	90 28 40	275.103	275.212
		El 1.398			860601	77H4929	TERR	185 30 6	113.543	113.589
972406	77H5810	E 493273.451	.9996033	1.0000028	922195	77H5820	TERR	0 25 33	804.348	804.667
		N5441482.308			799379	77H4976	TERR	182 11 12	218.016	218.102
		El 1.71			401190	77H5809	TERR	270 28 40	275.103	275.212
160804	77H5811	E 492097.436	.9996035	1.0000028	424796	77H5839	TERR	90 12 4	414.015	414.180
		N5444745.456			742114	77H4961	TERR	269 53 34	416.226	416.391
		El 1.798								
852004	77H5812	E 491156.897	.9996038	1.0000028	509109	77H5819	TERR	0 39 59	200.919	200.998
		N5448403.473			908376	77H5836	TERR	270 20 43	184.826	184.899
		El 1.46								
716340	77H5813	E 490862.828	.9996038	1.0000028	543504	77H5832	TERR	89 56 47	376.959	377.108
		N5448815.036			910372	77H4602	TERR	265 56 15	198.592	198.671
		El 1.48								
542662	77H5814	E 491338.628	.9996038	1.0000029	366559	77H5806	TERR	90 2 5	357.803	357.944
		N 5447668.61			885228	91H9834	TERR	91 6 58	366.402	366.546
		El 1.09			916668	77H4917	TERR	269 59 9	407.543	407.705
660746	77H5816	E 492850.531	.9996034	1.0000027	424796	77H5839	TERR	270 27 7	339.093	339.227
698936	77H5818	E 491256.917	.9996037	1.0000028	780791	91H9833	TERR	89 28 21	426.226	426.395
		N5447992.024			795310	969	TERR	90 32 42	440.890	441.065
		El 1.496			332874	77H4964	TERR	270 17 4	323.937	324.065
509109	77H5819	E 491159.234	.9996038	1.0000028	911032	77H5829	TERR	90 24 57	329.411	329.542
		N5448604.378			852004	77H5812	TERR	180 39 60	200.919	200.998
		El 1.107			989384	77H5805	TERR	270 39 22	186.663	186.737



Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
71340	77H5835	E 491819.09	.9996035	1.0000027	392860	78H8471	TERR	90 21 2	412.022	412.185					
		N5448565.934					156513				78H8475	TERR	358 10 29	245.959	246.056
		El 2.251													
908376	77H5836	E 490972.074	.9996038	1.0000028	989384	77H5805	TERR	0 8 40	201.929	202.009					
		N5448404.587					852004				77H5812	TERR	90 20 43	184.826	184.899
		El 1.328													
834739	77H5837	E 492525.896	.9996036	1.0000029	197632	77H4959	TERR	1 20 40	549.171	549.388					
		N5442552.348					372805				77H4972	TERR	91 20 4	171.933	172.001
		El .766					566372				77H5843	TERR	192 4 34	264.206	264.311
							164889				77H4990	TERR	279 2 40	232.838	232.930
735795	77H5838	E 493313.645	.9996032	1.0000027		MARKER DESTROYED									
		N5445118.855													
		El 2.353													
424796	77H5839	E 492511.449	.9996035	1.0000028	176065	77H5841	TERR	0 0 23	816.204	816.527					
		N5444744.002					660746				77H5816	TERR	90 27 7	339.093	339.227
		El 1.573					160804				77H5811	TERR	270 12 4	414.016	414.180
176065	77H5841	E 492511.54	.9996033	1.0000027	41491	77H5825	TERR	90 12 37	326.732	326.862					
		N5445560.206					424796				77H5839	TERR	180 0 23	816.204	816.527
		El 2.462					134221				77H5848	TERR	270 2 47	406.604	406.765
566372	77H5843	E 492470.621	.9996036	1.0000029	834739	77H5837	TERR	12 4 34	264.206	264.311					
		N5442293.989					745612				77H4952	TERR	89 19 52	250.665	250.764
		El 1.081					522144				77H5845	TERR	180 20 21	799.059	799.375
							563486				77H4962	TERR	271 12 33	279.918	280.029
522144	77H5845	E 492465.892	.9996036	1.0000029	566372	77H5843	TERR	0 20 21	799.059	799.375					
		N5441494.944					401190				77H5809	TERR	91 6 46	532.566	532.777
		El 1.026													
727578	77H5847	E 493298.842	.9996034	1.0000029		MARKER DESTROYED									
		N5442798.873													
		El 1.234													
134221	77H5848	E 492104.936	.9996034	1.0000026	176065	77H5841	TERR	90 2 48	406.604	406.765					
		N5445560.536					300756				77H4693	TERR	270 6 44	416.968	417.133
		El 2.492													
502286	78H8335	E 487765.976	.9996047	1.0000029	328914	77H4577	TERR	25 51 51	92.549	92.586					
		N 5441558					941252				77H4545	TERR	271 13 48	145.611	145.668
		El 1.092													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
859140	78H8336	E 488690.743 N5442618.401 El .986	.9996045	1.0000029	814897 417956	77H4778 77H4725	TERR	180 13 26	152.041	152.101
907303	78H8337	E 489215.314 N5444994.999 El 1.001	.9996043	1.0000029	MARKER DESTROYED					
816223	78H8338	E 489868.158 N5442978.912 El .935	.9996042	1.0000029	361303 252684	77H4738 77H4787	TERR TERR	270 29 4 355 18 34	660.516 140.736	660.778 140.792
816157	78H8339	E 488833.16 N5445544.622 El 1.013	.9996044	1.0000029	208314 863407 760843	88H4823 77H4863 77H4772	TERR TERR TERR	88 40 35 271 2 39 358 32 49	408.920 416.511 119.986	409.082 416.676 120.033
507426	78H8340	E 489767.912 N5445364.535 El .848	.9996042	1.0000029	688226 347526 73981 425967	88H4824 91H9832 77H4623 78H8412	TERR TERR TERR TERR	6 1 32 6 32 30 90 51 36 180 37 28	177.796 174.894 275.603 245.581	177.866 174.963 275.712 245.678
301069	78H8342	E 493004.93 N5441961.771 El 1.616	.9996034	1.0000028	401190	77H5809	TERR	180 47 21	477.214	477.404
834069	78H8343	E 492522.501 N5447623.783 El 10.26	.9996021	1.0000014	513952 270421 454207	81 78H8344 78H8506	TERR TERR TERR	11 54 29 137 28 56 358 27 38	4199.453 1691.886 359.746	4201.143 1692.559 359.889
270421	78H8344	E 493665.912 N5446376.751 El 8.048	.9996023	1.0000018	847368 447235 38711 834069	78H8476 78H8410 78H8527 78H8343	TERR TERR TERR TERR	90 28 49 179 24 39 270 10 18 317 28 56	473.572 1604.242 354.144 1691.886	473.760 1604.880 354.285 1692.559
447235	78H8410	E 493682.405 N5444772.594 El 8.075	.9996023	1.0000018	548057 270421	78H8411 78H8344	TERR TERR	179 53 59 359 24 39	2469.718 1604.242	2470.700 1604.880
548057	78H8411	E 493686.733 N 5442302.88 El 7.571	.9996024	1.0000019	922195 447235	77H5820 78H8410	TERR TERR	267 42 57 359 53 59	407.627 2469.717	407.788 2470.700
425967	78H8412	E 489765.235 N5445118.969 El .914	.9996042	1.0000029	507426 713917	78H8340 84H0142	TERR TERR	0 37 29 179 31 40	245.581 363.683	245.678 363.827

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
35832	78H8446	E 491240.793	.9996038	1.0000028	543504	77H5832	TERR	180 20 53	165.614	165.679					
		N 5448981					580050				78H8477	TERR	270 32 26	244.632	244.729
		El 1.089													
919464	78H8448	E 492910.599	.9996035	1.0000029	275206	78H8489	TERR	21 35 54	105.975	106.017					
		N5448209.106					66936				78H8466	TERR	175 22 54	125.642	125.692
		El .886													
102251	78H8449	E 488056.588	.9996046	1.0000028	47464	77H4900	TERR	0 18 59	440.315	440.488					
		N5442310.749					168054				77H4591	TERR	91 58 15	182.169	182.241
		El 1.517					701698				77H4816	TERR	273 18 41	447.285	447.461
746966	78H8451	E 494146.617	.9996032	1.0000028		MARKER DESTROYED									
		N5447610.014													
		El 1.33													
462283	78H8452	E 492954.237	.9996035	1.0000029	275206	78H8489	TERR	181 11 8	223.705	223.794					
		N5448531.297					565549				78H8545	TERR	270 25 23	389.853	390.007
		El .935													
15677	78H8454	E 494964.633	.999603	1.0000027	823591	78H8510	TERR	89 59 16	472.551	472.738					
		N5447992.273					862888				88H4816	TERR	181 46 17	351.295	351.435
		El 1.994					94839				82H5210	TERR	268 3 40	803.394	803.713
							297440				92H0972	TERR	268 18 49	595.014	595.251
							679696				78H8516	TERR	359 45 34	436.943	437.117
909119	78H8455	E 492788.431	.9996035	1.0000028	756783	78H8501	TERR	90 28 41	545.071	545.287					
		N5448810.224					384859				77H5828	TERR	270 39 34	269.791	269.898
		El 1.274					128413				77H4606	TERR	359 52 29	602.075	602.313
630145	78H8456	E 493329.552	.9996034	1.0000028		MARKER DESTROYED									
		N5447530.701													
		El 1.33													
901314	78H8457	E 491304.857	.9996037	1.0000027	13706	78H8468	TERR	5 44 4	212.988	213.072					
		N5449348.186					555755				78H8463	TERR	242 56 43	219.678	219.765
		El 1.871													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
714972	78H8458	E 496589.587	.9996029	1.0000028	635334	78H8486	TERR	0 5 57	483.938	484.130
		N 5449433.12			897322	V-2503	GPS	63 45 46	1911.102	1911.862
		El 1.559			47092	02H2454	GPS	98 12 51	2501.925	2502.919
					274696	78H8518	GPS	179 43 25	2901.067	2902.220
					154971	78H8491	TERR	180 10 57	599.382	599.620
					619213	94H1624	GPS	220 3 21	5070.276	5072.289
					73981	77H4623	GPS	238 6 42	7709.638	7712.697
					496687	77H4891	GPS	248 41 47	10185.132	10189.169
					951376	77H4970	GPS	255 3 11	6339.322	6341.838
					57273	02H2415	GPS	268 6 4	3104.085	3105.318
	870014	V-2593	GPS	335 36 31	2766.813	2767.932				
	47209	v-4217	GPS	355 46 47	971.859	972.245				
739433	78H8459	E 494343.32	.9996021	1.0000017	269365	78H8472	TERR	226 12 53	271.790	271.898
		N5448809.333			803635	78H8465	TERR	269 44 22	652.377	652.636
		El 8.608			193136	78H8543	TERR	357 28 40	464.105	464.289
835421	78H8460	E 493331.128	.9996033	1.0000028	94839	82H5210	TERR	90 51 36	830.665	830.995
		N5447977.556			64816	92H0971	TERR	90 55 14	829.187	829.516
		El 1.48			429431	95H1981	TERR	182 40 40	238.606	238.701
347203	78H8461	E 494962.323	.9996031	1.0000028	MARKER DESTROYED					
		N5447597.039								
		El 1.498								
439141	78H8462	E 491706.132	.9996036	1.0000028	285098	78H8519	TERR	0 6 5	298.810	298.928
		N5449299.083			400416	77H4938	TERR	180 15 38	487.043	487.236
		El 1.706								
555755	78H8463	E 491109.217	.9996037	1.0000028	901314	78H8457	TERR	62 56 44	219.678	219.765
		N5449248.268			633156	78H8492	TERR	239 43 17	286.512	286.625
		El 1.527								
803635	78H8465	E 493690.95	.9996033	1.0000028	739433	78H8459	TERR	89 44 22	652.377	652.636
		N5448806.368			756783	78H8501	TERR	269 53 21	357.468	357.609
		El 1.48								
66936	78H8466	E 492920.715	.9996035	1.0000029	919464	78H8448	TERR	355 22 54	125.642	125.692
		N5448083.872								
		El .877								
13706	78H8468	E 491326.138	.9996037	1.0000028	948802	78H8496	TERR	75 42 3	133.252	133.305
		N5449560.108			901314	78H8457	TERR	185 44 4	212.988	213.072
		El 1.391								
172668	78H8469	E 490668.357	.9996039	1.0000028	633156	78H8492	TERR	91 58 46	193.548	193.625
		N5449110.493			910372	77H4602	TERR	180 40 14	309.547	309.670
		El 1.25								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
951178	78H8470	E 495773.087	.9996028	1.0000025	571828	78H8513	TERR	100 50 21	266.503	266.609			
		N 5450019.68					TERR				268 15 54	277.125	277.236
		El 2.894											
392860	78H8471	E 492231.104	.9996036	1.0000029	417352	78H8542	TERR	90 24 49	287.201	287.315			
		N5448563.412					TERR				270 21 3	412.022	412.185
		El 1.035											
269365	78H8472	E 494147.104	.9996033	1.0000029	739433	78H8459	TERR	46 12 53	271.791	271.898			
		N5448621.266					TERR				179 47 32	358.675	358.817
		El 1.024											
614248	78H8473	E 496604.398	.9996029	1.0000028	612101	78H8529	TERR	269 52 12	465.816	466.001			
		N5446340.855					TERR				359 45 25	191.233	191.309
		El 1.549											
608349	78H8474	E 492873.407	.9996034	1.0000028	454207	78H8506	TERR	270 28 4	360.582	360.725			
		N5447980.455											
		El 1.4											
156513	78H8475	E 491811.255	.9996036	1.0000027	731612	77H4601	TERR	89 42 41	331.426	331.557			
		N5448811.769					TERR				178 10 28	245.959	246.056
		El 1.766					TERR				270 8 50	107.339	107.382
847368	78H8476	E 494139.467	.9996031	1.0000026	880492	92H0969	TERR	2 59 16	329.607	329.738			
		N5446372.782					TERR				270 28 49	473.572	473.760
		El 2.506											
580050	78H8477	E 490996.172	.9996038	1.0000028	35832	78H8446	TERR	90 32 26	244.632	244.729			
		N5448983.308											
		El 1.215											
399618	78H8478	E 492985.7	.9996035	1.0000029	429431	95H1981	TERR	88 32 59	334.388	334.520			
		N5447730.747											
		El .987											
660241	78H8480	E 496594.695	.9996029	1.0000027	282392	78H8499	TERR	179 36 13	481.484	481.675			
		N 5447528.08					TERR				359 2 17	451.591	451.771
		El 1.856											
993790	78H8482	E 494962.409	.9996031	1.0000028	393876	78H8498	TERR	180 2 51	294.747	294.864			
		N5449091.185					TERR				358 54 2	480.582	480.772
		El 1.42											
75507	78H8483	E 494148.405	.9996033	1.0000029	94839	82H5210	TERR	177 26 29	297.801	297.919			
		N5448262.594					TERR				177 44 5	298.595	298.713
		El .939					TERR				359 47 32	358.675	358.817

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
589440	78H8484	E 496585.966	.9996028	1.0000027	154971	78H8491	TERR	0 13 44	428.424	428.594					
		N5448405.321					382739				78H8505	TERR	179 50 44	425.715	425.884
		El 2.189													
635334	78H8486	E 496590.426	.9996028	1.0000026	714972	78H8458	TERR	180 5 57	483.937	484.130					
		N5449917.057					582122				78H8487	TERR	270 44 19	304.663	304.783
		El 2.46													
582122	78H8487	E 496285.789	.9996027	1.0000025	635334	78H8486	TERR	90 44 19	304.662	304.783					
		N5449920.985					571828				78H8513	TERR	280 57 20	255.612	255.713
		El 2.943													
717769	78H8488	E 493332.462	.9996033	1.0000027		MARKER DESTROYED									
275206	78H8489	E 492949.608	.9996035	1.0000029	462283	78H8452	TERR	1 11 8	223.705	223.794					
		N 5448307.64					919464				78H8448	TERR	201 35 55	105.974	106.017
		El .888													
154971	78H8491	E 496587.677	.999603	1.0000028	714972	78H8458	TERR	0 10 57	599.381	599.620					
		N5448833.742					589440				78H8484	TERR	180 13 44	428.425	428.594
		El 1.164													
633156	78H8492	E 490861.79	.9996039	1.0000028	555755	78H8463	TERR	59 43 17	286.512	286.625					
		N5449103.807					172668				78H8469	TERR	271 58 47	193.548	193.625
		El 1.219													
247494	78H8494	E 492518.111	.9996034	1.0000028	128413	77H4606	TERR	99 7 27	272.451	272.559					
		N5449455.501					581959				158	TERR	179 46 1	137.593	137.648
		El 1.612													
948802	78H8496	E 491455.262	.9996037	1.0000028	285098	78H8519	TERR	88 53 22	251.445	251.545					
		N5449593.019					13706				78H8468	TERR	255 42 3	133.252	133.305
		El 1.519													
125732	78H8497	E 495496.089	.9996028	1.0000026	951178	78H8470	TERR	88 15 55	277.125	277.236					
		N 5450011.29					292029				83H5917	TERR	254 57 34	574.800	575.028
		El 2.818													
393876	78H8498	E 494962.165	.9996031	1.0000028	993790	78H8482	TERR	0 2 51	294.747	294.864					
		N5448796.438					679696				78H8516	TERR	179 54 4	367.226	367.372
		El 1.342													
282392	78H8499	E 496598.026	.9996028	1.0000027	274696	78H8518	TERR	179 22 51	514.552	514.756					
		N5447046.608					660241				78H8480	TERR	359 36 13	481.483	481.675
		El 2.024													

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
29363	78H8500	E 493760.388	.9996032	1.0000027	193136	78H8543	TERR	64 54 27	621.129	621.376
		N5449009.578			714204	78H8515	TERR	269 59 25	425.872	426.040
		El 1.866								
756783	78H8501	E 493333.483	.9996033	1.0000027	714204	78H8515	TERR	0 17 26	203.832	203.913
		N5448805.676			803635	78H8465	TERR	89 53 21	357.468	357.609
		El 1.908			909119	78H8455	TERR	270 28 41	545.071	545.287
437202	78H8503	E 494958.246	.9996032	1.0000029	781435	78H8512	TERR	179 52 22	394.794	394.951
		N5446761.882			436402	89H5327	TERR	359 13 50	486.376	486.569
		El .967								
260380	78H8504	E 494947.003	.999603	1.0000027		MARKER DESTROYED				
		N5449866.238								
		El 2.167								
382739	78H8505	E 496587.114	.9996029	1.0000027	660241	78H8480	TERR	179 2 17	451.592	451.771
		N5447979.608			423020	78H8524	TERR	270 31 28	540.876	541.091
		El 1.927			589440	78H8484	TERR	359 50 44	425.715	425.884
454207	78H8506	E 492512.837	.9996035	1.0000028	417352	78H8542	TERR	0 32 29	577.966	578.195
		N5447983.399			608349	78H8474	TERR	90 28 4	360.582	360.725
		El 1.635			834069	78H8343	TERR	178 27 39	359.746	359.889
					704775	155	TERR	271 2 50	368.671	368.817
197822	78H8508	E 494953.187	.9996031	1.0000027	993790	78H8482	TERR	178 54 2	480.582	480.772
		N5449571.678			217158	78H8537	TERR	244 9 34	326.650	326.780
		El 1.707			292029	83H5917	TERR	357 35 36	290.705	290.820
823591	78H8510	E 495437.184	.999603	1.0000027	423020	78H8524	TERR	90 44 6	609.127	609.369
		N5447992.373			15677	78H8454	TERR	269 59 16	472.551	472.738
		El 2.006								
129445	78H8511	E 495517.49	.9996031	1.0000028	612101	78H8529	TERR	90 18 2	621.102	621.349
		N5446343.055			781435	78H8512	TERR	272 27 53	558.884	559.106
		El 1.292								
781435	78H8512	E 494959.123	.9996031	1.0000028	129445	78H8511	TERR	92 27 53	558.884	559.106
		N5446367.089			370924	78H8526	TERR	270 51 31	378.306	378.456
		El 1.643			437202	78H8503	TERR	359 52 22	394.794	394.951
571828	78H8513	E 496034.836	.9996027	1.0000026	582122	78H8487	TERR	100 57 21	255.612	255.713
		N5449969.564			951178	78H8470	TERR	280 50 20	266.504	266.609
		El 2.867								
714204	78H8515	E 493334.517	.9996033	1.0000028	835058	78H8538	TERR	0 32 28	303.727	303.847
		N5449009.505			29363	78H8500	TERR	89 59 24	425.871	426.040
		El 1.593			756783	78H8501	TERR	180 17 26	203.831	203.913

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
679696	78H8516	E 494962.799	.9996031	1.0000028	15677	78H8454	TERR	179 45 34	436.944	437.117			
		N5448429.213					TERR				359 54 4	367.226	367.372
		El 1.566											
274696	78H8518	E 496603.587	.9996029	1.0000028	897322	V-2503	GPS	24 24 45	4113.700	4115.335			
		N5446532.086			47092	02H2454	GPS	44 4 10	3540.128	3541.534			
		El 1.653			770800	5296	GPS	86 51 45	11364.038	11368.629			
					162537	5071	GPS	88 17 50	21145.912	21154.300			
					195156	80H1320	GPS	108 29 14	5889.465	5891.806			
					439760	5184	GPS	113 15 58	23036.510	23045.624			
					829762	02H2412	GPS	127 47 26	3095.995	3097.226			
					607093	5893	GPS	127 55 6	14450.157	14455.895			
					675850	84H0394	GPS	140 13 27	4306.748	4308.460			
					531079	6902	GPS	160 10 42	9641.807	9645.637			
					614248	78H8473	TERR	179 45 25	191.233	191.309			
					49908	02H2413	GPS	179 52 47	2768.926	2770.027			
					839639	80H1300	GPS	182 27 51	4772.102	4773.999			
					51441	02H2453	GPS	215 18 4	5578.634	5580.849			
					832238	02H2457	GPS	222 49 27	2411.666	2412.624			
					406991	77C032	GPS	228 21 45	12730.179	12735.223			
					869792	No Marking	GPS	229 29 44	9652.338	9656.176			
					619213	94H1624	GPS	253 21 9	3420.256	3421.614			
					30031	77H4885	GPS	269 15 43	11046.655	11051.031			
					521617	PP	GPS	305 26 37	18704.764	18712.284			
					611681	V-3719	GPS	344 5 11	11194.031	11198.475			
	870014	V-2593	GPS	347 57 21	5542.911	5545.152							
	47209	v-4217	GPS	358 44 3	3871.202	3872.740							
	282392	78H8499	TERR	359 22 51	514.552	514.756							
	714972	78H8458	GPS	359 43 25	2901.068	2902.220							
285098	78H8519	E 491706.66	.9996036	1.0000028	976464	77H4977	TERR	108 54 43	463.515	463.698			
		N5449597.892			439141	78H8462	TERR	180 6 4	298.810	298.928			
		El 1.416			948802	78H8496	TERR	268 53 23	251.445	251.545			
494567	78H8521	E 492539.393	.9996033	1.0000026	322818	78H8536	TERR	90 17 55	348.749	348.888			
		N5446362.004			256099	78H8532	TERR	270 17 12	392.716	392.872			
357236	78H8522	E 494151.153	.9996031	1.0000027	MARKER DESTROYED								
		N5447975.826											
430264	78H8523	E 493320.206	.9996031	1.0000026	MARKER DESTROYED								
		N5447088.177											
		El 2.729											

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
423020	78H8524	E 496046.261	.9996029	1.0000027	382739	78H8505	TERR	90 31 28	540.876	541.091						
		N5447984.558					TERR				270 44 7	609.128	609.369			
		El 1.983														
196444	78H8525	E 494141.274	.9996033	1.0000028	973024	82H5209	TERR	1 31 20	393.922	394.078						
		N5447184.314														
		El 1.231														
370924	78H8526	E 494580.86	.9996031	1.0000027	781435	78H8512	TERR	90 51 30	378.305	378.456						
		N5446372.757														
		El 2.131														
38711	78H8527	E 493311.769	.9996032	1.0000026	270421	78H8344	TERR	90 10 17	354.145	354.285						
		N5446377.811					TERR				178 10 43	415.350	415.515			
		El 2.556					TERR							267 37 3	423.998	424.167
							TERR									
							TERR									
612101	78H8529	E 496138.583	.999603	1.0000028	614248	78H8473	TERR	89 52 12	465.816	466.001						
		N5446339.797					TERR				270 18 2	621.102	621.349			
		El 1.626														
98376	78H8531	E 493316.812	.9996031	1.0000026		MARKER DESTROYED										
256099	78H8532	E 492146.682	.9996034	1.0000027	494567	78H8521	TERR	90 17 12	392.716	392.872						
		N5446363.969														
		El 2.422														
573147	78H8535	E 494960.143	.9996031	1.0000028			MARKER DESTROYED									
		N5447197.554														
		El 1.433														
322818	78H8536	E 492888.137	.9996032	1.0000026	38711	78H8527	TERR	87 37 3	423.999	424.167						
		N5446360.186					TERR				270 17 55	348.749	348.888			
		El 2.618														
217158	78H8537	E 494659.198	.9996032	1.0000028	197822	78H8508	TERR	64 9 34	326.650	326.780						
		N5449429.302					TERR				245 4 15	370.853	371.001			
		El 1.082														

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
835058	78H8538	E 493337.386	.9996033	1.0000028	681239	677011	GPS	10 4 53	14100.940	14106.677
		N5449313.219			670653	432	GPS	66 41 4	5607.229	5609.499
		El 1.634			308429	90H6222	GPS	109 41 59	14503.813	14509.690
					57968	88H4187	GPS	177 6 47	16688.263	16694.880
					714204	78H8515	TERR	180 32 29	303.727	303.847
					258020	19713	GPS	225 25 33	10669.585	10673.810
					128413	77H4606	TERR	280 12 25	559.120	559.342
					977454	677014	GPS	302 48 5	14053.345	14059.025
138230	78H8541	E 492870.167	.9996035	1.0000029	730879	95H1982	TERR	90 16 58	462.747	462.930
		N5447532.654								
		El .949								
417352	78H8542	E 492518.297	.9996035	1.0000028	384859	77H5828	TERR	0 4 56	251.990	252.089
		N5448561.339			565549	78H8545	TERR	120 30 30	53.505	53.526
		El 1.316			454207	78H8506	TERR	180 32 29	577.966	578.195
					392860	78H8471	TERR	270 24 49	287.201	287.315
193136	78H8543	E 494322.897	.9996032	1.0000028	217158	78H8537	TERR	65 4 15	370.854	371.001
		N5449272.988			739433	78H8459	TERR	177 28 40	464.104	464.289
		El 1.164			29363	78H8500	TERR	244 54 27	621.129	621.376
565549	78H8545	E 492564.395	.9996035	1.0000029	462283	78H8452	TERR	90 25 23	389.852	390.007
		N5448534.176			417352	78H8542	TERR	300 30 33	53.506	53.526
	El 1.05									
694117	82H5093	E 490806.707	.9996039	1.0000029	786848	77H4998	TERR	2 47 17	197.294	197.372
		N5446583.196			620757	83H5915	TERR	177 5 55	217.484	217.570
		El 1.18			226977	82H5094	TERR	270 51 5	384.631	384.784
226977	82H5094	E 490422.118	.999604	1.0000029	694117	82H5093	TERR	90 51 5	384.632	384.784
		N5446588.911			317214	77H4674	TERR	181 24 35	210.150	210.233
		El .845			727784	82H5095	TERR	270 43 25	361.172	361.315
					157172	77H4672	TERR	356 34 1	193.012	193.088
727784	82H5095	E 490060.975	.999604	1.0000028	226977	82H5094	TERR	90 43 25	361.172	361.315
		N5446593.472			99127	144-696	TERR	183 29 36	206.804	206.887
		El 1.373			133777	77H4899	TERR	355 59 54	194.118	194.195
973024	82H5209	E 494151.738	.9996031	1.0000027	64816	92H0971	TERR	1 15 24	386.229	386.382
		N5447578.097			94839	82H5210	TERR	1 28 28	387.121	387.275
		El 1.909			337618	92H0970	TERR	180 43 47	390.032	390.187
					196444	78H8525	TERR	181 31 20	393.922	394.078

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
94839	82H5210	E 494161.7	.999603	1.0000026	15677	78H8454	TERR	88 3 40	803.393	803.713	
		N 5447965.09			973024	82H5209	TERR	181 28 28	387.122	387.275	
		El 2.486			835421	78H8460	TERR	270 51 36	830.665	830.995	
					75507	78H8483	TERR	357 26 29	297.801	297.919	
620757	83H5915	E 490817.715	.9996039	1.0000029	615542	77H4645	TERR	87 9 38	105.116	105.158	
		N5446365.991			317214	77H4674	TERR	271 50 3	400.972	401.131	
		El 1.08			694117	82H5093	TERR	357 5 56	217.484	217.570	
290890	83H5916	E 487060.633	.9996049	1.0000028	680801	77H4585	TERR	89 40 10	246.459	246.557	
		N5441849.272									
		El 1.588									
292029	83H5917	E 494940.98	.9996028	1.0000025	125732	78H8497	TERR	74 57 34	574.800	575.028	
		N5449862.127			197822	78H8508	TERR	177 35 36	290.705	290.820	
		El 3.215									
793067	83H5918	E 489237.849	.9996043	1.0000029		MARKER DESTROYED					
		N5445542.153									
		El 1.085									
202242	83H6181	E 487997.918	.9996046	1.0000029	567131	77H4670	TERR	90 20 47	419.595	419.760	
		N5445772.371			674408	83H6182	TERR	179 5 32	225.595	225.684	
		El 1.125									
674408	83H6182	E 488001.492	.9996047	1.0000029	234062	83H6183	TERR	90 37 23	202.842	202.923	
		N5445546.804			423145	77H4890	TERR	274 7 23	416.682	416.847	
		El .966			202242	83H6181	TERR	359 5 33	225.596	225.684	
234062	83H6183	E 488204.322	.9996046	1.0000029	863407	77H4863	TERR	87 56 49	212.532	212.616	
		N5445544.598			674408	83H6182	TERR	270 37 24	202.842	202.923	
		El .907									
770453	83H6544	E 486766.477	.9996049	1.0000027	199471	77H4570	TERR	91 37 35	208.197	208.279	
		N5443506.484			22475	77H4532	TERR	181 15 40	148.611	148.670	
		El 2.164			729079	77H4600	TERR	359 55 24	190.901	190.976	
698266	84H0140	E 489008.873	.9996043	1.0000029	656629	77H4640	TERR	88 38 10	214.443	214.527	
		N5444754.532			467860	77H4729	TERR	270 6 55	387.687	387.841	
		El 1.185									
396689	84H0141	E 489517.985	.9996042	1.0000028	205229	77H4700	TERR	0 46 27	319.853	319.980	
		N5444754.999			713917	84H0142	TERR	89 55 53	250.248	250.347	
		El 1.298			656629	77H4640	TERR	270 54 5	294.767	294.883	
713917	84H0142	E 489768.233	.9996041	1.0000028	549147	77H4665	TERR	89 2 50	268.794	268.901	
		N5444755.298			396689	84H0141	TERR	269 55 53	250.249	250.347	
		El 1.258			425967	78H8412	TERR	359 31 40	363.683	363.827	



Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
379743	88H4822	E 486002.8	.9996052	1.0000028	664508	88H4825	TERR	3 5 49	217.108	217.194		
		N5441739.804			673384	77H4865	TERR	89 55 36			341.874	342.009
		El 1.903			686873	77H4884	TERR	180 17 29			210.769	210.852
208314	88H4823	E 489241.971	.9996042	1.0000028	688226	88H4824	TERR	91 20 16	544.753	544.969		
		N5445554.067			347526	91H9832	TERR	91 39 20			546.094	546.311
		El 1.491			10678	88H4820	TERR	187 13 12			193.432	193.508
					816157	78H8339	TERR	268 40 35			408.920	409.082
					6247	77H4741	TERR	356 51 48	391.133	391.287		
688226	88H4824	E 489786.576	.9996041	1.0000028	201236	77H4895	TERR	87 42 47	255.167	255.269		
		N5445541.348			507426	78H8340	TERR	186 1 32			177.795	177.866
		El 1.317			208314	88H4823	TERR	271 20 16			544.754	544.969
664508	88H4825	E 486014.53	.9996051	1.0000027	346130	77H4809	TERR	91 8 2	330.694	330.825		
		N5441956.595			379743	88H4822	TERR	183 5 50			217.108	217.194
		El 1.957			227132	77H4548	TERR	356 59 20			200.916	200.995
382044	89H5190	E 491680.231	.9996034	1.0000026	314732	88H4815	TERR	1 15 20	779.878	780.188		
		N5446378.519			192955	77H4940	TERR	175 53 33			172.960	173.029
		El 2.96										
436402	89H5327	E 494951.715	.9996031	1.0000028	862888	88H4816	TERR	0 18 1	392.937	393.093		
		N5447248.214			437202	78H8503	TERR	179 13 50			486.375	486.569
		El 1.513										
989681	91H9828	E 491678.999	.9996036	1.0000028	885228	91H9834	TERR	4 45 45	312.677	312.801		
		N5447349.876			314732	88H4815	TERR	174 32 25			192.540	192.616
		El 1.597			945238	77H4943	TERR	269 32 57			748.809	749.106
647230	91H9829	E 490681.154	.9996039	1.0000029	962779	77H4988	TERR	87 7 38	203.556	203.636		
		N5445961.911			641860	77H4616	TERR	272 7 30			266.563	266.668
		El 1.084										
8698	91H9830	E 490057.067	.9996041	1.0000029	462523	88H4814	TERR	95 11 34	208.491	208.574		
		N5445985.732			71977	91H9831	TERR	180 30 12			199.669	199.749
		El .996			99127	144-696	TERR	358 45 33			401.414	401.573
71977	91H9831	E 490055.313	.9996041	1.0000028	8698	91H9830	TERR	0 30 12	199.670	199.749		
		N 5445786.07			201236	77H4895	TERR	183 21 39			234.944	235.037
		El 1.211										
347526	91H9832	E 489787.837	.9996041	1.0000028	201236	77H4895	TERR	87 0 45	254.048	254.149		
		N 5445538.29			507426	78H8340	TERR	186 32 30			174.894	174.963
		El 1.224			208314	88H4823	TERR	271 39 20			546.094	546.311

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
780791	91H9833	E 491683.124	.9996036	1.0000027	704775	155	TERR	90 43 19	461.141	461.323
		N5447995.947			698936	77H5818	TERR	269 28 22	426.225	426.395
		El 2.02								
885228	91H9834	E 491704.96	.9996037	1.0000028	989681	91H9828	TERR	184 45 45	312.677	312.801
		N5447661.474			542662	77H5814	TERR	271 6 58	366.401	366.546
		El 1.336								
773853	92H0961	E 488686.681	.9996044	1.0000028	814897	77H4778	TERR	1 12 41	164.024	164.089
		N5442302.374			428284	92H0962	TERR	90 14 30	242.948	243.045
		El 1.398			864777	77H4805	TERR	271 19 9	277.983	278.093
428284	92H0962	E 488929.627	.9996043	1.0000028	807354	77H4931	TERR	88 5 36	291.507	291.623
		N 5442301.35			773853	92H0961	TERR	270 14 30	242.949	243.045
		El 1.592								
95604	92H0963	E 489627.15	.9996041	1.0000028	698480	77H4650	TERR	90 55 57	407.400	407.560
		N5442314.428			807354	77H4931	TERR	269 31 24	406.191	406.353
		El 1.795								
28159	92H0964	E 493306.189	.9996034	1.0000029	942409	92H0965	TERR	2 12 50	292.248	292.364
		N5442805.491			922195	77H5820	TERR	182 57 8	519.547	519.753
		El 1.155								
942409	92H0965	E 493317.478	.9996034	1.0000029	28159	92H0964	TERR	182 12 50	292.248	292.364
		N5443097.521			266825	77H4932	TERR	270 15 56	459.723	459.905
		El 1.126			114330	92H0966	TERR	359 12 60	394.707	394.863
114330	92H0966	E 493312.082	.9996034	1.0000028	942409	92H0965	TERR	179 13 0	394.707	394.863
		N5443492.191			564856	77H4954	TERR	271 17 40	160.544	160.607
		El 1.343			724245	92H0967	TERR	358 17 58	572.124	572.351
724245	92H0967	E 493295.103	.9996034	1.0000028	36574	92H0968	TERR	2 19 20	663.923	664.187
		N5444064.063			114330	92H0966	TERR	178 17 58	572.124	572.351
		El 1.264								
36574	92H0968	E 493322.004	.9996033	1.0000028	724245	92H0967	TERR	182 19 20	663.923	664.187
		N 5444727.44			592287	94H1625	TERR	357 48 44	397.444	397.601
		El 1.829								
880492	92H0969	E 494156.648	.9996031	1.0000027	847368	78H8476	TERR	182 59 17	329.607	329.738
		N5446701.941			337618	92H0970	TERR	358 50 10	486.256	486.450
		El 2.257								
337618	92H0970	E 494146.771	.9996019	1.0000015	973024	82H5209	TERR	0 43 47	390.031	390.187
		N5447188.097			880492	92H0969	TERR	178 50 10	486.257	486.450
		El 9.778								

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
64816	92H0971	E 494160.208	.9996031	1.0000026	297440	92H0972	TERR	87 7 31	209.933	210.017
		N5447964.233			973024	82H5209	TERR	181 15 24	386.229	386.382
		El 2.453			835421	78H8460	TERR	270 55 14	829.187	829.516
					75507	78H8483	TERR	357 44 5	298.594	298.713
297440	92H0972	E 494369.877	.9996018	1.0000014	15677	78H8454	TERR	88 18 48	595.014	595.251
		N5447974.761			64816	92H0971	TERR	267 7 32	209.934	210.017
		El 10.452								
389437	92H0973	E 490861.888	.9996039	1.0000029	62422	77H4941	TERR	90 30 44	404.646	404.806
		N5444144.695			693325	77H4951	TERR	175 3 26	206.653	206.735
		El 1.048			77909	92H0974	TERR	359 17 16	198.318	198.396
77909	92H0974	E 490859.423	.9996039	1.0000029	389437	92H0973	TERR	179 17 16	198.317	198.396
		N5444342.997			479949	92H0975	TERR	359 17 27	211.150	211.234
		El 1.166								
479949	92H0975	E 490856.81	.9996039	1.0000029	695973	77H4921	TERR	1 37 13	189.317	189.392
		N5444554.131			253773	92H0977	TERR	91 44 4	403.904	404.065
		El .956			77909	92H0974	TERR	179 17 28	211.150	211.234
247478	92H0976	E 490869.736	.9996039	1.0000029	391128	77H4906	TERR	88 58 30	397.137	397.294
		N5445146.899			302844	77H4922	TERR	182 42 30	197.137	197.215
		El 1.121			590240	77H4629	TERR	271 42 33	415.494	415.659
					373415	77H4604	TERR	356 15 13	196.705	196.783
253773	92H0977	E 491260.529	.9996037	1.0000027	686931	88H4818	TERR	3 46 30	197.205	197.283
		N5444541.906			62422	77H4941	TERR	179 8 38	400.873	401.031
		El 2.047			479949	92H0975	TERR	271 44 4	403.905	404.065
318972	94H1623	E 493324.97	.9996032	1.0000027	619213	94H1624	TERR	179 45 36	410.429	410.593
		N5445962.671			38711	78H8527	TERR	358 10 43	415.350	415.515
		El 2.297								
619213	94H1624	E 493326.689	.9996032	1.0000027	57273	02H2415	GPS	2 25 58	3781.429	3782.930
		N5445552.245			714972	78H8458	GPS	40 3 21	5070.276	5072.289
		El 2.353			274696	78H8518	GPS	73 21 9	3420.256	3421.614
					832238	02H2457	GPS	115 43 29	1817.722	1818.444
					49908	02H2413	GPS	118 35 26	3738.577	3740.062
					839639	80H1300	GPS	140 57 36	4876.804	4878.742
					51441	02H2453	GPS	179 8 52	3573.418	3574.837
					592287	94H1625	TERR	182 39 31	428.112	428.282
					73981	77H4623	GPS	266 39 21	3288.805	3290.109
					496687	77H4891	GPS	271 39 38	6228.884	6231.351
					951376	77H4970	GPS	308 7 19	3637.896	3639.338
					318972	94H1623	TERR	359 45 36	410.430	410.593

Integrated Survey Area No:18 The Corporation of the Township of Richmond  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
592287	94H1625	E 493306.831	.9996033	1.0000028	619213	94H1624	TERR	2 39 31	428.112	428.282					
		N5445124.594					36574				92H0968	TERR	177 48 44	397.443	397.601
		El 1.787													
429431	95H1981	E 493319.981	.9996033	1.0000028	835421	78H8460	TERR	2 40 40	238.606	238.701					
		N 5447739.21					730879				95H1982	TERR	176 27 29	209.241	209.324
		El 1.502					399618				78H8478	TERR	268 32 59	334.388	334.520
730879	95H1982	E 493332.908	.9996033	1.0000028	281956	95H1983	TERR	180 44 47	296.802	296.920					
		N5447530.369					138230				78H8541	TERR	270 16 58	462.747	462.930
		El 1.619					429431				95H1981	TERR	356 27 28	209.241	209.324
281956	95H1983	E 493329.041	.9996032	1.0000027	730879	95H1982	TERR	0 44 47	296.802	296.920					
		N5447233.592					639971				95H1984	TERR	185 49 23	407.826	407.988
		El 2.362													
639971	95H1984	E 493287.665	.9996021	1.0000016	281956	95H1983	TERR	5 49 23	407.826	407.988					
		N 5446827.87					38711				78H8527	TERR	176 56 3	450.704	450.883
		El 9.406													
795310	969	E 491697.787	.9996036	1.0000027	704775	155	TERR	89 42 14	446.447	446.624					
		N5447987.829					366559				77H5806	TERR	180 14 36	319.438	319.565
		El 1.859					698936				77H5818	TERR	270 32 43	440.890	441.065
994145	DOT 322	E 491694.075	.9996035	1.0000027			MARKER DESTROYED								
869792	No Marking	E 489264.372	.9996021	1.0000007	875864	No Marking	GPS	13 21 17	18348.597	18355.925					
		N5440262.832			59121	02H2452	GPS	20 50 44	2147.287	2148.139					
		El 14.895			274696	78H8518	GPS	49 29 44	9652.338	9656.176					
					200915	02H2433	GPS	65 10 40	54106.366	54128.225					
					898734	No Marking	GPS	67 46 4	22612.169	22621.336					
					909333	No Marking	GPS	75 0 3	45903.803	45922.156					
					80101	02H2443	GPS	81 49 30	3849.114	3850.645					
					904904	No Marking	GPS	91 56 19	35765.747	35779.941					
					147819	91H9962	GPS	104 0 36	51265.635	51285.835					
					531079	6902	GPS	104 47 30	10972.302	10976.666					
					394437	77H4671	GPS	111 51 46	812.177	812.500					
					430900	87H3190	GPS	147 58 52	14481.083	14486.840					
					394825	81	GPS	185 37 57	10765.160	10769.432					
					406991	77C032	GPS	224 48 57	3085.638	3086.862					
					258020	19713	GPS	293 53 12	3857.821	3859.350					
					537563	77H4827	GPS	313 45 27	2291.220	2292.128					
					30031	77H4885	GPS	328 49 41	7160.841	7163.679					
					559500	02H2477	GPS	350 9 35	37980.297	37995.444					