

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
59634	4001	E 672584.498	.9998623	.999897	644898	87H2764	TERR	88 2 28	199.406	199.433
		N6181120.904			224113	4016	TERR	177 40 15	812.979	813.092
		El 672.892			505982	4040	TERR	328 45 60	592.807	592.889
					959734	4096	TERR	357 42 35	244.600	244.634
				15206	4056	TERR	357 44 34	459.068	459.131	
216531	4002	E 673409.653 N 6181154.13 El 663.72	.9998673	.9998984		MARKER DESTROYED				
45922	4003	E 674210.514	.9998717	.9998994	185611	4046	TERR	88 39 14	965.035	965.157
		N6181186.533			26	4089	TERR	90 4 32	413.029	413.082
		El 657.53			651570	4090	TERR	177 41 25	434.856	434.913
					126128	4018	TERR	177 43 17	812.643	812.748
					610048	90H6404	TERR	268 37 38	435.655	435.712
		454322		87H2763	TERR	357 57 7	336.408	336.450		
880518	4004	E 674180.338 N6181991.342 El 656.018	.9998718	.9998996		MARKER DESTROYED				
138776	4005	E 673377.359	.999868	.9998992	295915	4009	TERR	52 46 52	393.386	393.437
		N6181957.989			97188	4085	TERR	88 20 49	347.013	347.060
		El 658.453			89607	4057	TERR	177 42 49	350.581	350.628
					273284	4037	TERR	267 39 10	433.895	433.952
858936	4006	E 672552.124 N6181924.201 El 659.648	.9998643	.999899		MARKER DESTROYED				
828715	4007	E 672519.074 N6182744.978 El 659.508	.9998641	.9998991		MARKER DESTROYED				
605428	4008	E 673351.141 N6182307.956 El 659.474	.9998677	.9998991		MARKER DESTROYED				
295915	4009	E 673690.624	.9998693	.9998992	118554	4011	TERR	23 3 13	308.164	308.204
		N6182195.933			800110	87H2760	TERR	113 20 51	166.518	166.540
		El 658.465			97188	4085	TERR	171 36 48	230.397	230.427
					138776	4005	TERR	232 46 52	393.386	393.437
366757	4010	E 674166.25 N6182330.617 El 658.182	.9998714	.9998993	962514 710327 118554 485607	82H5213 4082 4011 4013	TERR TERR TERR TERR	179 11 40 292 33 29 292 45 13 357 37 20	339.538 221.868 384.907 348.453	339.581 221.896 384.957 348.498

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
118554	4011	E 673811.298	.9998693	.9998987	366757	4010	TERR	112 45 13	384.907	384.957
		N6182479.487			710327	4082	TERR	113 1 11	163.042	163.064
		E1 661.504			295915	4009	TERR	203 3 13	308.164	308.204
					409599	4080	TERR	293 0 21	164.003	164.024
					760504	4012	TERR	293 14 51	517.312	517.379
760504	4012	E 673335.988	.9998671	.9998986	118554	4011	TERR	113 14 51	517.312	517.379
		N6182683.673			409599	4080	TERR	113 21 36	353.311	353.357
		E1 662.583			53041	87H2766	TERR	177 40 18	377.459	377.508
					248302	4015	TERR	357 33 33	348.294	348.341
485607	4013	E 674151.793	.9998702	.9998981	464511	4019	TERR	70 5 33	424.289	424.345
		N 6182678.77			366757	4010	TERR	177 37 20	348.453	348.498
		E1 665.427			755835	4014	TERR	293 15 44	399.326	399.379
					586651	4067	TERR	357 22 24	328.802	328.846
					621797	4024	TERR	357 32 20	631.397	631.481
755835	4014	E 673784.93	.9998682	.9998977	156125	90H6409	TERR	19 36 48	416.638	416.693
		N 6182836.48			485607	4013	TERR	113 15 44	399.326	399.379
		E1 668.091			933044	4079	TERR	203 1 21	111.178	111.193
					248302	4015	TERR	292 49 22	503.169	503.235
248302	4015	E 673321.155	.9998661	.9998976	921213	4052	TERR	32 53 60	270.538	270.575
		N6183031.651			755835	4014	TERR	112 49 22	503.169	503.235
		E1 668.957			760504	4012	TERR	177 33 33	348.294	348.341
224113	4016	E 672617.536	.9998594	.9998939	226902	5987	TERR	26 44 59	5873.345	5874.178
		N6180308.597			738674	5965	TERR	79 25 29	11640.535	11641.881
		E1 692.673			126128	4018	TERR	87 40 37	1626.626	1626.845
					931071	4017	TERR	87 40 51	824.914	825.027
					236588	51729	TERR	264 25 55	12320.345	12322.676
					683797	4032	TERR	350 11 11	4032.846	4033.419
					59634	4001	TERR	357 40 15	812.979	813.092
931071	4017	E 673441.774	.9998656	.9998966	126128	4018	TERR	87 40 22	801.712	801.818
		N6180341.978			224113	4016	TERR	267 40 51	824.914	825.027
		E1 675.004			232645	4093	TERR	355 55 4	376.924	376.974
126128	4018	E 674242.825	.9998705	.999898	623819	4021	TERR	8 14 2	3302.333	3302.773
		N6180374.533			226902	5987	TERR	11 7 25	5278.007	5278.727
		E1 666.082			937623	91H0185	TERR	88 51 44	815.587	815.690
					236588	51729	TERR	264 48 37	13944.667	13947.228
					931071	4017	TERR	267 40 22	801.712	801.818
					224113	4016	TERR	267 40 37	1626.626	1626.845
					45922	4003	TERR	357 43 17	812.643	812.748
					651570	4090	TERR	357 45 25	377.787	377.835

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
464511	4019	E 674550.728	.9998668	.9998931	224139	4050	TERR	87 47 14	393.966	394.017
		N6182823.242			406231	90H6406	TERR	90 21 20	233.681	233.711
		E1 697.663			227769	82H5217	TERR	151 34 40	910.741	910.858
					885699	4044	TERR	177 58 32	815.455	815.561
					965194	4084	TERR	178 31 52	510.217	510.283
		485607		4013	TERR	250 5 33	424.289	424.345		
659805	4020	E 675013.492	.9998669	.9998912	224139	4050	TERR	189 8 16	435.061	435.119
		N6183267.993			623819	4021	TERR	321 32 23	478.689	478.754
		E1 709.845								
623819	4021	E 674715.76	.9998629	.9998884	738674	5965	TERR	97 18 18	9421.064	9422.137
		N6183642.825			659805	4020	TERR	141 32 23	478.689	478.754
		E1 727.536			126128	4018	TERR	188 14 2	3302.333	3302.773
					236588	51729	TERR	252 29 36	15057.887	15060.709
					65169	4022	TERR	267 40 6	259.124	259.159
65169	4022	E 674456.851	.9998628	.9998895	623819	4021	TERR	87 40 6	259.124	259.159
		N6183632.283			537357	4023	TERR	179 35 52	310.048	310.090
		E1 720.876			212720	4025	TERR	266 29 20	345.045	345.092
537357	4023	E 674459.028	.9998634	.9998901	638577	4065	TERR	177 44 16	301.792	301.833
		N6183322.243			621797	4024	TERR	267 49 55	334.588	334.633
		E1 716.758			65169	4022	TERR	359 35 52	310.048	310.090
621797	4024	E 674124.68	.999865	.9998931	537357	4023	TERR	87 49 55	334.588	334.633
		N6183309.585			485607	4013	TERR	177 32 20	631.397	631.481
		E1 697.406			586651	4067	TERR	177 43 7	302.598	302.638
					436725	90H6420	TERR	181 22 16	165.380	165.403
					921213	4052	TERR	265 34 37	658.537	658.625
					212720	4025	TERR	357 40 42	301.814	301.855
212720	4025	E 674112.454	.999863	.9998911	65169	4022	TERR	86 29 20	345.045	345.092
		N6183611.151			621797	4024	TERR	177 40 42	301.814	301.855
		E1 710.339			113233	4060	TERR	267 26 8	314.584	314.626
					77552	4062	TERR	357 40 10	446.190	446.251
					185447	4026	TERR	357 40 23	803.379	803.489
					990051	90H6417	TERR	359 53 45	222.426	222.457
185447	4026	E 674079.835	.9998611	.9998893	845438	4063	TERR	88 23 53	422.175	422.234
		N6184413.867			212720	4025	TERR	177 40 23	803.379	803.489
		E1 721.586			77552	4062	TERR	177 40 39	357.188	357.238
					207431	4035	TERR	267 40 24	814.226	814.340

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
712455	4027	E 673780.211	.9998624	.999892	77552	4062	TERR	87 38 36	314.364	314.407
		N6184044.045			358259	4028	TERR	266 5 26	510.026	510.096
		El 704.731			294223	90H6407	TERR	269 26 1	270.850	270.887
					207431	4035	TERR	303 14 9	614.440	614.525
					579854	4061	TERR	357 37 34	348.949	348.997
358259	4028	E 673271.372	.9998615	.9998932	294223	90H6407	TERR	82 19 12	240.156	240.189
		N6184009.272			712455	4027	TERR	86 5 26	510.026	510.096
		El 696.654			923201	4068	TERR	177 23 58	160.816	160.838
616177	4029	E 673292.425	.9998637	.9998953	MARKER DESTROYED					
		N6183574.259								
		El 683.599								
165779	4030	E 672493.288	.9998608	.9998958	860544	82H5216	TERR	178 26 56	178.718	178.743
		N6183551.303			833590	4036	TERR	262 59 36	430.607	430.666
		El 680.289			830596	4074	TERR	264 34 37	201.732	201.760
					683797	4032	TERR	322 23 45	922.856	922.987
					68726	4071	TERR	356 35 38	267.072	267.109
322420	4031	E 672454.605	.999856	.9998912	188565	4033	TERR	149 25 57	408.809	408.868
		N6184305.922			683797	4032	TERR	267 26 8	524.971	525.047
		El 709.489								
683797	4032	E 671930.16	.9998567	.9998941	322420	4031	TERR	87 26 8	524.971	525.047
		N6184282.432			969980	90H6413	TERR	128 43 14	202.500	202.530
		El 691.17			165779	4030	TERR	142 23 45	922.856	922.987
					224113	4016	TERR	170 11 11	4032.846	4033.419
					236588	51729	TERR	245 56 5	12676.678	12679.092
188565	4033	E 672662.506	.999857	.9998913	765057	4034	TERR	32 48 48	491.559	491.630
		N6183953.925			322420	4031	TERR	329 25 57	408.809	408.868
		El 709.306								
765057	4034	E 672928.883	.9998552	.9998884	207431	4035	TERR	87 39 53	337.677	337.726
		N6184367.052			188565	4033	TERR	212 48 48	491.559	491.630
		El 727.673								
207431	4035	E 673266.28	.9998588	.9998905	185447	4026	TERR	87 40 24	814.226	814.340
		N6184380.811			579854	4061	TERR	88 38 13	499.619	499.689
		El 713.899			712455	4027	TERR	123 14 9	614.440	614.525
					765057	4034	TERR	267 39 53	337.677	337.726
833590	4036	E 672065.897	.9998613	.9998982	830596	4074	TERR	81 35 54	229.020	229.051
		N6183498.776			165779	4030	TERR	82 59 36	430.607	430.666
		El 665.159			906206	4075	TERR	177 55 28	311.238	311.282

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
704312	4048	E 675816.795 N6180447.492 El 656.414	.9998787	.9998995		MARKER DESTROYED				
463141	4049	E 675047.558 N6180412.415 El 662.038	.9998745	.9998987		MARKER DESTROYED				
224139	4050	E 674944.4 N6182838.453 El 697.269	.9998686	.9998932	659805 185611 464511	4020 4046 4019	TERR TERR TERR	9 8 16 171 56 3 267 47 14	435.061 1645.529 393.966	435.119 1645.739 394.017
869842	4051	E 672892.39 N 6183213.41 El 669.392	.9998642	.9998975		MARKER DESTROYED				
921213	4052	E 673468.104 N 6183258.8 El 675.738	.9998656	.9998965	621797 248302	4024 4015	TERR TERR	85 34 37 212 53 60	658.537 270.538	658.625 270.575
792077	4053	E 672925.133 N6182409.743 El 659.066	.9998659	.9998991	908632 273284 400804 929992	87H2758 4037 91H0138 90H6405	TERR TERR TERR TERR	87 41 36 177 43 12 179 17 28 356 37 14	205.675 469.897 238.445 335.811	205.702 469.960 238.477 335.856
110171	4054	E 672502.726 N6183176.561 El 664.141	.9998633	.9998983		MARKER DESTROYED				
682609	4055	E 672958.689 N 6181595.65 El 662.144	.9998656	.9998986	89607 15206 273284	4057 4056 4037	TERR TERR TERR	88 24 23 267 39 34 357 31 49	432.823 392.599 344.888	432.881 392.652 344.935
15206	4056	E 672566.418 N6181579.616 El 664.305	.9998636	.9998983	682609 59634 959734	4055 4001 4096	TERR TERR TERR	87 39 34 177 44 34 177 46 51	392.599 459.068 214.468	392.652 459.131 214.497
89607	4057	E 673391.345 N6181607.687 El 660.459	.9998677	.9998989	345835 884585 682609 138776	91H0134 90H6412 4055 4005	TERR TERR TERR TERR	96 13 44 174 27 46 268 24 23 357 42 49	178.285 152.850 432.823 350.581	178.308 152.870 432.881 350.628
902536	4058	E 673019.979 N6181138.404 El 666.893	.9998651	.9998979		MARKER DESTROYED				

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
788091	4059	E 673846.502 N6181566.246 El 657.865	.99987	.9998993		MARKER DESTROYED				
113233	4060	E 673798.185 N6183597.075 El 694.922	.999864	.9998935	212720 951590 335638	4025 90H6411 90H6418	TERR TERR TERR	87 26 8 268 20 15 359 37 16	314.584 504.988 210.605	314.626 505.056 210.633
579854	4061	E 673765.758 N6184392.695 El 712.894	.9998611	.9998907	712455 207431	4027 4035	TERR TERR	177 37 34 268 38 13	348.949 499.619	348.997 499.689
77552	4062	E 674094.309 N6184056.972 El 713.332	.9998624	.9998906	990051 212720 712455 185447	90H6417 4025 4027 4026	TERR TERR TERR TERR	175 27 34 177 40 10 267 38 36 357 40 39	224.098 446.190 314.364 357.188	224.129 446.251 314.407 357.238
845438	4063	E 674501.845 N6184425.669 El 732.245	.9998612	.9998877	61036 185447	4064 4026	TERR TERR	201 14 31 268 23 53	380.114 422.175	380.168 422.234
61036	4064	E 674364.127 N 6184071.38 El 721.818	.9998622	.9998893	845438 27607	4063 90H6402	TERR TERR	21 14 31 213 21 42	380.114 93.777	380.168 93.790
638577	4065	E 674470.941 N6183020.686 El 708.029	.9998649	.9998915	109447 537357	82H5215 4023	TERR TERR	267 44 55 357 44 16	160.111 301.792	160.132 301.833
750794	4066	E 674304.342 N6183013.904 El 697.562	.9998658	.9998931		MARKER DESTROYED				
586651	4067	E 674136.725 N6183007.227 El 678.936	.999868	.999896	109447 485607 436725 621797	82H5215 4013 90H6420 4024	TERR TERR TERR TERR	87 38 38 177 22 24 353 20 21 357 43 7	174.376 328.802 137.956 302.598	174.399 328.846 137.974 302.638
923201	4068	E 673278.669 N6183848.622 El 692.499	.9998622	.9998939	951590 304048 358259	90H6411 91H0135 4028	TERR TERR TERR	176 49 49 267 43 8 357 23 58	266.605 369.515 160.816	266.641 369.567 160.838
974774	4069	E 672912.929 N6183834.192 El 697.422	.9998599	.9998931		MARKER DESTROYED				

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
83782	4070	E 672923.406 N6183561.363 El 680.569	.9998626	.9998958		MARKER DESTROYED				
68726	4071	E 672477.421 N6183817.903 El 692.898	.9998587	.9998938	165779	4030	TERR	176 35 38	267.072	267.109
226910	4072	E 672225.134 N6184078.674 El 692.889	.9998577	.9998938	969980	90H6413	TERR	299 22 11	157.184	157.207
734954	4073	E 671839.925 N6183991.955 El 671.468	.9998594	.9998972	615948 830596	90H6416 4074	TERR TERR	132 6 57 135 27 4	376.987 645.079	377.040 645.169
830596	4074	E 672292.459 N6183532.238 El 671.611	.9998613	.9998972	165779 860544 833590 734954 615948	4030 82H5216 4036 4073 90H6416	TERR TERR TERR TERR TERR	84 34 37 127 48 35 261 35 54 315 27 4 320 7 2	201.732 260.321 229.020 645.079 269.624	201.760 260.357 229.051 645.169 269.662
906206	4075	E 672077.169 N6183187.742 El 660.151	.9998622	.999899	729855 454967 833590	82H5214 90H6408 4036	TERR TERR TERR	91 34 1 179 27 31 357 55 28	428.717 455.705 311.238	428.776 455.768 311.282
199117	4076	E 672900.939 N6183004.168 El 664.885	.9998649	.9998982	942649 929992 131193	4077 90H6405 90H6414	TERR TERR TERR	88 5 9 179 1 40 356 43 55	210.697 259.235 244.043	210.724 259.270 244.077
942649	4077	E 673111.518 N6183011.206 El 666.887	.9998655	.9998979	165639 199117	4098 4076	TERR TERR	177 38 5 268 5 9	394.244 210.697	394.297 210.724
594960	4078	E 673135.764 N6182418.633 El 659.691	.9998667	.999899		MARKER DESTROYED				
933044	4079	E 673741.449 N6182734.157 El 665.967	.9998683	.999898	755835 716019 409599	4014 4081 4080	TERR TERR TERR	23 1 21 113 1 50 203 3 18	111.178 326.698 207.117	111.193 326.741 207.144
409599	4080	E 673660.339 N6182543.583 El 664.339	.9998682	.9998983	933044 118554 760504	4079 4011 4012	TERR TERR TERR	23 3 18 113 0 21 293 21 36	207.117 164.003 353.311	207.144 164.024 353.357

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
716019	4081	E 674042.108 N6182606.346 El 662.547	.9998701	.9998986	710327 933044	4082 4079	TERR TERR	202 57 33 293 1 50	207.015 326.698	207.042 326.741
710327	4082	E 673961.357 N 6182415.73 El 659.602	.9998703	.999899	716019 366757 800110 118554	4081 4010 87H2760 4011	TERR TERR TERR TERR	22 57 33 112 33 29 202 24 35 293 1 11	207.015 221.868 309.134 163.042	207.042 221.896 309.175 163.064
610154	4083	E 673840.864 N6182132.502 El 657.883	.99987	.9998993	MARKER DESTROYED					
965194	4084	E 674563.807 N6182313.193 El 659.605	.9998728	.999899	885699 464511	4044 4019	TERR TERR	177 2 51 358 31 52	305.302 510.217	305.341 510.283
97188	4085	E 673724.228 N 6181968 El 657.804	.9998695	.9998993	723312 138776 295915	4086 4005 4009	TERR TERR TERR	143 36 57 268 20 49 351 36 48	188.602 347.013 230.397	188.627 347.060 230.427
723312	4086	E 673836.106 N6181816.164 El 657.825	.99987	.9998993	177782 47324 336073 97188	91H0186 91H0139 91H0137 4085	TERR TERR TERR TERR	88 39 17 176 23 42 268 48 38 323 36 57	338.825 230.864 256.511 188.602	338.870 230.893 256.544 188.627
746982	4087	E 674195.424 N6181521.065 El 656.457	.9998718	.9998995	MARKER DESTROYED					
808741	4088	E 674608.588 N6181537.929 El 654.606	.9998738	.9998998	26 454322	4089 87H2763	TERR TERR	177 34 0 267 52 37	352.259 410.378	352.303 410.430
26	4089	E 674623.543 N6181185.988 El 656.365	.9998736	.9998996	185611 45922 808741	4046 4003 4088	TERR TERR TERR	87 35 27 270 4 32 357 34 0	552.228 413.029 352.259	552.297 413.082 352.303
651570	4090	E 674228.039 N 6180752.03 El 661.105	.9998712	.9998988	126128 239657 45922	4018 4091 4003	TERR TERR TERR	177 45 25 267 39 54 357 41 25	377.787 437.002 434.856	377.835 437.058 434.913
239657	4091	E 673791.4 N6180734.226 El 663.342	.999869	.9998985	651570 232645	4090 4093	TERR TERR	87 39 54 267 31 26	437.002 376.810	437.058 376.860

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
952853	4092	E 673773.996 N6181168.745 El 659.23	.9998695	.9998991		MARKER DESTROYED				
232645	4093	E 673414.942 N6180717.946 El 668.259	.9998666	.9998977	239657 931071 79871	4091 4017 87H2761	TERR TERR TERR	87 31 26 175 55 4 359 15 57	376.810 376.924 435.148	376.860 376.974 435.206
449678	4094	E 672783.777 N6181128.972 El 667.752	.999864	.9998978		MARKER DESTROYED				
457531	4095	E 672774.179 N6181371.525 El 665.168	.9998643	.9998982		MARKER DESTROYED				
959734	4096	E 672574.723 N6181365.309 El 668.076	.999863	.9998977	59634 505982 15206	4001 4040 4056	TERR TERR TERR	177 42 35 311 24 40 357 46 51	244.600 396.824 214.468	244.634 396.878 214.497
248120	4097	E 672491.192 N6183383.689 El 671.962	.9998621	.9998971		MARKER DESTROYED				
165639	4098	E 673127.788 N6182617.298 El 661.477	.9998664	.9998987	908632 942649	87H2758 4077	TERR TERR	179 10 47 357 38 5	199.297 394.244	199.325 394.297
614669	82H5212	E 672544.421 N6181923.884 El 659.643	.9998642	.999899	273284 315549 190579	4037 4039 87H2759	TERR TERR TERR	87 39 29 268 1 36 359 27 41	399.741 398.983 390.373	399.795 399.037 390.427
962514	82H5213	E 674171.023 N6181991.113 El 655.901	.9998717	.9998996	177782 366757	91H0186 4010	TERR TERR	178 41 29 359 11 40	167.039 339.538	167.060 339.581
729855	82H5214	E 672505.726 N6183176.018 El 663.952	.9998634	.9998984	759449 906206 860544	87H2767 4075 82H5216	TERR TERR TERR	178 30 26 271 34 1 357 47 12	434.043 428.717 196.780	434.103 428.776 196.807
109447	82H5215	E 674310.954 N6183014.396 El 698.363	.9998657	.999893	638577 586651	4065 4067	TERR TERR	87 44 55 267 38 38	160.111 174.376	160.132 174.399
860544	82H5216	E 672498.126 N6183372.651 El 671.794	.9998621	.9998971	131193 729855 830596 165779	90H6414 82H5214 4074 4030	TERR TERR TERR TERR	107 47 48 177 47 12 307 48 35 358 26 56	408.446 196.780 260.321 178.718	408.502 196.807 260.357 178.743

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
227769	82H5217	E 674984.208	.9998752	.9998996	885699	4044	TERR	268 1 17	404.916	404.967
		N6182022.277			464511	4019	TERR	331 34 40	910.741	910.858
		El 655.925								
992958	87H2757	E 672925.206	.9998625	.9998957	951590	90H6411	TERR	86 32 20	368.877	368.927
		N6183560.155			752394	90H6419	TERR	174 58 14	180.978	181.003
		El 680.701			304048	91H0135	TERR	356 42 19	274.213	274.251
908632	87H2758	E 673130.641	.9998668	.9998991	792077	4053	TERR	267 41 36	205.675	205.702
		N6182418.021			165639	4098	TERR	359 10 47	199.297	199.325
		El 659.341								
190579	87H2759	E 672540.751	.9998643	.9998991	614669	82H5212	TERR	179 27 41	390.373	390.427
		N 6182314.24			759449	87H2767	TERR	356 49 39	428.539	428.597
		El 658.964								
800110	87H2760	E 673843.507	.99987	.9998993	710327	4082	TERR	22 24 35	309.134	309.175
		N6182129.941			295915	4009	TERR	293 20 51	166.518	166.540
		El 657.92								
79871	87H2761	E 673409.367	.9998672	.9998983	610048	90H6404	TERR	86 23 41	366.342	366.390
		N6181153.058			232645	4093	TERR	179 15 57	435.148	435.206
		El 664.05			354464	87H2762	TERR	267 40 1	390.408	390.460
					884585	90H6412	TERR	359 22 48	302.510	302.550
354464	87H2762	E 673019.283	.9998651	.9998979	79871	87H2761	TERR	87 40 1	390.408	390.460
		N6181137.165			644898	87H2764	TERR	267 42 12	235.685	235.717
		El 666.651								
454322	87H2763	E 674198.492	.9998717	.9998995	808741	4088	TERR	87 52 37	410.378	410.430
		N6181522.726			45922	4003	TERR	177 57 7	336.408	336.450
		El 656.86			177782	91H0186	TERR	355 30 45	302.319	302.358
644898	87H2764	E 672783.787	.999864	.9998978	354464	87H2762	TERR	87 42 12	235.685	235.717
		N 6181127.72			59634	4001	TERR	268 2 28	199.406	199.433
		El 667.673			712240	87H2765	TERR	357 44 20	244.784	244.817
712240	87H2765	E 672774.129	.9998643	.9998982	644898	87H2764	TERR	177 44 20	244.784	244.817
		N6181372.313								
		El 665.277								
53041	87H2766	E 673351.322	.9998677	.9998991	760504	4012	TERR	357 40 18	377.459	377.508
		N6182306.526								
		El 659.53								

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----					
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING					
759449	87H2767	E 672517.034	.9998641	.9998991	929992	90H6405	TERR	89 34 47	388.314	388.367	
		N6182742.122			190579	87H2759	TERR	176 49 39	428.539	428.597	
		El 659.425			454967	90H6408	TERR	268 40 34	435.675	435.735	
					729855	82H5214	TERR	358 30 26	434.043	434.103	
102145	87H2769	E 674772.569	.9998656	.9998909	949966	87H2770	TERR	176 25 23	311.682	311.723	
		N6183334.267									
		El 711.826									
949966	87H2770	E 674792.014	.9998669	.9998922	406231	90H6406	TERR	182 9 50	201.544	201.571	
		N6183023.192			102145	87H2769	TERR	356 25 23	311.682	311.723	
		El 703.526									
106294	90H6401	E 673679.85	.9998651	.999895	156125	90H6409	TERR	127 34 36	309.049	309.090	
		N6183417.409			736918	90H6403	TERR	269 4 26	360.792	360.841	
		El 685.198									
27607	90H6402	E 674312.557	.9998623	.9998896	61036	4064	TERR	33 21 42	93.777	93.790	
		N6183993.056			177394	90H6410	TERR	179 1 59	266.316	266.353	
		El 719.949									
736918	90H6403	E 673319.105	.9998647	.9998962	106294	90H6401	TERR	89 4 26	360.792	360.841	
		N6183411.578			752394	90H6419	TERR	265 12 22	379.360	379.412	
		El 677.911			951590	90H6411	TERR	351 26 49	172.768	172.792	
610048	90H6404	E 673774.984	.9998695	.9998991	45922	4003	TERR	88 37 38	435.655	435.712	
		N6181176.095			79871	87H2761	TERR	266 23 41	366.342	366.390	
		El 659.362									
929992	90H6405	E 672905.338	.9998655	.9998987	792077	4053	TERR	176 37 14	335.811	335.856	
		N 6182744.97			759449	87H2767	TERR	269 34 47	388.314	388.367	
		El 661.512			199117	4076	TERR	359 1 40	259.235	259.270	
406231	90H6406	E 674784.404	.9998687	.9998939	949966	87H2770	TERR	2 9 50	201.544	201.571	
		N6182821.792			464511	4019	TERR	270 21 20	233.681	233.711	
		El 692.183									
294223	90H6407	E 673509.374	.999862	.9998927	712455	4027	TERR	89 26 1	270.850	270.887	
		N6184041.367			358259	4028	TERR	262 19 12	240.156	240.189	
		El 700.143									
454967	90H6408	E 672081.475	.9998622	.999899	759449	87H2767	TERR	88 40 34	435.675	435.735	
		N6182732.057			906206	4075	TERR	359 27 31	455.705	455.768	
		El 660.118									
156125	90H6409	E 673924.783	.9998663	.9998952	436725	90H6420	TERR	113 22 32	213.460	213.489	
		N6183228.944			755835	4014	TERR	199 36 48	416.638	416.693	
		El 684.121			106294	90H6401	TERR	307 34 36	309.049	309.090	

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
177394	90H6410	E 674317.051 N6183726.778 El 718.634	.9998625	.9998898	27607	90H6402	TERR	359 1 59	266.316	266.353
951590	90H6411	E 673293.41 N6183582.425 El 683.768	.9998636	.9998953	113233 736918 992958 923201	4060 90H6403 87H2757 4068	TERR TERR TERR TERR	88 20 15 171 26 49 266 32 20 356 49 49	504.988 172.768 368.877 266.605	505.056 172.792 368.927 266.641
884585	90H6412	E 673406.094 N 6181455.55 El 661.917	.9998675	.9998987	79871 397679 89607	87H2761 90H6415 4057	TERR TERR TERR	179 22 48 264 40 37 354 27 46	302.510 298.933 152.850	302.550 298.974 152.870
969980	90H6413	E 672088.152 N6184155.764 El 692.193	.9998572	.9998939	226910 683797	4072 4032	TERR TERR	119 22 11 308 43 14	157.184 202.500	157.207 202.530
131193	90H6414	E 672887.027 N6183247.814 El 670.524	.999864	.9998973	752394 199117 860544	90H6419 4076 82H5216	TERR TERR TERR	22 15 24 176 43 55 287 47 48	142.691 244.043 408.446	142.710 244.077 408.502
397679	90H6415	E 673108.45 N6181427.818 El 663.586	.999866	.9998984	884585	90H6412	TERR	84 40 37	298.933	298.974
615948	90H6416	E 672119.571 N6183739.136 El 672.78	.9998604	.999897	830596 734954	4074 4073	TERR TERR	140 7 2 312 6 57	269.624 376.987	269.662 377.040
990051	90H6417	E 674112.05 N6183833.577 El 711.672	.9998628	.9998909	212720 335638 77552	4025 90H6418 4062	TERR TERR TERR	179 53 45 265 18 11 355 27 34	222.426 316.320 224.098	222.457 316.364 224.129
335638	90H6418	E 673796.792 N6183807.675 El 701.152	.9998631	.9998925	990051 113233	90H6417 4060	TERR TERR	85 18 11 179 37 16	316.320 210.605	316.364 210.633
752394	90H6419	E 672941.072 N6183379.874 El 674.893	.9998635	.9998966	736918 131193 992958	90H6403 90H6414 87H2757	TERR TERR TERR	85 12 22 202 15 24 354 58 14	379.360 142.691 180.978	379.412 142.710 181.003
436725	90H6420	E 674120.723 N6183144.252 El 688.691	.9998664	.9998945	621797 586651 156125	4024 4067 90H6409	TERR TERR TERR	1 22 16 173 20 21 293 22 32	165.380 137.956 213.460	165.403 137.974 213.489
345835	91H0134	E 673568.577 N6181588.343 El 660.151	.9998685	.999899	47324 89607	91H0139 4057	TERR TERR	90 31 31 276 13 44	282.057 178.285	282.094 178.308

Order in Council No. 1218/68

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
304048	91H0135	E 672909.447	.9998598	.9998931	923201	4068	TERR	87 43 8	369.515	369.567
		N6183833.915			992958	87H2757	TERR	176 42 19	274.213	274.251
		El 697.591								
732438	91H0136	E 675809.864	.9998787	.9998995	937623	91H0185	TERR	265 40 25	753.761	753.854
		N6180447.593			192989	4047	TERR	357 48 57	786.700	786.795
		El 656.625								
336073	91H0137	E 673579.65	.9998688	.9998992	723312	4086	TERR	88 48 38	256.511	256.544
		N6181810.839								
		El 658.303								
400804	91H0138	E 672928.083	.9998661	.9998993	273284	4037	TERR	176 6 9	231.634	231.666
		N6182171.316			792077	4053	TERR	359 17 28	238.445	238.477
		El 658.131								
47324	91H0139	E 673850.622	.99987	.9998993	345835	91H0134	TERR	270 31 31	282.057	282.094
		N6181585.757			723312	4086	TERR	356 23 42	230.864	230.893
		El 658.244								
937623	91H0185	E 675058.251	.9998747	.9998987	732438	91H0136	TERR	85 40 25	753.761	753.854
		N6180390.729			126128	4018	TERR	268 51 44	815.587	815.690
		El 661.565								
177782	91H0186	E 674174.838	.9998717	.9998995	454322	87H2763	TERR	175 30 45	302.319	302.358
		N6181824.118			723312	4086	TERR	268 39 17	338.825	338.870
		El 656.449			962514	82H5213	TERR	358 41 29	167.039	167.060

END OF REPORT