

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

For up to date information on the status of geodetic control monuments please refer to the MASCOT website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
656702	77H5661	E 470919.723	0.9996116	1.0000012	368233	77H5725	TERR	174 38 30	101.051	101.090					
		N5383216.246					701029				77H5663	TERR	267 52 11	126.381	126.430
		El 10.742													
719179	77H5662	E 471745.895	0.9996081	0.9999983	MARKER DESTROYED										
		N5379821.041													
		El 29.618													
701029	77H5663	E 470793.429	0.9996110	1.0000005	656702	77H5661	TERR	87 52 11	126.381	126.430					
		N5383211.548					554055				77H5667	TERR	352 47 04	347.691	347.827
		El 15.428													
767913	77H5664	E 470264.484	0.9996068	0.9999960	199018	77H6140	TERR	44 32	164.830	164.895					
		N5383564.563					441840				77H5690	TERR	91 04 52	240.066	240.160
		El 44.339					393116				77H5681	TERR	180 44 40	826.293	826.617
294363	77H5665	E 470506.241	0.9996066	0.9999959	MARKER DESTROYED										
		N5379488.880													
		El 44.896													
124131	77H5666	E 471443.389	0.9996099	0.9999999	612325	77H5729	TERR	38 23 16	1282.673	1283.177					
		N5378790.559					490789				77H5685	TERR	90 43 24	669.295	669.556
		El 19.225													
554055	77H5667	E 470749.758	0.9996102	0.9999997	108712	77H6240	TERR	10 54 21	205.889	205.969					
		N5383556.486					701029				77H5663	TERR	172 47 04	347.691	347.827
		El 20.854					441840				77H5690	TERR	270 49 43	245.277	245.373
927574	77H5668	E 470018.752	0.9996084	0.9999974	804302	77H5695	TERR	151 56 59	464.657	464.840					
		N5380487.191					78931				77H5705	TERR	328 08 28	198.986	199.064
		El 35.200													
36186	77H5669	E 470900.044	0.9996113	1.0000009	316505	77H6190	TERR	1 16 34	324.494	324.620					
		N5382611.166					667303				77H5730	TERR	180 13 07	195.618	195.695
		El 13.231													
582940	77H5670	E 469262.402	0.9996037	0.9999921	838110	77H6175	TERR	176 33 58	203.076	203.157					
		N5383235.867					435057				77H6191	TERR	270 48 57	250.622	250.722
		El 68.789					39586				77H5672	TERR	353 08 05	138.959	139.015
760991	77H5671	E 469558.371	0.9996039	0.9999925	276253	77H6186	TERR	271 21 05	181.591	181.663					
		N5380925.387													
		El 66.543													
39586	77H5672	E 469245.792	0.9996033	0.9999917	672162	77H5701	TERR	89 37 50	449.296	449.474					
		N5383373.830					582940				77H5670	TERR	173 08 05	138.959	139.015
		El 71.667					456822				77H6237	TERR	347 08 11	275.548	275.658

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
326694	77H5673	E 470657.079 N5379103.641 E1 44.244	0.9996066	0.9999960	808717	80H3946	TERR	338 34 12	420.245	420.410
870659	77H5674	E 468821.470 N5380352.253 E1 68.573	0.9996041	0.9999921	497909 33217	77H6131 77H6210	TERR TERR	65 50 01 359 45 48	455.152 473.313	455.333 473.500
260554	77H5675	E 469213.460 N5378237.910 E1 98.758	0.9995991	0.9999874	616037 16626 961078	77H5676 77H5760 77H5752	TERR TERR TERR	18 48 93 05 56 180 29 47	348.574 1014.041 145.844	348.714 1014.446 145.902
616037	77H5676	E 469215.366 N5378586.479 E1 90.835	0.9996003	0.9999887	17210 260554 166736	77H5693 77H5675 77H5721	TERR TERR TERR	10 36 180 18 48 272 17 29	207.035 348.574 503.822	207.117 348.714 504.023
922492	77H5677	E 469958.348 N5383860.396 E1 57.988	0.9996049	0.9999938	241869 672162 218040	11703 77H5701 77H5740	TERR TERR TERR	160 47 33 208 33 37 355 28 35	13445.569 550.679 414.998	13451.078 550.897 415.161
843763	77H5678	E 465882.696 N5380634.403 E1 22.212	0.9996137	0.9999994	55079 574566 463950	77H6171 77H6233 77H6184	TERR TERR TERR	90 11 53 270 15 07 359 05 04	306.401 89.346 195.544	306.520 89.380 195.620
608091	77H5679	E 472229.495 N5377585.455 E1 23.347	0.9996087	0.9999993	139865 377895	3387 77H5709	TERR TERR	203 25 18 269 53 53	82.263 789.790	82.295 790.099
302026	77H5680	E 471086.788 N5377984.265 E1 66.981	0.9996027	0.9999924	473231	77H5683	TERR	270 17 47	394.965	395.122
393116	77H5681	E 470253.749 N5382738.340 E1 34.386	0.9996084	0.9999975	767913 128793	77H5664 77H5707	TERR TERR	44 40 180 43 44	826.293 321.022	826.617 321.147
597815	77H5682	E 468809.215 N5382220.495 E1 57.671	0.9996058	0.9999939	478438 641001	77H6236 77H5687	TERR TERR	89 41 25 178 27 40	89.735 144.238	89.770 144.294
473231	77H5683	E 470691.829 N5377986.308 E1 86.080	0.9996000	0.9999894	302026 382671	77H5680 77H5704	TERR TERR	90 17 47 270 43 02	394.965 212.793	395.122 212.879
896068	77H5684	E 470235.454 N5380456.891 E1 29.304	0.9996092	0.9999983	557728 709485 804302	77H5700 77H5686 77H5695	TERR TERR TERR	46 48 129 36 19 179 43 42	355.672 712.783 379.781	355.811 713.062 379.930

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
490789	77H5685	E 472112.630	0.9996097	1.0000001	60723	77H5691	TERR	90 48 07	433.456	433.626
		N5378782.109			124131	77H5666	TERR	270 43 24	669.295	669.556
		E1 18.026								
709485	77H5686	E 470784.622	0.9996103	0.9999998	667303	77H5730	GPS	2 43 15	2415.776	2416.716
		N5380002.497			921031	77H5696	TERR	90 15 49	458.230	458.408
		E1 20.014			384982	99H2274	GPS	90 26 20	2116.160	2116.984
					740282	99H2273	GPS	133 10 34	2410.734	2411.677
					480392	77H6142	GPS	190 12 02	2008.975	2009.770
					21584	81H4126	GPS	228 24 37	3524.318	3525.718
					131136	81H4118	GPS	256 01 12	4688.624	4690.456
					656215	77H5697	GPS	278 29 40	2793.607	2794.700
					896068	77H5684	TERR	309 36 19	712.783	713.062
					673251	77H6214	GPS	318 13 53	3802.758	3804.243
641001	77H5687	E 468813.088	0.9996060	0.9999941	737114	77H6168	TERR	179 24 45	242.786	242.881
		N5382076.310			597815	77H5682	TERR	358 27 40	144.238	144.294
		E1 56.261								
619494	77H5688	E 465637.461	0.9996162	1.0000017	855106	77H6148	TERR	46 23	203.798	203.877
		N5380635.483			574566	77H6233	TERR	90 15 10	155.891	155.951
		E1 7.328								
967018	77H5689	E 470237.519	0.9996050	0.9999941	188904	77H5694	TERR	180 50 43	377.217	377.366
		N5379864.880			804302	77H5695	TERR	359 55 44	212.235	212.318
		E1 55.995								
441840	77H5690	E 470504.507	0.9996081	0.9999974	554055	77H5667	TERR	90 49 43	245.277	245.373
		N5383560.034			767913	77H5664	TERR	271 04 52	240.066	240.160
		E1 35.113								
60723	77H5691	E 472546.044	0.9996067	0.9999974	695395	77H5727	TERR	180 11 53	800.485	800.799
		N5378776.044			490789	77H5685	TERR	270 48 07	433.456	433.626
		E1 35.160								
187633	77H5692	E 472378.144	0.9996093	0.9999999	695395	77H5727	TERR	39 10 20	261.431	261.534
		N5377772.888								
		E1 19.367								
17210	77H5693	E 469216.004	0.9996012	0.9999895	616037	77H5676	TERR	180 10 36	207.035	207.117
		N5378793.513			977256	88H4808	TERR	359 45 50	213.577	213.662
		E1 85.338								
188904	77H5694	E 470231.954	0.9996042	0.9999933	967018	77H5689	TERR	50 43	377.217	377.366
		N5379487.704			456657	77H5736	TERR	181 02 13	292.176	292.292
		E1 61.075								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804302	77H5695	E 470237.255	0.9996073	0.9999964	967018	77H5689	TERR	179 55 44	212.235	212.318
		N5380077.115			927574	77H5668	TERR	331 56 59	464.657	464.840
		El 41.641			896068	77H5684	TERR	359 43 42	379.781	379.930
921031	77H5696	E 471242.847	0.9996100	0.9999999	808717	80H3946	TERR	235 38 05	895.638	895.989
		N5380000.389			709485	77H5686	TERR	270 15 49	458.230	458.408
		El 19.470								
656215	77H5697	E 468021.660	0.9996073	0.9999947	673251	77H6214	GPS	5 25 04	2434.475	2435.429
		N5380415.147			473603	77H6159	TERR	53 52 24	695.763	696.037
		El 52.198			709485	77H5686	GPS	98 29 40	2793.607	2794.700
					21584	81H4126	GPS	177 21 24	2754.995	2756.094
					131136	81H4118	GPS	229 08 40	2362.348	2363.274
					841122	77H5737	TERR	270 22 08	622.135	622.380
					463950	77H6184	GPS	280 57 31	2181.876	2182.728
					933317	99H2275	GPS	312 32 22	2960.267	2961.424
193003	77H5698	E 470246.930	0.9996111	1.0000003	163824	77H5712	TERR	12 17	414.430	414.591
		N5381608.533			557728	77H5700	TERR	180 28 39	796.030	796.340
		El 16.896			391409	77H5720	TERR	271 08 21	734.132	734.418
525014	77H5699	E 469217.890 N5379195.896 El 67.358	0.9996040	0.9999923	MARKER DESTROYED					
557728	77H5700	E 470240.296	0.9996103	0.9999994	193003	77H5698	TERR	28 39	796.030	796.340
		N5380812.530			896068	77H5684	TERR	180 46 48	355.672	355.811
		El 22.510			590141	77H5702	TERR	270 57 47	399.408	399.564
672162	77H5701	E 469695.078	0.9996047	0.9999934	922492	77H5677	TERR	28 33 37	550.679	550.897
		N5383376.727			39586	77H5672	TERR	269 37 50	449.296	449.474
		El 60.461								
590141	77H5702	E 469840.945	0.9996077	0.9999966	557728	77H5700	TERR	90 57 47	399.408	399.564
		N5380819.244			78931	77H5705	TERR	155 56 46	178.549	178.619
		El 40.485			177600	89H4836	TERR	270 30 22	134.453	134.506
					997999	77H5734	TERR	332 29 56	170.646	170.713
143719	77H5703	E 468716.984 N5379310.292 El 79.251	0.9996025	0.9999905	344861	77H5713	TERR	266 53 56	107.778	107.821
382671	77H5704	E 470479.052	0.9995990	0.9999883	473231	77H5683	TERR	90 43 02	212.793	212.879
		N5377988.971			552661	77H5743	TERR	270 40 31	109.427	109.471
		El 93.395								
78931	77H5705	E 469913.721	0.9996082	0.9999971	927574	77H5668	TERR	148 08 28	198.986	199.064
		N5380656.200 El 37.134			590141	77H5702	TERR	335 56 46	178.549	178.619

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
241281	77H5706	E 467617.628	0.9996052	0.9999923	72777	77H5714	TERR	90 24 59	718.443	718.727
		N5379211.834			761734	77H6194	TERR	271 05 31	316.970	317.095
		E1 67.216			550467	3300	TERR	288 05 08	7061.677	7064.574
					486027	77H6158	TERR	337 01 52	298.729	298.847
128793	77H5707	E 470249.665	0.9996094	0.9999985	393116	77H5681	TERR	43 44	321.022	321.147
		N5382417.345			667303	77H5730	TERR	90 09 30	649.635	649.888
		E1 28.263			163824	77H5712	TERR	180 10 55	394.387	394.541
					909317	77H5748	TERR	269 56 55	456.343	456.522
693218	77H5708	E 471219.641	0.9996047	0.9999945	377895	77H5709	TERR	127 40 45	278.055	278.165
		N5377754.008								
		E1 53.506								
377895	77H5709	E 471439.707	0.9996082	0.9999982	608091	77H5679	TERR	89 53 53	789.790	790.099
		N5377584.050			693218	77H5708	TERR	307 40 45	278.055	278.165
		E1 30.278								
451310	77H5710	E 469684.911	0.9996057	0.9999944	177600	89H4836	TERR	169 10 36	114.954	114.999
		N5380933.340			782946	77H5722	TERR	334 47 13	193.358	193.435
		E1 54.340								
997809	77H5711	E 468978.711	0.9995974	0.9999855	MARKER DESTROYED					
		N5378088.843								
		E1 110.701								
163824	77H5712	E 470248.412	0.9996105	0.9999996	128793	77H5707	TERR	10 55	394.387	394.541
		N5382022.960			193003	77H5698	TERR	180 12 17	414.430	414.591
		E1 21.181								
344861	77H5713	E 468609.364	0.9996031	0.9999910	143719	77H5703	TERR	86 53 56	107.778	107.821
		N5379304.462			72777	77H5714	TERR	250 18 07	290.299	290.414
		E1 76.024								
72777	77H5714	E 468336.053	0.9996051	0.9999927	473603	77H6159	TERR	8 41 46	1637.561	1638.207
		N5379206.612			344861	77H5713	TERR	70 18 07	290.299	290.414
		E1 64.686			241281	77H5706	TERR	270 24 59	718.443	718.727
					239277	77H6177	TERR	318 51 28	357.454	357.595
495481	77H5715	E 468708.303	0.9996057	0.9999936	266122	77H5723	TERR	18 05 57	438.583	438.756
		N5381205.811			473603	77H6159	TERR	198 08 31	400.365	400.523
		E1 59.156								
315234	77H5716	E 469350.341	0.9996021	0.9999905	276253	77H6186	TERR	14 03 02	109.113	109.156
		N5380823.821			996157	77H5749	TERR	269 52 40	100.579	100.619
		E1 78.893								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
12526	77H5717	E 469440.876	0.9996065	0.9999950	234773	77H5747	TERR	141 04 38	250.360	250.459
		N5381369.278			255299	77H5751	TERR	298 16 36	282.895	283.007
		El 50.158								
923425	77H5718	E 469448.229	0.9996040	0.9999925	200972	89H4832	TERR	89 52 35	261.396	261.500
		N5379195.581			222521	88H4807	TERR	273 18 02	228.499	228.589
		El 66.229								
843342	77H5719	E 469765.611 N5380105.806 El 55.724	0.9996054	0.9999942	MARKER DESTROYED					
391409	77H5720	E 469512.944	0.9996085	0.9999971	193003	77H5698	TERR	91 08 21	734.132	734.418
		N5381623.127			594739	77H5746	TERR	269 59 39	404.519	404.678
		El 36.928								
166736	77H5721	E 468711.947	0.9995993	0.9999873	616037	77H5676	TERR	92 17 29	503.822	504.023
		N5378606.622			904946	89H4837	TERR	180 36 57	216.787	216.874
		El 99.732								
782946	77H5722	E 469602.543	0.9996057	0.9999944	451310	77H5710	TERR	154 47 13	193.358	193.435
		N5381108.278			810200	77H5757	TERR	303 11 22	198.001	198.079
		El 54.353			234773	77H5747	TERR	356 13 21	66.366	66.392
266122	77H5723	E 468844.555	0.9996059	0.9999940	368886	77H5724	TERR	16 13 36	210.644	210.727
		N5381622.693			594739	77H5746	TERR	89 54 52	263.870	263.974
		El 56.805			495481	77H5715	TERR	198 05 57	438.583	438.756
368886	77H5724	E 468903.417	0.9996061	0.9999942	266122	77H5723	TERR	196 13 36	210.644	210.727
		N5381824.945			737114	77H6168	TERR	275 35 11	88.259	88.294
		El 55.385			478438	77H6236	TERR	359 21 13	396.060	396.216
368233	77H5725	E 470929.160	0.9996116	1.0000013	660597	77H6183	TERR	145 59 34	215.058	215.142
		N5383115.637			656702	77H5661	TERR	354 38 30	101.051	101.090
		El 10.628								
970376	77H5726	E 469760.657 N5379594.354 El 61.488	0.9996045	0.9999933	MARKER DESTROYED					
695395	77H5727	E 472543.278	0.9996093	1.0000000	60723	77H5691	TERR	11 53	800.485	800.799
		N5377975.563			187633	77H5692	TERR	219 10 20	261.431	261.534
		El 18.473								
846253	77H5728	E 468959.975 N5379207.004 El 69.520	0.9996038	0.9999920	222521	88H4807	TERR	89 37 06	260.140	260.243

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
612325	77H5729	E 472239.904 N5379795.952 El 51.803	0.9996043	0.9999948	124131	77H5666	TERR	218 23 16	1282.673	1283.177
667303	77H5730	E 470899.297 N5382415.549 El 11.416	0.9996115	1.0000011	36186 384982 709485 128793 673251 655084 657817 46938	77H5669 99H2274 77H5686 77H5707 77H6214 78H7409 77H6278 79H0490	TERR GPS GPS TERR GPS GPS GPS GPS	13 07 140 30 56 182 43 15 270 09 30 279 04 51 342 11 42 347 04 20 356 08 44	195.618 3147.536 2415.776 649.635 2681.393 4549.887 2431.553 5606.677	195.695 3148.759 2416.716 649.888 2682.438 4551.652 2432.497 5608.851
990408	77H5731	E 469272.228 N5382673.315 El 56.436	0.9996057	0.9999941	838110 676221 121699 586891	77H6175 77H5741 80H3938 88H4811	TERR TERR TERR TERR	22 20 34 15 11 184 57 32 227 24 35	359.848 225.133 250.441 275.984	359.991 225.222 250.539 276.093
161976	77H5732	E 468719.074 N5379036.781 El 90.853	0.9996007	0.9999886						MARKER DESTROYED
672626	77H5733	E 470224.199 N5378813.895 El 71.500	0.9996026	0.9999917						MARKER DESTROYED
997999	77H5734	E 469762.146 N5380970.607 El 44.011	0.9996072	0.9999960	590141 234773	77H5702 77H5747	TERR TERR	152 29 56 321 11 34	170.646 261.649	170.713 261.752
815233	77H5735	E 469119.492 N5382034.245 El 47.379	0.9996072	0.9999955	664136 235630 266577	80H3945 77H6167 77H5742	TERR TERR TERR	35 12 12 116 26 39 192 50 23	229.404 99.403 215.943	229.494 99.442 216.027
456657	77H5736	E 470226.667 N5379195.576 El 62.665	0.9996040	0.9999931	188904 109793 200972	77H5694 94H1339 89H4832	TERR TERR TERR	1 02 13 180 45 59 270 03 47	292.176 405.208 517.043	292.292 405.369 517.247
841122	77H5737	E 467399.537 N5380419.153 El 52.153	0.9996078	0.9999947	656215 555748	77H5697 77H6189	TERR TERR	90 22 08 159 32 08	622.135 227.570	622.380 227.660
811562	77H5738	E 469342.624 N5381313.976 El 61.907	0.9996048	0.9999932	810200 255299	77H5757 77H5751	TERR TERR	135 55 29 321 26 43	135.450 242.091	135.503 242.186
260174	77H5739	E 468821.013 N5380824.694 El 65.228	0.9996046	0.9999927						MARKER DESTROYED

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218040	77H5740	E 469925.618	0.9996058	0.9999947	217752	77H6136	TERR	108 22 54	351.563	351.701
		N5384274.101			922492	77H5677	TERR	175 28 35	414.998	415.161
		El 52.741			914648	78H7413	TERR	348 14 27	273.433	273.541
676221	77H5741	E 469398.943	0.9996056	0.9999941	990408	77H5731	TERR	214 15 11	225.133	225.222
		N5382859.401			631028	77H6161	TERR	345 59 56	177.586	177.656
		El 56.055								
266577	77H5742	E 469071.504	0.9996067	0.9999950	815233	77H5735	TERR	12 50 23	215.943	216.027
		N5381823.702			82404	77H6185	TERR	83 00 30	151.653	151.712
		El 50.597			594739	77H5746	TERR	169 34 20	203.985	204.065
552661	77H5743	E 470369.633	0.9995993	0.9999886	480392	77H6142	TERR	59 24 06	68.788	68.815
		N5377990.261			382671	77H5704	TERR	90 40 31	109.427	109.471
		El 91.579			16626	77H5760	TERR	323 19 19	240.433	240.528
178624	77H5744	E 468765.813	0.9996027	0.9999907	435057	77H6191	TERR	87 02 04	246.321	246.419
		N5383226.692			54965	77H6118	TERR	179 22 54	203.546	203.627
		El 77.576								
401711	77H5745	E 469708.643	0.9996055	0.9999942		MARKER DESTROYED				
594739	77H5746	E 469108.425	0.9996067	0.9999950	391409	77H5720	TERR	89 59 39	404.519	404.678
		N5381623.086			255299	77H5751	TERR	145 10 56	145.915	145.973
		El 50.693			266122	77H5723	TERR	269 54 52	263.870	263.974
					266577	77H5742	TERR	349 34 20	203.985	204.065
234773	77H5747	E 469598.170	0.9996066	0.9999952	997999	77H5734	TERR	141 11 34	261.649	261.752
		N5381174.499			782946	77H5722	TERR	176 13 21	66.366	66.392
		El 49.018			12526	77H5717	TERR	321 04 38	250.360	250.459
909317	77H5748	E 469793.322	0.9996073	0.9999961	128793	77H5707	TERR	89 56 55	456.343	456.522
		N5382416.935			121699	80H3938	TERR	270 43 33	542.787	543.000
		El 43.250								
996157	77H5749	E 469249.762	0.9996020	0.9999903	590919	77H6187	TERR	39 38	259.421	259.524
		N5380823.606			315234	77H5716	TERR	89 52 40	100.579	100.619
		El 80.132			497909	77H6131	TERR	182 37 03	285.316	285.430
					33217	77H6210	TERR	270 15 38	430.252	430.423
151704	77H5750	E 469250.634	0.9996069	0.9999953		MARKER DESTROYED				
255299	77H5751	E 469191.738	0.9996066	0.9999949	12526	77H5717	TERR	118 16 36	282.895	283.007
		N5381503.294			811562	77H5738	TERR	141 26 43	242.091	242.186
		El 50.844			594739	77H5746	TERR	325 10 56	145.915	145.973

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
961078	77H5752	E 469212.196	0.9995992	0.9999875	260554	77H5675	TERR	29 47	145.844	145.902
		N5378092.072			953992	81H4109	TERR	180 45 04	234.027	234.121
		E1 97.947			755157	77H6206	TERR	269 08 47	233.782	233.876
562348	77H5753	E 469250.748 N5382423.956 E1 51.771	0.9996064	0.9999948	MARKER DESTROYED					
761551	77H5754	E 468761.632	0.9996042	0.9999922	54965	77H6118	TERR	1 56 08	188.818	188.893
		N5382834.448			106039	77H6157	TERR	85 48 11	70.657	70.685
		E1 68.249			673251	77H6214	TERR	270 28 59	510.139	510.340
213892	77H5755	E 468999.747	0.9996034	0.9999916	704965	77H6164	TERR	4 46	154.113	154.174
		N5382993.108			82933	77H5756	TERR	181 36 18	158.321	158.384
		E1 72.084			118372	77H6179	TERR	277 31 29	162.535	162.599
82933	77H5756	E 468995.313	0.9996040	0.9999922	213892	77H5755	TERR	1 36 18	158.321	158.384
		N5382834.849			106039	77H6157	TERR	271 40 26	163.283	163.347
		E1 68.182								
810200	77H5757	E 469436.843	0.9996046	0.9999931	782946	77H5722	TERR	123 11 22	198.001	198.079
		N5381216.665			811562	77H5738	TERR	315 55 29	135.450	135.503
		E1 62.274								
577189	77H5758	E 469068.648 N5382486.961 E1 58.828	0.9996054	0.9999937	MARKER DESTROYED					
427047	77H5759	E 469714.638 N5379194.374 E1 60.613	0.9996047	0.9999934	MARKER DESTROYED					
16626	77H5760	E 470226.018	0.9996029	0.9999920	552661	77H5743	TERR	143 19 19	240.433	240.528
		N5378183.089			260554	77H5675	TERR	273 05 56	1014.041	1014.446
		E1 69.760			805978	94H1238	TERR	358 51 17	210.620	210.704
400689	77H5767	E 467371.910 N5380029.778 E1 62.998	0.9996061	0.9999930	153460	77H6137	TERR	268 51 53	112.599	112.644
806356	77H6111	E 466213.713	0.9996122	0.9999982	605873	77H6178	TERR	180 08 52	195.427	195.503
		N5380225.756			136762	77H6208	TERR	270 11 15	211.779	211.861
		E1 29.605			348912	77H6130	TERR	358 27 23	202.976	203.055
193359	77H6112	E 465948.604	0.9996062	0.9999920	682526	77H6198	TERR	98 49 33	229.476	229.567
		N5382991.428			401042	77H6215	TERR	275 17 06	187.127	187.201
		E1 69.558								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
443358	77H6113	E 470339.058	0.9996002	0.9999894	721548	77H6203	TERR	119 51 10	80.178	80.210					
		N5378320.369					765172				77H6211	TERR	339 50 15	77.104	77.135
		El 86.436													
40675	77H6114	E 467887.374	0.9996060	0.9999934	38208	77H6182	TERR	90 24 56	347.902	348.040					
		N5380828.082					992180				77H6165	TERR	270 20 39	779.788	780.095
		El 60.723													
642405	77H6115	E 466541.385	0.9996091	0.9999953	440693	77H6135	TERR	89 46 14	134.404	134.457					
		N5380028.022					605873				77H6178	TERR	270 24 10	328.185	328.312
		El 48.173													
343632	77H6116	E 470225.680	0.9996029	0.9999920											
		N5378393.415													
		El 69.546													
65524	77H6117	E 468702.709	0.9995992	0.9999872											
		N5378106.387													
		El 100.176													
54965	77H6118	E 468768.010	0.9996033	0.9999913	118372	77H6179	TERR	97 04 40	71.144	71.173					
		N5383023.158					761551				77H5754	TERR	181 56 08	188.818	188.893
		El 74.067					178624				77H5744	TERR	359 22 54	203.546	203.627
949636	77H6119	E 470569.502	0.9995984	0.9999878											
		N5377632.910													
		El 96.629													
259580	77H6120	E 466522.412	0.9996083	0.9999945	440693	77H6135	TERR	42 14 33	228.148	228.238					
		N5379859.660					344549				77H6174	TERR	225 26 38	301.956	302.074
		El 53.441													
164780	77H6121	E 467005.284	0.9996071	0.9999937	909069	77H6139	TERR	135 03 19	198.135	198.213					
		N5380475.483					841361				77H6143	TERR	250 55 24	147.880	147.938
		El 58.507					339713				77H6138	TERR	315 23 36	219.687	219.774
676676	77H6122	E 466084.041	0.9996083	0.9999941	717462	77H6151	TERR	117 36 10	152.881	152.941					
		N5379045.520					192492				77H6128	TERR	329 03 18	250.287	250.385
		El 55.720													
844498	77H6123	E 470547.698	0.9995993	0.9999886											
		N5377967.668													
		El 91.133													
351502	77H6124	E 466215.677	0.9996107	0.9999967	435537	77H6132	TERR	178 57 54	243.608	243.703					
		N5379873.061					605873				77H6178	TERR	359 06 04	157.288	157.349
		El 39.222													

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
873208	77H6125	E 471835.965 N5380601.196 E1 41.498	0.9996062	0.9999964	244806	77H6205	TERR	270 30 14	585.692	585.922
160770	77H6126	E 467606.677 N5382842.966 E1 38.943	0.9996097	0.9999968	673251 290965	77H6214 77H6209	TERR TERR	90 22 29 270 22 42	644.849 513.435	645.100 513.636
902346	77H6127	E 466635.673 N5380227.225 E1 52.369	0.9996083	0.9999947	195008 259036	77H6134 77H6144	TERR TERR	89 20 40 269 30 18	288.829 150.736	288.942 150.795
192492	77H6128	E 465955.340 N5379260.181 E1 52.302	0.9996089	0.9999947	676676 528521 618496	77H6122 77H6155 77H6173	TERR TERR TERR	149 03 18 268 27 36 342 19 12	250.287 151.058 240.019	250.385 151.117 240.113
724302	77H6129	E 466533.976 N5380428.268 E1 51.715	0.9996085	0.9999948	841361	77H6143	TERR	90 11 36	331.551	331.681
348912	77H6130	E 466208.246 N5380428.658 E1 39.062	0.9996108	0.9999967	806356	77H6111	TERR	178 27 23	202.976	203.055
497909	77H6131	E 469236.732 N5380538.588 E1 78.721	0.9996022	0.9999906	996157 870659 33217	77H5749 77H5674 77H6210	TERR TERR TERR	2 37 03 245 50 01 304 31 17	285.316 455.152 506.385	285.430 455.333 506.586
435537	77H6132	E 466220.077 N5379629.493 E1 51.160	0.9996089	0.9999948	344549 351502	77H6174 77H6124	TERR TERR	78 08 09 358 57 54	89.075 243.608	89.110 243.703
296764	77H6133	E 465860.359 N5380233.721 E1 12.094	0.9996153	1.0000010	838086	77H6153	TERR	291 16 46	111.417	111.460
195008	77H6134	E 466924.483 N5380230.530 E1 54.964	0.9996077	0.9999943	909069 253583 440693 902346	77H6139 77H6193 77H6135 77H6127	TERR TERR TERR TERR	64 37 27 148 30 04 230 55 09 269 20 40	244.344 159.378 320.376 288.829	244.440 159.441 320.502 288.942
440693	77H6135	E 466675.789 N5380028.560 E1 54.492	0.9996080	0.9999943	195008 259580 642405	77H6134 77H6120 77H6115	TERR TERR TERR	50 55 09 222 14 33 269 46 14	320.376 228.148 134.404	320.502 228.238 134.457
217752	77H6136	E 470259.243 N5384163.238 E1 38.802	0.9996077	0.9999968	199018 218040	77H6140 77H5740	TERR TERR	179 01 34 288 22 54	433.920 351.563	434.091 351.701

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
242297	77H6145	E 469217.254 N5379084.514 El 74.914	0.9996028	0.9999912		MARKER DESTROYED				
613117	77H6146	E 468963.200 N5382355.354 El 54.382	0.9996062	0.9999944	586891 478438	88H4811 77H6236	TERR TERR	38 53 50 205 33 19	168.563 148.945	168.629 149.004
629402	77H6147	E 467334.016 N5380218.103 El 63.754	0.9996060	0.9999929	555748	77H6189	TERR	94 47 25	145.594	145.651
855106	77H6148	E 465640.211 N5380839.263 El 18.818	0.9996144	0.9999999	463950 619494	77H6184 77H5688	TERR TERR	92 14 06 180 46 23	239.542 203.798	239.635 203.877
445676	77H6149	E 465705.447 N5380430.483 El 17.795	0.9996145	1.0000001	574566 838086	77H6233 77H6153	TERR TERR	23 16 45 161 54 05	222.420 164.464	222.506 164.527
842427	77H6150	E 466008.822 N5380029.012 El 17.271	0.9996143	1.0000002	605873	77H6178	TERR	89 37 50	204.392	204.471
717462	77H6151	E 466219.521 N5378974.683 El 56.719	0.9996080	0.9999940	831669 676676	77H6154 77H6122	TERR TERR	93 22 07 297 36 10	187.850 152.881	187.924 152.941
475079	77H6152	E 465593.430 N5379558.828 El 57.568	0.9996084	0.9999938	528521	77H6155	TERR	145 08 01	368.935	369.079
838086	77H6153	E 465756.539 N5380274.156 El 10.988	0.9996155	1.0000011	296764 445676	77H6133 77H6149	TERR TERR	111 16 46 341 54 05	111.417 164.464	111.460 164.527
831669	77H6154	E 466407.047 N5378963.645 El 75.466	0.9996049	0.9999910	281121 717462	77H6163 77H6151	TERR TERR	60 28 55 273 22 07	72.771 187.850	72.800 187.924
528521	77H6155	E 465804.337 N5379256.122 El 51.222	0.9996092	0.9999948	192492 475079	77H6128 77H6152	TERR TERR	88 27 36 325 08 01	151.058 368.935	151.117 369.079
818153	77H6156	E 466643.752 N5380632.514 El 60.731	0.9996070	0.9999934	339713 572644 196352	77H6138 77H6192 77H6166	TERR TERR TERR	90 10 23 270 07 28 359 38 02	207.261 316.959 79.063	207.343 317.083 79.094

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
106039	77H6157	E 468832.100	0.9996039	0.9999919	118372	77H6179	TERR	2 08 01	174.894	174.964
		N5382839.619			82933	77H5756	TERR	91 40 26	163.283	163.347
		El 70.051			761551	77H5754	TERR	265 48 11	70.657	70.685
486027	77H6158	E 467501.055	0.9996056	0.9999926	239277	77H6177	TERR	91 03 28	599.920	600.156
		N5379486.879			241281	77H5706	TERR	157 01 52	298.729	298.847
		El 65.405								
473603	77H6159	E 468583.640	0.9996065	0.9999944	495481	77H5715	TERR	18 08 31	400.365	400.523
		N5380825.349			72777	77H5714	TERR	188 41 46	1637.561	1638.207
		El 54.433			656215	77H5697	TERR	233 52 24	695.763	696.037
					38208	77H6182	TERR	270 02 04	348.372	348.510
366930	77H6160	E 466332.885	0.9996089	0.9999950	572644	77H6192	TERR	183 31 47	98.939	98.977
		N5380731.954			623553	88H4809	TERR	267 43 57	141.700	141.755
		El 50.400								
631028	77H6161	E 469355.978	0.9996047	0.9999932	676221	77H5741	TERR	165 59 56	177.586	177.656
		N5383031.711			838110	77H6175	TERR	271 00 59	81.425	81.458
		El 62.261								
439455	77H6162	E 466196.358	0.9996100	0.9999959	958314	77H6172	TERR	90 26 44	269.254	269.359
		N5380827.437			623553	88H4809	TERR	182 52 00	101.216	101.255
		El 44.360			463950	77H6184	TERR	270 26 58	316.797	316.920
281121	77H6163	E 466470.373	0.9996038	0.9999900	874123	77H6197	TERR	41 12 20	96.710	96.748
		N5378999.500			831669	77H6154	TERR	240 28 55	72.771	72.800
		El 82.364								
704965	77H6164	E 468999.960	0.9996033	0.9999915	435057	77H6191	TERR	7 19 09	92.972	93.009
		N5383147.221			213892	77H5755	TERR	180 04 46	154.113	154.174
		El 72.752			411264	77H6169	TERR	270 46 10	136.813	136.867
992180	77H6165	E 467107.600	0.9996062	0.9999929	40675	77H6114	TERR	90 20 39	779.788	780.095
		N5380832.766			840892	77H6176	TERR	270 37 09	267.936	268.042
		El 63.535								
196352	77H6166	E 466643.247	0.9996068	0.9999932	818153	77H6156	TERR	179 38 02	79.063	79.094
		N5380711.575			919340	77H6188	TERR	268 19 10	216.241	216.326
		El 61.902								
235630	77H6167	E 469208.494	0.9996076	0.9999960	82404	77H6185	TERR	174 46 05	148.435	148.493
		N5381989.978			815233	77H5735	TERR	296 26 39	99.403	99.442
		El 44.115								
737114	77H6168	E 468815.577	0.9996064	0.9999944	368886	77H5724	TERR	95 35 11	88.259	88.294
		N5381833.537			641001	77H5687	TERR	359 24 45	242.786	242.881
		El 54.184								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
411264	77H6169	E 468863.160	0.9996029	0.9999910	704965	77H6164	TERR	90 46 10	136.813	136.867
		N5383149.058			118372	77H6179	TERR	190 19 52	136.885	136.940
		El 76.219								
296129	77H6170	E 466193.158 N5380720.556 El 45.056	0.9996098	0.9999958	MARKER DESTROYED					
55079	77H6171	E 466189.095	0.9996100	0.9999959	623553	88H4809	TERR	1 21 22	93.030	93.067
		N5380633.343			572644	77H6192	TERR	90 03 30	137.699	137.753
		El 44.275			843763	77H5678	TERR	270 11 53	306.401	306.520
958314	77H6172	E 466465.604 N5380825.343 El 57.229	0.9996077	0.9999939	439455	77H6162	TERR	270 26 44	269.254	269.359
618496	77H6173	E 465882.446 N5379488.863 El 48.601	0.9996095	0.9999952	192492	77H6128	TERR	162 19 12	240.019	240.113
344549	77H6174	E 466307.248	0.9996091	0.9999951	259580	77H6120	TERR	45 26 38	301.956	302.074
		N5379647.806			435537	77H6132	TERR	258 08 09	89.075	89.110
		El 49.487								
838110	77H6175	E 469274.566	0.9996046	0.9999930	631028	77H6161	TERR	91 00 59	81.425	81.458
		N5383033.155			990408	77H5731	TERR	180 22 20	359.848	359.991
		El 63.185			582940	77H5670	TERR	356 33 58	203.076	203.157
840892	77H6176	E 466839.680 N5380835.662 El 70.002	0.9996054	0.9999919	992180	77H6165	TERR	90 37 09	267.936	268.042
239277	77H6177	E 468100.872	0.9996066	0.9999941	72777	77H5714	TERR	138 51 28	357.454	357.595
		N5379475.803			486027	77H6158	TERR	271 03 28	599.920	600.156
		El 56.088								
605873	77H6178	E 466213.209	0.9996121	0.9999981	806356	77H6111	TERR	8 52	195.427	195.503
		N5380030.329			642405	77H6115	TERR	90 24 10	328.185	328.312
		El 30.680			351502	77H6124	TERR	179 06 04	157.288	157.349
					842427	77H6150	TERR	269 37 50	204.392	204.471
118372	77H6179	E 468838.612	0.9996031	0.9999911	411264	77H6169	TERR	10 19 52	136.885	136.940
		N5383014.392			213892	77H5755	TERR	97 31 29	162.535	162.599
		El 75.154			106039	77H6157	TERR	182 08 01	174.894	174.964
					54965	77H6118	TERR	277 04 40	71.144	71.173
726679	77H6180	E 469384.702	0.9996029	0.9999913	276253	77H6186	TERR	182 57 03	152.892	152.953
		N5381082.359			590919	77H6187	TERR	270 16 58	131.950	132.002
		El 73.749								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
309237	77H6181	E 467229.147	0.9996068	0.9999936	153460	77H6137	TERR	157 01 08	77.316	77.347
		N5380098.727			253583	77H6193	TERR	268 56 29	221.429	221.516
		El 58.905								
38208	77H6182	E 468235.268	0.9996063	0.9999939	406686	77H6239	TERR	1 10 56	270.040	270.147
		N5380825.558			473603	77H6159	TERR	90 02 04	348.372	348.510
		El 57.466			40675	77H6114	TERR	270 24 56	347.902	348.040
660597	77H6183	E 471049.442	0.9996119	1.0000016	316505	77H6190	TERR	269 16 55	142.182	142.237
		N5382937.361			368233	77H5725	TERR	325 59 34	215.058	215.142
		El 8.471								
463950	77H6184	E 465879.571	0.9996127	0.9999984	673251	77H6214	GPS	49 44 18	3108.293	3109.502
		N5380829.922			439455	77H6162	TERR	90 26 58	316.797	316.920
		El 28.554			656215	77H5697	GPS	100 57 31	2181.876	2182.728
					131136	81H4118	GPS	169 43 33	1992.059	1992.835
					843763	77H5678	TERR	179 05 04	195.544	195.620
					779462	99H2299	GPS	232 20 19	4020.317	4021.863
					189175	73H2131	GPS	256 35 28	1974.727	1975.487
					855106	77H6148	TERR	272 14 06	239.542	239.635
					933317	99H2275	GPS	358 35 22	1587.134	1587.750
82404	77H6185	E 469222.029	0.9996075	0.9999959	266577	77H5742	TERR	263 00 30	151.653	151.712
		N5381842.162			235630	77H6167	TERR	354 46 05	148.435	148.493
		El 44.708								
276253	77H6186	E 469376.831	0.9996024	0.9999908	726679	77H6180	TERR	2 57 03	152.892	152.953
		N5380929.669			760991	77H5671	TERR	91 21 05	181.591	181.663
		El 76.976			315234	77H5716	TERR	194 03 02	109.113	109.156
590919	77H6187	E 469252.753	0.9996025	0.9999909	726679	77H6180	TERR	90 16 58	131.950	132.002
		N5381083.010			996157	77H5749	TERR	180 39 38	259.421	259.524
		El 76.470								
919340	77H6188	E 466427.098	0.9996082	0.9999943	196352	77H6166	TERR	88 19 10	216.241	216.326
		N5380705.233								
		El 54.471								
555748	77H6189	E 467479.102	0.9996077	0.9999947	629402	77H6147	TERR	274 47 25	145.594	145.651
		N5380205.944			841122	77H5737	TERR	339 32 08	227.570	227.660
		El 51.917								
316505	77H6190	E 470907.271	0.9996113	1.0000009	660597	77H6183	TERR	89 16 55	142.182	142.237
		N5382935.579			36186	77H5669	TERR	181 16 34	324.494	324.620
		El 12.729								
435057	77H6191	E 469011.805	0.9996030	0.9999912	582940	77H5670	TERR	90 48 57	250.622	250.722
		N5383239.436			704965	77H6164	TERR	187 19 09	92.972	93.009
		El 74.456			178624	77H5744	TERR	267 02 04	246.321	246.419

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
572644	77H6192	E 466326.794	0.9996087	0.9999948	366930	77H6160	TERR	3 31 47	98.939	98.977
		N5380633.203			818153	77H6156	TERR	90 07 28	316.959	317.083
		El 51.552			55079	77H6171	TERR	270 03 30	137.699	137.753
253583	77H6193	E 467007.755	0.9996073	0.9999940	309237	77H6181	TERR	88 56 29	221.429	221.516
		N5380094.637			827303	77H6195	TERR	163 40 03	69.501	69.529
		El 56.766			195008	77H6134	TERR	328 30 04	159.378	159.441
761734	77H6194	E 467300.716	0.9996047	0.9999915	241281	77H5706	TERR	91 05 31	316.970	317.095
		N5379217.875			181255	77H6204	TERR	299 06 07	170.389	170.457
		El 72.263								
827303	77H6195	E 467027.300	0.9996073	0.9999939	153460	77H6137	TERR	90 05 49	232.033	232.125
		N5380027.940			253583	77H6193	TERR	343 40 03	69.501	69.529
		El 57.199								
874123	77H6197	E 466534.082	0.9996041	0.9999903	640003	77H6213	TERR	49 44 02	319.127	319.253
		N5379072.259			281121	77H6163	TERR	221 12 20	96.710	96.748
		El 80.120								
682526	77H6198	E 466175.364	0.9996065	0.9999924	662890	77H6201	TERR	86 53 21	173.305	173.373
		N5382956.220			193359	77H6112	TERR	278 49 33	229.476	229.567
		El 66.688								
46508	77H6199	E 466964.965	0.9996050	0.9999916		MARKER DESTROYED				
		N5379339.169								
		El 72.175								
761221	77H6200	E 470423.417	0.9995985	0.9999877	795567	77H6245	TERR	1 34	147.769	147.828
		N5377634.263								
		El 96.933								
662890	77H6201	E 466348.413	0.9996079	0.9999939	424333	77H6202	TERR	110 36 07	276.144	276.252
		N5382965.624			682526	77H6198	TERR	266 53 21	173.305	173.373
		El 57.016								
424333	77H6202	E 466606.897	0.9996082	0.9999945	32227	77H6207	TERR	99 04 45	126.584	126.633
		N5382868.457			662890	77H6201	TERR	290 36 07	276.144	276.252
		El 53.255								
721548	77H6203	E 470408.598	0.9995995	0.9999887	480392	77H6142	TERR	175 27 50	255.985	256.087
		N5378280.458			443358	77H6113	TERR	299 51 10	80.178	80.210
		El 90.584								
181255	77H6204	E 467151.837	0.9996038	0.9999905	761734	77H6194	TERR	119 06 07	170.389	170.457
		N5379300.746			103481	80H2001	TERR	281 37 15	190.786	190.862
		El 78.879								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
244806	77H6205	E 471250.295 N5380606.347 El 20.888	0.9996098	0.9999996	873208	77H6125	TERR	90 30 14	585.692	585.922
755157	77H6206	E 468978.440 N5378088.589 El 110.390	0.9995974	0.9999856	961078 633891	77H5752 89H4828	TERR TERR	89 08 47 273 33 60	233.782 272.146	233.876 272.256
32227	77H6207	E 466731.895 N5382848.482 El 54.073	0.9996080	0.9999944	290965 424333	77H6209 77H6202	TERR TERR	90 20 14 279 04 45	361.365 126.584	361.507 126.633
136762	77H6208	E 466001.936 N5380226.449 El 21.279	0.9996137	0.9999995	806356	77H6111	TERR	90 11 15	211.779	211.861
290965	77H6209	E 467093.253 N5382846.356 El 59.148	0.9996069	0.9999936	160770 32227	77H6126 77H6207	TERR TERR	90 22 42 270 20 14	513.435 361.365	513.636 361.507
33217	77H6210	E 468819.514 N5380825.562 El 65.374	0.9996046	0.9999926	996157 497909 870659	77H5749 77H6131 77H5674	TERR TERR TERR	90 15 38 124 31 17 179 45 48	430.252 506.385 473.313	430.423 506.586 473.500
765172	77H6211	E 470312.482 N5378392.748 El 84.640	0.9996005	0.9999896	443358 805978	77H6113 94H1238	TERR TERR	159 50 15 270 34 51	77.104 90.678	77.135 90.714
566257	77H6212	E 468900.832 N5382219.652 El 54.981	0.9996062	0.9999943	MARKER DESTROYED					
640003	77H6213	E 466777.592 N5379278.523 El 74.956	0.9996047	0.9999911	874123	77H6197	TERR	229 44 02	319.127	319.253
673251	77H6214	E 468251.511 N5382838.747 El 37.831	0.9996094	0.9999970	657817 761551 667303 384982 709485 656215 413005 463950 933317 160770 513093 362582	77H6278 77H5754 77H5730 99H2274 77H5686 77H5697 77H6231 77H6184 99H2275 77H6126 99H2276 78H7467	GPS TERR GPS GPS GPS GPS TERR GPS GPS TERR GPS GPS	47 13 15 90 28 59 99 04 51 121 31 50 138 13 53 185 25 04 208 49 24 229 44 18 260 04 05 270 22 29 347 38 44 357 25 01	2866.299 510.139 2681.393 5454.507 3802.758 2434.475 1374.054 3108.293 2447.696 644.849 3683.643 2104.943	2867.415 510.340 2682.438 5456.632 3804.243 2435.429 1374.593 3109.502 2448.650 645.100 3685.086 2105.782

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
937888	77H6228	E 469183.752	0.9996009	0.9999892	127282	77H6246	TERR	52 50 28	162.049	162.113
		N5384414.590			823013	77H6226	TERR	188 27 19	586.484	586.717
		El 87.192			932897	77H6216	TERR	213 34 44	374.783	374.933
444257	77H6229	E 465070.508	0.9996094	0.9999944	994004	78H7385	TERR	20 18 35	193.218	193.294
		N5384291.751			58149	77H6244	TERR	273 06 12	148.065	148.123
		El 54.254								
413005	77H6231	E 467589.063	0.9996063	0.9999934	673251	77H6214	TERR	28 49 24	1374.054	1374.593
		N5381634.926			207399	77H6235	TERR	89 57 47	649.539	649.795
		El 60.692								
331124	77H6232	E 464880.742	0.9996132	0.9999980	186080	77H6223	TERR	90 47 27	93.149	93.185
		N5384473.906								
		El 30.878								
574566	77H6233	E 465793.351	0.9996148	1.0000004	843763	77H5678	TERR	90 15 07	89.346	89.380
		N5380634.796			445676	77H6149	TERR	203 16 45	222.420	222.506
		El 15.814			619494	77H5688	TERR	270 15 10	155.891	155.951
248633	77H6234	E 465235.537	0.9996115	0.9999967	792531	77H6222	TERR	248 04 43	169.539	169.605
		N5382923.369								
		El 39.625								
207399	77H6235	E 468238.602	0.9996058	0.9999934	406686	77H6239	TERR	179 45 45	539.809	540.022
		N5381635.346			413005	77H6231	TERR	269 57 47	649.539	649.795
		El 60.309								
478438	77H6236	E 468898.948	0.9996062	0.9999943	613117	77H6146	TERR	25 33 19	148.945	149.004
		N5382220.980			664136	80H3945	TERR	89 53 03	352.792	352.930
		El 55.083			368886	77H5724	TERR	179 21 13	396.060	396.216
					597815	77H5682	TERR	269 41 25	89.735	89.770
456822	77H6237	E 469184.446	0.9996029	0.9999912	39586	77H5672	TERR	167 08 11	275.548	275.658
		N5383642.463			823013	77H6226	TERR	335 38 36	210.778	210.861
		El 74.516								
514471	77H6238	E 465388.358	0.9996068	0.9999921	1479	77H6219	TERR	268 01 22	149.427	149.486
		N5383257.260								
		El 68.912								
406686	77H6239	E 468240.839	0.9996059	0.9999935	38208	77H6182	TERR	181 10 56	270.040	270.147
		N5381095.541			207399	77H6235	TERR	359 45 45	539.809	540.022
		El 60.186								
108712	77H6240	E 470788.711	0.9996103	0.9999998	554055	77H5667	TERR	190 54 21	205.889	205.969
		N5383758.656			948018	77H6241	TERR	334 09 07	638.551	638.799
		El 19.873								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
948018	77H6241	E 470510.313	0.9996108	1.0000001	694364	77H6297	TERR	3 19 39	132.313	132.364					
		N5384333.323					108712				77H6240	TERR	154 09 07	638.551	638.799
		El 18.020													
557017	77H6242	E 464786.483	0.9996154	1.0000001	792531	77H6222	TERR	89 27 50	291.786	291.899					
		N5382857.343					927418				77H6224	TERR	270 46 12	167.547	167.611
		El 17.409													
58149	77H6244	E 464922.660	0.9996110	0.9999958	444257	77H6229	TERR	93 06 12	148.065	148.123					
		N5384299.767													
		El 44.785													
795567	77H6245	E 470423.484	0.9995984	0.9999877	480392	77H6142	TERR	1 15 43	243.303	243.400					
		N5377782.032					761221				77H6200	TERR	180 01 34	147.769	147.828
		El 97.201													
103481	80H2001	E 466964.962	0.9996050	0.9999916	181255	77H6204	TERR	101 37 15	190.786	190.862					
		N5379339.177													
		El 72.174													
121699	80H3938	E 469250.579	0.9996064	0.9999948	990408	77H5731	TERR	4 57 32	250.441	250.539					
		N5382423.811					909317				77H5748	TERR	90 43 33	542.787	543.000
		El 51.749					664136				80H3945	TERR	179 40 17	202.122	202.201
664136	80H3945	E 469251.739	0.9996069	0.9999953	815233	77H5735	TERR	215 12 12	229.404	229.494					
		N5382221.693					478438				77H6236	TERR	269 53 03	352.792	352.930
		El 48.468					121699				80H3938	TERR	359 40 17	202.122	202.201
808717	80H3946	E 470503.536	0.9996066	0.9999959	921031	77H5696	TERR	55 38 05	895.638	895.989					
		N5379494.832					326694				77H5673	TERR	158 34 12	420.245	420.410
		El 44.776													
768796	80H4097	E 469213.352	0.9996010	0.9999893	104679	80H4086	TERR	180 47 22	601.024	601.263					
		N5377590.836					953992				81H4109	TERR	359 05 40	267.263	267.370
		El 86.572													
195545	81H4106	E 467840.049	0.9996018	0.9999890	2410	81H4117	TERR	157 00 02	152.734	152.795					
		N5378572.780					172403				81H4110	TERR	339 52 12	148.744	148.803
		El 88.277													
242636	81H4107	E 467647.597	0.9996032	0.9999903	987982	81H4116	TERR	17 19 21	222.814	222.903					
		N5378321.199													
		El 79.997													
68254	81H4108	E 468143.767	0.9995964	0.9999839	318121	81H4163	TERR	182 16 22	72.872	72.901					
		N5378063.597					294587				81H4115	TERR	323 31 15	189.469	189.545
		El 120.857													

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
953992	81H4109	E 469209.128	0.9995998	0.9999882	961078	77H5752	TERR	45 04	234.027	234.121					
		N5377858.065					768796				80H4097	TERR	179 05 40	267.263	267.370
		E1 93.856													
172403	81H4110	E 467788.859	0.9996033	0.9999905	908947	81H4114	TERR	3 04 49	275.673	275.782					
		N5378712.438					195545				81H4106	TERR	159 52 12	148.744	148.803
		E1 78.795													
426494	81H4113	E 466401.869	0.9996088	0.9999950	365916	81H4133	TERR	132 06 48	373.118	373.264					
		N5378667.488					131136				81H4118	TERR	320 27 47	262.334	262.437
		E1 50.410													
908947	81H4114	E 467803.673	0.9996055	0.9999927	172403	81H4110	TERR	183 04 49	275.673	275.782					
		N5378987.713													
		E1 64.728													
294587	81H4115	E 468031.123	0.9995978	0.9999852	68254	81H4108	TERR	143 31 15	189.469	189.545					
		N5378215.944													
		E1 112.810													
987982	81H4116	E 467713.940	0.9996030	0.9999902	242636	81H4107	TERR	197 19 21	222.814	222.903					
		N5378533.907													
		E1 80.668													
2410	81H4117	E 467899.726	0.9996010	0.9999884	988527	81H4119	TERR	145 18 32	119.494	119.542					
		N5378432.187					195545				81H4106	TERR	337 00 02	152.734	152.795
		E1 92.646													
131136	81H4118	E 466234.874	0.9996088	0.9999948	656215	77H5697	GPS	49 08 40	2362.348	2363.274					
		N5378869.804					709485				77H5686	GPS	76 01 12	4688.624	4690.456
		E1 51.313					21584				81H4126	GPS	122 13 56	2262.518	2263.419
							426494				81H4113	TERR	140 27 47	262.334	262.437
							993675				99H2281	GPS	182 27 51	3197.602	3198.878
							230003				99H2296	GPS	223 06 35	4478.892	4480.695
							779462				99H2299	GPS	262 00 55	3572.570	3573.951
							189175				73H2131	GPS	303 25 22	2727.203	2728.258
							463950				77H6184	GPS	349 43 33	1992.059	1992.835
988527	81H4119	E 467967.736	0.9995992	0.9999866	2410	81H4117	TERR	325 18 32	119.494	119.542					
		N5378333.935													
		E1 103.891													
222521	88H4807	E 469220.109	0.9996041	0.9999924	923425	77H5718	TERR	93 18 02	228.499	228.589					
		N5379208.736					977256				88H4808	TERR	181 24 58	201.710	201.790
		E1 66.755					846253				77H5728	TERR	269 37 06	260.140	260.243
977256	88H4808	E 469215.124	0.9996023	0.9999907	222521	88H4807	TERR	1 24 58	201.710	201.790					
		N5379007.088					17210				77H5693	TERR	179 45 50	213.577	213.662
		E1 77.938													

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
623553	88H4809	E 466191.296	0.9996099	0.9999958	439455	77H6162	TERR	2 52 00	101.216	101.255
		N5380726.348			366930	77H6160	TERR	87 43 57	141.700	141.755
		E1 44.761			55079	77H6171	TERR	181 21 22	93.030	93.067
434779	88H4810	E 469714.094	0.9996047	0.9999934	MARKER DESTROYED					
		N5379205.801								
		E1 60.716								
586891	88H4811	E 469069.045	0.9996054	0.9999936	990408	77H5731	TERR	47 24 35	275.984	276.093
		N5382486.542			613117	77H6146	TERR	218 53 50	168.563	168.629
		E1 59.308								
633891	89H4828	E 468706.821	0.9995992	0.9999872	904946	89H4837	TERR	33 48	284.343	284.457
		N5378105.518			755157	77H6206	TERR	93 33 60	272.146	272.256
		E1 100.116								
200972	89H4832	E 469709.624	0.9996046	0.9999933	839480	89H4833	TERR	7 23 13	401.468	401.627
		N5379196.145			456657	77H5736	TERR	90 03 47	517.043	517.247
		E1 60.982			923425	77H5718	TERR	269 52 35	261.396	261.500
839480	89H4833	E 469761.242	0.9996044	0.9999932	200972	89H4832	TERR	187 23 13	401.468	401.627
		N5379594.281								
		E1 61.852								
679191	89H4834	E 469765.997	0.9996054	0.9999941	177600	89H4836	TERR	355 14 07	716.304	716.587
		N5380106.603								
		E1 55.905								
177600	89H4836	E 469706.497	0.9996055	0.9999942	590141	77H5702	TERR	90 30 22	134.453	134.506
		N5380820.432			679191	89H4834	TERR	175 14 07	716.304	716.587
		E1 55.639			451310	77H5710	TERR	349 10 36	114.954	114.999
904946	89H4837	E 468709.617	0.9995988	0.9999868	166736	77H5721	TERR	36 57	216.787	216.874
		N5378389.848			633891	89H4828	TERR	180 33 48	284.343	284.457
		E1 102.826								
805978	94H1238	E 470221.808	0.9996029	0.9999920	765172	77H6211	TERR	90 34 51	90.678	90.714
		N5378393.667			16626	77H5760	TERR	178 51 17	210.620	210.704
		E1 69.544			109793	94H1339	TERR	359 55 08	396.738	396.895
109793	94H1339	E 470221.247	0.9996026	0.9999917	456657	77H5736	TERR	45 59	405.208	405.369
		N5378790.404			805978	94H1238	TERR	179 55 08	396.738	396.895
		E1 71.745								

Order in Council No. 2414/78

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2001-JUL-06

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
740282	99H2273	E 472542.656	0.9996078	0.9999986	384982	99H2274	GPS	12 21 54	1672.115	1672.767
		N5378352.964			159590	99H2283	GPS	190 00 11	3437.685	3439.050
		E1 27.725			431411	79H1166	GPS	191 23 45	1617.672	1618.305
					967166	99H2282	GPS	237 51 01	3685.579	3687.033
					480392	77H6142	GPS	261 11 17	2139.062	2139.911
					709485	77H5686	GPS	313 10 34	2410.734	2411.677
384982	99H2274	E 472900.720	0.9996118	1.0000028	418541	16-1965	GPS	151 04 37	13812.981	13818.373
		N5379986.291			544908	PIER 5	GPS	188 51 35	9169.513	9173.094
		E1 1.016			740282	99H2273	GPS	192 21 54	1672.115	1672.767
					480392	77H6142	GPS	231 34 26	3155.275	3156.521
					995464	94H1534	GPS	241 24 16	15784.891	15791.124
					709485	77H5686	GPS	270 26 20	2116.160	2116.984
					706895	91H0480	GPS	276 51 22	12050.849	12055.751
					673251	77H6214	GPS	301 31 50	5454.507	5456.632
					667303	77H5730	GPS	320 30 56	3147.536	3148.759
					614438	79H0493	GPS	338 12 03	9696.769	9700.532
933317	99H2275	E 465840.498	0.9996114	0.9999970	513093	99H2276	GPS	21 58 53	4335.691	4337.385
		N5382416.575			673251	77H6214	GPS	80 04 05	2447.696	2448.650
		E1 37.282			656215	77H5697	GPS	132 32 22	2960.267	2961.424
					463950	77H6184	GPS	178 35 22	1587.134	1587.750
					293092	77H6309	GPS	355 41 19	4236.279	4237.919
					103556	99H2278	GPS	357 38 37	5681.922	5684.114