

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

For up to date information on the status of geodetic control monuments please refer to the MASCOT website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
127282	77H6246	E 469312.899	0.9996002	0.9999887	973834	77H6247	TERR	17 37 24	111.016	111.060
		N5384512.472			937888	77H6228	TERR	232 50 28	162.049	162.113
		El 90.951								
973834	77H6247	E 469346.510	0.9996003	0.9999887	134833	77H6248	TERR	24 20	103.303	103.344
		N5384618.277			127282	77H6246	TERR	197 37 24	111.016	111.060
		El 90.501								
134833	77H6248	E 469347.242	0.9996007	0.9999892	973834	77H6247	TERR	180 24 20	103.303	103.344
		N5384721.578			356683	77H6249	TERR	340 22 08	109.454	109.498
		El 87.599								
356683	77H6249	E 469310.469	0.9996008	0.9999892	634766	77H6250	TERR	1 58 16	78.856	78.887
		N5384824.670			134833	77H6248	TERR	160 22 08	109.454	109.498
		El 87.591								
634766	77H6250	E 469313.181	0.9996008	0.9999892	356683	77H6249	TERR	181 58 16	78.856	78.887
		N5384903.479			935163	77H6337	TERR	349 42 43	121.067	121.116
		El 87.508								
630335	77H6251	E 469185.637	0.9996049	0.9999933		MARKER DESTROYED				
		N5385520.200								
		El 61.548								
361212	77H6253	E 469153.797	0.9996068	0.9999951	734350	77H6289	TERR	89 31 50	261.768	261.871
		N5385803.872			400812	77H6254	TERR	335 13 22	260.932	261.035
		El 49.947								
400812	77H6254	E 469044.443	0.9996072	0.9999954	361212	77H6253	TERR	155 13 22	260.932	261.035
		N5386040.784			527457	77H6255	TERR	356 03 04	357.202	357.342
		El 48.056								
527457	77H6255	E 469019.844	0.9996088	0.9999970	316927	77H6292	TERR	1 51 36	242.843	242.938
		N5386397.138			763821	77H6291	TERR	87 59 58	294.369	294.484
		El 37.553			400812	77H6254	TERR	176 03 04	357.202	357.342
					883504	77H6298	TERR	271 48 56	399.869	400.025
724476	77H6256	E 469010.172	0.9996001	0.9999883		MARKER DESTROYED				
		N5385025.686								
		El 93.359								
482570	77H6257	E 468738.602	0.9995965	0.9999845		MARKER DESTROYED				
		N5385032.882								
		El 117.639								
853994	77H6258	E 468733.154	0.9995952	0.9999832	702837	77H6259	TERR	21 04 48	135.353	135.408
		N5385222.489			486654	78H7395	TERR	178 35 24	189.200	189.277
		El 125.633								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
702837	77H6259	E 468781.837	0.9995961	0.9999842	853994	77H6258	TERR	201 04 48	135.353	135.408						
		N5385348.784					79848				77H6260	TERR	347 49 07	134.418	134.472	
		El 119.601														
79848	77H6260	E 468753.474	0.9995981	0.9999861	702837	77H6259	TERR	167 49 07	134.418	134.472						
		N5385480.175					475939				77H6261	TERR	316 12 52	85.713	85.748	
		El 107.249														
475939	77H6261	E 468694.163	0.9995991	0.9999870	79848	77H6260	TERR	136 12 52	85.713	85.748						
		N5385542.054					485961				77H6262	TERR	345 32 03	92.495	92.532	
		El 101.379														
485961	77H6262	E 468671.058	0.9996002	0.9999881	408419	77H6263	TERR	35 50 11	78.199	78.230						
		N5385631.617					475939				77H6261	TERR	165 32 03	92.495	92.532	
		El 94.292														
408419	77H6263	E 468716.841	0.9996014	0.9999893	335869	77H6264	TERR	25 03 20	103.846	103.888						
		N5385695.012					485961				77H6262	TERR	215 50 11	78.199	78.230	
		El 86.545														
335869	77H6264	E 468760.820	0.9996030	0.9999910	408419	77H6263	TERR	205 03 20	103.846	103.888						
		N5385789.086					818617				77H6265	TERR	353 39 40	83.830	83.863	
		El 76.278														
818617	77H6265	E 468751.564	0.9996040	0.9999920	833830	77H6266	TERR	90 13 34	238.951	239.046						
		N5385872.404					335869				77H6264	TERR	173 39 40	83.830	83.863	
		El 69.526									499160	84H0474	TERR	297 03 59	138.913	138.968
833830	77H6266	E 468990.514	0.9996060	0.9999942	818617	77H6265	TERR	270 13 34	238.951	239.046						
		N5385871.461														
		El 55.745														
817197	77H6267	E 469479.966	0.9996055	0.9999940	670489	77H6268	TERR	171 45 09	190.123	190.198						
		N5385192.387														
		El 56.800														
670489	77H6268	E 469507.239	0.9996044	0.9999929	431445	77H6271	TERR	131 15 06	160.601	160.664						
		N5385004.230					107508				77H6345	TERR	214 26 54	48.405	48.424	
		El 63.649									817197	77H6267	TERR	351 45 09	190.123	190.198
971283	77H6269	E 469481.953	0.9996024	0.9999909	83121	77H6270	TERR	166 09 25	178.258	178.329						
		N5384834.345					107508				77H6345	TERR	359 04 35	129.986	130.038	
		El 76.490														
83121	77H6270	E 469524.603	0.9996019	0.9999904	971283	77H6269	TERR	346 09 25	178.258	178.329						
		N5384661.264														
		El 79.564														

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
431445	77H6271	E 469627.982	0.9996054	0.9999941	523829	77H6272	TERR	152 44 15	114.837	114.882
		N5384898.335			670489	77H6268	TERR	311 15 06	160.601	160.664
		El 56.555								
523829	77H6272	E 469680.585	0.9996052	0.9999939	228601	77H6273	TERR	90 54 54	138.505	138.559
		N5384796.255			431445	77H6271	TERR	332 44 15	114.837	114.882
		El 57.298								
228601	77H6273	E 469819.072	0.9996071	0.9999959	26476	77H6275	TERR	90 43 34	132.148	132.200
		N5384794.043			914648	78H7413	TERR	168 36 32	257.316	257.417
		El 44.682			523829	77H6272	TERR	270 54 54	138.505	138.559
					996991	77H6274	TERR	344 59 58	216.862	216.947
996991	77H6274	E 469762.942	0.9996078	0.9999965	228601	77H6273	TERR	164 59 58	216.862	216.947
		N5385003.515								
		El 40.747								
26476	77H6275	E 469951.209	0.9996080	0.9999969	148072	77H6276	TERR	90 55 11	124.894	124.943
		N5384792.369			228601	77H6273	TERR	270 43 34	132.148	132.200
		El 38.698								
148072	77H6276	E 470076.087	0.9996092	0.9999982	657817	77H6278	TERR	91 00 16	279.260	279.369
		N5384790.364			26476	77H6275	TERR	270 55 11	124.894	124.943
		El 29.989			771196	77H6277	TERR	343 30 21	184.104	184.176
771196	77H6277	E 470023.816	0.9996096	0.9999985	148072	77H6276	TERR	163 30 21	184.104	184.176
		N5384966.892			162719	77H6280	TERR	337 38 39	247.860	247.957
		El 27.964								
657817	77H6278	E 470355.304	0.9996119	1.0000011	46938	79H0490	GPS	2 58 02	3228.404	3229.655
		N5384785.469			694364	77H6297	TERR	153 03 19	359.032	359.171
		El 11.471			667303	77H5730	GPS	167 04 20	2431.553	2432.497
					673251	77H6214	GPS	227 13 15	2866.299	2867.415
					148072	77H6276	TERR	271 00 16	279.260	279.369
					362582	78H7467	GPS	274 03 38	2204.192	2205.068
					513093	99H2276	GPS	299 43 52	3330.339	3331.639
					553396	77H6279	TERR	332 52 22	475.392	475.576
					655084	78H7409	GPS	336 38 39	2137.161	2137.989
553396	77H6279	E 470138.541	0.9996119	1.0000009	657817	77H6278	TERR	152 52 22	475.392	475.576
		N5385208.566			162719	77H6280	TERR	266 35 35	209.370	209.452
		El 12.651			256974	77H6281	TERR	333 02 16	266.098	266.201
162719	77H6280	E 469929.541	0.9996103	0.9999992	553396	77H6279	TERR	86 35 35	209.370	209.452
		N5385196.123			771196	77H6277	TERR	157 38 39	247.860	247.957
		El 23.528								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
256974	77H6281	E 470017.892	0.9996118	1.0000007	553396	77H6279	TERR	153 02 16	266.098	266.201
		N5385445.741			316422	77H6282	TERR	340 45 18	322.264	322.389
		E1 13.933								
316422	77H6282	E 469911.671	0.9996122	1.0000011	256974	77H6281	TERR	160 45 18	322.264	322.389
		N5385749.996			224444	77H6283	TERR	313 53 24	169.452	169.518
		E1 11.545								
224444	77H6283	E 469789.552	0.9996120	1.0000007	316422	77H6282	TERR	133 53 24	169.452	169.518
		N5385867.473			878660	77H6284	TERR	346 01 14	336.952	337.083
		E1 13.909								
878660	77H6284	E 469708.153	0.9996122	1.0000010	592907	77H6285	TERR	8 37 25	212.234	212.316
		N5386194.445			224444	77H6283	TERR	166 01 14	336.952	337.083
		E1 12.485								
592907	77H6285	E 469739.976	0.9996128	1.0000016	781583	77H6286	TERR	14 44 03	210.895	210.977
		N5386404.280			878660	77H6284	TERR	188 37 25	212.234	212.316
		E1 8.644								
781583	77H6286	E 469793.614	0.9996131	1.0000019	964619	77H6287	TERR	33 06 21	168.191	168.256
		N5386608.240			592907	77H6285	TERR	194 44 03	210.895	210.977
		E1 6.426								
964619	77H6287	E 469885.477	0.9996131	1.0000020	407148	77H6288	TERR	43 55 12	196.484	196.560
		N5386749.128			781583	77H6286	TERR	213 06 21	168.191	168.256
		E1 5.908			655084	78H7409	TERR	269 45 16	377.437	377.584
407148	77H6288	E 470021.769	0.9996131	1.0000021	843235	79H0505	TERR	32 46 30	158.626	158.688
		N5386890.657			964619	77H6287	TERR	223 55 12	196.484	196.560
		E1 5.314								
734350	77H6289	E 469415.556	0.9996090	0.9999975	361212	77H6253	TERR	269 31 50	261.768	261.871
		N5385806.017			951194	77H6290	TERR	352 35 10	395.354	395.508
		E1 34.709								
951194	77H6290	E 469364.541	0.9996099	0.9999984	734350	77H6289	TERR	172 35 10	395.354	395.508
		N5386198.065			763821	77H6291	TERR	346 26 10	215.356	215.440
		E1 28.817								
763821	77H6291	E 469314.034	0.9996105	0.9999990	951194	77H6290	TERR	166 26 10	215.356	215.440
		N5386407.415			527457	77H6255	TERR	267 59 58	294.369	294.484
		E1 25.233								
316927	77H6292	E 469027.725	0.9996099	0.9999981	527457	77H6255	TERR	181 51 36	242.843	242.938
		N5386639.853			543892	77H6293	TERR	356 23 19	173.513	173.581
		E1 30.636								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
543892	77H6293	E 469016.796 N5386813.022 El 22.842	0.9996111	0.9999993	316927	77H6292	TERR	176 23 19	173.513	173.581
642314	77H6294	E 469350.604 N5386773.767 El 12.784	0.9996125	1.0000009	975623 207738 715904	78H7408 77H6295 79H0497	TERR TERR TERR	146 19 38 315 39 25 341 20 35	187.209 231.161 265.725	187.281 231.251 265.828
207738	77H6295	E 469189.033 N5386939.086 El 14.328	0.9996123	1.0000007	642314	77H6294	TERR	135 39 25	231.161	231.251
332700	77H6296	E 470185.719 N5384410.630 El 36.305	0.9996082	0.9999972	MARKER DESTROYED					
694364	77H6297	E 470517.992 N5384465.412 El 13.229	0.9996115	1.0000009	948018 657817	77H6241 77H6278	TERR TERR	183 19 39 333 03 19	132.313 359.032	132.364 359.171
883504	77H6298	E 468620.176 N5386409.806 El 47.960	0.9996075	0.9999954	527457 752964	77H6255 77H6299	TERR TERR	91 48 56 271 02 36	399.869 343.136	400.025 343.271
752964	77H6299	E 468277.097 N5386416.054 El 55.933	0.9996065	0.9999941	591362 883504 123174 570663	60-02 77H6298 77H6300 78H7362	TERR TERR TERR TERR	45 22 54 91 02 36 271 07 39 359 44 09	99.536 343.136 284.545 401.235	99.575 343.271 284.657 401.393
123174	77H6300	E 467992.607 N5386421.653 El 68.503	0.9996048	0.9999922	752964 552828	77H6299 77H6301	TERR TERR	91 07 39 270 58 26	284.545 213.876	284.657 213.960
552828	77H6301	E 467778.762 N5386425.289 El 64.823	0.9996055	0.9999927	123174 867085	77H6300 77H6302	TERR TERR	90 58 26 269 53 14	213.876 625.790	213.960 626.037
867085	77H6302	E 467152.973 N5386424.058 El 56.370	0.9996073	0.9999941	552828 32300	77H6301 77H6303	TERR TERR	89 53 14 274 54 52	625.790 280.448	626.037 280.558
32300	77H6303	E 466873.556 N5386448.083 El 60.675	0.9996069	0.9999934	867085 379503	77H6302 77H6304	TERR TERR	94 54 52 261 58 28	280.448 146.250	280.558 146.308
379503	77H6304	E 466728.738 N5386427.664 El 54.664	0.9996079	0.9999943	32300 513556	77H6303 77H6305	TERR TERR	81 58 28 270 36 24	146.250 480.993	146.308 481.181

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
513556	77H6305	E 466247.772 N5386432.757 El 40.831	0.9996105	0.9999965	379503	77H6304	TERR	90 36 24	480.993	481.181
962118	77H6306	E 466239.869 N5386643.502 El 38.158	0.9996109	0.9999969	MARKER DESTROYED					
990614	77H6307	E 466244.811 N5386836.177 El 32.326	0.9996118	0.9999978	833525	77H6331	TERR	1 17 09	595.549	595.780
611228	77H6308	E 465846.468 N5386847.218 El 25.097	0.9996133	0.9999990	293092	77H6309	TERR	237 32 34	384.504	384.652
293092	77H6309	E 465522.026 N5386640.866 El 16.607	0.9996149	1.0000003	103556 937227 611228 513093 933317 189175 706895 682039 26864 542597	99H2278 UNMARKED 77H6308 99H2276 99H2275 73H2131 91H0480 77H6310 "CON.MON.#9" 78H7334	GPS GPS TERR GPS GPS GPS GPS TERR GPS GPS	3 20 35 34 26 18 57 32 34 95 59 32 175 41 19 194 00 11 221 19 21 237 19 00 301 11 57 356 07 43	1455.303 2229.587 384.504 1952.005 4236.279 6460.875 6945.335 405.561 7171.054 6429.849	1455.862 2230.448 384.652 1952.764 4237.919 6463.355 6948.149 405.717 7173.817 6432.328
682039	77H6310	E 465180.678 N5386421.866 El 12.567	0.9996158	1.0000009	293092 84343	77H6309 77H6311	TERR TERR	57 19 00 269 07 39	405.561 371.178	405.717 371.320
84343	77H6311	E 464809.544 N5386416.213 El 17.776	0.9996153	1.0000001	72694 682039	77H6312 77H6310	TERR TERR	8 08 54 89 07 39	136.983 371.178	137.036 371.320
72694	77H6312	E 464828.959 N5386551.813 El 19.421	0.9996150	0.9999998	127910 84343	77H6313 77H6311	TERR TERR	13 31 54 188 08 54	107.952 136.983	107.993 137.036
127910	77H6313	E 464854.218 N5386656.768 El 18.032	0.9996152	1.0000000	363499 101972 72694	77H6314 78H7363 77H6312	TERR TERR TERR	24 47 11 91 03 57 193 31 54	217.140 310.884 107.952	217.224 311.003 107.993
363499	77H6314	E 464945.250 N5386853.905 El 15.003	0.9996156	1.0000005	501932 587287 127910	77H6315 77H6340 77H6313	TERR TERR TERR	8 30 23 90 35 22 204 47 11	204.467 222.729 217.140	204.546 222.815 217.224

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
501932	77H6315	E 464975.495	0.9996149	0.9999999	331470	77H6316	TERR	6 50 12	202.912	202.990
		N5387056.123			363499	77H6314	TERR	188 30 23	204.467	204.546
		El 19.183								
331470	77H6316	E 464999.650	0.9996135	0.9999985	62760	77H6317	TERR	31 09 42	203.399	203.478
		N5387257.592			501932	77H6315	TERR	186 50 12	202.912	202.990
		El 28.190								
62760	77H6317	E 465104.900	0.9996136	0.9999986	994673	77H6318	TERR	28 58 24	102.336	102.375
		N5387431.643			913814	77H6341	TERR	84 30 20	77.924	77.954
		El 27.086			331470	77H6316	TERR	211 09 42	203.399	203.478
994673	77H6318	E 465154.471	0.9996132	0.9999983	810895	77H6319	TERR	32 43 15	119.719	119.765
		N5387521.171			62760	77H6317	TERR	208 58 24	102.336	102.375
		El 29.273								
810895	77H6319	E 465219.185	0.9996141	0.9999992	93922	77H6320	TERR	54 56 30	162.640	162.703
		N5387621.892			994673	77H6318	TERR	212 43 15	119.719	119.765
		El 23.335								
93922	77H6320	E 465352.317	0.9996129	0.9999982	699330	77H6321	TERR	54 25 13	212.412	212.494
		N5387715.314			810895	77H6319	TERR	234 56 30	162.640	162.703
		El 30.068								
699330	77H6321	E 465525.073	0.9996127	0.9999981	111336	77H6322	TERR	54 49 06	137.865	137.918
		N5387838.903			946764	78H7403	TERR	90 30 23	246.584	246.679
		El 30.568			93922	77H6320	TERR	234 25 13	212.412	212.494
111336	77H6322	E 465637.754	0.9996146	1.0000001	197962	77H6323	TERR	36 19 52	103.959	103.999
		N5387918.337			699330	77H6321	TERR	234 49 06	137.865	137.918
		El 17.854								
197962	77H6323	E 465699.345	0.9996152	1.0000008	591214	77H6324	TERR	90 12 55	171.650	171.716
		N5388002.087			111336	77H6322	TERR	216 19 52	103.959	103.999
		El 13.532								
591214	77H6324	E 465870.994	0.9996146	1.0000003	2378	77H6325	TERR	35 45 04	229.004	229.092
		N5388001.441			439448	77H6327	TERR	90 27 56	393.213	393.365
		El 16.530			197962	77H6323	TERR	270 12 55	171.650	171.716
2378	77H6325	E 466004.793	0.9996154	1.0000012	259887	77H6326	TERR	92 57 16	255.628	255.727
		N5388187.293			591214	77H6324	TERR	215 45 04	229.004	229.092
		El 11.013								
259887	77H6326	E 466260.081	0.9996130	0.9999990	732370	77H6328	TERR	167 19 35	85.051	85.084
		N5388174.117			439448	77H6327	TERR	178 39 37	175.918	175.986
		El 24.767			2378	77H6325	TERR	272 57 16	255.628	255.727

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
439448	77H6327	E 466264.194	0.9996127	0.9999988	732370	77H6328	TERR	8 54 02	94.023	94.059
		N5387998.247			786624	78H7236	TERR	180 49 25	382.745	382.894
		E1 26.413			591214	77H6324	TERR	270 27 56	393.213	393.365
					259887	77H6326	TERR	358 39 37	175.918	175.986
732370	77H6328	E 466278.741	0.9996127	0.9999988	70672	77H6329	TERR	38 48 25	161.602	161.665
		N5388091.138			439448	77H6327	TERR	188 54 02	94.023	94.059
		E1 26.299			259887	77H6326	TERR	347 19 35	85.051	85.084
70672	77H6329	E 466380.017	0.9996127	0.9999988	321240	78H7237	TERR	60 34 22	317.110	317.233
		N5388217.068			732370	77H6328	TERR	218 48 25	161.602	161.665
		E1 26.161								
751982	77H6330	E 465661.508	0.9996088	0.9999943	174169	77H6332	TERR	90 26 34	172.235	172.302
		N5387435.599			290064	77H6344	TERR	270 25 08	167.361	167.426
		E1 54.891								
833525	77H6331	E 466258.176	0.9996112	0.9999972	786624	78H7236	TERR	9 38	183.965	184.037
		N5387431.576			990614	77H6307	TERR	181 17 09	595.549	595.780
		E1 35.999			174169	77H6332	TERR	270 21 48	424.447	424.613
174169	77H6332	E 465833.738	0.9996092	0.9999949	924761	78H7235	TERR	31 21	183.853	183.925
		N5387434.269			833525	77H6331	TERR	90 21 48	424.447	424.613
		E1 51.260			751982	77H6330	TERR	270 26 34	172.235	172.302
319582	77H6333	E 465827.997 N5387253.139 E1 44.873	0.9996102	0.9999959	MARKER DESTROYED					
712182	77H6334	E 465643.412	0.9996102	0.9999957	205989	77H6335	TERR	21 01 38	197.907	197.984
		N5387066.533			18788	78H7394	TERR	180 18 58	77.320	77.350
		E1 45.614			800706	77H6336	TERR	260 24 14	104.436	104.477
205989	77H6335	E 465714.423 N5387251.261 E1 48.997	0.9996096	0.9999952	712182	77H6334	TERR	201 01 38	197.907	197.984
800706	77H6336	E 465540.437 N5387049.124 E1 47.911	0.9996100	0.9999954	712182	77H6334	TERR	80 24 14	104.436	104.477
935163	77H6337	E 469291.559	0.9996012	0.9999896	634766	77H6250	TERR	169 42 43	121.067	121.116
		N5385022.600			799528	84H0509	TERR	270 17 34	260.265	260.369
		E1 84.676			486654	78H7395	TERR	271 06 42	553.854	554.076
762096	77H6338	E 465487.058 N5386847.149 E1 40.195	0.9996112	0.9999966	212795	77H6339	TERR	270 56 19	215.774	215.858

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
212795	77H6339	E 465271.313	0.9996117	0.9999969	762096	77H6338	TERR	90 56 19	215.774	215.858					
		N5386850.684					587287				77H6340	TERR	270 30 54	103.349	103.389
		El 38.259													
587287	77H6340	E 465167.968	0.9996125	0.9999976	212795	77H6339	TERR	90 30 54	103.349	103.389					
		N5386851.613					363499				77H6314	TERR	270 35 22	222.729	222.815
		El 33.462													
913814	77H6341	E 465182.466	0.9996121	0.9999972	133611	77H6342	TERR	90 24 12	95.254	95.291					
		N5387439.104					62760				77H6317	TERR	264 30 20	77.924	77.954
		El 36.400													
133611	77H6342	E 465277.717	0.9996111	0.9999963	504159	77H6343	TERR	35 44 10	100.647	100.686					
		N5387438.433					290064				77H6344	TERR	90 25 35	216.441	216.526
		El 42.007					913814				77H6341	TERR	270 24 12	95.254	95.291
504159	77H6343	E 465336.500	0.9996113	0.9999965	332940	78H7232	TERR	55 05 23	184.060	184.131					
		N5387520.130					133611				77H6342	TERR	215 44 10	100.647	100.686
		El 40.502													
290064	77H6344	E 465494.152	0.9996097	0.9999951	751982	77H6330	TERR	90 25 08	167.361	167.426					
		N5387436.823					133611				77H6342	TERR	270 25 35	216.441	216.526
		El 49.863													
107508	77H6345	E 469479.858	0.9996034	0.9999920	670489	77H6268	TERR	34 26 54	48.405	48.424					
		N5384964.314					971283				77H6269	TERR	179 04 35	129.986	130.038
		El 69.754													
332940	78H7232	E 465487.438	0.9996106	0.9999960	711630	78H7233	TERR	54 59 51	185.366	185.438					
		N5387625.466					504159				77H6343	TERR	235 05 23	184.060	184.131
		El 43.991													
711630	78H7233	E 465639.276	0.9996105	0.9999959	946764	78H7403	TERR	51 35 47	168.916	168.981					
		N5387731.795					332940				78H7232	TERR	234 59 51	185.366	185.438
		El 44.274													
924761	78H7235	E 465835.415	0.9996090	0.9999947	174169	77H6332	TERR	180 31 21	183.853	183.925					
		N5387618.114													
		El 52.523													
786624	78H7236	E 466258.692	0.9996117	0.9999977	439448	77H6327	TERR	49 25	382.745	382.894					
		N5387615.541					833525				77H6331	TERR	180 09 38	183.965	184.037
		El 33.259													
321240	78H7237	E 466656.214	0.9996129	0.9999992	933630	78H7241	TERR	62 03 10	1842.353	1843.068					
		N5388372.870					70672				77H6329	TERR	240 34 22	317.110	317.233
		El 23.472													

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
578575	78H7238	E 467169.769	0.9996151	1.0000018	589317	78H7239	TERR	90 32 25	381.959	382.106					
		N5389244.505					6809				78H7255	TERR	348 39 56	301.243	301.359
		El 6.761													
589317	78H7239	E 467551.710	0.9996118	0.9999989	271262	78H7240	TERR	90 20 33	126.027	126.076					
		N5389240.903					578575				78H7238	TERR	270 32 25	381.959	382.106
		El 25.765													
271262	78H7240	E 467677.735	0.9996117	0.9999988	933630	78H7241	TERR	90 21 48	605.985	606.221					
		N5389240.149					324459				60-19	TERR	247 41 15	114.564	114.608
		El 26.133					589317				78H7239	TERR	270 20 33	126.027	126.076
							183772				78H7254	TERR	343 49 59	307.694	307.813
933630	78H7241	E 468283.709	0.9996115	0.9999992	202515	78H7248	TERR	32 29	244.656	244.751					
		N5389236.307					5926				78H7242	TERR	90 30 35	603.436	603.670
		El 24.033					570663				78H7362	TERR	180 12 02	2419.037	2419.978
							321240				78H7237	TERR	242 03 10	1842.353	1843.068
							271262				78H7240	TERR	270 21 48	605.985	606.221
5926	78H7242	E 468887.121	0.9996120	1.0000001	901207	78H7443	TERR	196 54 18	2088.897	2089.708					
		N5389230.937					550467				3300	TERR	225 33 47	11179.332	11183.881
		El 17.913					933630				78H7241	TERR	270 30 35	603.436	603.670
398719	78H7243	E 469302.016	0.9996124	1.0000008		MARKER DESTROYED									
577031	78H7244	E 469306.575	0.9996126	1.0000011	653733	78H7245	TERR	41 40	223.443	223.530					
		N5389640.495					419077				79H0488	TERR	179 46 26	221.135	221.221
		El 11.895					142117				78H7246	TERR	270 28 50	442.407	442.578
653733	78H7245	E 469309.283	0.9996128	1.0000013	577031	78H7244	TERR	180 41 40	223.443	223.530					
		N5389863.922													
		El 10.663													
142117	78H7246	E 468864.184	0.9996127	1.0000008	577031	78H7244	TERR	90 28 50	442.407	442.578					
		N5389644.205					429076				78H7247	TERR	270 10 50	569.423	569.644
		El 13.536													
429076	78H7247	E 468294.764	0.9996115	0.9999991	142117	78H7246	TERR	90 10 50	569.423	569.644					
		N5389645.999					202515				78H7248	TERR	183 01 57	165.279	165.343
		El 24.344													
202515	78H7248	E 468286.020	0.9996112	0.9999988	429076	78H7247	TERR	3 01 57	165.279	165.343					
		N5389480.951					933630				78H7241	TERR	180 32 29	244.656	244.751
		El 26.266													

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
668442	78H7249	E 468854.287 N5390434.532 El 14.223	0.9996126	1.0000007		MARKER DESTROYED				
26799	78H7250	E 468303.112 N5390437.861 El 10.524	0.9996136	1.0000013	500884	78H7251	TERR	270 12 03	531.537	531.742
500884	78H7251	E 467771.579 N5390439.725 El 6.677	0.9996146	1.0000019	635896 241778 26799 614438 55343 937227 103556 304923 542597	85H0500 88H4400 78H7250 79H0493 99H2277 UNMARKED 99H2278 78H7397 78H7334	GPS GPS TERR GPS GPS GPS GPS GPS GPS	4 32 49 43 32 04 90 12 03 133 29 52 185 04 38 206 46 02 222 41 52 281 26 42 314 16 18	3298.982 2693.386 531.537 2106.673 2017.980 2195.278 3192.136 3198.285 3747.974	3300.266 2694.431 531.742 2107.488 2018.759 2196.127 3193.363 3199.515 3749.420
269464	78H7252	E 467729.682 N5390005.748 El 7.081	0.9996146	1.0000018		MARKER DESTROYED				
800318	78H7253	E 467766.244 N5389540.625 El 15.290	0.9996133	1.0000005	183772	78H7254	TERR	268 22 19	174.252	174.319
183772	78H7254	E 467592.062 N5389535.675 El 26.969	0.9996116	0.9999987	800318 271262 6809	78H7253 78H7240 78H7255	TERR TERR TERR	88 22 19 163 49 59 270 29 58	174.252 307.694 481.516	174.319 307.813 481.703
6809	78H7255	E 467110.564 N5389539.873 El 6.112	0.9996152	1.0000019	183772 578575 862235	78H7254 78H7238 78H7256	TERR TERR TERR	90 29 58 168 39 56 334 45 26	481.516 301.243 136.967	481.703 301.359 137.019
862235	78H7256	E 467052.154 N5389663.761 El 6.509	0.9996152	1.0000019	6809 901041	78H7255 78H7257	TERR TERR	154 45 26 314 16 23	136.967 162.836	137.019 162.898
901041	78H7257	E 466935.560 N5389777.433 El 6.449	0.9996153	1.0000019	209916 862235 102871	78H7258 78H7256 78H7260	TERR TERR TERR	57 20 44 134 16 23 323 49 05	201.286 162.836 159.437	201.364 162.898 159.499
209916	78H7258	E 467105.031 N5389886.041 El 7.639	0.9996150	1.0000017	901041	78H7257	TERR	237 20 44	201.286	201.364
857987	78H7259	E 467293.842 N5390005.714 El 7.235	0.9996149	1.0000018		MARKER DESTROYED				

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
102871	78H7260	E 466841.436	0.9996155	1.0000020	901041	78H7257	TERR	143 49 05	159.437	159.499					
		N5389906.122					644302				78H7261	TERR	351 10 03	136.528	136.581
		El 6.039													
644302	78H7261	E 466820.473	0.9996156	1.0000021	102871	78H7260	TERR	171 10 03	136.528	136.581					
		N5390041.031													
		El 5.180													
768333	78H7262	E 469311.956	0.9996130	1.0000015	128215	79H0447	TERR	85 48 41	93.164	93.200					
		N5390170.254					796235				79H0463	TERR	90 04 41	173.478	173.545
		El 9.433					777060				78H7263	TERR	359 37 17	261.426	261.528
777060	78H7263	E 469310.229	0.9996131	1.0000015	768333	78H7262	TERR	179 37 17	261.426	261.528					
		N5390431.674					771147				78H7264	TERR	350 03 38	468.476	468.657
		El 9.095													
771147	78H7264	E 469229.367	0.9996138	1.0000022	777060	78H7263	TERR	170 03 38	468.476	468.657					
		N5390893.119					697151				78H7265	TERR	291 46 35	305.006	305.124
		El 4.785													
697151	78H7265	E 468946.126	0.9996142	1.0000024	771147	78H7264	TERR	111 46 35	305.006	305.124					
		N5391006.272					283952				78H7266	TERR	319 02 13	241.966	242.059
		El 3.487													
283952	78H7266	E 468787.501	0.9996140	1.0000020	697151	78H7265	TERR	139 02 13	241.966	242.059					
		N5391188.988					311282				78H7267	TERR	357 38 54	206.147	206.226
		El 5.652													
311282	78H7267	E 468779.041	0.9996137	1.0000017	283952	78H7266	TERR	177 38 54	206.147	206.226					
		N5391394.961													
		El 7.724													
828673	78H7268	E 468629.942	0.9996140	1.0000019			MARKER DESTROYED								
		N5391541.215													
		El 6.423													
77610	78H7269	E 466294.946	0.9996149	1.0000009	236703	78H7270	TERR	357 49 45	125.702	125.751					
		N5390521.352													
		El 12.564													
236703	78H7270	E 466290.185	0.9996142	1.0000003	466391	78H7271	TERR	26 06	610.006	610.243					
		N5390646.964					77610				78H7269	TERR	177 49 45	125.702	125.751
		El 16.835					844621				78H7393	TERR	270 00 47	511.823	512.020
466391	78H7271	E 466294.816	0.9996119	0.9999980	363804	78H7285	TERR	1 25 31	231.100	231.190					
		N5391256.953					236703				78H7270	TERR	180 26 06	610.006	610.243
		El 31.578					442467				78H7272	TERR	270 44 59	461.060	461.239

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
442467	78H7272	E 465833.795	0.9996117	0.9999973	466391	78H7271	TERR	90 44 59	461.060	461.239
		N5391262.985			738054	78H7273	TERR	270 03 49	351.228	351.364
		El 35.446								
738054	78H7273	E 465482.568	0.9996120	0.9999974	442467	78H7272	TERR	90 03 49	351.228	351.364
		N5391263.375			12880	78H7274	TERR	270 16 56	194.324	194.400
		El 35.251								
12880	78H7274	E 465288.246	0.9996116	0.9999968	196766	78H7283	TERR	44 47	403.161	403.318
		N5391264.332			738054	78H7273	TERR	90 16 56	194.324	194.400
		El 38.651			695247	78H7275	TERR	270 43 18	149.104	149.162
695247	78H7275	E 465139.154	0.9996106	0.9999957	12880	78H7274	TERR	90 43 18	149.104	149.162
		N5391266.210			874859	78H7276	TERR	271 04 28	177.763	177.832
		El 45.771								
874859	78H7276	E 464961.422	0.9996118	0.9999967	695247	78H7275	TERR	91 04 28	177.763	177.832
		N5391269.543			924993	78H7277	TERR	270 45 12	154.962	155.023
		El 39.366								
924993	78H7277	E 464806.473	0.9996135	0.9999983	481325	78H7281	TERR	49 39	201.499	201.577
		N5391271.580			874859	78H7276	TERR	90 45 12	154.962	155.023
		El 29.428			181446	78H7278	TERR	271 04 22	173.259	173.326
181446	78H7278	E 464633.244	0.9996161	1.0000008	924993	78H7277	TERR	91 04 22	173.259	173.326
		N5391274.824			304923	78H7397	TERR	178 57 30	200.506	200.583
		El 13.597			267526	78H7279	TERR	342 24 21	155.930	155.990
267526	78H7279	E 464586.111	0.9996164	1.0000010	181446	78H7278	TERR	162 24 21	155.930	155.990
		N5391423.459			742320	78H7280	TERR	308 49 17	86.416	86.449
		El 12.245								
742320	78H7280	E 464518.784	0.9996168	1.0000013	481325	78H7281	TERR	90 54 07	290.635	290.747
		N5391477.633			267526	78H7279	TERR	128 49 17	86.416	86.449
		El 10.185			293027	78H7282	TERR	305 36 56	310.768	310.887
481325	78H7281	E 464809.382	0.9996127	0.9999974	924993	78H7277	TERR	180 49 39	201.499	201.577
		N5391473.058			742320	78H7280	TERR	270 54 07	290.635	290.747
		El 34.717								
293027	78H7282	E 464266.147	0.9996168	1.0000011	641324	78H7297	TERR	39 32 33	214.841	214.923
		N5391658.607			742320	78H7280	TERR	125 36 56	310.768	310.887
		El 11.231								
196766	78H7283	E 465293.497	0.9996120	0.9999972	678441	78H7284	TERR	90 10 40	405.144	405.301
		N5391667.459			12880	78H7274	TERR	180 44 47	403.161	403.318
		El 36.464								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
678441	78H7284	E 465698.639 N5391666.202 El 39.312	0.9996112	0.9999967	196766	78H7283	TERR	270 10 40	405.144	405.301
363804	78H7285	E 466300.564 N5391487.982 El 45.840	0.9996097	0.9999957	466391	78H7271	TERR	181 25 31	231.100	231.190
626408	78H7286	E 466302.058 N5391663.212 El 46.109	0.9996096	0.9999957	MARKER DESTROYED					
329805	78H7287	E 466303.401 N5391863.727 El 47.316	0.9996094	0.9999955	78998 118273	78H7304 78H7288	TERR TERR	23 13 270 13 37	207.100 322.745	207.181 322.871
118273	78H7288	E 465980.658 N5391865.005 El 44.117	0.9996102	0.9999960	329805 985440	78H7287 78H7289	TERR TERR	90 13 37 270 18 28	322.745 326.331	322.871 326.458
985440	78H7289	E 465654.332 N5391866.758 El 40.708	0.9996110	0.9999965	118273 291070	78H7288 78H7290	TERR TERR	90 18 28 270 14 57	326.331 345.664	326.458 345.798
291070	78H7290	E 465308.671 N5391868.262 El 27.786	0.9996133	0.9999985	213181 985440 951921	78H7308 78H7289 78H7291	TERR TERR TERR	25 41 90 14 57 268 35 16	191.973 345.664 134.380	192.047 345.798 134.432
951921	78H7291	E 465174.332 N5391864.950 El 31.797	0.9996128	0.9999979	291070 559955	78H7290 78H7292	TERR TERR	88 35 16 228 46 48	134.380 135.814	134.432 135.867
559955	78H7292	E 465072.175 N5391775.455 El 31.219	0.9996130	0.9999980	951921 478362	78H7291 78H7293	TERR TERR	48 46 48 272 43 43	135.814 109.961	135.867 110.004
478362	78H7293	E 464962.338 N5391780.689 El 21.124	0.9996147	0.9999996	559955 482646	78H7292 78H7294	TERR TERR	92 43 43 325 13 25	109.961 112.709	110.004 112.752
482646	78H7294	E 464898.052 N5391873.267 El 12.112	0.9996161	1.0000010	478362 360883	78H7293 78H7295	TERR TERR	145 13 25 271 01 05	112.709 336.351	112.752 336.480
360883	78H7295	E 464561.754 N5391879.243 El 23.641	0.9996146	0.9999992	482646 969642	78H7294 78H7296	TERR TERR	91 01 05 285 31 33	336.351 67.340	336.480 67.366

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
969642	78H7296	E 464496.872	0.9996149	0.9999994	360883	78H7295	TERR	105 31 33	67.340	67.366					
		N5391897.268					641324				78H7297	TERR	232 09 25	118.966	119.012
		El 22.340													
641324	78H7297	E 464402.925	0.9996159	1.0000003	969642	78H7296	TERR	52 09 25	118.966	119.012					
		N5391824.282					293027				78H7282	TERR	219 32 33	214.841	214.923
		El 16.393													
651091	78H7298	E 466706.421	0.9996088	0.9999952	473348	78H7299	TERR	90 29 19	497.655	497.850					
473348	78H7299	E 467204.057	0.9996076	0.9999944	697144	78H7300	TERR	90 35 39	676.582	676.846					
		N5391653.403					651091				78H7298	TERR	270 29 19	497.655	497.850
		El 54.384													
697144	78H7300	E 467880.603	0.9996108	0.9999981	715730	78H7330	TERR	5 24 15	329.443	329.571					
		N5391646.388					473348				78H7299	TERR	270 35 39	676.582	676.846
		El 30.737													
104547	78H7301	E 468317.974	0.9996117	0.9999994											
		N5391648.910													
		El 22.652													
295386	78H7302	E 468522.858	0.9996128	1.0000007											
		N5391649.193													
		El 14.501													
584870	78H7303	E 468953.228	0.9996134	1.0000016											
		N5391834.658													
		El 8.675													
78998	78H7304	E 466304.800	0.9996090	0.9999951	973610	78H7320	TERR	11 27	198.323	198.400					
		N5392070.823					519041				78H7287	TERR	180 23 13	207.100	207.181
		El 49.984													
519041	78H7305	E 465888.751	0.9996098	0.9999955	78998	78H7304	TERR	89 55 28	416.048	416.211					
		N5392070.274					674911				78H7306	TERR	270 11 15	346.543	346.678
		El 46.948													
674911	78H7306	E 465542.210	0.9996102	0.9999956	519041	78H7305	TERR	90 11 15	346.543	346.678					
		N5392071.407					334318				78H7307	TERR	268 11 32	176.935	177.004
		El 46.362													
334318	78H7307	E 465365.363	0.9996111	0.9999964	674911	78H7306	TERR	88 11 32	176.935	177.004					
		N5392065.825					213181				78H7308	TERR	264 13 02	55.541	55.562
		El 41.701													

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
213181	78H7308	E 465310.105	0.9996128	0.9999980	334318	78H7307	TERR	84 13 02	55.541	55.562
		N5392060.229			291070	78H7290	TERR	180 25 41	191.973	192.047
		E1 31.102			191809	78H7309	TERR	332 53 45	87.767	87.801
191809	78H7309	E 465270.117	0.9996135	0.9999987	213181	78H7308	TERR	152 53 45	87.767	87.801
		N5392138.358			984500	78H7310	TERR	350 27 49	161.969	162.032
		E1 27.046								
984500	78H7310	E 465243.283	0.9996143	0.9999994	788646	78H7311	TERR	27 47 53	210.883	210.964
		N5392298.089			191809	78H7309	TERR	170 27 49	161.969	162.032
		E1 22.113								
788646	78H7311	E 465341.630	0.9996148	1.0000001	984500	78H7310	TERR	207 47 53	210.883	210.964
		N5392484.635			790741	78H7312	TERR	348 45 55	336.706	336.836
		E1 18.089								
790741	78H7312	E 465276.031	0.9996157	1.0000009	796581	78H7313	TERR	112 40 58	125.052	125.100
		N5392814.889			788646	78H7311	TERR	168 45 55	336.706	336.836
		E1 12.974			849547	78H7333	TERR	334 15 17	156.012	156.072
796581	78H7313	E 465391.411	0.9996152	1.0000005	601369	78H7314	TERR	93 50 09	74.040	74.069
		N5392766.666			790741	78H7312	TERR	292 40 58	125.052	125.100
		E1 15.510								
601369	78H7314	E 465465.285	0.9996149	1.0000003	384479	78H7315	TERR	73 27 50	422.193	422.356
		N5392761.712			796581	78H7313	TERR	273 50 09	74.040	74.069
		E1 16.670								
384479	78H7315	E 465870.017	0.9996141	0.9999998	975144	78H7316	TERR	94 40 19	149.880	149.938
		N5392881.878			601369	78H7314	TERR	253 27 50	422.193	422.356
		E1 19.714								
975144	78H7316	E 466019.399	0.9996136	0.9999995	817973	78H7344	TERR	112 11 27	147.326	147.383
		N5392869.670			384479	78H7315	TERR	274 40 19	149.880	149.938
		E1 21.974								
893727	78H7317	E 466307.446	0.9996080	0.9999941	806679	78H7343	TERR	23 51	140.935	140.990
		N5393274.649			249185	78H7318	TERR	180 04 39	519.921	520.124
		E1 56.470								
249185	78H7318	E 466306.743	0.9996121	0.9999982	893727	78H7317	TERR	4 39	519.921	520.124
		N5392754.728			414425	78H7321	TERR	105 00 26	417.101	417.263
		E1 30.096			748905	78H7319	TERR	180 07 23	286.260	286.371
					817973	78H7344	TERR	291 26 56	162.161	162.223
748905	78H7319	E 466306.128	0.9996104	0.9999965	249185	78H7318	TERR	7 23	286.260	286.371
		N5392468.469			973610	78H7320	TERR	180 11 32	199.326	199.404
		E1 41.081								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
271635	78H7332	E 467767.306 N5392449.247 El 58.352	0.9996065	0.9999938	485847	78H7331	TERR	270 58 25	194.607	194.684
849547	78H7333	E 465208.264 N5392955.415 El 19.322	0.9996147	0.9999999	790741 542597	78H7312 78H7334	TERR TERR	154 15 17 309 53 38	156.012 156.895	156.072 156.956
542597	78H7334	E 465087.888 N5393056.042 El 24.789	0.9996140	0.9999990	635896 849547 614438 500884 937227 293092 304923 26864 882472 928242	85H0500 78H7333 79H0493 78H7251 UNMARKED 77H6309 78H7397 "CON.MON.#9" 78H7335 99H2259	GPS TERR GPS GPS GPS GPS GPS GPS TERR GPS	77 08 31 129 53 38 133 59 35 134 16 18 159 40 34 176 07 43 192 49 16 244 38 57 281 20 46 350 38 23	3020.976 156.895 5854.524 3747.974 4880.177 6429.849 2032.363 6307.140 369.372 4177.133	3022.153 156.956 5856.790 3749.420 4882.064 6432.328 2033.145 6309.573 369.515 4178.933
882472	78H7335	E 464725.735 N5393128.710 El 29.222	0.9996136	0.9999983	542597 674622	78H7334 78H7336	TERR TERR	101 20 46 288 27 57	369.372 176.198	369.515 176.266
674622	78H7336	E 464558.609 N5393184.519 El 23.376	0.9996147	0.9999992	882472	78H7335	TERR	108 27 57	176.198	176.266
696625	78H7337	E 464526.236 N5393279.313 El 25.382	0.9996144	0.9999989	682807	78H7406	TERR	52 18 43	124.284	124.332
594077	78H7338	E 464707.838 N5393438.817 El 35.917	0.9996126	0.9999973	883280 682807	78H7339 78H7406	TERR TERR	64 05 16 224 54 25	341.066 117.925	341.198 117.971
883280	78H7339	E 465014.615 N5393587.861 El 23.308	0.9996143	0.9999992	540815 594077	78H7340 78H7338	TERR TERR	76 13 50 244 05 16	508.514 341.066	508.711 341.198
540815	78H7340	E 465508.515 N5393708.896 El 22.491	0.9996140	0.9999994	869552 883280	78H7341 78H7339	TERR TERR	82 02 56 256 13 50	153.968 508.514	154.028 508.711
869552	78H7341	E 465661.003 N5393730.194 El 20.086	0.9996142	0.9999997	504134 540815	78H7345 78H7340	TERR TERR	96 16 17 262 02 56	432.754 153.968	432.921 154.028

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
752378	78H7342	E 466310.427	0.9996127	0.9999988	89615	78H7346	TERR	91 07 50	220.574	220.660
		N5393734.912			209841	78H7468	TERR	179 12 29	170.278	170.344
		E1 26.373			806679	78H7343	TERR	180 21 34	319.338	319.462
					504134	78H7345	TERR	256 39 36	225.339	225.427
806679	78H7343	E 466308.424	0.9996089	0.9999950	752378	78H7342	TERR	21 34	319.338	319.462
		N5393415.581			209841	78H7468	TERR	1 40 26	149.133	149.191
		E1 50.468			893727	78H7317	TERR	180 23 51	140.935	140.990
817973	78H7344	E 466155.813	0.9996131	0.9999990	249185	78H7318	TERR	111 26 56	162.161	162.223
		N5392814.026			975144	78H7316	TERR	292 11 27	147.326	147.383
		E1 25.037								
504134	78H7345	E 466091.168	0.9996131	0.9999990	752378	78H7342	TERR	76 39 36	225.339	225.427
		N5393682.920			869552	78H7341	TERR	276 16 17	432.754	432.921
		E1 25.002								
89615	78H7346	E 466530.958	0.9996120	0.9999982	432823	78H7347	TERR	82 32 04	279.466	279.574
		N5393730.560			752378	78H7342	TERR	271 07 50	220.574	220.660
		E1 29.864								
432823	78H7347	E 466808.055	0.9996119	0.9999984	536862	78H7348	TERR	68 21 06	159.167	159.229
		N5393766.871			89615	78H7346	TERR	262 32 04	279.466	279.574
		E1 28.788								
536862	78H7348	E 466955.995	0.9996114	0.9999980	380121	78H7349	TERR	59 07 19	237.571	237.663
		N5393825.589			432823	78H7347	TERR	248 21 06	159.167	159.229
		E1 31.614								
380121	78H7349	E 467159.893	0.9996127	0.9999994	227017	78H7350	TERR	87 35 16	271.286	271.392
		N5393947.514			536862	78H7348	TERR	239 07 19	237.571	237.663
		E1 22.213								
227017	78H7350	E 467430.939	0.9996110	0.9999980	380121	78H7349	TERR	267 35 16	271.286	271.392
		N5393958.932								
		E1 31.478								
525394	78H7351	E 467599.540	0.9996113	0.9999984		MARKER DESTROYED				
		N5393943.137								
		E1 28.711								
311993	78H7352	E 468102.437	0.9996099	0.9999974		MARKER DESTROYED				
		N5393793.704								
		E1 35.303								
120048	78H7353	E 468313.354	0.9996088	0.9999965	826933	78H7407	TERR	120 43 29	121.642	121.689
		N5393614.823								
		E1 41.107								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
366351	78H7354	E 468512.737	0.9996102	0.9999980	211318	78H7390	TERR	133 53 58	123.602	123.651		
		N5393289.302					688838	78H8328	TERR	349 36 23	180.565	180.636
		El 31.638										
668616	78H7355	E 465342.888	0.9996086	0.9999938	346445	78H7384	TERR	218 30 32	253.065	253.164		
		N5384839.146										
		El 57.851										
698233	78H7356	E 468754.021	0.9996085	0.9999965	239988	78H7357	TERR	133 12 11	227.153	227.242		
		N5393109.167					211318	78H7390	TERR	301 48 48	179.132	179.202
		El 41.185										
239988	78H7357	E 468919.600	0.9996087	0.9999968	113084	78H7399	TERR	116 45 15	133.127	133.179		
		N5392953.662					698233	78H7356	TERR	313 12 11	227.153	227.242
		El 39.094										
287334	78H7358	E 469153.484	0.9996084	0.9999967	389320	78H7359	TERR	130 53 14	123.367	123.416		
		N5392828.297					113084	78H7399	TERR	299 38 18	132.321	132.373
		El 39.939										
389320	78H7359	E 469246.750	0.9996083	0.9999967	126490	78H7360	TERR	148 40 30	245.135	245.231		
		N5392747.544					287334	78H7358	TERR	310 53 14	123.367	123.416
		El 39.975										
126490	78H7360	E 469374.193	0.9996100	0.9999985	389320	78H7359	TERR	328 40 30	245.135	245.231		
		N5392538.142										
		El 28.342										
456616	78H7361	E 469540.598	0.9996115	1.0000001	MARKER DESTROYED							
		N5392296.751										
		El 18.044										
570663	78H7362	E 468275.247	0.9996101	0.9999977	933630	78H7241	TERR	12 02	2419.037	2419.978		
		N5386817.285					901207	78H7443	TERR	36 51	415.045	415.207
		El 32.975					752964	77H6299	TERR	179 44 09	401.235	401.393
101972	78H7363	E 465165.047	0.9996136	0.9999987	127910	77H6313	TERR	271 03 57	310.884	311.003		
		N5386650.986										
		El 26.567										
858563	78H7364	E 469732.302	0.9996131	1.0000018	757104	78H7382	TERR	159 23 49	224.325	224.412		
		N5391926.844										
		El 6.970										
157065	78H7365	E 469605.666	0.9996119	1.0000006	MARKER DESTROYED							
		N5392233.521										
		El 14.977										

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
37705	78H7366	E 469725.322 N5392210.399 El 24.112	0.9996104	0.9999992		MARKER DESTROYED				
184440	78H7367	E 469970.738 N5392169.599 El 20.789	0.9996108	0.9999997	869115	78H7368	TERR	157 05 37	148.884	148.942
869115	78H7368	E 470028.688 N5392032.456 El 24.421	0.9996102	0.9999991	806620 184440	78H7369 78H7367	TERR TERR	92 51 44 337 05 37	132.322 148.884	132.374 148.942
806620	78H7369	E 470160.845 N5392025.849 El 28.428	0.9996094	0.9999985	40402 869115	78H7370 78H7368	TERR TERR	148 02 41 272 51 44	110.910 132.322	110.953 132.374
40402	78H7370	E 470219.544 N5391931.746 El 33.696	0.9996086	0.9999977	806620	78H7369	TERR	328 02 41	110.910	110.953
189720	78H7371	E 470329.728 N5391900.356 El 23.007	0.9996102	0.9999993	923235	78H7372	TERR	118 00 54	75.304	75.333
923235	78H7372	E 470396.208 N5391864.986 El 14.644	0.9996114	1.0000007	437103 189720	78H7373 78H7371	TERR TERR	171 55 41 298 00 54	84.328 75.304	84.361 75.333
437103	78H7373	E 470408.050 N5391781.493 El 25.486	0.9996097	0.9999990	636092 923235	78H7374 78H7372	TERR TERR	174 25 04 351 55 41	114.452 84.328	114.497 84.361
636092	78H7374	E 470419.183 N5391667.584 El 26.968	0.9996095	0.9999987	817098 437103	78H7412 78H7373	TERR TERR	173 41 56 354 25 04	165.556 114.452	165.621 114.497
224006	78H7375	E 468659.237 N5385055.011 El 129.731	0.9995947	0.9999826	668939	78H7401	TERR	250 27 12	65.968	65.995
666214	78H7377	E 468517.042 N5385034.646 El 142.977	0.9995927	0.9999805	668939 626929 540807	78H7401 78H7430 78H7410	TERR TERR TERR	91 13 16 241 30 50 272 04 59	80.048 30.778 131.369	80.081 30.790 131.423
936815	78H7378	E 470224.274 N5391460.393 El 17.687	0.9996111	1.0000002	521534 333641	78H7404 78H7379	TERR TERR	108 44 36 312 23 08	92.797 87.977	92.833 88.012

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
333641	78H7379	E 470159.292	0.9996106	0.9999997	936815	78H7378	TERR	132 23 08	87.977	88.012						
		N5391519.700									74609	78H7380	TERR	292 04 38	75.790	75.820
		E1 20.758														
74609	78H7380	E 470089.059	0.9996107	0.9999997	333641	78H7379	TERR	112 04 38	75.790	75.820						
		N5391548.186									484642	78H7381	TERR	324 04 16	77.328	77.359
		E1 20.578														
484642	78H7381	E 470043.684	0.9996103	0.9999993	74609	78H7380	TERR	144 04 16	77.328	77.359						
		N5391610.802									128140	78H7383	TERR	276 49 35	131.689	131.740
		E1 23.523														
757104	78H7382	E 469811.240	0.9996121	1.0000009	858563	78H7364	TERR	339 23 49	224.325	224.412						
		N5391716.867														
		E1 13.218														
128140	78H7383	E 469912.929	0.9996105	0.9999994	484642	78H7381	TERR	96 49 35	131.689	131.740						
		N5391626.455														
		E1 22.771														
346445	78H7384	E 465185.321	0.9996104	0.9999955	668616	78H7355	TERR	38 30 32	253.065	253.164						
		N5384641.120									994004	78H7385	TERR	195 51 05	174.810	174.878
		E1 46.805														
994004	78H7385	E 465137.573	0.9996095	0.9999945	346445	78H7384	TERR	15 51 05	174.810	174.878						
		N5384472.957									444257	77H6229	TERR	200 18 35	193.218	193.294
		E1 53.207														
898262	78H7386	E 466786.156	0.9996078	0.9999942	908301	78H7387	TERR	90 55 46	256.145	256.246						
		N5392065.167														
		E1 55.476														
908301	78H7387	E 467042.267	0.9996083	0.9999950	898262	78H7386	TERR	270 55 46	256.145	256.246						
		N5392061.011														
		E1 50.774														
211318	78H7390	E 468601.800	0.9996094	0.9999973	698233	78H7356	TERR	121 48 48	179.132	179.202						
		N5393203.597									366351	78H7354	TERR	313 53 58	123.602	123.651
		E1 36.236														
720052	78H7391	E 465423.126	0.9996155	1.0000008	844621	78H7393	TERR	89 50 19	355.238	355.375						
		N5390646.081														
		E1 13.390														
844621	78H7393	E 465778.362	0.9996146	1.0000002	236703	78H7270	TERR	90 00 47	511.823	512.020						
		N5390647.082									720052	78H7391	TERR	269 50 19	355.238	355.375
		E1 17.147														

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
18788	78H7394	E 465642.985 N5386989.215 El 41.520	0.9996109	0.9999964	712182	77H6334	TERR	18 58	77.320	77.350
486654	78H7395	E 468737.809 N5385033.345 El 117.785	0.9995965	0.9999845	935163 799528 853994	77H6337 84H0509 77H6258	TERR TERR TERR	91 06 42 91 50 15 358 35 24	553.854 293.639 189.200	554.076 293.757 189.277
490268	78H7396	E 467970.394 N5393844.812 El 34.484	0.9996101	0.9999975	MARKER DESTROYED					
304923	78H7397	E 464636.890 N5391074.351 El 10.700	0.9996166	1.0000012	542597 635896 500884 55343 937227 103556 181446	78H7334 85H0500 78H7251 99H2277 UNMARKED 99H2278 78H7278	GPS GPS GPS GPS GPS GPS TERR	12 49 16 51 59 39 101 26 42 131 49 03 140 24 23 161 58 24 358 57 30	2032.363 4310.208 3198.285 3966.471 3367.146 3134.522 200.506	2033.145 4311.882 3199.515 3967.998 3368.443 3135.723 200.583
113084	78H7399	E 469038.475 N5392893.733 El 43.267	0.9996079	0.9999962	287334 239988	78H7358 78H7357	TERR TERR	119 38 18 296 45 15	132.321 133.127	132.373 133.179
668939	78H7401	E 468597.071 N5385032.940 El 138.094	0.9995934	0.9999813	224006 666214	78H7375 78H7377	TERR TERR	70 27 12 271 13 16	65.968 80.048	65.995 80.081
946764	78H7403	E 465771.647 N5387836.724 El 37.672	0.9996114	0.9999970	711630 699330	78H7233 77H6321	TERR TERR	231 35 47 270 30 23	168.916 246.584	168.981 246.679
521534	78H7404	E 470312.150 N5391430.575 El 16.646	0.9996112	1.0000003	475152 936815	78H7405 78H7378	TERR TERR	78 52 44 288 44 36	41.454 92.797	41.470 92.833
475152	78H7405	E 470352.826 N5391438.570 El 15.519	0.9996113	1.0000005	817098 521534	78H7412 78H7404	TERR TERR	52 40 20 258 52 44	106.299 41.454	106.341 41.470
682807	78H7406	E 464624.588 N5393355.295 El 32.472	0.9996132	0.9999978	594077 696625	78H7338 78H7337	TERR TERR	44 54 25 232 18 43	117.925 124.284	117.971 124.332
826933	78H7407	E 468417.921 N5393552.674 El 42.829	0.9996085	0.9999962	688838 120048	78H8328 78H7353	TERR TERR	144 01 56 300 43 29	105.973 121.642	106.015 121.689

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
975623	78H7408	E 469454.402	0.9996124	1.0000009	655084	78H7409	TERR	22 29 39	140.208	140.262
		N5386617.969			642314	77H6294	TERR	326 19 38	187.209	187.281
		El 12.932								
655084	78H7409	E 469508.043	0.9996129	1.0000015	46938	79H0490	GPS	38 47 27	1619.160	1619.787
		N5386747.510			964619	77H6287	TERR	89 45 16	377.437	377.584
		El 9.144			657817	77H6278	GPS	156 38 39	2137.161	2137.989
					667303	77H5730	GPS	162 11 42	4549.887	4551.652
					975623	78H7408	TERR	202 29 39	140.208	140.262
					513093	99H2276	GPS	261 22 02	2068.108	2068.915
					937227	UNMARKED	GPS	302 26 28	3229.058	3230.309
					55343	99H2277	GPS	311 17 44	2548.936	2549.921
	614438	79H0493	GPS	354 41 34	2251.792	2252.664				
540807	78H7410	E 468385.759	0.9995939	0.9999817	666214	78H7377	TERR	92 04 59	131.369	131.423
		N5385039.421			781336	78H7450	TERR	274 07 21	115.624	115.671
	El 135.569									
817098	78H7412	E 470437.353	0.9996109	1.0000001	475152	78H7405	TERR	232 40 20	106.299	106.341
		N5391503.028			636092	78H7374	TERR	353 41 56	165.556	165.621
	El 17.971									
914648	78H7413	E 469869.893	0.9996060	0.9999949	218040	77H5740	TERR	168 14 27	273.433	273.541
		N5384541.796			228601	77H6273	TERR	348 36 32	257.316	257.417
	El 51.480									
704189	78H7415	E 468286.349	0.9995912	0.9999788	205146	78H7423	TERR	149 38 56	206.177	206.262
		N5385430.838			718585	78H7416	TERR	285 17 22	167.340	167.408
	El 153.723									
718585	78H7416	E 468124.932	0.9995915	0.9999790	11585	78H7426	TERR	33 54 42	89.390	89.426
		N5385474.965			704189	78H7415	TERR	105 17 22	167.340	167.408
	El 152.392									
818500	78H7417	E 468348.910	0.9995937	0.9999814	924340	78H7428	TERR	135 46 58	51.993	52.014
		N5385732.289			149138	78H7436	TERR	333 27 34	45.202	45.220
	El 137.362									
383281	78H7418	E 466998.623	0.9996010	0.9999876						MARKER DESTROYED
		N5392860.476								
		El 97.696								
914945	78H7421	E 468831.063	0.9995998	0.9999879	214833	78H7469	TERR	60 40 57	89.259	89.295
		N5384688.172			64543	78H7449	TERR	205 06 14	116.719	116.766
		El 95.737			564898	78H7431	TERR	301 11 34	99.510	99.550
346981	78H7422	E 468558.800	0.9996005	0.9999884	810333	84H0529	TERR	82 56 03	171.721	171.790
		N5384463.974			932897	77H6216	TERR	130 53 13	552.465	552.685
		El 92.640			884726	78H7451	TERR	292 43 38	86.215	86.250

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
205146	78H7423	E 468390.530 N5385252.919 El 145.816	0.9995923	0.9999801	704189	78H7415	TERR	329 38 56	206.177	206.262
590810	78H7424	E 468318.746 N5385568.249 El 160.187	0.9995901	0.9999778	450189 11585	78H7437 78H7426	TERR TERR	100 22 32 262 26 30	95.465 145.204	95.504 145.263
371773	78H7425	E 468630.498 N5384758.441 El 117.643	0.9995966	0.9999845	564898 139089	78H7431 78H7438	TERR TERR	99 12 58 295 24 56	116.950 122.004	116.997 122.053
11585	78H7426	E 468174.804 N5385549.150 El 154.748	0.9995911	0.9999787	590810 718585	78H7424 78H7416	TERR TERR	82 26 30 213 54 42	145.204 89.390	145.263 89.426
362020	78H7427	E 468644.529 N5384657.638 El 103.723	0.9995987	0.9999867	64543	78H7449	TERR	118 44 50	156.276	156.339
924340	78H7428	E 468385.169 N5385695.026 El 141.968	0.9995929	0.9999807	505727 818500	78H7444 78H7417	TERR TERR	147 41 37 315 46 58	61.837 51.993	61.862 52.014
855882	78H7429	E 468324.126 N5384616.544 El 112.226	0.9995977	0.9999853	831339 911628	78H7456 84H0504	TERR TERR	75 06 58 270 36 53	99.174 64.693	99.214 64.719
626929	78H7430	E 468489.990 N5385019.967 El 142.361	0.9995928	0.9999806	666214 133876	78H7377 78H7464	TERR TERR	61 30 50 180 47 55	30.778 97.158	30.790 97.198
564898	78H7431	E 468745.939 N5384739.710 El 105.220	0.9995984	0.9999864	914945 371773	78H7421 78H7425	TERR TERR	121 11 34 279 12 58	99.510 116.950	99.550 116.997
805481	78H7432	E 468294.153 N5393529.973 El 50.324	0.9996074	0.9999950	480202	78H7459	TERR	286 29 36	116.237	116.283
149138	78H7436	E 468328.713 N5385772.727 El 134.604	0.9995941	0.9999818	818500 854281	78H7417 84H0485	TERR TERR	153 27 34 331 11 31	45.202 59.393	45.220 59.418
450189	78H7437	E 468412.649 N5385551.056 El 155.237	0.9995908	0.9999786	607705 590810	84H0542 78H7424	TERR TERR	115 05 31 280 22 32	46.470 95.465	46.489 95.504

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
139089	78H7438	E 468520.302 N5384810.803 El 126.029	0.9995953	0.9999832	371773	78H7425	TERR	115 24 56	122.004	122.053
990895	78H7441	E 468004.898 N5393538.987 El 68.240	0.9996048	0.9999922	480202 866087	78H7459 78H7471	TERR TERR	82 19 01 277 58 52	179.411 241.306	179.481 241.402
901207	78H7443	E 468279.696 N5387232.306 El 21.160	0.9996120	0.9999996	5926 570663	78H7242 78H7362	TERR TERR	16 54 18 180 36 51	2088.897 415.045	2089.708 415.207
505727	78H7444	E 468418.218 N5385642.761 El 146.797	0.9995922	0.9999799	607705 924340	84H0542 78H7428	TERR TERR	161 51 11 327 41 37	117.243 61.837	117.291 61.862
461624	78H7445	E 468561.990 N5384925.804 El 136.575	0.9995937	0.9999815	133876	78H7464	TERR	267 40 06	73.414	73.444
64543	78H7449	E 468781.544 N5384582.478 El 91.125	0.9996006	0.9999886	914945 810333 362020	78H7421 84H0529 78H7427	TERR TERR TERR	25 06 14 208 15 03 298 44 50	116.719 110.549 156.276	116.766 110.593 156.339
781336	78H7450	E 468270.434 N5385047.733 El 138.121	0.9995936	0.9999813	540807 965871	78H7410 78H7476	TERR TERR	94 07 21 260 06 48	115.624 133.284	115.671 133.338
884726	78H7451	E 468479.280 N5384497.283 El 98.632	0.9995997	0.9999874	346981 23176	78H7422 78H7480	TERR TERR	112 43 38 344 05 29	86.215 67.123	86.250 67.150
831339	78H7456	E 468419.973 N5384642.018 El 104.269	0.9995988	0.9999866	23176 855882	78H7480 78H7429	TERR TERR	152 58 13 255 06 58	90.015 99.174	90.052 99.214
480202	78H7459	E 468182.698 N5393562.973 El 59.753	0.9996060	0.9999936	805481 990895	78H7432 78H7441	TERR TERR	106 29 36 262 19 01	116.237 179.411	116.283 179.481
461228	78H7460	E 467585.714 N5393529.257 El 97.164	0.9996006	0.9999877		MARKER DESTROYED				
68841	78H7463	E 467093.907 N5393062.565 El 118.259	0.9995977	0.9999844	537860 515635	78H7474 84H0521	TERR TERR	189 37 34 329 19 54	116.891 193.721	116.938 193.799

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
133876	78H7464	E 468488.636	0.9995938	0.9999816	626929	78H7430	TERR	47 55	97.158	97.198
		N5384922.818			461624	78H7445	TERR	87 40 06	73.414	73.444
		El 136.222								
362582	78H7467	E 468156.645	0.9995939	0.9999815	657817	77H6278	GPS	94 03 38	2204.192	2205.068
		N5384941.552			228049	84H0505	TERR	105 31 31	96.920	96.959
		El 136.861			673251	77H6214	GPS	177 25 01	2104.943	2105.782
					654566	84H0503	TERR	203 45 53	71.920	71.949
					513093	99H2276	GPS	335 07 45	1648.413	1649.071
		965871	78H7476	TERR	348 07 30	85.119	85.153			
209841	78H7468	E 466312.781	0.9996107	0.9999968	942821	78H7478	TERR	79 55 59	177.184	177.253
		N5393564.650			806679	78H7343	TERR	181 40 26	149.133	149.191
		El 38.977			752378	78H7342	TERR	359 12 29	170.278	170.344
214833	78H7469	E 468908.890	0.9996002	0.9999883	914945	78H7421	TERR	240 40 57	89.259	89.295
		N5384731.877								
		El 93.382								
747428	78H7470	E 468195.287	0.9995963	0.9999839	911628	84H0504	TERR	142 19 49	104.973	105.016
		N5384700.329			685990	84H0501	TERR	327 31 38	95.128	95.166
		El 121.351								
866087	78H7471	E 467765.929	0.9996029	0.9999902	990895	78H7441	TERR	97 58 52	241.306	241.402
		N5393572.492								
		El 81.411								
537860	78H7474	E 467074.361	0.9995988	0.9999855	68841	78H7463	TERR	9 37 34	116.891	116.938
		N5392947.320								
		El 111.084								
965871	78H7476	E 468139.130	0.9995937	0.9999812	781336	78H7450	TERR	80 06 48	133.284	133.338
		N5385024.849			362582	78H7467	TERR	168 07 30	85.119	85.153
		El 138.256								
268367	78H7477	E 468524.027	0.9995984	0.9999863	23176	78H7480	TERR	254 35 26	65.500	65.526
		N5384579.239								
		El 106.212								
942821	78H7478	E 466487.237	0.9996090	0.9999952	680603	84H0492	TERR	103 24 35	211.109	211.191
		N5393595.622			209841	78H7468	TERR	259 55 59	177.184	177.253
		El 49.217								
649822	78H7479	E 467527.122	0.9996007	0.9999877						
		N5393564.257								
		El 96.900								
						MARKER ISOLATED				

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
23176	78H7480	E 468460.881	0.9995989	0.9999867	268367	78H7477	TERR	74 35 26	65.500	65.526
		N5384561.835			884726	78H7451	TERR	164 05 29	67.123	67.150
		E1 103.414			831339	78H7456	TERR	332 58 13	90.015	90.052
949677	78H8327	E 469308.610	0.9996032	0.9999916	MARKER DESTROYED					
		N5385202.993								
		E1 72.052								
688838	78H8328	E 468480.162	0.9996088	0.9999966	366351	78H7354	TERR	169 36 23	180.565	180.636
		N5393466.905			826933	78H7407	TERR	324 01 56	105.973	106.015
		E1 40.670								
564732	84H0468	E 468499.056	0.9996009	0.9999887	MARKER DESTROYED					
		N5385949.416								
		E1 90.731								
499160	84H0474	E 468627.865	0.9996021	0.9999900	818617	77H6265	TERR	117 03 59	138.913	138.968
		N5385935.612								
		E1 82.645								
18481	84H0475	E 467123.233	0.9996063	0.9999930	414425	78H7321	TERR	271 09 55	413.700	413.862
		N5392638.312								
		E1 63.081								
854281	84H0485	E 468300.092	0.9995948	0.9999825	260877	84H0519	TERR	33 01 36	55.950	55.972
		N5385824.770			149138	78H7436	TERR	151 11 31	59.393	59.418
		E1 130.476								
680603	84H0492	E 466692.590	0.9996067	0.9999931	942821	78H7478	TERR	283 24 35	211.109	211.191
		N5393546.663								
		E1 62.803								
685990	84H0501	E 468144.213	0.9995952	0.9999827	747428	78H7470	TERR	147 31 38	95.128	95.166
		N5384780.583			654566	84H0503	TERR	350 07 56	96.575	96.614
		E1 128.755								
654566	84H0503	E 468127.663	0.9995941	0.9999816	362582	78H7467	TERR	23 45 53	71.920	71.949
		N5384875.730			685990	84H0501	TERR	170 07 56	96.575	96.614
		E1 135.768								
911628	84H0504	E 468259.437	0.9995969	0.9999845	855882	78H7429	TERR	90 36 53	64.693	64.719
		N5384617.238			747428	78H7470	TERR	322 19 49	104.973	105.016
		E1 117.484								
228049	84H0505	E 468250.029	0.9995934	0.9999810	640318	84H0506	TERR	162 55 40	77.485	77.517
		N5384915.610			362582	78H7467	TERR	285 31 31	96.920	96.959
		E1 139.766								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
640318	84H0506	E 468272.776	0.9995935	0.9999811	367540	84H0507	TERR	173 12 31	87.764	87.800
		N5384841.538			228049	84H0505	TERR	342 55 40	77.485	77.517
		El 138.957								
367540	84H0507	E 468283.155	0.9995945	0.9999821	640318	84H0506	TERR	353 12 31	87.764	87.800
		N5384754.390								
		El 132.848								
799528	84H0509	E 469031.298	0.9996003	0.9999885	935163	77H6337	TERR	90 17 34	260.265	260.369
		N5385023.930			486654	78H7395	TERR	271 50 15	293.639	293.757
		El 92.050								
700112	84H0515	E 468314.561	0.9995987	0.9999863	260877	84H0519	TERR	170 53 15	101.190	101.230
		N5385971.592								
		El 105.688								
260877	84H0519	E 468330.587	0.9995974	0.9999850	854281	84H0485	TERR	213 01 36	55.950	55.972
		N5385871.680			700112	84H0515	TERR	350 53 15	101.190	101.230
		El 114.073								
515635	84H0521	E 466995.097	0.9995957	0.9999823	68841	78H7463	TERR	149 19 54	193.721	193.799
		N5393229.192								
		El 131.564								
810333	84H0529	E 468729.217	0.9996016	0.9999896	64543	78H7449	TERR	28 15 03	110.549	110.593
		N5384485.097			346981	78H7422	TERR	262 56 03	171.721	171.790
		El 85.173								
607705	84H0542	E 468454.734	0.9995914	0.9999791	450189	78H7437	TERR	295 05 31	46.470	46.489
		N5385531.349			505727	78H7444	TERR	341 51 11	117.243	117.291
		El 151.638								
635896	85H0500	E 468033.110	0.9996069	0.9999944	241778	88H4400	GPS	129 58 27	2079.564	2080.378
		N5393728.324			614438	79H0493	GPS	165 02 05	4905.045	4906.960
		El 54.625			500884	78H7251	GPS	184 32 49	3298.982	3300.266
					937227	UNMARKED	GPS	193 23 53	5395.485	5397.590
					304923	78H7397	GPS	231 59 39	4310.208	4311.882
					542597	78H7334	GPS	257 08 31	3020.976	3022.153
241778	88H4400	E 469626.754	0.9996102	0.9999989	14928	37-1961	GPS	148 37 38	2183.716	2184.565
		N5392392.328			46938	79H0490	GPS	168 27 01	4473.365	4475.103
		El 26.057			614438	79H0493	GPS	185 29 21	3418.355	3419.684
					937227	UNMARKED	GPS	216 00 40	4836.970	4838.850
					500884	78H7251	GPS	223 32 04	2693.386	2694.431
					635896	85H0500	GPS	309 58 27	2079.564	2080.378
					928242	99H2259	GPS	312 31 17	7080.149	7083.213

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone 10, Central Meridian 123.

Issued: 2003-SEP-09

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
513093	99H2276	E 467463.365	0.9996073	0.9999943	55343	99H2277	GPS	3 43 19	1996.788	1997.565
		N5386437.087			614438	79H0493	GPS	35 43 57	3144.507	3145.735
		E1 54.631			655084	78H7409	GPS	81 22 02	2068.108	2068.915
					657817	77H6278	GPS	119 43 52	3330.339	3331.639
					362582	78H7467	GPS	155 07 45	1648.413	1649.071
					673251	77H6214	GPS	167 38 44	3683.643	3685.086
					933317	99H2275	GPS	201 58 53	4335.691	4337.385
					293092	77H6309	GPS	275 59 32	1952.005	1952.764
					103556	99H2278	GPS	311 44 38	2488.138	2489.103
					937227	UNMARKED	GPS	341 34 31	2152.958	2153.797
55343	99H2277	E 467592.989	0.9996141	1.0000012	500884	78H7251	GPS	5 04 38	2017.980	2018.759
		N5388429.663			614438	79H0493	GPS	71 50 08	1796.291	1796.986
		E1 11.077			655084	78H7409	GPS	131 17 44	2548.936	2549.921
					513093	99H2276	GPS	183 43 19	1996.788	1997.565
					103556	99H2278	GPS	260 23 55	2014.312	2015.087
					937227	UNMARKED	GPS	273 31 60	811.630	811.943
					304923	78H7397	GPS	311 49 03	3966.471	3967.998
103556	99H2278	E 465606.893	0.9996172	1.0000027	500884	78H7251	GPS	42 41 52	3192.136	3193.363
		N5388093.693			937227	UNMARKED	GPS	71 49 45	1237.734	1238.211
		E1 1.344			55343	99H2277	GPS	80 23 55	2014.312	2015.087
					513093	99H2276	GPS	131 44 38	2488.138	2489.103
					933317	99H2275	GPS	177 38 37	5681.922	5684.114
					293092	77H6309	GPS	183 20 35	1455.303	1455.862
					304923	78H7397	GPS	341 58 24	3134.522	3135.723