

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Integrated Survey Area No:3 The Corporation of the City of Nelson
 Order in Council No. 1754/69
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
891705	4901	E 479684.57	.9994928	.9998877	175315	4902	TERR	199 21 49	422.278	422.492		
		N5481417.439					TERR	327 17 6			77.486	77.526
		El 731.462										
175315	4902	E 479544.558	.9994913	.9998861	891705	4901	TERR	19 21 49	422.278	422.492		
		N5481019.048					TERR	231 38 2			257.895	258.025
		El 741.6										
695007	4903	E 478042.304	.9995064	.9999004	301093	74H2218	TERR	11 19 39	52.155	52.181		
		N5481215.987					TERR	99 47 32			121.130	121.189
		El 650.323					TERR	175 29 6			121.964	122.024
							TERR	184 41 18			424.533	424.744
829655	4904	E 479471.68	.9995125	.9999073			MARKER DESTROYED					
		N5482721.302										
		El 606.238										
972281	4905	E 478161.669	.9995064	.9999005	695007	4903	TERR	279 47 32	121.130	121.189		
		N5481195.386					TERR	353 22 41			117.788	117.846
		El 649.899										
340489	74H2194	E 478350.739	.9995007	.9998949			MARKER DESTROYED					
		N5480864.981										
		El 685.326										
754010	74H2195	E 477758.227	.9995028	.9998967	343095	74H2205	TERR	179 40 32	155.629	155.706		
		N5481025.074										
		El 673.983										
395087	74H2196	E 478609.327	.9995058	.9999001			MARKER DESTROYED					
		N5481092.161										
		El 652.412										
523175	74H2197	E 478114.517	.9995188	.9999129	437350	74H2202	TERR	19 31 28	95.453	95.499		
		N5481608.322					TERR	90 45 57			300.487	300.633
		El 570.853					TERR	196 47 34			212.705	212.807
							TERR	248 24 49			306.458	306.606
19448	74H2198	E 477756.635	.9995077	.9999015	417584	74H2206	TERR	179 40 55	201.627	201.727		
		N 5481307.27					TERR	359 40 41			120.329	120.387
		El 643.189										
113662	74H2199	E 479342.353	.9994983	.999893	175315	4902	TERR	51 38 2	257.895	258.025		
		N5480858.977					TERR	330 9 18			392.644	392.840
		El 697.811										

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
173963	74H2200	E 477755.959	.9995118	.9999057	394304	76H2226	TERR	0 22 48	619.004	619.302				
		N5481427.597					19448	74H2198			TERR	179 40 41	120.329	120.387
		El 616.769												
858449	74H2201	E 478594.967	.9995074	.9999017	864132	74H2209	TERR	2 41 30	492.767	493.007				
		N5481334.533					955906	7889			TERR	90 30 40	212.426	212.530
		El 642.131					8649	74H2217			TERR	260 22 8	183.705	183.795
437350	74H2202	E 478146.418	.9995237	.9999178	240861	74H2211	TERR	76 28 30	174.168	174.251				
		N5481698.286					523175	74H2197			TERR	199 31 28	95.453	95.499
		El 539.125					879478	76H2228			TERR	240 20 24	164.835	164.914
149443	74H2203	E 478445.191	.9995222	.9999165	333021	7881	TERR	60 13 54	124.205	124.265				
		N5482176.963					951541	74H2215			TERR	225 1 13	242.480	242.596
		El 547.82												
343095	74H2205	E 477759.108	.999501	.9998948	476648	74H2221	TERR	90 25 59	291.966	292.113				
		N5480869.448					754010	74H2195			TERR	359 40 32	155.629	155.706
		El 686.014												
417584	74H2206	E 477757.754	.9995059	.9998998	485102	74H2223	TERR	92 11 21	294.366	294.511				
		N5481105.646					19448	74H2198			TERR	359 40 55	201.627	201.727
		El 654.146												
529917	74H2207	E 478414.977	.9995146	.9999088	313361	74H2214	TERR	26 44 26	301.525	301.671				
		N5481604.306					8649	74H2217			TERR	180 12 53	300.510	300.656
		El 596.65					523175	74H2197			TERR	270 45 57	300.487	300.633
190462	74H2208	E 478203.94	.9995048	.9998989	85811	74H2210	TERR	90 14 5	209.245	209.348				
		N5481093.787					485102	74H2223			TERR	270 13 54	152.036	152.112
		El 659.753												
864132	74H2209	E 478618.109	.9995185	.9999129	858449	74H2201	TERR	182 41 30	492.767	493.007				
		N5481826.756					313361	74H2214			TERR	304 46 1	82.120	82.160
		El 570.787												
85811	74H2210	E 478413.183	.9995053	.9998995	8649	74H2217	TERR	0 10 53	210.869	210.973				
		N 5481092.93					190462	74H2208			TERR	270 14 5	209.245	209.348
		El 656.209												
240861	74H2211	E 478315.756	.9995229	.9999171	620526	74H2222	TERR	60 11 39	95.556	95.601				
		N5481739.019					437350	74H2202			TERR	256 28 30	174.168	174.251
		El 544.013												
615823	74H2212	E 479483.873	.9995127	.9999075	438077	74H2216	TERR	179 32 56	166.353	166.434				
		N5482721.407					114280	7861			TERR	359 32 57	176.176	176.261
		El 605.111												

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
313361	74H2214	E 478550.649	.9995194	.9999137	864132	74H2209	TERR	124 46 1	82.120	82.160
		N5481873.584			529917	74H2207	TERR	206 44 26	301.525	301.671
		El 565.701			620526	74H2222	TERR	240 11 30	175.152	175.236
951541	74H2215	E 478273.671	.9995225	.9999166	149443	74H2203	TERR	45 1 13	242.480	242.596
		N5482005.564								
		El 546.907								
438077	74H2216	E 479485.183	.9995081	.9999029	946699	7864	TERR	52 25 14	275.701	275.836
		N5482555.059			661355	7868	TERR	233 40 21	207.623	207.726
		El 634.708			615823	74H2212	TERR	359 32 56	166.353	166.434
8649	74H2217	E 478413.851	.9995094	.9999036	529917	74H2207	TERR	0 12 53	300.510	300.656
		N5481303.798			858449	74H2201	TERR	80 22 8	183.705	183.795
		El 629.965			85811	74H2210	TERR	180 10 53	210.869	210.973
301093	74H2218	E 478052.548	.9995072	.9999012	276154	74H2220	TERR	0 12 54	137.563	137.631
		N5481267.126			695007	4903	TERR	191 19 39	52.155	52.181
		El 645.165								
304832	74H2219	E 478608.752	.9995039	.9998982	570937	897009	GPS	18 15 18	3326.194	3327.812
		N5480866.983			607770	7851	GPS	31 0 56	3018.298	3019.780
		El 664.294			435305	84C360	GPS	165 42 8	20792.359	20802.833
					534164	7894	TERR	218 58 6	84.601	84.643
					535658	677103	GPS	320 59 21	10722.653	10729.046
					620526	74H2222	GPS	347 7 51	943.226	943.685
276154	74H2220	E 478053.064	.9995119	.999906	523175	74H2197	TERR	16 47 34	212.705	212.807
		N5481404.688			301093	74H2218	TERR	180 12 54	137.563	137.631
		El 615.022								
476648	74H2221	E 478051.066	.9995016	.9998956	485102	74H2223	TERR	0 12 42	227.163	227.275
		N5480867.241			343095	74H2205	TERR	270 25 59	291.966	292.113
		El 680.863								
620526	74H2222	E 478398.671	.9995228	.999917	570937	897009	GPS	29 12 37	2565.501	2566.725
		N5481786.516			875377	7848	GPS	33 21 12	2310.961	2312.066
		El 544.272			607770	7851	GPS	46 38 12	2428.171	2429.340
					313361	74H2214	TERR	60 11 30	175.152	175.236
					435305	84C360	GPS	165 45 51	21735.304	21746.046
					304832	74H2219	GPS	167 7 51	943.226	943.685
					240861	74H2211	TERR	240 11 39	95.556	95.601
					206573	86H1904	GPS	279 17 23	7300.061	7303.604
					535658	677103	GPS	318 34 46	9884.653	9890.452

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
485102	74H2223	E 478051.905	.9995055	.9998996	190462	74H2208	TERR	90 13 54	152.036	152.112
		N5481094.402			476648	74H2221	TERR	180 12 42	227.163	227.275
		El 655.823			417584	74H2206	TERR	272 11 21	294.366	294.511
					695007	4903	TERR	355 29 6	121.964	122.024
577593	76H2224	E 478511.415	.9995243	.9999186	786665	7899	TERR	30 13 60	277.356	277.489
		N5482515.804								
		El 534.293								
648725	76H2225	E 478159.499	.9995242	.9999183	MARKER DESTROYED					
		N 5482296								
		El 536.355								
394304	76H2226	E 477760.064	.999525	.9999189	173963	74H2200	TERR	180 22 48	619.004	619.302
		N5482046.587								
		El 532.633								
78485	76H2227	E 478147.704	.9995238	.9999179	351833	76H2229	TERR	225 5 8	375.437	375.616
		N5481881.605								
		El 538.62								
879478	76H2228	E 478003.18	.999523	.999917	437350	74H2202	TERR	60 20 24	164.835	164.914
		N5481616.717			351833	76H2229	TERR	269 54 39	121.346	121.404
		El 544.589								
351833	76H2229	E 477881.834	.9995219	.9999158	78485	76H2227	TERR	45 5 8	375.437	375.616
		N5481616.528			879478	76H2228	TERR	89 54 39	121.346	121.404
		El 552.091			207563	76H2230	TERR	203 22 34	131.769	131.832
207563	76H2230	E 477829.553	.999514	.9999079	351833	76H2229	TERR	23 22 34	131.769	131.832
		N5481495.575			523175	74H2197	TERR	68 24 49	306.458	306.606
		El 602.583								
702027	77H2231	E 479346.488	.9995081	.9999028	988162	7869	TERR	87 32 14	110.286	110.340
		N5482261.657			661355	7868	TERR	350 28 51	172.785	172.870
		El 635.187								
577643	7837	E 479228.627	.999524	.9999187	693762	7858	TERR	141 21 51	664.897	665.214
		N5484230.593			718254	7838	TERR	217 53 58	1348.373	1349.017
		El 534								
718254	7838	E 478400.353	.9995226	.9999168	577643	7837	TERR	37 53 58	1348.373	1349.017
		N5483166.604			786665	7899	TERR	148 37 36	481.580	481.809
		El 545.9								
622464	7839	E 479738.188	.9994938	.9998888	746065	7840	TERR	0 31 51	221.736	221.848
		N5481773.943								
		El 724.741								

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
746065	7840	E 479740.242	.999494	.9998889	622464	7839	TERR	180 31 51	221.736	221.848
		N5481995.669			727768	7891	TERR	196 24 59	4235.414	4237.755
		El 723.772			963967	7871	TERR	242 54 43	100.509	100.559
					87023	677104	TERR	328 39 36	4267.629	4270.092
545152	7841	E 479875.043	.9995219	.9999169	604728	7842	TERR	90 13 17	290.917	291.057
		N5483976.486			840405	7847	TERR	180 19 6	260.476	260.601
		El 544.949			727768	7891	TERR	192 25 39	6188.568	6191.902
					87023	677104	TERR	305 15 10	2883.209	2884.833
604728	7842	E 480165.958	.9995202	.9999153	402487	7843	TERR	90 13 24	361.054	361.228
		N5483975.362			86421	7846	TERR	180 12 60	325.329	325.487
		El 555.504			545152	7841	TERR	270 13 17	290.917	291.057
402487	7843	E 480527.009	.9995131	.9999084	734079	7844	TERR	178 51 57	260.561	260.689
		N5483973.955			604728	7842	TERR	270 13 24	361.054	361.228
		El 599.478								
734079	7844	E 480532.167	.999509	.9999043	779728	7845	TERR	270 11 34	182.802	182.892
		N5483713.445			402487	7843	TERR	358 51 57	260.561	260.689
		El 625.581								
779728	7845	E 480349.366	.9995112	.9999064	734079	7844	TERR	90 11 34	182.802	182.892
		N 5483714.06			732214	7852	TERR	180 12 15	260.834	260.962
		El 612.325			840405	7847	TERR	270 14 7	475.774	476.004
86421	7846	E 480164.728	.9995154	.9999105	604728	7842	TERR	0 12 60	325.329	325.487
		N5483650.035			607770	7851	TERR	180 12 57	196.287	196.382
		El 586.109								
840405	7847	E 479873.596	.9995205	.9999155	545152	7841	TERR	0 19 6	260.476	260.601
		N5483716.014			779728	7845	TERR	90 14 7	475.774	476.004
		El 554.203			372250	7850	TERR	180 15 9	261.447	261.572
					875377	7848	TERR	270 14 4	204.355	204.453
875377	7848	E 479669.243	.9995224	.9999173	468520	7859	TERR	19 24 56	219.735	219.840
		N 5483716.85			840405	7847	TERR	90 14 4	204.355	204.453
		El 542.544			927442	7849	TERR	180 15 51	261.706	261.832
					620526	74H2222	GPS	213 21 12	2310.961	2312.066
					693762	7858	TERR	257 32 32	26.089	26.101
					87023	677104	GPS	311 50 21	2884.043	2885.666
927442	7849	E 479668.036	.9995215	.9999164	875377	7848	TERR	0 15 51	261.706	261.832
		N5483455.147			372250	7850	TERR	90 9 42	204.409	204.507
		El 548.689			772467	7855	TERR	180 15 51	373.544	373.722

Integrated Survey Area No:3 The Corporation of the City of Nelson
 Order in Council No. 1754/69
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
141069	7860	E 479928.941	.9995093	.9999043	195081	7854	TERR	52 37 35	294.016	294.160
		N5482901.903			946699	7864	TERR	231 34 28	287.539	287.680
		El 625.751			114280	7861	TERR	269 26 41	446.475	446.692
114280	7861	E 479482.487	.9995189	.9999136	141069	7860	TERR	89 26 41	446.475	446.692
		N5482897.577			615823	74H2212	TERR	179 32 57	176.176	176.261
		El 565.925			837898	7856	TERR	334 46 7	204.150	204.248
244459	7862	E 479200.947	.9995217	.9999164	MARKER DESTROYED					
973784	7863	E 478949.817	.9995236	.9999181	178384	7866	TERR	151 7 9	197.561	197.655
		N5482693.144			672154	7880	TERR	240 7 21	228.470	228.578
		El 537.451								
946699	7864	E 479703.678	.9995098	.9999047	141069	7860	TERR	51 34 28	287.539	287.680
		N5482723.198			438077	74H2216	TERR	232 25 14	275.701	275.836
		El 623.176								
581124	7865	E 479481.059	.9995081	.9999029	MARKER DESTROYED					
178384	7866	E 479045.237	.9995199	.9999144	998310	7867	TERR	150 38 32	314.737	314.889
		N5482520.155			363341	7879	TERR	240 13 56	225.250	225.359
		El 560.972			973784	7863	TERR	331 7 9	197.561	197.655
998310	7867	E 479199.541	.9995118	.9999065	178384	7866	TERR	330 38 32	314.737	314.889
		N5482245.838								
		El 611.639								
661355	7868	E 479317.913	.9995074	.9999022	438077	74H2216	TERR	53 40 21	207.623	207.726
		N5482432.063			702027	77H2231	TERR	170 28 51	172.785	172.870
		El 639.315								
988162	7869	E 479456.672	.9995041	.9998989	820142	7870	TERR	150 14 38	184.756	184.848
		N5482266.396			702027	77H2231	TERR	267 32 14	110.286	110.340
		El 660.224								
820142	7870	E 479548.368	.9995012	.999896	963967	7871	TERR	146 44 17	186.684	186.778
		N5482106.001			962878	7872	TERR	240 14 51	228.130	228.242
		El 678.622			988162	7869	TERR	330 14 38	184.756	184.848
963967	7871	E 479650.758	.9994974	.9998922	746065	7840	TERR	62 54 43	100.509	100.559
		N5481949.901			820142	7870	TERR	326 44 17	186.684	186.778
		El 702.57								

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
962878	7872	E 479350.311	.9995057	.9999005	820142	7870	TERR	60 14 51	228.130	228.242
		N5481992.791			301184	7873	TERR	150 12 9	294.390	294.536
		E1 650.084			909531	7877	TERR	240 13 35	228.360	228.472
301184	7873	E 479496.604	.9995015	.9998963	258111	7874	TERR	150 9 42	293.613	293.760
		N5481737.323			898015	7876	TERR	240 18 13	228.287	228.400
		E1 676.857			962878	7872	TERR	330 12 9	294.390	294.536
258111	7874	E 479642.692	.9994963	.9998911	891705	4901	TERR	147 17 6	77.486	77.526
		N5481482.633			665620	7875	TERR	240 16 29	228.419	228.534
		E1 709.705			301184	7873	TERR	330 9 42	293.613	293.760
665620	7875	E 479444.33	.9994993	.9998941	258111	7874	TERR	60 16 29	228.419	228.534
		N5481369.373			742767	7885	TERR	240 16 13	342.455	342.626
		E1 690.659			898015	7876	TERR	330 11 16	293.728	293.875
898015	7876	E 479298.3	.9995056	.9999003	301184	7873	TERR	60 18 13	228.287	228.400
		N5481624.229			665620	7875	TERR	150 11 16	293.728	293.875
		E1 651.339			146472	7884	TERR	240 18 5	342.567	342.736
					909531	7877	TERR	330 11 18	294.083	294.228
909531	7877	E 479152.096	.9995101	.9999047	962878	7872	TERR	60 13 35	228.360	228.472
		N5481879.394			898015	7876	TERR	150 11 18	294.083	294.228
		E1 622.758			711374	7883	TERR	240 13 36	342.682	342.849
					624973	7878	TERR	330 11 29	294.057	294.201
624973	7878	E 479005.919	.9995146	.9999091	909531	7877	TERR	150 11 29	294.057	294.201
		N5482134.545			935346	7882	TERR	240 6 42	342.136	342.301
		E1 594.686			363341	7879	TERR	330 17 32	315.206	315.358
363341	7879	E 478849.71	.9995207	.9999152	178384	7866	TERR	60 13 56	225.250	225.359
		N5482408.321			624973	7878	TERR	150 17 32	315.206	315.358
		E1 555.943			333021	7881	TERR	240 14 2	341.802	341.965
					672154	7880	TERR	330 11 7	197.099	197.193
672154	7880	E 478751.713	.9995237	.9999181	973784	7863	TERR	60 7 21	228.470	228.578
		N5482579.332			363341	7879	TERR	150 11 7	197.099	197.193
		E1 537.576			786665	7899	TERR	330 15 7	202.833	202.930
333021	7881	E 478553.006	.9995218	.9999161	363341	7879	TERR	60 14 2	341.802	341.965
		N 5482238.63			935346	7882	TERR	150 21 9	315.936	316.088
		E1 550.353			149443	74H2203	TERR	240 13 54	124.205	124.265
935346	7882	E 478709.288	.9995174	.9999118	624973	7878	TERR	60 6 42	342.136	342.301
		N5481964.055			711374	7883	TERR	150 17 54	293.371	293.513
		E1 577.508			333021	7881	TERR	330 21 9	315.936	316.088

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground						
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance						
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres						
711374	7883	E 478854.649	.9995137	.9999082	909531	7877	TERR	60 13 36	342.682	342.849						
		N5481709.228									935346	7882	TERR	330 17 54	293.371	293.513
		El 600.697														
146472	7884	E 479000.731	.9995084	.9999029	898015	7876	TERR	60 18 5	342.567	342.736						
		N5481454.509									742767	7885	TERR	150 9 57	293.916	294.061
		El 634.493									955906	7889	TERR	237 46 33	228.551	228.663
742767	7885	E 479146.951	.9995035	.9998981	665620	7875	TERR	60 16 13	342.455	342.626						
		N5481199.546									113662	74H2199	TERR	150 9 18	392.644	392.840
		El 664.912									261529	7888	TERR	240 9 34	228.362	228.475
											146472	7884	TERR	330 9 57	293.916	294.061
203299	7886	E 479342.29	.9994982	.9998929												
		N5480858.912														
		El 698.068	(PROVISIONAL)													
144469	7887	E 479144.178	.999501	.9998957												
		N5480745.271														
		El 680.69														
261529	7888	E 478948.867	.9995038	.9998983	742767	7885	TERR	60 9 34	228.362	228.475						
		N5481085.916									955906	7889	TERR	330 10 4	284.410	284.550
		El 663.668														
955906	7889	E 478807.384	.9995097	.9999041	146472	7884	TERR	57 46 33	228.551	228.663						
		N5481332.638									261529	7888	TERR	150 10 4	284.410	284.550
		El 626.638									858449	74H2201	TERR	270 30 40	212.426	212.530
391144	7890	E 478596.385	.9995074	.9999017												
		N5481310.634														
		El 641.985														
64949	7892	E 478609.5	.9995057	.9999												
		N5481088.946														
		El 652.821	(PROVISIONAL)													
627711	7893	E 478609.46	.9995042	.9998986												
		N5480969.909														
		El 662.227														
534164	7894	E 478555.547	.9995029	.9998972	304832	74H2219	TERR	38 58 6	84.601	84.643						
		N5480801.206									766444	7895	TERR	180 13 48	337.290	337.459
		El 671.013														

Order in Council No. 1754/69

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
766444	7895	E 478554.193	.9995012	.9998955	534164	7894	TERR	0 13 48	337.290	337.459
		N5480463.919			727768	7891	TERR	180 14 52	2531.023	2532.412
		El 681.719			640771	7896	TERR	269 41 5	545.669	545.943
					87023	677104	TERR	348 42 30	5278.891	5281.920
640771	7896	E 478008.532	.9994974	.9998915	766444	7895	TERR	89 41 5	545.669	545.943
		N5480460.916			251801	7897	TERR	359 50 24	331.959	332.126
		El 707.575								
251801	7897	E 478007.605	.9995003	.9998943	695007	4903	TERR	4 41 18	424.533	424.744
		N5480792.874			640771	7896	TERR	179 50 24	331.959	332.126
		El 689.259								
838136	7898	E 478148.086	.9995094	.9999035	972281	4905	TERR	173 22 41	117.788	117.846
		N5481312.388								
		El 630.662								
786665	7899	E 478651.07	.9995243	.9999186	672154	7880	TERR	150 15 7	202.833	202.930
		N5482755.435			577593	76H2224	TERR	210 13 60	277.356	277.489
		El 534.175			718254	7838	TERR	328 37 36	481.580	481.809
831214	7900	E 477773.642	.9995142	.9999081						
		N5481491.065								
		El 601.675			(PROVISIONAL)					

MARKER DESTROYED

END OF REPORT