

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Integrated Survey Area No:8 District of Mackenzie
 Order in Council No. 1094/72
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
451914	74H2616	E 493656.319	.9994803	.9998797	880740	74H2617	TERR	20 10 54	133.105	133.174
		N6133057.459			552042	9878	TERR	231 19 16	89.915	89.962
		El 779.426			580472	74H2619	TERR	334 8 26	112.593	112.652
880740	74H2617	E 493702.24	.99948	.9998794	794313	74H2618	TERR	35 10 20	109.019	109.076
		N6133182.392			451914	74H2616	TERR	200 10 54	133.105	133.174
		El 781.494								
794313	74H2618	E 493765.039	.9994797	.9998792	864363	9851	TERR	87 35 54	259.190	259.325
		N6133271.507			418152	76H4091	TERR	181 53 19	387.395	387.597
		El 783.146			349340	9880	TERR	185 1 40	368.420	368.612
					880740	74H2617	TERR	215 10 20	109.019	109.076
					16345	74H2625	TERR	264 1 52	265.858	265.997
					893073	76H4092	TERR	285 54 30	106.457	106.513
					39131	74H2621	TERR	302 34 52	126.847	126.913
580472	74H2619	E 493607.21	.9994801	.9998795	451914	74H2616	TERR	154 8 26	112.593	112.652
		N6133158.778			859769	74H2620	TERR	260 59 4	89.799	89.846
		El 780.812								
859769	74H2620	E 493518.52	.99948	.9998794	580472	74H2619	TERR	80 59 4	89.799	89.846
		N6133144.706			69989	9877	TERR	193 7 32	164.665	164.751
		El 781.337			16345	74H2625	TERR	349 46 5	100.757	100.809
39131	74H2621	E 493658.154	.9994795	.9998789	794313	74H2618	TERR	122 34 52	126.847	126.913
		N6133339.813			893073	76H4092	TERR	173 25 55	39.385	39.406
		El 784.733			365304	74H2622	TERR	270 15 3	88.395	88.441
365304	74H2622	E 493569.76	.9994796	.9998791	39131	74H2621	TERR	90 15 3	88.395	88.441
		N 6133340.2			899351	74H2623	TERR	306 26 19	148.778	148.856
		El 783.615								
899351	74H2623	E 493450.069	.9994795	.999879	365304	74H2622	TERR	126 26 19	148.778	148.856
		N6133428.568			788380	74H2624	TERR	162 16 26	97.879	97.930
		El 784.397			561845	74H2626	TERR	215 36 11	182.329	182.424
788380	74H2624	E 493479.87	.9994796	.9998791	16345	74H2625	TERR	167 13 6	93.799	93.849
		N6133335.336			899351	74H2623	TERR	342 16 26	97.879	97.930
		El 783.806								
16345	74H2625	E 493500.622	.9994799	.9998793	794313	74H2618	TERR	84 1 52	265.858	265.997
		N6133243.861			859769	74H2620	TERR	169 46 5	100.757	100.809
		El 782.16			120378	74H2631	TERR	225 13 33	139.463	139.535
					788380	74H2624	TERR	347 13 6	93.799	93.849
561845	74H2626	E 493343.923	.9994799	.9998793	899351	74H2623	TERR	35 36 11	182.329	182.424
		N6133280.322			120378	74H2631	TERR	156 48 40	146.525	146.600
		El 782.493			223172	74H2627	TERR	245 31 55	105.789	105.844

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
223172	74H2627	E 493247.635	.9994802	.9998796	561845	74H2626	TERR	65 31 55	105.789	105.844
		N6133236.506			416560	74H2628	TERR	189 23 24	163.985	164.070
		El 780.088								
416560	74H2628	E 493220.88	.9994808	.9998802	223172	74H2627	TERR	9 23 24	163.985	164.070
		N6133074.718			120378	74H2631	TERR	68 34 35	194.154	194.255
		El 776.519			307421	74H2629	TERR	143 7 6	180.784	180.878
307421	74H2629	E 493329.38	.999481	.9998804	285841	74H2630	TERR	60 22 15	128.185	128.252
		N6132930.113			290791	9875	TERR	125 13 47	86.961	87.007
		El 775.085			416560	74H2628	TERR	323 7 6	180.784	180.878
285841	74H2630	E 493440.804	.9994805	.99988	552042	9878	TERR	86 56 8	145.530	145.606
		N6132993.486			307421	74H2629	TERR	240 22 15	128.185	128.252
		El 777.997			120378	74H2631	TERR	345 33 28	157.114	157.196
120378	74H2631	E 493401.619	.9994802	.9998796	16345	74H2625	TERR	45 13 33	139.463	139.535
		N6133145.635			285841	74H2630	TERR	165 33 28	157.114	157.196
		El 780.064			228338	76H4096	TERR	180 8 18	154.622	154.703
					416560	74H2628	TERR	248 34 35	194.154	194.255
					561845	74H2626	TERR	336 48 40	146.525	146.600
934935	74H2632	E 494471.148	.9994842	.9998837	917518	9453	TERR	140 19 26	369.655	369.847
		N 6131355			95737	9494	TERR	305 35 16	127.932	127.998
		El 753.91								
771329	75H2634	E 494413.364	.9994797	.9998793	66407	75H2635	TERR	64 42 29	115.963	116.024
		N 6132938.53			897124	9883	TERR	257 22 47	201.061	201.165
		El 782.15			494773	75H2638	TERR	326 14 42	205.861	205.968
66407	75H2635	E 494518.211	.9994796	.9998792	771329	75H2634	TERR	244 42 29	115.963	116.024
		N6132988.073			415950	75H2636	TERR	349 33 52	141.220	141.293
		El 782.78								
415950	75H2636	E 494492.632	.9994795	.9998791	738393	9887	TERR	92 56 7	34.370	34.388
		N6133126.957			66407	75H2635	TERR	169 33 52	141.220	141.293
		El 783.486			380485	75H2637	TERR	278 24 9	92.467	92.515
380485	75H2637	E 494401.158	.9994794	.999879	415950	75H2636	TERR	98 24 9	92.467	92.515
		N6133140.469			494773	75H2638	TERR	253 14 5	106.715	106.770
		El 784.323								
494773	75H2638	E 494298.979	.9994799	.9998794	380485	75H2637	TERR	73 14 5	106.715	106.770
		N6133109.687			771329	75H2634	TERR	146 14 42	205.861	205.968
		El 781.359			348037	75H2639	TERR	327 9 5	149.034	149.111

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
348037	75H2639	E 494218.14	.9994801	.9998796	494773	75H2638	TERR	147 9 5	149.034	149.111	
		N6133234.891			595348	75H2640	TERR	268 21 35	153.447	153.526	
		El 780.053			240515	9460	TERR	348 29 3	48.187	48.212	
595348	75H2640	E 494064.756	.9994792	.9998787	348037	75H2639	TERR	88 21 35	153.447	153.526	
		N6133230.499			245860	9882	TERR	192 53 51	334.463	334.637	
		El 785.879			864363	9851	TERR	321 50 32	65.965	65.999	
418152	76H4091	E 493752.272	.9994808	.9998803	794313	74H2618	TERR	1 53 19	387.395	387.597	
		N6132884.322			245860	9882	TERR	85 9 24	238.681	238.806	
		El 775.96									
893073	76H4092	E 493662.659	.9994797	.9998792	794313	74H2618	TERR	105 54 30	106.457	106.513	
		N6133300.687			898650	76H4093	TERR	260 25 25	280.457	280.603	
		El 783.054			39131	74H2621	TERR	353 25 55	39.385	39.406	
898650	76H4093	E 493386.11	.9994801	.9998795	893073	76H4092	TERR	80 25 25	280.457	280.603	
		N 6133254.03			717074	76H4094	TERR	239 8 5	325.156	325.326	
		El 781.021									
717074	76H4094	E 493107.004	.9994812	.9998805	898650	76H4093	TERR	59 8 5	325.156	325.326	
		N6133087.218			484402	76H4095	TERR	161 34 22	180.920	181.014	
		El 774.348									
484402	76H4095	E 493164.193	.9994814	.9998808	228338	76H4096	TERR	72 20 50	248.767	248.897	
		N6132915.575			772806	9876	TERR	92 9 46	316.653	316.817	
		El 773.007			717074	76H4094	TERR	341 34 22	180.920	181.014	
228338	76H4096	E 493401.246	.9994807	.9998801	120378	74H2631	TERR	0 8 18	154.622	154.703	
		N6132991.013			484402	76H4095	TERR	252 20 50	248.767	248.897	
		El 777.022									
391573	90H6533	E 494059.849	.9994862	.9998857	833798	9488	TERR	187 22 23	277.404	277.547	
		N6131345.376									
		El 741.251									
668640	9451	E 495031.354	.9994818	.9998815	800094	9454	TERR	240 59 35	238.151	238.275	
		N6131188.419									
		El 768.27									
809921	9452	E 494568.959	.9994807	.9998803	468447	9459	TERR	108 34 10	219.205	219.319	
		N6132027.287			332262	9484	TERR	324 53 5	189.061	189.159	
		El 775.737									
917518	9453	E 494707.153	.999483	.9998826	800094	9454	TERR	88 47 27	115.949	116.009	
		N6131070.489			833798	9488	TERR	269 58 53	682.903	683.255	
		El 761.131			934935	74H2632	TERR	320 19 26	369.655	369.847	
					528448	9475	TERR	320 57 22	543.115	543.396	

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----										
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING										
491282	9477	E 494984.351	.9994802	.9998799	269977	9464	TERR	180 0 6	162.839	162.924						
		N6132679.069									796292	9465	TERR	359 58 12	85.916	85.961
		El 778.55														
817007	9478	E 494984.287 N6132880.188 El 758.495	.9994834	.9998883						MARKER DESTROYED						
216002	9479	E 494923.214 N6132880.135 El 784.464	.9994793	.9998789	475905	9480	TERR	270 0 9	112.162	112.220						
475905	9480	E 494811.052	.9994799	.9998795	216002	9479	TERR	90 0 9	112.162	112.220						
		N 6132880.14 El 781.05			459339	9550	TERR	269 58 40	123.817	123.882						
51805	9483	E 494663.204	.9994794	.999879	832956	9485	TERR	69 10 15	239.430	239.555						
		N6132343.627 El 784.128			332262	9484	TERR	231 27 44	259.521	259.655						
332262	9484	E 494460.207	.9994814	.9998809	51805	9483	TERR	51 27 44	259.521	259.655						
		N6132181.938			809921	9452	TERR	144 53 5	189.061	189.159						
		El 771.839			950253	9472	TERR	233 13 32	384.181	384.380						
832956	9485	E 494886.986 N6132428.764 El 793.973	.9994778	.9998775	51805	9483	TERR	249 10 15	239.430	239.555						
446120	9486	E 494976.557 N6131332.396 El 771.437	.9994814	.999881	778944	9491	TERR	348 20 48	111.917	111.975						
524942	9487	E 493759.27 N6132679.089 El 772.851	.9994813	.9998808						MARKER DESTROYED						
833798	9488	E 494024.25	.9994864	.9998859	391573	90H6533	TERR	7 22 23	277.404	277.547						
		N6131070.266			528448	9475	TERR	38 55 12	542.451	542.731						
		El 740.024			917518	9453	TERR	89 58 53	682.903	683.255						
770727	9489	E 493792.215 N 6131070.3 El 727.283	.9994884	.9998879						MARKER DESTROYED						
351379	9490	E 494066.913 N6131283.948 El 740.079	.9994864	.9998859						MARKER DESTROYED						

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
778944	9491	E 494953.951 N6131442.006 El 771.857	.9994813	.9998809	446120	9486	TERR	168 20 48	111.917	111.975
368258	9492	E 494984.294 N6131070.133 El 739.475	.9994864	.999886		MARKER DESTROYED				
723148	9493	E 494149.296 N6131427.097 El 748.811	.999485	.9998845	95737	9494	TERR	89 22 52	217.827	217.939
95737	9494	E 494367.11 N 6131429.45 El 758.019	.9994835	.9998831	934935 723148 528448	74H2632 9493 9475	TERR TERR TERR	125 35 16 269 22 52 358 6 37	127.932 217.827 62.890	127.998 217.939 62.923
393272	9495	E 494822.957 N 6131129.34 El 764.804	.9994824	.999882	707802	9496	TERR	57 30 54	74.716	74.755
707802	9496	E 494885.982 N6131169.468 El 764.582	.9994824	.9998821	393272 2683	9495 9497	TERR TERR	237 30 54 335 56 1	74.716 129.665	74.755 129.732
2683	9497	E 494833.105 N6131287.862 El 764.984	.9994824	.999882	707802	9496	TERR	155 56 1	129.665	129.732
484550	9498	E 494682.609 N6133282.321 El 761.878	.9994829	.9998825	98194	9462	TERR	271 27 51	43.672	43.695
496091	9499	E 494682.617 N6133160.759 El 772.058	.9994813	.9998809	909648	9463	TERR	180 2 31	90.175	90.222
864363	9851	E 494024.001 N6133282.368 El 788.639	.9994788	.9998783	240515 595348 245860 349340 794313 627497	9460 75H2640 9882 9880 74H2618 9481	TERR TERR TERR TERR TERR TERR	90 4 51 141 50 32 185 7 34 217 37 27 267 35 54 270 0 34	184.519 65.965 379.412 477.081 259.190 264.703	184.615 65.999 379.609 477.330 259.325 264.841
650051	9852	E 493732.739 N6132410.311 El 770.028	.9994817	.9998812	846576 83	9863 9471	TERR TERR	2 34 18 85 53 60	164.941 292.886	165.027 293.038

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
302190	9853	E 493658.088 N6132415.101 El 769.568	.9994818	.9998813		MARKER DESTROYED				
338780	9854	E 493663.979 N6132513.845 El 771.156	.9994816	.999881	821694 108811	9855 9858	TERR TERR	0 9 45 266 21 44	91.748 219.848	91.796 219.962
821694	9855	E 493664.239 N6132605.593 El 773.406	.9994812	.9998807	846576 338780 409144 73130	9863 9854 9861 9856	TERR TERR TERR TERR	111 53 48 180 9 45 270 37 7 359 43 20	81.802 91.748 105.392 91.142	81.844 91.796 105.446 91.189
73130	9856	E 493663.797 N6132696.734 El 775.981	.9994808	.9998803	821694	9855	TERR	179 43 20	91.142	91.189
582585	9857	E 493451.098 N6132414.929 El 765.432	.9994825	.9998819	999656 108811	9859 9858	TERR TERR	284 15 13 355 36 33	80.311 85.217	80.353 85.261
108811	9858	E 493444.574 N6132499.896 El 769.05	.9994819	.9998814	338780 582585 999656 133215 584953	9854 9857 9859 9862 9860	TERR TERR TERR TERR TERR	86 21 44 175 36 33 227 34 4 263 54 48 359 24 43	219.848 85.217 96.623 77.958 90.633	219.962 85.261 96.673 77.998 90.680
999656	9859	E 493373.259 N6132434.703 El 766.157	.9994824	.9998818	108811 582585 133215	9858 9857 9862	TERR TERR TERR	47 34 4 104 15 13 353 46 53	96.623 80.311 57.264	96.673 80.353 57.294
584953	9860	E 493443.644 N6132590.524 El 771.156	.9994816	.999881	409144 108811 856591	9861 9858 9869	TERR TERR TERR	81 59 33 179 24 43 304 29 19	116.343 90.633 85.384	116.404 90.680 85.428
409144	9861	E 493558.853 N6132606.731 El 774.616	.9994811	.9998805	821694 584953	9855 9860	TERR TERR	90 37 7 261 59 33	105.392 116.343	105.446 116.404
133215	9862	E 493367.056 N 6132491.63 El 767.828	.9994822	.9998816	169185 108811 999656 62901	9867 9858 9859 9864	TERR TERR TERR TERR	0 3 9 83 54 48 173 46 53 275 52 5	95.933 77.958 57.264 142.686	95.982 77.998 57.294 142.759
846576	9863	E 493740.14 N6132575.086 El 772.067	.9994814	.9998809	650051 821694	9852 9855	TERR TERR	182 34 18 291 53 48	164.941 81.802	165.027 81.844

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
62901	9864	E 493225.118	.9994824	.9998818	133215	9862	TERR	95 52 5	142.686	142.759
		N6132506.218			697557	9865	TERR	329 11 38	67.828	67.864
		El 766.17								
697557	9865	E 493190.381	.9994822	.9998816	792341	9866	TERR	71 48 39	73.217	73.255
		N6132564.476			62901	9864	TERR	149 11 38	67.828	67.864
		El 767.587								
792341	9866	E 493259.939	.999482	.9998814	766410	9868	TERR	2 17 50	140.884	140.957
		N6132587.331			169185	9867	TERR	89 52 34	107.205	107.260
		El 769.181			697557	9865	TERR	251 48 39	73.217	73.255
169185	9867	E 493367.144	.9994816	.9998811	856591	9869	TERR	6 48 19	51.673	51.701
		N6132587.563			667683	9870	TERR	7 36 53	176.778	176.870
		El 771.046			133215	9862	TERR	180 3 9	95.933	95.982
					792341	9866	TERR	269 52 34	107.205	107.260
766410	9868	E 493265.586	.9994815	.9998809	667683	9870	TERR	74 29 31	129.705	129.772
		N6132728.102			792341	9866	TERR	182 17 50	140.884	140.957
		El 772			194209	9871	TERR	241 43 40	64.440	64.474
856591	9869	E 493373.267	.9994814	.9998808	667683	9870	TERR	7 56 56	125.112	125.177
		N6132638.872			584953	9860	TERR	124 29 19	85.384	85.428
		El 772.631			169185	9867	TERR	186 48 19	51.673	51.701
667683	9870	E 493390.569	.999481	.9998804	869172	9874	TERR	1 57 36	91.167	91.215
		N6132762.782			290791	9875	TERR	4 48 11	117.580	117.641
		El 775.006			169185	9867	TERR	187 36 53	176.778	176.870
					856591	9869	TERR	187 56 56	125.112	125.177
					766410	9868	TERR	254 29 31	129.705	129.772
194209	9871	E 493208.833	.9994816	.999881	766410	9868	TERR	61 43 40	64.440	64.474
		N6132697.579			272922	9872	TERR	318 11 25	106.708	106.763
		El 771.305								
272922	9872	E 493137.695	.9994816	.999881	692137	9873	TERR	64 21 44	123.881	123.946
		N6132777.115			194209	9871	TERR	138 11 25	106.708	106.763
		El 771.601								
692137	9873	E 493249.38	.9994814	.9998808	869172	9874	TERR	80 52 28	146.157	146.232
		N6132830.716			272922	9872	TERR	244 21 44	123.881	123.946
		El 772.726								
869172	9874	E 493393.687	.9994811	.9998805	290791	9875	TERR	14 28 40	26.908	26.921
		N6132853.896			772806	9876	TERR	60 13 44	100.152	100.203
		El 774.768			667683	9870	TERR	181 57 36	91.167	91.215
					692137	9873	TERR	260 52 28	146.157	146.232

Integrated Survey Area No:8 District of Mackenzie
 Order in Council No. 1094/72
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
290791	9875	E 493400.414	.999481	.9998805	772806	9876	TERR	73 33 14	83.628	83.670
		N6132879.949			667683	9870	TERR	184 48 11	117.580	117.641
		El 774.902			869172	9874	TERR	194 28 40	26.908	26.921
					307421	74H2629	TERR	305 13 47	86.961	87.007
772806	9876	E 493480.62	.9994807	.9998802	69989	9877	TERR	0 21 36	80.720	80.762
		N6132903.625			286963	9879	TERR	100 12 54	132.372	132.441
		El 776.713			869172	9874	TERR	240 13 44	100.152	100.203
					290791	9875	TERR	253 33 14	83.628	83.670
					484402	76H4095	TERR	272 9 46	316.653	316.817
69989	9877	E 493481.127	.9994806	.99988	859769	74H2620	TERR	13 7 32	164.665	164.751
		N6132984.343			552042	9878	TERR	80 50 39	106.354	106.410
		El 777.779			772806	9876	TERR	180 21 36	80.720	80.762
552042	9878	E 493586.126	.9994803	.9998798	451914	74H2616	TERR	51 19 16	89.915	89.962
		N6133001.266			286963	9879	TERR	168 26 33	123.623	123.687
		El 779.123			69989	9877	TERR	260 50 39	106.354	106.410
					285841	74H2630	TERR	266 56 8	145.530	145.606
286963	9879	E 493610.894	.9994805	.9998799	349340	9880	TERR	78 41 51	124.268	124.332
		N 6132880.15			772806	9876	TERR	280 12 54	132.372	132.441
		El 778.133			552042	9878	TERR	348 26 33	123.623	123.687
349340	9880	E 493732.752	.9994808	.9998802	794313	74H2618	TERR	5 1 40	368.420	368.612
		N6132904.505			864363	9851	TERR	37 37 27	477.081	477.330
		El 776.38			245860	9882	TERR	90 0 25	257.349	257.483
					286963	9879	TERR	258 41 51	124.268	124.332
535641	9881	E 493740.318 N 6132741.52 El 774.74	.999481	.9998805						
245860	9882	E 493990.101	.9994803	.9998798	864363	9851	TERR	5 7 34	379.412	379.609
		N6132904.474			595348	75H2640	TERR	12 53 51	334.463	334.637
		El 778.919			897124	9883	TERR	92 29 23	227.275	227.393
					418152	76H4091	TERR	265 9 24	238.681	238.806
					349340	9880	TERR	270 0 25	257.349	257.483
897124	9883	E 494217.161	.9994803	.9998799	771329	75H2634	TERR	77 22 47	201.061	201.165
		N6132894.601			245860	9882	TERR	272 29 23	227.275	227.393
		El 778.498								
294876	9884	E 494405.188 N6132930.753 El 781.397	.9994799	.9998794						

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
30072	9885	E 494440.062 N 6133002.74 El 785.677	.9994792	.9998788		MARKER DESTROYED				
321125	9886	E 494546.039 N6133017.631 El 783.513	.9994795	.9998791		MARKER DESTROYED				
738393	9887	E 494526.957 N6133125.197 El 782.059	.9994797	.9998793	415950	75H2636	TERR	272 56 7	34.370	34.388
607747	9888	E 494385.75 N6133186.575 El 786.198	.9994791	.9998787		MARKER DESTROYED				
127779	9889	E 494401.465 N6133074.311 El 786.329	.9994791	.9998787		MARKER DESTROYED				
365510	9890	E 494269.111 N6133227.643 El 781.916	.9994798	.9998794		MARKER DESTROYED				

END OF REPORT