

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
874677	3601	E 450860.451 N5407734.261 El 42.937	.9996257	.999996	598169 918961	3693 78H8207	TERR TERR	96 33 44 247 26 3	275.608 293.347	275.712 293.456
			(NOT INTEGRATED)							
469924	3602	E 450435.467 N5407588.032 El 19.727	.9996299	.9999997						
			(NOT INTEGRATED)							MARKER DESTROYED
509463	3603	E 449921.101 N5407850.123 El 20.001	.9996304	.9999996	211060 659417	78H8211 78H8212	TERR TERR	114 22 43 270 15 42	190.138 937.680	190.208 938.027
			(NOT INTEGRATED)							
520833	3604	E 449022.963 N5407855.973 El 25.765	.9996306	.9999987						
			(NOT INTEGRATED)							MARKER DESTROYED
804948	3605	E 448317.566 N5407746.276 El 60.097	.9996261	.9999933						
			(NOT INTEGRATED)							MARKER DESTROYED
79541	3606	E 446895.831 N5403241.015 El 45.135	.9996303	.9999956	104182 821629	3770 3630	TERR TERR	108 39 42 333 55 20	140.781 153.916	140.833 153.973
			(NOT INTEGRATED)							
872085	3607	E 447633.832 N5407478.457 El 59.399	.9996271	.9999934	679100 374090 472134 58594	78H8173 3608 73H2015 4515	TERR TERR TERR TERR	65 13 2 180 5 52 246 59 51 359 56 56	176.645 570.156 1079.504 604.165	176.710 570.368 1079.904 604.392
			(NOT INTEGRATED)							
374090	3608	E 447632.86 N5406908.302 El 47.174	.999629	.9999953	872085 15032 849422	3607 3749 3609	TERR TERR TERR	0 5 52 90 28 3 180 11 8	570.156 409.140 155.274	570.368 409.292 155.332
			(NOT INTEGRATED)							
849422	3609	E 447632.357 N5406753.029 El 43.178	.9996297	.999996	374090 162222 581330	3608 3750 3610	TERR TERR TERR	0 11 8 90 26 1 180 33 51	155.274 310.464 521.603	155.332 310.579 521.795
			(NOT INTEGRATED)							
581330	3610	E 447627.221 N5406231.451 El 31.129	.9996316	.9999979	849422 908186 753467	3609 3612 3611	TERR TERR TERR	0 33 51 54 31 48 212 3 3	521.603 348.431 290.666	521.795 348.560 290.774
			(NOT INTEGRATED)							
753467	3611	E 447472.973 N5405985.089 El 34.991	.9996311	.9999972	581330 414029	3610 79H8678	TERR TERR	32 3 3 211 3 2	290.666 186.803	290.774 186.871
			(NOT INTEGRATED)							
908186	3612	E 447910.99 N5406433.638 El 31.096	.9996312	.9999979	804591 581330	3613 3610	TERR TERR	76 12 18 234 31 48	214.044 348.431	214.123 348.560
			(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804591	3613	E 448118.86 N5406484.677 El 30.98	.999631	.9999979	908186	3612	TERR	256 12 18	214.044	214.123
				(NOT INTEGRATED)						
304303	3614	E 448256.071 N5406805.378 El 24.753	.9996318	.9999989	691022	3615	TERR	72 6 41	236.646	236.733
				(NOT INTEGRATED)						
691022	3615	E 448481.276 N5406878.068 El 17.605	.9996326	1	304303	3614	TERR	252 6 41	236.646	236.733
				(NOT INTEGRATED)						
182774	3616	E 448668.568 N5407036.981 El 12.991	.9996331	1.0000007	49486	3617	TERR	359 40 23	309.460	309.574
				(NOT INTEGRATED)						
49486	3617	E 448666.802 N5407346.436 El 21.034	.9996318	.9999994	182774 506048	3616 3618	TERR TERR	179 40 23 357 15 17	309.460 314.345	309.574 314.461
				(NOT INTEGRATED)						
506048	3618	E 448651.746 N 5407660.42 El 25.89	.9996311	.9999987	850925 659417 49486 391599	78H8219 78H8212 3617 8023	TERR TERR TERR TERR	16 20 10 59 40 44 177 15 17 347 34 42	252.928 384.246 314.345 205.030	253.022 384.388 314.461 205.105
				(NOT INTEGRATED)						
580738	3619	E 446867.584 N5407155.362 El 38.469	.9996314	.9999967						
				(NOT INTEGRATED)						
406371	3620	E 446634.723 N5407063.045 El 39.615	.9996315	.9999965						
				(NOT INTEGRATED)						
649293	3621	E 444778.389 N5405020.257 El 82.067	.9996273	.9999898	761866	3680	TERR	89 40 48	175.437	175.503
				(NOT INTEGRATED)						
567396	3622	E 449693.021 N5405587.804 El 54.443	.9996253	.9999942	424960 860445	3623 3738	TERR TERR	0 7 54 179 6 1	626.554 193.465	626.788 193.537
				(NOT INTEGRATED)						
424960	3623	E 449694.461 N5406214.356 El 40.581	.9996275	.9999964	567396 391805	3622 3741	TERR TERR	180 7 54 357 51 34	626.554 156.284	626.788 156.341
				(NOT INTEGRATED)						
250431	3624	E 445918.143 N5405826.813 El 55.684	.9996299	.999994	462713 653717 980649	3625 3635 3634	TERR TERR TERR	89 51 23 270 9 57 357 42 60	432.895 616.541 371.185	433.056 616.768 371.321
				(NOT INTEGRATED)						

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
462713	3625	E 446351.037 N5405827.898 El 43.032	.9996313	.999996	238618 250431	3626 3624	TERR TERR	90 24 50 269 51 23	367.887 432.895	368.021 433.056
			(NOT INTEGRATED)							
238618	3626	E 446718.914 N 5405825.24 El 28.246	.9996332	.9999983	514000 462713	3627 3625	TERR TERR	90 18 10 270 24 50	481.279 367.887	481.456 368.021
			(NOT INTEGRATED)							
514000	3627	E 447200.186 N5405822.696 El 33.241	.9996318	.9999975	414029 238618	79H8678 3626	TERR TERR	89 14 5 270 18 10	176.451 481.279	176.515 481.456
			(NOT INTEGRATED)							
894329	3628	E 447640.047 N5404502.497 El 8.763	.999635	1.0000014	675033	8035	TERR	154 3 34	244.528	244.617
			(NOT INTEGRATED)							
300293	3629	E 449157.623 N5404992.691 El 35.281	.999629	.9999972	482554 441618	3737 3736	TERR TERR	11 29 24 269 42 12	167.433 291.343	167.495 291.451
			(NOT INTEGRATED)							
821629	3630	E 446828.171 N5403379.262 El 47.189	.9996301	.9999953	79541 611954	3606 3796	TERR TERR	153 55 20 359 59 22	153.916 169.991	153.973 170.054
			(NOT INTEGRATED)							
692194	3631	E 446133.848 N5407612.307 El 44.409	.9996314	.9999958	769810 932301	8026 73H2013	TERR TERR	1 10 21 198 12 41	174.189 593.541	174.252 593.759
			(NOT INTEGRATED)							
807651	3632	E 445960.54 N 5407050.75 El 33.821	.9996333	.9999974						
			(NOT INTEGRATED)			MARKER DESTROYED				
377499	3633	E 445884.849 N5406785.742 El 36.445	.999633	.999997	932301 980649	73H2013 3634	TERR TERR	13 35 12 178 11 51	270.320 588.330	270.419 588.547
			(NOT INTEGRATED)							
980649	3634	E 445903.354 N5406197.703 El 51.612	.9996306	.9999946	250431 377499	3624 3633	TERR TERR	177 42 60 358 11 51	371.185 588.330	371.321 588.547
			(NOT INTEGRATED)							
653717	3635	E 445301.605 N5405828.598 El 67.266	.9996289	.9999922	250431 761866	3624 3680	TERR TERR	90 9 57 203 18 17	616.541 879.081	616.768 879.408
			(NOT INTEGRATED)							
790527	3636	E 444582.039 N5405833.554 El 102.751	.9996243	.9999866	356956	3637	TERR	0 5 49	254.470	254.566
			(NOT INTEGRATED)							

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
356956	3637	E 444582.469	.9996245	.9999868	790527	3636	TERR	180 5 49	254.470	254.566
		N5406088.024			607929		TERR	359 27 28	217.719	217.800
		El 101.486			(NOT INTEGRATED)					
607929	3638	E 444580.409	.9996263	.9999886	463125	8056	TERR	36 58 27	984.378	984.746
		N5406305.733			356956		TERR	179 27 28	217.719	217.800
		El 90.282			(NOT INTEGRATED)					
546622	3639	E 442872.019	.9996314	.9999913	68338	3640	TERR	183 34 59	178.557	178.623
		N5403513.377			(NOT INTEGRATED)					
		El 72.323								
68338	3640	E 442860.86	.9996324	.9999923	546622	3639	TERR	3 34 59	178.557	178.623
		N5403335.169			289728		TERR	201 31 40	85.493	85.524
		El 66.221			(NOT INTEGRATED)					
289728	3641	E 442829.488	.9996315	.9999914	68338	3640	TERR	21 31 40	85.493	85.524
		N 5403255.64			447052		TERR	178 51 2	165.841	165.902
		El 72.042			(NOT INTEGRATED)					
849364	3642	E 442640.663	.9996316	.9999912	447052	3661	TERR	37 55 24	312.643	312.759
		N5402843.208			932657		TERR	177 57 29	277.996	278.098
		El 73.118			(NOT INTEGRATED)					
932657	3643	E 442650.568	.9996318	.9999914	644179	2696	TERR	9 4 6	6477.464	6480.208
		N5402565.389			689570		TERR	92 4 30	346.716	346.845
		El 72.103			849364		TERR	357 57 29	277.996	278.098
689570	3644	E 442997.057	.9996296	.9999897	870501	3645	TERR	88 3 33	154.692	154.748
		N5402552.836			932657		TERR	272 4 30	346.716	346.845
		El 82.997			(NOT INTEGRATED)					
870501	3645	E 443151.66	.9996294	.9999897	876532	3660	TERR	69 7 10	176.960	177.026
		N5402558.075			689570		TERR	268 3 33	154.692	154.748
		El 82.884			(NOT INTEGRATED)					
742643	3646	E 443569.367	.9996308	.9999917	876532	3660	TERR	247 27 51	273.233	273.333
		N5402725.866			(NOT INTEGRATED)					
		El 70.241								
127639	3647	E 444688.173	.9996277	.9999901	891382	3662	TERR	72 0 3	204.229	204.305
		N5403007.663			(NOT INTEGRATED)					
		El 80.089								
297630	3648	E 445843.759	.9996272	.9999912	481234	8038	TERR	276 53 18	157.647	157.706
		N5403325.431			(NOT INTEGRATED)					
		El 73.661								

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
447052	3661	E 442832.815 N5403089.832 El 71.53	.9996316	.9999915	849364 289728	3642 3641	TERR TERR	217 55 24 358 51 2	312.643 165.841	312.759 165.902
				(NOT INTEGRATED)						
891382	3662	E 444882.407 N 5403070.77 El 79.093	.9996276	.9999903	695999 127639	8041 3647	TERR TERR	74 18 44 252 0 3	543.678 204.229	543.881 204.305
				(NOT INTEGRATED)						
969667	3663	E 446754.127 N5405121.354 El 28.804	.999633	.9999982	276766	3664	TERR	196 2 7	206.902	206.978
				(NOT INTEGRATED)						
276766	3664	E 446696.975 N5404922.502 El 30.228	.9996329	.999998	969667 545103 390302	3663 74H2027 3665	TERR TERR TERR	16 2 7 88 55 44 195 54 50	206.902 256.828 335.860	206.978 256.922 335.984
390302	3665	E 446604.885 N5404599.514 El 36.067	.9996321	.9999971	276766 769547	3664 8032	TERR TERR	15 54 50 90 15 28	335.860 135.205	335.984 135.255
				(NOT INTEGRATED)						
841429	3666	E 448207.796 N5407741.865 El 62.42	.9996259	.999993	494294 679100	78H8183 78H8173	TERR TERR	87 42 38 245 23 57	109.847 454.877	109.888 455.048
				(NOT INTEGRATED)						
219873	3667	E 449121.511 N5403373.493 El 8.62	.9996332	1.0000014	519678 237743 774000	3675 93H0982 3668	TERR TERR TERR	0 39 40 178 42 35 269 59 57	396.786 292.835 450.756	396.932 292.943 450.922
774000	3668	E 448670.755 N5403373.487 El 10.162	.9996335	1.0000011	219873 36939 595959 705715 721472 430520	3667 73H2009 93H0990 3782 8042 3673	TERR TERR TERR TERR TERR TERR	89 59 57 182 17 51 185 15 53 242 12 14 319 14 7 359 4 58	450.756 624.314 273.628 170.156 130.448 406.852	450.922 624.543 273.729 170.218 130.495 407.001
291542	3669	E 450681.486 N5403689.151 El 41.261	.9996262	.9999963	475293	78H8199	TERR	180 36 59	230.764	230.851
				(NOT INTEGRATED)						
609800	3670	E 447147.472 N5403496.749 El 29.361	.9996324	.9999981	140368 570457 104182	3757 3766 3770	TERR TERR TERR	0 2 51 76 44 40 201 27 50	245.157 139.790 323.195	245.247 139.842 323.314
122036	3671	E 449696.973 N 5405151.62 El 54.12	.9996254	.9999943						
				(NOT INTEGRATED)		MARKER DESTROYED				

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
224253	3672	E 449903.634 N5405341.687 El 53.38	.9996252	.9999944	613406 66597	3686 86H2455	TERR TERR	52 15 55 227 1 35	208.102 279.482	208.180 279.586
			(NOT INTEGRATED)							
430520	3673	E 448664.243 N5403780.287 El 7.937	.9996339	1.0000015	519678 774000 133587	3675 3668 8044	TERR TERR TERR	91 14 41 179 4 58 297 36 59	461.956 406.852 823.494	462.126 407.001 823.795
302224	3674	E 443118.35 N5404606.655 El 96.298	.9996273	.9999876	895490 435297	3659 78H8208	TERR TERR	89 42 60 89 44 56	945.155 871.652	945.506 871.977
519678	3675	E 449126.09 N5403770.253 El 6.818	.9996335	1.0000017	280164 219873 430520	3724 3667 3673	TERR TERR TERR	91 4 46 180 39 40 271 14 41	566.648 396.786 461.956	566.855 396.932 462.126
810309	3676	E 449675.351 N5403209.691 El 7.111	.9996327	1.0000016						MARKER DESTROYED
			(NOT INTEGRATED)							
633917	3677	E 450118.826 N5403296.689 El 8.376	.999632	1.0000014						MARKER DESTROYED
			(NOT INTEGRATED)							
960120	3678	E 447377.503 N5405817.134 El 22.778	.9996332	.9999992						MARKER DESTROYED
			(NOT INTEGRATED)							
762815	3679	E 445908.164 N5405013.084 El 57.476	.9996297	.9999937	94516 939371	8028 8027	TERR TERR	176 12 38 271 21 19	406.192 303.944	406.342 304.056
			(NOT INTEGRATED)							
761866	3680	E 444953.823 N5405021.237 El 83.192	.9996269	.9999897	653717 791806 649293	3635 3657 3621	TERR TERR TERR	23 18 17 179 46 15 269 40 48	879.081 442.512 175.437	879.408 442.676 175.503
769067	3681	E 449700.524 N5403977.691 El 17.87	.999631	1	280164 574954	3724 74H2028	TERR TERR	182 4 15 358 31 21	218.257 238.526	218.337 238.615
			(NOT INTEGRATED)							
857656	3682	E 449702.59 N 5404294.88 El 43.172	.9996271	.999996						MARKER DESTROYED
			(NOT INTEGRATED)							
339879	3683	E 449698.928 N5404908.123 El 53.117	.9996255	.9999944	66597 533174	86H2455 3734	TERR TERR	0 3 5 286 5 59	243.052 271.831	243.143 271.933
			(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
914879	3684	E 451090.307 N5403700.537 El 49.667	.9996244	.999995	275743 585927	78H8166 78H8172	TERR TERR	35 12 39 254 43 4	302.835 108.341	302.948 108.382
				(NOT INTEGRATED)						
499947	3685	E 450193.629 N5405598.477 El 41.651	.9996267	.9999962	480533 613406	3687 3686	TERR TERR	34 29 38 224 5 52	269.104 180.226	269.204 180.294
				(NOT INTEGRATED)						
613406	3686	E 450068.212 N5405469.047 El 48.353	.9996258	.9999952	499947 224253	3685 3672	TERR TERR	44 5 52 232 15 55	180.226 208.102	180.294 208.180
				(NOT INTEGRATED)						
480533	3687	E 450346.027 N5405820.269 El 33.394	.9996278	.9999975	487876 499947	3688 3685	TERR TERR	32 3 23 214 29 38	240.291 269.104	240.380 269.204
				(NOT INTEGRATED)						
487876	3688	E 450473.562 N5406023.922 El 32.175	.9996279	.9999977	116590 480533	3689 3687	TERR TERR	42 7 57 212 3 23	188.198 240.291	188.268 240.380
				(NOT INTEGRATED)						
116590	3689	E 450599.814 N5406163.489 El 40.295	.9996264	.9999964	806059 487876	3690 3688	TERR TERR	25 7 44 222 7 57	219.581 188.198	219.663 188.268
				(NOT INTEGRATED)						
806059	3690	E 450693.06 N5406362.288 El 37.195	.9996268	.9999969	943159 116590 734228	3691 3689 3746	TERR TERR TERR	17 15 56 205 7 44 268 26 28	489.404 219.581 155.261	489.587 219.663 155.318
				(NOT INTEGRATED)						
943159	3691	E 450838.315 N5406829.639 El 50.371	.9996246	.9999949	161430 806059	8052 3690	TERR TERR	23 45 21 197 15 56	284.466 489.404	284.573 489.587
				(NOT INTEGRATED)						
119339	3692	E 451034.595 N5407360.692 El 56.4	.9996234	.9999939	598169 553529 119339 161430	3693 8051 8052	TERR TERR TERR	16 14 34 16 22 44 196 47 32	356.293 202.898 282.747	356.428 202.975 282.853
				(NOT INTEGRATED)						
598169	3693	E 451134.253 N5407702.764 El 52.057	.999624	.9999946	903435 553529 119339 874677 644179	3694 8051 3692 3601 2696	TERR TERR TERR TERR TERR	94 33 39 196 3 45 196 14 34 276 33 44 279 34 37	564.691 153.397 356.293 275.608 7568.236	564.904 153.454 356.428 275.712 7571.471
				(NOT INTEGRATED)						
903435	3694	E 451697.156 N5407657.861 El 46.067	.9996242	.9999956	67553 598169	3695 3693	TERR TERR	53 29 30 274 33 39	189.869 564.691	189.940 564.904
				(NOT INTEGRATED)						

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
67553	3695	E 451849.767 N5407770.821 El 54.94	.9996227	.9999942	903435	3694	TERR	233 29 30	189.869	189.940
			(NOT INTEGRATED)							
215442	3696	E 452163.811 N5407970.284 El 63.636	.9996209	.9999928						
			(NOT INTEGRATED)							
			MARKER ISOLATED							
154153	3698	E 452445.853 N5408083.174 El 67.047	.9996201	.9999923	903286	3699	TERR	75 10 11	319.981	320.102
			(NOT INTEGRATED)							
903286	3699	E 452755.175 N5408165.075 El 53.374	.9996218	.9999944	590513 159160 154153	8072 3700 3698	TERR TERR TERR	3 3 7 72 45 12 255 10 11	326.561 397.164 319.981	326.686 397.314 320.102
			(NOT INTEGRATED)							
159160	3700	E 453134.482 N5408282.828 El 48.637	.9996222	.9999952	808105 903286	3701 3699	TERR TERR	131 2 16 252 45 12	178.013 397.164	178.081 397.314
			(NOT INTEGRATED)							
808105	3701	E 453268.753 N5408165.952 El 38.597	.9996236	.9999967	793190 159160	3702 3700	TERR TERR	123 9 43 311 2 16	286.580 178.013	286.688 178.081
			(NOT INTEGRATED)							
793190	3702	E 453508.657 N5408009.191 El 28.782	.9996248	.9999983	2717 808105	3703 3701	TERR TERR	110 19 4 303 9 43	140.033 286.580	140.085 286.688
			(NOT INTEGRATED)							
2717	3703	E 453639.977 N5407960.568 El 30.187	.9996245	.9999981	79525 793190	3704 3702	TERR TERR	115 50 49 290 19 4	471.252 140.033	471.429 140.085
			(NOT INTEGRATED)							
79525	3704	E 454064.086 N5407755.118 El 33.738	.9996234	.9999975	496828 2717	3705 3703	TERR TERR	111 21 19 295 50 49	249.799 471.252	249.893 471.429
			(NOT INTEGRATED)							
496828	3705	E 454296.734 N5407664.154 El 38.636	.9996224	.9999967	609917 79525	3706 3704	TERR TERR	116 44 17 291 21 19	156.324 249.799	156.384 249.893
			(NOT INTEGRATED)							
609917	3706	E 454436.343 N5407593.822 El 46.86	.999621	.9999955	667790 496828	3707 3705	TERR TERR	187 8 49 296 44 17	566.525 156.324	566.741 156.384
			(NOT INTEGRATED)							
667790	3707	E 454365.86 N5407031.699 El 74.045	.9996168	.9999912	609917 273375 270371	3706 4506 3708	TERR TERR TERR	7 8 49 93 18 30 221 10 11	566.525 216.662 190.857	566.741 216.744 190.931
			(NOT INTEGRATED)							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
255968	3720	E 451755.625 N5404634.485 El 65.498	.9996211	.9999925		MARKER DESTROYED				
780114	3721	E 451700.84 N5404392.765 El 66.773	.999621	.9999923		MARKER DESTROYED				
93781	3722	E 451589.358 N5404210.032 El 61.39	.9996219	.9999932		MARKER DESTROYED				
57224	3723	E 451259.991 N5403937.345 El 44.992	.9996249	.9999957		MARKER DESTROYED				
280164	3724	E 449692.637 N5403759.577 El 7.492	.9996327	1.0000016	769067 832832 519678	3681 79H8681 3675	TERR TERR TERR	2 4 15 182 11 19 271 4 46	218.257 549.777 566.648	218.337 549.979 566.855
597930	3725	E 450973.922 N5403660.361 El 43.431	.9996255	.999996		MARKER DESTROYED				
702274	3726	E 450856.107 N5403563.309 El 39.371	.9996263	.9999966		MARKER DESTROYED				
357483	3727	E 450679.141 N5403447.726 El 29.303	.9996281	.9999982		MARKER DESTROYED				
979732	3728	E 450434.017 N5403290.424 El 19.678	.9996299	.9999997		MARKER DESTROYED				
152934	3729	E 450314.397 N5403451.052 El 25.009	.9996292	.9999988	963678 1891	79H8686 3730	TERR TERR	143 22 2 324 20 37	196.371 237.705	196.443 237.793
1891	3730	E 450175.833 N5403644.194 El 27.31	.999629	.9999985	152934 10728	3729 3731	TERR TERR	144 20 37 299 56 4	237.705 148.567	237.793 148.622
10728	3731	E 450047.085 N 5403718.33 El 27.237	.9996291	.9999985	1891 866939	3730 3732	TERR TERR	119 56 4 339 15 37	148.567 129.582	148.622 129.630

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
866939	3732	E 450001.197	.9996285	.9999978	10728	3731	TERR	159 15 37	129.582	129.630		
		N5403839.515					520965	3733	TERR	325 17 31	129.086	129.134
		El 31.455					(NOT INTEGRATED)					
520965	3733	E 449927.696	.999628	.9999972	866939	3732	TERR	145 17 31	129.086	129.134		
		N5403945.632					(NOT INTEGRATED)					
		El 35.357										
533174	3734	E 449437.758	.9996267	.9999953	339879	3683	TERR	106 5 59	271.831	271.933		
		N5404983.505					(NOT INTEGRATED)					
		El 47.759										
694083	3735	E 446463.582	.9996292	.9999939	223891	3716	TERR	50 9 17	171.227	171.290		
		N5403575.993					987685	78H8217	TERR	230 52 53	130.471	130.519
		El 55.983					(NOT INTEGRATED)					
441618	3736	E 448866.284	.9996305	.9999984	300293	3629	TERR	89 42 12	291.343	291.451		
		N5404991.183					(NOT INTEGRATED)					
		El 27.673										
482554	3737	E 449190.975	.9996283	.9999966	478669	3739	TERR	0 20 55	241.360	241.449		
		N5405156.769					300293	3629	TERR	191 29 24	167.433	167.495
		El 39.456					(NOT INTEGRATED)					
860445	3738	E 449696.059	.9996253	.9999942	66597	86H2455	TERR	179 16 22	243.208	243.298		
		N5405394.363					567396	3622	TERR	359 6 1	193.465	193.537
		El 54.541					(NOT INTEGRATED)					
478669	3739	E 449192.443	.9996289	.9999972	482554	3737	TERR	180 20 55	241.360	241.449		
		N5405398.124					(NOT INTEGRATED)					
		El 35.64										
391805	3741	E 449688.624	.9996285	.9999974	161083	3744	TERR	82 37 43	139.055	139.106		
		N5406370.531					424960	3623	TERR	177 51 34	156.284	156.341
		El 34.275					(NOT INTEGRATED)					
908996	3742	E 449363.95	.9996316	1.0000001	388819	3743	TERR	84 54 27	128.428	128.475		
		N5406479.678					(NOT INTEGRATED)					
		El 16.843										
388819	3743	E 449491.871	.9996308	.9999994	908996	3742	TERR	264 54 27	128.428	128.475		
		N5406491.078					(NOT INTEGRATED)					
		El 21.26										
161083	3744	E 449826.53	.9996276	.9999967	108035	3745	TERR	90 20 39	255.413	255.508		
		N5406388.372					391805	3741	TERR	262 37 43	139.055	139.106
		El 38.53					(NOT INTEGRATED)					

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
108035	3745	E 450081.938 N5406386.838 El 41.867	.9996268	.9999962	161083	3744	TERR	270 20 39	255.413	255.508
			(NOT INTEGRATED)							
734228	3746	E 450537.857 N5406358.064 El 46.985	.9996255	.9999954	806059	3690	TERR	88 26 28	155.261	155.318
			(NOT INTEGRATED)							
899633	3747	E 451439.539 N5407037.678 El 41.492	.9996252	.9999963	866277 310557 161430	3748 78H8174 8052	TERR TERR TERR	91 4 53 179 17 39 276 8 13	785.559 317.097 489.435	785.855 317.215 489.619
			(NOT INTEGRATED)							
866277	3748	E 452224.958 N5407022.852 El 63.325	.9996209	.9999929	899633	3747	TERR	271 4 53	785.559	785.855
			(NOT INTEGRATED)							
15032	3749	E 448041.986 N5406904.963 El 66.068	.9996256	.9999924	374090	3608	TERR	270 28 3	409.140	409.292
			(NOT INTEGRATED)							
162222	3750	E 447942.812 N 5406750.68 El 50.115	.9996282	.9999949	849422	3609	TERR	270 26 1	310.464	310.579
			(NOT INTEGRATED)							
104182	3770	E 447029.21 N5403195.968 El 37.204	.9996314	.9999969	609800 605980 79541	3670 3769 3606	TERR TERR TERR	21 27 50 85 57 50 288 39 42	323.195 340.557 140.781	323.314 340.682 140.833
			(NOT INTEGRATED)							
267716	3784	E 449264.076 N 5415764.18 El 16.075	.9996319	1.0000002	806190 126599	4461 4460	TERR TERR	160 7 7 337 21 58	260.068 245.139	260.164 245.229
			(NOT INTEGRATED)							
611954	3796	E 446828.14 N5403549.253 El 46.613	.9996302	.9999954	736322 821629	3798 3630	TERR TERR	0 1 18 179 59 22	250.693 169.991	250.787 170.054
			(NOT INTEGRATED)							
736322	3798	E 446828.235 N5403799.946 El 46.308	.9996302	.9999955	426163 611954	3650 3796	TERR TERR	82 41 31 180 1 18	75.476 250.693	75.504 250.787
			(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
732578	4401	E 448401.997	.9996305	.9999978	240473	8063	TERR	139 9 11	6059.556	6061.802
		N5419083.887			390559	4489	GPS	145 44 35	8150.790	8153.817
		E1 31.576			967117	78H8154	GPS	163 8 35	14193.341	14198.634
					669382	4552	TERR	166 51 32	1184.359	1184.798
					442541	4518	GPS	184 31 22	9592.675	9596.247
					964320	917000	GPS	185 57 1	10960.641	10964.697
					55020		GPS	186 18 1	4978.162	4979.992
					644179	2696	GPS	205 2 56	11172.844	11177.584
					851436	4501	TERR	244 34 5	6271.159	6273.594
					685057	4404	GPS	258 32 48	2435.882	2436.786
					238576	4434	TERR	271 3 57	864.014	864.331
					695338	4421	TERR	291 29 5	1249.629	1250.089
	477240	87H3623	GPS	307 51 55	9139.771	9143.138				
	801225	11700	TERR	315 36 29	35738.725	35753.999				
	866129	8061	TERR	323 43 16	8342.344	8345.381				
878058	4402	E 445423.734	.9996269	.9999903	310482	4403	TERR	70 27 23	297.571	297.681
		N5418311.857			126862	4433	TERR	145 24 3	275.207	275.309
		E1 79.157								(NOT INTEGRATED)
310482	4403	E 445704.161	.9996268	.9999906	685057	4404	TERR	58 41 45	363.357	363.493
		N5418411.401			878058	4402	TERR	250 27 23	297.571	297.681
		E1 77.191								(NOT INTEGRATED)
685057	4404	E 446014.621	.9996277	.9999919	732578	4401	GPS	78 32 48	2435.882	2436.786
		N5418600.195			468017	4405	TERR	90 56 28	453.216	453.384
		E1 68.863			55020	4496	GPS	157 35 21	4829.128	4830.910
					310482	4403	TERR	238 41 45	363.357	363.493
					477240	87H3623	GPS	321 36 37	7774.580	7777.455
					931170	87H3580	GPS	322 47 20	10796.219	10800.203
	394908	2285	GPS	329 46 42	14269.329	14274.746				
468017	4405	E 446467.776	.9996273	.9999921	499772	4407	TERR	89 53 48	333.482	333.606
		N5418592.751			685057	4404	TERR	270 56 28	453.216	453.384
		E1 67.666								(NOT INTEGRATED)
895664	4406	E 443647.682	.999622	.999983	262345	4553	TERR	139 26 41	361.867	362.004
		N 5417866.67								
		E1 125.626								(NOT INTEGRATED)
499772	4407	E 446801.257	.9996277	.9999929	284588	4413	TERR	87 45 3	235.379	235.467
		N5418593.352			468017	4405	TERR	269 53 48	333.482	333.606
		E1 62.518								(NOT INTEGRATED)
973065	4408	E 446778.369	.9996326	.9999978	562140	4451	TERR	105 6 28	269.167	269.265
		N5419321.698			964569	4420	TERR	313 19 40	144.394	144.447
		E1 31.364								(NOT INTEGRATED)

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
695338	4421	E 447239.198	.9996331	.9999989	36673	4439	TERR	3 24 7	178.077	178.142	
		N5419541.566			590117	78H8150	TERR	91 22 13	177.865	177.930	
		El 24.811			(NOT INTEGRATED)	975193	95H2078	TERR	91 48 15	322.598	322.717
						732578	4401	TERR	111 29 5	1249.629	1250.089
						378588	4441	TERR	273 51 9	154.923	154.980
940411	4422	E 446276.871	.9996298	.9999944	835884	4450	TERR	312 34 33	361.226	361.360	
		N5419882.448									
		El 53.209			(NOT INTEGRATED)						
232884	4423	E 446751.239	.9996263	.9999915	437293	4424	TERR	36 18 56	260.330	260.427	
		N5417536.583			10181	4432	TERR	230 39 42	148.041	148.096	
		El 71.957			(NOT INTEGRATED)						
437293	4424	E 446905.415	.9996281	.9999935	26294	4426	TERR	55 51 26	165.587	165.649	
		N5417746.348			232884	4423	TERR	216 18 56	260.330	260.427	
		El 59.107			(NOT INTEGRATED)						
513424	4425	E 447403.743	.9996321	.9999981							
		N5418988.522								MARKER DESTROYED	
		El 29.627	(NOT INTEGRATED)								
26294	4426	E 447042.462	.9996284	.9999994	863506	4427	TERR	41 22 4	196.431	196.504	
		N5417839.285			437293	4424	TERR	235 51 26	165.587	165.649	
		El 55.922			(NOT INTEGRATED)						
863506	4427	E 447172.281	.9996283	.9999941	646935	4429	TERR	52 6 16	189.984	190.054	
		N5417986.703			26294	4426	TERR	221 22 4	196.431	196.504	
		El 55.346			(NOT INTEGRATED)						
438523	4428	E 447653.923	.9996311	.9999975							
		N5418322.212								MARKER DESTROYED	
		El 33.598	(NOT INTEGRATED)								
646935	4429	E 447322.203	.9996283	.9999942	712059	4430	TERR	49 57 27	111.105	111.146	
		N5418103.396			863506	4427	TERR	232 6 16	189.984	190.054	
		El 54.449			(NOT INTEGRATED)						
712059	4430	E 447407.261	.9996293	.9999953	620625	4431	TERR	81 18 28	339.645	339.770	
		N5418174.876			646935	4429	TERR	229 57 27	111.105	111.146	
		El 47.564			(NOT INTEGRATED)						
620625	4431	E 447743.005	.9996313	.9999977	151118	4454	TERR	127 3 25	372.813	372.950	
		N5418226.206			712059	4430	TERR	261 18 28	339.645	339.770	
		El 32.085									

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
10181	4432	E 446636.742 N 5417442.74 El 75.837	.9996258	.9999908	232884 747576 846717 959064	4423 8064 8065 4524	TERR TERR TERR TERR	50 39 42 133 25 10 134 0 41 292 37 10	148.041 10295.135 486.947 825.672	148.096 10299.255 487.130 825.981
126862	4433	E 445580.005 N5418085.322 El 80.495	.9996265	.9999901	959064 878058	4524 4402	TERR TERR	137 48 47 325 24 3	438.651 275.207	438.815 275.309
238576	4434	E 447538.133 N5419099.958 El 21.587	.9996332	.9999994	975193 732578 483461	95H2078 4401 85H0774	TERR TERR TERR	3 7 5 91 3 57 228 31 9	432.092 864.014 174.529	432.250 864.331 174.593
159087	4435	E 447417.203 N5419537.271 El 10.449	.9996351	1.0000011				MARKER DESTROYED		
123646	4436	E 447327.261 N5419413.978 El 18.727	.9996339	.9999998	357533 208934	4416 4443	TERR TERR	171 38 7 270 40 50	170.958 178.178	171.020 178.243
705152	4437	E 447560.46 N5419530.916 El 15.237	.9996341	1.0000004				MARKER DESTROYED		
87254	4438	E 447420.788 N5419717.068 El 4.983	.9996359	1.000002				MARKER DESTROYED		
36673	4439	E 447249.765 N5419719.329 El 18.209	.9996341	.9999999	118299 695338	78H8192 4421	TERR TERR	90 51 6 183 24 7	171.749 178.077	171.812 178.142
801654	4440	E 446829.821 N5419546.338 El 29.523	.9996328	.9999981	779595 378588 306670 668228	4445 4441 4442 4444	TERR TERR TERR TERR	34 31 29 88 43 58 174 26 25 357 50 24	331.355 254.866 134.802 265.207	331.477 254.960 134.851 265.305
378588	4441	E 447084.625 N5419551.975 El 28.627	.9996327	.9999983	695338 801654	4421 4440	TERR TERR	93 51 9 268 43 58	154.923 254.866	154.980 254.960
306670	4442	E 446842.881 N 5419412.17 El 26.469	.9996333	.9999986	208934 964569 801654	4443 4420 4440	TERR TERR TERR	89 15 57 272 54 22 354 26 25	306.240 169.768 134.802	306.352 169.831 134.851

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
208934	4443	E 447149.096	.9996321	.9999978	123646	4436	TERR	90 40 50	178.178	178.243
		N5419416.094			562140	4451	TERR	213 58 10	198.412	198.485
		El 31.516 (NOT INTEGRATED)			306670	4442	TERR	269 15 57	306.240	306.352
668228	4444	E 446819.825	.9996337	.9999989	779595	4445	TERR	87 41 24	197.956	198.028
		N5419811.357			801654	4440	TERR	177 50 24	265.207	265.305
		El 24.354 (NOT INTEGRATED)								
779595	4445	E 447017.62	.9996333	.9999989	273029	4417	TERR	148 17 13	155.736	155.793
		N5419819.336			801654	4440	TERR	214 31 29	331.355	331.477
		El 24.731 (NOT INTEGRATED)			668228	4444	TERR	267 41 24	197.956	198.028
					996058	8074	TERR	341 8 17	124.984	125.029
856005	4446	E 446921.319	.9996333	.9999987	996058	8074	TERR	158 10 23	150.334	150.390
		N5420077.165								
		El 26.073 (NOT INTEGRATED)								
63107	4447	E 446396.693	.9996317	.9999964	835884	4450	TERR	268 31 26	385.950	386.092
		N5420136.783			186650	4448	TERR	317 29 25	463.756	463.927
		El 40.549								
186650	4448	E 446083.326	.9996328	.9999971	63107	4447	TERR	137 29 25	463.756	463.927
		N5420478.647			81505	4449	TERR	294 19 30	357.641	357.772
		El 35.707 (NOT INTEGRATED)								
81505	4449	E 445757.435	.9996325	.9999963	186650	4448	TERR	114 19 30	357.641	357.772
		N5420625.964								
		El 40.782								
835884	4450	E 446010.871	.9996278	.9999992	63107	4447	TERR	88 31 26	385.950	386.092
		N5420126.841			940411	4422	TERR	132 34 33	361.226	361.360
		El 68.339 (NOT INTEGRATED)								
562140	4451	E 447038.233	.9996324	.9999998	208934	4443	TERR	33 58 10	198.412	198.485
		N5419251.544			436188	4419	TERR	105 54 39	161.983	162.043
		El 30.55 (NOT INTEGRATED)			973065	4408	TERR	285 6 28	269.167	269.265
954859	4452	E 445718.496	.9996264	.9999902	769042	4453	TERR	310 46 49	389.354	389.499
		N5420434.611								
		El 80.162 (NOT INTEGRATED)								
769042	4453	E 445423.669	.9996282	.9999917	954859	4452	TERR	130 46 49	389.354	389.499
		N5420688.921								
		El 70.634 (NOT INTEGRATED)								
151118	4454	E 448040.524	.9996311	.9999979	269787	4455	TERR	146 4 11	516.161	516.352
		N5418001.546			620625	4431	TERR	307 3 25	372.813	372.950
		El 30.632 (NOT INTEGRATED)								

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
269787	4455	E 448328.636	.9996311	.9999983	34173	4456	TERR	190 22 24	191.551	191.622
		N5417573.278			151118	4454	TERR	326 4 11	516.161	516.352
		El 28.41			(NOT INTEGRATED)					
34173	4456	E 448294.145	.9996307	.9999979	269787	4455	TERR	10 22 24	191.551	191.622
		N5417384.858			690966	4457	TERR	164 48 25	157.803	157.861
		El 31.132			(NOT INTEGRATED)					
690966	4457	E 448335.501	.9996305	.9999977	994541	4458	TERR	148 5 41	296.473	296.583
		N5417232.571			34173	4456	TERR	344 48 25	157.803	157.861
		El 32.196			(NOT INTEGRATED)					
994541	4458	E 448492.192	.9996308	.9999982	985945	4466	TERR	158 43 2	386.072	386.215
		N5416980.888			690966	4457	TERR	328 5 41	296.473	296.583
		El 28.922			(NOT INTEGRATED)					
598417	4459	E 449061.416	.9996297	.9999978	126599	4460	TERR	151 37 52	227.974	228.059
		N5416191.035			(NOT INTEGRATED)					
		El 31.522								
126599	4460	E 449169.737	.9996306	.9999989	747576	8064	TERR	138 40 36	7488.602	7491.581
		N5415990.439			267716	3784	TERR	157 21 58	245.139	245.229
		El 24.628			(NOT INTEGRATED)					
					806190	4461	TERR	158 46 59	505.061	505.247
806190	4461	E 449352.518	.999633	1.0000014	747121	4462	TERR	183 20 51	246.132	246.223
		N5415519.612			126599	4460	TERR	338 46 59	505.061	505.247
		El 8.364			(NOT INTEGRATED)					
					267716	3784	TERR	340 7 7	260.068	260.164
747121	4462	E 449338.146	.999633	1.0000015	806190	4461	TERR	3 20 51	246.132	246.223
		N 5415273.9			(NOT INTEGRATED)					
		El 8.266								
535070	4464	E 451257.767	.9996262	.999997	683474	4465	TERR	116 42 40	219.094	219.176
		N5413961.986			73312	4479	TERR	293 19 36	267.415	267.515
		El 37.051			(NOT INTEGRATED)					
683474	4465	E 451453.48	.9996259	.999997	323998	4470	TERR	85 8 33	389.749	389.895
		N5413863.505			535070	4464	TERR	296 42 40	219.094	219.176
		El 36.972			(NOT INTEGRATED)					
985945	4466	E 448632.326	.9996285	.9999961	952366	4551	TERR	36 2 17	360.353	360.487
		N5416621.146			605204	8067	TERR	270 18 37	1071.456	1071.856
		El 42.294			(NOT INTEGRATED)					
826230	4467	E 448621.223	.9996337	1.0000013	245506	4527	TERR	123 20 18	134.124	134.173
		N5413731.413			911438	78H8646	TERR	276 19 5	447.662	447.826
		El 9.245			(NOT INTEGRATED)					

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
291567	4468	E 450352.172 N5414422.907 El 4.103	.9996324	1.0000021	233304	4572	TERR	148 1 50	345.485	345.612
			(NOT INTEGRATED)							
221234	4469	E 446685.196 N5414898.188 El 58.512	.9996285	.9999936	197947	4483	TERR	280 15 13	201.564	201.640
			(NOT INTEGRATED)							
323998	4470	E 451841.829 N5413896.509 El 33.68	.999626	.9999975	683474	4465	TERR	265 8 33	389.749	389.895
			(NOT INTEGRATED)							
540062	4471	E 452336.224 N5413219.099 El 50.237	.9996228	.9999949	454009 366906	4473 4498	TERR TERR	174 26 41 268 42 45	518.740 461.579	518.934 461.753
			(NOT INTEGRATED)							
104646	4472	E 453572.158 N 5411997.59 El 26.664	.9996251	.9999986	344648 718023	74H2021 4487	TERR TERR	92 43 8 270 10 24	111.815 926.950	111.856 927.299
			(NOT INTEGRATED)							
454009	4473	E 452386.442 N5412702.796 El 46.232	.9996234	.9999955	779892 797043 540062	4492 4475 4471	TERR TERR TERR	90 21 32 182 3 4 354 26 41	601.504 184.159 518.740	601.729 184.229 518.934
			(NOT INTEGRATED)							
301895	4474	E 444527.684 N5415390.693 El 105.052	.999624	.9999862	865998 278549	4476 4570	TERR TERR	90 40 34 359 16 26	770.185 397.975	770.473 398.125
			(NOT INTEGRATED)							
797043	4475	E 452379.851 N5412518.755 El 53.2	.9996223	.9999945	454009	4473	TERR	2 3 4	184.159	184.229
			(NOT INTEGRATED)							
865998	4476	E 445297.815 N5415381.603 El 83.671	.9996264	.9999896	301895	4474	TERR	270 40 34	770.185	770.473
			(NOT INTEGRATED)							
370932	4477	E 445954.188 N 5415075.35 El 70.881	.9996275	.9999916	698332	4568	TERR	318 52 31	306.166	306.280
			(NOT INTEGRATED)							
362475	4478	E 451873.483 N5413582.866 El 40.227	.9996249	.9999965	366906	4498	TERR	179 48 15	374.140	374.281
			(NOT INTEGRATED)							
73312	4479	E 451012.21 N5414067.875 El 32.245	.9996272	.9999977	535070	4464	TERR	113 19 36	267.415	267.515
			(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
422634	4480	E 453491.862 N5411165.104 El 113.986	.9996115	.9999849	603431	4482	TERR	269 18 53	401.178	401.333
				(NOT INTEGRATED)						
623280	4481	E 452993.756 N5411716.006 El 75.697	.9996181	.9999909	390559	4489	TERR	359 40 9	631.084	631.322
				(NOT INTEGRATED)						
603431	4482	E 453090.713 N5411160.306 El 109.07	.9996127	.9999857	422634	4480	TERR	89 18 53	401.178	401.333
				(NOT INTEGRATED)						
197947	4483	E 446486.851 N5414934.068 El 64.813	.9996277	.9999926	221234	4469	TERR	100 15 13	201.564	201.640
				(NOT INTEGRATED)						
403535	4484	E 453356.883 N5411384.659 El 98.819	.999614	.9999873						
				(NOT INTEGRATED)		MARKER DESTROYED				
835579	4485	E 452710.311 N5410660.517 El 110.045	.999613	.9999855	173161 300160	4494 4493	TERR TERR	214 17 6 354 48 43	219.684 243.022	219.769 243.116
				(NOT INTEGRATED)						
828210	4486	E 452637.92 N5412349.717 El 37.03	.9996245	.999997	390559 747576 718023 450965	4489 8064 4487 73H2011	TERR TERR TERR TERR	90 25 45 143 19 49 178 48 15 268 39 48	352.201 2472.521 349.401 263.500	352.332 2473.512 349.533 263.600
				(NOT INTEGRATED)						
718023	4487	E 452645.212 N5412000.392 El 51.505	.9996223	.9999947	104646 828210	4472 4486	TERR TERR	90 10 24 358 48 15	926.950 349.401	927.299 349.533
				(NOT INTEGRATED)						
194175	4488	E 447233.418 N5414608.661 El 37.996	.999631	.9999968	645739	4491	TERR	135 11 33	265.680	265.778
				(NOT INTEGRATED)						
390559	4489	E 452990.111 N5412347.079 El 19.602	.9996269	.9999997	623280 967117 964320 828210 55020 732578 779892	4481 78H8154 917000 4486 4496 4401 4492	TERR GPS GPS TERR GPS GPS TERR	179 40 9 183 56 45 233 57 43 270 25 45 289 12 26 325 44 35 359 38 44	631.084 6862.931 7079.083 352.201 5437.064 8150.790 351.955	631.322 6865.504 7081.716 352.332 5439.072 8153.817 352.086
				(NOT INTEGRATED)						
937052	4490	E 452974.079 N5411381.354 El 88.273	.9996161	.999989	259085	79H8679	TERR	192 49 15	194.354	194.429
				(NOT INTEGRATED)						

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground				
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres				
645739	4491	E 447420.65	.9996336	.9999996	55020	4496	TERR	123 10 16	519.748	519.938				
		N5414420.167					194175	4488			TERR	315 11 33	265.680	265.778
		El 19.861					(NOT INTEGRATED)							
779892	4492	E 452987.934	.9996283	1.0000011	390559	4489	TERR	179 38 44	351.955	352.086				
		N5412699.027					454009	4473			TERR	270 21 32	601.504	601.729
		El 10.567					(NOT INTEGRATED)							
300160	4493	E 452688.336	.9996147	.9999872	276139	79H8677	TERR	13 44 50	99.303	99.340				
		N5410902.543					835579	4485			TERR	174 48 43	243.022	243.116
		El 99.24					(NOT INTEGRATED)							
173161	4494	E 452586.561	.9996129	.9999853	835579	4485	TERR	34 17 6	219.684	219.769				
		N5410479.004					203752	78H8190			TERR	184 20 56	214.722	214.805
		El 111.764					(NOT INTEGRATED)							
298679	4495	E 444899.19	.9996247	.9999874	832022	478	TERR	140 16 51	7163.959	7166.789				
		N5416379.889					851436	4501			TERR	270 17 22	2160.676	2161.521
		El 97.615					262345	4553			TERR	320 1 3	1581.544	1582.141
55020	4496	E 447855.7	.9996345	1.0000011	732578	4401	GPS	6 18 1	4978.162	4979.992				
		N5414135.791					390559	4489			GPS	109 12 26	5437.064	5439.072
		El 10.586					442541	4518			GPS	182 36 27	4619.490	4621.201
		644179					2696	GPS			218 57 47	6654.083	6656.893	
		645739					4491	TERR			303 10 16	519.748	519.938	
		477240					87H3623	GPS			327 43 16	12488.085	12492.661	
		685057					4404	GPS			337 35 21	4829.128	4830.910	
412031	4497	E 447640.737	.9996224	.9999888	442541	4518	TERR	179 31 21	577.172	577.389				
		N5410098.236					(NOT INTEGRATED)							
		El 89.136												
366906	4498	E 451874.762	.9996236	.9999952	540062	4471	TERR	88 42 45	461.579	461.753				
		N5413208.728					362475	4478			TERR	359 48 15	374.140	374.281
		El 48.591					(NOT INTEGRATED)							
424291	4499	E 452470.77	.9996172	.9999894	MARKER DESTROYED									
275677	4500	E 446952.599	.9996321	.9999976	955278	79H8684	TERR	153 10 20	259.528	259.624				
		N5410951.492					54403	78H8641			TERR	358 24 15	140.294	140.346
		El 32.891					(NOT INTEGRATED)							
714113	4502	E 445086.892	.9996252	.9999881	MARKER DESTROYED									
		N5418859.347												
		El 93.046			(NOT INTEGRATED)									

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
94979	4503	E 454840.312 N5407330.789 El 46.317	.9996206	.9999955	188466	4547	TERR	124 20 42	143.835	143.889
			(NOT INTEGRATED)							
266452	4504	E 447289.16 N5411042.054 El 22.647	.9996333	.9999992	326082	4511	TERR	77 0 46	374.044	374.181
			(NOT INTEGRATED)							
754481	4505	E 446354.847 N5409275.529 El 58.308	.9996289	.9999936	27011	4534	TERR	221 20 4	241.450	241.540
			(NOT INTEGRATED)							
273375	4506	E 454582.161 N5407019.196 El 66.212	.9996178	.9999924	667790	3707	TERR	273 18 30	216.662	216.744
			(NOT INTEGRATED)							
35931	4507	E 449214.639 N 5414105.82 El 7.285	.9996333	1.0000016	999862	4535	TERR	79 28 53	353.331	353.461
			(NOT INTEGRATED)							
527853	4508	E 446039.268 N5408198.987 El 45.433	.9996314	.9999956	564930 271767	4522 4532	TERR TERR	16 22 56 165 49 0	588.066 205.065	588.283 205.141
			(NOT INTEGRATED)							
950683	4509	E 448628.726 N5413457.183 El 7.519	.999634	1.0000016	245506 909051	4527 4571	TERR TERR	27 32 14 181 33 15	226.137 619.485	226.220 619.712
			(NOT INTEGRATED)							
1750	4510	E 447636.686 N5408396.197 El 72.762	.999625	.9999913	532853 442541 58594	4567 4518 4515	TERR TERR TERR	0 18 28 0 27 5 180 37 12	949.196 1124.922 313.593	949.551 1125.344 313.711
			(NOT INTEGRATED)							
326082	4511	E 447653.636 N5411126.114 El 16.389	.9996338	1.0000002	266452	4504	TERR	257 0 46	374.044	374.181
			(NOT INTEGRATED)							
232371	4512	E 447620.721 N5417390.507 El 44.205	.9996295	.9999958	34173 895193	4456 4533	TERR TERR	90 28 50 180 35 48	673.448 413.712	673.697 413.866
			(NOT INTEGRATED)							
412254	4513	E 448465.661 N5412566.375 El 10.281	.9996338	1.0000011	909051 923490	4571 4517	TERR TERR	28 18 28 210 9 32	308.436 427.748	308.549 427.904
			(NOT INTEGRATED)							
488734	4514	E 447100.15 N5416970.561 El 60.119	.9996277	.9999933						
			(NOT INTEGRATED)							
										MARKER DESTROYED

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
58594	4515	E 447633.292 N5408082.622 El 68.165	.9996257	.9999921	1750 872085	4510 3607	TERR TERR	0 37 12 179 56 56	313.593 604.165	313.711 604.392
			(NOT INTEGRATED)							
300459	4516	E 447450.698 N5412041.074 El 26.916	.9996324	.9999985	53389 800870	78H8627 78H8632	TERR TERR	20 6 30 200 37 26	313.452 497.207	313.567 497.389
923490	4517	E 448250.761 N5412196.529 El 21.007	.9996323	.9999994	412254	4513	TERR	30 9 32	427.748	427.904
			(NOT INTEGRATED)							
442541	4518	E 447645.546 N5409521.084 El 72.506	.999625	.9999914	55020 732578 65979 1750 532853 964320 59329 644179 412031	4496 4401 4558 4510 4567 917000 78H8168 2696 4497	GPS GPS TERR TERR TERR GPS GPS GPS TERR	2 36 27 4 31 22 89 35 36 180 27 5 181 13 36 195 50 13 215 54 58 261 59 26 359 31 21	4619.490 9592.675 715.427 1124.922 175.745 1391.608 6175.182 4013.202 577.172	4621.201 9596.247 715.694 1125.344 175.811 1392.127 6177.485 4014.915 577.389
326041	4519	E 454959.431 N5407036.071 El 43.358	.9996209	.9999996	378356 331140 188466	4530 4566 4547	TERR TERR TERR	89 30 45 186 37 60 359 54 11	176.679 220.356 213.570	176.746 220.441 213.651
993998	4520	E 446744.841 N5410037.553 El 35.32	.999632	.9999972	377200	4528	TERR	30 30 11	524.433	524.627
			(NOT INTEGRATED)							
349100	4521	E 448915.706 N5413799.301 El 8.397	.9996335	1.0000014	245506	4527	TERR	232 10 55	230.936	231.021
			(NOT INTEGRATED)							
564930	4522	E 446205.128 N5408763.178 El 65.608	.999628	.9999924	527853	4508	TERR	196 22 56	588.066	588.283
			(NOT INTEGRATED)							
873448	4523	E 448574.554 N5414636.059 El 24.329	.9996314	.9999989						
			(NOT INTEGRATED)							
959064	4524	E 445874.581 N 5417760.3 El 79.281	.9996263	.9999903	10181 351684 126862	4432 4525 4433	TERR TERR TERR	112 37 10 276 12 3 317 48 47	825.672 536.289 438.651	825.981 536.489 438.815
			(NOT INTEGRATED)							

MARKER ISOLATED

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
351684	4525	E 445341.43	.9996261	.9999894	959064	4524	TERR	96 12 3	536.289	536.489				
		N5417818.226					355479	4418			TERR	276 39 8	344.292	344.421
		El 85.024					(NOT INTEGRATED)							
812164	4526	E 447955.16	.9996282	.9999949	866715	4529	TERR	165 47 38	192.960	193.032				
		N5411790.901					(NOT INTEGRATED)							
		El 49.752					(NOT INTEGRATED)							
245506	4527	E 448733.275	.9996337	1.0000014	349100	4521	TERR	52 10 55	230.936	231.021				
		N5413657.701					950683	4509			TERR	207 32 14	226.137	226.220
		El 8.507					826230	4467			TERR	303 20 18	134.124	134.173
377200	4528	E 447011.036	.9996304	.9999959	955278	79H8684	TERR	14 17 8	237.848	237.935				
		N5410489.405					993998	4520			TERR	210 30 11	524.433	524.627
		El 43.711					(NOT INTEGRATED)							
866715	4529	E 448002.514	.9996296	.9999964	812164	4526	TERR	345 47 38	192.960	193.032				
		N5411603.842					(NOT INTEGRATED)							
		El 40.273					(NOT INTEGRATED)							
378356	4530	E 455136.104	.9996243	.9999995	339390	4543	TERR	133 50 59	85.354	85.386				
		N5407037.574					331140	4566			TERR	222 31 33	299.039	299.153
		El 20.833					326041	4519			TERR	269 30 45	176.679	176.746
					873489	4541	TERR	316 24 5	120.645	120.691				
294140	4531	E 447829.034	.9996337	1.0000002			MARKER DESTROYED							
		N 5412816.17	(NOT INTEGRATED)											
		El 16.054	(NOT INTEGRATED)											
271767	4532	E 446089.514	.9996302	.9999945	769810	8026	TERR	167 22 3	219.016	219.097				
		N5408000.173					527853	4508			TERR	345 49 0	205.065	205.141
		El 52.17					(NOT INTEGRATED)							
895193	4533	E 447616.413	.9996283	.9999946	232371	4512	TERR	0 35 48	413.712	413.866				
		N5416976.817					(NOT INTEGRATED)							
		El 51.935					(NOT INTEGRATED)							
27011	4534	E 446195.381	.9996285	.9999929	754481	4505	TERR	41 20 4	241.450	241.540				
		N5409094.232					(NOT INTEGRATED)							
		El 62.758					(NOT INTEGRATED)							
999862	4535	E 449562.033	.9996329	1.0000017	35931	4507	TERR	259 28 53	353.331	353.461				
		N5414170.322					(NOT INTEGRATED)							
		El 6.928					(NOT INTEGRATED)							
512871	4536	E 447591.754	.9996253	.9999916			MARKER DESTROYED							
		N5416192.915					(NOT INTEGRATED)							
		El 71.366					(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
184358	4537	E 455674.597 N5404899.461 E1 10.948	.9996252	1.0000011	686832 670950 226530 283705	4550 4545 74H2026 74H2025	TERR TERR TERR TERR	2 5 35 12 37 50 16 41 52 20 29 43	462.107 3142.540 3104.272 3122.353	462.281 3143.722 3105.441 3123.529
827246	4538	E 455424.813 N5406310.923 E1 56.65	.9996183	.9999939						MARKER DESTROYED
456046	4539	E 455382.142 N5406047.983 E1 33.281	.9996221	.9999976	997965 761049	78H8156 4549	TERR TERR	8 16 25 164 0 39	271.362 283.278	271.465 283.386
646927	4540	E 454836.543 N5406807.789 E1 98.075	.9996125	.9999874						MARKER DESTROYED
873489	4541	E 455052.907 N5407124.944 E1 30.206	.9996229	.9999981	378356 929497	4530 4557	TERR TERR	136 24 5 358 8 35	120.645 196.345	120.691 196.420
722512	4542	E 447704.434 N5412611.185 E1 19.724	.9996332	.9999996						MARKER DESTROYED
339390	4543	E 455197.658 N5406978.443 E1 11.22	.9996257	1.0000011	753004 378356	4556 4530	TERR TERR	0 31 3 313 50 59	214.270 85.354	214.350 85.386
694851	4544	E 448048.705 N5415570.402 E1 52.551	.9996277	.9999945						MARKER DESTROYED
670950	4545	E 456361.756 N5407965.952 E1 20.08	.9996231	.9999997	184358 331140	4537 4566	TERR TERR	192 37 50 231 10 50	3142.540 1832.541	3143.722 1833.241
257949	4546	E 447448.255 N5416416.886 E1 72.734	.9996253	.9999913						MARKER DESTROYED
188466	4547	E 454959.07 N5407249.641 E1 40.352	.9996214	.9999965	326041 94979	4519 4503	TERR TERR	179 54 11 304 20 42	213.570 143.835	213.651 143.889
446088	4548	E 456566.07 N5407865.096 E1 26.917	.9996218	.9999986						MARKER DESTROYED

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
761049	4549	E 455460.173 N5405775.664 E1 36.195	.9996215	.9999971	456046	4539	TERR	344 0 39	283.278	283.386
			(NOT INTEGRATED)							
686832	4550	E 455691.474 N 5405361.26 E1 11.275	.9996252	1.000001	184358	4537	TERR	182 5 35	462.107	462.281
			(NOT INTEGRATED)							
952366	4551	E 448844.33 N5416912.537 E1 20.422	.9996317	.9999996	985945 669382	4466 4552	TERR TERR	216 2 17 350 21 5	360.353 1032.612	360.487 1032.994
			(NOT INTEGRATED)							
669382	4552	E 448671.26 N5417930.542 E1 39.014	.999629	.9999966	952366 732578	4551 4401	TERR TERR	170 21 5 346 51 32	1032.612 1184.359	1032.994 1184.798
			(NOT INTEGRATED)							
262345	4553	E 443882.961 N5417591.731 E1 127.321	.9996214	.9999827	298679 895664	4495 4406	TERR TERR	140 1 3 319 26 41	1581.544 361.867	1582.141 362.004
			(NOT INTEGRATED)							
792838	4554	E 455614.382 N5407498.884 E1 21.732	.9996236	.9999994	792887	4555	TERR	226 0 10	108.754	108.795
			(NOT INTEGRATED)							
792887	4555	E 455536.147 N5407423.341 E1 18.742	.9996242	.9999999	792838 236067	4554 78H8160	TERR TERR	46 0 10 269 52 40	108.754 175.686	108.795 175.753
			(NOT INTEGRATED)							
753004	4556	E 455199.593 N5407192.704 E1 9.906	.9996259	1.0000013	339390	4543	TERR	180 31 3	214.270	214.350
			(NOT INTEGRATED)							
929497	4557	E 455046.545 N5407321.186 E1 55.324	.999619	.9999941	873489 331140	4541 4566	TERR TERR	178 8 35 192 35 26	196.345 516.414	196.420 516.612
			(NOT INTEGRATED)							
65979	4558	E 448360.955 N5409526.161 E1 43.669	.9996287	.9999959	450585 442541	4561 4518	TERR TERR	109 13 12 269 35 36	490.840 715.427	491.022 715.694
			(NOT INTEGRATED)							
710889	4559	E 452663.673 N5409546.356 E1 76.453	.9996183	.9999908						MARKER DESTROYED
			(NOT INTEGRATED)							
757013	4560	E 448171.932 N5413783.878 E1 10.445	.9996341	1.0000011						MARKER DESTROYED
			(NOT INTEGRATED)							

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
450585	4561	E 448824.436 N5409364.579 E1 26.371	.9996308	.9999986	572495 65979	4565 4558	TERR	155 46 38 289 13 12	1204.134 490.840	1204.578 491.022
				(NOT INTEGRATED)						
701102	4562	E 454870.076 N5407959.338 E1 241.705	.99959	.9999649	331140 397620 848093	4566 2-M-38 4463	TERR	176 47 52 216 56 60 276 7 34	1143.934 17009.806 10888.956	1144.390 17017.437 10893.808
860411	4563	E 449195.786 N5408265.099 E1 40.477	.9996281	.9999964	572495	4565	TERR	89 21 49	122.699	122.744
199430	4564	E 448415.436 N5415192.597 E1 52.633	.9996272	.9999945				MARKER DESTROYED		
				(NOT INTEGRATED)						
572495	4565	E 449318.477 N5408266.462 E1 28.712	.9996298	.9999983	860411 450585	4563 4561	TERR	269 21 49 335 46 38	122.699 1204.134	122.744 1204.578
				(NOT INTEGRATED)						
331140	4566	E 454933.977 N 5406817.19 E1 90.87	.9996135	.9999886	326041 929497 378356 670950 857110 226530 701102	4519 4557 4530 4545 74H2545 74H2026 4562	TERR	6 37 60 12 35 26 42 31 33 51 10 50 53 38 55 57 6 44 356 47 52	220.356 516.414 299.039 1832.541 1973.611 1944.120 1143.934	220.441 516.612 299.153 1833.241 1974.373 1944.863 1144.390
532853	4567	E 447641.784 N5409345.379 E1 66.785	.9996259	.9999923	442541 1750	4518 4510	TERR	1 13 36 180 18 28	175.745 949.196	175.811 949.551
				(NOT INTEGRATED)						
698332	4568	E 445752.823 N5415305.979 E1 84.661	.9996256	.9999894	743393 370932	4569 4477	TERR	41 43 24 138 52 31	640.854 306.166	641.095 306.280
743393	4569	E 446179.334 N5415784.291 E1 85.923	.9996248	.9999893	698639 698332	8066 4568	TERR	40 19 9 221 43 24	575.842 640.854	576.058 641.095
				(NOT INTEGRATED)						
278549	4570	E 444522.641 N5415788.636 E1 100.688	.9996247	.9999869	301895	4474	TERR	179 16 26	397.975	398.125
				(NOT INTEGRATED)						
909051	4571	E 448611.924 N5412837.926 E1 10.744	.9996335	1.0000011	950683 412254	4509 4513	TERR	1 33 15 208 18 28	619.485 308.436	619.712 308.549
				(NOT INTEGRATED)						

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
233304	4572	E 450535.095 N5414129.822 El 4.526	.9996321	1.0000021	291567	4468	TERR	328 1 50	345.485	345.612
			(NOT INTEGRATED)							
440974	73H2007	E 449559.146 N5404688.492 El 42.88	.9996273	.999996	327981	73H2008	TERR	228 45 39	156.243	156.302
			(NOT INTEGRATED)							
327981	73H2008	E 449441.657 N5404585.496 El 33.908	.9996288	.9999974	440974	73H2007	TERR	48 45 39	156.243	156.302
			(NOT INTEGRATED)							
450965	73H2011	E 452374.492 N 5412343.57 El 61.07	.9996211	.9999932	828210 825877	4486 73H2012	TERR TERR	88 39 48 174 36 6	263.500 179.557	263.600 179.625
			(NOT INTEGRATED)							
825877	73H2012	E 452391.385 N5412164.809 El 67.73	.99962	.9999922	450965	73H2011	TERR	354 36 6	179.557	179.625
			(NOT INTEGRATED)							
932301	73H2013	E 445948.352 N5407048.497 El 35.26	.9996331	.9999972	692194 694679 377499 463125	3631 73H2014 3633 8056	TERR TERR TERR TERR	18 12 41 89 38 18 193 35 12 273 13 15	593.541 442.519 270.320 777.111	593.759 442.682 270.419 777.399
			(NOT INTEGRATED)							
694679	73H2014	E 446390.862 N 5407051.29 El 32.066	.999633	.9999977	472134 932301	73H2015 73H2013	TERR TERR	88 46 34 269 38 18	249.358 442.519	249.449 442.682
			(NOT INTEGRATED)							
472134	73H2015	E 446640.163 N5407056.616 El 39.476	.9996315	.9999965	973248 872085 694679 463125	73H2016 3607 73H2014 8056	TERR TERR TERR TERR	64 54 18 66 59 51 268 46 34 271 23 14	248.298 1079.504 249.358 1468.124	248.389 1079.904 249.449 1468.670
			(NOT INTEGRATED)							
973248	73H2016	E 446865.023 N5407161.924 El 40.747	.999631	.9999963	808436 472134	73H2017 73H2015	TERR TERR	70 57 23 244 54 18	396.585 248.298	396.731 248.389
			(NOT INTEGRATED)							
808436	73H2017	E 447239.903 N5407291.324 El 43.525	.9996301	.9999959	973248	73H2016	TERR	250 57 23	396.585	396.731
			(NOT INTEGRATED)							
1289	74H2019	E 446594.089 N5403387.971 El 64.554	.9996276	.9999926	223891	3716	TERR	0 11 3	297.732	297.842
			(NOT INTEGRATED)							

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
384214	74H2020	E 452378.025 N5405163.077 E1 63.231	.9996207	.9999929		MARKER DESTROYED				
344648	74H2021	E 453683.847 N5411992.286 E1 31.004	.9996243	.9999979	611731 104646	74H2022 4472	TERR TERR	15 10 12 272 43 8	291.861 111.815	291.970 111.856
611731	74H2022	E 453760.222 N5412273.977 E1 15.725	.9996266	1.0000003	344648	74H2021	TERR	195 10 12	291.861	291.970
268425	74H2023	E 451446.323 N5403285.518 E1 30.657	.9996269	.9999998		MARKER DESTROYED				
146324	74H2024	E 451433.942 N5403415.881 E1 38.466	.9996257	.9999967		MARKER DESTROYED				
283705	74H2025	E 456767.82 N5407824.175 E1 25.945	.9996217	.9999988	184358 226530	4537 74H2026	TERR TERR	200 29 43 283 35 26	3122.353 207.095	3123.529 207.173
226530	74H2026	E 456566.524 N5407872.838 E1 27.993	.9996216	.9999984	283705 184358 331140	74H2025 4537 4566	TERR TERR TERR	103 35 26 196 41 52 237 6 44	207.095 3104.272 1944.120	207.173 3105.441 1944.863
545103	74H2027	E 446953.758 N5404927.303 E1 23.363	.9996336	.9999991	436121 276766	95H2042 3664	TERR TERR	88 54 26 268 55 44	171.245 256.828	171.308 256.922
574954	74H2028	E 449694.374 N5404216.138 E1 38.719	.9996278	.9999967	769067 364380	3681 74H2029	TERR TERR	178 31 21 279 3 36	238.526 331.766	238.615 331.890
364380	74H2029	E 449366.747 N5404268.381 E1 23.732	.9996305	.9999999	574954	74H2028	TERR	99 3 36	331.766	331.890
3855	74H2532	E 453982.703 N5411761.937 E1 42.642	.9996221	.9999961	276170	74H2533	TERR	62 11 26	162.658	162.720
276170	74H2533	E 454126.575 N5411837.822 E1 47.424	.9996212	.9999954	3855	74H2532	TERR	242 11 26	162.658	162.720

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
672600	74H2544	E 456438.77 N5408058.096 El 75.278	.9996143	.999991	857110	74H2545	TERR	129 59 8	110.603	110.645
		(NOT INTEGRATED)								
857110	74H2545	E 456523.515 N5407987.023 El 76.927	.999614	.9999908	331140 672600	4566 74H2544	TERR TERR	233 38 55 309 59 8	1973.611 110.603	1974.373 110.645
		(NOT INTEGRATED)								
187732	74H2546	E 445089.865 N5418866.238 El 93	.9996252	.9999881						
		(APPROX. ONLY)				MARKER DESTROYED				
233551	74H2547	E 444999.252 N5419576.051 El 60	.9996305	.9999933	884767	74H2548	TERR	324 18 11	1204.838	1205.282
		(APPROX. ONLY)								
884767	74H2548	E 444296.234 N5420554.519 El 60	.9996314	.9999933	233551	74H2547	TERR	144 18 11	1204.838	1205.282
		(APPROX. ONLY)								
590117	78H8150	E 447417.012 N5419537.313 El 10.595	.999635	1.0000011	118299 695338	78H8192 4421	TERR TERR	1 25 51 271 22 13	179.519 177.865	179.585 177.930
		(NOT INTEGRATED)								
525451	78H8151	E 455239.903 N5407421.028 El 19.126	.9996244	.9999998	236067	78H8160	TERR	89 4 45	120.574	120.619
		(NOT INTEGRATED)								
600106	78H8152	E 451360.402 N5403691.515 El 45.519	.9996247	.9999956						
		(NOT INTEGRATED)				MARKER ISOLATED				
692673	78H8153	E 455707.965 N5407773.977 El 28.628	.9996224	.9999983	924829	78H8215	TERR	30 28 42	125.864	125.912
		(NOT INTEGRATED)								
967117	78H8154	E 452517.851 N5405500.416 El 43.921	.9996236	.9999959	390559 175133 614438 26864 295741 964320 986778 732578	4489 11702 79H0493 "CON.MON. #9" 77H2550 917000 78H8187 4401	GPS GPS GPS GPS GPS GPS TERR GPS	3 56 45 110 34 20 134 32 0 155 35 57 238 50 45 297 3 1 312 30 40 343 8 35	6862.931 10888.522 23542.261 16630.293 4332.345 5897.184 168.835 14193.341	6865.504 10893.242 23551.259 16636.625 4333.956 5899.388 168.898 14198.634
		(NOT INTEGRATED)								
413591	78H8155	E 449699.158 N5405151.116 El 54.506	.9996253	.9999942						
		(NOT INTEGRATED)				MARKER DESTROYED				

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
997965	78H8156	E 455421.191 N5406316.521 El 57.223	.9996183	.9999938	456046	4539	TERR	188 16 25	271.362	271.465
			(NOT INTEGRATED)							
312629	78H8157	E 450101.271 N5403296.849 El 8.128	.9996321	1.0000015	963678	79H8686	TERR	90 35 11	330.314	330.436
			(NOT INTEGRATED)							
848820	78H8158	E 452442.122 N5409962.053 El 92.012	.9996162	.9999884	320705 21170	78H8210 78H8201	TERR TERR	36 56 28 178 39 32	147.995 101.566	148.052 101.605
			(NOT INTEGRATED)							
989723	78H8159	E 452657.668 N5409552.807 El 75.567	.9996185	.9999909	21170	78H8201	TERR	325 17 14	374.333	374.477
			(NOT INTEGRATED)							
236067	78H8160	E 455360.461 N5407422.966 El 26.618	.9996231	.9999986	792887 525451	4555 78H8151	TERR TERR	89 52 40 269 4 45	175.686 120.574	175.753 120.619
			(NOT INTEGRATED)							
907956	78H8161	E 451273.164 N5403285.399 El 30.641	.9996271	.999998	187948	78H8189	TERR	90 31 14	165.225	165.286
			(NOT INTEGRATED)							
461509	78H8162	E 451930.842 N5404915.961 El 52.889	.9996229	.9999945	415901 275990	78H8204 78H8209	TERR TERR	61 33 49 217 57 6	470.704 191.050	470.882 191.122
			(NOT INTEGRATED)							
133538	78H8163	E 451594.691 N 5404229.97 El 62.06	.9996218	.999993	356774 922732	78H8186 78H8179	TERR TERR	35 59 10 223 37 44	159.417 282.684	159.477 282.791
			(NOT INTEGRATED)							
959965	78H8164	E 451543.861 N 5403633.07 El 41.975	.999625	.9999962	500934	78H8629	TERR	180 29 37	112.346	112.389
			(NOT INTEGRATED)							
596676	78H8165	E 456271.039 N5408176.143 El 59.472	.999617	.9999935	971739	78H8216	TERR	98 47 37	157.722	157.783
			(NOT INTEGRATED)							
275743	78H8166	E 451264.917 N5403947.964 El 46.073	.9996247	.9999955	922732 914879	78H8179 3684	TERR TERR	60 7 30 215 12 39	155.373 302.835	155.431 302.948
			(NOT INTEGRATED)							
691998	78H8167	E 446348.398 N 5404388.08 El 44.255	.9996311	.9999958	620203	78H8220	TERR	245 4 24	198.953	199.026
			(NOT INTEGRATED)							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
59329	78H8168	E 444023.18	.9996292	.9999907	442541	4518	GPS	35 54 58	6175.182	6177.485	
		N5404519.951			314179	78H8213	TERR	37 27 50	136.843	136.893	
		El 76.814			(NOT INTEGRATED)	964320	917000	GPS	41 31 17	4891.545	4893.359
						397620	2-M-38	GPS	176 29 41	10173.221	10177.586
					743955	78H8195	TERR	243 23 26	235.627	235.714	
					644179	2696	GPS	355 28 23	4455.842	4457.735	
128751	78H8169	E 451323.183	.9996251	.999996	427591	78H8631	TERR	4 9 39	88.535	88.568	
		N5403523.573			500934	78H8629	TERR	90 44 31	219.728	219.811	
		El 43.427			(NOT INTEGRATED)						
617076	78H8170	E 450890.038	.9996259	.9999962	585927	78H8172	TERR	48 23 8	128.083	128.131	
		N5403586.919			475293	78H8199	TERR	238 39 32	247.089	247.181	
		El 41.574			(NOT INTEGRATED)						
570762	78H8171	E 444297.655	.9996288	.9999907	291179	78H8200	TERR	81 51 25	228.553	228.638	
		N5404577.041			314179	78H8213	TERR	285 4 46	198.059	198.132	
		El 76.828			(NOT INTEGRATED)						
585927	78H8172	E 450985.797	.9996253	.9999958	914879	3684	TERR	74 43 4	108.341	108.382	
		N5403671.981			617076	78H8170	TERR	228 23 8	128.083	128.131	
		El 44.645			(NOT INTEGRATED)						
679100	78H8173	E 447794.208	.999626	.9999925	841429	3666	TERR	65 23 57	454.877	455.048	
		N5407552.503			872085	3607	TERR	245 13 2	176.645	176.710	
		El 65.268			(NOT INTEGRATED)						
310557	78H8174	E 451443.445	.999626	.999997	899633	3747	TERR	359 17 39	317.097	317.215	
		N5406720.605									
		El 36.582			(NOT INTEGRATED)						
811430	78H8175	E 443537.786	.9996289	.9999897	797225	78H8206	TERR	256 16 57	228.890	228.974	
		N5404357.699									
		El 82.743			(NOT INTEGRATED)						
398461	78H8176	E 451760.473	.999621	.9999925	275990	78H8209	TERR	24 53 31	125.619	125.666	
		N5404651.363			356774	78H8186	TERR	193 51 13	301.160	301.274	
		El 65.862			(NOT INTEGRATED)						
592246	78H8177	E 453090.71	.9996127	.9999857	259085	79H8679	TERR	281 11 9	162.853	162.915	
		N5411160.254									
		El 109.187			(NOT INTEGRATED)						
758193	78H8178	E 451436.989	.9996255	.9999965	187948	78H8189	TERR	179 31 16	166.620	166.682	
		N5403450.512									
		El 39.915			(NOT INTEGRATED)						

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
922732	78H8179	E 451399.643	.9996243	.9999953	133538	78H8163	TERR	43 37 44	282.684	282.791
		N5404025.357			275743	78H8166	TERR	240 7 30	155.373	155.431
		El 47.631			(NOT INTEGRATED)					
188037	78H8180	E 452376.637	.9996188	.9999909	381947	78H8182	TERR	40 25 5	258.996	259.095
		N5408906.901			37127	8073	TERR	188 12 1	610.000	610.232
		El 75.663			(NOT INTEGRATED)					
646968	78H8181	E 452590.935	.9996188	.9999912	381947	78H8182	TERR	194 54 35	180.239	180.308
		N5409278.254			(NOT INTEGRATED)					
		El 74.172			(NOT INTEGRATED)					
381947	78H8182	E 452544.56	.9996179	.9999902	646968	78H8181	TERR	14 54 35	180.239	180.308
		N5409104.083			188037	78H8180	TERR	220 25 5	258.996	259.095
		El 80.111			(NOT INTEGRATED)					
494294	78H8183	E 448317.555	.9996261	.9999933	841429	3666	TERR	267 42 38	109.847	109.888
		N5407746.253			(NOT INTEGRATED)					
		El 60.206			(NOT INTEGRATED)					
346882	78H8184	E 450675.633	.9996287	.9999988	MARKER DESTROYED					
		N5403288.139			(NOT INTEGRATED)					
		El 25.17			(NOT INTEGRATED)					
929026	78H8185	E 451247.209	.999625	.9999958	MARKER ISOLATED					
		N5403763.616			(NOT INTEGRATED)					
		El 44.223			(NOT INTEGRATED)					
356774	78H8186	E 451688.363	.9996209	.9999923	398461	78H8176	TERR	13 51 13	301.160	301.274
		N5404358.964			133538	78H8163	TERR	215 59 10	159.417	159.477
		El 67.104			(NOT INTEGRATED)					
986778	78H8187	E 452393.395	.9996254	.9999976	967117	78H8154	TERR	132 30 40	168.835	168.898
		N5405614.503			(NOT INTEGRATED)					
		El 33.235			(NOT INTEGRATED)					
627414	78H8188	E 452553.443	.9996217	.9999994	803536	3715	TERR	41 38 29	156.693	156.752
		N 5405295.1			415901	78H8204	TERR	233 23 52	259.953	260.051
		El 55.885			188557	78H8218	TERR	316 30 35	275.728	275.833
187948	78H8189	E 451438.382	.9996269	.9999979	907956	78H8161	TERR	270 31 14	165.225	165.286
		N5403283.898			758193	78H8178	TERR	359 31 16	166.620	166.682
		El 30.969			(NOT INTEGRATED)					
203752	78H8190	E 452570.279	.9996126	.9999849	173161	4494	TERR	4 20 56	214.722	214.805
		N 5410264.9			320705	78H8210	TERR	191 59 42	188.681	188.754
		El 113.857			(NOT INTEGRATED)					

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
16303	78H8191	E 446113.338 N5403289.471 El 66.834	.9996279	.9999922	321067	79H8680	TERR	62 14 5	136.329	136.380
			(NOT INTEGRATED)							
118299	78H8192	E 447421.495 N5419716.776 El 5.138	.9996359	1.0000019	590117 36673	78H8150 4439	TERR TERR	181 25 51 270 51 6	179.519 171.749	179.585 171.812
			(NOT INTEGRATED)							
316711	78H8193	E 450410.475 N5407601.866 El 18.563	.9996301	.9999999	918961 211060	78H8207 78H8211	TERR TERR	83 41 0 298 13 60	180.182 358.886	180.249 359.019
			(NOT INTEGRATED)							
897942	78H8194	E 455938.524 N5407914.455 El 44.93	.9996196	.9999958	869156	78H8202	TERR	52 1 38	212.855	212.937
			(NOT INTEGRATED)							
743955	78H8195	E 443812.511 N5404414.412 El 74.636	.9996298	.9999991	59329	78H8168	TERR	63 23 26	235.627	235.714
			(NOT INTEGRATED)							
651349	78H8196	E 442621.461 N5403951.732 El 100.843	.9996273	.9999869	217414	78H8197	TERR	86 9 39	260.069	260.165
			(NOT INTEGRATED)							
217414	78H8197	E 442880.946 N5403969.145 El 83.272	.9996297	.9999896	797225 725697 651349	78H8206 78H8205 78H8196	TERR TERR TERR	52 25 35 148 27 3 266 9 39	548.190 177.086 260.069	548.394 177.152 260.165
			(NOT INTEGRATED)							
563817	78H8198	E 451367.873 N5406583.658 El 34.575	.9996264	.9999974	74138	78H8203	TERR	180 24 6	167.588	167.651
			(NOT INTEGRATED)							
475293	78H8199	E 450679.003 N 5403458.4 El 29.885	.999628	.9999981	291542 617076	3669 78H8170	TERR TERR	0 36 59 58 39 32	230.764 247.089	230.851 247.181
			(NOT INTEGRATED)							
291179	78H8200	E 444523.904 N5404609.414 El 75.64	.9996287	.9999908	992420 570762	3658 78H8171	TERR TERR	90 38 18 261 51 25	218.146 228.553	218.227 228.638
			(NOT INTEGRATED)							
21170	78H8201	E 452444.499 N5409860.515 El 89.519	.9996165	.9999888	989723 848820	78H8159 78H8158	TERR TERR	145 17 14 358 39 32	374.333 101.566	374.477 101.605
			(NOT INTEGRATED)							
869156	78H8202	E 456106.318 N5408045.422 El 48.422	.9996189	.9999952	897942	78H8194	TERR	232 1 38	212.855	212.937
			(NOT INTEGRATED)							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
74138	78H8203	E 451366.698	.9996272	.9999981	563817	78H8198	TERR	0 24 6	167.588	167.651
		N5406416.074			188557	78H8218	TERR	132 43 46	1357.237	1357.745
		El 29.837	(NOT INTEGRATED)							
415901	78H8204	E 452344.754	.9996207	.9999928	627414	78H8188	TERR	53 23 52	259.953	260.051
		N5405140.102			461509	78H8162	TERR	241 33 49	470.704	470.882
		El 63.699	(NOT INTEGRATED)							
725697	78H8205	E 442973.603	.9996284	.9999885	217414	78H8197	TERR	328 27 3	177.086	177.152
		N5403818.234								
		El 90.698	(NOT INTEGRATED)							
797225	78H8206	E 443315.425	.9996296	.9999902	811430	78H8175	TERR	76 16 57	228.890	228.974
		N5404303.421			217414	78H8197	TERR	232 25 35	548.190	548.394
		El 79.85	(NOT INTEGRATED)							
918961	78H8207	E 450589.563	.9996283	.9999983	874677	3601	TERR	67 26 3	293.347	293.456
		N 5407621.69			316711	78H8193	TERR	263 41 0	180.182	180.249
		El 28.22	(NOT INTEGRATED)							
435297	78H8208	E 443989.994	.9996291	.9999906	302224	3674	TERR	269 44 56	871.652	871.977
		N5404610.476								
		El 77.192	(NOT INTEGRATED)							
275990	78H8209	E 451813.347	.9996219	.9999934	461509	78H8162	TERR	37 57 6	191.050	191.122
		N5404765.312			398461	78H8176	TERR	204 53 31	125.619	125.666
		El 60.065	(NOT INTEGRATED)							
320705	78H8210	E 452531.066	.9996153	.9999876	203752	78H8190	TERR	11 59 42	188.681	188.754
		N5410080.339			848820	78H8158	TERR	216 56 28	147.995	148.052
		El 96.795	(NOT INTEGRATED)							
211060	78H8211	E 450094.286	.9996306	1	316711	78H8193	TERR	118 13 60	358.886	359.019
		N5407771.641			509463	3603	TERR	294 22 43	190.138	190.208
		El 17.668	(NOT INTEGRATED)							
659417	78H8212	E 448983.431	.9996306	.9999986	509463	3603	TERR	90 15 42	937.680	938.027
		N5407854.405			506048	3618	TERR	239 40 44	384.246	384.388
		El 26.335	(NOT INTEGRATED)		850925	78H8219	TERR	280 35 39	265.061	265.159
314179	78H8213	E 444106.416	.9996287	.9999903	570762	78H8171	TERR	105 4 46	198.059	198.132
		N5404628.568			59329	78H8168	TERR	217 27 50	136.843	136.893
		El 79.122	(NOT INTEGRATED)							
729988	78H8214	E 451253.054	.9996247	.9999955	427591	78H8631	TERR	90 7 43	76.553	76.582
		N5403612.047								
		El 46.62	(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
924829	78H8215	E 455771.805 N5407882.449 El 38.722	.9996208	.9999968	692673	78H8153	TERR	210 28 42	125.864	125.912
			(NOT INTEGRATED)							
971739	78H8216	E 456426.907 N5408152.031 El 65.806	.9996158	.9999925	596676	78H8165	TERR	278 47 37	157.722	157.783
			(NOT INTEGRATED)							
987685	78H8217	E 446362.357 N5403493.675 El 66.191	.9996277	.9999923	694083 321067	3735 79H8680	TERR TERR	50 52 53 222 22 51	130.471 190.468	130.519 190.540
			(NOT INTEGRATED)							
188557	78H8218	E 452363.678 N5405495.138 El 41.115	.9996242	.9999963	627414 74138	78H8188 78H8203	TERR TERR	136 30 35 312 43 46	275.728 1357.237	275.833 1357.745
			(NOT INTEGRATED)							
850925	78H8219	E 448722.888 N5407903.137 El 34.14	.9996297	.9999974	659417 506048 391599	78H8212 3618 8023	TERR TERR TERR	100 35 39 196 20 10 249 45 46	265.061 252.928 122.827	265.159 253.022 122.873
			(NOT INTEGRATED)							
620203	78H8220	E 446167.978 N 5404304.23 El 51.902	.9996302	.9999946	691998 387613	78H8167 3656	TERR TERR	65 4 24 297 35 28	198.953 197.994	199.026 198.067
			(NOT INTEGRATED)							
53389	78H8627	E 447558.461 N5412335.419 El 22.576	.999633	.9999992	37564 300459	78H8645 4516	TERR TERR	27 30 54 200 6 30	637.866 313.452	638.099 313.567
			(NOT INTEGRATED)							
436485	78H8628	E 448050.529 N5415573.252 El 51.899	.9996278	.9999946	40964 342691	78H8634 78H8642	TERR TERR	136 21 20 317 31 59	451.920 105.777	452.089 105.816
			(NOT INTEGRATED)							
500934	78H8629	E 451542.893 N5403520.728 El 48.099	.9996241	.9999952	959965 128751	78H8164 78H8169	TERR TERR	0 29 37 270 44 31	112.346 219.728	112.389 219.811
			(NOT INTEGRATED)							
755363	78H8630	E 447014.207 N5411271.018 El 34.312	.9996318	.9999973	800870 54403	78H8632 78H8641	TERR TERR	40 37 13 200 4 24	401.446 190.881	401.594 190.951
			(NOT INTEGRATED)							
427591	78H8631	E 451329.607 N5403611.875 El 44.733	.9996249	.9999958	128751 729988	78H8169 78H8214	TERR TERR	184 9 39 270 7 43	88.535 76.553	88.568 76.582
			(NOT INTEGRATED)							
800870	78H8632	E 447275.566 N5411575.732 El 31.59	.9996319	.9999978	300459 755363	4516 78H8630	TERR TERR	20 37 26 220 37 13	497.207 401.446	497.389 401.594
			(NOT INTEGRATED)							

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
364422	78H8633	E 447727.376	.999626	.9999925	342691	78H8642	TERR	143 12 44	420.364	420.521
		N5415987.933			481036	78H8644	TERR	327 0 15	245.804	245.896
		El 65.548			(NOT INTEGRATED)					
40964	78H8634	E 448362.436	.999628	.9999952	282897	78H8637	TERR	152 59 29	242.603	242.693
		N5415246.226			436485	78H8628	TERR	316 21 20	451.920	452.089
		El 48.006			(NOT INTEGRATED)					
392381	78H8635	E 452977.831	.999622	.9999949	553644	3713	TERR	61 8 53	291.114	291.225
		N5405705.265			635862	8050	TERR	222 6 53	208.363	208.441
		El 50.482			(NOT INTEGRATED)					
382903	78H8636	E 448561.7	.9996311	.9999986	341271	78H8638	TERR	196 18 10	406.399	406.550
		N5414718.342			282897	78H8637	TERR	344 3 2	324.221	324.340
		El 26.754			(NOT INTEGRATED)					
282897	78H8637	E 448472.608	.9996286	.9999996	382903	78H8636	TERR	164 3 2	324.221	324.340
		N5415030.082			40964	78H8634	TERR	332 59 29	242.603	242.693
		El 42.981			(NOT INTEGRATED)					
341271	78H8638	E 448447.619	.9996331	1.0000004	382903	78H8636	TERR	16 18 10	406.399	406.550
		N5414328.283			911438	78H8646	TERR	206 21 30	611.144	611.368
		El 14.761			(NOT INTEGRATED)					
868257	78H8639	E 447882.988	.9996346	1.0000012	911438	78H8646	TERR	35 43 41	502.264	502.448
		N5413372.941			37564	78H8645	TERR	183 37 11	472.748	472.921
		El 9.891			(NOT INTEGRATED)					
280339	78H8640	E 447448.432	.9996253	.9999913	481036	78H8644	TERR	146 55 29	265.850	265.949
		N5416416.861			885996	8062	TERR	333 30 9	230.283	230.370
		El 72.716			(NOT INTEGRATED)					
54403	78H8641	E 446948.692	.999632	.9999974	755363	78H8630	TERR	20 4 24	190.881	190.951
		N5411091.732			275677	4500	TERR	178 24 15	140.294	140.346
		El 33.973			(NOT INTEGRATED)					
342691	78H8642	E 447979.112	.9996277	.9999944	436485	78H8628	TERR	137 31 59	105.777	105.816
		N 5415651.28			364422	78H8633	TERR	323 12 44	420.364	420.521
		El 53.051			(NOT INTEGRATED)					
810317	78H8643	E 447105.24	.9996276	.9999932	885996	8062	TERR	145 26 36	423.906	424.064
		N5416972.068			(NOT INTEGRATED)					
		El 60.616			(NOT INTEGRATED)					
481036	78H8644	E 447593.517	.9996255	.9999918	364422	78H8633	TERR	147 0 15	245.804	245.896
		N5416194.091			280339	78H8640	TERR	326 55 29	265.850	265.949
		El 69.784			(NOT INTEGRATED)					

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING								
37564	78H8645	E 447853.142	.9996336	1.0000002	868257	78H8639	TERR	3 37 11	472.748	472.921				
		N5412901.136					53389	78H8627			TERR	207 30 54	637.866	638.099
		El 15.922					(NOT INTEGRATED)							
911438	78H8646	E 448176.28	.999634	1.000001	341271	78H8638	TERR	26 21 30	611.144	611.368				
		N5413780.677					826230	4467			TERR	96 19 5	447.662	447.826
		El 11.363					(NOT INTEGRATED)				868257	78H8639	TERR	215 43 41
276139	79H8677	E 452711.934	.9996151	.9999876	300160	4493	TERR	193 44 50	99.303	99.340				
		N5410999.001					(NOT INTEGRATED)							
		El 96.716												
414029	79H8678	E 447376.621	.9996331	.999999	753467	3611	TERR	31 3 2	186.803	186.871				
		N5405825.053					514000	3627			TERR	269 14 5	176.451	176.515
		El 23.591												
259085	79H8679	E 452930.951	.9996157	.9999884	937052	4490	TERR	12 49 15	194.354	194.429				
		N5411191.846					592246	78H8177			TERR	101 11 9	162.853	162.915
		El 91.601					(NOT INTEGRATED)							
321067	79H8680	E 446233.971	.9996278	.9999923	987685	78H8217	TERR	42 22 51	190.468	190.540				
		N 5403352.98					16303	78H8191			TERR	242 14 5	136.329	136.380
		El 66.676					(NOT INTEGRATED)							
832832	79H8681	E 449671.641	.9996328	1.0000016	280164	3724	TERR	2 11 19	549.777	549.979				
		N5403210.201					174300	93H0995			TERR	183 17 32	144.551	144.603
		El 7.125					(NOT INTEGRATED)				686212	3787	TERR	268 51 23
319699	79H8682	E 452876.831	.9996154	.9999881	MARKER DESTROYED									
		N 5411117.17	(NOT INTEGRATED)											
		El 93.522												
749242	79H8683	E 453356.904	.999614	.9999873	MARKER DESTROYED									
		N5411384.646			(NOT INTEGRATED)									
		El 98.815												
955278	79H8684	E 447069.726	.9996305	.9999961	377200	4528	TERR	194 17 8	237.848	237.935				
		N5410719.898					275677	4500			TERR	333 10 20	259.528	259.624
		El 42.449					(NOT INTEGRATED)							
963678	79H8686	E 450431.568	.9996299	.9999997	312629	78H8157	TERR	270 35 11	330.314	330.436				
		N5403293.469					152934	3729			TERR	323 22 2	196.371	196.443
		El 19.728					(NOT INTEGRATED)							
664995	8022	E 448760.111	.9996297	.9999974	MARKER DESTROYED									
		N5407893.192			(NOT INTEGRATED)									
		El 33.997												

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
391599	8023	E 448607.643 N 5407860.65 El 38.362	.9996292	.9999967	850925 506048	78H8219 3618	TERR TERR	69 45 46 167 34 42	122.827 205.030	122.873 205.105
				(NOT INTEGRATED)						
349126	8024	E 447871.152 N5407587.454 El 65.392	.9996259	.9999925						MARKER DESTROYED
				(NOT INTEGRATED)						
106955	8025	E 446430.405 N 5407056.4 El 32.903	.9996328	.9999976						MARKER DESTROYED
				(NOT INTEGRATED)						
769810	8026	E 446137.412 N5407786.459 El 46.829	.999631	.9999954	692194 271767	3631 4532	TERR TERR	181 10 21 347 22 3	174.189 219.016	174.252 219.097
				(NOT INTEGRATED)						
939371	8027	E 445604.305 N5405020.273 El 60.39	.9996296	.9999932	762815 287896	3679 3655	TERR TERR	91 21 19 180 57 30	303.944 400.537	304.056 400.685
				(NOT INTEGRATED)						
94516	8028	E 445935.009 N 5404607.78 El 56.687	.9996297	.9999938	387613 287896 644179 762815	3656 3655 2696 3679	TERR TERR TERR TERR	164 48 60 272 2 20 332 31 55 356 12 38	219.511 337.617 4907.321 406.192	219.592 337.742 4909.404 406.342
				(NOT INTEGRATED)						
725093	8029	E 446749.026 N5404420.692 El 40.051	.9996313	.9999964	994152 769547	8030 8032	TERR TERR	90 7 57 357 7 45	479.374 178.438	479.550 178.504
				(NOT INTEGRATED)						
994152	8030	E 447228.399 N5404419.584 El 27.383	.9996326	.9999984	725093	8029	TERR	270 7 57	479.374	479.550
				(NOT INTEGRATED)						
665257	8031	E 447129.471 N5404594.475 El 34.22	.9996317	.9999974						MARKER DESTROYED
				(NOT INTEGRATED)						
769547	8032	E 446740.089 N5404598.906 El 33.159	.9996324	.9999975	157388 725093 390302	95H2041 8029 3665	TERR TERR TERR	91 22 31 177 7 45 270 15 28	385.886 178.438 135.205	386.028 178.504 135.255
				(NOT INTEGRATED)						
131094	8033	E 447121.98 N5404926.918 El 35.793	.9996315	.9999971						MARKER DESTROYED
				(NOT INTEGRATED)						
359950	8034	E 447388.15 N5404554.471 El 18.818	.9996338	.9999998						MARKER ISOLATED
				(NOT INTEGRATED)						

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
675033	8035	E 447747.013 N5404282.606 El 8.001	.999635	1.0000015	298018 894329	77H2567 3628	TERR TERR	148 40 58 334 3 34	119.797 244.528	119.841 244.617
				(NOT INTEGRATED)						
686923	8036	E 447451.146 N5404232.247 El 17.742	.9996339	.9999999						
				(NOT INTEGRATED)		MARKER ISOLATED				
481234	8038	E 445687.25 N5403344.338 El 72.253	.9996276	.9999914	297630 358515	3648 8039	TERR TERR	96 53 18 255 11 41	157.647 117.010	157.706 117.054
				(NOT INTEGRATED)						
358515	8039	E 445574.125 N5403314.438 El 68.927	.9996283	.9999919	481234 637900	8038 8040	TERR TERR	75 11 41 236 44 46	117.010 138.297	117.054 138.349
				(NOT INTEGRATED)						
637900	8040	E 445458.474 N5403238.603 El 73.865	.9996277	.9999911	358515 695999	8039 8041	TERR TERR	56 44 46 248 24 54	138.297 56.611	138.349 56.632
				(NOT INTEGRATED)						
695999	8041	E 445405.833 N5403217.777 El 74.514	.9996276	.999991	637900 891382	8040 3662	TERR TERR	68 24 54 254 18 44	56.611 543.678	56.632 543.881
				(NOT INTEGRATED)						
721472	8042	E 448585.578 N5403472.288 El 9.034	.9996338	1.0000013	774000 705715 644179	3668 3782 2696	TERR TERR TERR	139 14 7 200 8 35 318 9 59	130.448 189.755 7367.767	130.495 189.825 7370.880
				(NOT INTEGRATED)						
961433	8043	E 447804.177 N5404182.975 El 7.94	.999635	1.0000015						
				(NOT INTEGRATED)		MARKER DESTROYED				
133587	8044	E 447934.568 N5404162.016 El 7.035	.9996349	1.0000016	430520	3673	TERR	117 36 59	823.494	823.795
				(NOT INTEGRATED)						
764399	8045	E 447360.501 N5405469.089 El 13.158	.9996347	1.0000007						
				(NOT INTEGRATED)		MARKER DESTROYED				
864520	8046	E 447393.864 N5406178.364 El 37.963	.9996308	.9999968						
				(NOT INTEGRATED)		MARKER DESTROYED				
395483	8048	E 450685.357 N5403286.003 El 24.869	.9996287	.9999989						
				(NOT INTEGRATED)		MARKER DESTROYED				

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
635862	8050	E 452838.099 N5405550.701 El 54.273	.9996216	.9999943	392381 803536	78H8635 3715	TERR TERR	42 6 53 232 30 22	208.363 227.546	208.441 227.633
				(NOT INTEGRATED)						
553529	8051	E 451091.81 N5407555.356 El 53.285	.9996238	.9999944	598169 119339	3693 3692	TERR TERR	16 3 45 196 22 44	153.397 202.898	153.454 202.975
				(NOT INTEGRATED)						
161430	8052	E 450952.909 N5407090.002 El 56.943	.9996234	.9999938	119339 899633 943159	3692 3747 3691	TERR TERR TERR	16 47 32 96 8 13 203 45 21	282.747 489.435 284.466	282.853 489.619 284.573
				(NOT INTEGRATED)						
463125	8056	E 445172.469 N5407092.158 El 96.012	.9996246	.9999877	472134 932301 607929	73H2015 73H2013 3638	TERR TERR TERR	91 23 14 93 13 15 216 58 27	1468.124 777.111 984.378	1468.670 777.399 984.746
				(NOT INTEGRATED)						
169839	8057	E 443896.633 N 5405317.84 El 100.584	.9996256	.9999869	895490	3659	TERR	166 42 42	725.947	726.218
				(NOT INTEGRATED)						
68163	8058	E 444496.911 N5403121.103 El 76.2	.9996286	.9999908	600254	8059	TERR	343 20 27	662.950	663.196
				(NOT INTEGRATED)						
600254	8059	E 444306.859 N5403756.227 El 80.772	.9996281	.99999	68163 895490	8058 3659	TERR TERR	163 20 27 344 6 48	662.950 889.060	663.196 889.391
				(NOT INTEGRATED)						
885996	8062	E 447345.689 N5416622.954 El 67.702	.9996262	.9999921	605204 280339 885350 810317	8067 78H8640 8071 78H8643	TERR TERR TERR TERR	88 56 11 153 30 9 272 1 35 325 26 36	215.234 230.283 433.879 423.906	215.315 230.370 434.042 424.064
				(NOT INTEGRATED)						
846717	8065	E 446986.955 N5417104.408 El 62.728	.9996274	.9999929	10181	4432	TERR	314 0 41	486.947	487.130
				(NOT INTEGRATED)						
698639	8066	E 446551.93 N5416223.342 El 79.858	.9996253	.9999902	885350 743393	8071 4569	TERR TERR	40 57 21 220 19 9	549.450 575.842	549.655 576.058
				(NOT INTEGRATED)						
605204	8067	E 447560.886 N5416626.949 El 81.915	.9996237	.9999899	985945 885996	4466 8062	TERR TERR	90 18 37 268 56 11	1071.456 215.234	1071.856 215.315
				(NOT INTEGRATED)						
478263	8068	E 447087.819 N5410797.714 El 41.3	.9996306	.9999963						
				(NOT INTEGRATED)		MARKER DESTROYED				

Integrated Survey Area No:10 The Corporation of the District of North Cowichan
 Order in Council No. 780/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
867903	8069	E 447266.434 N5411558.166 El 33.357	.9996317	.9999975		MARKER DESTROYED				
885350	8071	E 446912.081 N5416638.295 El 67.97	.9996267	.9999921	885996 698639	8062 8066	TERR TERR	92 1 35 220 57 21	433.879 549.450	434.042 549.655
590513	8072	E 452772.562 N5408491.173 El 87.782	.9996164	.999989	903286 37127	3699 8073	TERR TERR	183 3 7 248 43 34	326.561 518.248	326.686 518.447
37127	8073	E 452289.629 N5408303.138 El 69.799	.9996198	.9999918	188037 590513	78H8180 8072	TERR TERR	8 12 1 68 43 34	610.000 518.248	610.232 518.447
996058	8074	E 446977.214 N5419937.608 El 27.127	.999633	.9999985	779595 856005	4445 4446	TERR TERR	161 8 17 338 10 23	124.984 150.334	125.029 150.390
831529	85H0771	E 447638.879 N5418373.836 El 33.679	.9996311	.9999975	151357	85H0772	TERR	349 28 22	227.724	227.808
151357	85H0772	E 447597.273 N5418597.727 El 32.962	.9996313	.9999976	831529 74963	85H0771 85H0773	TERR TERR	169 28 22 340 45 60	227.724 254.781	227.808 254.875
74963	85H0773	E 447513.344 N5418838.287 El 27.277	.9996323	.9999985	151357 483461	85H0772 85H0774	TERR TERR	160 45 60 324 2 29	254.781 180.456	254.875 180.521
483461	85H0774	E 447407.38 N5418984.355 El 29.804	.9996321	.9999981	238576 74963 436188	4434 85H0773 4419	TERR TERR TERR	48 31 9 144 2 29 316 14 11	174.529 180.456 308.479	174.593 180.521 308.592
66597	86H2455	E 449699.146 N5405151.175 El 54.71	.9996253	.9999942	224253 339879 860445	3672 3683 3738	TERR TERR TERR	47 1 35 180 3 5 359 16 22	279.482 243.052 243.208	279.586 243.143 243.298
157388	95H2041	E 447125.864 N5404589.644 El 34.169	.9996317	.9999974	769547 436121	8032 95H2042	TERR TERR	271 22 31 359 51 0	385.886 340.926	386.028 341.052
436121	95H2042	E 447124.972 N5404930.569 El 35.484	.9996315	.9999972	157388 545103	95H2041 74H2027	TERR TERR	179 51 0 268 54 26	340.926 171.245	341.052 171.308

Order in Council No. 780/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
975193	95H2078	E 447561.636	.9996342	1.0000004	238576	4434	TERR	183 7 5	432.092	432.250
		N 5419531.41			695338	4421	TERR	271 48 15	322.598	322.717
		E1 15.128								

END OF REPORT