

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
447623	4301	E 313371.658 N5485096.337 El 385.021	.99997	.9999422	450759 853978	80H2625 4325	TERR TERR	70 34 57 168 42 24	158.289 181.004	158.293 181.009
386862	4302	E 314636.908 N5484830.784 El 459.187	.9999526	.9999305		MARKER DESTROYED				
315481	4303	E 314611.566 N 5484388.02 El 461.216	.9999524	.9999302	299966 790220 536052	77H2032 84H9643 4874	TERR TERR TERR	3 6 0 192 38 0 280 31 33	322.322 88.193 386.593	322.337 88.197 386.610
133330	4304	E 312734.993 N5485558.119 El 365.747	.999976	.9999452	900928 468538	4888 4900	TERR TERR	73 34 29 343 58 51	341.699 427.283	341.707 427.293
578591	4305	E 311615.72 N5486469.476 El 344.031	.9999845	.9999486	64626 26336	4318 84H0131	TERR TERR	79 19 18 267 22 22	345.386 280.289	345.392 280.293
141234	4306	E 312126.538 N5485124.418 El 351.267	.999981	.9999475	60863 202713 484816	4822 4342 4862	TERR TERR TERR	107 15 13 197 18 6 287 14 27	284.003 288.768 302.471	284.009 288.774 302.476
580720	4307	E 311708.904 N5486150.782 El 344.725	.999984	.9999485	643650 892133 980565	4813 4881 4873	TERR TERR TERR	73 22 5 163 19 55 253 24 2	208.569 372.798 391.567	208.572 372.805 391.573
121087	4308	E 311903.127 N5483635.932 El 342.081	.9999835	.9999489		MARKER DESTROYED				
82859	4309	E 311994.117 N5482987.658 El 341.188	.9999832	.999949		MARKER DESTROYED				
881839	4310	E 312332.912 N5483345.839 El 344.732	.9999811	.9999485		MARKER ISOLATED				
927186	4311	E 311953.555 N 5481931.55 El 340.471	.9999835	.9999492		MARKER DESTROYED				
485359	4312	E 312042.205 N5482405.439 El 340.701	.9999831	.9999491		MARKER DESTROYED				

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
576561	4313	E 311867.354	.9999836	.9999488	590612	4864	TERR	37 20 36	359.681	359.686
		N5483879.438			615732	81H4283	TERR	169 25 19	262.676	262.680
		E1 342.597			758425	79H2038	TERR	170 36 57	477.390	477.397
					883686	85H0767	TERR	336 54 32	454.253	454.259
99812	4314	E 312033.573	.999983	.999949	MARKER DESTROYED					
		N5482722.601								
		E1 341.276								
55400	4315	E 312087.734	.9999812	.9999475	211086	4816	TERR	73 21 10	201.866	201.869
		N5485361.967			723668	4815	TERR	290 3 46	196.218	196.221
		E1 351.297								
279919	4316	E 313991.012	.9999639	.9999389	828657	4882	TERR	82 0 56	396.650	396.665
		N5485096.551			829861	4328	TERR	268 35 46	164.719	164.725
		E1 406.074								
479329	4317	E 312461.989	.9999792	.9999471	598003	4871	TERR	4 5 1	146.446	146.449
		N5484288.679								
		E1 353.435								
64626	4318	E 311955.125	.999983	.9999486	578591	4305	TERR	259 19 18	345.386	345.392
		N5486533.475								
		E1 343.743								
551796	4319	E 311323.106	.999986	.9999487	MARKER DESTROYED					
		N5486343.758								
		E1 343.263								
788471	4320	E 314578.792	.9999569	.9999345	687301	4333	TERR	273 47 19	325.611	325.624
		N5483842.274								
		E1 433.577								
500728	4321	E 312618.24	.9999791	.9999478	MARKER ISOLATED					
		N5482796.955								
		E1 349.032								
99044	4323	E 312476.269	.9999782	.9999462	MARKER DESTROYED					
		N5485486.237								
		E1 359.093								
624437	4324	E 312132.208	.9999813	.9999478	MARKER DESTROYED					
		N 5485894.19								
		E1 349.389								
853978	4325	E 313407.104	.9999698	.9999421	314146	4883	TERR	67 17 13	189.569	189.576
		N5484918.838			447623	4301	TERR	348 42 24	181.004	181.009
		E1 385.246								

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
799155	4326	E 312302.518 N5483902.103 El 347.088	.9999809	.9999481	770917	95H2008	TERR	167 42 59	254.211	254.215
511584	4327	E 313206.384 N5484066.385 El 369.719	.9999732	.9999446	285395	4336	TERR	278 33 13	447.970	447.981
829861	4328	E 313826.343 N5485092.515 El 400.246	.9999655	.9999398	279919 57067 314146	4316 4856 4883	TERR TERR TERR	88 35 46 180 50 20 247 38 54	164.719 372.431 264.223	164.725 372.444 264.231
886689	4329A	E 313853.67 N5483862.708 El 400.448	.9999654	.9999397	687301 174995 950402	4333 4354 4834	TERR TERR TERR	89 50 43 183 22 1 276 10 21	400.225 226.543 202.537	400.239 226.551 202.544
652065	4331	E 311678.434 N5484296.082 El 342.606	.9999845	.9999488		MARKER DESTROYED				
58578	4332	E 312647.714 N5486599.798 El 357.993	.9999776	.9999464		MARKER DESTROYED				
687301	4333	E 314253.893 N5483863.789 El 417.914	.9999608	.999937	788471 886689	4320 4329A	TERR TERR	93 47 19 269 50 43	325.611 400.225	325.624 400.239
978775	4334	E 311412.063 N5484555.885 El 342.352	.9999857	.9999489		MARKER DESTROYED				
824029	4335	E 312568.28 N5481063.371 El 339.378	.9999809	.9999493	85415 460493 614586	4359 97H2180 84H0118	TERR TERR TERR	91 1 34 141 21 4 351 31 56	472.335 612.814 245.885	472.345 612.827 245.889
285395	4336	E 312763.397 N5484133.014 El 357.965	.9999771	.9999464	511584 767582 581801	4327 95H2009 4832	TERR TERR TERR	98 33 13 167 24 53 351 33 1	447.970 416.705 202.726	447.981 416.715 202.731
995225	4337	E 312937.708 N 5480596.51 El 343.499	.9999785	.9999487		MARKER DESTROYED				
795138	4338	E 313047.318 N5482600.827 El 351.309	.9999768	.9999474	151753 554139 897496	4839 83H6726 4899	TERR TERR TERR	169 14 60 348 7 15 349 58 39	334.431 227.292 353.988	334.439 227.297 353.996

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
317040	4340	E 314243.725 N5484082.045 El 425.74	.9999596	.9999358	645846	4356	TERR	67 39 14	228.907	228.917
35147	4341	E 312375.705 N 5483054.11 El 344.447	.999981	.9999485						MARKER DESTROYED
202713	4342	E 312040.657 N5484848.716 El 348.428	.9999819	.9999479	141234 747584 752501	4306 4870 4353	TERR TERR TERR	17 18 6 198 47 27 286 7 26	288.768 228.560 304.404	288.774 228.564 304.409
207019	4344	E 312125.502 N5483675.826 El 344.024	.9999822	.9999486						MARKER DESTROYED
620930	4345	E 312259.047 N5484160.559 El 347.612	.999981	.999948						MARKER DESTROYED
755488	4346	E 313603.865 N5483184.473 El 379.497	.9999698	.999943						MARKER DESTROYED
795419	4347	E 313048.129 N5480746.078 El 342.881	.9999781	.9999488						MARKER DESTROYED
150136	4348	E 312485.927 N5481135.255 El 339.509	.9999812	.9999493						MARKER DESTROYED
797761	4349	E 311358.708 N5485052.194 El 343.13	.9999859	.9999487						MARKER DESTROYED
544460	4350	E 313339.665 N5483357.796 El 373.583	.999972	.999944	37721 89805	4835 4836	TERR TERR	70 25 41 249 24 17	408.249 433.537	408.262 433.548
783415	4351	E 313865.296 N5484092.708 El 402.349	.999965	.9999394						MARKER DESTROYED
752501	4353	E 311748.227 N5484933.253 El 345.771	.9999837	.9999483	484816 202713 474106 743658	4862 4342 4823 85H0769	TERR TERR TERR TERR	17 39 55 106 7 26 196 42 45 293 19 19	294.711 304.404 219.662 423.796	294.716 304.409 219.664 423.802

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
174995	4354	E 313840.365 N5483636.556 El 397.904	.9999658	.9999401	886689	4329A	TERR	3 22 1	226.543	226.551
516468	4355	E 311436.462 N 5484798.17 El 343.242	.9999855	.9999487	474106 572438 743658	4823 85H0768 85H0769	TERR TERR TERR	106 51 6 199 42 28 345 39 48	259.751 194.009 312.597	259.755 194.012 312.601
645846	4356	E 314455.442 N5484169.076 El 438.208	.9999567	.9999338	317040 487173	4340 84H9652	TERR TERR	247 39 14 350 29 33	228.907 134.790	228.917 134.795
626192	4358	E 312748.761 N5482804.704 El 351.475	.9999781	.9999474	89805	4836	TERR	24 47 50	441.277	441.286
85415	4359	E 313040.539 N5481054.912 El 339.571	.9999787	.9999493	812867 799353 824029	95H2007 97H2179 4335	TERR TERR TERR	19 3 24 180 11 9 271 1 34	249.970 227.682 472.335	249.975 227.688 472.345
609396	4360	E 312354.009 N5485960.104 El 350.757	.9999801	.9999475		MARKER DESTROYED				
530915	4808	E 314119.859 N5486051.514 El 426.485	.9999601	.9999357		MARKER DESTROYED				
507293	4811	E 312442.857 N5486607.426 El 344.893	.9999806	.9999485		MARKER DESTROYED				
933036	4812	E 312241.002 N5486309.809 El 345.406	.9999814	.9999484		MARKER DESTROYED				
643650	4813	E 311908.747 N5486210.479 El 345.644	.9999829	.9999483	580720	4307	TERR	253 22 5	208.569	208.572
138917	4814	E 310538.028 N5485840.193 El 343.805	.9999896	.9999486		MARKER DESTROYED				
723668	4815	E 311903.423 N5485429.279 El 349.154	.9999824	.9999478	55400 484816 474106	4315 4862 4823	TERR TERR TERR	110 3 46 196 59 32 197 10 38	196.218 225.036 739.389	196.221 225.040 739.402

Integrated Survey Area No:12 The Corporation of the City of Penticton
 Order in Council No. 782/73
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
211086	4816	E 312281.139	.9999799	.999947	60863	4822	TERR	162 55 21	397.124	397.133
		N5485419.797			55400	4315	TERR	253 21 10	201.866	201.869
		El 354.262			92254	79H1104	TERR	344 41 46	264.574	264.579
148577	4818	E 314023.43	.9999601	.9999352	MARKER DESTROYED					
		N5485560.273								
		El 429.222								
692475	4819	E 313410.671	.9999694	.9999417	MARKER DESTROYED					
		N5485393.484								
		El 387.79								
891002	4821	E 312574.985	.9999771	.9999456	MARKER DESTROYED					
		N5485188.304								
		El 362.913								
60863	4822	E 312397.761	.999979	.9999467	80945	4824	TERR	197 8 13	517.369	517.380
		N5485040.183			141234	4306	TERR	287 15 13	284.003	284.009
		El 356.369			211086	4816	TERR	342 55 21	397.124	397.133
474106	4823	E 311685.059	.9999841	.9999485	752501	4353	TERR	16 42 45	219.662	219.664
		N 5484722.87			723668	4815	TERR	17 10 38	739.389	739.402
		El 344.866			80945	4824	TERR	107 32 27	587.577	587.588
					747584	4870	TERR	107 47 60	296.152	296.157
					516468	4355	TERR	286 51 6	259.751	259.755
80945	4824	E 312245.315	.9999805	.9999475	398750	4866	TERR	16 56 31	159.006	159.009
		N5484545.783			60863	4822	TERR	17 8 13	517.369	517.380
		El 351.089			747584	4870	TERR	287 16 39	291.431	291.437
					474106	4823	TERR	287 32 27	587.577	587.588
938019	4825	E 312653.003	.999977	.9999459	581801	4832	TERR	169 34 50	445.696	445.706
		N5484771.886								
		El 361.381								
135749	4826	E 313607.274	.9999643	.9999376	MARKER DESTROYED					
		N5485999.626								
		El 414.387								
497917	4829	E 313964.431	.9999603	.9999351	858324	3418	TERR	233 43 12	6360.655	6361.016
		N5484708.649			57067	4856	TERR	274 34 14	143.999	144.005
		El 429.853			347989	4807	TERR	356 45 4	3027.372	3027.506
581801	4832	E 312733.608	.999977	.9999462	57141	4831	TERR	92 49 54	599.082	599.097
		N5484333.539			285395	4336	TERR	171 33 1	202.726	202.731
		El 359.165			938019	4825	TERR	349 34 50	445.696	445.706

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
606624	4833	E 312844.151 N5483734.191 El 358.283	.9999766	.9999464						
						MARKER DESTROYED				
950402	4834	E 313652.307 N5483884.485 El 391.106	.9999678	.9999412	886689 37721	4329A 4835	TERR TERR	96 10 21 169 32 8	202.537 396.524	202.544 396.537
37721	4835	E 313724.326 N5483494.556 El 390.24	.9999676	.9999413	89805 544460 950402	4836 4350 4834	TERR TERR TERR	249 54 4 250 25 41 349 32 8	841.752 408.249 396.524	841.776 408.262 396.537
89805	4836	E 312933.836 N5483205.294 El 359.252	.9999761	.9999462	544460 37721 897496 626192 767582	4350 4835 4899 4358 95H2009	TERR TERR TERR TERR TERR	69 24 17 69 54 4 168 32 23 204 47 50 351 18 33	433.537 841.752 261.086 441.277 527.079	433.548 841.776 261.093 441.286 527.091
236141	4837	E 313764.8 N5482825.291 El 416.363	.9999633	.9999372						
						MARKER DESTROYED				
151753	4839	E 313109.698 N5482272.265 El 344.226	.9999776	.9999486	68379 795138	95H2010 4338	TERR TERR	169 47 49 349 14 60	548.118 334.431	548.130 334.439
382432	4840	E 312483.926 N5482163.623 El 340.745	.999981	.9999491						
						MARKER DESTROYED				
348516	4841	E 312419.372 N5481882.716 El 340.682	.9999813	.9999491	614586	84H0118	TERR	168 55 55	587.060	587.071
836999	4842	E 313205.233 N5481730.791 El 340.02	.9999778	.9999492						
						MARKER DESTROYED				
47142	4844	E 312528.535 N5481299.618 El 339.813	.999981	.9999493						
						MARKER DESTROYED				

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
484816	4862	E 311837.658	.999983	.9999481	723668	4815	TERR	16 59 32	225.036	225.040	
		N5485214.067			141234	4306	TERR	107 14 27	302.471	302.476	
		E1 347.479			752501	4353	TERR	197 39 55	294.711	294.716	
					705111	85H0770	TERR	293 56 27	426.899	426.905	
653469	4863	E 311552.854	.9999847	.9999485	892133	4881	TERR	73 14 30	274.643	274.648	
		N5485714.459			980565	4873	TERR	325 57 28	391.564	391.569	
		E1 344.746									
590612	4864	E 312085.532	.9999822	.9999484	576561	4313	TERR	217 20 36	359.681	359.686	
		N 5484165.39			883686	85H0767	TERR	288 24 30	417.707	417.714	
		E1 345.305									
949628	4865	E 311502.777	.9999849	.9999485				MARKER DESTROYED			
		N5485545.438									
		E1 344.813									
398750	4866	E 312291.65	.9999801	.9999473	500157	4869	TERR	93 51 32	197.525	197.529	
		N5484697.888			80945	4824	TERR	196 56 31	159.006	159.009	
		E1 352.543									
774935	4867	E 312643.384	.9999781	.9999469							
		N5486395.795									
		E1 354.805									
998161	4868	E 313553.055	.9999652	.9999382							
		N5485645.441									
		E1 410.388									
500157	4869	E 312488.727	.9999786	.9999467	598003	4871	TERR	183 44 5	250.374	250.379	
		N5484684.595			398750	4866	TERR	273 51 32	197.525	197.529	
		E1 356.129									
747584	4870	E 311967.034	.9999824	.9999481	202713	4342	TERR	18 47 27	228.560	228.564	
		N5484632.338			80945	4824	TERR	107 16 39	291.431	291.437	
		E1 347.384			474106	4823	TERR	287 47 60	296.152	296.157	
598003	4871	E 312472.418	.9999788	.9999468	500157	4869	TERR	3 44 5	250.374	250.379	
		N5484434.753			479329	4317	TERR	184 5 1	146.446	146.449	
		E1 355.356									
157610	4872	E 310881.396	.9999884	.9999491							
		N 5485505.41									
		E1 340.914									

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
314146	4883	E 313581.972	.9999681	.9999412	829861	4328	TERR	67 38 54	264.223	264.231
		N5484992.034			853978	4325	TERR	247 17 13	189.569	189.576
		E1 391.376			450759	80H2625	TERR	338 44 57	168.375	168.381
146456	4884	E 314396.017	.9999553	.9999321	299966	77H2032	TERR	89 6 21	233.008	233.019
		N5484706.234								
		E1 449.204								
934182	4885	E 313033.285	.9999692	.9999398	370544	4875	TERR	1 39 37	184.403	184.409
		N5486256.691			130807	4894	TERR	179 51 44	260.808	260.816
		E1 400.147								
501791	4886	E 311357.404 N 5485592.34 E1 343.559	.9999858	.9999487			MARKER DESTROYED			
132613	4887	E 312985.438	.9999741	.9999445	900928	4888	TERR	149 46 46	153.595	153.598
		N5485787.459			659300	4890	TERR	303 49 6	194.817	194.822
		E1 370.297								
900928	4888	E 313062.747	.9999731	.9999439	34520	4854	TERR	165 10 42	349.065	349.074
		N5485654.739			133330	4304	TERR	253 34 29	341.699	341.707
		E1 374.061			132613	4887	TERR	329 46 46	153.595	153.598
107136	4889	E 313513.833 N5485153.547 E1 390.379	.9999685	.9999413			MARKER DESTROYED			
659300	4890	E 312823.583	.9999762	.9999458	130807	4894	TERR	64 34 20	232.890	232.896
		N5485895.887			132613	4887	TERR	123 49 6	194.817	194.822
		E1 361.799			468538	4900	TERR	289 26 59	219.001	219.006
305664	4891	E 311325.427 N 5486462 E1 343.993	.9999859	.9999486			MARKER DESTROYED			
710871	4892	E 313072.763 N5486596.912 E1 385.01	.9999714	.9999422			MARKER DESTROYED			
845883	4893	E 311450.296 N5485343.262 E1 344.576	.9999852	.9999485			MARKER DESTROYED			
130807	4894	E 313033.912	.9999705	.9999411	251587	94H1183	TERR	88 48 15	274.776	274.784
		N5485995.884			659300	4890	TERR	244 34 20	232.890	232.896
		E1 392.107			934182	4885	TERR	359 51 44	260.808	260.816

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
914341	4895	E 313251.329 N5483809.582 El 373.249	.9999724	.999944		MARKER DESTROYED				
380048	4896	E 312279.847 N5483629.679 El 343.771	.9999815	.9999486		MARKER DESTROYED				
999755	4897	E 314628.699 N5484709.629 El 455.673	.9999532	.9999311		MARKER DESTROYED				
406447	4898	E 312922.325 N5485008.698 El 370.319	.9999744	.9999445		MARKER ISOLATED				
897496	4899	E 312985.711 N5482949.413 El 358.113	.999976	.9999464	590539 795138 554139 89805	4858 4338 83H6726 4836	TERR TERR TERR TERR	69 15 37 169 58 39 173 18 3 348 32 23	310.185 353.988 127.029 261.086	310.193 353.996 127.032 261.093
468538	4900	E 312617.08 N 5485968.81 El 354.638	.9999782	.9999469	404269 659300 133330	84H0129 4890 4304	TERR TERR TERR	4 11 50 109 26 59 163 58 51	428.748 219.001 427.283	428.757 219.006 427.293
179762	77H2031	E 314636.983 N 5484830.92 El 459.186	.9999526	.9999305	299966	77H2032	TERR	183 46 28	121.313	121.319
299966	77H2032	E 314628.997 N 5484709.87 El 455.831	.9999532	.9999311	179762 156349 315481 146456	77H2031 84H9646 4303 4884	TERR TERR TERR TERR	3 46 28 69 52 31 183 6 0 269 6 21	121.313 135.733 322.322 233.008	121.319 135.740 322.337 233.019
92254	79H1104	E 312211.308 N5485674.989 El 351.209	.9999807	.9999475	211086	4816	TERR	164 41 46	264.574	264.579
717025	79H2033	E 311853.528 N5481463.617 El 340.799	.9999839	.9999491	534297 936385	79H2034 4846	TERR TERR	13 39 11 186 18 53	402.690 415.107	402.697 415.113
534297	79H2034	E 311948.58 N5481854.928 El 340.26	.9999836	.9999492	7443 717025	79H2035 79H2033	TERR TERR	10 52 41 193 39 11	431.929 402.690	431.937 402.697

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
488775	84H0137	E 310638.282 N5486089.938 El 342.388	.9999893	.9999489	735555 508002	83H9638 84H9654	TERR TERR	54 7 38 199 15 27	265.547 273.351	265.550 273.354
607358	84H0138	E 313956.453 N5483027.736 El 434.698	.9999595	.9999344	704692 459685 545244	84H0130 84H9648 83H6730	TERR TERR TERR	3 13 24 179 15 56 272 5 13	246.438 165.263 220.494	246.447 165.269 220.502
468975	84H9636	E 315105.481 N5484248.327 El 485.024	.9999464	.9999265	502500 560235	84H9644 84H9639	TERR TERR	3 23 44 219 27 30	240.143 124.095	240.155 124.102
554626	84H9637	E 314874.745 N5484726.217 El 469.416	.9999499	.9999289	998716 156349	84H9640 84H9646	TERR TERR	182 55 11 284 23 26	90.835 122.134	90.839 122.140
560235	84H9639	E 315026.617 N5484152.515 El 487.395	.9999464	.9999261	468975 914267 227298	84H9636 NO MARKING 84H9650	TERR GPS TERR	39 27 30 263 49 21 310 35 57	124.095 2995.384 187.392	124.102 2995.492 187.402
998716	84H9640	E 314870.118 N 5484635.5 El 463.312	.9999509	.9999299	554626 561407	84H9637 84H9653	TERR TERR	2 55 11 104 53 17	90.835 185.947	90.839 185.956
201541	84H9641	E 314568.014 N5483658.645 El 479.319	.9999498	.9999274	5173	84H9642	TERR	182 57 5	461.951	461.974
5173	84H9642	E 314544.229 N5483197.307 El 484.531	.9999491	.9999266	203463 201541	LEGAL 3821S 84H9641	TERR TERR	2 51 49 2 57 5	235.790 461.951	235.803 461.974
790220	84H9643	E 314592.277 N5484301.962 El 456.734	.9999532	.9999309	315481 227298 487173	4303 84H9650 84H9652	TERR TERR TERR	12 38 0 95 22 44 270 1 7	88.193 293.349 159.099	88.197 293.363 159.106
502500	84H9644	E 315119.704 N5484488.048 El 476.326	.9999477	.9999278	468975 561407	84H9636 84H9653	TERR TERR	183 23 44 324 57 59	240.143 121.732	240.155 121.738
292938	84H9645	E 313876.599 N5482866.676 El 423.023	.9999617	.9999362	459685	84H9648	TERR	92 55 32	82.079	82.082
156349	84H9646	E 314756.443 N5484756.571 El 462.972	.9999515	.9999299	554626 299966	84H9637 77H2032	TERR TERR	104 23 26 249 52 31	122.134 135.733	122.140 135.740

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
457176	8558	E 313721.929 N5482943.375 El 419.336	.999963	.9999368		MARKER DESTROYED				
899302	8559	E 313118.153 N5481291.721 El 340.391	.9999782	.9999492		MARKER DESTROYED				
603217	8560	E 312174.843 N5484296.484 El 348.744	.9999812	.9999479		MARKER DESTROYED				
40139	8561	E 313048.413 N5484324.258 El 366.581	.9999744	.9999451		MARKER DESTROYED				
238865	8562	E 312989.653 N5484642.248 El 369.765	.9999742	.9999446		MARKER DESTROYED				
208827	8563	E 312881.773 N5485228.885 El 371.226	.9999744	.9999443		MARKER DESTROYED				
552604	8564	E 313188.712 N5485053.367 El 378.963	.9999718	.9999431		MARKER DESTROYED				
571117	8565	E 313700.755 N5485475.371 El 394.995	.9999669	.9999406	832311	82H5345	TERR	255 9 41	303.027	303.036
420604	8566	E 313330.124 N5484297.224 El 381.206	.9999708	.9999428	686386	4853A	TERR	350 31 48	405.921	405.932
883686	85H0767	E 311689.199 N5484297.297 El 343.479	.9999843	.9999487	590612 576561 572438	4864 4313 85H0768	TERR TERR TERR	108 24 30 156 54 32 315 0 22	417.707 454.253 449.995	417.714 454.259 450.002
572438	85H0768	E 311371.038 N5484615.525 El 345.5	.9999854	.9999484	516468 883686	4355 85H0767	TERR TERR	19 42 28 135 0 22	194.009 449.995	194.012 450.002
743658	85H0769	E 311359.057 N5485101.032 El 343.715	.9999858	.9999486	705111 752501 516468	85H0770 4353 4355	TERR TERR TERR	17 9 59 113 19 19 165 39 48	299.614 423.796 312.597	299.618 423.802 312.601

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
705111	85H0770	E 311447.487	.9999851	.9999484	484816	4862	TERR	113 56 27	426.899	426.905
		N5485387.299			743658	85H0769	TERR	197 9 59	299.614	299.618
		El 345.202								
251587	94H1183	E 313308.628	.9999676	.9999395	194316	94H1184	TERR	104 12 23	157.389	157.395
		N5486001.619			130807	4894	TERR	268 48 15	274.776	274.784
		El 402.053								
194316	94H1184	E 313461.204	.999966	.9999385	162644	94H1185	TERR	75 17 6	145.800	145.805
		N5485962.993			251587	94H1183	TERR	284 12 23	157.389	157.395
		El 408.21								
162644	94H1185	E 313602.222	.9999643	.9999375	705400	4860	TERR	98 30 44	146.926	146.930
		N5486000.028			194316	94H1184	TERR	255 17 6	145.800	145.805
		El 414.532								
812867	95H2007	E 313122.155	.999978	.999949	68379	95H2010	TERR	10 50 55	449.669	449.679
		N5481291.183			85415	4359	TERR	199 3 24	249.970	249.975
		El 341.096			614586	84H0118	TERR	271 29 39	590.283	590.295
770917	95H2008	E 312356.601	.9999809	.9999484	767582	95H2009	TERR	81 41 53	502.862	502.872
		N5483653.712			799155	4326	TERR	347 42 59	254.211	254.215
		El 345.483								
767582	95H2009	E 312854.193	.9999765	.9999463	89805	4836	TERR	171 18 33	527.079	527.091
		N5483726.321			770917	95H2008	TERR	261 41 53	502.862	502.872
		El 358.729			285395	4336	TERR	347 24 53	416.705	416.715
68379	95H2010	E 313206.789	.9999777	.9999491	812867	95H2007	TERR	190 50 55	449.669	449.679
		N5481732.815			151753	4839	TERR	349 47 49	548.118	548.130
		El 340.784								
799353	97H2179	E 313039.801	.9999783	.999949	85415	4359	TERR	0 11 9	227.682	227.688
		N5480827.231			460493	97H2180	TERR	200 6 47	258.206	258.211
		El 341.7								
460493	97H2180	E 312951.011	.999978	.9999482	799353	97H2179	TERR	20 6 47	258.206	258.211
		N5480584.771			824029	4335	TERR	321 21 4	612.814	612.827
		El 346.343								
446690	97H2181	E 312456.545	.9999805	.9999484	393579	97H2182	TERR	91 25 59	182.253	182.257
		N5486616.594								
		El 345.228								
393579	97H2182	E 312638.741	.9999776	.9999464	573923	97H2183	TERR	92 4 4	359.457	359.466
		N5486612.036			404269	84H0129	TERR	177 25 9	215.847	215.851
		El 358.016			446690	97H2181	TERR	271 25 59	182.253	182.257

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
573923	97H2183	E 312997.964	.9999726	.999943	370544	4875	TERR	165 34 18	163.197	163.202
		N5486599.067			393579	97H2182	TERR	272 4 4	359.457	359.466
		E1 379.542								

END OF REPORT