

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Base Mapping and Geomatic Services branch. For up to date information on the status of geodetic control monuments, please refer to the Provinces website at:

<http://aardvark.gov.bc.ca/apps/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:

<http://aardvark.gov.bc.ca/apps/mascotw/markercond.html>

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
308726	75H2901	E 338703.203 N5568653.424 El 389.904	.9998609	.9999414		MARKER DESTROYED				
386490	75H2902	E 338558.496 N5568468.646 El 394.705	.9998608	.9999407	795518	75H2903	TERR	202 51 36	185.249	185.275
795518	75H2903	E 338486.53 N5568297.947 El 400.488	.9998601	.9999398	386490 884171	75H2902 75H2904	TERR TERR	22 51 36 188 24 20	185.249 233.852	185.275 233.885
884171	75H2904	E 338452.346 N5568066.607 El 401.888	.9998601	.9999395	795518 951608	75H2903 76H3254	TERR TERR	8 24 20 189 11 12	233.852 485.377	233.885 485.444
440305	75H2905	E 338316.572 N5567231.606 El 392.079	.9998621	.9999411	951608 900027	76H3254 82H5092	TERR TERR	9 18 6 76 31 53	360.592 603.058	360.641 603.149
939496	75H2906	E 338219.193 N5566873.195 El 393.247	.9998623	.9999409		MARKER DESTROYED				
953513	75H2907	E 334659.588 N5568884.466 El 350.762	.9998833	.9999476	525410 625053	75H3060 75H2908	TERR TERR	51 36 2 231 28 16	807.290 690.317	807.386 690.397
625053	75H2908	E 334119.557 N5568454.462 El 347.188	.9998861	.9999481	953513 336594	75H2907 75H2909	TERR TERR	51 28 16 232 28 0	690.317 832.460	690.397 832.553
336594	75H2909	E 333459.416 N5567947.309 El 348.11	.9998886	.999948	442954 625053 176990	75H3202 75H2908 75H2910	TERR TERR TERR	19 2 5 52 28 0 257 35 3	1899.713 832.460 373.192	1899.940 832.553 373.233
176990	75H2910	E 333094.952 N 5567867.07 El 346.965	.9998903	.9999482	336594 44255	75H2909 75H3101	TERR TERR	77 35 3 338 9 25	373.192 599.002	373.233 599.068
161240	75H2911	E 337393.108 N5571224.958 El 399.267	.9998647	.99994	336875 733816 178129	76H3270 75H2937 75H3090	TERR TERR TERR	123 8 46 193 32 49 270 5 25	162.903 147.347 181.612	162.925 147.366 181.637
909853	75H2912	E 337862.399 N5570837.185 El 379.714	.9998659	.999943		MARKER DESTROYED				

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
400044	75H2913	E 337581.698	.9998667	.9999427	387266	76H3269	TERR	92 7 56	154.604	154.624					
		N5570846.083					914416				76H3276	TERR	182 34 43	220.690	220.718
		El 381.547													
452292	75H2914	E 338073.726	.9998646	.9999426	535161	75H3081	TERR	1 41 34	147.570	147.591					
		N5570836.448					646398				75H2918	TERR	93 1 18	174.205	174.229
		El 382.338					721514				76H3281	TERR	181 31 50	225.022	225.053
511865	75H2915	E 338284.668	.9998639	.9999427	520726	75H3024	TERR	183 53 53	163.886	163.909					
		N5570597.302					646398				75H2918	TERR	350 51 53	232.917	232.949
		El 381.856													
600072	75H2916	E 338169.614 N5570136.828 El 377.155	.9998651	.9999434			MARKER DESTROYED								
720912	75H2917	E 337929.066 N5570114.447 El 374.286	.9998665	.9999439			MARKER DESTROYED								
646398	75H2918	E 338247.689	.9998635	.9999422	511865	75H2915	TERR	170 51 53	232.917	232.949					
		N5570827.265					452292				75H2914	TERR	273 1 18	174.205	174.229
		El 384.884					855338				75H3019	TERR	355 4 52	159.183	159.205
813204	75H2919	E 337748.53	.9998676	.9999443	85357	76H3290	TERR	77 25 59	204.596	204.623					
		N5570089.789					45047				75H3054	TERR	176 8 2	139.086	139.104
		El 371.461					680439				75H2961	TERR	268 21 21	207.890	207.917
							556670				75H2920	TERR	345 44 16	153.451	153.471
556670	75H2920	E 337710.726	.9998676	.9999441	813204	75H2919	TERR	165 44 16	153.451	153.471					
		N 5570238.51					265686				76H3340	TERR	279 42 3	174.828	174.851
		El 372.717					300699				75H3022	TERR	359 55 50	212.857	212.886
842344	75H2921	E 338520.319	.9998602	.99994	141549	75H3044	TERR	2 55 13	460.421	460.486					
		N5572443.153					929588				75H2936	TERR	92 24 49	300.998	301.041
		El 399.197													
696807	75H2922	E 338459.509	.9998619	.9999414	416032	75H3155	TERR	91 30 48	166.638	166.662					
		N5570418.797					340539				75H2974	TERR	181 12 10	173.697	173.721
		El 389.955													
619973	75H2923	E 338505.093 N5571977.866 El 400.832	.99986	.9999397			MARKER DESTROYED								
558312	75H2924	E 338512.131 N5572218.405 El 401.01	.99986	.9999397			MARKER DESTROYED								

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
325175	75H2925	E 338485.981 N5571380.358 El 394.857	.999861	.9999406		MARKER DESTROYED				
242743	75H2926	E 338469.801 N5570820.808 El 391.442	.9998616	.9999412		MARKER DESTROYED				
316497	75H2927	E 338498.774 N5571796.473 El 400.817	.99986	.9999397		MARKER DESTROYED				
694166	75H2928	E 338485.65 N5569097.824 El 381.281	.9998632	.9999428	228171	75H3161	TERR	90 51 26	232.905	232.937
202663	75H2929	E 338493.623 N5571635.745 El 399.008	.9998603	.99994		MARKER DESTROYED				
395210	75H2930	E 338475.669 N5570978.086 El 392.079	.9998615	.9999411	974113 205898 855338	76H3305 75H3156 75H3019	TERR TERR TERR	5 15 30 91 20 49 271 50 36	151.900 164.599 241.754	151.921 164.621 241.787
617621	75H2931	E 339354.002 N5572279.692 El 416.388	.9998542	.9999373	70904 773093	76H3297 75H2999	TERR TERR	35 31 52 183 6 15	137.804 261.096	137.825 261.134
393777	75H2932	E 339095.92 N5572421.631 El 407.319	.9998567	.9999387	70904 580795 929588	76H3297 75H3001 75H2936	TERR TERR TERR	95 2 6 181 51 5 271 50 36	339.476 216.606 275.012	339.526 216.637 275.051
978692	75H2933	E 337715.1 N5571345.629 El 400.579	.9998632	.9999397	502377 703736	75H3080 75H2934	TERR TERR	2 48 31 232 57 42	127.245 86.709	127.262 86.721
703736	75H2934	E 337645.886 N 5571293.4 El 400.573	.9998635	.9999397	978692 624262	75H2933 75H2939	TERR TERR	52 57 42 272 50 35	86.709 196.987	86.721 197.013
401992	75H2935	E 337514.774 N5571478.186 El 396.558	.9998646	.9999404	502377	75H3080	TERR	91 30 56	206.633	206.662
929588	75H2936	E 338821.05 N5572430.477 El 404.813	.9998581	.9999391	393777 227033 842344	75H2932 75H3126 75H2921	TERR TERR TERR	91 50 36 182 5 59 272 24 49	275.012 463.551 300.998	275.051 463.616 301.041



Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
384750	75H2950	E 338363.355 N5572444.026 El 396.485	.9998613	.9999404		MARKER DESTROYED				
796797	75H2951	E 340562.15 N5569544.753 El 438.928	.9998459	.9999337	427096 273193	75H2970 75H2957	TERR TERR	1 42 6 267 6 7	330.403 269.822	330.454 269.863
743302	75H2952	E 339977.179 N5569540.302 El 424.6	.9998505	.999936	273193 258624	75H2957 75H2955	TERR TERR	91 40 7 282 14 25	315.628 110.618	315.675 110.634
787689	75H2953	E 338173.781 N5572242.125 El 393.527	.9998625	.9999409	414680 159905	75H2944 75H2960	TERR TERR	17 20 40 202 16 58	216.644 275.217	216.674 275.256
523407	75H2954	E 339733.105 N5569576.549 El 420.557	.9998521	.9999366	258624 854885	75H2955 75H2989	TERR TERR	95 22 33 259 25 1	136.572 192.132	136.592 192.161
258624	75H2955	E 339869.076 N5569563.754 El 420.749	.9998515	.9999366	743302 523407	75H2952 75H2954	TERR TERR	102 14 25 275 22 33	110.618 136.572	110.634 136.592
273193	75H2957	E 340292.673 N5569531.111 El 432.514	.999848	.9999347	796797 743302	75H2951 75H2952	TERR TERR	87 6 7 271 40 7	269.822 315.628	269.863 315.675
241877	75H2958	E 338270.261 N5572145.439 El 400.902	.9998609	.9999397	774455 732156 693507	657017 76H3278 75H3193	TERR TERR TERR	46 38 53 122 27 3 182 11 54	5590.826 2484.198 160.350	5591.846 2484.575 160.372
286427	75H2959	E 338040.602 N5571843.614 El 392.516	.9998632	.999941	159905	75H2960	TERR	11 19 50	146.705	146.725
159905	75H2960	E 338069.425 N 5571987.46 El 393.688	.9998629	.9999408	787689 286427	75H2953 75H2959	TERR TERR	22 16 58 191 19 50	275.217 146.705	275.256 146.725
680439	75H2961	E 337540.726 N5570083.824 El 370.302	.9998686	.9999445	813204 141747 265686	75H2919 75H2963 76H3340	TERR TERR TERR	88 21 21 267 9 4 359 16 33	207.890 354.461 184.160	207.917 354.507 184.184
309476	75H2962	E 339824.863 N5570162.618 El 447.168	.9998475	.9999324		MARKER DESTROYED				

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
141747	75H2963	E 337186.703	.9998704	.9999448	734434	75H3173	TERR	5 51 11	151.973	151.993
		N5570066.207			680439	75H2961	TERR	87 9 4	354.461	354.507
		El 368.28			905364	76H3292	TERR	260 38 27	259.972	260.005
542209	75H2965	E 337766.123	.9998633	.99994	978833	76H3336	TERR	274 32 16	329.695	329.739
		N5571639.756								
		El 398.831								
606376	75H2967	E 339749.475	.9998488	.9999334	119990	76H3255	TERR	180 3 28	236.045	236.081
		N5571833.127								
		El 440.885								
640268	75H2968	E 340225.255	.9998469	.9999334	599134	76H3246	TERR	272 19 29	309.702	309.749
		N5569941.978								
		El 441.071								
880161	75H2969	E 340603.612	.9998414	.9999294	269308	75H3011	TERR	183 28 24	245.368	245.406
		N5570729.396			732156	76H3278	TERR	289 18 51	251.193	251.234
		El 466.742								
427096	75H2970	E 340571.962	.999844	.9999319	530121	76H3314	TERR	1 44 57	323.399	323.449
		N 5569875.01			796797	75H2951	TERR	181 42 6	330.403	330.454
		El 450.691								
625517	75H2971	E 336159.44	.9998751	.9999455		MARKER DESTROYED				
		N5570180.981								
		El 364.137								
991919	75H2973	E 335960.013	.9998735	.999943	478115	75H2976	TERR	278 48 41	300.130	300.168
		N 5570366.2								
		El 379.605								
340539	75H2974	E 338455.863	.9998617	.9999412	696807	75H2922	TERR	1 12 10	173.697	173.721
		N5570245.138			840546	75H3153	TERR	91 57 5	164.409	164.432
		El 391.568			461640	75H3129	TERR	181 33 36	233.639	233.671
					57380	76H3288	TERR	265 7 12	83.967	83.979
717785	75H2975	E 336385.679	.9998722	.9999434	341032	75H3198	TERR	107 59 18	160.038	160.058
		N5570432.803								
		El 376.996								
478115	75H2976	E 335663.425	.9998721	.9999404	991919	75H2973	TERR	98 48 41	300.130	300.168
		N5570412.174			940445	75H3118	TERR	249 29 53	209.716	209.742
		El 396.549								
394296	75H2977	E 338529.01	.9998584	.9999382	501379	75H2985	TERR	110 56 20	208.625	208.655
		N5569827.654								
		El 410.321								

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
402735	75H2978	E 336227.802 N5570413.411 El 379.8	.9998724	.999943		MARKER DESTROYED				
844829	75H2979	E 338710.974 N5568835.506 El 386.404	.9998615	.999942	228171 865121	75H3161 77H3357	TERR TERR	1 40 19 94 42 14	258.944 199.005	258.980 199.034
544551	75H2980	E 335960.954 N5570043.041 El 364.806	.9998758	.9999454		MARKER ISOLATED				
781559	75H2981	E 338762.487 N5570409.912 El 420.064	.999856	.9999367	717512 169805 416032	76H3304 75H2982 75H3155	TERR TERR TERR	4 50 36 181 27 58 271 52 58	180.619 173.547 136.472	180.645 173.572 136.490
169805	75H2982	E 338758.047 N5570236.422 El 434.025	.9998538	.9999345	781559 375022	75H2981 75H2984	TERR TERR	1 27 58 181 5 1	173.547 233.874	173.572 233.908
914788	75H2983	E 338766.404 N5570583.358 El 406.089	.9998582	.9999389		MARKER DESTROYED				
375022	75H2984	E 338753.624 N 5570002.59 El 428.118	.9998548	.9999354	169805 178293 274688	75H2982 75H3123 75H3008	TERR TERR TERR	1 5 1 92 21 4 271 32 43	233.874 106.256 138.654	233.908 106.272 138.675
501379	75H2985	E 338723.858 N5569753.097 El 421.667	.9998559	.9999364	733329 394296	75H2986 75H2977	TERR TERR	91 49 17 290 56 20	278.822 208.625	278.862 208.655
733329	75H2986	E 339002.539 N5569744.235 El 426.508	.999854	.9999357	984195 432708 501379	75H2988 77H3346 75H2985	TERR TERR TERR	91 40 25 179 1 1 271 49 17	241.815 168.211 278.822	241.850 168.236 278.862
788786	75H2987	E 339390.001 N5569489.247 El 413.948	.9998545	.9999376		MARKER DESTROYED				
984195	75H2988	E 339244.251 N5569737.173 El 426.006	.9998531	.9999358	883330 85951 733329	75H3127 77H3345 75H2986	TERR TERR TERR	2 3 49 184 38 43 271 40 25	249.072 168.019 241.815	249.108 168.043 241.850
854885	75H2989	E 339544.241 N5569541.262 El 417.21	.9998533	.9999371	523407 263475 822544 776641	75H2954 76H3332 76H3306 89H5491	TERR TERR TERR TERR	79 25 1 182 21 1 248 58 5 359 59 21	192.132 363.757 176.871 423.111	192.161 363.810 176.896 423.174

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
600247	75H2990	E 339243.228 N5569432.021 El 408.425	.9998559	.9999385		MARKER DESTROYED				
178210	75H2991	E 339540.832 N5571804.005 El 422.242	.9998526	.9999363		MARKER DESTROYED				
186007	75H2992	E 339409.119 N5571905.365 El 417.377	.9998538	.9999371	567305 773093	76H3302 75H2999	TERR TERR	129 20 49 328 38 5	226.814 133.058	226.848 133.078
536177	75H2993	E 338903.507 N5570962.947 El 414.427	.9998563	.9999376	818625 294322	75H3111 75H2994	TERR TERR	27 40 38 216 2 11	170.493 229.941	170.517 229.974
294322	75H2994	E 338768.233 N5570777.007 El 405.521	.9998582	.999939	733774 536177 717512	75H3007 75H2993 76H3304	TERR TERR TERR	0 59 20 36 2 11 177 5 33	194.591 229.941 187.362	194.619 229.974 187.388
118984	75H2995	E 339550.145 N5571602.428 El 420.924	.9998527	.9999366	567305 432070 438564 407650	76H3302 89H5461 76H3303 76H3262	TERR TERR TERR TERR	12 11 21 94 19 16 195 10 9 272 34 20	162.803 103.152 149.816 158.742	162.828 103.167 149.838 158.766
562751	75H2996	E 339059.278 N5571175.763 El 417.836	.9998552	.999937	699918 451567 818625	75H3005 75H2998 75H3111	TERR TERR TERR	1 43 44 63 49 2 231 4 56	253.425 211.857 98.425	253.462 211.888 98.438
390526	75H2997	E 339515.454 N5571474.226 El 420.849	.9998529	.9999366		MARKER DESTROYED				
451567	75H2998	E 339249.396 N5571269.242 El 417.765	.9998544	.999937	376780 562751	75H3000 75H2996	TERR TERR	61 36 19 243 49 2	160.671 211.857	160.694 211.888
773093	75H2999	E 339339.863 N5572018.979 El 414.716	.9998545	.9999375	617621 919621 4275 186007 928051	75H2931 89H5464 76H3277 75H2992 89H5500	TERR TERR TERR TERR TERR	3 6 15 83 13 17 83 30 2 148 38 5 271 59 3	261.096 66.541 66.630 133.058 133.465	261.134 66.551 66.640 133.078 133.484
376780	75H3000	E 339390.737 N5571345.648 El 418.427	.9998538	.9999369	438564 451567	76H3303 75H2998	TERR TERR	46 58 37 241 36 19	164.422 160.671	164.447 160.694

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
580795	75H3001	E 339088.922 N5572205.138 El 410.987	.9998561	.9999381	393777	75H2932	TERR	1 51 5	216.606	216.637
605253	75H3002	E 339081.648 N 5571800.36 El 407.293	.9998567	.9999387	813766	89H5466	TERR	358 44 5	154.201	154.223
346833	75H3003	E 338773.984 N5571113.043 El 402.884	.9998586	.9999394	818625 733774 523803	75H3111 75H3007 76H3296	TERR TERR TERR	89 45 21 180 58 9 275 8 48	208.717 141.494 136.812	208.747 141.514 136.831
222851	75H3004	E 339225.332 N5572027.653 El 411.795	.9998554	.999938		MARKER DESTROYED				
699918	75H3005	E 339066.924 N5571429.073 El 401.576	.9998577	.9999396	562751	75H2996	TERR	181 43 44	253.425	253.462
448324	75H3006	E 339084.953 N5571960.145 El 409.459	.9998564	.9999383		MARKER DESTROYED				
733774	75H3007	E 338771.591 N5570971.569 El 405.107	.9998583	.999939	346833 294322 205898	75H3003 75H2994 75H3156	TERR TERR TERR	0 58 9 180 59 20 271 9 17	141.494 194.591 131.396	141.514 194.619 131.414
274688	75H3008	E 338615.02 N5570006.329 El 416.345	.9998571	.9999373	840546 375022 461640	75H3153 75H2984 75H3129	TERR TERR TERR	1 16 0 91 32 43 271 49 9	233.268 138.654 165.601	233.301 138.675 165.624
551143	75H3009	E 339072.239 N5571617.408 El 403.65	.9998573	.9999393		MARKER DESTROYED				
269308	75H3011	E 340588.747 N5570484.479 El 463.25	.999842	.9999299	880161 530121	75H2969 76H3314	TERR TERR	3 28 24 181 23 2	245.368 286.305	245.406 286.350
491761	75H3012	E 338463.273 N5570592.064 El 391.062	.9998617	.9999412		MARKER DESTROYED				
605725	75H3013	E 338479.38 N5571122.578 El 392.55	.9998614	.999941		MARKER DESTROYED				

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
319574	75H3014	E 340581.831 N5570198.253 El 460.417	.9998425	.9999304		MARKER DESTROYED				
940122	75H3015	E 340025.739 N5571197.515 El 479.19	.9998417	.9999274	732156 663856 198531	76H3278 75H3140 76H3252	TERR TERR TERR	138 29 11 181 49 16 353 28 27	514.209 119.645 68.579	514.291 119.665 68.590
786160	75H3016	E 337724.592 N 5570620.86 El 376.926	.9998669	.9999435	387266 589572 300699 914416	76H3269 76H3299 75H3022 76H3276	TERR TERR TERR TERR	3 1 35 91 21 1 184 45 49 271 46 58	219.778 140.380 170.081 152.897	219.807 140.399 170.103 152.917
480137	75H3017	E 338362.845 N5570245.799 El 383.136	.9998634	.9999425		MARKER DESTROYED				
335513	75H3018	E 338253.754 N5571639.869 El 396.224	.9998617	.9999404	556464 790980	75H3043 89H5492	TERR TERR	1 43 56 275 37 2	166.170 257.869	166.193 257.905
855338	75H3019	E 338234.04 N5570985.862 El 386.799	.9998633	.9999419	395210 646398 535161	75H2930 75H2918 75H3081	TERR TERR TERR	91 50 36 175 4 52 269 17 57	241.754 159.183 155.967	241.787 159.205 155.989
584805	75H3020	E 339454.92 N5572635.339 El 425.572	.9998524	.9999358	70904 304634	76H3297 75H3110	TERR TERR	184 53 25 354 4 16	244.392 242.233	244.428 242.268
873737	75H3021	E 338150.407 N5570244.434 El 377.34	.9998651	.9999434		MARKER DESTROYED				
300699	75H3022	E 337710.468 N5570451.367 El 375.432	.9998672	.9999437	786160 352583 556670	75H3016 76H3331 75H2920	TERR TERR TERR	4 45 49 99 14 1 179 55 50	170.081 150.654 212.857	170.103 150.675 212.886
195933	75H3023	E 337924.685 N5569954.939 El 374.706	.9998664	.9999438	345629 85357 678334 45047	76H3334 76H3290 75H3028 75H3054	TERR TERR TERR TERR	1 47 5 7 28 35 181 40 54 268 39 14	296.480 180.904 124.029 166.823	296.520 180.929 124.046 166.845
520726	75H3024	E 338273.527 N5570433.795 El 379.348	.9998643	.9999431	511865 829945	75H2915 75H3096	TERR TERR	3 53 53 271 39 33	163.886 101.880	163.909 101.893

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station	Scale Factor	TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
17590	75H3025	E 337865.214 N5570617.737 El 378.307	.9998661	.9999432		MARKER DESTROYED				
309914	75H3026	E 337916.059 N5569669.792 El 393.641	.9998635	.9999408	678334 65011 21543 388041	75H3028 75H3114 75H3030 75H3055	TERR TERR TERR TERR	1 46 19 94 31 4 181 32 4 268 39 32	161.248 181.442 162.448 164.273	161.270 181.466 162.470 164.295
529990	75H3027	E 337922.874 N5569337.255 El 414.282	.9998602	.9999376	165308 114918 21543	76H3319 76H3295 75H3030	TERR TERR TERR	189 30 35 273 22 27 356 14 44	117.709 175.999 170.513	117.725 176.024 170.537
678334	75H3028	E 337921.045 N5569830.963 El 381.716	.9998653	.9999427	195933 309914	75H3023 75H3026	TERR TERR	1 40 54 181 46 19	124.029 161.248	124.046 161.270
592550	75H3029	E 337903.017 N5569221.163 El 418.934	.9998596	.9999369		MARKER DESTROYED				
21543	75H3030	E 337911.709 N5569507.402 El 403.99	.9998619	.9999392	309914 529990	75H3026 75H3027	TERR TERR	1 32 4 176 14 44	162.448 170.513	162.470 170.537
147785	75H3031	E 339371.362 N5570795.497 El 444.613	.9998497	.9999328	968248 716548	75H3037 75H3034	TERR TERR	91 38 8 271 56 60	203.624 195.616	203.655 195.646
899484	75H3032	E 339274.064 N5571099.519 El 434.241	.9998517	.9999345	71423 818625	76H3250 75H3111	TERR TERR	91 43 40 272 49 55	326.736 291.721	326.784 291.764
727685	75H3033	E 339179.389 N5570957.795 El 432.751	.9998523	.9999347	716548	75H3034	TERR	181 17 57	155.682	155.705
716548	75H3034	E 339175.859 N5570802.153 El 436.991	.9998517	.999934	727685 147785	75H3033 75H3031	TERR TERR	1 17 57 91 56 60	155.682 195.616	155.705 195.646
826776	75H3036	E 339817.413 N5570781.152 El 463.491	.999845	.9999299	301770 264549 968248	76H3247 75H3132 75H3037	TERR TERR TERR	1 21 31 92 25 26 272 0 55	134.588 193.809 242.660	134.608 193.840 242.697
968248	75H3037	E 339574.903 N5570789.685 El 453.162	.9998476	.9999315	826776 147785	75H3036 75H3031	TERR TERR	92 0 55 271 38 8	242.660 203.624	242.697 203.655

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
967646	75H3038	E 339567.663 N5570559.085 El 448.433	.9998484	.9999322	680199	75H3122	TERR	272 23 23	165.410	165.434
281386	75H3039	E 339556.808 N5570173.444 El 433.635	.9998507	.9999346		MARKER DESTROYED				
902742	75H3040	E 339551.445 N5569971.235 El 426.722	.9998518	.9999356		MARKER DESTROYED				
820522	75H3041	E 336991.631 N5570464.774 El 368.603	.9998711	.9999448	553115 943530	75H3084 75H3179	TERR TERR	96 14 35 181 30 33	110.938 242.523	110.952 242.554
392597	75H3042	E 338615.677 N5573076.737 El 394.718	.9998605	.9999407		MARKER DESTROYED				
556464	75H3043	E 338258.777 N5571805.963 El 396.332	.9998617	.9999404	693507 335513	75H3193 75H3018	TERR TERR	1 42 15 181 43 56	179.323 166.170	179.347 166.193
141549	75H3044	E 338543.776 N5572902.976 El 395.94	.9998606	.9999405	842344	75H2921	TERR	182 55 13	460.421	460.486
300814	75H3045	E 337183.633 N5569744.858 El 383.281	.999868	.9999425	361675 271114	75H3183 76H3241	TERR TERR	93 40 47 253 58 10	136.831 304.307	136.849 304.347
286708	75H3046	E 337607.563 N5569741.911 El 383.77	.9998663	.9999424	904367 281485	75H3053 75H3047	TERR TERR	65 30 54 263 14 13	166.105 130.577	166.127 130.594
281485	75H3047	E 337477.895 N5569726.534 El 381.226	.9998672	.9999428	286708 472720 361675	75H3046 75H3184 75H3183	TERR TERR TERR	83 14 13 185 4 59 273 27 44	130.577 147.582 158.001	130.594 147.602 158.023
197145	75H3048	E 336696.209 N5569888.447 El 364.581	.9998729	.9999454	138602 69369	75H3187 76H3272	TERR TERR	80 55 18 258 56 18	224.014 224.079	224.043 224.107
418590	75H3049	E 336303.699 N5569839.845 El 363.56	.9998747	.9999455	69369 405399 958801	76H3272 75H3141 75H3185	TERR TERR TERR	88 8 19 218 37 51 359 39 10	172.685 145.880 95.852	172.707 145.897 95.864

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
900076	75H3050	E 337570.413	.9998598	.9999357	27946	75H3052	TERR	30 33 13	130.032	130.049
		N5569224.094			672147	89H5488	TERR	221 20 11	133.350	133.369
		E1 426.164			157511	76H3243	TERR	272 28 9	168.144	168.168
761619	75H3051	E 337727.413	.9998631	.9999397	388041	75H3055	TERR	11 56 11	118.061	118.077
		N5569550.439			929885	75H3056	TERR	194 52 17	106.281	106.295
		E1 401.017								
27946	75H3052	E 337636.514	.9998609	.9999371	929885	75H3056	TERR	29 40 36	128.502	128.521
		N5569336.071			114918	76H3295	TERR	84 2 43	111.266	111.281
		E1 417.48			900076	75H3050	TERR	210 33 13	130.032	130.049
					477208	75H3189	TERR	292 45 45	175.683	175.708
904367	75H3053	E 337758.73	.9998664	.9999431	388041	75H3055	TERR	182 43 40	144.971	144.990
		N5569810.754			286708	75H3046	TERR	245 30 54	166.105	166.127
		E1 378.938			45047	75H3054	TERR	359 39 51	140.268	140.288
45047	75H3054	E 337757.908	.9998673	.999944	195933	75H3023	TERR	88 39 14	166.823	166.845
		N 5569951.02			904367	75H3053	TERR	179 39 51	140.268	140.288
		E1 373.137			693838	75H3182	TERR	266 9 9	121.922	121.938
					813204	75H2919	TERR	356 8 2	139.086	139.104
388041	75H3055	E 337751.831	.9998649	.9999416	904367	75H3053	TERR	2 43 40	144.971	144.990
		N5569665.947			309914	75H3026	TERR	88 39 32	164.273	164.295
		E1 388.937			761619	75H3051	TERR	191 56 11	118.061	118.077
929885	75H3056	E 337700.136	.9998617	.9999382	761619	75H3051	TERR	14 52 17	106.281	106.295
		N5569447.718			27946	75H3052	TERR	209 40 36	128.502	128.521
		E1 410.479								
580837	75H3057	E 335647.547	.9998782	.9999464	376434	75H3058	TERR	53 30 21	296.981	297.018
		N 5569663.61			204594	77H3348	TERR	105 27 7	212.291	212.316
		E1 358.062			490037	75H3059	TERR	232 0 6	234.325	234.354
376434	75H3058	E 335886.295	.9998769	.9999461	958801	75H3185	TERR	77 6 3	427.614	427.667
		N5569840.237			580837	75H3057	TERR	233 30 21	296.981	297.018
		E1 359.931								
490037	75H3059	E 335462.892	.999879	.9999466	580837	75H3057	TERR	52 0 6	234.325	234.354
		N5569519.351			525410	75H3060	TERR	231 58 19	216.616	216.642
		E1 357.172								
525410	75H3060	E 335292.262	.9998798	.9999466	995167	75H3064	TERR	5 36 52	164.963	164.983
		N5569385.905			490037	75H3059	TERR	51 58 19	216.616	216.642
		E1 356.687			898767	94H1186	TERR	230 8 18	350.299	350.341
					953513	75H2907	TERR	231 36 2	807.290	807.386

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
81646	75H3062	E 335593.025 N5569847.392 El 360.486	.999878	.999946		MARKER DESTROYED				
775395	75H3063	E 335473.632 N5569727.552 El 357.522	.9998789	.9999465	942078 995167 887992	76H3313 75H3064 77H3353	TERR TERR TERR	47 17 55 222 57 14 321 45 1	223.045 242.484 140.511	223.071 242.514 140.528
995167	75H3064	E 335308.401 N5569550.077 El 356.263	.9998798	.9999467	775395 525410 332924	75H3063 75H3060 89H5452	TERR TERR TERR	42 57 14 185 36 52 355 33 54	242.484 164.963 197.274	242.514 164.983 197.297
58479	75H3065	E 339112.295 N5572993.486 El 396.49	.9998583	.9999404		MARKER DESTROYED				
902163	75H3066	E 335763.62 N5569948.305 El 363.312	.9998769	.9999456		MARKER DESTROYED				
978387	75H3067	E 339924.601 N5572035.576 El 426.888	.9998503	.9999356	745604	75H3070	TERR	287 15 7	197.824	197.854
37523	75H3068	E 339103.977 N5572715.147 El 401.39	.9998576	.9999396		MARKER DESTROYED				
753905	75H3069	E 339575.154 N 5572105.68 El 419.73	.9998528	.9999367	745604 919621 171496	75H3070 89H5464 76H3322	TERR TERR TERR	94 4 29 245 0 59 245 52 30	160.930 186.683 91.929	160.953 186.711 91.943
745604	75H3070	E 339735.677 N5572094.245 El 422.377	.9998518	.9999363	978387 753905	75H3067 75H3069	TERR TERR	107 15 7 274 4 29	197.824 160.930	197.854 160.953
777029	75H3072	E 338257.976 N5569955.571 El 379.844	.9998643	.999943		MARKER DESTROYED				
765586	75H3074	E 337713.344 N5571150.253 El 385.835	.9998655	.9999421	747212 336875	75H3085 76H3270	TERR TERR	95 32 1 265 31 54	155.151 184.402	155.171 184.427
811620	75H3075	E 338061.488 N5571136.166 El 386.726	.999864	.9999419		MARKER DESTROYED				

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
361105	75H3076	E 338238.827	.999863	.9999416	974113	76H3305	TERR	89 45 46	250.765	250.799					
		N5571128.309					275487				76H3321	TERR	275 11 21	184.224	184.249
		El 388.616													
364240	75H3077	E 338245.663	.9998623	.9999409	MARKER DESTROYED										
		N5571387.012													
		El 392.898													
945923	75H3078	E 337909.847	.9998639	.9999412	MARKER ISOLATED										
		N5571465.602													
		El 391.138													
83964	75H3079	E 338068.04	.9998634	.9999413	275487	76H3321	TERR	182 56 22	247.306	247.341					
		N5571391.952													
		El 390.491													
502377	75H3080	E 337721.335	.9998633	.9999399	978692	75H2933	TERR	182 48 31	127.245	127.262					
		N5571472.721					401992				75H2935	TERR	271 30 56	206.633	206.662
		El 399.619													
535161	75H3081	E 338078.085	.9998642	.9999422	855338	75H3019	TERR	89 17 57	155.967	155.989					
		N5570983.954					452292				75H2914	TERR	181 41 34	147.570	147.591
		El 384.743					770263				75H3082	TERR			
							275487				76H3321	TERR	351 57 57	162.613	162.635
770263	75H3082	E 337862.346	.9998655	.9999427	747212	75H3085	TERR	2 8 60	144.638	144.657					
		N5570990.756					535161				75H3081	TERR	91 48 21	215.846	215.875
		El 381.869													
241356	75H3083	E 337337.742	.9998691	.9999442	MARKER DESTROYED										
		N5570445.572													
		El 372.333													
553115	75H3084	E 337101.911	.9998705	.9999446	639526	75H3191	TERR	0 10 22	156.125	156.145					
		N 5570452.71					418434				75H3088	TERR	91 45 4	94.344	94.356
		El 369.694					820522				75H3041	TERR			
747212	75H3085	E 337867.772	.9998651	.9999423	275487	76H3321	TERR	87 2 47	187.836	187.861					
		N5571135.292					770263				75H3082	TERR	182 8 60	144.638	144.657
		El 384.55					765586				75H3074	TERR			
989673	75H3086	E 337522.433	.9998681	.9999439	MARKER DESTROYED										
		N5570440.148													
		El 374.342													
105718	75H3087	E 337344.175	.9998654	.9999405	MARKER DESTROYED										
		N5571525.338													
		El 395.718													

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING								
418434	75H3088	E 337196.211	.99987	.9999445	553115	75H3084	TERR	271 45 4	94.344	94.356				
		N5570449.827					477562	75H3099			TERR	359 48 54	190.838	190.863
		El 370.475												
956409	75H3089	E 337185.104	.9998655	.9999399	178129	75H3090	TERR	15 54 12	96.316	96.329				
		N5571132.614					171843	75H2940			TERR	180 59 52	186.955	186.980
		El 399.473												
178129	75H3090	E 337211.496	.9998655	.99994	83048	76H3264	TERR	23 51 45	327.838	327.882				
		N5571225.244					161240	75H2911			TERR	90 5 25	181.612	181.637
		El 398.872					956409	75H3089			TERR	195 54 12	96.316	96.329
919944	75H3091	E 338182.628	.9998644	.9999428		MARKER DESTROYED								
		N5570607.274												
		El 380.944												
442426	75H3092	E 338067.646	.999865	.999943		MARKER DESTROYED								
		N5570611.714												
		El 380.115												
888941	75H3093	E 338062.374	.9998654	.9999433		MARKER DESTROYED								
		N5570440.402												
		El 377.949												
500207	75H3094	E 337860.038	.9998664	.9999435		MARKER DESTROYED								
		N5570445.941												
		El 376.704												
834457	75H3095	E 337011.137	.999866	.9999397	219642	75H3097	TERR	62 13 47	171.867	171.890				
		N5569451.299					36277	75H3165			TERR	239 22 24	115.242	115.258
		El 400.884												
829945	75H3096	E 338171.69	.9998648	.9999432	520726	75H3024	TERR	91 39 33	101.880	101.893				
		N5570436.745					197277	76H3333			TERR	186 9 3	193.574	193.600
		El 378.715												
219642	75H3097	E 337163.209	.9998644	.9999387	581587	75H3098	TERR	105 17 57	165.888	165.910				
		N5569531.377					834457	75H3095			TERR	242 13 47	171.867	171.890
		El 407.259												
581587	75H3098	E 337323.218	.9998627	.9999376	105171	75H3190	TERR	121 21 17	76.128	76.139				
		N5569487.606					219642	75H3097			TERR	285 17 57	165.888	165.910
		El 414.066												
477562	75H3099	E 337195.595	.9998689	.9999434	418434	75H3088	TERR	179 48 54	190.838	190.863				
		N5570640.664					639526	75H3191			TERR	251 8 46	98.498	98.510
		El 377.483					923623	75H2938			TERR	356 1 40	126.612	126.628

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
421560	75H3100	E 338020.234 N5570248.425 El 376.01	.9998658	.9999436		MARKER DESTROYED				
44255	75H3101	E 332872.084 N5568423.068 El 343.464	.9998918	.9999487	176990 201293	75H2910 75H3102	TERR TERR	158 9 25 329 45 55	599.002 275.328	599.068 275.358
201293	75H3102	E 332733.445 N5568660.943 El 343.945	.9998922	.9999486	203497 44255	75H3201 75H3101	TERR TERR	25 34 15 149 45 55	946.009 275.328	946.118 275.358
469452	75H3103	E 334973.66 N5570129.523 El 413.233	.9998722	.9999378	652594 442954	77H3354 75H3202	TERR TERR	61 24 51 246 38 32	424.938 974.537	424.993 974.661
677047	75H3104	E 339588.641 N5572054.523 El 434.427	.9998505	.9999344	171496	76H3322	TERR	277 56 24	98.330	98.345
299347	75H3105	E 340000.143 N5572393.901 El 450.975	.9998462	.9999318		MARKER DESTROYED				
816488	75H3106	E 340013.489 N5572835.979 El 444.03	.9998473	.9999329	375717 908830	75H3107 89H5507	TERR TERR	1 35 46 182 28 5	373.277 437.221	373.334 437.287
375717	75H3107	E 340023.887 N5573209.111 El 447.755	.9998467	.9999323	816488 475137	75H3106 75H3108	TERR TERR	181 35 46 271 16 42	373.277 419.515	373.334 419.579
475137	75H3108	E 339604.476 N 5573218.47 El 428.285	.9998514	.9999354	774455 375717 232736	657017 75H3107 75H3109	TERR TERR TERR	44 38 51 91 16 42 271 32 21	3886.407 419.515 149.962	3887.134 419.579 149.984
232736	75H3109	E 339454.568 N5573222.498 El 419.087	.9998534	.9999368	475137 304634	75H3108 75H3110	TERR TERR	91 32 21 184 4 32	149.962 347.100	149.984 347.152
304634	75H3110	E 339429.899 N5572876.276 El 425.599	.9998525	.9999358	232736 584805	75H3109 75H3020	TERR TERR	4 4 32 174 4 16	347.100 242.233	347.152 242.268
818625	75H3111	E 338982.699 N5571113.932 El 416.838	.9998556	.9999372	562751 899484 536177 346833	75H2996 75H3032 75H2993 75H3003	TERR TERR TERR TERR	51 4 56 92 49 55 207 40 38 269 45 21	98.425 291.721 170.493 208.717	98.438 291.764 170.517 208.747

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
891747	75H3113	E 339564.045 N5570385.415 El 444.088	.999849	.9999329		MARKER DESTROYED				
65011	75H3114	E 338096.937 N 5569655.5 El 401.577	.9998615	.9999396	319434 309914	75H3120 75H3026	TERR TERR	180 54 26 274 31 4	169.055 181.442	169.079 181.466
125203	75H3115	E 336537.199 N5570234.597 El 364.717	.9998735	.9999454		MARKER DESTROYED				
12245	75H3116	E 339268.521 N5570568.959 El 440.275	.9998508	.9999335	680199 407601 732800	75H3122 76H3337 75H3119	TERR TERR TERR	91 16 26 179 18 0 271 40 58	133.909 162.671 197.500	133.929 162.695 197.529
865667	75H3117	E 338090.817 N5569374.604 El 409.168	.9998604	.9999384	319434 128082 780155	75H3120 75H3162 75H3164	TERR TERR TERR	1 45 47 91 40 45 181 55 55	111.915 174.788 163.065	111.930 174.813 163.088
940445	75H3118	E 335466.993 N5570338.723 El 402.705	.9998719	.9999394	478115 732156 454561 227272 652594	75H2976 76H3278 77H3344 75H3462 77H3354	TERR TERR TERR TERR TERR	69 29 53 84 28 37 138 51 33 141 25 45 267 12 1	209.716 4922.414 366.949 7574.073 120.338	209.742 4923.133 366.994 7575.305 120.353
732800	75H3119	E 339071.106 N5570574.759 El 428.26	.9998535	.9999354	12245 254334 717512	75H3116 75H3125 76H3304	TERR TERR TERR	91 40 58 181 3 20 272 57 6	197.500 174.903 293.759	197.529 174.928 293.801
319434	75H3120	E 338094.26 N5569486.466 El 404.414	.9998611	.9999391	65011 865667	75H3114 75H3117	TERR TERR	0 54 26 181 45 47	169.055 111.915	169.079 111.930
65615	75H3121	E 339062.021 N5570191.974 El 446.727	.9998506	.9999325	254334	75H3125	TERR	1 36 55	207.995	208.026
680199	75H3122	E 339402.397 N5570565.982 El 446.485	.9998493	.9999325	967646 12245	75H3038 75H3116	TERR TERR	92 23 23 271 16 26	165.410 133.909	165.434 133.929
178293	75H3123	E 338859.791 N5569998.231 El 435.356	.9998532	.9999343	264556 375022	75H3128 75H2984	TERR TERR	91 47 40 272 21 4	194.989 106.256	195.018 106.272

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
157040	75H3124	E 339256.738 N5570223.763 El 443.59	.9998503	.999933		MARKER DESTROYED				
254334	75H3125	E 339067.884 N5570399.886 El 433.59	.9998527	.9999346	732800 65615	75H3119 75H3121	TERR TERR	1 3 20 181 36 55	174.903 207.995	174.928 208.026
227033	75H3126	E 338804.065 N5571967.237 El 405.645	.9998581	.9999389	929588 813766 469049	75H2936 89H5466 75H3159	TERR TERR TERR	2 5 59 92 39 18 271 30 29	463.551 274.473 134.900	463.616 274.512 134.919
883330	75H3127	E 339253.22 N5569986.083 El 437.228	.9998513	.999934	658401 984195	76H3338 75H2988	TERR TERR	2 48 59 182 3 49	244.035 249.072	244.072 249.108
264556	75H3128	E 339054.684 N5569992.125 El 442.364	.9998513	.9999332	178293	75H3123	TERR	271 47 40	194.989	195.018
461640	75H3129	E 338449.503 N5570011.586 El 401.854	.9998601	.9999395	340539 274688	75H2974 75H3008	TERR TERR	1 33 36 91 49 9	233.639 165.601	233.671 165.624
226779	75H3130	E 339262.692 N5570397.075 El 440.785	.9998508	.9999334		MARKER DESTROYED				
264549	75H3132	E 340011.049 N5570772.955 El 480.588	.9998416	.9999272	732156 826776	76H3278 75H3036	TERR TERR	83 39 23 272 25 26	357.697 193.809	357.755 193.840
756668	75H3133	E 339738.529 N5570371.384 El 449.965	.9998474	.999932		MARKER ISOLATED				
680728	75H3134	E 340371.75 N 5570348.29 El 461.283	.9998432	.9999302	830612	76H3242	TERR	271 53 18	405.707	405.771
350645	75H3138	E 339434.557 N5572047.404 El 416.609	.9998539	.9999372		MARKER DESTROYED				
197343	75H3139	E 339960.599 N5570159.072 El 445.95	.9998472	.9999326	830612	76H3242	TERR	1 36 5	202.665	202.695

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
663856	75H3140	E 340021.937	.9998417	.9999274	940122	75H3015	TERR	1 49 16	119.645	119.665					
		N 5571077.93					18697				76H3256	TERR	272 2 10	198.448	198.479
		El 479.338													
405399	75H3141	E 336212.626	.9998755	.999946	418590	75H3049	TERR	38 37 51	145.880	145.897					
		N5569725.886					391227				75H3145	TERR	220 59 45	176.848	176.870
		El 360.586													
24455	75H3142	E 335973.31	.999876	.9999455											
		N5569194.372													
		El 363.65													
368498	75H3143	E 335844.726	.9998773	.9999463	538546	75H3150	TERR	41 13 16	221.291	221.318					
		N5569302.943					537720				77H3343	TERR	221 55 57	158.185	158.205
		El 358.559					226100				75H3149	TERR	311 15 23	199.274	199.298
156836	75H3144	E 336735.72	.9998709	.9999435											
		N5569653.734													
		El 376.435													
391227	75H3145	E 336096.613	.999876	.999946	405399	75H3141	TERR	40 59 45	176.848	176.870					
		N5569592.409					538546				75H3150	TERR	220 46 3	162.428	162.448
		El 360.531													
180091	75H3148	E 336116.609	.9998749	.999945	892380	89H5483	TERR	217 37 40	405.811	405.862					
		N5569384.538					538546				75H3150	TERR	303 56 44	151.958	151.977
		El 366.98													
226100	75H3149	E 335694.918	.999878	.9999465	204594	77H3348	TERR	42 19 7	233.562	233.590					
		N 5569434.35					368498				75H3143	TERR	131 15 23	199.274	199.298
		El 357.574													
538546	75H3150	E 335990.549	.9998765	.9999462	391227	75H3145	TERR	40 46 3	162.428	162.448					
		N5569469.392					180091				75H3148	TERR	123 56 44	151.958	151.977
		El 359.729					368498				75H3143	TERR	221 13 16	221.291	221.318
980052	75H3151	E 338629.824	.9998598	.99994	958298	75H3152	TERR	2 0 14	231.015	231.047					
		N5570587.322					717512				76H3304	TERR	89 0 25	147.935	147.955
		El 399.132					416032				75H3155	TERR	181 14 14	172.966	172.991
958298	75H3152	E 338637.902	.9998598	.9999401	205898	75H3156	TERR	0 51 7	156.038	156.061					
		N5570818.196					980052				75H3151	TERR	182 0 14	231.015	231.047
		El 398.594													
840546	75H3153	E 338620.177	.9998583	.9999384	416032	75H3155	TERR	1 56 11	174.956	174.980					
		N 5570239.54					274688				75H3008	TERR	181 16 0	233.268	233.301
		El 408.923					340539				75H2974	TERR	271 57 5	164.409	164.432

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
767343	75H3154	E 338652.023 N5571401.754 El 396.609	.9998601	.9999404	523803	76H3296	TERR	182 57 40	276.808	276.846
416032	75H3155	E 338626.089 N5570414.396 El 400.456	.9998596	.9999398	980052 781559 840546 696807	75H3151 75H2981 75H3153 75H2922	TERR TERR TERR TERR	1 14 14 91 52 58 181 56 11 271 30 48	172.966 136.472 174.956 166.638	172.991 136.490 174.980 166.662
205898	75H3156	E 338640.222 N5570974.217 El 399.408	.9998597	.9999399	733774 958298 395210 523803	75H3007 75H3152 75H2930 76H3296	TERR TERR TERR TERR	91 9 17 180 51 7 271 20 49 359 3 10	131.396 156.038 164.599 151.120	131.414 156.061 164.621 151.140
290429	75H3157	E 338646.044 N5571118.933 El 398.243	.9998599	.9999401						MARKER DESTROYED
288787	75H3158	E 338660.815 N5571632.458 El 399.964	.9998595	.9999398						MARKER DESTROYED
469049	75H3159	E 338669.212 N5571970.787 El 403.11	.999859	.9999393	227033 238840	75H3126 75H3160	TERR TERR	91 30 29 181 51 2	134.900 177.984	134.919 178.009
238840	75H3160	E 338663.464 N5571792.896 El 402.147	.9998592	.9999395	469049	75H3159	TERR	1 51 2	177.984	178.009
228171	75H3161	E 338718.529 N 5569094.34 El 385.376	.9998616	.9999421	844829 694166 180026	75H2979 75H2928 76H3320	TERR TERR TERR	181 40 19 270 51 26 359 32 50	258.944 232.905 198.519	258.980 232.937 198.546
128082	75H3162	E 338265.53 N5569369.482 El 412.077	.9998592	.9999379	785063 865667	75H3163 75H3117	TERR TERR	182 46 31 271 40 45	159.997 174.788	160.019 174.813
785063	75H3163	E 338257.783 N5569209.673 El 415.666	.9998587	.9999374	128082 780155	75H3162 75H3164	TERR TERR	2 46 31 270 39 3	159.997 172.474	160.019 172.498
780155	75H3164	E 338085.32 N5569211.632 El 415.414	.9998594	.9999374	865667 785063 165308	75H3117 75H3163 76H3319	TERR TERR TERR	1 55 55 90 39 3 272 59 59	163.065 172.474 182.143	163.088 172.498 182.168

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
36277	75H3165	E 336911.971	.9998652	.9999386	834457	75H3095	TERR	59 22 24	115.242	115.258	
		N 5569392.59			418871	75H3166	TERR	301 55 31	93.090	93.102	
		El 408.024									
418871	75H3166	E 336832.962	.9998658	.9999388	36277	75H3165	TERR	121 55 31	93.090	93.102	
		N5569441.817			519512	75H3168	TERR	248 8 56	109.983	109.997	
		El 406.501									
743294	75H3167	E 336775.367	.9998632	.999936	141697	77H3341	TERR	148 47 18	101.671	101.685	
		N 5569315.18			519512	75H3168	TERR	332 34 2	96.560	96.573	
		El 424.701									
519512	75H3168	E 336730.881	.9998651	.9999377	418871	75H3166	TERR	68 8 56	109.983	109.997	
		N5569400.882			743294	75H3167	TERR	152 34 2	96.560	96.573	
		El 413.589									
777524	75H3169	E 336623.012	.9998671	.9999392	127118	75H3170	TERR	26 16 47	103.911	103.925	
		N5569460.328			344358	77H3342	TERR	234 43 22	156.448	156.469	
		El 403.839									
127118	75H3170	E 336669.019	.9998688	.9999411	780759	76H3335	TERR	38 49 59	117.585	117.601	
		N5569553.499			777524	75H3169	TERR	206 16 47	103.911	103.925	
		El 391.817									
259150	75H3171	E 337545.687 N5570270.054 El 372.415	.9998683	.9999442						MARKER DESTROYED	
137026	75H3172	E 336661.811 N5570231.135 El 365.533	.9998729	.9999452							MARKER DESTROYED
734434	75H3173	E 337202.201	.9998701	.9999446	605618	75H3177	TERR	91 57 40	162.205	162.226	
		N5570217.388			141747	75H2963	TERR	185 51 11	151.973	151.993	
		El 369.674			249250	75H3174	TERR	271 18 58	119.462	119.477	
249250	75H3174	E 337082.771	.9998707	.9999448	734434	75H3173	TERR	91 18 58	119.462	119.477	
		N5570220.132			943530	75H3179	TERR	271 17 38	97.552	97.564	
		El 368.589									
296228	75H3175	E 337135.978	.9998709	.9999451	285999	75H3176	TERR	86 41 18	190.713	190.737	
		N5569937.593			138602	75H3187	TERR	266 23 14	218.996	219.024	
		El 366.282									
285999	75H3176	E 337326.372	.9998699	.9999449	936195	75H3178	TERR	91 26 36	162.958	162.979	
		N 5569948.61			296228	75H3175	TERR	266 41 18	190.713	190.737	
		El 367.42									

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
605618	75H3177	E 337364.311 N5570211.837 El 370.755	.9998693	.9999444	734434	75H3173	TERR	271 57 40	162.205	162.226
936195	75H3178	E 337489.278 N5569944.505 El 368.38	.9998691	.9999448	693838 285999	75H3182 75H3176	TERR TERR	90 38 58 271 26 36	146.992 162.958	147.011 162.979
943530	75H3179	E 336985.244 N5570222.335 El 367.841	.9998712	.9999449	820522 249250 630426	75H3041 75H3174 75H3180	TERR TERR TERR	1 30 33 91 17 38 272 7 31	242.523 97.552 183.125	242.554 97.564 183.149
630426	75H3180	E 336802.245 N5570229.126 El 366.497	.9998722	.9999451	900274 943530 105379	75H3195 75H3179 76H3289	TERR TERR TERR	2 8 56 92 7 31 274 42 9	218.340 183.125 137.138	218.368 183.149 137.156
840959	75H3181	E 336651.205 N5569987.697 El 364.626	.9998731	.9999454		MARKER DESTROYED				
693838	75H3182	E 337636.261 N5569942.839 El 368.775	.9998685	.9999447	45047 936195	75H3054 75H3178	TERR TERR	86 9 9 270 38 58	121.922 146.992	121.938 147.011
361675	75H3183	E 337320.182 N5569736.076 El 382.978	.9998675	.9999425	281485 300814	75H3047 75H3045	TERR TERR	93 27 44 273 40 47	158.001 136.831	158.023 136.849
472720	75H3184	E 337464.819 N5569579.532 El 396.858	.9998648	.9999403	281485 105171	75H3047 75H3190	TERR TERR	5 4 59 210 12 40	147.582 152.212	147.602 152.232
958801	75H3185	E 336303.118 N5569935.695 El 362.52	.9998748	.9999457	473728 418590 376434	75H3186 75H3049 75H3058	TERR TERR TERR	80 21 9 179 39 10 257 6 3	149.546 95.852 427.614	149.565 95.864 427.667
473728	75H3186	E 336450.549 N5569960.757 El 363.473	.9998741	.9999456	958801	75H3185	TERR	260 21 9	149.546	149.565
138602	75H3187	E 336917.417 N5569923.793 El 365.177	.9998719	.9999453	905364 296228 271114 197145	76H3292 75H3175 76H3241 75H3048	TERR TERR TERR TERR	7 16 13 86 23 14 185 42 8 260 55 18	100.949 218.996 264.278 224.014	100.961 219.024 264.312 224.043
49197	75H3188	E 336920.919 N5570027.693 El 366.406	.9998717	.9999451		MARKER DESTROYED				

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
477208	75H3189	E 337474.514	.9998615	.9999371	27946	75H3052	TERR	112 45 45	175.683	175.708
		N5569404.045			157511	76H3243	TERR	202 39 21	187.148	187.175
		El 417.596			105171	75H3190	TERR	296 59 30	96.834	96.847
105171	75H3190	E 337388.228	.9998624	.9999376	472720	75H3184	TERR	30 12 40	152.212	152.232
		N5569447.994			477208	75H3189	TERR	116 59 30	96.834	96.847
		El 414.178			581587	75H3098	TERR	301 21 17	76.128	76.139
639526	75H3191	E 337102.382	.9998699	.9999439	477562	75H3099	TERR	71 8 46	98.498	98.510
		N5570608.834			553115	75H3084	TERR	180 10 22	156.125	156.145
		El 373.762								
693507	75H3193	E 338264.11	.9998617	.9999404	241877	75H2958	TERR	2 11 54	160.350	160.372
		N5571985.207			556464	75H3043	TERR	181 42 15	179.323	179.347
		El 396.393								
949669	75H3194	E 337422.47	.9998653	.9999406		MARKER DESTROYED				
		N5571675.928								
		El 394.875								
900274	75H3195	E 336810.432	.9998721	.999945	630426	75H3180	TERR	182 8 56	218.340	218.368
		N5570447.312			567453	75H3196	TERR	237 38 42	170.204	170.226
		El 367.092								
567453	75H3196	E 336666.653	.9998726	.999945	900274	75H3195	TERR	57 38 42	170.204	170.226
		N5570356.225			105379	76H3289	TERR	180 32 10	115.861	115.877
		El 367.355			341032	75H3198	TERR	281 54 33	131.591	131.608
505081	75H3197	E 337360.79	.9998689	.999944		MARKER DESTROYED				
		N5570542.818								
		El 373.355								
341032	75H3198	E 336537.894	.9998723	.9999442	567453	75H3196	TERR	101 54 33	131.591	131.608
		N 5570383.38			757518	76H3273	TERR	179 18 56	157.879	157.900
		El 372.416			717785	75H2975	TERR	287 59 18	160.038	160.058
233411	75H3199	E 337916.367	.9998632	.9999405		MARKER DESTROYED				
		N5571655.354								
		El 395.575								
203497	75H3201	E 333141.769	.9998767	.9999348	442954	75H3202	TERR	76 16 40	964.757	964.878
		N5569514.292			201293	75H3102	TERR	205 34 15	946.009	946.118
		El 432.497								

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
442954	75H3202	E 334078.989	.9998721	.999934	469452	75H3103	TERR	66 38 32	974.537	974.661
		N5569743.148			156190	76H3282	GPS	70 59 46	3500.873	3501.341
		E1 437.513			732156	76H3278	GPS	80 20 53	6377.849	6378.781
					900027	82H5092	GPS	116 10 29	5375.272	5376.054
					493924	89H5474	GPS	124 45 29	3282.945	3283.413
					560300	75H3463	GPS	152 17 11	4567.226	4567.920
					259200	76H3327	TERR	173 16 36	3442.043	3442.524
					336594	75H2909	TERR	199 2 5	1899.713	1899.940
		203497			75H3201	TERR	256 16 40	964.757	964.878	
925750	75H3203	E 336800.645	.9998516	.9999245	874958	82H5091	TERR	62 57 58	2412.957	2413.321
		N5565696.326								
		E1 498.073								
952465	75H3204	E 339439.951	.9998524	.9999358						MARKER DESTROYED
		N5572407.478								
		E1 425.967								
269746	75H3205	E 338931.803	.9998468	.9999282						MARKER DESTROYED
		N5566710.594								
		E1 474.091								
271114	76H3241	E 336891.159	.9998708	.999944	138602	75H3187	TERR	5 42 8	264.278	264.312
		N5569660.823			300814	75H3045	TERR	73 58 10	304.307	304.347
		E1 373.39			780759	76H3335	TERR	263 57 2	149.239	149.258
830612	76H3242	E 339966.263	.9998464	.9999318	732156	76H3278	TERR	41 36 10	602.887	602.983
		N5570361.658			680728	75H3134	TERR	91 53 18	405.707	405.771
		E1 450.919			197343	75H3139	TERR	181 36 5	202.665	202.695
157511	76H3243	E 337402.425	.9998599	.9999352	477208	75H3189	TERR	22 39 21	187.148	187.175
		N5569231.338			900076	75H3050	TERR	92 28 9	168.144	168.168
		E1 429.78			312116	76H3244	TERR	271 20 16	153.442	153.463
312116	76H3244	E 337249.025	.9998604	.9999351	157511	76H3243	TERR	91 20 16	153.442	153.463
		N 5569234.92			627976	76H3245	TERR	272 6 53	141.161	141.181
		E1 430.381								
627976	76H3245	E 337107.96	.9998614	.9999355	312116	76H3244	TERR	92 6 53	141.161	141.181
		N5569240.129			141697	77H3341	TERR	267 33 53	280.160	280.198
		E1 427.52								
599134	76H3246	E 339915.808	.9998481	.9999334	490904	76H3248	TERR	1 48 7	89.615	89.629
		N 5569954.54			640268	75H2968	TERR	92 19 29	309.702	309.749
		E1 441.055			776641	89H5491	TERR	271 30 56	371.776	371.832



Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
159939	76H3259	E 339261.723 N5571613.892 El 405.181	.9998563	.999939		MARKER DESTROYED				
407650	76H3262	E 339391.563 N5571609.552 El 410.281	.999855	.9999382	118984	75H2995	TERR	92 34 20	158.742	158.766
532705	76H3263	E 339531.438 N5569253.804 El 417.362	.9998534	.9999371		MARKER DESTROYED				
83048	76H3264	E 337344.121 N5571525.058 El 395.705	.9998654	.9999405	978833 178129	76H3336 75H3090	TERR TERR	33 32 42 203 51 45	168.915 327.838	168.938 327.882
120212	76H3265	E 338474.111 N5571372.544 El 394.691	.9998611	.9999407	974113	76H3305	TERR	176 21 29	243.689	243.723
898551	76H3266	E 337354.442 N5570547.634 El 373.283	.9998689	.999944		MARKER DESTROYED				
387266	76H3269	E 337736.195 N5570840.331 El 377.514	.9998667	.9999434	786160 400044	75H3016 75H2913	TERR TERR	183 1 35 272 7 56	219.778 154.604	219.807 154.624
336875	76H3270	E 337529.503 N5571135.887 El 428.26	.9998596	.9999354	774455 765586 161240	657017 75H3074 75H2911	TERR TERR TERR	44 45 15 85 31 54 303 8 46	6826.232 184.402 162.903	6827.482 184.427 162.925
69369	76H3272	E 336476.293 N5569845.454 El 363.885	.9998739	.9999455	197145 418590	75H3048 75H3049	TERR TERR	78 56 18 268 8 19	224.079 172.685	224.107 172.707
757518	76H3273	E 336539.78 N5570225.512 El 364.764	.9998735	.9999454	105379 793687 341032	76H3289 77H3347 75H3198	TERR TERR TERR	83 15 50 269 38 12 359 18 56	126.663 161.154 157.879	126.679 161.174 157.900
229856	76H3274	E 338182.526 N5570607.662 El 380.936	.9998644	.9999428		MARKER DESTROYED				
414	76H3275	E 338314.353 N5569804.603 El 389.093	.9998626	.9999415	250613 680272	76H3324 89H5489	TERR TERR	117 14 1 337 30 39	473.494 374.065	473.559 374.116

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING			Metres	Metres
914416	76H3276	E 337571.769	.9998677	.9999437	400044	75H2913	TERR	2 34 43	220.690	220.718
		N5570625.617			786160	75H3016	TERR	91 46 58	152.897	152.917
		El 375.371								
4275	76H3277	E 339406.065	.999854	.9999373	171496	76H3322	TERR	63 58 50	94.797	94.810
		N5572026.521			773093	75H2999	TERR	263 30 2	66.630	66.640
		El 416.154								
732156	76H3278	E 340366.556	.9998357	.9999227	457218	79C324	GPS	7 36 28	13970.678	13972.954
		N5570812.477			774455	657017	TERR	20 50 48	5533.167	5534.246
		El 509.085			880161	75H2969	TERR	109 18 51	251.193	251.234
					717892	PIER 8	GPS	149 11 53	5209.896	5210.773
					227272	75H3462	TERR	181 35 16	6397.909	6399.067
					900027	82H5092	GPS	203 2 40	3738.756	3739.368
					560300	75H3463	TERR	219 9 30	6593.493	6594.616
					830612	76H3242	TERR	221 36 10	602.887	602.983
					493924	89H5474	GPS	230 40 42	4641.155	4641.900
					442954	75H3202	GPS	260 20 53	6377.849	6378.781
					264549	75H3132	TERR	263 39 23	357.697	357.755
					940445	75H3118	TERR	264 28 37	4922.414	4923.133
					156190	76H3282	GPS	271 21 35	2978.345	2978.798
					241877	75H2958	TERR	302 27 3	2484.198	2484.575
					940122	75H3015	TERR	318 29 11	514.209	514.291
	584664	PIER 7	GPS	359 2 22	9683.059	9684.588				
17848	76H3280	E 340090.13	.9998422	.9999281	20149	76H3283	TERR	21 20 17	82.801	82.815
		N 5571826.21			691550	89H5493	TERR	176 6 51	131.554	131.575
		El 474.874								
721514	76H3281	E 338067.716	.999865	.999943	452292	75H2914	TERR	1 31 50	225.022	225.053
		N5570611.506			589572	76H3299	TERR	271 42 28	202.873	202.900
		El 380.029								
156190	76H3282	E 337389.05	.9998599	.9999352	457218	79C324	GPS	19 18 33	14598.203	14600.404
		N 5570883.15			774455	657017	GPS	44 7 25	7105.028	7106.328
		El 429.697			732156	76H3278	GPS	91 21 35	2978.345	2978.798
					717892	PIER 8	GPS	128 50 28	7247.975	7249.107
					900027	82H5092	GPS	156 40 27	3823.598	3824.177
					493924	89H5474	GPS	191 30 11	3073.377	3073.833
					442954	75H3202	GPS	250 59 46	3500.873	3501.341
					733816	75H2937	TERR	351 16 46	200.883	200.911
20149	76H3283	E 340120.259	.9998421	.9999282	17848	76H3280	TERR	201 20 17	82.801	82.815
		N5571903.335			386466	89H5460	TERR	279 55 50	60.584	60.594
		El 474.158								

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
60053	76H3287	E 339529.068	.9998517	.9999354	263475	76H3332	TERR	0 3 39	240.319	240.355
		N5568937.492			592055	89H5482	TERR	186 54 47	390.197	390.255
		E1 428.299			737	77H3360	TERR	209 11 5	157.440	157.463
					241125	76H3323	TERR	281 8 54	419.515	419.577
57380	76H3288	E 338372.2	.9998632	.9999423	340539	75H2974	TERR	85 7 12	83.967	83.979
		N5570237.995			197277	76H3333	TERR	271 37 42	221.340	221.371
		E1 383.961								
105379	76H3289	E 336665.569	.9998729	.9999452	567453	75H3196	TERR	0 32 10	115.861	115.877
		N5570240.369			630426	75H3180	TERR	94 42 9	137.138	137.156
		E1 365.751			9811	76H3293	TERR	183 26 34	265.751	265.784
					757518	76H3273	TERR	263 15 50	126.663	126.679
85357	76H3290	E 337948.224	.9998663	.9999438	680272	89H5489	TERR	85 55 6	223.613	223.643
		N5570134.305			195933	75H3023	TERR	187 28 35	180.904	180.929
		E1 374.68			813204	75H2919	TERR	257 25 59	204.596	204.623
					345629	76H3334	TERR	353 1 39	117.842	117.857
94144	76H3291	E 339746.288 N 5571727.23 E1 434.012	.9998499	.9999345		MARKER DESTROYED				
905364	76H3292	E 336930.192	.9998717	.9999451	141747	75H2963	TERR	80 38 27	259.972	260.005
		N 5570023.93			138602	75H3187	TERR	187 16 13	100.949	100.961
		E1 366.584			9811	76H3293	TERR	260 7 38	284.800	284.836
9811	76H3293	E 336649.61	.9998731	.9999454	105379	76H3289	TERR	3 26 34	265.751	265.784
		N5569975.098			905364	76H3292	TERR	80 7 38	284.800	284.836
114918	76H3295	E 337747.18	.9998604	.9999371	529990	75H3027	TERR	93 22 27	175.999	176.024
		N5569347.614			27946	75H3052	TERR	264 2 43	111.266	111.281
		E1 417.641								
523803	76H3296	E 338637.724	.9998599	.9999401	767343	75H3154	TERR	2 57 40	276.808	276.846
		N5571125.316			346833	75H3003	TERR	95 8 48	136.812	136.831
		E1 398.091			205898	75H3156	TERR	179 3 10	151.120	151.140
					974113	76H3305	TERR	271 33 31	148.189	148.210
70904	76H3297	E 339434.086	.9998524	.9999358	584805	75H3020	TERR	4 53 25	244.392	244.428
		N5572391.837			908830	89H5507	TERR	89 15 4	560.624	560.708
		E1 425.906			617621	75H2931	TERR	215 31 52	137.804	137.825
					393777	75H2932	TERR	275 2 6	339.476	339.526
589572	76H3299	E 337864.933	.9998661	.9999432	721514	76H3281	TERR	91 42 28	202.873	202.900
		N5570617.552			352583	76H3331	TERR	181 44 3	190.446	190.472
		E1 378.244			786160	75H3016	TERR	271 21 1	140.380	140.399

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
567305	76H3302	E 339584.519	.9998523	.9999362	118984	75H2995	TERR	192 11 21	162.803	162.828
		N5571761.561			186007	75H2992	TERR	309 20 49	226.814	226.848
		El 423.052								
438564	76H3303	E 339510.943	.9998529	.9999366	118984	75H2995	TERR	15 10 9	149.816	149.838
		N5571457.832			376780	75H3000	TERR	226 58 37	164.422	164.447
		El 420.665								
717512	76H3304	E 338777.737	.999858	.9999388	732800	75H3119	TERR	92 57 6	293.759	293.801
		N5570589.886			781559	75H2981	TERR	184 50 36	180.619	180.645
		El 406.73			980052	75H3151	TERR	269 0 25	147.935	147.955
					294322	75H2994	TERR	357 5 33	187.362	187.388
974113	76H3305	E 338489.59	.9998613	.999941	523803	76H3296	TERR	91 33 31	148.189	148.210
		N5571129.347			395210	75H2930	TERR	185 15 30	151.900	151.921
		El 392.825			361105	75H3076	TERR	269 45 46	250.765	250.799
					120212	76H3265	TERR	356 21 29	243.689	243.723
822544	76H3306	E 339379.153	.9998545	.9999377	854885	75H2989	TERR	68 58 5	176.871	176.896
		N5569477.785			680553	76H3307	TERR	249 5 16	146.594	146.616
		El 413.677								
680553	76H3307	E 339242.215	.9998559	.9999385	822544	76H3306	TERR	69 5 16	146.594	146.616
		N 5569425.46			565473	76H3308	TERR	241 34 58	152.044	152.065
		El 408.35			85951	77H3345	TERR	355 24 49	144.709	144.730
565473	76H3308	E 339108.492	.9998573	.9999393	680553	76H3307	TERR	61 34 58	152.044	152.065
		N5569353.104			329292	76H3315	TERR	255 58 31	164.503	164.527
		El 403.063								
723353	76H3309	E 338717.237	.9998615	.9999421		MARKER DESTROYED				
		N5569292.806								
		El 385.673								
829549	76H3311	E 336530.406	.9998711	.9999429	803023	76H3312	TERR	252 25 18	135.009	135.027
		N5569637.383								
		El 380.729								
803023	76H3312	E 336401.701	.9998726	.9999439	829549	76H3311	TERR	72 25 18	135.009	135.027
		N5569596.609								
		El 374.198								
942078	76H3313	E 335637.547	.9998775	.9999457	775395	75H3063	TERR	227 17 55	223.045	223.071
		N5569878.816								
		El 362.478								

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
530121	76H3314	E 340581.833	.9998425	.9999304	269308	75H3011	TERR	1 23 2	286.305	286.350
		N5570198.258			427096	75H2970	TERR	181 44 57	323.399	323.449
		El 460.413								
329292	76H3315	E 338948.893	.9998587	.9999401	565473	76H3308	TERR	75 58 31	164.503	164.527
		N5569313.238			251835	76H3325	TERR	165 17 4	220.228	220.260
		El 397.99			180026	76H3320	TERR	264 58 37	232.827	232.859
					250613	76H3324	TERR	322 8 21	347.920	347.968
144279	76H3316	E 339961.478	.9998457	.9999311	386466	89H5460	TERR	39 59 25	154.211	154.235
		N5571795.634			589614	89H5481	TERR	241 30 42	81.085	81.098
		El 455.719								
165308	76H3319	E 337903.427	.9998596	.9999369	529990	75H3027	TERR	9 30 35	117.709	117.725
		N5569221.164			780155	75H3164	TERR	92 59 59	182.143	182.168
		El 418.929			558890	89H5479	TERR	181 52 32	201.927	201.956
180026	76H3320	E 338716.96	.9998615	.9999421	250613	76H3324	TERR	3 34 5	295.642	295.684
		N5569292.853			329292	76H3315	TERR	84 58 37	232.827	232.859
		El 385.81			228171	75H3161	TERR	179 32 50	198.519	198.546
275487	76H3321	E 338055.358	.999864	.9999419	83964	75H3079	TERR	2 56 22	247.306	247.341
		N5571144.971			361105	75H3076	TERR	95 11 21	184.224	184.249
		El 386.742			535161	75H3081	TERR	171 57 57	162.613	162.635
					747212	75H3085	TERR	267 2 47	187.836	187.861
171496	76H3322	E 339491.254	.9998534	.999937	753905	75H3069	TERR	65 52 30	91.929	91.943
		N5572068.106			677047	75H3104	TERR	97 56 24	98.330	98.345
		El 417.908			4275	76H3277	TERR	243 58 50	94.797	94.810
241125	76H3323	E 339117.469	.9998553	.9999375	60053	76H3287	TERR	101 8 54	419.515	419.577
		N5569018.605			283523	77H3359	TERR	178 42 5	117.857	117.875
		El 415.133			251835	76H3325	TERR	305 55 55	139.103	139.123
250613	76H3324	E 338735.359	.9998608	.9999414	329292	76H3315	TERR	142 8 21	347.920	347.968
		N5569587.922			180026	76H3320	TERR	183 34 5	295.642	295.684
		El 389.706			414	76H3275	TERR	297 14 1	473.494	473.559
251835	76H3325	E 339004.835	.9998568	.9999385	241125	76H3323	TERR	125 55 55	139.103	139.123
		N5569100.234			329292	76H3315	TERR	345 17 4	220.228	220.260
		El 408.453								
259200	76H3327	E 334481.963	.9998489	.9999124	546747	89H5477	TERR	54 25 2	944.120	944.261
		N5566324.775			875443	89H5505	TERR	80 7 32	1099.855	1100.033
		El 574.947			442954	75H3202	TERR	353 16 36	3442.043	3442.524

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
841536	76H3330	E 339563.239 N5570166.007 El 433.43	.9998507	.9999346	776641	89H5491	TERR	185 24 17	202.534	202.565
352583	76H3331	E 337859.17 N5570427.193 El 376.467	.9998664	.9999435	589572 300699	76H3299 75H3022	TERR TERR	1 44 3 279 14 1	190.446 150.654	190.472 150.675
263475	76H3332	E 339529.323 N5569177.811 El 419.176	.9998531	.9999368	854885 60053 737	75H2989 76H3287 77H3360	TERR TERR TERR	2 21 1 180 3 39 191 31 28	363.757 240.319 385.545	363.810 240.355 385.601
197277	76H3333	E 338150.949 N5570244.285 El 377.31	.9998651	.9999434	829945 57380 680272 345629	75H3096 76H3288 89H5489 76H3334	TERR TERR TERR TERR	6 9 3 91 37 42 167 48 34 271 50 41	193.574 221.340 96.234 217.143	193.600 221.371 96.247 217.171
345629	76H3334	E 337933.919 N5570251.275 El 375.305	.9998663	.9999437	197277 85357 195933	76H3333 76H3290 75H3023	TERR TERR TERR	91 50 41 173 1 39 181 47 5	217.143 117.842 296.480	217.171 117.857 296.520
780759	76H3335	E 336742.751 N5569645.095 El 376.523	.9998709	.9999435	271114 127118	76H3241 75H3170	TERR TERR	83 57 2 218 49 59	149.239 117.585	149.258 117.601
978833	76H3336	E 337437.462 N5571665.841 El 394.628	.9998652	.9999407	542209 83048	75H2965 76H3264	TERR TERR	94 32 16 213 32 42	329.695 168.915	329.739 168.938
407601	76H3337	E 339270.508 N 5570406.3 El 440.831	.9998507	.9999334	658401 12245	76H3338 75H3116	TERR TERR	181 43 9 359 18 0	176.557 162.671	176.583 162.695
658401	76H3338	E 339265.211 N5570229.823 El 443.524	.9998503	.999933	407601 883330	76H3337 75H3127	TERR TERR	1 43 9 182 48 59	176.557 244.035	176.583 244.072
778753	76H3339	E 338697.971 N5573179.153 El 394.25	.9998603	.9999407		MARKER DESTROYED				
265686	76H3340	E 337538.398 N5570267.969 El 372.493	.9998683	.9999441	556670 680439	75H2920 75H2961	TERR TERR	99 42 3 179 16 33	174.828 184.160	174.851 184.184
141697	77H3341	E 336828.053 N5569228.225 El 434.749	.9998614	.9999344	627976 743294	76H3245 75H3167	TERR TERR	87 33 53 328 47 18	280.160 101.671	280.198 101.685

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
344358	77H3342	E 336495.293 N5569369.974 El 413.094	.9998661	.9999378	777524	75H3169	TERR	54 43 22	156.448	156.469
537720	77H3343	E 335739.018 N5569185.264 El 357.44	.9998779	.9999465	368498 879379	75H3143 89H5503	TERR TERR	41 55 57 217 8 50	158.185 143.700	158.205 143.716
454561	77H3344	E 335708.413 N5570062.376 El 374.899	.9998753	.9999438	418798 940445	77H3349 75H3118	TERR TERR	266 4 7 318 51 33	205.655 366.949	205.681 366.994
85951	77H3345	E 339230.644 N5569569.706 El 416.362	.9998547	.9999373	984195 680553 432708	75H2988 76H3307 77H3346	TERR TERR TERR	4 38 43 175 24 49 271 36 48	168.019 144.709 225.308	168.043 144.730 225.341
432708	77H3346	E 339005.425 N5569576.049 El 418.554	.9998553	.9999369	85951 733329	77H3345 75H2986	TERR TERR	91 36 48 359 1 1	225.308 168.211	225.341 168.236
793687	77H3347	E 336378.629 N 5570224.49 El 364.088	.9998743	.9999455	757518	76H3273	TERR	89 38 12	161.154	161.174
204594	77H3348	E 335852.164 N5569607.049 El 357.142	.9998775	.9999466	226100 580837	75H3149 75H3057	TERR TERR	222 19 7 285 27 7	233.562 212.291	233.590 212.316
418798	77H3349	E 335503.242 N5570048.276 El 373.448	.9998763	.999944	454561 979237 645713	77H3344 77H3350 77H3351	TERR TERR TERR	86 4 7 235 49 15 314 52 38	205.655 177.269 102.660	205.681 177.291 102.672
979237	77H3350	E 335356.59 N5569948.689 El 378.195	.9998762	.9999433	418798 887992 840504	77H3349 77H3353 89H5498	TERR TERR TERR	55 49 15 164 49 24 252 27 41	177.269 114.795 68.569	177.291 114.809 68.577
645713	77H3351	E 335430.495 N5570120.712 El 383.941	.999875	.9999424	418798	77H3349	TERR	134 52 38	102.660	102.672
214924	77H3352	E 335322.057 N5570182.966 El 394.3	.9998738	.9999407	652594	77H3354	TERR	9 22 26	151.908	151.927
887992	77H3353	E 335386.643 N5569837.898 El 360.558	.9998788	.999946	775395 979237	75H3063 77H3350	TERR TERR	141 45 1 344 49 24	140.511 114.795	140.528 114.809

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
652594	77H3354	E 335346.799	.999872	.999939	940445	75H3118	TERR	87 12 1	120.338	120.353
		N5570332.845			214924	77H3352	TERR	189 22 26	151.908	151.927
		El 405.141			469452	75H3103	TERR	241 24 51	424.938	424.993
178590	77H3355	E 338899.317	.9998535	.9999347	317024	77H3356	TERR	35 30 56	215.988	216.018
		N5568435.149								
		El 432.724								
317024	77H3356	E 339024.789	.9998545	.9999362	198036	77H3358	TERR	38 10 32	106.939	106.955
		N5568610.954			178590	77H3355	TERR	215 30 56	215.988	216.018
		El 422.996			865121	77H3357	TERR	330 59 18	238.110	238.143
865121	77H3357	E 338909.309	.9998582	.9999395	317024	77H3356	TERR	150 59 18	238.110	238.143
		N5568819.186			844829	75H2979	TERR	274 42 14	199.005	199.034
		El 402.142								
198036	77H3358	E 339090.885	.9998544	.9999364	283523	77H3359	TERR	8 5 32	207.826	207.857
		N5568695.021			900027	82H5092	TERR	188 4 52	1336.225	1336.430
		El 421.948			317024	77H3356	TERR	218 10 32	106.939	106.955
283523	77H3359	E 339120.14	.999855	.9999372	737	77H3360	TERR	106 52 19	347.097	347.147
		N5568900.778			198036	77H3358	TERR	188 5 32	207.826	207.857
		El 417.023			560300	75H3463	TERR	222 20 40	4330.780	4331.475
					241125	76H3323	TERR	358 42 5	117.857	117.875
737	77H3360	E 339452.296	.9998514	.9999349	263475	76H3332	TERR	11 31 28	385.545	385.601
		N5568800.039			60053	76H3287	TERR	29 11 5	157.440	157.463
		El 431.721			283523	77H3359	TERR	286 52 19	347.097	347.147
495630	77H3361	E 337474.156	.9998637	.9999393						
		N5570579.247								
		El 403.521								
770586	77H3362	E 338043.636	.9998632	.999941						
		N5571644.385								
		El 392.51								
874958	82H5091	E 338949.954	.9998467	.9999281	925750	75H3203	TERR	242 57 58	2412.957	2413.321
		N5566793.062			900027	82H5092	TERR	355 22 5	580.900	580.992
		El 474.655								

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
900027	82H5092	E 338903.045	.9998372	.9999185	198036	77H3358	TERR	8 4 52	1336.225	1336.430
		N5567372.065			732156	76H3278	GPS	23 2 40	3738.756	3739.368
		El 536.224			717892	PIER 8	GPS	104 3 33	4258.931	4259.644
					874958	82H5091	TERR	175 22 5	580.900	580.992
					436444	PIER 1	GPS	225 50 16	6440.435	6441.392
					560300	75H3463	GPS	238 13 45	3175.937	3176.476
					440305	75H2905	TERR	256 31 53	603.058	603.149
					493924	89H5474	GPS	283 12 54	2184.747	2185.096
					442954	75H3202	GPS	296 10 29	5375.272	5376.054
					156190	76H3282	GPS	336 40 27	3823.598	3824.177
274464	89H5448	E 337032.869	.999852	.9999258	735613	89H5496	TERR	20 37 60	641.430	641.525
		N 5566999.85			560300	75H3463	TERR	212 33 11	1542.296	1542.546
		El 489.787								
763623	89H5449	E 337981.608	.9998634	.999941	790980	89H5492	TERR	176 0 11	222.592	222.622
		N5571887.161			344937	89H5494	TERR	318 57 55	199.954	199.981
		El 392.275								
274498	89H5450	E 335730.26	.9998529	.9999215	606475	89H5484	TERR	38 17 50	337.305	337.355
		N5567382.481			534339	89H5476	TERR	217 12 2	392.322	392.379
		El 517.062								
317875	89H5451	E 341047.632	.999837	.9999267	499764	89H5469	TERR	44 36 30	321.767	321.819
		N5572543.318			904995	89H5506	TERR	251 10 12	198.507	198.539
		El 483.768								
332924	89H5452	E 335293.146	.9998789	.9999458	995167	75H3064	TERR	175 33 54	197.274	197.297
		N 5569746.76			840504	89H5498	TERR	359 23 16	181.276	181.299
		El 362.215								
367441	89H5454	E 341770.964	.9998196	.9999122	841304	89H5499	TERR	29 46 5	160.336	160.365
		N5574421.608			370122	89H5458	TERR	181 24 52	462.296	462.377
		El 576.57								
368894	89H5455	E 341924.41	.9998127	.9999058	615534	89H5485	TERR	102 50 39	69.932	69.945
		N5574711.862			369678	89H5456	TERR	300 54 43	141.899	141.925
		El 617.094								
369678	89H5456	E 341802.667	.999811	.9999037	774455	657017	TERR	23 58 17	1311.810	1312.083
		N5574784.758			368894	89H5455	TERR	120 54 43	141.899	141.925
		El 630.862								
370122	89H5458	E 341759.553	.9998251	.9999176	367441	89H5454	TERR	1 24 52	462.296	462.377
		N5573959.453			491357	89H5468	TERR	186 35 51	608.105	608.211
		El 541.99								

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
118786	89H5459	E 335660.625	.9998783	.9999466	966226	94H1182	TERR	132 50 14	115.427	115.442
		N5568981.819			879379	89H5503	TERR	354 36 50	89.298	89.309
		El 357.053								
386466	89H5460	E 340060.583	.9998431	.9999289	20149	76H3283	TERR	99 55 50	60.584	60.594
		N5571913.783			144279	76H3316	TERR	219 59 25	154.211	154.235
		El 469.53								
432070	89H5461	E 339653.004	.9998504	.9999346	119990	76H3255	TERR	88 33 21	96.264	96.278
		N5571594.656			118984	75H2995	TERR	274 19 16	103.152	103.167
		El 433.355								
435982	89H5462	E 340096.642	.9998421	.9999281	691550	89H5493	TERR	1 18 13	105.630	105.648
		N5571589.355			453035	89H5465	TERR	271 47 60	205.006	205.038
		El 474.809								
919621	89H5464	E 339405.939	.9998541	.9999373	753905	75H3069	TERR	65 0 59	186.683	186.711
		N5572026.833			773093	75H2999	TERR	263 13 17	66.541	66.551
		El 416.124								
453035	89H5465	E 339891.737	.9998467	.9999319	435982	89H5462	TERR	91 47 60	205.006	205.038
		N5571595.794			119990	76H3255	TERR	270 31 4	142.506	142.528
		El 450.76			589614	89H5481	TERR	359 27 27	161.171	161.196
813766	89H5466	E 339078.243	.9998564	.9999383	605253	75H3002	TERR	178 44 5	154.201	154.223
		N5571954.523			227033	75H3126	TERR	272 39 18	274.473	274.512
		El 409.602								
489161	89H5467	E 340272.024	.9998435	.9999301	516815	89H5473	TERR	89 33 44	353.456	353.512
		N5572383.618			908830	89H5507	TERR	273 12 29	277.797	277.840
		El 461.915								
491357	89H5468	E 341689.685	.9998292	.9999214	370122	89H5458	TERR	6 35 51	608.105	608.211
		N5573355.375			865519	89H5502	TERR	215 32 34	235.134	235.174
		El 517.854								
499764	89H5469	E 341273.595	.9998344	.9999249	865519	89H5502	TERR	35 30 12	481.107	481.188
		N5572772.391			317875	89H5451	TERR	224 36 30	321.767	321.819
		El 495.05								
502625	89H5470	E 339150.647	.9998532	.9999354	633065	89H5487	TERR	105 5 19	81.025	81.038
		N5568524.146								
		El 428.239								
502856	89H5471	E 337890.218	.9998567	.9999339	558890	89H5479	TERR	1 19 17	286.206	286.246
		N5568733.215			547778	89H5478	TERR	233 40 36	491.670	491.741
		El 437.596								

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING								
508432	89H5472	E 340763.578	.9998393	.9999279	904995	89H5506	TERR	58 28 45	112.817	112.836				
		N5572420.266					516815	89H5473			TERR	256 11 24	142.219	142.242
		El 476.205												
516815	89H5473	E 340625.47	.9998403	.9999284	508432	89H5472	TERR	76 11 24	142.219	142.242				
		N5572386.318					489161	89H5467			TERR	269 33 44	353.456	353.512
		El 473.201												
527010	89H5475	E 336471.832	.9998527	.9999242	705285	89H5495	TERR	48 29 17	305.638	305.683				
		N5568219.474					493924	89H5474			TERR	138 49 42	462.268	462.339
		El 499.661					791145	89H5497			TERR	222 48 44	443.444	443.509
534339	89H5476	E 335493.06	.9998541	.9999217	274498	89H5450	TERR	37 12 2	392.322	392.379				
		N5567069.987					546747	89H5477			TERR	231 9 48	312.307	312.352
		El 515.946												
546747	89H5477	E 335249.793	.9998535	.9999201	534339	89H5476	TERR	51 9 48	312.307	312.352				
		N5566874.138					259200	76H3327			TERR	234 25 2	944.120	944.261
		El 525.868												
547778	89H5478	E 337494.086	.999856	.9999316	502856	89H5471	TERR	53 40 36	491.670	491.741				
		N5568441.978					866640	89H5504			TERR	197 34 9	507.477	507.552
		El 452.332												
558890	89H5479	E 337896.818	.9998579	.9999352	165308	76H3319	TERR	1 52 32	201.927	201.956				
		N5569019.345					502856	89H5471			TERR	181 19 17	286.206	286.246
		El 429.853												
583484	89H5480	E 335732.166	.9998768	.9999454										
		N5568910.905												
		El 364.313												
589614	89H5481	E 339890.211	.9998471	.9999322	144279	76H3316	TERR	61 30 42	81.085	81.098				
		N5571756.958					453035	89H5465			TERR	179 27 27	161.171	161.196
		El 448.607												
592055	89H5482	E 339482.102	.9998474	.9999309	60053	76H3287	TERR	6 54 47	390.197	390.255				
		N5568550.132					859843	89H5501			TERR	269 58 59	163.280	163.305
		El 456.858												
892380	89H5483	E 335868.85	.9998763	.9999454	180091	75H3148	TERR	37 37 40	405.811	405.862				
		N5569063.138					966226	94H1182			TERR	217 43 2	202.013	202.037
		El 364.542												
606475	89H5484	E 335939.302	.9998531	.9999226	791145	89H5497	TERR	43 6 25	338.279	338.328				
		N 5567647.2					274498	89H5450			TERR	218 17 50	337.305	337.355
		El 510.244												

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
615534	89H5485	E 341992.592	.9998135	.9999068	624718	89H5486	TERR	146 59 2	71.972	71.986
		N5574696.316			368894	89H5455	TERR	282 50 39	69.932	69.945
		El 610.438								
624718	89H5486	E 342031.808	.9998142	.9999077	841304	89H5499	TERR	247 28 15	196.213	196.249
		N5574635.966			615534	89H5485	TERR	326 59 2	71.972	71.986
		El 605.166								
633065	89H5487	E 339228.879	.9998517	.9999343	859843	89H5501	TERR	62 23 44	101.497	101.511
		N5568503.054			502625	89H5470	TERR	285 5 19	81.025	81.038
		El 435.441								
672147	89H5488	E 337482.338	.9998589	.9999345	900076	75H3050	TERR	41 20 11	133.350	133.369
		N5569123.969			683839	89H5490	TERR	227 25 50	573.379	573.460
		El 434.242								
680272	89H5489	E 338171.27	.999865	.9999433	414	76H3275	TERR	157 30 39	374.065	374.116
		N5570150.221			85357	76H3290	TERR	265 55 6	223.613	223.643
		El 377.678			197277	76H3333	TERR	347 48 34	96.234	96.247
683839	89H5490	E 337060.068	.9998557	.9999296	672147	89H5488	TERR	47 25 50	573.379	573.460
		N5568736.089			705285	89H5495	TERR	228 51 1	477.254	477.323
		El 465.129								
776641	89H5491	E 339544.162	.9998519	.9999357	841536	76H3330	TERR	5 24 17	202.534	202.565
		N5569964.373			599134	76H3246	TERR	91 30 56	371.776	371.832
		El 426.581			854885	75H2989	TERR	179 59 21	423.111	423.174
790980	89H5492	E 337997.123	.9998633	.999941	335513	75H3018	TERR	95 37 2	257.869	257.905
		N 5571665.11			763623	89H5449	TERR	356 0 11	222.592	222.622
		El 392.654								
691550	89H5493	E 340099.045	.9998418	.9999278	435982	89H5462	TERR	181 18 13	105.630	105.648
		N5571694.958			17848	76H3280	TERR	356 6 51	131.554	131.575
		El 476.982								
344937	89H5494	E 337850.335	.9998641	.9999412	763623	89H5449	TERR	138 57 55	199.954	199.981
		N5572037.988								
		El 391.565								
705285	89H5495	E 336700.699	.9998531	.9999255	683839	89H5490	TERR	48 51 1	477.254	477.323
		N5568422.043			527010	89H5475	TERR	228 29 17	305.638	305.683
		El 491.22								
735613	89H5496	E 337258.899	.9998517	.9999264	866640	89H5504	TERR	12 53 60	367.307	367.361
		N5567600.136			274464	89H5448	TERR	200 37 60	641.430	641.525
		El 485.84			493924	89H5474	TERR	299 20 31	553.794	553.878

Integrated Survey Area No:19 The Corporation of the City of Vernon  
 Order in Council No. 851/79  
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2006-MAR-28

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
791145	89H5497	E 336170.469	.9998534	.9999238	527010	89H5475	TERR	42 48 44	443.444	443.509
		N 5567894.17			606475	89H5484	TERR	223 6 25	338.279	338.328
		El 502.437								
840504	89H5498	E 335291.209	.999877	.9999438	979237	77H3350	TERR	72 27 41	68.569	68.577
		N5569928.026			332924	89H5452	TERR	179 23 16	181.276	181.299
		El 374.505								
841304	89H5499	E 341850.569	.9998173	.9999101	624718	89H5486	TERR	67 28 15	196.213	196.249
		N5574560.786			367441	89H5454	TERR	209 46 5	160.336	160.365
		El 589.537								
928051	89H5500	E 339206.478	.9998556	.999938	773093	75H2999	TERR	91 59 3	133.465	133.484
		N 5572023.6								
		El 411.46								
859843	89H5501	E 339318.822	.9998501	.999933	592055	89H5482	TERR	89 58 59	163.280	163.305
		N5568550.084			633065	89H5487	TERR	242 23 44	101.497	101.511
		El 443.784								
865519	89H5502	E 341552.999	.9998308	.9999225	491357	89H5468	TERR	35 32 34	235.134	235.174
		N5573164.051			499764	89H5469	TERR	215 30 12	481.107	481.188
		El 510.767								
879379	89H5503	E 335652.243	.9998784	.9999467	537720	77H3343	TERR	37 8 50	143.700	143.716
		N5569070.723			118786	89H5459	TERR	174 36 50	89.298	89.309
		El 356.48								
866640	89H5504	E 337340.9	.9998531	.9999281	547778	89H5478	TERR	17 34 9	507.477	507.552
		N5567958.173			735613	89H5496	TERR	192 53 60	367.307	367.361
		El 474.613								
875443	89H5505	E 335565.524	.999827	.9998949	560300	75H3463	TERR	141 55 7	1033.534	1033.715
		N5566513.391			259200	76H3327	TERR	260 7 32	1099.855	1100.033
		El 686.539								
904995	89H5506	E 340859.749	.9998386	.9999276	317875	89H5451	TERR	71 10 12	198.507	198.539
		N5572479.248			508432	89H5472	TERR	238 28 45	112.817	112.836
		El 478.017								
908830	89H5507	E 339994.662	.9998463	.9999319	816488	75H3106	TERR	2 28 5	437.221	437.287
		N5572399.164			489161	89H5467	TERR	93 12 29	277.797	277.840
		El 450.607			70904	76H3297	TERR	269 15 4	560.624	560.708
966226	94H1182	E 335745.266	.9998763	.9999449	892380	89H5483	TERR	37 43 2	202.013	202.037
		N5568903.338			30627	94H1188	TERR	220 54 35	357.671	357.714
		El 367.447			118786	89H5459	TERR	312 50 14	115.427	115.442

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2006-MAR-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
898767	94H1186	E 335023.374	.9998812	.9999469	525410	75H3060	TERR	50 8 18	350.299	350.341
		N5569161.386			625699	94H1187	TERR	140 59 14	492.342	492.401
		E1 354.97								
625699	94H1187	E 335333.3	.99988	.999947	30627	94H1188	TERR	129 21 45	229.890	229.918
		N5568778.833			437020	94H1342	TERR	231 44 13	231.622	231.650
		E1 354.208			898767	94H1186	TERR	320 59 14	492.342	492.401
30627	94H1188	E 335511.039	.9998778	.9999455	966226	94H1182	TERR	40 54 35	357.671	357.714
		N5568633.031			730408	94H1340	TERR	209 7 6	142.396	142.412
		E1 363.597			625699	94H1187	TERR	309 21 45	229.890	229.918
730408	94H1340	E 335441.747	.9998781	.9999455	30627	94H1188	TERR	29 7 6	142.396	142.412
		N5568508.632			142760	94H1341	TERR	237 17 26	98.716	98.729
		E1 363.912								
142760	94H1341	E 335358.685	.999879	.9999461	730408	94H1340	TERR	57 17 26	98.716	98.729
		N5568455.288			437020	94H1342	TERR	310 59 31	274.574	274.607
		E1 360.357								
437020	94H1342	E 335151.436	.9998812	.9999474	625699	94H1187	TERR	51 44 13	231.622	231.650
		N5568635.396			142760	94H1341	TERR	130 59 31	274.574	274.607
		E1 351.613								

END OF REPORT