

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:  
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:  
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
127282	77H6246	E	469312.899	0.9996002	0.9999887	973834	77H6247	TERR	17 37 24	111.015	111.060
		N	5384512.472			937888	77H6228	TERR	232 50 28	162.049	162.113
		E1	90.951	CVD28BC							
973834	77H6247	E	469346.510	0.9996003	0.9999887	134833	77H6248	TERR	0 24 22	103.304	103.344
		N	5384618.277			127282	77H6246	TERR	197 37 24	111.015	111.060
		E1	90.501	CVD28BC							
134833	77H6248	E	469347.242	0.9996007	0.9999892	973834	77H6247	TERR	180 24 22	103.304	103.344
		N	5384721.578			356683	77H6249	TERR	340 22 7	109.454	109.498
		E1	87.599	CVD28BC							
356683	77H6249	E	469310.469	0.9996008	0.9999892	634766	77H6250	TERR	1 58 15	78.856	78.887
		N	5384824.670			134833	77H6248	TERR	160 22 7	109.454	109.498
		E1	87.591	CVD28BC							
634766	77H6250	E	469313.181	0.9996008	0.9999892	356683	77H6249	TERR	181 58 15	78.856	78.887
		N	5384903.479			935163	77H6337	TERR	349 42 44	121.067	121.116
		E1	87.508	CVD28BC							
630335	77H6251	E	469185.637	0.9996049	0.9999933		MARKER DESTROYED				
		N	5385520.200								
		E1	61.548	CVD28BC							
361212	77H6253	E	469153.797	0.9996068	0.9999951	734350	77H6289	TERR	89 31 50	261.768	261.871
		N	5385803.872			400812	77H6254	TERR	335 13 22	260.932	261.035
		E1	49.947	CVD28BC							
400812	77H6254	E	469044.443	0.9996072	0.9999954	361212	77H6253	TERR	155 13 22	260.932	261.035
		N	5386040.784			527457	77H6255	TERR	356 3 4	357.202	357.342
		E1	48.056	CVD28BC							
527457	77H6255	E	469019.844	0.9996088	0.9999970	316927	77H6292	TERR	1 51 35	242.843	242.938
		N	5386397.138			763821	77H6291	TERR	87 59 57	294.369	294.484
		E1	37.553	CVD28BC		400812	77H6254	TERR	176 3 4	357.202	357.342
						883504	77H6298	TERR	271 48 56	399.869	400.025
724476	77H6256	E	469010.172	0.9996001	0.9999883		MARKER DESTROYED				
		N	5385025.686								
		E1	93.359	CVD28BC							
482570	77H6257	E	468738.602	0.9995965	0.9999845		MARKER DESTROYED				
		N	5385032.882								
		E1	117.639	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
853994	77H6258	E	468733.154	0.9995952	0.9999832	702837	77H6259	TERR	21 4 49	135.353	135.408		
		N	5385222.489					486654	78H7395	TERR	178 35 25	189.201	189.277
		E1	125.633					CVD28BC					
702837	77H6259	E	468781.837	0.9995962	0.9999842	853994	77H6258	TERR	201 4 49	135.353	135.408		
		N	5385348.784					79848	77H6260	TERR	347 49 7	134.418	134.472
		E1	119.601					CVD28BC					
79848	77H6260	E	468753.474	0.9995981	0.9999861	702837	77H6259	TERR	167 49 7	134.418	134.472		
		N	5385480.175					475939	77H6261	TERR	316 12 50	85.714	85.748
		E1	107.249					CVD28BC					
475939	77H6261	E	468694.163	0.9995991	0.9999870	79848	77H6260	TERR	136 12 50	85.714	85.748		
		N	5385542.054					485961	77H6262	TERR	345 32 4	92.495	92.532
		E1	101.379					CVD28BC					
485961	77H6262	E	468671.058	0.9996002	0.9999881	408419	77H6263	TERR	35 50 11	78.199	78.230		
		N	5385631.617					475939	77H6261	TERR	165 32 4	92.495	92.532
		E1	94.292					CVD28BC					
408419	77H6263	E	468716.841	0.9996014	0.9999894	335869	77H6264	TERR	25 3 21	103.846	103.888		
		N	5385695.012					485961	77H6262	TERR	215 50 11	78.199	78.230
		E1	86.545					CVD28BC					
335869	77H6264	E	468760.820	0.9996030	0.9999910	408419	77H6263	TERR	205 3 21	103.846	103.888		
		N	5385789.086					818617	77H6265	TERR	353 39 39	83.831	83.863
		E1	76.278					CVD28BC					
818617	77H6265	E	468751.564	0.9996040	0.9999920	833830	77H6266	TERR	90 13 34	238.952	239.046		
		N	5385872.404					335869	77H6264	TERR	173 39 39	83.831	83.863
		E1	69.526					CVD28BC		499160	84H0474	TERR	297 3 58
833830	77H6266	E	468990.514	0.9996060	0.9999942	818617	77H6265	TERR	270 13 34	238.952	239.046		
		N	5385871.461										
		E1	55.745					CVD28BC					
817197	77H6267	E	469479.966	0.9996055	0.9999940	670489	77H6268	TERR	171 45 9	190.123	190.198		
		N	5385192.387										
		E1	56.800					CVD28BC					
670489	77H6268	E	469507.239	0.9996044	0.9999929	431445	77H6271	TERR	131 15 6	160.601	160.664		
		N	5385004.230					107508	77H6345	TERR	214 26 56	48.405	48.424
		E1	63.649					CVD28BC		817197	77H6267	TERR	351 45 9
971283	77H6269	E	469481.953	0.9996024	0.9999909	83121	77H6270	TERR	166 9 26	178.258	178.329		
		N	5384834.345					107508	77H6345	TERR	359 4 35	129.986	130.038
		E1	76.490					CVD28BC					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
83121	77H6270	E N E1	469524.603 5384661.264 79.564	0.9996019	0.9999905	971283	77H6269	TERR	346 9 26	178.258	178.329
431445	77H6271	E N E1	469627.982 5384898.335 56.555	0.9996054	0.9999941	523829 670489	77H6272 77H6268	TERR TERR	152 44 15 311 15 6	114.836 160.601	114.882 160.664
523829	77H6272	E N E1	469680.585 5384796.255 57.298	0.9996052	0.9999939	228601 431445	77H6273 77H6271	TERR TERR	90 54 54 332 44 15	138.505 114.836	138.559 114.882
228601	77H6273	E N E1	469819.072 5384794.043 44.682	0.9996071	0.9999959	26476 914648 523829 996991	77H6275 78H7413 77H6272 77H6274	TERR TERR TERR TERR	90 43 33 168 36 32 270 54 54 344 59 58	132.148 257.316 138.505 216.862	132.200 257.417 138.559 216.947
996991	77H6274	E N E1	469762.942 5385003.515 40.747	0.9996078	0.9999965	228601	77H6273	TERR	164 59 58	216.862	216.947
26476	77H6275	E N E1	469951.209 5384792.369 38.698	0.9996080	0.9999969	148072 228601	77H6276 77H6273	TERR TERR	90 55 11 270 43 33	124.894 132.148	124.943 132.200
148072	77H6276	E N E1	470076.087 5384790.364 29.989	0.9996092	0.9999982	657817 26476 771196	77H6278 77H6275 77H6277	TERR TERR TERR	91 0 16 270 55 11 343 30 20	279.260 124.894 184.104	279.369 124.943 184.176
771196	77H6277	E N E1	470023.816 5384966.892 27.964	0.9996096	0.9999985	148072 162719	77H6276 77H6280	TERR TERR	163 30 20 337 38 39	184.104 247.860	184.176 247.957
657817	77H6278	E N E1	470355.304 5384785.469 11.471	0.9996119	1.0000011	46938 694364 667303 673251 148072 362582 513093 553396 655084	79H0490 77H6297 77H5730 77H6214 77H6276 78H7467 99H2276 77H6279 78H7409	GPS TERR GPS GPS TERR GPS GPS TERR GPS	2 58 2 153 3 19 167 4 20 227 13 15 271 0 16 274 3 38 299 43 52 332 52 22 336 38 39	3228.404 359.032 2431.553 2866.299 279.260 2204.192 3330.338 475.392 2137.161	3229.655 359.171 2432.497 2867.415 279.369 2205.068 3331.639 475.576 2137.989
553396	77H6279	E N E1	470138.541 5385208.566 12.651	0.9996119	1.0000009	657817 162719 256974	77H6278 77H6280 77H6281	TERR TERR TERR	152 52 22 266 35 34 333 2 17	475.392 209.370 266.098	475.576 209.452 266.201

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
162719	77H6280	E	469929.541	0.9996104	0.9999992	553396	77H6279	TERR	86 35 34	209.370	209.452		
		N	5385196.123					TERR	157 38 39			247.860	247.957
		E1	23.528					CVD28BC					
256974	77H6281	E	470017.892	0.9996118	1.0000007	553396	77H6279	TERR	153 2 17	266.098	266.201		
		N	5385445.741					TERR	340 45 18			322.264	322.389
		E1	13.933					CVD28BC					
316422	77H6282	E	469911.671	0.9996122	1.0000011	256974	77H6281	TERR	160 45 18	322.264	322.389		
		N	5385749.996					TERR	313 53 24			169.452	169.518
		E1	11.545					CVD28BC					
224444	77H6283	E	469789.552	0.9996120	1.0000008	316422	77H6282	TERR	133 53 24	169.452	169.518		
		N	5385867.473					TERR	346 1 14			336.952	337.083
		E1	13.909					CVD28BC					
878660	77H6284	E	469708.153	0.9996122	1.0000010	592907	77H6285	TERR	8 37 25	212.234	212.316		
		N	5386194.445					TERR	166 1 14			336.952	337.083
		E1	12.485					CVD28BC					
592907	77H6285	E	469739.976	0.9996128	1.0000016	781583	77H6286	TERR	14 44 3	210.895	210.977		
		N	5386404.280					TERR	188 37 25			212.234	212.316
		E1	8.644					CVD28BC					
781583	77H6286	E	469793.614	0.9996131	1.0000019	964619	77H6287	TERR	33 6 20	168.191	168.256		
		N	5386608.240					TERR	194 44 3			210.895	210.977
		E1	6.426					CVD28BC					
964619	77H6287	E	469885.477	0.9996131	1.0000020	407148	77H6288	TERR	43 55 12	196.484	196.560		
		N	5386749.128					TERR	213 6 20			168.191	168.256
		E1	5.908					CVD28BC	TERR				
407148	77H6288	E	470021.769	0.9996131	1.0000021	843235	79H0505	TERR	32 46 31	158.627	158.688		
		N	5386890.657					TERR	223 55 12			196.484	196.560
		E1	5.314					CVD28BC					
734350	77H6289	E	469415.556	0.9996090	0.9999975	361212	77H6253	TERR	269 31 50	261.768	261.871		
		N	5385806.017					TERR	352 35 10			395.353	395.508
		E1	34.709					CVD28BC					
951194	77H6290	E	469364.541	0.9996099	0.9999984	734350	77H6289	TERR	172 35 10	395.353	395.508		
		N	5386198.065					TERR	346 26 10			215.356	215.440
		E1	28.817					CVD28BC					
763821	77H6291	E	469314.034	0.9996105	0.9999990	951194	77H6290	TERR	166 26 10	215.356	215.440		
		N	5386407.415					TERR	267 59 57			294.369	294.484
		E1	25.233					CVD28BC					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
316927	77H6292	E	469027.725	0.9996099	0.9999981	527457	77H6255	TERR	181 51 35	242.843	242.938				
		N	5386639.853					543892	77H6293	TERR	356 23 20	173.514	173.581		
		E1	30.636					CVD28BC							
543892	77H6293	E	469016.796	0.9996111	0.9999993	316927	77H6292	TERR	176 23 20	173.514	173.581				
		N	5386813.022												
		E1	22.842					CVD28BC							
642314	77H6294	E	469350.604	0.9996125	1.0000009	975623	78H7408	TERR	146 19 37	187.209	187.281				
		N	5386773.767					207738	77H6295	TERR	315 39 25	231.161	231.251		
		E1	12.784							715904	79H0497	TERR	341 20 35	265.726	265.828
207738	77H6295	E	469189.033	0.9996123	1.0000007	642314	77H6294	TERR	135 39 25	231.161	231.251				
		N	5386939.086												
		E1	14.328					CVD28BC							
332700	77H6296	E	470185.719	0.9996082	0.9999972	MARKER DESTROYED									
		N	5384410.630												
		E1	36.305			CVD28BC									
694364	77H6297	E	470517.992	0.9996115	1.0000009	948018	77H6241	TERR	183 19 38	132.312	132.364				
		N	5384465.412					657817	77H6278	TERR	333 3 19	359.032	359.171		
		E1	13.229							CVD28BC					
883504	77H6298	E	468620.176	0.9996075	0.9999954	527457	77H6255	TERR	91 48 56	399.869	400.025				
		N	5386409.806					752964	77H6299	TERR	271 2 36	343.136	343.271		
		E1	47.960							CVD28BC					
752964	77H6299	E	468277.097	0.9996065	0.9999941	591362	60-02	TERR	45 22 54	99.536	99.575				
		N	5386416.054					883504	77H6298	TERR	91 2 36	343.136	343.271		
		E1	55.933							CVD28BC		123174	77H6300	TERR	271 7 39
								570663	78H7362	TERR	359 44 9			401.235	401.393
123174	77H6300	E	467992.607	0.9996048	0.9999922	752964	77H6299	TERR	91 7 39	284.545	284.657				
		N	5386421.653					552828	77H6301	TERR	270 58 27	213.876	213.960		
		E1	68.503							CVD28BC					
552828	77H6301	E	467778.762	0.9996055	0.9999928	123174	77H6300	TERR	90 58 27	213.876	213.960				
		N	5386425.289					867085	77H6302	TERR	269 53 14	625.790	626.037		
		E1	64.823							CVD28BC					
867085	77H6302	E	467152.973	0.9996073	0.9999941	552828	77H6301	TERR	89 53 14	625.790	626.037				
		N	5386424.058					32300	77H6303	TERR	274 54 52	280.448	280.558		
		E1	56.370							CVD28BC					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres																		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																						
32300	77H6303	E	466873.556	0.9996069	0.9999934	867085	77H6302	TERR	94 54 52	280.448	280.558																		
		N	5386448.083					TERR	261 58 28			146.250	146.308																
		E1	60.675					CVD28BC																					
379503	77H6304	E	466728.738	0.9996079	0.9999943	32300	77H6303	TERR	81 58 28	146.250	146.308																		
		N	5386427.664					TERR	270 36 24			480.993	481.181																
		E1	54.664					CVD28BC																					
513556	77H6305	E	466247.772	0.9996105	0.9999965	379503	77H6304	TERR	90 36 24	480.993	481.181																		
		N	5386432.757																										
		E1	40.831					CVD28BC																					
962118	77H6306	E	466239.869	0.9996109	0.9999969	MARKER DESTROYED																							
		N	5386643.502																										
		E1	38.158			CVD28BC																							
990614	77H6307	E	466244.811	0.9996118	0.9999978	833525	77H6331	TERR	1 17 9	595.549	595.780																		
		N	5386836.177																										
		E1	32.326					CVD28BC																					
611228	77H6308	E	465846.468	0.9996133	0.9999990	293092	77H6309	TERR	237 32 34	384.505	384.652																		
		N	5386847.218																										
		E1	25.097					CVD28BC																					
293092	77H6309	E	465522.026	0.9996149	1.0000003	103556	99H2278	GPS	3 20 35	1455.304	1455.862																		
		N	5386640.866					NO MARKING	GPS			34 26 18	2229.587	2230.448															
		E1	16.607					CVD28BC	77H6308			TERR			57 32 34	384.505	384.652												
		933317	99H2276					GPS	95 59 32			1952.005			1952.764														
		189175	99H2275					GPS	175 41 19									4236.279	4237.919										
		706895	73H2131					GPS	194 0 11											6460.875	6463.355								
		682039	91H0480					GPS	221 19 21													6945.335	6948.148						
		26864	77H6310					TERR	237 19 1															405.561	405.717				
		542597	"CON.MON.#9"					GPS	301 11 57																	7171.054	7173.817		
			78H7334					GPS	356 7 43																			6429.849	6432.328
682039	77H6310	E	465180.678	0.9996158	1.0000009	293092	77H6309	TERR	57 19 1	405.561	405.717																		
		N	5386421.866					TERR	269 7 38			371.177	371.320																
		E1	12.567					CVD28BC																					
84343	77H6311	E	464809.544	0.9996153	1.0000001	72694	77H6312	TERR	8 8 53	136.983	137.036																		
		N	5386416.213					TERR	89 7 38			371.177	371.320																
		E1	17.776					CVD28BC																					
72694	77H6312	E	464828.959	0.9996150	0.9999998	127910	77H6313	TERR	13 31 54	107.952	107.993																		
		N	5386551.813					TERR	188 8 53			136.983	137.036																
		E1	19.421					CVD28BC																					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
127910	77H6313	E	464854.218	0.9996152	1.0000001	363499	77H6314	TERR	24 47 10	217.140	217.224
		N	5386656.768			101972	78H7363	TERR	91 3 56	310.883	311.003
		E1	18.032	CVD28BC		72694	77H6312	TERR	193 31 54	107.952	107.993
363499	77H6314	E	464945.250	0.9996156	1.0000005	501932	77H6315	TERR	8 30 23	204.467	204.546
		N	5386853.905			587287	77H6340	TERR	90 35 23	222.730	222.815
		E1	15.003	CVD28BC		127910	77H6313	TERR	204 47 10	217.140	217.224
501932	77H6315	E	464975.495	0.9996149	0.9999999	331470	77H6316	TERR	6 50 13	202.912	202.990
		N	5387056.123			363499	77H6314	TERR	188 30 23	204.467	204.546
		E1	19.183	CVD28BC							
331470	77H6316	E	464999.650	0.9996135	0.9999985	62760	77H6317	TERR	31 9 42	203.399	203.478
		N	5387257.592			501932	77H6315	TERR	186 50 13	202.912	202.990
		E1	28.190	CVD28BC							
62760	77H6317	E	465104.900	0.9996136	0.9999986	994673	77H6318	TERR	28 58 23	102.336	102.375
		N	5387431.643			913814	77H6341	TERR	84 30 20	77.924	77.954
		E1	27.086	CVD28BC		331470	77H6316	TERR	211 9 42	203.399	203.478
994673	77H6318	E	465154.471	0.9996132	0.9999983	810895	77H6319	TERR	32 43 16	119.719	119.765
		N	5387521.171			62760	77H6317	TERR	208 58 23	102.336	102.375
		E1	29.273	CVD28BC							
810895	77H6319	E	465219.185	0.9996141	0.9999992	93922	77H6320	TERR	54 56 30	162.640	162.703
		N	5387621.892			994673	77H6318	TERR	212 43 16	119.719	119.765
		E1	23.335	CVD28BC							
93922	77H6320	E	465352.317	0.9996129	0.9999982	699330	77H6321	TERR	54 25 13	212.412	212.494
		N	5387715.314			810895	77H6319	TERR	234 56 30	162.640	162.703
		E1	30.068	CVD28BC							
699330	77H6321	E	465525.073	0.9996127	0.9999981	111336	77H6322	TERR	54 49 6	137.865	137.918
		N	5387838.903			946764	78H7403	TERR	90 30 23	246.584	246.679
		E1	30.568	CVD28BC		93922	77H6320	TERR	234 25 13	212.412	212.494
111336	77H6322	E	465637.754	0.9996146	1.0000001	197962	77H6323	TERR	36 19 53	103.959	103.999
		N	5387918.337			699330	77H6321	TERR	234 49 6	137.865	137.918
		E1	17.854	CVD28BC							
197962	77H6323	E	465699.345	0.9996152	1.0000008	591214	77H6324	TERR	90 12 56	171.650	171.716
		N	5388002.087			111336	77H6322	TERR	216 19 53	103.959	103.999
		E1	13.532	CVD28BC							
591214	77H6324	E	465870.994	0.9996146	1.0000003	2378	77H6325	TERR	35 45 3	229.005	229.092
		N	5388001.441			439448	77H6327	TERR	90 27 55	393.213	393.365
		E1	16.530	CVD28BC		197962	77H6323	TERR	270 12 56	171.650	171.716



Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
2378	77H6325	E	466004.793	0.9996154	1.0000012	259887	77H6326	TERR	92 57 16	255.628	255.727
		N	5388187.293			591214	77H6324	TERR	215 45 3	229.005	229.092
		E1	11.013	CVD28BC							
259887	77H6326	E	466260.081	0.9996130	0.9999990	732370	77H6328	TERR	167 19 35	85.051	85.084
		N	5388174.117			439448	77H6327	TERR	178 39 37	175.918	175.986
		E1	24.767	CVD28BC		2378	77H6325	TERR	272 57 16	255.628	255.727
439448	77H6327	E	466264.194	0.9996127	0.9999988	732370	77H6328	TERR	8 54 1	94.023	94.059
		N	5387998.247			786624	78H7236	TERR	180 49 25	382.746	382.894
		E1	26.413	CVD28BC		591214	77H6324	TERR	270 27 55	393.213	393.365
					259887	77H6326	TERR	358 39 37	175.918	175.986	
732370	77H6328	E	466278.741	0.9996127	0.9999988	70672	77H6329	TERR	38 48 26	161.602	161.665
		N	5388091.138			439448	77H6327	TERR	188 54 1	94.023	94.059
		E1	26.299	CVD28BC		259887	77H6326	TERR	347 19 35	85.051	85.084
70672	77H6329	E	466380.017	0.9996127	0.9999988	321240	78H7237	TERR	60 34 22	317.111	317.233
		N	5388217.068			732370	77H6328	TERR	218 48 26	161.602	161.665
		E1	26.161	CVD28BC							
751982	77H6330	E	465661.508	0.9996088	0.9999943	174169	77H6332	TERR	90 26 33	172.235	172.302
		N	5387435.599			290064	77H6344	TERR	270 25 9	167.361	167.426
		E1	54.891	CVD28BC							
833525	77H6331	E	466258.176	0.9996112	0.9999973	786624	78H7236	TERR	0 9 39	183.966	184.037
		N	5387431.576			990614	77H6307	TERR	181 17 9	595.549	595.780
		E1	35.999	CVD28BC		174169	77H6332	TERR	270 21 49	424.447	424.613
174169	77H6332	E	465833.738	0.9996092	0.9999949	924761	78H7235	TERR	0 31 21	183.853	183.925
		N	5387434.269			833525	77H6331	TERR	90 21 49	424.447	424.613
		E1	51.260	CVD28BC		751982	77H6330	TERR	270 26 33	172.235	172.302
319582	77H6333	E	465827.997	0.9996102	0.9999959		MARKER DESTROYED				
		N	5387253.139								
		E1	44.873	CVD28BC							
712182	77H6334	E	465643.412	0.9996102	0.9999957	205989	77H6335	TERR	21 1 38	197.907	197.984
		N	5387066.533			18788	78H7394	TERR	180 18 59	77.319	77.350
		E1	45.614	CVD28BC		800706	77H6336	TERR	260 24 15	104.436	104.477
205989	77H6335	E	465714.423	0.9996097	0.9999952	712182	77H6334	TERR	201 1 38	197.907	197.984
		N	5387251.261								
		E1	48.997	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
800706	77H6336	E N E1	465540.437 5387049.124 47.911	0.9996100	0.9999954	712182	77H6334	TERR	80 24 15	104.436	104.477
935163	77H6337	E N E1	469291.559 5385022.600 84.676	0.9996012	0.9999897	634766 799528 486654	77H6250 84H0509 78H7395	TERR TERR TERR	169 42 44 270 17 34 271 6 42	121.067 260.264 553.854	121.116 260.369 554.076
762096	77H6338	E N E1	465487.058 5386847.149 40.195	0.9996112	0.9999966	212795	77H6339	TERR	270 56 19	215.774	215.858
212795	77H6339	E N E1	465271.313 5386850.684 38.259	0.9996117	0.9999969	762096 587287	77H6338 77H6340	TERR TERR	90 56 19 270 30 54	215.774 103.349	215.858 103.389
587287	77H6340	E N E1	465167.968 5386851.613 33.462	0.9996125	0.9999976	212795 363499	77H6339 77H6314	TERR TERR	90 30 54 270 35 23	103.349 222.730	103.389 222.815
913814	77H6341	E N E1	465182.466 5387439.104 36.400	0.9996121	0.9999972	133611 62760	77H6342 77H6317	TERR TERR	90 24 13 264 30 20	95.253 77.924	95.291 77.954
133611	77H6342	E N E1	465277.717 5387438.433 42.007	0.9996111	0.9999963	504159 290064 913814	77H6343 77H6344 77H6341	TERR TERR TERR	35 44 9 90 25 34 270 24 13	100.647 216.441 95.253	100.686 216.526 95.291
504159	77H6343	E N E1	465336.500 5387520.130 40.502	0.9996113	0.9999965	332940 133611	78H7232 77H6342	TERR TERR	55 5 23 215 44 9	184.060 100.647	184.131 100.686
290064	77H6344	E N E1	465494.152 5387436.823 49.863	0.9996097	0.9999951	751982 133611	77H6330 77H6342	TERR TERR	90 25 9 270 25 34	167.361 216.441	167.426 216.526
107508	77H6345	E N E1	469479.858 5384964.314 69.754	0.9996034	0.9999920	670489 971283	77H6268 77H6269	TERR TERR	34 26 56 179 4 35	48.405 129.986	48.424 130.038
332940	78H7232	E N E1	465487.438 5387625.466 43.991	0.9996106	0.9999960	711630 504159	78H7233 77H6343	TERR TERR	54 59 50 235 5 23	185.366 184.060	185.438 184.131
711630	78H7233	E N E1	465639.276 5387731.795 44.274	0.9996105	0.9999960	946764 332940	78H7403 78H7232	TERR TERR	51 35 48 234 59 50	168.915 185.366	168.981 185.438

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
924761	78H7235	E 465835.415 N 5387618.114 E1 52.523	0.9996090	0.9999947	174169	77H6332	TERR	180 31 21	183.853	183.925	
786624	78H7236	E 466258.692 N 5387615.541 E1 33.259	0.9996117	0.9999977	439448 833525	77H6327 77H6331	TERR TERR	0 49 25 180 9 39	382.746 183.966	382.894 184.037	
321240	78H7237	E 466656.214 N 5388372.870 E1 23.472	0.9996129	0.9999992	933630 70672	78H7241 77H6329	TERR TERR	62 3 10 240 34 22	1842.353 317.111	1843.068 317.233	
578575	78H7238	E 467169.769 N 5389244.505 E1 6.761	0.9996151	1.0000019	589317 6809	78H7239 78H7255	TERR TERR	90 32 25 348 39 56	381.958 301.243	382.106 301.359	
589317	78H7239	E 467551.710 N 5389240.903 E1 25.765	0.9996118	0.9999989	271262 578575	78H7240 78H7238	TERR TERR	90 20 34 270 32 25	126.027 381.958	126.076 382.106	
271262	78H7240	E 467677.735 N 5389240.149 E1 26.133	0.9996117	0.9999988	933630 324459 589317 183772	78H7241 60-19 78H7239 78H7254	TERR TERR TERR TERR	90 21 48 247 41 15 270 20 34 343 49 59	605.986 114.564 126.027 307.694	606.221 114.608 126.076 307.813	
933630	78H7241	E 468283.709 N 5389236.307 E1 24.033	0.9996115	0.9999992	202515 5926 570663 321240 271262	78H7248 78H7242 78H7362 78H7237 78H7240	TERR TERR TERR TERR TERR	0 32 28 90 30 36 180 12 2 242 3 10 270 21 48	244.655 603.436 2419.037 1842.353 605.986	244.751 603.670 2419.978 1843.068 606.221	
5926	78H7242	E 468887.121 N 5389230.937 E1 17.913	0.9996120	1.0000001	901207 550467 933630	78H7443 3300 78H7241	TERR TERR TERR	196 54 18 225 33 47 270 30 36	2088.897 11179.330 603.436	2089.708 11183.878 603.670	
398719	78H7243	E 469302.016 N 5389226.683 E1 13.441	0.9996124	1.0000008		MARKER DESTROYED					
577031	78H7244	E 469306.575 N 5389640.495 E1 11.895	0.9996126	1.0000011	653733 419077 142117	78H7245 79H0488 78H7246	TERR TERR TERR	0 41 40 179 46 27 270 28 50	223.443 221.135 442.407	223.530 221.221 442.578	
653733	78H7245	E 469309.283 N 5389863.922 E1 10.663	0.9996128	1.0000013	577031	78H7244	TERR	180 41 40	223.443	223.530	

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
142117	78H7246	E	468864.184	0.9996127	1.0000008	577031	78H7244	TERR	90 28 50	442.407	442.578	
		N	5389644.205			429076	78H7247	TERR	270 10 50	569.423	569.644	
		E1	13.536	CVD28BC								
429076	78H7247	E	468294.764	0.9996115	0.9999991	142117	78H7246	TERR	90 10 50	569.423	569.644	
		N	5389645.999			202515	78H7248	TERR	183 1 57	165.280	165.343	
		E1	24.344	CVD28BC								
202515	78H7248	E	468286.020	0.9996112	0.9999988	429076	78H7247	TERR	3 1 57	165.280	165.343	
		N	5389480.951			933630	78H7241	TERR	180 32 28	244.655	244.751	
		E1	26.266	CVD28BC								
668442	78H7249	E	468854.287	0.9996126	1.0000007		MARKER DESTROYED					
		N	5390434.532									
		E1	14.223	CVD28BC								
26799	78H7250	E	468303.112	0.9996136	1.0000013	500884	78H7251	TERR	270 12 3	531.536	531.742	
		N	5390437.861									
		E1	10.524	CVD28BC								
500884	78H7251	E	467771.579	0.9996146	1.0000019	635896	85H0500	GPS	4 32 49	3298.982	3300.266	
		N	5390439.725			241778	88H4400	GPS	43 32 4	2693.387	2694.431	
		E1	6.677	CVD28BC			26799	78H7250	TERR	90 12 3	531.536	531.742
						614438	79H0493	GPS	133 29 52	2106.673	2107.488	
						55343	99H2277	GPS	185 4 38	2017.980	2018.759	
						937227	NO MARKING	GPS	206 46 2	2195.278	2196.126	
						103556	99H2278	GPS	222 41 52	3192.136	3193.363	
						304923	78H7397	GPS	281 26 42	3198.285	3199.515	
						542597	78H7334	GPS	314 16 18	3747.974	3749.420	
269464	78H7252	E	467729.682	0.9996146	1.0000018		MARKER DESTROYED					
		N	5390005.748									
		E1	7.081	CVD28BC								
800318	78H7253	E	467766.244	0.9996133	1.0000005	183772	78H7254	TERR	268 22 20	174.252	174.319	
		N	5389540.625									
		E1	15.290	CVD28BC								
183772	78H7254	E	467592.062	0.9996116	0.9999987	800318	78H7253	TERR	88 22 20	174.252	174.319	
		N	5389535.675			271262	78H7240	TERR	163 49 59	307.694	307.813	
		E1	26.969	CVD28BC		6809	78H7255	TERR	270 29 58	481.516	481.703	
6809	78H7255	E	467110.564	0.9996152	1.0000020	183772	78H7254	TERR	90 29 58	481.516	481.703	
		N	5389539.873			578575	78H7238	TERR	168 39 56	301.243	301.359	
		E1	6.112	CVD28BC		862235	78H7256	TERR	334 45 26	136.967	137.019	

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
862235	78H7256	E	467052.154	0.9996152	1.0000019	6809	78H7255	TERR	154 45 26	136.967	137.019
		N	5389663.761			901041	78H7257	TERR	314 16 23	162.836	162.898
		E1	6.509	CVD28BC							
901041	78H7257	E	466935.560	0.9996153	1.0000019	209916	78H7258	TERR	57 20 44	201.286	201.364
		N	5389777.433			862235	78H7256	TERR	134 16 23	162.836	162.898
		E1	6.449	CVD28BC		102871	78H7260	TERR	323 49 5	159.437	159.499
209916	78H7258	E	467105.031	0.9996150	1.0000017	901041	78H7257	TERR	237 20 44	201.286	201.364
		N	5389886.041								
		E1	7.639	CVD28BC							
857987	78H7259	E	467293.842	0.9996149	1.0000018		MARKER DESTROYED				
		N	5390005.714								
		E1	7.235	CVD28BC							
102871	78H7260	E	466841.436	0.9996155	1.0000020	901041	78H7257	TERR	143 49 5	159.437	159.499
		N	5389906.122			644302	78H7261	TERR	351 10 4	136.528	136.581
		E1	6.039	CVD28BC							
644302	78H7261	E	466820.473	0.9996156	1.0000021	102871	78H7260	TERR	171 10 4	136.528	136.581
		N	5390041.031								
		E1	5.180	CVD28BC							
768333	78H7262	E	469311.956	0.9996130	1.0000015	128215	79H0447	TERR	85 48 43	93.164	93.200
		N	5390170.254			796235	79H0463	TERR	90 4 42	173.478	173.545
		E1	9.433	CVD28BC		777060	78H7263	TERR	359 37 17	261.426	261.528
777060	78H7263	E	469310.229	0.9996131	1.0000015	768333	78H7262	TERR	179 37 17	261.426	261.528
		N	5390431.674			771147	78H7264	TERR	350 3 38	468.476	468.657
		E1	9.095	CVD28BC							
771147	78H7264	E	469229.367	0.9996138	1.0000022	777060	78H7263	TERR	170 3 38	468.476	468.657
		N	5390893.119			697151	78H7265	TERR	291 46 35	305.007	305.124
		E1	4.785	CVD28BC							
697151	78H7265	E	468946.126	0.9996142	1.0000024	771147	78H7264	TERR	111 46 35	305.007	305.124
		N	5391006.272			283952	78H7266	TERR	319 2 14	241.965	242.059
		E1	3.487	CVD28BC							
283952	78H7266	E	468787.501	0.9996140	1.0000020	697151	78H7265	TERR	139 2 14	241.965	242.059
		N	5391188.988			311282	78H7267	TERR	357 38 53	206.147	206.226
		E1	5.652	CVD28BC							
311282	78H7267	E	468779.041	0.9996137	1.0000017	283952	78H7266	TERR	177 38 53	206.147	206.226
		N	5391394.961								
		E1	7.724	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
828673	78H7268	E N El	468629.942 5391541.215 6.423	0.9996140	1.0000019		MARKER DESTROYED				
77610	78H7269	E N El	466294.946 5390521.352 12.564	0.9996149	1.0000009	236703	78H7270	TERR	357 49 46	125.702	125.751
236703	78H7270	E N El	466290.185 5390646.964 16.835	0.9996142	1.0000003	466391 77610 844621	78H7271 78H7269 78H7393	TERR TERR TERR	0 26 6 177 49 46 270 0 48	610.007 125.702 511.823	610.243 125.751 512.020
466391	78H7271	E N El	466294.816 5391256.953 31.578	0.9996119	0.9999980	363804 236703 442467	78H7285 78H7270 78H7272	TERR TERR TERR	1 25 31 180 26 6 270 44 59	231.101 610.007 461.061	231.190 610.243 461.239
442467	78H7272	E N El	465833.795 5391262.985 35.446	0.9996117	0.9999973	466391 738054	78H7271 78H7273	TERR TERR	90 44 59 270 3 49	461.061 351.227	461.239 351.364
738054	78H7273	E N El	465482.568 5391263.375 35.251	0.9996120	0.9999974	442467 12880	78H7272 78H7274	TERR TERR	90 3 49 270 16 56	351.227 194.324	351.364 194.400
12880	78H7274	E N El	465288.246 5391264.332 38.651	0.9996116	0.9999968	196766 738054 695247	78H7283 78H7273 78H7275	TERR TERR TERR	0 44 47 90 16 56 270 43 18	403.161 194.324 149.104	403.318 194.400 149.162
695247	78H7275	E N El	465139.154 5391266.210 45.771	0.9996106	0.9999957	12880 874859	78H7274 78H7276	TERR TERR	90 43 18 271 4 28	149.104 177.763	149.162 177.832
874859	78H7276	E N El	464961.422 5391269.543 39.366	0.9996118	0.9999967	695247 924993	78H7275 78H7277	TERR TERR	91 4 28 270 45 11	177.763 154.962	177.832 155.023
924993	78H7277	E N El	464806.473 5391271.580 29.428	0.9996135	0.9999983	481325 874859 181446	78H7281 78H7276 78H7278	TERR TERR TERR	0 49 38 90 45 11 271 4 22	201.499 154.962 173.259	201.577 155.023 173.326
181446	78H7278	E N El	464633.244 5391274.824 13.597	0.9996161	1.0000008	924993 304923 267526	78H7277 78H7397 78H7279	TERR TERR TERR	91 4 22 178 57 29 342 24 21	173.259 200.506 155.929	173.326 200.583 155.990
267526	78H7279	E N El	464586.111 5391423.459 12.245	0.9996164	1.0000010	181446 742320	78H7278 78H7280	TERR TERR	162 24 21 308 49 18	155.929 86.416	155.990 86.449

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
742320	78H7280	E	464518.784	0.9996168	1.0000013	481325	78H7281	TERR	90 54 7	290.634	290.747		
		N	5391477.633					TERR	128 49 18			86.416	86.449
		E1	10.185					CVD28BC	TERR			305 36 56	310.769
481325	78H7281	E	464809.382	0.9996127	0.9999975	924993	78H7277	TERR	180 49 38	201.499	201.577		
		N	5391473.058					TERR	270 54 7			290.634	290.747
		E1	34.717					CVD28BC					
293027	78H7282	E	464266.147	0.9996168	1.0000011	641324	78H7297	TERR	39 32 33	214.841	214.923		
		N	5391658.607					TERR	125 36 56			310.769	310.887
		E1	11.231					CVD28BC					
196766	78H7283	E	465293.497	0.9996120	0.9999972	678441	78H7284	TERR	90 10 40	405.144	405.301		
		N	5391667.459					TERR	180 44 47			403.161	403.318
		E1	36.464					CVD28BC					
678441	78H7284	E	465698.639	0.9996112	0.9999967	196766	78H7283	TERR	270 10 40	405.144	405.301		
		N	5391666.202										
		E1	39.312					CVD28BC					
363804	78H7285	E	466300.564	0.9996097	0.9999957	466391	78H7271	TERR	181 25 31	231.101	231.190		
		N	5391487.982										
		E1	45.840					CVD28BC					
626408	78H7286	E	466302.058	0.9996096	0.9999957	MARKER DESTROYED							
		N	5391663.212										
		E1	46.109			CVD28BC							
329805	78H7287	E	466303.401	0.9996094	0.9999955	78998	78H7304	TERR	0 23 13	207.101	207.181		
		N	5391863.727					TERR	270 13 37			322.746	322.871
		E1	47.316					CVD28BC					
118273	78H7288	E	465980.658	0.9996102	0.9999960	329805	78H7287	TERR	90 13 37	322.746	322.871		
		N	5391865.005					TERR	270 18 28			326.331	326.458
		E1	44.117					CVD28BC					
985440	78H7289	E	465654.332	0.9996110	0.9999965	118273	78H7288	TERR	90 18 28	326.331	326.458		
		N	5391866.758					TERR	270 14 57			345.664	345.798
		E1	40.708					CVD28BC					
291070	78H7290	E	465308.671	0.9996133	0.9999985	213181	78H7308	TERR	0 25 41	191.972	192.047		
		N	5391868.262					TERR	90 14 57			345.664	345.798
		E1	27.786					CVD28BC	TERR			268 35 16	134.380
951921	78H7291	E	465174.332	0.9996128	0.9999979	291070	78H7290	TERR	88 35 16	134.380	134.432		
		N	5391864.950					TERR	228 46 48			135.814	135.867
		E1	31.797					CVD28BC					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
559955	78H7292	E	465072.175	0.9996130	0.9999980	951921	78H7291	TERR	48 46 48	135.814	135.867					
		N	5391775.455					478362				78H7293	TERR	272 43 42	109.962	110.004
		E1	31.219					CVD28BC								
478362	78H7293	E	464962.338	0.9996147	0.9999996	559955	78H7292	TERR	92 43 42	109.962	110.004					
		N	5391780.689					482646				78H7294	TERR	325 13 26	112.709	112.752
		E1	21.124										CVD28BC			
482646	78H7294	E	464898.052	0.9996161	1.0000010	478362	78H7293	TERR	145 13 26	112.709	112.752					
		N	5391873.267					360883				78H7295	TERR	271 1 5	336.351	336.480
		E1	12.112										CVD28BC			
360883	78H7295	E	464561.754	0.9996146	0.9999992	482646	78H7294	TERR	91 1 5	336.351	336.480					
		N	5391879.243					969642				78H7296	TERR	285 31 33	67.339	67.366
		E1	23.641										CVD28BC			
969642	78H7296	E	464496.872	0.9996149	0.9999994	360883	78H7295	TERR	105 31 33	67.339	67.366					
		N	5391897.268					641324				78H7297	TERR	232 9 25	118.966	119.012
		E1	22.340										CVD28BC			
641324	78H7297	E	464402.925	0.9996159	1.0000003	969642	78H7296	TERR	52 9 25	118.966	119.012					
		N	5391824.282					293027				78H7282	TERR	219 32 33	214.841	214.923
		E1	16.393										CVD28BC			
651091	78H7298	E	466706.421	0.9996089	0.9999952	473348	78H7299	TERR	90 29 19	497.654	497.850					
		N	5391657.647					CVD28BC								
		E1	49.006													
473348	78H7299	E	467204.057	0.9996076	0.9999944	697144	78H7300	TERR	90 35 39	676.582	676.846					
		N	5391653.403					651091				78H7298	TERR	270 29 19	497.654	497.850
		E1	54.384										CVD28BC			
697144	78H7300	E	467880.603	0.9996108	0.9999981	715730	78H7330	TERR	5 24 15	329.443	329.571					
		N	5391646.388					473348				78H7299	TERR	270 35 39	676.582	676.846
		E1	30.737										CVD28BC			
104547	78H7301	E	468317.974	0.9996117	0.9999994	MARKER DESTROYED										
		N	5391648.910			CVD28BC										
		E1	22.652													
295386	78H7302	E	468522.858	0.9996128	1.0000007	MARKER ISOLATED										
		N	5391649.193			CVD28BC										
		E1	14.501													
584870	78H7303	E	468953.228	0.9996134	1.0000016	MARKER DESTROYED										
		N	5391834.658			CVD28BC										
		E1	8.675													



Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
78998	78H7304	E	466304.800	0.9996090	0.9999951	973610	78H7320	TERR	0 11 26	198.322	198.400
		N	5392070.823			329805	78H7287	TERR	180 23 13	207.101	207.181
		E1	49.984	CVD28BC		519041	78H7305	TERR	269 55 28	416.049	416.211
519041	78H7305	E	465888.751	0.9996098	0.9999955	78998	78H7304	TERR	89 55 28	416.049	416.211
		N	5392070.274			674911	78H7306	TERR	270 11 14	346.543	346.678
		E1	46.948	CVD28BC							
674911	78H7306	E	465542.210	0.9996102	0.9999956	519041	78H7305	TERR	90 11 14	346.543	346.678
		N	5392071.407			334318	78H7307	TERR	268 11 32	176.935	177.004
		E1	46.362	CVD28BC							
334318	78H7307	E	465365.363	0.9996111	0.9999964	674911	78H7306	TERR	88 11 32	176.935	177.004
		N	5392065.825			213181	78H7308	TERR	264 13 2	55.541	55.562
		E1	41.701	CVD28BC							
213181	78H7308	E	465310.105	0.9996128	0.9999980	334318	78H7307	TERR	84 13 2	55.541	55.562
		N	5392060.229			291070	78H7290	TERR	180 25 41	191.972	192.047
		E1	31.102	CVD28BC		191809	78H7309	TERR	332 53 45	87.768	87.801
191809	78H7309	E	465270.117	0.9996135	0.9999987	213181	78H7308	TERR	152 53 45	87.768	87.801
		N	5392138.358			984500	78H7310	TERR	350 27 49	161.969	162.032
		E1	27.046	CVD28BC							
984500	78H7310	E	465243.283	0.9996143	0.9999994	788646	78H7311	TERR	27 47 53	210.883	210.964
		N	5392298.089			191809	78H7309	TERR	170 27 49	161.969	162.032
		E1	22.113	CVD28BC							
788646	78H7311	E	465341.630	0.9996148	1.0000001	984500	78H7310	TERR	207 47 53	210.883	210.964
		N	5392484.635			790741	78H7312	TERR	348 45 56	336.706	336.836
		E1	18.089	CVD28BC							
790741	78H7312	E	465276.031	0.9996157	1.0000009	796581	78H7313	TERR	112 40 57	125.052	125.100
		N	5392814.889			788646	78H7311	TERR	168 45 56	336.706	336.836
		E1	12.974	CVD28BC		849547	78H7333	TERR	334 15 18	156.013	156.072
796581	78H7313	E	465391.411	0.9996152	1.0000005	601369	78H7314	TERR	93 50 11	74.040	74.069
		N	5392766.666			790741	78H7312	TERR	292 40 57	125.052	125.100
		E1	15.510	CVD28BC							
601369	78H7314	E	465465.285	0.9996149	1.0000003	384479	78H7315	TERR	73 27 49	422.194	422.356
		N	5392761.712			796581	78H7313	TERR	273 50 11	74.040	74.069
		E1	16.670	CVD28BC							
384479	78H7315	E	465870.017	0.9996141	0.9999998	975144	78H7316	TERR	94 40 19	149.880	149.938
		N	5392881.878			601369	78H7314	TERR	253 27 49	422.194	422.356
		E1	19.714	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
975144	78H7316	E	466019.399	0.9996136	0.9999995	817973	78H7344	TERR	112 11 27	147.326	147.383	
		N	5392869.670			384479	78H7315	TERR	274 40 19	149.880	149.938	
		E1	21.974	CVD28BC								
893727	78H7317	E	466307.446	0.9996080	0.9999941	806679	78H7343	TERR	0 23 51	140.935	140.990	
		N	5393274.649			249185	78H7318	TERR	180 4 39	519.922	520.124	
		E1	56.470	CVD28BC								
249185	78H7318	E	466306.743	0.9996121	0.9999982	893727	78H7317	TERR	0 4 39	519.922	520.124	
		N	5392754.728			414425	78H7321	TERR	105 0 25	417.102	417.263	
		E1	30.096	CVD28BC			748905	78H7319	TERR	180 7 23	286.260	286.371
							817973	78H7344	TERR	291 26 57	162.161	162.223
748905	78H7319	E	466306.128	0.9996104	0.9999965	249185	78H7318	TERR	0 7 23	286.260	286.371	
		N	5392468.469			973610	78H7320	TERR	180 11 31	199.326	199.404	
		E1	41.081	CVD28BC								
973610	78H7320	E	466305.460	0.9996094	0.9999954	748905	78H7319	TERR	0 11 31	199.326	199.404	
		N	5392269.144			78998	78H7304	TERR	180 11 26	198.322	198.400	
		E1	47.853	CVD28BC								
414425	78H7321	E	466709.619	0.9996109	0.9999972	18481	84H0475	TERR	91 9 55	413.700	413.862	
		N	5392646.725			212373	78H7325	TERR	104 58 56	438.002	438.174	
		E1	36.232	CVD28BC			249185	78H7318	TERR	285 0 25	417.102	417.263
106377	78H7322	E	467132.173	0.9996060	0.9999928							
		N	5392640.428									
		E1	64.816	CVD28BC								
694620	78H7323	E	467380.224	0.9996065	0.9999934							
		N	5392633.776									
		E1	60.552	CVD28BC								
711614	78H7324	E	467651.190	0.9996065	0.9999937							
		N	5392630.599									
		E1	58.974	CVD28BC								
212373	78H7325	E	467132.732	0.9996105	0.9999972	414425	78H7321	TERR	284 58 56	438.002	438.174	
		N	5392533.494									
		E1	36.512	CVD28BC								
671644	78H7326	E	467311.439	0.9996102	0.9999971	604769	78H7327	TERR	118 48 27	423.396	423.561	
		N	5392467.631									
		E1	37.133	CVD28BC								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
604769	78H7327	E	467682.437	0.9996090	0.9999962	53108	78H7328	TERR	121 17 53	197.193	197.271	
		N	5392263.610			671644	78H7326	TERR	298 48 27	423.396	423.561	
		E1	43.194	CVD28BC								
53108	78H7328	E	467850.934	0.9996091	0.9999964	608588	78H7329	TERR	149 18 45	104.153	104.193	
		N	5392161.170			604769	78H7327	TERR	301 17 53	197.193	197.271	
		E1	41.495	CVD28BC								
608588	78H7329	E	467904.089	0.9996092	0.9999966	715730	78H7330	TERR	175 33 55	97.527	97.566	
		N	5392071.602			53108	78H7328	TERR	329 18 45	104.153	104.193	
		E1	40.613	CVD28BC								
715730	78H7330	E	467911.630	0.9996094	0.9999967	697144	78H7300	TERR	185 24 15	329.443	329.571	
		N	5391974.367			608588	78H7329	TERR	355 33 55	97.527	97.566	
		E1	39.558	CVD28BC								
485847	78H7331	E	467572.703	0.9996080	0.9999951	635896	85H0500	GPS	19 50 38	1356.306	1356.839	
		N	5392452.553			49759	88H4429	GPS	31 34 29	464.144	464.327	
		E1	50.002	CVD28BC			271635	78H7332	TERR	90 58 24	194.631	194.707
							991315	84H0508	GPS	96 39 16	1165.554	1166.014
							901405	84H0481	GPS	101 20 26	1164.250	1164.709
							973529	88H4450	GPS	321 39 9	516.407	516.611
							515635	84H0521	GPS	323 21 40	967.878	968.263
271635	78H7332	E	467767.306	0.9996065	0.9999938	485847	78H7331	TERR	270 58 24	194.631	194.707	
		N	5392449.247									
		E1	58.352	CVD28BC								
849547	78H7333	E	465208.264	0.9996147	0.9999999	790741	78H7312	TERR	154 15 18	156.013	156.072	
		N	5392955.415			542597	78H7334	TERR	309 53 37	156.895	156.956	
		E1	19.322	CVD28BC								
542597	78H7334	E	465087.888	0.9996140	0.9999990	635896	85H0500	GPS	77 8 31	3020.976	3022.153	
		N	5393056.042			849547	78H7333	TERR	129 53 37	156.895	156.956	
		E1	24.789	CVD28BC			614438	79H0493	GPS	133 59 35	5854.525	5856.790
							500884	78H7251	GPS	134 16 18	3747.974	3749.420
							937227	NO MARKING	GPS	159 40 34	4880.178	4882.064
							293092	77H6309	GPS	176 7 43	6429.849	6432.328
							304923	78H7397	GPS	192 49 16	2032.363	2033.145
							26864	"CON.MON.#9"	GPS	244 38 57	6307.140	6309.573
							882472	78H7335	TERR	281 20 46	369.372	369.515
							928242	99H2259	GPS	350 38 23	4177.134	4178.933
		882472	78H7335	E	464725.735	0.9996136	0.9999983	542597	78H7334	TERR	101 20 46	369.372
N	5393128.710					674622	78H7336	TERR	288 27 57	176.198	176.266	
E1	29.222			CVD28BC								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
674622	78H7336	E N E1	464558.609 5393184.519 23.376	0.9996147	0.9999992	882472	78H7335	TERR	108 27 57	176.198	176.266
696625	78H7337	E N E1	464526.236 5393279.313 25.382	0.9996144	0.9999989	682807	78H7406	TERR	52 18 43	124.284	124.332
594077	78H7338	E N E1	464707.838 5393438.817 35.917	0.9996126	0.9999973	883280 682807	78H7339 78H7406	TERR TERR	64 5 16 224 54 24	341.066 117.926	341.198 117.971
883280	78H7339	E N E1	465014.615 5393587.861 23.308	0.9996143	0.9999992	540815 594077	78H7340 78H7338	TERR TERR	76 13 50 244 5 16	508.514 341.066	508.711 341.198
540815	78H7340	E N E1	465508.515 5393708.896 22.491	0.9996140	0.9999994	869552 883280	78H7341 78H7339	TERR TERR	82 2 56 256 13 50	153.968 508.514	154.028 508.711
869552	78H7341	E N E1	465661.003 5393730.194 20.086	0.9996142	0.9999998	504134 540815	78H7345 78H7340	TERR TERR	96 16 17 262 2 56	432.755 153.968	432.921 154.028
752378	78H7342	E N E1	466310.427 5393734.912 26.373	0.9996127	0.9999988	89615 209841 806679 504134	78H7346 78H7468 78H7343 78H7345	TERR TERR TERR TERR	91 7 50 179 12 28 180 21 34 256 39 36	220.574 170.278 319.337 225.339	220.660 170.344 319.462 225.427
806679	78H7343	E N E1	466308.424 5393415.581 50.468	0.9996089	0.9999950	752378 209841 893727	78H7342 78H7468 78H7317	TERR TERR TERR	0 21 34 1 40 27 180 23 51	319.337 149.133 140.935	319.462 149.191 140.990
817973	78H7344	E N E1	466155.813 5392814.026 25.037	0.9996131	0.9999990	249185 975144	78H7318 78H7316	TERR TERR	111 26 57 292 11 27	162.161 147.326	162.223 147.383
504134	78H7345	E N E1	466091.168 5393682.920 25.002	0.9996131	0.9999990	752378 869552	78H7342 78H7341	TERR TERR	76 39 36 276 16 17	225.339 432.755	225.427 432.921
89615	78H7346	E N E1	466530.958 5393730.560 29.864	0.9996120	0.9999982	432823 752378	78H7347 78H7342	TERR TERR	82 32 4 271 7 50	279.466 220.574	279.574 220.660

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
432823	78H7347	E	466808.055	0.9996119	0.9999984	536862	78H7348	TERR	68 21 6	159.167	159.229		
		N	5393766.871					89615	78H7346	TERR	262 32 4	279.466	279.574
		E1	28.788					CVD28BC					
536862	78H7348	E	466955.995	0.9996114	0.9999980	380121	78H7349	TERR	59 7 19	237.571	237.663		
		N	5393825.589					432823	78H7347	TERR	248 21 6	159.167	159.229
		E1	31.614							CVD28BC			
380121	78H7349	E	467159.893	0.9996127	0.9999994	227017	78H7350	TERR	87 35 16	271.286	271.392		
		N	5393947.514					536862	78H7348	TERR	239 7 19	237.571	237.663
		E1	22.213							CVD28BC			
227017	78H7350	E	467430.939	0.9996110	0.9999980	380121	78H7349	TERR	267 35 16	271.286	271.392		
		N	5393958.932										
		E1	31.478					CVD28BC					
525394	78H7351	E	467599.540	0.9996113	0.9999984	MARKER DESTROYED							
		N	5393943.137										
		E1	28.711			CVD28BC							
311993	78H7352	E	468102.437	0.9996099	0.9999974	MARKER DESTROYED							
		N	5393793.704										
		E1	35.303			CVD28BC							
120048	78H7353	E	468313.354	0.9996088	0.9999965	826933	78H7407	TERR	120 43 30	121.642	121.689		
		N	5393614.823										
		E1	41.107					CVD28BC					
366351	78H7354	E	468512.737	0.9996102	0.9999980	211318	78H7390	TERR	133 53 57	123.602	123.651		
		N	5393289.302					688838	78H8328	TERR	349 36 24	180.566	180.636
		E1	31.638							CVD28BC			
668616	78H7355	E	465342.888	0.9996086	0.9999938	346445	78H7384	TERR	218 30 32	253.065	253.164		
		N	5384839.146										
		E1	57.851					CVD28BC					
698233	78H7356	E	468754.021	0.9996085	0.9999965	239988	78H7357	TERR	133 12 11	227.152	227.242		
		N	5393109.167					211318	78H7390	TERR	301 48 48	179.132	179.202
		E1	41.195							CVD28BC			
239988	78H7357	E	468919.600	0.9996087	0.9999968	113084	78H7399	TERR	116 45 15	133.127	133.179		
		N	5392953.662					698233	78H7356	TERR	313 12 11	227.152	227.242
		E1	39.091							CVD28BC			
287334	78H7358	E	469153.484	0.9996084	0.9999967	389320	78H7359	TERR	130 53 14	123.368	123.416		
		N	5392828.297					113084	78H7399	TERR	299 38 18	132.321	132.373
		E1	39.939							CVD28BC			

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
389320	78H7359	E	469246.750	0.9996083	0.9999967	126490	78H7360	TERR	148 40 30	245.135	245.231
		N	5392747.544			287334	78H7358	TERR	310 53 14	123.368	123.416
		E1	39.984	CVD28BC							
126490	78H7360	E	469374.193	0.9996100	0.9999985	690263	88H4402	TERR	147 48 19	128.813	128.863
		N	5392538.142			389320	78H7359	TERR	328 40 30	245.135	245.231
		E1	28.342	CVD28BC							
456616	78H7361	E	469540.598	0.9996115	1.0000001		MARKER DESTROYED				
		N	5392296.751								
		E1	18.044	CVD28BC							
570663	78H7362	E	468275.247	0.9996101	0.9999977	933630	78H7241	TERR	0 12 2	2419.037	2419.978
		N	5386817.285			901207	78H7443	TERR	0 36 51	415.045	415.207
		E1	32.975	CVD28BC		752964	77H6299	TERR	179 44 9	401.235	401.393
101972	78H7363	E	465165.047	0.9996136	0.9999987	127910	77H6313	TERR	271 3 56	310.883	311.003
		N	5386650.986								
		E1	26.567	CVD28BC							
858563	78H7364	E	469732.302	0.9996131	1.0000019	757104	78H7382	TERR	159 23 49	224.325	224.412
		N	5391926.844								
		E1	6.971	CVD28BC							
157065	78H7365	E	469605.666	0.9996119	1.0000006		MARKER DESTROYED				
		N	5392233.521								
		E1	14.977	CVD28BC							
37705	78H7366	E	469725.322	0.9996104	0.9999992		MARKER DESTROYED				
		N	5392210.399								
		E1	24.112	CVD28BC							
184440	78H7367	E	469970.738	0.9996108	0.9999997	869115	78H7368	TERR	157 5 36	148.884	148.942
		N	5392169.599			764902	88H4399	TERR	279 33 28	256.308	256.408
		E1	20.789	CVD28BC							
869115	78H7368	E	470028.688	0.9996102	0.9999991	806620	78H7369	TERR	92 51 43	132.322	132.374
		N	5392032.456			184440	78H7367	TERR	337 5 36	148.884	148.942
		E1	24.421	CVD28BC							
806620	78H7369	E	470160.845	0.9996094	0.9999985	40402	78H7370	TERR	148 2 43	110.910	110.953
		N	5392025.849			869115	78H7368	TERR	272 51 43	132.322	132.374
		E1	28.428	CVD28BC							
40402	78H7370	E	470219.544	0.9996086	0.9999977	806620	78H7369	TERR	328 2 43	110.910	110.953
		N	5391931.746								
		E1	33.696	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
189720	78H7371	E 470329.728 N 5391900.356 E1 23.007	0.9996102	0.9999993	923235	78H7372	TERR	118 0 53	75.304	75.333	
923235	78H7372	E 470396.208 N 5391864.986 E1 14.644	0.9996114	1.0000007	437103 189720	78H7373 78H7371	TERR TERR	171 55 39 298 0 53	84.329 75.304	84.361 75.333	
437103	78H7373	E 470408.050 N 5391781.493 E1 25.486	0.9996097	0.9999990	636092 923235	78H7374 78H7372	TERR TERR	174 25 4 351 55 39	114.452 84.329	114.497 84.361	
636092	78H7374	E 470419.183 N 5391667.584 E1 26.968	0.9996095	0.9999987	817098 437103	78H7412 78H7373	TERR TERR	173 41 56 354 25 4	165.556 114.452	165.621 114.497	
224006	78H7375	E 468659.237 N 5385055.011 E1 129.731	0.9995947	0.9999826	668939	78H7401	TERR	250 27 12	65.968	65.995	
666214	78H7377	E 468517.042 N 5385034.646 E1 142.977	0.9995927	0.9999805	668939 626929 540807	78H7401 78H7430 78H7410	TERR TERR TERR	91 13 16 241 30 53 272 4 59	80.047 30.778 131.370	80.081 30.790 131.423	
936815	78H7378	E 470224.274 N 5391460.393 E1 17.687	0.9996111	1.0000002	521534 333641	78H7404 78H7379	TERR TERR	108 44 35 312 23 9	92.797 87.977	92.833 88.012	
333641	78H7379	E 470159.292 N 5391519.700 E1 20.758	0.9996106	0.9999997	936815 74609	78H7378 78H7380	TERR TERR	132 23 9 292 4 38	87.977 75.790	88.012 75.820	
74609	78H7380	E 470089.059 N 5391548.186 E1 20.578	0.9996107	0.9999997	333641 484642	78H7379 78H7381	TERR TERR	112 4 38 324 4 15	75.790 77.328	75.820 77.359	
484642	78H7381	E 470043.684 N 5391610.802 E1 23.523	0.9996103	0.9999993	74609 128140	78H7380 78H7383	TERR TERR	144 4 15 276 49 36	77.328 131.689	77.359 131.740	
757104	78H7382	E 469811.240 N 5391716.867 E1 13.218	0.9996121	1.0000009	858563	78H7364	TERR	339 23 49	224.325	224.412	
128140	78H7383	E 469912.929 N 5391626.455 E1 22.771	0.9996105	0.9999994	484642	78H7381	TERR	96 49 36	131.689	131.740	

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
346445	78H7384	E	465185.321	0.9996104	0.9999955	668616	78H7355	TERR	38 30 32	253.065	253.164		
		N	5384641.120			994004	78H7385	TERR	195 51 5	174.810	174.878		
		El	46.805			CVD28BC							
994004	78H7385	E	465137.573	0.9996095	0.9999945	346445	78H7384	TERR	15 51 5	174.810	174.878		
		N	5384472.957			444257	77H6229	TERR	200 18 35	193.218	193.294		
		El	53.207			CVD28BC							
898262	78H7386	E	466786.156	0.9996078	0.9999942	908301	78H7387	TERR	90 55 47	256.145	256.246		
		N	5392065.167										
		El	55.476			CVD28BC							
908301	78H7387	E	467042.267	0.9996083	0.9999950	898262	78H7386	TERR	270 55 47	256.145	256.246		
		N	5392061.011										
		El	50.774			CVD28BC							
211318	78H7390	E	468601.800	0.9996094	0.9999973	698233	78H7356	TERR	121 48 48	179.132	179.202		
		N	5393203.597			366351	78H7354	TERR	313 53 57	123.602	123.651		
		El	36.248			CVD28BC							
720052	78H7391	E	465423.126	0.9996155	1.0000008	844621	78H7393	TERR	89 50 19	355.237	355.375		
		N	5390646.081										
		El	13.390			CVD28BC							
844621	78H7393	E	465778.362	0.9996146	1.0000002	236703	78H7270	TERR	90 0 48	511.823	512.020		
		N	5390647.082			720052	78H7391	TERR	269 50 19	355.237	355.375		
		El	17.147			CVD28BC							
18788	78H7394	E	465642.985	0.9996109	0.9999964	712182	77H6334	TERR	0 18 59	77.319	77.350		
		N	5386989.215										
		El	41.520			CVD28BC							
486654	78H7395	E	468737.809	0.9995965	0.9999845	935163	77H6337	TERR	91 6 42	553.854	554.076		
		N	5385033.345			799528	84H0509	TERR	91 50 15	293.640	293.757		
		El	117.785			CVD28BC		853994	77H6258	TERR	358 35 25	189.201	189.277
490268	78H7396	E	467970.394	0.9996101	0.9999975		MARKER DESTROYED						
		N	5393844.812										
		El	34.484			CVD28BC							
304923	78H7397	E	464636.890	0.9996166	1.0000012	542597	78H7334	GPS	12 49 16	2032.363	2033.145		
		N	5391074.351			635896	85H0500	GPS	51 59 39	4310.207	4311.882		
		El	10.700			CVD28BC	500884	78H7251	GPS	101 26 42	3198.285	3199.515	
							55343	99H2277	GPS	131 49 3	3966.472	3967.998	
							937227	NO MARKING		GPS	140 24 23	3367.146	3368.443
							103556	99H2278	GPS	161 58 24	3134.522	3135.723	
							181446	78H7278	TERR	358 57 29	200.506	200.583	



Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
113084	78H7399	E	469038.475	0.9996079	0.9999962	287334	78H7358	TERR	119 38 18	132.321	132.373	
		N	5392893.733			239988	78H7357	TERR	296 45 15	133.127	133.179	
		E1	43.280	CVD28BC								
668939	78H7401	E	468597.071	0.9995934	0.9999813	224006	78H7375	TERR	70 27 12	65.968	65.995	
		N	5385032.940			666214	78H7377	TERR	271 13 16	80.047	80.081	
		E1	138.094	CVD28BC								
946764	78H7403	E	465771.647	0.9996114	0.9999970	711630	78H7233	TERR	231 35 48	168.915	168.981	
		N	5387836.724			699330	77H6321	TERR	270 30 23	246.584	246.679	
		E1	37.672	CVD28BC								
521534	78H7404	E	470312.150	0.9996112	1.0000003	475152	78H7405	TERR	78 52 48	41.454	41.470	
		N	5391430.575			936815	78H7378	TERR	288 44 35	92.797	92.833	
		E1	16.646	CVD28BC								
475152	78H7405	E	470352.826	0.9996113	1.0000005	817098	78H7412	TERR	52 40 19	106.300	106.341	
		N	5391438.570			521534	78H7404	TERR	258 52 48	41.454	41.470	
		E1	15.519	CVD28BC								
682807	78H7406	E	464624.588	0.9996132	0.9999978	594077	78H7338	TERR	44 54 24	117.926	117.971	
		N	5393355.295			696625	78H7337	TERR	232 18 43	124.284	124.332	
		E1	32.472	CVD28BC								
826933	78H7407	E	468417.921	0.9996085	0.9999962	688838	78H8328	TERR	144 1 56	105.973	106.015	
		N	5393552.674			120048	78H7353	TERR	300 43 30	121.642	121.689	
		E1	42.829	CVD28BC								
975623	78H7408	E	469454.402	0.9996124	1.0000009	655084	78H7409	TERR	22 29 37	140.208	140.262	
		N	5386617.969			642314	77H6294	TERR	326 19 37	187.209	187.281	
		E1	12.932	CVD28BC								
655084	78H7409	E	469508.043	0.9996129	1.0000015	46938	79H0490	GPS	38 47 27	1619.161	1619.787	
		N	5386747.510			964619	77H6287	TERR	89 45 16	377.438	377.584	
		E1	9.144	CVD28BC			657817	77H6278	GPS	156 38 39	2137.161	2137.989
						667303	77H5730	GPS	162 11 42	4549.887	4551.652	
						975623	78H7408	TERR	202 29 37	140.208	140.262	
						513093	99H2276	GPS	261 22 2	2068.108	2068.915	
						937227	NO MARKING	GPS	302 26 28	3229.058	3230.309	
						55343	99H2277	GPS	311 17 44	2548.935	2549.921	
						614438	79H0493	GPS	354 41 34	2251.791	2252.664	
540807	78H7410	E	468385.759	0.9995940	0.9999817	666214	78H7377	TERR	92 4 59	131.370	131.423	
		N	5385039.421			781336	78H7450	TERR	274 7 21	115.624	115.671	
		E1	135.569	CVD28BC								

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
817098	78H7412	E	470437.353	0.9996109	1.0000001	475152	78H7405	TERR	232 40 19	106.300	106.341						
		N	5391503.028									636092	78H7374	TERR	353 41 56	165.556	165.621
		E1	17.971									CVD28BC					
914648	78H7413	E	469869.893	0.9996060	0.9999949	218040	77H5740	TERR	168 14 27	273.434	273.541						
		N	5384541.796									228601	77H6273	TERR	348 36 32	257.316	257.417
		E1	51.480														
704189	78H7415	E	468286.349	0.9995912	0.9999788	205146	78H7423	TERR	149 38 56	206.177	206.262						
		N	5385430.838									718585	78H7416	TERR	285 17 22	167.340	167.408
		E1	153.723														
718585	78H7416	E	468124.932	0.9995915	0.9999790	11585	78H7426	TERR	33 54 42	89.390	89.426						
		N	5385474.965									704189	78H7415	TERR	105 17 22	167.340	167.408
		E1	152.392														
818500	78H7417	E	468348.910	0.9995937	0.9999814	924340	78H7428	TERR	135 46 57	51.993	52.014						
		N	5385732.289									149138	78H7436	TERR	333 27 36	45.201	45.220
		E1	137.362														
383281	78H7418	E	466998.623	0.9996010	0.9999876		MARKER DESTROYED										
914945	78H7421	E	468831.063	0.9995999	0.9999879	214833	78H7469	TERR	60 40 58	89.259	89.295						
		N	5384688.172									64543	78H7449	TERR	205 6 13	116.719	116.766
		E1	95.737														
346981	78H7422	E	468558.800	0.9996005	0.9999884	810333	84H0529	TERR	82 56 3	171.721	171.790						
		N	5384463.974									932897	77H6216	TERR	130 53 13	552.466	552.685
		E1	92.640														
205146	78H7423	E	468390.530	0.9995923	0.9999801	704189	78H7415	TERR	329 38 56	206.177	206.262						
590810	78H7424	E	468318.746	0.9995901	0.9999778	450189	78H7437	TERR	100 22 32	95.464	95.504						
		N	5385568.249									11585	78H7426	TERR	262 26 31	145.204	145.263
		E1	160.187														
371773	78H7425	E	468630.498	0.9995966	0.9999845	564898	78H7431	TERR	99 12 59	116.951	116.997						
		N	5384758.441									139089	78H7438	TERR	295 24 57	122.004	122.053
		E1	117.643														
11585	78H7426	E	468174.804	0.9995911	0.9999787	590810	78H7424	TERR	82 26 31	145.204	145.263						
		N	5385549.150									718585	78H7416	TERR	213 54 42	89.390	89.426
		E1	154.748														

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
362020	78H7427	E 468644.529 N 5384657.638 E1 103.723	0.9995987	0.9999867	64543	78H7449	TERR	118 44 50	156.276	156.339	
924340	78H7428	E 468385.169 N 5385695.026 E1 141.968	0.9995930	0.9999807	505727 818500	78H7444 78H7417	TERR TERR	147 41 36 315 46 57	61.837 51.993	61.862 52.014	
855882	78H7429	E 468324.126 N 5384616.544 E1 112.226	0.9995977	0.9999853	831339 911628	78H7456 84H0504	TERR TERR	75 6 58 270 36 53	99.175 64.693	99.214 64.719	
626929	78H7430	E 468489.990 N 5385019.967 E1 142.361	0.9995928	0.9999806	666214 133876	78H7377 78H7464	TERR TERR	61 30 53 180 47 55	30.778 97.158	30.790 97.198	
564898	78H7431	E 468745.939 N 5384739.710 E1 105.220	0.9995984	0.9999864	914945 371773	78H7421 78H7425	TERR TERR	121 11 34 279 12 59	99.510 116.951	99.550 116.997	
805481	78H7432	E 468294.153 N 5393529.973 E1 50.324	0.9996074	0.9999950	480202	78H7459	TERR	286 29 17	116.213	116.258	
149138	78H7436	E 468328.713 N 5385772.727 E1 134.604	0.9995941	0.9999818	818500 854281	78H7417 84H0485	TERR TERR	153 27 36 331 11 29	45.201 59.394	45.220 59.418	
450189	78H7437	E 468412.649 N 5385551.056 E1 155.237	0.9995909	0.9999786	607705 590810	84H0542 78H7424	TERR TERR	115 5 32 280 22 32	46.471 95.464	46.489 95.504	
139089	78H7438	E 468520.302 N 5384810.803 E1 126.029	0.9995953	0.9999832	371773	78H7425	TERR	115 24 57	122.004	122.053	
990895	78H7441	E 468004.898 N 5393538.987 E1 68.240	0.9996048	0.9999922	480202 866087	78H7459 78H7471	TERR TERR	82 19 24 277 58 52	179.429 241.306	179.500 241.402	
901207	78H7443	E 468279.696 N 5387232.306 E1 21.160	0.9996120	0.9999996	5926 570663	78H7242 78H7362	TERR TERR	16 54 18 180 36 51	2088.897 415.045	2089.708 415.207	
505727	78H7444	E 468418.218 N 5385642.761 E1 146.797	0.9995922	0.9999799	607705 924340	84H0542 78H7428	TERR TERR	161 51 11 327 41 36	117.244 61.837	117.291 61.862	

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
461624	78H7445	E N E1	468561.990 5384925.804 136.575	0.9995937	0.9999815	133876	78H7464	TERR	267 40 8	73.415	73.444
64543	78H7449	E N E1	468781.544 5384582.478 91.125	0.9996006	0.9999886	914945 810333 362020	78H7421 84H0529 78H7427	TERR TERR TERR	25 6 13 208 15 4 298 44 50	116.719 110.549 156.276	116.766 110.593 156.339
781336	78H7450	E N E1	468270.434 5385047.733 138.121	0.9995936	0.9999813	540807 965871	78H7410 78H7476	TERR TERR	94 7 21 260 6 49	115.624 133.283	115.671 133.338
884726	78H7451	E N E1	468479.280 5384497.283 98.632	0.9995997	0.9999875	346981 23176	78H7422 78H7480	TERR TERR	112 43 39 344 5 28	86.214 67.123	86.250 67.150
831339	78H7456	E N E1	468419.973 5384642.018 104.269	0.9995988	0.9999866	23176 855882	78H7480 78H7429	TERR TERR	152 58 12 255 6 58	90.015 99.175	90.052 99.214
480202	78H7459	E N E1	468182.719 5393562.956 59.753	0.9996060	0.9999936	805481 558767 973529 515635 990895 635896	78H7432 88H4437 88H4450 84H0521 78H7441 85H0500	TERR GPS GPS GPS TERR GPS	106 29 17 160 21 3 232 49 55 254 18 9 262 19 24 317 51 51	116.213 598.540 1167.586 1233.625 179.429 223.001	116.258 598.775 1168.048 1234.118 179.500 223.089
461228	78H7460	E N E1	467585.714 5393529.257 97.164	0.9996006	0.9999877		MARKER DESTROYED				
68841	78H7463	E N E1	467093.907 5393062.565 118.268	0.9995977	0.9999844	537860 515635	78H7474 84H0521	TERR TERR	189 37 34 329 19 60	116.891 193.717	116.938 193.794
133876	78H7464	E N E1	468488.636 5384922.818 136.222	0.9995938	0.9999816	626929 461624	78H7430 78H7445	TERR TERR	0 47 55 87 40 8	97.158 73.415	97.198 73.444
362582	78H7467	E N E1	468156.645 5384941.552 136.861	0.9995939	0.9999815	657817 228049 673251 654566 513093 965871	77H6278 84H0505 77H6214 84H0503 99H2276 78H7476	GPS TERR GPS TERR GPS TERR	94 3 38 105 31 31 177 25 1 203 45 52 335 7 45 348 7 31	2204.192 96.920 2104.944 71.920 1648.412 85.119	2205.068 96.959 2105.782 71.949 1649.071 85.153

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
209841	78H7468	E	466312.781	0.9996107	0.9999968	942821	78H7478	TERR	79 55 58	177.184	177.253		
		N	5393564.650					806679	78H7343	TERR	181 40 27	149.133	149.191
		E1	38.977					CVD28BC	752378	78H7342	TERR	359 12 28	170.278
214833	78H7469	E	468908.890	0.9996002	0.9999883	914945	78H7421	TERR	240 40 58	89.259	89.295		
		N	5384731.877										
		E1	93.382					CVD28BC					
747428	78H7470	E	468195.287	0.9995963	0.9999839	911628	84H0504	TERR	142 19 49	104.973	105.016		
		N	5384700.329					685990	84H0501	TERR	327 31 38	95.128	95.166
		E1	121.351					CVD28BC					
866087	78H7471	E	467765.929	0.9996029	0.9999902	990895	78H7441	TERR	97 58 52	241.306	241.402		
		N	5393572.492										
		E1	81.411					CVD28BC					
537860	78H7474	E	467074.361	0.9995988	0.9999855	68841	78H7463	TERR	9 37 34	116.891	116.938		
		N	5392947.320										
		E1	111.100					CVD28BC					
965871	78H7476	E	468139.130	0.9995937	0.9999812	781336	78H7450	TERR	80 6 49	133.283	133.338		
		N	5385024.849					362582	78H7467	TERR	168 7 31	85.119	85.153
		E1	138.256					CVD28BC					
268367	78H7477	E	468524.027	0.9995984	0.9999863	23176	78H7480	TERR	254 35 28	65.501	65.526		
		N	5384579.239										
		E1	106.212					CVD28BC					
942821	78H7478	E	466487.237	0.9996090	0.9999952	680603	84H0492	TERR	103 24 35	211.109	211.191		
		N	5393595.622					209841	78H7468	TERR	259 55 58	177.184	177.253
		E1	49.217					CVD28BC					
649822	78H7479	E	467527.122	0.9996007	0.9999877		MARKER ISOLATED						
		N	5393564.257										
		E1	96.900	CVD28BC									
23176	78H7480	E	468460.881	0.9995989	0.9999867	268367	78H7477	TERR	74 35 28	65.501	65.526		
		N	5384561.835					884726	78H7451	TERR	164 5 28	67.123	67.150
		E1	103.414					CVD28BC	831339	78H7456	TERR	332 58 12	90.015
949677	78H8327	E	469308.610	0.9996032	0.9999916			MARKER DESTROYED					
		N	5385202.993										
		E1	72.052					CVD28BC					
688838	78H8328	E	468480.162	0.9996088	0.9999966	366351	78H7354	TERR	169 36 24	180.566	180.636		
		N	5393466.905					826933	78H7407	TERR	324 1 56	105.973	106.015
		E1	40.670					CVD28BC					

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
564732	84H0468	E N E1	468499.056 5385949.416 90.731	0.9996009	0.9999887		MARKER DESTROYED				
499160	84H0474	E N E1	468627.865 5385935.612 82.645	0.9996021	0.9999900	818617	77H6265	TERR	117 3 58	138.913	138.968
18481	84H0475	E N E1	467123.233 5392638.312 63.081	0.9996063	0.9999930	414425	78H7321	TERR	271 9 55	413.700	413.862
901405	84H0481	E N E1	468714.222 5392223.617 76.309	0.9996030	0.9999910	991315 367854 241778	84H0508 84H0482 88H4400	GPS GPS GPS	9 46 53 29 20 49 79 31 31	95.256 396.736 927.997	95.294 396.895 928.362
						1928 Canadian Vertical 485847 558767	78H7331 88H4437	GPS GPS	281 20 26 336 56 16	1164.250 843.027	1164.709 843.360
367854	84H0482	E N E1	468908.662 5392569.439 78.437	0.9996025	0.9999906	241778 901405 991315	88H4400 84H0481 84H0508	GPS GPS GPS	103 51 18 209 20 49 215 16 47	739.611 396.736 308.634	739.902 396.895 308.756
						558767 635896	88H4437 85H0500	GPS GPS	309 19 31 322 55 43	678.264 1452.448	678.532 1453.023
854281	84H0485	E N E1	468300.092 5385824.770 130.476	0.9995948	0.9999825	260877 149138	84H0519 78H7436	TERR TERR	33 1 37 151 11 29	55.951 59.394	55.972 59.418
680603	84H0492	E N E1	466692.590 5393546.663 62.803	0.9996067	0.9999931	942821	78H7478	TERR	283 24 35	211.109	211.191
685990	84H0501	E N E1	468144.213 5384780.583 128.755	0.9995952	0.9999827	747428 654566	78H7470 84H0503	TERR TERR	147 31 38 350 7 57	95.128 96.576	95.166 96.614
654566	84H0503	E N E1	468127.663 5384875.730 135.768	0.9995941	0.9999816	362582 685990	78H7467 84H0501	TERR TERR	23 45 52 170 7 57	71.920 96.576	71.949 96.614
911628	84H0504	E N E1	468259.437 5384617.238 117.484	0.9995969	0.9999845	855882 747428	78H7429 78H7470	TERR TERR	90 36 53 322 19 49	64.693 104.973	64.719 105.016
228049	84H0505	E N E1	468250.029 5384915.610 139.766	0.9995934	0.9999810	640318 362582	84H0506 78H7467	TERR TERR	162 55 43 285 31 31	77.486 96.920	77.517 96.959

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
640318	84H0506	E	468272.776	0.9995935	0.9999811	367540	84H0507	TERR	173 12 30	87.764	87.800
		N	5384841.538			228049	84H0505	TERR	342 55 43	77.486	77.517
		E1	138.957	CVD28BC							
367540	84H0507	E	468283.155	0.9995945	0.9999821	640318	84H0506	TERR	353 12 30	87.764	87.800
		N	5384754.390								
		E1	132.848	CVD28BC							
991315	84H0508	E	468730.405	0.9996026	0.9999906	367854	84H0482	GPS	35 16 47	308.634	308.756
		N	5392317.488			241778	88H4400	GPS	85 13 38	899.468	899.822
		E1	78.510	1928 Canadian Vertical		901405	84H0481	GPS	189 46 53	95.256	95.294
						485847	78H7331	GPS	276 39 16	1165.554	1166.014
						635896	85H0500	GPS	333 41 58	1573.747	1574.369
799528	84H0509	E	469031.298	0.9996003	0.9999885	935163	77H6337	TERR	90 17 34	260.264	260.369
		N	5385023.930			486654	78H7395	TERR	271 50 15	293.640	293.757
		E1	92.050	CVD28BC							
700112	84H0515	E	468314.561	0.9995987	0.9999864	260877	84H0519	TERR	170 53 14	101.189	101.230
		N	5385971.592								
		E1	105.688	CVD28BC							
260877	84H0519	E	468330.587	0.9995974	0.9999850	854281	84H0485	TERR	213 1 37	55.951	55.972
		N	5385871.680			700112	84H0515	TERR	350 53 14	101.189	101.230
		E1	114.073	CVD28BC							
515635	84H0521	E	466995.103	0.9995957	0.9999823	635896	85H0500	GPS	64 19 9	1151.778	1152.238
		N	5393229.190			480202	78H7459	GPS	74 18 9	1233.625	1234.118
		E1	131.564	CVD28BC		485847	78H7331	GPS	143 21 40	967.878	968.263
						973529	88H4450	GPS	145 18 48	451.962	452.143
						68841	78H7463	TERR	149 19 60	193.717	193.794
810333	84H0529	E	468729.217	0.9996016	0.9999896	64543	78H7449	TERR	28 15 4	110.549	110.593
		N	5384485.097			346981	78H7422	TERR	262 56 3	171.721	171.790
		E1	85.173	CVD28BC							
607705	84H0542	E	468454.734	0.9995914	0.9999792	450189	78H7437	TERR	295 5 32	46.471	46.489
		N	5385531.349			505727	78H7444	TERR	341 51 11	117.244	117.291
		E1	151.638	CVD28BC							

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
635896	85H0500	E	468033.110	0.9996069	0.9999944	241778	88H4400	GPS	129 58 27	2079.564	2080.378
		N	5393728.324			480202	78H7459	GPS	137 51 51	223.001	223.089
		E1	54.625	CVD28BC		367854	84H0482	GPS	142 55 43	1452.448	1453.023
						991315	84H0508	GPS	153 41 58	1573.747	1574.369
						558767	88H4437	GPS	154 17 59	809.094	809.412
						614438	79H0493	GPS	165 2 5	4905.045	4906.960
						500884	78H7251	GPS	184 32 49	3298.982	3300.266
						937227	NO MARKING	GPS	193 23 53	5395.484	5397.590
						49759	88H4429	GPS	193 52 13	906.781	907.140
						485847	78H7331	GPS	199 50 38	1356.306	1356.839
						304923	78H7397	GPS	231 59 39	4310.207	4311.882
				515635	84H0521	GPS	244 19 9	1151.778	1152.238		
				542597	78H7334	GPS	257 8 31	3020.976	3022.153		
153445	88H4398	E	469697.589	0.9996099	0.9999986	764902	88H4399	TERR	169 24 50	111.036	111.080
		N	5392321.303			241778	88H4400	TERR	315 4 36	100.310	100.349
		E1	27.675	CVD28BC							
764902	88H4399	E	469717.988	0.9996106	0.9999993	184440	78H7367	TERR	99 33 28	256.308	256.408
		N	5392212.157			153445	88H4398	TERR	349 24 50	111.036	111.080
		E1	23.163	CVD28BC							
241778	88H4400	E	469626.754	0.9996102	0.9999989	153445	88H4398	TERR	135 4 36	100.310	100.349
		N	5392392.328			14928	37-1961	GPS	148 37 38	2183.717	2184.565
		E1	26.057	CVD28BC		46938	79H0490	GPS	168 27 1	4473.365	4475.103
						614438	79H0493	GPS	185 29 21	3418.355	3419.684
						937227	NO MARKING	GPS	216 0 40	4836.971	4838.850
						500884	78H7251	GPS	223 32 4	2693.387	2694.431
						901405	84H0481	GPS	259 31 31	927.997	928.362
						991315	84H0508	GPS	265 13 38	899.468	899.822
						690263	88H4402	TERR	281 18 58	187.577	187.650
						367854	84H0482	GPS	283 51 18	739.611	739.902
						635896	85H0500	GPS	309 58 27	2079.564	2080.378
				928242	99H2259	GPS	312 31 17	7080.150	7083.213		
690263	88H4402	E	469442.824	0.9996109	0.9999995	241778	88H4400	TERR	101 18 58	187.577	187.650
		N	5392429.135			126490	78H7360	TERR	327 48 19	128.813	128.863
		E1	22.279	CVD28BC							
363127	88H4419	E	469982.434	0.9996127	1.0000016	532499	88H4420	TERR	86 16 26	117.988	118.035
		N	5392639.878								
		E1	8.441	CVD28BC							
532499	88H4420	E	470100.173	0.9996123	1.0000013	254805	88H4421	TERR	90 13 5	68.549	68.574
		N	5392647.546			363127	88H4419	TERR	266 16 26	117.988	118.035
		E1	10.663	CVD28BC							



Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
254805	88H4421	E	470168.721	0.9996123	1.0000014	5322	88H4422	TERR	56 54 51	103.405	103.445
		N	5392647.285			532499	88H4420	TERR	270 13 5	68.549	68.574
		El	10.072	CVD28BC							
5322	88H4422	E	470255.359	0.9996119	1.0000011	711135	88H4423	TERR	71 21 55	59.850	59.873
		N	5392703.733			254805	88H4421	TERR	236 54 51	103.405	103.445
		El	12.075	CVD28BC							
711135	88H4423	E	470312.071	0.9996108	1.0000000	420802	88H4424	TERR	157 10 58	71.647	71.674
		N	5392722.857			5322	88H4422	TERR	251 21 55	59.850	59.873
		El	18.897	CVD28BC							
420802	88H4424	E	470339.855	0.9996110	1.0000002	7146	88H4425	TERR	138 12 51	51.844	51.864
		N	5392656.817			711135	88H4423	TERR	337 10 58	71.647	71.674
		El	17.304	CVD28BC							
7146	88H4425	E	470374.401	0.9996120	1.0000012	420802	88H4424	TERR	318 12 51	51.844	51.864
		N	5392618.160								
		El	11.252	CVD28BC							
49759	88H4429	E	467815.734	0.9996020	0.9999893	635896	85H0500	GPS	13 52 13	906.781	907.140
		N	5392847.984			485847	78H7331	GPS	211 34 29	464.144	464.327
		El	86.785	1928 Canadian Vertical		973529	88H4450	GPS	270 58 22	563.506	563.730
558767	88H4437	E	468383.983	0.9996069	0.9999946	367854	84H0482	GPS	129 19 31	678.264	678.532
		N	5392999.269			901405	84H0481	GPS	156 56 16	843.027	843.360
		El	53.279	1928 Canadian Vertical		635896	85H0500	GPS	334 17 59	809.094	809.412
						480202	78H7459	GPS	340 21 3	598.540	598.775
973529	88H4450	E	467252.309	0.9996041	0.9999909	480202	78H7459	GPS	52 49 55	1167.586	1168.048
		N	5392857.552			49759	88H4429	GPS	90 58 22	563.506	563.730
		El	76.388	1928 Canadian Vertical		485847	78H7331	GPS	141 39 9	516.407	516.611
						515635	84H0521	GPS	325 18 48	451.962	452.143
513093	99H2276	E	467463.365	0.9996074	0.9999943	55343	99H2277	GPS	3 43 19	1996.788	1997.565
		N	5386437.087			614438	79H0493	GPS	35 43 57	3144.508	3145.735
		El	54.631	CVD28BC		655084	78H7409	GPS	81 22 2	2068.108	2068.915
						657817	77H6278	GPS	119 43 52	3330.338	3331.639
						362582	78H7467	GPS	155 7 45	1648.412	1649.071
						673251	77H6214	GPS	167 38 44	3683.643	3685.086
						933317	99H2275	GPS	201 58 53	4335.691	4337.385
						293092	77H6309	GPS	275 59 32	1952.005	1952.764
						103556	99H2278	GPS	311 44 38	2488.138	2489.103
						937227	NO MARKING	GPS	341 34 31	2152.958	2153.797

Order in Council No. 2724/79

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
55343	99H2277	E	467592.989	0.9996141	1.0000012	500884	78H7251	GPS	5 4 38	2017.980	2018.759	
		N	5388429.663			614438	79H0493	GPS	71 50 8	1796.292	1796.986	
		E1	11.077			CVD28BC	655084	78H7409	GPS	131 17 44	2548.935	2549.921
							513093	99H2276	GPS	183 43 19	1996.788	1997.565
							103556	99H2278	GPS	260 23 55	2014.312	2015.087
							937227	NO MARKING	GPS	273 31 60	811.630	811.943
							304923	78H7397	GPS	311 49 3	3966.472	3967.998
103556	99H2278	E	465606.893	0.9996172	1.0000027	500884	78H7251	GPS	42 41 52	3192.136	3193.363	
		N	5388093.693			937227	NO MARKING	GPS	71 49 45	1237.734	1238.211	
		E1	1.344			CVD28BC	55343	99H2277	GPS	80 23 55	2014.312	2015.087
							513093	99H2276	GPS	131 44 38	2488.138	2489.103
							933317	99H2275	GPS	177 38 37	5681.922	5684.114
							293092	77H6309	GPS	183 20 35	1455.304	1455.862
							304923	78H7397	GPS	341 58 24	3134.522	3135.723

END OF REPORT