

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
14928	37-1961	E	470763.603	0.9996130	1.0000025	46938	79H0490	GPS	185 28 15	2529.851	2530.831	
		N	5390527.873			614438	79H0493	GPS	223 34 50	2123.431	2124.255	
		E1	2.821			CVD28BC	937227	NO MARKING	GPS	242 46 22	4476.725	4478.458
							241778	88H4400	GPS	328 37 38	2183.717	2184.565
844092	60-21	E	469705.182	0.9996122	1.0000010	561951	1466	GPS	22 34 40	19442.573	19450.385	
		N	5389211.500			596031	90H6303	GPS	61 51 38	30593.446	30605.478	
		E1	12.543			CVD28BC	908335	79H0526	TERR	85 29 50	94.436	94.472
							614438	79H0493	GPS	241 18 42	462.149	462.329
							654483	79H0519	TERR	277 43 17	93.423	93.460
160796	79H0436	E	470713.842	0.9996124	1.0000019	782490	79H0455	TERR	90 22 34	191.470	191.545	
		N	5389706.284			460196	79H0509	TERR	186 43 34	109.731	109.774	
		E1	6.686			CVD28BC						
885939	79H0437	E	469531.647	0.9996131	1.0000017	286948	79H0457	TERR	90 39 49	174.077	174.144	
		N	5390118.157			796235	79H0463	TERR	318 17 44	69.463	69.489	
		E1	7.825			CVD28BC						
75143	79H0438	E	470386.602	0.9996124	1.0000017	909309	80H2786	TERR	244 46 34	345.920	346.054	
		N	5390541.239			706416	79H0480	TERR	343 1 47	79.565	79.595	
		E1	8.213			CVD28BC						
793315	79H0439	E	469802.663	0.9996129	1.0000017	157867	79H0456	TERR	188 25 39	95.731	95.767	
		N	5390117.619			286948	79H0457	TERR	269 7 36	96.962	97.000	
		E1	7.739			CVD28BC						
529354	79H0440	E	469603.905	0.9996126	1.0000012	468512	79H0454	TERR	91 38 18	199.505	199.582	
		N	5389784.184			28894	79H0441	TERR	327 56 23	85.620	85.653	
		E1	10.867			CVD28BC						
28894	79H0441	E	469558.457	0.9996127	1.0000013	573238	79H0467	TERR	36 24 54	100.494	100.533	
		N	5389856.746			529354	79H0440	TERR	147 56 23	85.620	85.653	
		E1	10.625			CVD28BC	681536	79H0521	TERR	268 21 8	94.759	94.796
145169	79H0442	E	470482.232	0.9996129	1.0000022		MARKER DESTROYED					
		N	5389598.629									
		E1	4.471	CVD28BC								
911370	79H0443	E	469800.039	0.9996137	1.0000025		MARKER DESTROYED					
		N	5390354.562									
		E1	2.835	CVD28BC								
276261	79H0444	E	470121.186	0.9996126	1.0000017		MARKER DESTROYED					
		N	5389599.358									
		E1	8.138	CVD28BC								

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
557322	79H0445	E	470243.362	0.9996133	1.0000024	182717	79H0450	TERR	155 40 25	199.088	199.165		
		N	5390027.060					887489	79H0475	TERR	269 23 4	214.755	214.839
		E1	3.262					CVD28BC	820571	79H0452	TERR	317 44 29	239.488
						31104	79H0498	TERR	345 43 31	202.180	202.258		
798058	79H0446	E	469298.962	0.9996121	1.0000006	MARKER DESTROYED							
		N	5387794.772										
		E1	15.164			CVD28BC							
128215	79H0447	E	469404.871	0.9996132	1.0000017	248666	79H0464	TERR	0 9 11	137.035	137.087		
		N	5390177.058			796235	79H0463	TERR	94 59 41	80.870	80.901		
		E1	7.706			CVD28BC	768333	78H7262	TERR	265 48 43	93.164	93.200	
632554	79H0448	E	469822.487	0.9996127	1.0000015	468512	79H0454	TERR	189 45 12	113.096	113.140		
		N	5389889.941			157867	79H0456	TERR	345 43 2	137.223	137.276		
		E1	9.260			CVD28BC							
580704	79H0449	E	470332.653	0.9996130	1.0000022	MARKER DESTROYED							
		N	5389598.450										
		E1	4.836			CVD28BC							
182717	79H0450	E	470325.373	0.9996128	1.0000020	557322	79H0445	TERR	335 40 25	199.088	199.165		
		N	5389845.648										
		E1	6.254			CVD28BC							
236307	79H0451	E	469689.531	0.9996138	1.0000025	MARKER ISOLATED							
		N	5390425.752										
		E1	2.786			CVD28BC							
820571	79H0452	E	470082.311	0.9996128	1.0000018	557322	79H0445	TERR	137 44 29	239.488	239.581		
		N	5390204.309			143636	79H0499	TERR	299 2 60	208.589	208.669		
		E1	7.559			CVD28BC							
29447	79H0453	E	469529.050	0.9996134	1.0000020	MARKER DESTROYED							
		N	5390433.633										
		E1	5.787			CVD28BC							
468512	79H0454	E	469803.328	0.9996126	1.0000014	632554	79H0448	TERR	9 45 12	113.096	113.140		
		N	5389778.480			589119	79H0513	TERR	180 32 28	178.193	178.262		
		E1	9.598			CVD28BC	529354	79H0440	TERR	271 38 18	199.505	199.582	
782490	79H0455	E	470905.308	0.9996123	1.0000019	431197	79H0461	TERR	23 59 11	261.222	261.323		
		N	5389705.027			160796	79H0436	TERR	270 22 34	191.470	191.545		
		E1	6.928			CVD28BC							

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
157867	79H0456	E	469788.633	0.9996128	1.0000016	793315	79H0439	TERR	8 25 39	95.731	95.767		
		N	5390022.922			887489	79H0475	TERR	89 33 46			239.993	240.086
		E1	8.745			CVD28BC	632554	79H0448	TERR			165 43 2	137.223
						755470	79H0470	TERR	270 33 39	143.243	143.299		
286948	79H0457	E	469705.712	0.9996129	1.0000016	173641	79H0469	TERR	1 13 55	168.991	169.056		
		N	5390116.141			793315	79H0439	TERR	89 7 36			96.962	97.000
		E1	8.538			CVD28BC	885939	79H0437	TERR			270 39 49	174.077
144410	79H0458	E	470527.872	0.9996124	1.0000017	507905	79H0525	TERR	180 24 48	230.212	230.302		
		N	5388990.430			833921	79H0514	TERR	269 1 58			259.968	260.069
		E1	7.792			CVD28BC	891655	79H0462	TERR			359 56 7	235.371
555110	79H0459	E	469614.933	0.9996123	1.0000010	966721	79H0542	TERR	90 43 56	185.794	185.866		
		N	5389417.136			12203	79H0530	TERR	270 30 45			91.205	91.240
		E1	12.660			CVD28BC							
55475	79H0460	E	470320.475	0.9996128	1.0000020	293266	79H0554	TERR	90 22 15	171.566	171.632		
		N	5389412.441			241216	79H0523	TERR	181 3 15			183.561	183.632
		E1	5.861			CVD28BC	824284	79H0479	TERR			270 17 56	201.704
431197	79H0461	E	471011.500	0.9996120	1.0000017	782490	79H0455	TERR	203 59 11	261.222	261.323		
		N	5389943.690										
		E1	7.917			CVD28BC							
891655	79H0462	E	470527.606	0.9996125	1.0000018	144410	79H0458	TERR	179 56 7	235.371	235.462		
		N	5389225.801			241216	79H0523	TERR	270 50 47			210.531	210.613
		E1	7.038			CVD28BC	293266	79H0554	TERR			349 8 50	188.909
796235	79H0463	E	469485.434	0.9996132	1.0000018	540732	79H0532	TERR	13 42 42	102.374	102.413		
		N	5390170.017			885939	79H0437	TERR	138 17 44			69.463	69.489
		E1	7.241			CVD28BC	768333	78H7262	TERR			270 4 42	173.478
						128215	79H0447	TERR	274 59 41	80.870	80.901		
248666	79H0464	E	469405.237	0.9996132	1.0000017	128215	79H0447	TERR	180 9 11	137.035	137.087		
		N	5390314.092										
		E1	8.204			CVD28BC							
310847	79H0465	E	470850.675	0.9996126	1.0000022	955658	79H0546	TERR	187 17 7	119.551	119.597		
		N	5389290.471			636944	79H0471	TERR	278 30 22			154.051	154.110
		E1	5.055			CVD28BC							
558619	79H0466	E	469648.749	0.9996135	1.0000022	173641	79H0469	TERR	122 38 13	71.958	71.987		
		N	5390323.901			540732	79H0532	TERR	248 37 23			149.322	149.380
		E1	4.527			CVD28BC							

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
573238	79H0467	E	469618.113	0.9996127	1.0000014	755470	79H0470	TERR	17 28 2	90.898	90.933				
		N	5389937.617					28894	79H0441			TERR	216 24 54	100.494	100.533
		E1	9.918					CVD28BC							
250969	79H0468	E	470134.764	0.9996125	1.0000016	69716	79H0506	TERR	0 30 46	175.642	175.710				
		N	5387484.352												
		E1	8.699					CVD28BC							
173641	79H0469	E	469709.345	0.9996134	1.0000021	286948	79H0457	TERR	181 13 55	168.991	169.056				
		N	5390285.093					558619	79H0466			TERR	302 38 13	71.958	71.987
		E1	5.090					CVD28BC							
755470	79H0470	E	469645.397	0.9996128	1.0000015	157867	79H0456	TERR	90 33 39	143.243	143.299				
		N	5390024.324					573238	79H0467			TERR	197 28 2	90.898	90.933
		E1	9.180					CVD28BC				100297	79H0562	TERR	270 3 25
636944	79H0471	E	470698.319	0.9996124	1.0000018	95083	79H0563	TERR	0 31 57	90.393	90.428				
		N	5389313.257					310847	79H0465			TERR	98 30 22	154.051	154.110
		E1	7.175					CVD28BC				160325	79H0476	TERR	180 31 14
348359	79H0472	E	470871.685	0.9996127	1.0000022	MARKER DESTROYED									
		N	5388153.246												
		E1	4.596			CVD28BC									
274761	79H0473	E	470877.949	0.9996125	1.0000020	MARKER DESTROYED									
		N	5388517.108												
		E1	5.775			CVD28BC									
447888	79H0474	E	469727.814	0.9996121	1.0000008	348052	79H0486	TERR	90 19 52	229.891	229.980				
		N	5387662.230					339903	79H0495			TERR	270 15 12	166.661	166.725
		E1	13.347					CVD28BC							
887489	79H0475	E	470028.619	0.9996126	1.0000016	557322	79H0445	TERR	89 23 4	214.755	214.839				
		N	5390024.753					157867	79H0456			TERR	269 33 46	239.993	240.086
		E1	8.560					CVD28BC							
160325	79H0476	E	470697.040	0.9996123	1.0000017	636944	79H0471	TERR	0 31 14	140.752	140.807				
		N	5389172.511					955658	79H0546			TERR	90 15 32	138.476	138.530
		E1	7.745					CVD28BC							
871491	79H0477	E	469957.470	0.9996125	1.0000014	824284	79H0479	TERR	88 40 9	161.348	161.410				
		N	5389409.746					237768	79H0555			TERR	180 0 11	191.443	191.517
		E1	9.754					CVD28BC				966721	79H0542	TERR	271 49 58
						824268	79H0565	TERR	359 7 38	194.196	194.271				

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
496513	79H0478	E	470236.968	0.9996131	1.0000022	534438	79H0535	TERR	90 29 40	286.294	286.404				
		N	5388270.222					698217	79H0510			TERR	179 57 52	249.353	249.450
		E1	4.612					CVD28BC							
824284	79H0479	E	470118.774	0.9996126	1.0000016	55475	79H0460	TERR	90 17 56	201.704	201.782				
		N	5389413.493					590950	79H0518			TERR	180 46 36	195.795	195.871
		E1	8.318					CVD28BC				871491	79H0477	TERR	268 40 9
706416	79H0480	E	470363.379	0.9996123	1.0000015	75143	79H0438	TERR	163 1 47	79.565	79.595				
		N	5390617.339												
		E1	9.449					CVD28BC							
125880	79H0481	E	469503.111	0.9996115	1.0000001	961656	79H0500	TERR	177 23 3	104.621	104.662				
		N	5387893.505												
		E1	18.050					CVD28BC							
201459	79H0482	E	470321.234	0.9996129	1.0000020	69716	79H0506	TERR	271 40 59	184.978	185.049				
		N	5387654.554												
		E1	5.762					CVD28BC							
636605	79H0483	E	470525.030	0.9996125	1.0000018	507905	79H0525	TERR	0 16 48	241.633	241.726				
		N	5388518.594					534438	79H0535			TERR	180 24 23	250.848	250.945
		E1	7.055					CVD28BC							
660407	79H0484	E	469276.871	0.9996124	1.0000009	339903	79H0495	TERR	90 12 37	284.286	284.396				
		N	5387664.011					136879	79H0492			TERR	194 13 23	384.911	385.060
		E1	13.264					CVD28BC							
145573	79H0485	E	470081.982	0.9996126	1.0000016	936716	79H0531	TERR	179 53 14	165.714	165.778				
		N	5389887.245												
		E1	8.629					CVD28BC							
348052	79H0486	E	469957.701	0.9996125	1.0000014	69716	79H0506	TERR	90 17 35	178.637	178.707				
		N	5387660.901					447888	79H0474			TERR	270 19 52	229.891	229.980
		E1	9.583					CVD28BC				877142	79H0544	TERR	359 53 10
255828	79H0487	E	469851.386	0.9996125	1.0000013	877142	79H0544	TERR	90 26 42	106.068	106.110				
		N	5387787.608					994657	79H0533			TERR	359 44 38	175.537	175.606
		E1	10.408					CVD28BC							
419077	79H0488	E	469307.447	0.9996124	1.0000008	12203	79H0530	TERR	90 22 25	216.290	216.373				
		N	5389419.362					577031	78H7244			TERR	359 46 27	221.135	221.221
		E1	13.302					CVD28BC							
85167	79H0489	E	470072.051	0.9996128	1.0000018	MARKER DESTROYED									
		N	5390391.917												
		E1	7.196			CVD28BC									

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
46938	79H0490	E	470522.414	0.9996132	1.0000026	534438	79H0535	TERR	0 11 9	258.208	258.309	
		N	5388009.545			14928	37-1961	GPS	5 28 15	2529.851	2530.831	
		E1	2.499			CVD28BC	331819	79H0548	TERR	89 54 49	169.932	169.999
							667303	77H5730	GPS	176 8 44	5606.678	5608.851
							657817	77H6278	GPS	182 58 2	3228.404	3229.655
							655084	78H7409	GPS	218 47 27	1619.161	1619.787
							698217	79H0510	TERR	272 16 23	285.516	285.626
							937227	NO MARKING	GPS	277 9 57	3768.949	3770.408
							614438	79H0493	GPS	308 42 59	1566.996	1567.603
							241778	88H4400	GPS	348 27 1	4473.365	4475.103
321778	79H0491	E	469690.386	0.9996124	1.0000011	700500	79H0496	TERR	180 56 31	100.435	100.473	
		N	5388901.448									
		E1	11.664	CVD28BC								
136879	79H0492	E	469182.299	0.9996128	1.0000011	660407	79H0484	TERR	14 13 23	384.911	385.060	
		N	5387290.899			715904	79H0497	TERR	162 34 23	278.137	278.244	
		E1	11.743	CVD28BC								
614438	79H0493	E	469299.764	0.9996123	1.0000007	241778	88H4400	GPS	5 29 21	3418.355	3419.684	
		N	5388989.648			208025	99H2255	GPS	15 27 32	14051.669	14057.129	
		E1	14.341	CVD28BC		561951	1466	GPS	23 24 52	19805.188	19813.146	
						14928	37-1961	GPS	43 34 50	2123.431	2124.255	
						844092	60-21	GPS	61 18 42	462.149	462.329	
						215715	79H0501	TERR	90 15 44	330.707	330.835	
						46938	79H0490	GPS	128 42 59	1566.996	1567.603	
						384982	99H2274	GPS	158 12 3	9696.769	9700.532	
						655084	78H7409	GPS	174 41 34	2251.791	2252.664	
						396804	21710	GPS	179 49 44	14967.831	14973.846	
						339713	77H6138	GPS	196 19 48	8709.107	8712.511	
						995464	94H1534	GPS	211 46 47	19478.627	19486.309	
						513093	99H2276	GPS	215 43 57	3144.508	3145.735	
						23333	91H0478	GPS	226 14 48	10711.841	10715.951	
						706895	91H0480	GPS	227 52 17	11277.297	11281.880	
						550467	3300	GPS	227 53 57	11314.437	11319.039	
						129403	91H0473	GPS	230 47 14	10444.588	10448.687	
						591883	91H0468	GPS	233 10 45	11477.004	11481.874	
						387191	91H0479	GPS	237 3 10	8959.472	8962.911	
						55343	99H2277	GPS	251 50 8	1796.292	1796.986	
						937227	NO MARKING	GPS	258 32 45	2568.007	2569.001	
						26864	"CON.MON. #9"	GPS	277 50 47	10005.333	10009.201	
						689505	91H0483	GPS	303 10 1	15779.747	15785.868	
						500884	78H7251	GPS	313 29 52	2106.673	2107.488	
						542597	78H7334	GPS	313 59 35	5854.525	5856.790	
						967117	78H8154	GPS	314 32 0	23542.261	23551.259	
						928242	99H2259	GPS	329 8 49	9537.623	9541.740	
						175133	11702	GPS	332 33 18	14293.350	14299.625	
						635896	85H0500	GPS	345 2 5	4905.045	4906.960	

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
974154	79H0494	E	470286.176	0.9996128	1.0000020	843235	79H0505	TERR	212 21 11	333.625	333.754				
		N	5387305.865					682971	79H0503			TERR	269 29 42	276.093	276.200
		E1	6.189					CVD28BC							
339903	79H0495	E	469561.155	0.9996119	1.0000005	447888	79H0474	TERR	90 15 12	166.661	166.725				
		N	5387662.967					660407	79H0484			TERR	270 12 37	284.286	284.396
		E1	15.533									CVD28BC			
700500	79H0496	E	469688.735	0.9996124	1.0000011	321778	79H0491	TERR	0 56 31	100.435	100.473				
		N	5388801.027					34041	79H0507			TERR	92 40 35	238.491	238.584
		E1	11.878									CVD28BC			
715904	79H0497	E	469265.598	0.9996127	1.0000011	642314	77H6294	TERR	161 20 35	265.726	265.828				
		N	5387025.529					136879	79H0492			TERR	342 34 23	278.137	278.244
		E1	11.957									CVD28BC			
31104	79H0498	E	470193.510	0.9996130	1.0000020	484147	79H0534	TERR	13 16 38	103.483	103.524				
		N	5390222.998					557322	79H0445			TERR	165 43 31	202.180	202.258
		E1	5.772									CVD28BC			
143636	79H0499	E	469899.963	0.9996135	1.0000024	909309	80H2786	TERR	63 4 21	194.826	194.902				
		N	5390305.594					820571	79H0452			TERR	119 2 60	208.589	208.669
		E1	3.425									CVD28BC			
961656	79H0500	E	469507.886	0.9996117	1.0000002	197731	79H0504	TERR	89 52 34	175.337	175.406				
		N	5387788.993					125880	79H0481			TERR	357 23 3	104.621	104.662
		E1	17.149									CVD28BC			
215715	79H0501	E	469630.467	0.9996123	1.0000010	972919	79H0515	TERR	180 0 33	287.080	287.192				
		N	5388988.134					614438	79H0493			TERR	270 15 44	330.707	330.835
		E1	12.262									CVD28BC			
809426	79H0502	E	470705.885	0.9996127	1.0000021	331819	79H0548	TERR	183 1 53	256.011	256.111				
		N	5388265.454					534438	79H0535			TERR	270 43 15	182.649	182.719
		E1	5.191									CVD28BC			
682971	79H0503	E	470010.094	0.9996126	1.0000016	959833	79H0540	TERR	8 29 57	116.047	116.093				
		N	5387303.432					974154	79H0494			TERR	89 29 42	276.093	276.200
		E1	8.596									CVD28BC			
197731	79H0504	E	469683.223	0.9996123	1.0000010	961656	79H0500	TERR	269 52 34	175.337	175.406				
		N	5387789.372												
		E1	12.152					CVD28BC							
843235	79H0505	E	470107.641	0.9996130	1.0000020	974154	79H0494	TERR	32 21 11	333.625	333.754				
		N	5387024.030					407148	77H6288			TERR	212 46 31	158.627	158.688
		E1	5.889									CVD28BC			

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
69716	79H0506	E	470136.336	0.9996126	1.0000017	201459	79H0482	TERR	91 40 59	184.978	185.049		
		N	5387659.987					TERR	180 30 46			175.642	175.710
		E1	8.185					CVD28BC	348052			79H0486	TERR
34041	79H0507	E	469926.966	0.9996126	1.0000015	410928	79H0508	TERR	82 35 46	118.258	118.304		
		N	5388789.891					TERR	272 40 35			238.491	238.584
		E1	9.501					CVD28BC	700500			79H0496	TERR
410928	79H0508	E	470044.238	0.9996127	1.0000017	77297	79H0557	TERR	5 23 29	175.694	175.763		
		N	5388805.130					TERR	262 35 46			118.258	118.304
		E1	7.991					CVD28BC	34041			79H0507	TERR
460196	79H0509	E	470700.990	0.9996122	1.0000017	160796	79H0436	TERR	6 43 34	109.731	109.774		
		N	5389597.308					TERR	180 32 30			193.671	193.746
		E1	8.135					CVD28BC	95083			79H0563	TERR
698217	79H0510	E	470237.123	0.9996133	1.0000024	46938	79H0490	TERR	92 16 23	285.516	285.626		
		N	5388020.869					TERR	359 57 52			249.353	249.450
		E1	3.573					CVD28BC	496513			79H0478	TERR
100776	79H0511	E	469903.280	0.9996125	1.0000013			MARKER DESTROYED					
		N	5388981.938										
		E1	10.282					CVD28BC					
186387	79H0512	E	470258.207	0.9996129	1.0000020			MARKER DESTROYED					
		N	5388642.977										
		E1	5.929					CVD28BC					
589119	79H0513	E	469801.645	0.9996126	1.0000014	468512	79H0454	TERR	0 32 28	178.193	178.262		
		N	5389600.295					TERR	88 38 31			152.910	152.969
		E1	9.914					CVD28BC	966721			79H0542	TERR
833921	79H0514	E	470267.941	0.9996128	1.0000019	144410	79H0458	TERR	89 1 58	259.968	260.069		
		N	5388986.041					TERR	268 20 35			207.282	207.362
		E1	6.590					CVD28BC	77297			79H0557	TERR
972919	79H0515	E	469630.421	0.9996122	1.0000009	215715	79H0501	TERR	0 0 33	287.080	287.192		
		N	5388701.054					TERR	89 48 52			189.889	189.963
		E1	13.024					CVD28BC	484238			79H0560	TERR
412247	79H0517	E	470693.457	0.9996123	1.0000018	507905	79H0525	TERR	270 19 8	167.249	167.313		
		N	5388759.293										
		E1	7.521					CVD28BC					

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
590950	79H0518	E	470116.120	0.9996126	1.0000016	824284	79H0479	TERR	0 46 36	195.795	195.871				
		N	5389217.716					241216	79H0523			TERR	86 48 42	201.290	201.367
		E1	8.525					CVD28BC	237768			79H0555	TERR	270 12 43	158.661
654483	79H0519	E	469612.606	0.9996123	1.0000009	844092	60-21	TERR	97 43 17	93.423	93.460				
		N	5389224.052					215715	79H0501			TERR	175 40 14	236.593	236.684
		E1	12.687					CVD28BC							
483925	79H0520	E	470805.926	0.9996130	1.0000025	MARKER DESTROYED									
		N	5388023.091												
		E1	2.892			CVD28BC									
681536	79H0521	E	469463.737	0.9996128	1.0000013	28894	79H0441	TERR	88 21 8	94.759	94.796				
		N	5389854.021					329813	79H0564			TERR	335 36 15	85.620	85.653
		E1	10.266					CVD28BC							
420331	79H0522	E	470695.154	0.9996123	1.0000018	MARKER DESTROYED									
		N	5388989.719												
		E1	7.616			CVD28BC									
241216	79H0523	E	470317.098	0.9996129	1.0000021	55475	79H0460	TERR	1 3 15	183.561	183.632				
		N	5389228.911					891655	79H0462			TERR	90 50 47	210.531	210.613
		E1	5.496					CVD28BC	590950			79H0518	TERR	266 48 42	201.290
832170	79H0524	E	470821.411	0.9996125	1.0000020	805473	79H0559	TERR	1 53 40	116.244	116.288				
		N	5389505.354												
		E1	5.916					CVD28BC							
507905	79H0525	E	470526.211	0.9996124	1.0000017	144410	79H0458	TERR	0 24 48	230.212	230.302				
		N	5388760.224					412247	79H0517			TERR	90 19 8	167.249	167.313
		E1	7.955					CVD28BC	636605			79H0483	TERR	180 16 48	241.633
908335	79H0526	E	469799.326	0.9996123	1.0000011	966721	79H0542	TERR	0 24 20	195.853	195.929				
		N	5389218.914					237768	79H0555			TERR	90 13 17	158.135	158.197
		E1	11.694					CVD28BC	844092			60-21	TERR	265 29 50	94.436
94300	79H0527	E	469750.769	0.9996125	1.0000013	MARKER DESTROYED									
		N	5387842.653												
		E1	10.482			CVD28BC									
207969	79H0528	E	469820.309	0.9996125	1.0000014	972919	79H0515	TERR	269 48 52	189.889	189.963				
		N	5388701.669												
		E1	10.128					CVD28BC							
373597	79H0529	E	469902.383	0.9996131	1.0000019	555912	79H0536	TERR	25 37 33	190.089	190.163				
		N	5387052.739												
		E1	6.356					CVD28BC							

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres								
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING												
12203	79H0530	E	469523.732	0.9996124	1.0000010	555110	79H0459	TERR	90 30 45	91.205	91.240								
		N	5389417.952			419077	79H0488	TERR				270 22 25	216.290	216.373					
		E1	12.255			CVD28BC													
936716	79H0531	E	470082.308	0.9996126	1.0000016	783290	79H0561	TERR	270 14 12	138.903	138.957								
		N	5389721.531			145573	79H0485	TERR				359 53 14	165.714	165.778					
		E1	8.451			CVD28BC													
540732	79H0532	E	469509.700	0.9996133	1.0000019	558619	79H0466	TERR	68 37 23	149.322	149.380								
		N	5390269.473			796235	79H0463	TERR				193 42 42	102.374	102.413					
		E1	6.508			CVD28BC													
994657	79H0533	E	469850.601	0.9996124	1.0000013	255828	79H0487	TERR	179 44 38	175.537	175.606								
		N	5387963.143																
		E1	10.682			CVD28BC													
484147	79H0534	E	470217.276	0.9996126	1.0000017	469429	79H0537	TERR	41 2 31	167.590	167.654								
		N	5390323.715			31104	79H0498	TERR				193 16 38	103.483	103.524					
		E1	8.161			CVD28BC													
534438	79H0535	E	470523.251	0.9996129	1.0000022	636605	79H0483	TERR	0 24 23	250.848	250.945								
		N	5388267.752			809426	79H0502	TERR				90 43 15	182.649	182.719					
		E1	4.498			CVD28BC		46938							79H0490	TERR	180 11 9	258.208	258.309
						496513	79H0478	TERR							270 29 40	286.294			
555912	79H0536	E	469984.595	0.9996127	1.0000017	373597	79H0529	TERR	205 37 33	190.089	190.163								
		N	5387224.130																
		E1	8.057			CVD28BC													
469429	79H0537	E	470327.317	0.9996128	1.0000020	484147	79H0534	TERR	221 2 31	167.590	167.654								
		N	5390450.116																
		E1	6.165			CVD28BC													
732552	79H0538	E	470257.351	0.9996129	1.0000020	MARKER DESTROYED													
		N	5388520.542																
		E1	5.863			CVD28BC													
185082	79H0539	E	469589.029	0.9996125	1.0000011	589119	79H0513	TERR	90 55 25	212.644	212.726								
		N	5389603.723																
		E1	11.434			CVD28BC													
959833	79H0540	E	470027.245	0.9996125	1.0000015	682971	79H0503	TERR	188 29 57	116.047	116.093								
		N	5387418.205																
		E1	9.114			CVD28BC													

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
363564	79H0541	E	470491.771	0.9996123	1.0000016	188631	79H0549	TERR	74 43 13	135.766	135.819
		N	5390402.958								
		E1	8.787	CVD28BC							
966721	79H0542	E	469800.712	0.9996124	1.0000012	589119	79H0513	TERR	0 17 17	185.535	185.607
		N	5389414.762			871491	79H0477	TERR	91 49 58	156.838	156.899
		E1	10.875	CVD28BC		908335	79H0526	TERR	180 24 20	195.853	195.929
						555110	79H0459	TERR	270 43 56	185.794	185.866
877142	79H0544	E	469957.451	0.9996126	1.0000015	348052	79H0486	TERR	179 53 10	125.883	125.933
		N	5387786.784			255828	79H0487	TERR	270 26 42	106.068	106.110
		E1	8.932	CVD28BC							
976241	79H0545	E	470517.850	0.9996132	1.0000026			MARKER DESTROYED			
		N	5387657.446								
		E1	2.427	CVD28BC							
955658	79H0546	E	470835.515	0.9996126	1.0000021	310847	79H0465	TERR	7 17 7	119.551	119.597
		N	5389171.885			160325	79H0476	TERR	270 15 32	138.476	138.530
		E1	5.252	CVD28BC							
38893	79H0547	E	470053.151	0.9996127	1.0000017			MARKER DESTROYED			
		N	5388695.667								
		E1	8.054	CVD28BC							
331819	79H0548	E	470692.346	0.9996131	1.0000025	809426	79H0502	TERR	3 1 53	256.011	256.111
		N	5388009.801			46938	79H0490	TERR	269 54 49	169.932	169.999
		E1	2.550	CVD28BC							
188631	79H0549	E	470622.738	0.9996119	1.0000013	493841	79H0551	TERR	18 21 16	79.808	79.839
		N	5390438.737			363564	79H0541	TERR	254 43 13	135.766	135.819
		E1	10.494	CVD28BC							
889345	79H0550	E	469302.423	0.9996118	1.0000002			MARKER ISOLATED			
		N	5388029.180								
		E1	17.547	CVD28BC							
493841	79H0551	E	470647.869	0.9996127	1.0000021	188631	79H0549	TERR	198 21 16	79.808	79.839
		N	5390514.485								
		E1	5.244	CVD28BC							
615005	79H0552	E	469999.973	0.9996127	1.0000017			MARKER DESTROYED			
		N	5388501.488								
		E1	8.137	CVD28BC							

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
231613	79H0553	E	470885.507	0.9996124	1.0000019		MARKER DESTROYED				
		N	5388255.695								
		E1	6.444	CVD28BC							
293266	79H0554	E	470492.037	0.9996128	1.0000021	95083	79H0563	TERR	92 7 30	207.265	207.345
		N	5389411.331			891655	79H0462	TERR	169 8 50	188.909	188.982
		E1	5.131	CVD28BC		55475	79H0460	TERR	270 22 15	171.566	171.632
237768	79H0555	E	469957.460	0.9996126	1.0000015	871491	79H0477	TERR	0 0 11	191.443	191.517
		N	5389218.303			590950	79H0518	TERR	90 12 43	158.661	158.722
		E1	9.322	CVD28BC		908335	79H0526	TERR	270 13 17	158.135	158.197
894535	79H0556	E	470691.968	0.9996123	1.0000018		MARKER DESTROYED				
		N	5388517.108								
		E1	7.430	CVD28BC							
77297	79H0557	E	470060.746	0.9996126	1.0000016	833921	79H0514	TERR	88 20 35	207.282	207.362
		N	5388980.047			410928	79H0508	TERR	185 23 29	175.694	175.763
		E1	8.771	CVD28BC							
805473	79H0559	E	470825.254	0.9996123	1.0000019	832170	79H0524	TERR	181 53 40	116.244	116.288
		N	5389621.534								
		E1	6.962	CVD28BC							
484238	79H0560	E	469624.085	0.9996121	1.0000008	972919	79H0515	TERR	1 54 39	190.025	190.098
		N	5388511.135								
		E1	13.728	CVD28BC							
783290	79H0561	E	469943.406	0.9996126	1.0000015	936716	79H0531	TERR	90 14 12	138.903	138.957
		N	5389722.105								
		E1	9.020	CVD28BC							
100297	79H0562	E	469407.457	0.9996131	1.0000017	755470	79H0470	TERR	90 3 25	237.940	238.032
		N	5390024.560			329813	79H0564	TERR	167 16 2	94.898	94.934
		E1	8.199	CVD28BC							
95083	79H0563	E	470699.159	0.9996123	1.0000017	460196	79H0509	TERR	0 32 30	193.671	193.746
		N	5389403.646			636944	79H0471	TERR	180 31 57	90.393	90.428
		E1	7.752	CVD28BC		293266	79H0554	TERR	272 7 30	207.265	207.345
329813	79H0564	E	469428.373	0.9996130	1.0000015	681536	79H0521	TERR	155 36 15	85.620	85.653
		N	5389931.996			100297	79H0562	TERR	347 16 2	94.898	94.934
		E1	8.967	CVD28BC							
824268	79H0565	E	469954.512	0.9996126	1.0000015	871491	79H0477	TERR	179 7 38	194.196	194.271
		N	5389603.919			589119	79H0513	TERR	268 38 31	152.910	152.969
		E1	9.289	CVD28BC							

Integrated Survey Area No:29 Town of Sidney

Order in Council No. 885/81

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2012-MAR-08

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		-----	-----	-----	-----				
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
909309	80H2786	E	470073.666	0.9996129	1.0000019	75143	79H0438	TERR	64 46 34	345.920	346.054
		N	5390393.823			143636	79H0499	TERR	243 4 21	194.826	194.902
		E1	6.933	CVD28BC							

END OF REPORT