

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
711036	2961	E	507543.292	0.9995874	0.9999867		MARKER DESTROYED				
		N	5445199.146								
		El	103.919	CVD28GVRD2018							
55384	6202	E	506381.550	0.9996025	1.0000020	515189	82H5404	GPS	6 11 26	4055.783	4057.414
		N	5437592.728			546473	85H0764	GPS	61 50 6	31186.622	31199.046
		El	6.946	CVD28GVRD2018		929125	82H5827	GPS	84 18 4	35601.117	35615.330
						607093	5893	TERR	87 54 32	1622.680	1623.324
						967042	PIER 3	GPS	100 51 21	16429.046	16435.589
						503094	NO MARKING	TERR	128 5 23	8830.165	8833.764
						854612	88H3910	GPS	136 28 53	9491.173	9494.994
						341438	3489	TERR	154 4 60	4228.292	4229.972
						467878	6914	TERR	179 38 35	741.741	742.037
						373472	NO MARKING	TERR	240 57 31	15258.004	15264.169
						7369	88H4218	TERR	264 0 51	746.064	746.361
						535740	6911	TERR	265 41 32	1628.110	1628.757
						526806	6203	TERR	268 10 29	3447.278	3448.650
						258020	19713	GPS	281 35 7	21073.922	21082.285
						7401	6958	TERR	359 34 14	781.521	781.831
526806	6203	E	502936.021	0.9996020	1.0000019	55384	6202	TERR	88 10 29	3447.278	3448.650
		N	5437482.924			167627	6907	TERR	94 20 11	192.740	192.816
		El	7.424	CVD28GVRD2018		503094	NO MARKING	TERR	117 10 42	11685.474	11690.239
						373472	NO MARKING	TERR	233 35 26	12293.892	12298.862
282400	6801	E	496637.797	0.9996030	1.0000028		MARKER DESTROYED				
		N	5439903.282								
		El	1.386	CVD28GVRD2018							
167072	6803	E	497450.030	0.9996029	1.0000028	157594	84H0382	TERR	0 4 21	913.388	913.750
		N	5440470.987			859470	80H1301	TERR	180 28 5	573.798	574.026
		El	1.457	CVD28GVRD2018							
468819	6804	E	497495.034	0.9996030	1.0000029	347575	6805	TERR	0 10 18	909.636	909.997
		N	5441720.181			855452	80H1302	TERR	0 15 51	793.220	793.536
		El	1.003	CVD28GVRD2018		157594	84H0382	TERR	187 26 21	338.658	338.793
857276	6806	E	496645.297	0.9996030	1.0000029	682492	92H0571	TERR	180 24 23	1132.922	1133.372
		N	5441038.652			667352	6201	TERR	204 1 16	1720.847	1721.532
		El	1.316	CVD28GVRD2018		549881	80H1344	TERR	276 51 39	256.240	256.341

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
827915	6807	E 494733.945 N 5438795.011 El 1.348	0.9996032	1.0000029			MARKER DESTROYED				
995605	6809	E 493905.752 N 5437739.684 El 1.365	0.9996033	1.0000029	840447 666396 27631	84H0427 9381 80H1290	TERR TERR TERR	35 6 57 35 44 53 218 43 20	294.632 629.004 91.941	294.749 629.254 91.977	
623900	6812	E 495178.364 N 5438321.991 El 1.340	0.9996031	1.0000029	974980 658849 40576 165399 842484	92H0565 6813 6811 84H0435 86H2447	TERR TERR TERR TERR TERR	82 50 9 90 55 37 270 18 18 271 31 16 318 9 33	57.870 222.027 451.837 249.634 349.485	57.893 222.116 452.017 249.733 349.623	
658849	6813	E 495400.362 N 5438318.399 El 1.454	0.9996031	1.0000028	693242 679423 623900 974980	84H0368 6814 6812 92H0565	TERR TERR TERR TERR	118 19 57 118 39 56 270 55 37 273 45 27	207.549 400.864 222.027 164.935	207.631 401.022 222.116 165.000	
679423	6814	E 495752.094 N 5438126.107 El 1.317	0.9996031	1.0000029	6064 658849 106310	6815 6813 84H0367	TERR TERR TERR	180 2 37 298 39 56 299 24 37	401.828 400.864 92.675	401.988 401.022 92.712	
6064	6815	E 495751.789 N 5437724.279 El 1.063	0.9996031	1.0000029	679423 667352 121343 832550	6814 6201 6819 84H0366	TERR TERR TERR TERR	0 2 37 6 19 12 245 29 31 268 11 13	401.828 1753.214 568.736 80.920	401.988 1753.911 568.962 80.951	
793950	6816	E 496630.082 N 5438891.464 El 1.537	0.9996030	1.0000028			MARKER DESTROYED				
159855	6817	E 496624.447 N 5438283.577 El 1.696	0.9996029	1.0000028	528505 402628 377291	92H0579 88H4220 6818	TERR TERR TERR	0 31 53 179 54 57 180 6 27	607.910 481.315 801.742	608.152 481.506 802.060	
121343	6819	E 495234.295 N 5437488.354 El 1.751	0.9996031	1.0000028	6064 377291 16980 824557 53629 43802	6815 6818 87H3181 92H0567 84H0441 80H1295	TERR TERR TERR TERR TERR TERR	65 29 31 90 16 8 96 55 49 182 11 11 267 41 42 358 4 42	568.736 1388.661 116.838 244.046 240.936 133.813	568.962 1389.213 116.884 244.143 241.032 133.866	

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
823153	6820	E N El	494466.731 5437492.318 1.630	0.9996032	1.0000028		MARKER DESTROYED				
358242	6822	E N El	493524.308 5437481.811 1.196	0.9996034	1.0000029	530535 857128 205120 498345	9314 6823 84H0415 84H0372	TERR TERR TERR TERR	86 51 30 180 24 34 184 35 10 270 2 24	134.866 554.967 107.670 204.424	134.920 555.187 107.713 204.504
857128	6823	E N El	493520.341 5436926.858 .855	0.9996035	1.0000029	358242 171314 13029 258921	6822 84H0340 6844 84H0413	TERR TERR TERR TERR	0 24 34 90 18 50 90 21 44 272 36 38	554.967 120.979 447.893 168.962	555.187 121.027 448.071 169.030
991950	6824	E N El	493320.383 5437280.892 .864	0.9996035	1.0000029	288019 851576 279786	84H0414 6825 86H2440	TERR TERR TERR	180 25 46 283 24 36 359 16 9	201.046 262.645 102.528	201.126 262.749 102.569
851576	6825	E N El	493064.899 5437341.804 1.306	0.9996035	1.0000029	991950 738930 915090 338335	6824 84H0406 6826 84H0379	TERR TERR TERR TERR	103 24 36 176 13 8 244 9 55 244 36 57	262.645 93.141 1102.526 334.423	262.749 93.178 1102.964 334.556
915090	6826	E N El	492072.564 5436861.351 1.563	0.9996036	1.0000028	851576 145946 137364 215509 531830	6825 9310 6827 88H4183 6952	TERR TERR TERR TERR TERR	64 9 55 64 43 36 181 58 19 182 14 21 270 6 58	1102.526 480.898 1345.425 728.478 377.954	1102.964 481.090 1345.958 728.768 378.103
137364	6827	E N El	492026.270 5435516.723 1.346	0.9996036	1.0000029	215509 915090 703199 773077 284364 213967	88H4183 6826 6846 6828 88H4182 6850	TERR TERR TERR TERR TERR TERR	1 39 22 1 58 19 114 19 36 181 53 8 182 16 29 278 20 3	616.964 1345.425 1065.112 1013.081 433.537 1565.548	617.208 1345.958 1065.534 1013.482 433.709 1566.169
773077	6828	E N El	491992.936 5434504.191 1.679	0.9996036	1.0000028	284364 137364 241000 101428	88H4182 6827 88H4179 6848	TERR TERR TERR TERR	1 35 40 1 53 8 272 29 54 272 41 56	579.561 1013.081 711.045 1531.624	579.791 1013.482 711.326 1532.231
125955	6829	E N El	491965.573 5433343.252 1.605	0.9996036	1.0000028		MARKER DESTROYED				

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
755579	6830	E	492745.534	0.9996035	1.0000029		MARKER DESTROYED				
		N	5433338.074								
		El	1.454	CVD28GVRD2018							
331918	6831	E	493401.256	0.9996034	1.0000029	327726	6832	TERR	90 25 7	775.826	776.134
		N	5433453.306								
		El	1.181	CVD28GVRD2018							
327726	6832	E	494177.061	0.9996033	1.0000029	919548	6833	TERR	89 26 4	204.290	204.370
		N	5433447.639			398065	6858	TERR	180 4 41	1405.262	1405.820
		El	1.338	CVD28GVRD2018		331918	6831	TERR	270 25 7	775.826	776.134
919548	6833	E	494381.341	0.9996032	1.0000028	658856	84H0376	TERR	90 16 6	605.363	605.603
		N	5433449.655			327726	6832	TERR	269 26 4	204.290	204.370
		El	1.584	CVD28GVRD2018							
737585	6835	E	495368.511	0.9996031	1.0000028	133975	6836	TERR	0 14 41	1363.698	1364.240
		N	5433436.874			658856	84H0376	TERR	271 29 32	381.944	382.095
		El	1.741	CVD28GVRD2018							
133975	6836	E	495374.337	0.9996032	1.0000029	229385	6893	TERR	90 30 16	1239.150	1239.642
		N	5434800.560			666016	92H0586	TERR	90 51 27	473.856	474.045
		El	1.259	CVD28GVRD2018		737585	6835	TERR	180 14 41	1363.698	1364.240
						24489	6837	TERR	270 29 17	737.276	737.568
24489	6837	E	494637.088	0.9996033	1.0000029	133975	6836	TERR	90 29 17	737.276	737.568
		N	5434806.840			6361	6839	TERR	310 14 30	411.948	412.112
		El	.904	CVD28GVRD2018							
504688	6838	E	494390.683	0.9996032	1.0000029		MARKER DESTROYED				
		N	5434310.183								
		El	1.427	CVD28GVRD2018							
6361	6839	E	494322.637	0.9996032	1.0000028	82651	84H0375	TERR	0 0 38	310.799	310.922
		N	5435072.963			24489	6837	TERR	130 14 30	411.948	412.112
		El	1.544	CVD28GVRD2018		929257	88H4185	TERR	270 1 27	678.533	678.802
						703199	6846	TERR	270 12 58	1325.834	1326.361

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
67306	6840	E	494231.143	0.9996032	1.0000028	82651	84H0375	TERR	163 58 20	331.585	331.716	
		N	5435702.457			649244	6842	TERR	335 19 40	718.324	718.609	
		El	1.837			CVD28GVRD2018	396929	84H0388	TERR	354 36 1	433.815	433.987
449561	6841	E	494157.098	0.9996033	1.0000028	261172	6955	TERR	9 34 3	331.439	331.571	
		N	5436352.158			649244	6842	TERR	270 46 24	225.822	225.911	
		El	1.498			CVD28GVRD2018						
649244	6842	E	493931.297	0.9996034	1.0000029	449561	6841	TERR	90 46 24	225.822	225.911	
		N	5436355.206			67306	6840	TERR	155 19 40	718.324	718.609	
		El	1.100			CVD28GVRD2018						
13029	6844	E	493968.225	0.9996033	1.0000029	347393	6821	TERR	0 11 50	554.386	554.607	
		N	5436924.027			925180	84H0342	TERR	0 32 31	351.507	351.647	
		El	1.439			CVD28GVRD2018	218024	84H0343	TERR	91 52 41	130.666	130.718
							857128	6823	TERR	270 21 44	447.893	448.071
							171314	84H0340	TERR	270 22 48	326.914	327.044
275495	6845	E	494153.079	0.9996032	1.0000028	203596	92H0566	TERR	152 47 14	152.493	152.553	
		N	5437273.143			925180	84H0342	TERR	270 44 58	181.545	181.617	
		El	1.599			CVD28GVRD2018						
703199	6846	E	492996.812	0.9996035	1.0000029	80101	02H2443	GPS	0 46 31	5732.725	5734.999	
		N	5435077.961			737197	84H0431	GPS	22 1 50	3829.617	3831.136	
		El	1.065			CVD28GVRD2018	546150	84H0346	GPS	25 44 39	1956.370	1957.145
							839639	80H1300	GPS	26 57 50	7501.950	7504.928
							528505	92H0579	GPS	43 36 49	5267.205	5269.296
							991802	88H4194	GPS	68 5 36	3903.644	3905.193
							531079	6902	GPS	70 52 54	7277.641	7280.530
							762716	80H1257	GPS	88 5 29	10138.878	10142.906
							6361	6839	TERR	90 12 58	1325.834	1326.361
							929257	88H4185	TERR	90 25 1	647.309	647.566
							914127	80H1262	GPS	93 46 22	6655.367	6658.010
							446658	80H1267	GPS	116 5 23	4669.895	4671.749
							989624	80H1275	GPS	261 54 31	4286.322	4288.021
							855890	6855	GPS	291 56 33	4508.432	4510.218
							137364	6827	TERR	294 19 36	1065.112	1065.534
							406991	77C032	GPS	296 53 34	6623.606	6626.228
							234419	6901	GPS	299 9 27	3045.902	3047.109
			394437	77H4671	GPS	328 36 48	5719.319	5721.586				

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
861914	6847	E	493029.246	0.9996035	1.0000029		MARKER DESTROYED				
		N	5436109.035								
		El	1.351	CVD28GVRD2018							
101428	6848	E	490463.011	0.9996040	1.0000029	773176	88H4177	TERR	0 34 19	612.551	612.793
		N	5434576.312			213967	6850	TERR	0 41 57	1167.420	1167.883
		El	1.379	CVD28GVRD2018		773077	6828	TERR	92 41 56	1531.624	1532.231
						241000	88H4179	TERR	92 52 22	820.587	820.913
						785998	88H4178	TERR	179 43 57	500.188	500.385
						994251	6849	TERR	180 3 39	1088.746	1089.177
213967	6850	E	490477.255	0.9996040	1.0000029	840488	6950	TERR	36 22 38	316.387	316.512
		N	5435743.645			137364	6827	TERR	98 20 3	1565.548	1566.169
		El	1.431	CVD28GVRD2018		101428	6848	TERR	180 41 57	1167.420	1167.883
						773176	88H4177	TERR	180 50 22	554.873	555.093
						402412	88H4215	TERR	226 36 29	473.552	473.740
460527	6851	E	489572.250	0.9996042	1.0000029	234419	6901	TERR	121 34 28	897.491	897.845
		N	5437031.894			941930	6852	TERR	301 42 59	468.391	468.577
		El	1.203	CVD28GVRD2018							
941930	6852	E	489173.808	0.9996043	1.0000029	460527	6851	TERR	121 42 59	468.391	468.577
		N	5437278.133			855890	6855	TERR	214 50 33	628.069	628.318
		El	1.386	CVD28GVRD2018		818930	88H4214	TERR	222 11 14	254.926	255.026
						949073	80H1346	TERR	301 45 41	854.387	854.725
964197	6854	E	487884.217	0.9996045	1.0000027	400028	NO MARKING	TERR	42 50 58	27602.637	27614.443
		N	5438291.086			373472	NO MARKING	TERR	147 31 46	9607.114	9610.985
		El	2.265	CVD28GVRD2018		974378	88H4213	TERR	179 48 28	418.418	418.583
855890	6855	E	488814.977	0.9996044	1.0000029	394437	77H4671	GPS	20 37 9	3416.585	3417.939
		N	5436762.661			818930	88H4214	TERR	29 52 44	376.648	376.797
		El	1.374	CVD28GVRD2018		941930	6852	TERR	34 50 33	628.069	628.318
						737197	84H0431	GPS	71 38 1	5919.871	5922.218
						234419	6901	GPS	97 30 45	1535.076	1535.684
						703199	6846	GPS	111 56 33	4508.432	4510.218
						989624	80H1275	GPS	181 32 51	2288.838	2289.744
						986182	6856	TERR	222 13 31	446.978	447.154
						406991	77C032	GPS	307 14 1	2167.191	2168.049
986182	6856	E	488514.586	0.9996043	1.0000027	855890	6855	TERR	42 13 31	446.978	447.154
		N	5436431.671			411124	6857	TERR	122 10 41	687.465	687.738
		El	2.307	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
411124	6857	E	489096.454	0.9996043	1.0000028	234419	6901	TERR	68 11 21	1336.064	1336.592
		N	5436065.559			212407	80H1278	TERR	163 1 56	920.379	920.743
		El	1.529	CVD28GVRD2018		986182	6856	TERR	302 10 41	687.465	687.738
398065	6858	E	494175.148	0.9996033	1.0000029	327726	6832	TERR	0 4 41	1405.262	1405.820
		N	5432042.378			153528	137000	TERR	29 33 17	686.433	686.705
		El	1.340	1928 Canadian Vertical Datum							
98202	6859	E	494173.091	0.9996033	1.0000029						
		N	5431421.516								
		El	1.154	CVD28GVRD2018							
215541	6860	E	494166.518	0.9995998	0.9999993	793596	6999	TERR	243 20 24	167.362	167.429
		N	5430615.399								
		El	24.001	CVD28GVRD2018							
941419	6861	E	494726.283	0.9996007	1.0000004	373472					
		N	5430202.666			810275	NO MARKING	TERR	269 25 43	1684.425	1685.106
		El	17.317	CVD28GVRD2018		771220	6862	TERR	270 11 3	810.358	810.681
810275	6862	E	493915.929	0.9995999	0.9999994	941419	6861	TERR	90 11 3	810.358	810.681
		N	5430205.272			43026	92H0584	TERR	91 46 47	253.198	253.299
		El	23.580	CVD28GVRD2018		866012	6994	TERR	179 36 2	289.128	289.244
						429019	6863	TERR	270 11 38	556.050	556.274
						163204	9374	TERR	273 23 17	167.097	167.164
429019	6863	E	493359.882	0.9995985	0.9999979	810275	6862	TERR	90 11 38	556.050	556.274
		N	5430207.153								
		El	32.890	CVD28GVRD2018							
650085	6864	E	493360.653	0.9995947	0.9999941						
		N	5429637.051								
		El	57.132	CVD28GVRD2018							
248880	6865	E	493356.188	0.9995950	0.9999945	518076	6891	TERR	203 56 5	255.882	255.986
		N	5429402.633								
		El	54.968	CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
285528	6866	E	493425.659	0.9995949	0.9999943	226464	6987	TERR	341 47 41	405.186	405.350						
		N	5428573.194									518076	6891	TERR	343 46 39	620.257	620.508
		El	56.038									CVD28GVRD2018					
544957	6867	E	493456.541	0.9995944	0.9999938	MARKER DESTROYED											
		N	5428162.915														
		El	59.064			CVD28GVRD2018											
251918	6868	E	493463.938	0.9995948	0.9999943	49585	80H1349	TERR	91 37 35	328.342	328.476						
		N	5427957.999														
		El	56.149									CVD28GVRD2018					
142307	6874	E	493920.946	0.9995995	0.9999991	MARKER DESTROYED											
		N	5429467.079														
		El	25.698			CVD28GVRD2018											
644187	6875	E	494978.106	0.9996012	1.0000009	723304	6983	TERR	179 30 15	474.861	475.050						
		N	5429458.696									386136	9380	TERR	359 0 3	473.595	473.785
		El	14.076														
677690	6882	E	495893.186	0.9996030	1.0000028	MARKER DESTROYED											
		N	5429337.107														
		El	1.934			CVD28GVRD2018											
657890	6883	E	496599.111	0.9996030	1.0000028	436337	6884	TERR	90 21 4	547.442	547.660						
		N	5428395.160									564781	92H0547	TERR	91 13 43	346.583	346.721
		El	1.816														
199745	6886	E	497212.677	0.9996028	1.0000028	MARKER DESTROYED											
		N	5427689.786														
		El	2.271			CVD28GVRD2018											
495960	6887	E	494979.138	0.9996015	1.0000012	MARKER DESTROYED											
		N	5430203.428														
		El	12.176			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
315820	6888	E	494978.063	0.9996011	1.0000008		MARKER DESTROYED				
		N	5430667.738								
		El	14.481	CVD28GVRD2018							
112904	6889	E	494979.016	0.9996026	1.0000023		MARKER DESTROYED				
		N	5431017.857								
		El	4.903	CVD28GVRD2018							
109942	6890	E	494977.315	0.9996032	1.0000029		MARKER DESTROYED				
		N	5432017.450								
		El	1.522	CVD28GVRD2018							
518076	6891	E	493252.378	0.9995953	0.9999947	248880	6865	TERR	23 56 5	255.882	255.986
		N	5429168.755			285528	6866	TERR	163 46 39	620.257	620.508
		El	53.481	CVD28GVRD2018		226464	6987	TERR	167 30 10	215.770	215.857
233635	6892	E	496611.891	0.9996030	1.0000028		MARKER DESTROYED				
		N	5433428.111								
		El	1.747	CVD28GVRD2018							
229385	6893	E	496613.439	0.9996030	1.0000028	671693	6894	TERR	0 10 36	261.778	261.882
		N	5434789.650			666016	92H0586	TERR	270 17 9	765.309	765.613
		El	1.675	CVD28GVRD2018		133975	6836	TERR	270 30 16	1239.150	1239.642
671693	6894	E	496614.246	0.9996030	1.0000028	667139	88H4193	TERR	0 0 35	707.553	707.834
		N	5435051.427			279521	6895	TERR	0 12 54	1481.576	1482.165
		El	1.617	CVD28GVRD2018		428581	6896	TERR	90 22 14	1615.606	1616.247
						969857	88H4195	TERR	90 32 15	800.137	800.455
						229385	6893	TERR	180 10 36	261.778	261.882
428581	6896	E	498229.818	0.9996028	1.0000028	982868	6897	TERR	0 23 49	1291.601	1292.115
		N	5435040.981			741249	88H4196	TERR	0 44 16	477.867	478.057
		El	1.796	CVD28GVRD2018		247270	80H1264	TERR	179 48 35	968.926	969.312
						969857	88H4195	TERR	270 12 23	815.475	815.799
						671693	6894	TERR	270 22 14	1615.606	1616.247
982868	6897	E	498238.767	0.9996029	1.0000029	352666	6898	TERR	0 12 53	1138.921	1139.373
		N	5436332.551			114439	6900	TERR	90 21 20	645.893	646.150
		El	1.424	CVD28GVRD2018		741249	88H4196	TERR	180 11 48	813.748	814.072
						428581	6896	TERR	180 23 49	1291.601	1292.115
						73643	88H4197	TERR	359 56 53	282.518	282.631

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
352666	6898	E	498243.035	0.9996029	1.0000028	531079	6902	TERR	90 20 57	1630.047	1630.695		
		N	5437471.464			982868	6897	TERR	180 12 53	1138.921	1139.373		
		El	1.621			CVD28GVRD2018	73643	88H4197	TERR	180 18 10	856.407	856.747	
						377291	6818	TERR	270 22 1	1620.127	1620.771		
234419	6901	E	490336.877	0.9996039	1.0000028	737197	84H0431	GPS	63 14 11	4587.919	4589.739		
		N	5436561.963			568352	6951	TERR	87 9 36	579.940	580.170		
		El	1.755			CVD28GVRD2018	703199	6846	GPS	119 9 27	3045.902	3047.109	
								989624	80H1275	GPS	217 11 20	2620.115	2621.154
								411124	6857	TERR	248 11 21	1336.064	1336.592
								855890	6855	GPS	277 30 45	1535.076	1535.684
								406991	77C032	GPS	294 58 1	3582.106	3583.524
				460527	6851	TERR	301 34 28	897.491	897.845				
				394437	77H4671	GPS	354 38 31	3413.341	3414.693				
531079	6902	E	499873.052	0.9996030	1.0000030	252569	92H0596	GPS	59 30 46	6416.648	6419.203		
		N	5437461.527			995365	6910	GPS	82 20 15	4914.021	4915.972		
		El	.713			CVD28GVRD2018	607093	5893	GPS	88 39 30	8132.327	8135.555	
								942870	86H1263	GPS	119 1 48	13067.178	13072.454
								762716	80H1257	GPS	122 8 5	3846.262	3847.790
								694992	6899	TERR	180 4 3	776.772	777.080
								914127	80H1262	GPS	184 46 2	2831.270	2832.395
								430900	87H3190	GPS	197 11 5	9919.650	9923.589
								446658	80H1267	GPS	211 9 5	5184.926	5186.986
								394825	81	GPS	235 51 11	14095.244	14100.834
								703199	6846	GPS	250 52 54	7277.641	7280.530
								991802	88H4194	GPS	254 5 55	3383.952	3385.296
								352666	6898	TERR	270 20 57	1630.047	1630.695
								406991	77C032	GPS	272 44 34	12798.198	12803.271
								869792	NO MARKING	GPS	284 47 30	10972.302	10976.666
				30031	77H4885	GPS	301 57 5	16871.233	16877.916				
				521617	PP	GPS	317 6 2	27189.172	27200.098				
				839639	80H1300	GPS	321 4 42	5530.631	5532.828				
				274696	78H8518	GPS	340 10 42	9641.807	9645.637				
				675850	84H0394	GPS	354 54 2	5783.490	5785.788				
533679	6903	E	501497.984	0.9996029	1.0000029						MARKER DESTROYED		
		N	5437456.197										
		El	1.237	CVD28GVRD2018									
172312	6905	E	501491.242	0.9996030	1.0000030	572198	6904	TERR	0 16 2	839.585	839.918		
		N	5435842.870			694943	88H4199	TERR	0 24 33	821.618	821.944		
		El	.822			CVD28GVRD2018	289603	6906	TERR	179 57 27	534.461	534.674	

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
289603	6906	E	501491.638	0.9996028	1.0000028	330456	6909	TERR	79 27 3	1670.432	1671.096	
		N	5435308.409			756023	80H1259	TERR	179 46 38	295.932	296.050	
		El	1.707			CVD28GVRD2018	172312	6905	TERR	359 57 27	534.461	534.674
167627	6907	E	503128.209	0.9996029	1.0000028	995951	88H4202	TERR	89 40 60	806.894	807.215	
		N	5437468.351			535740	6911	TERR	89 55 36	1629.831	1630.479	
		El	1.898			CVD28GVRD2018	269191	88H4201	TERR	179 26 11	421.654	421.822
							798785	6908	TERR	179 47 23	778.291	778.600
							526806	6203	TERR	274 20 11	192.740	192.816
995365	6910	E	504743.193	0.9996032	1.0000029	840629	6916	TERR	0 6 43	996.708	997.104	
		N	5438116.758			815746	84H9508	GPS	5 16 44	5682.260	5684.530	
		El	1.145			CVD28GVRD2018	252569	92H0596	GPS	14 13 45	2682.517	2683.584
							799270	9352	GPS	17 2 3	4428.392	4430.160
							102970	92H0875	GPS	51 18 22	4194.721	4196.412
							607093	5893	GPS	98 6 53	3292.927	3294.235
							4903	92H0897	GPS	119 6 51	7342.253	7345.165
							202903	86H1297	GPS	125 26 3	12014.341	12019.203
							557686	5495	GPS	131 27 48	5629.588	5631.821
							942870	86H1263	GPS	136 51 50	9587.551	9591.421
							535740	6911	TERR	178 41 3	646.493	646.748
							762716	80H1257	GPS	210 50 46	3146.132	3147.381
							531079	6902	GPS	262 20 15	4914.021	4915.972
							839639	80H1300	GPS	293 36 39	9107.184	9110.801
			675850	84H0394	GPS	313 28 38	7419.868	7422.816				
535740	6911	E	504758.039	0.9996031	1.0000028	55384	6202	TERR	85 41 32	1628.110	1628.757	
		N	5437470.436			7369	88H4218	TERR	87 6 39	882.637	882.988	
		El	1.628			CVD28GVRD2018	424499	80H1308	TERR	180 14 42	606.306	606.547
							568360	6912	TERR	180 26 47	795.214	795.530
							167627	6907	TERR	269 55 36	1629.831	1630.479
							995951	88H4202	TERR	270 9 56	822.951	823.279
							995365	6910	TERR	358 41 3	646.493	646.748
970434	6913	E	504758.848	0.9996033	1.0000030	773929	83H6496	TERR	179 22 40	196.966	197.044	
		N	5436203.745			330456	6909	TERR	250 3 37	1728.638	1729.325	
		El	.647			CVD28GVRD2018	568360	6912	TERR	359 8 57	471.553	471.740
							424499	80H1308	TERR	359 42 18	660.400	660.662
467878	6914	E	506386.171	0.9996032	1.0000027	823575	1589	TERR	275 39 32	387.040	387.194	
		N	5436851.001			55384	6202	TERR	359 38 35	741.741	742.037	
		El	2.429			CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
707323	6915	E	506376.581	0.9996033	1.0000028		MARKER DESTROYED				
		N	5439073.680								
		El	1.343	CVD28GVRD2018							
840629	6916	E	504745.141	0.9996032	1.0000029	214858	6917 TERR	0 13 21	1585.198	1585.827	
		N	5439113.464			995365	6910 TERR	180 6 43	996.708	997.104	
		El	.824	CVD28GVRD2018							
214858	6917	E	504751.295	0.9996029	1.0000027	193904	6918 TERR	89 7 39	848.075	848.413	
		N	5440698.650			840629	6916 TERR	180 13 21	1585.198	1585.827	
		El	2.496	1928 Canadian Vertical Datum							
193904	6918	E	505599.272	0.9996010	1.0000006	457275	78H8586 TERR	27 59 24	88.113	88.147	
		N	5440711.566			214858	6917 TERR	269 7 39	848.075	848.413	
		El	15.666	CVD28GVRD2018							
464065	6919	E	507066.501	0.9995916	0.9999910		MARKER DESTROYED				
		N	5440740.753								
		El	76.898	CVD28GVRD2018							
728683	6920	E	507994.331	0.9995915	0.9999907		MARKER DESTROYED				
		N	5440726.842								
		El	78.617	CVD28GVRD2018							
59162	6921	E	507994.793	0.9995895	0.9999887		MARKER DESTROYED				
		N	5441385.987								
		El	91.211	CVD28GVRD2018							
732883	6922	E	507993.816	0.9995914	0.9999907		MARKER DESTROYED				
		N	5442366.863								
		El	78.940	CVD28GVRD2018							
44099	6923	E	507730.861	0.9995894	0.9999887	969949	82H5469 TERR	89 31 12	261.603	261.710	
		N	5443043.100			590133	6924 TERR	269 33 51	345.586	345.727	
		El	91.416	CVD28GVRD2018		430116	79H9903 TERR	269 37 8	140.094	140.151	

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
590133	6924	E	507385.285	0.9995908	0.9999902	30908	6926	TERR	0 10 48	473.359	473.553
		N	5443040.471			430116	79H9903	TERR	89 31 37	205.492	205.576
		El	82.065	CVD28GVRD2018		44099	6923	TERR	89 33 51	345.586	345.727
						245324	82H5430	TERR	182 39 42	116.047	116.095
						746990	6925	TERR	269 24 16	407.562	407.728
				182378	82H5460	TERR	358 9 50	193.866	193.944		
746990	6925	E	506977.745	0.9995928	0.9999922	406025	6927	TERR	0 37 21	527.722	527.938
		N	5443036.235			36517	80H1339	TERR	0 38 4	337.002	337.139
		El	68.835	CVD28GVRD2018		590133	6924	TERR	89 24 16	407.562	407.728
						389304	6970	TERR	180 23 38	686.502	686.782
						234930	82H5444	TERR	274 32 24	141.739	141.797
30908	6926	E	507386.771	0.9995890	0.9999884	410100	6929	TERR	0 7 50	466.998	467.191
		N	5443513.828			535203	82H5463	TERR	0 35 24	366.050	366.201
		El	93.636	CVD28GVRD2018		590133	6924	TERR	180 10 48	473.359	473.553
						182378	82H5460	TERR	181 34 38	279.697	279.812
406025	6927	E	506983.479	0.9995903	0.9999897	143115	6928	TERR	0 35 31	418.763	418.935
		N	5443563.926			127126	82H5456	TERR	89 57 20	117.233	117.281
		El	84.960	CVD28GVRD2018		36517	80H1339	TERR	180 36 6	190.721	190.799
						746990	6925	TERR	180 37 21	527.722	527.938
143115	6928	E	506987.805	0.9995885	0.9999879	750083	9324	TERR	86 52 15	205.689	205.773
		N	5443982.667			410100	6929	TERR	90 15 50	400.034	400.199
		El	96.688	CVD28GVRD2018		406025	6927	TERR	180 35 31	418.763	418.935
						515841	82H5453	TERR	268 18 1	206.374	206.459
						74229	6933	TERR	270 10 2	609.900	610.150
919	6931	E	506373.398	0.9995927	0.9999922	577940	6932	TERR	0 14 51	371.429	371.580
		N	5443238.590								
		El	68.836	1928 Canadian Vertical Datum							
577940	6932	E	506375.003	0.9995910	0.9999905	74229	6933	TERR	0 26 40	374.444	374.597
		N	5443610.015			483966	82H5481	TERR	5 2 45	78.191	78.222
		El	80.182	CVD28GVRD2018		183046	82H5480	TERR	83 57 48	159.733	159.798
						401224	78H8574	TERR	178 51 53	244.486	244.586
						919	6931	TERR	180 14 51	371.429	371.580
74229	6933	E	506377.908	0.9995907	0.9999902	635789	6934	TERR	0 51 39	396.564	396.726
		N	5443984.448			516666	82H5485	TERR	87 7 50	168.482	168.551
		El	81.697	CVD28GVRD2018		143115	6928	TERR	90 10 2	609.900	610.150
						483966	82H5481	TERR	179 13 57	296.572	296.693
						577940	6932	TERR	180 26 40	374.444	374.597
				800979	82H5484	TERR	268 39 24	197.637	197.719		

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
635789	6934	E	506383.866	0.9995907	0.9999902	74229	6933	TERR	180 51 39	396.564	396.726				
		N	5444380.967					551606	82H5488			TERR	268 54 38	80.936	80.968
		El	81.847					CVD28GVRD2018							
999029	6935	E	506389.691	0.9995905	0.9999900	MARKER DESTROYED									
		N	5444806.664												
		El	83.317			CVD28GVRD2018									
698191	6936	E	506389.028	0.9995903	0.9999898	360123	82H5530	TERR	89 56 28	248.804	248.906				
		N	5445209.609			443192	82H5516	TERR	178 32 30	233.088	233.183				
		El	84.376			CVD28GVRD2018	965400	79H9894	TERR	270 21 59	213.451	213.539			
							951442	82H5548	TERR	357 14 10	114.640	114.687			
							381186	6937	TERR	359 55 35	405.750	405.917			
381186	6937	E	506388.507	0.9995907	0.9999902	454355	6942	TERR	0 12 19	400.627	400.790				
		N	5445615.359			841734	6966	TERR	90 16 47	249.385	249.487				
		El	81.753			CVD28GVRD2018	698191	6936	TERR	179 55 35	405.750	405.917			
							857847	90H6236	TERR	182 56 13	159.632	159.697			
							394981	82H5569	TERR	359 0 52	285.886	286.003			
915694	6940	E	507501.306	0.9995874	0.9999867	200667	82H5578	TERR	87 30 21	93.432	93.471				
		N	5446011.289			892414	6968	TERR	183 34 12	405.027	405.194				
		El	104.065			CVD28GVRD2018	246363	6941	TERR	270 16 57	554.449	554.677			
							757872	9345	TERR	271 16 13	356.794	356.941			
							MARKER DESTROYED								
560383	6943	E	506493.082	0.9995931	0.9999925	MARKER DESTROYED									
		N	5446537.680												
		El	66.763			CVD28GVRD2018									
958603	6946	E	507197.130	0.9995884	0.9999877	592675	6947	TERR	0 40 24	349.474	349.618				
		N	5446420.223			957068	6945	TERR	91 10 39	230.917	231.012				
		El	97.536			622985	9348	TERR	179 21 29	259.747	259.854				
592675	6947	E	507201.237	0.9995885	0.9999879	666065	82H5603	TERR	2 11 20	223.570	223.663				
		N	5446769.673			958603	6946	TERR	180 40 24	349.474	349.618				
		El	96.644			CVD28GVRD2018	429092	6948	TERR	269 38 49	407.536	407.703			
							55947	82H5605	TERR	269 57 14	105.823	105.866			
							MARKER DESTROYED								
429092	6948	E	506793.709	0.9995918	0.9999912	865311	82H5615	TERR	0 2 15	192.289	192.367				
		N	5446767.162			456905	82H5606	TERR	88 44 15	186.701	186.777				
		El	75.148			CVD28GVRD2018	592675	6947	TERR	89 38 49	407.536	407.703			
							216044	82H5614	TERR	188 2 47	127.424	127.476			
							585950	80H1342	TERR	274 14 48	91.732	91.769			





Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
557108	6961	E	504410.035	0.9996021	1.0000019		MARKER DESTROYED				
		N	5444978.395								
		El	7.224	CVD28GVRD2018							
407924	6962	E	506371.535	0.9995955	0.9999950		MARKER DESTROYED				
		N	5442340.569								
		El	50.997	CVD28GVRD2018							
841734	6966	E	506637.889	0.9995888	0.9999882	770800	5296	GPS	40 26 44	2023.513	2024.344
		N	5445614.142			426981	92H0886	GPS	72 1 9	4859.390	4861.375
		El	94.202	CVD28GVRD2018		247221	6967	TERR	90 35 40	244.953	245.054
						98178	86H1262	GPS	104 32 56	8138.385	8141.668
						90316	80H2099	GPS	109 52 26	4920.234	4922.240
						799270	9352	GPS	190 22 29	3317.502	3318.850
						252569	92H0596	GPS	194 9 28	5050.572	5052.619
						815746	84H9508	GPS	216 43 11	2294.529	2295.462
						195156	80H1320	GPS	257 57 5	4548.977	4550.817
						381186	6937	TERR	270 16 47	249.385	249.487
						177238	88H4212	GPS	288 0 41	3104.132	3105.388
						838037	02H2423	GPS	289 58 41	4386.977	4388.751
						137695	92H0576	GPS	308 30 25	2209.841	2210.735
247221	6967	E	506882.829	0.9995876	0.9999870	166041	6938	TERR	90 31 49	299.482	299.606
		N	5445611.601			903153	82H5563	TERR	91 32 6	152.750	152.813
		El	102.124	CVD28GVRD2018		841734	6966	TERR	270 35 40	244.953	245.054
892414	6968	E	507476.086	0.9995875	0.9999868	416123	82H5558	TERR	0 33 27	90.840	90.878
		N	5445607.048			915694	6940	TERR	3 34 12	405.027	405.194
		El	103.545	CVD28GVRD2018		834168	82H5554	TERR	91 47 14	201.476	201.559
						166041	6938	TERR	270 20 51	293.793	293.915
						944637	78H8588	TERR	271 53 24	249.809	249.912
667907	6969	E	506730.350	0.9995912	0.9999906		MARKER DESTROYED				
		N	5446423.978								
		El	79.083	CVD28GVRD2018							
115501	6971	E	507461.203	0.9995917	0.9999911	819516	79H9837	TERR	87 33 59	290.802	290.921
		N	5442357.904			389304	6970	TERR	269 2 35	488.245	488.445
		El	76.455	CVD28GVRD2018		303396	82H5409	TERR	271 57 35	132.355	132.410



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
432377	6981	E	494581.477	0.9995973	0.9999969		MARKER DESTROYED				
		N	5428579.434								
		El	39.415	CVD28GVRD2018							
432674	6982	E	494982.881	0.9996021	1.0000018		MARKER DESTROYED				
		N	5428582.454								
		El	8.346	CVD28GVRD2018							
723304	6983	E	494982.216	0.9996022	1.0000019	631929	87H3145	TERR	86 20 20	205.844	205.926
		N	5428983.853			668822	84H0384	TERR	179 20 9	400.564	400.723
		El	7.734	CVD28GVRD2018		56341	6984	TERR	269 10 59	412.575	412.740
						644187	6875	TERR	359 30 15	474.861	475.050
56341	6984	E	494569.683	0.9996003	1.0000000	723304	6983	TERR	89 10 59	412.575	412.740
		N	5428977.971			881680	6985	TERR	269 9 19	397.024	397.183
		El	19.898	CVD28GVRD2018							
881680	6985	E	494172.702	0.9995978	0.9999974	460550	6990	TERR	0 4 11	495.583	495.782
		N	5428972.118			56341	6984	TERR	89 9 19	397.024	397.183
		El	36.296	CVD28GVRD2018		657122	9372	TERR	268 2 48	238.079	238.176
766196	6986	E	493744.372	0.9995952	0.9999947	657122	9372	TERR	90 34 56	190.399	190.476
		N	5428965.938			901819	9371	TERR	177 59 19	90.626	90.663
		El	53.800	CVD28GVRD2018		482935	87H3149	TERR	267 12 54	139.741	139.798
226464	6987	E	493299.069	0.9995953	0.9999947	790543	87H3148	TERR	91 4 15	123.920	123.970
		N	5428958.097			285528	6866	TERR	161 47 41	405.186	405.350
		El	53.318	CVD28GVRD2018		518076	6891	TERR	347 30 10	215.770	215.857
629147	6988	E	493754.151	0.9995984	0.9999979	782433	87H3160	TERR	269 51 31	266.862	266.970
		N	5429467.107			376608	6995	TERR	328 49 19	415.834	416.001
		El	33.323	CVD28GVRD2018							
460550	6990	E	494173.304	0.9996003	0.9999999	320531	87H3207	TERR	88 8 24	209.990	210.073
		N	5429467.701			881680	6985	TERR	180 4 11	495.583	495.782
		El	20.461	CVD28GVRD2018		458943	6993	TERR	359 13 38	435.306	435.479

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
773192	6991	E	494497.040	0.9996010	1.0000007	62919	6992	TERR	358 36 25	240.361	240.456
		N	5429675.121								
		El	15.492	CVD28GVRD2018							
62919	6992	E	494491.196	0.9996011	1.0000007	773192	6991	TERR	178 36 25	240.361	240.456
		N	5429915.411			771220	9276	TERR	359 49 23	291.494	291.612
		El	15.308	CVD28GVRD2018							
458943	6993	E	494167.434	0.9996005	1.0000000	460550	6990	TERR	179 13 38	435.306	435.479
		N	5429902.967			866012	6994	TERR	273 1 30	249.837	249.937
		El	19.502	CVD28GVRD2018							
866012	6994	E	493917.945	0.9996000	0.9999995	458943	6993	TERR	93 1 30	249.837	249.937
		N	5429916.151			228106	87H3161	TERR	272 40 22	216.572	216.658
		El	22.873	CVD28GVRD2018		810275	6862	TERR	359 36 2	289.128	289.244
376608	6995	E	493538.875	0.9995985	0.9999980	228106	87H3161	TERR	57 34 33	192.790	192.867
		N	5429822.879			629147	6988	TERR	148 49 19	415.834	416.001
		El	32.336	CVD28GVRD2018							
804526	6996	E	493141.577	0.9995944	0.9999938	386094	6997	TERR	332 37 23	287.577	287.694
		N	5429834.872								
		El	59.021	CVD28GVRD2018							
386094	6997	E	493009.337	0.9995942	0.9999936	804526	6996	TERR	152 37 23	287.577	287.694
		N	5430090.241								
		El	60.503	CVD28GVRD2018							
624478	6998	E	493714.725	0.9995993	0.9999989	793596	6999	TERR	81 4 35	305.927	306.050
		N	5430492.849			163204	9374	TERR	172 56 19	279.824	279.936
		El	27.083	CVD28GVRD2018							
793596	6999	E	494016.949	0.9995997	0.9999992	215541	6860	TERR	63 20 24	167.362	167.429
		N	5430540.304			624478	6998	TERR	261 4 35	305.927	306.050
		El	24.574	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
85480	7000	E	494168.898	0.9996000	0.9999996		MARKER DESTROYED				
		N	5430421.271								
		El	22.146	CVD28GVRD2018							
295287	78H8546	E	507982.216	0.9995885	0.9999877	681148	82H5496	TERR	7 25 26	172.032	172.103
		N	5444397.719			924316	78H8580	TERR	267 30 36	407.088	407.256
		El	97.594	CVD28GVRD2018							
669101	78H8547	E	505111.777	0.9995993	0.9999990	748384	84H9509	TERR	90 21 55	102.762	102.803
		N	5443951.411			815746	84H9508	TERR	138 51 17	234.374	234.468
		El	25.730	CVD28GVRD2018		222471	9351	TERR	312 28 52	259.567	259.671
687384	78H8548	E	507729.112	0.9995877	0.9999869	692749	82H5525	TERR	181 43 3	148.112	148.173
		N	5445192.572								
		El	102.502	CVD28GVRD2018							
861195	78H8549	E	506839.278	0.9995872	0.9999867	417063	9363	TERR	90 19 30	285.373	285.490
		N	5445207.829								
		El	104.400	CVD28GVRD2018							
205203	78H8550	E	506616.614	0.9995934	0.9999928	664540	82H5401	TERR	184 15 20	138.213	138.270
		N	5441447.169			406413	78H8571	TERR	287 41 4	271.637	271.748
		El	65.143	CVD28GVRD2018							
632240	78H8551	E	507591.479	0.9995879	0.9999872	842682	82H5465	TERR	183 33 15	115.161	115.208
		N	5443986.949			242818	82H5464	TERR	265 31 38	210.554	210.640
		El	100.837	CVD28GVRD2018							
993402	78H8552	E	507597.200	0.9995885	0.9999878	374223	79H9934	TERR	181 19 46	263.718	263.826
		N	5443508.465			907907	82H5466	TERR	359 16 6	167.018	167.087
		El	97.087	CVD28GVRD2018							
301341	78H8553	E	507528.625	0.9995878	0.9999871	928127	78H8561	TERR	93 3 9	202.518	202.602
		N	5444801.226			138206	82H5498	TERR	179 49 53	98.614	98.655
		El	101.733	CVD28GVRD2018		285221	82H5520	TERR	266 14 38	246.369	246.471

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
115394	78H8556	E	507169.097	0.9995873	0.9999867		MARKER DESTROYED				
		N	5444586.566								
		El	104.116	CVD28GVRD2018							
486845	78H8557	E	506575.220	0.9995888	0.9999882		MARKER DESTROYED				
		N	5444809.582								
		El	94.427	CVD28GVRD2018							
345249	78H8559	E	495138.979	0.9996019	1.0000017	900290	79H9850	TERR	139 50 44	316.628	316.753
		N	5428232.090								
		El	9.243	CVD28GVRD2018							
130211	78H8560	E	506029.059	0.9996003	0.9999999	864934	9356	TERR	88 57 27	225.447	225.538
		N	5440724.385			303891	84H9455	TERR	265 3 40	188.845	188.920
		El	20.367	CVD28GVRD2018							
928127	78H8561	E	507730.856	0.9995880	0.9999872	301341	78H8553	TERR	273 3 9	202.518	202.602
		N	5444790.442			630731	82H5523	TERR	355 49 13	96.824	96.863
		El	100.758	CVD28GVRD2018							
496281	78H8562	E	506715.336	0.9995939	0.9999934	298497	79H9835	TERR	107 6 43	187.031	187.107
		N	5441820.563			761924	82H5402	TERR	194 18 6	231.742	231.836
		El	61.776	CVD28GVRD2018		303446	79H9842	TERR	282 3 46	158.495	158.559
959890	78H8564	E	506525.587	0.9995957	0.9999952	61390	78H8565	TERR	167 54 3	113.276	113.322
		N	5440842.875			947432	82H5399	TERR	331 21 23	129.853	129.904
		El	50.287	CVD28GVRD2018							
61390	78H8565	E	506549.330	0.9995963	0.9999957	864934	9356	TERR	269 17 42	294.883	295.003
		N	5440732.115			959890	78H8564	TERR	347 54 3	113.276	113.322
		El	46.627	CVD28GVRD2018							
98954	78H8566	E	507125.240	0.9995870	0.9999864		MARKER DESTROYED				
		N	5445617.801								
		El	106.282	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
817395	78H8567	E	506375.524	0.9995907	0.9999902		MARKER DESTROYED				
		N	5444184.225								
		El	82.126	CVD28GVRD2018							
831511	78H8568	E	506877.735	0.9995882	0.9999876	757872	9345	TERR	90 11 40	266.867	266.976
		N	5446020.105			994863	78H8575	TERR	270 13 34	294.296	294.418
		El	98.021	CVD28GVRD2018							
181529	78H8569	E	506965.049	0.9995897	0.9999891		MARKER DESTROYED				
		N	5446420.142								
		El	89.040	CVD28GVRD2018							
792184	78H8570	E	505002.915	0.9995988	0.9999985		MARKER DESTROYED				
		N	5445570.889								
		El	29.086	CVD28GVRD2018							
406413	78H8571	E	506357.813	0.9995946	0.9999941	205203	78H8550	TERR	107 41 4	271.637	271.748
		N	5441529.685			747915	84H9463	TERR	195 15 12	166.044	166.112
		El	57.280	CVD28GVRD2018		211102	9319	TERR	283 15 57	95.024	95.062
294066	78H8572	E	506635.505	0.9995947	0.9999942	230300	80H1343	TERR	90 15 24	71.669	71.698
		N	5446989.176			612846	78H8584	TERR	346 39 0	164.068	164.134
		El	56.345	CVD28GVRD2018							
233916	78H8573	E	506167.425	0.9995912	0.9999908	797589	82H5478	TERR	264 58 11	111.941	111.987
		N	5443519.136								
		El	78.186	CVD28GVRD2018							
401224	78H8574	E	506379.847	0.9995919	0.9999914	585976	82H5448	TERR	90 50 34	202.456	202.539
		N	5443365.577			577940	6932	TERR	358 51 53	244.486	244.586
		El	74.364	CVD28GVRD2018							
994863	78H8575	E	506583.441	0.9995899	0.9999894	831511	78H8568	TERR	90 13 34	294.296	294.418
		N	5446021.267			610592	9361	TERR	268 24 20	199.650	199.731
		El	87.107	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
694059	78H8576	E	505849.375	0.9995961	0.9999957	343368	84H9491	TERR	152 7 18	177.518	177.590		
		N	5443157.085					821959	79H9849	TERR	357 7 46	115.196	115.242
		El	46.602					CVD28GVRD2018					
733733	78H8577	E	505574.077	0.9995928	0.9999924	791079	84H9502	TERR	179 52 7	126.996	127.048		
		N	5443817.478					591933	79H9916	TERR	356 1 58	154.976	155.040
		El	67.506					CVD28GVRD2018					
321521	78H8578	E	494969.686	0.9996011	1.0000007	MARKER ISOLATED							
		N	5430627.062										
		El	14.986			CVD28GVRD2018							
203372	78H8579	E	506350.292	0.9995943	0.9999938	387852	79H9914	TERR	222 58 37	217.403	217.491		
		N	5441767.738										
		El	58.763					CVD28GVRD2018					
924316	78H8580	E	507575.512	0.9995878	0.9999871	297465	82H5494	TERR	8 37 57	96.837	96.877		
		N	5444380.033					295287	78H8546	TERR	87 30 36	407.088	407.256
		El	101.796					CVD28GVRD2018					
69625	78H8581	E	507600.308	0.9995880	0.9999872	MARKER DESTROYED							
		N	5446410.020										
		El	100.571			CVD28GVRD2018							
453779	78H8582	E	505559.168	0.9995963	0.9999959	791079	84H9502	TERR	6 59 4	125.000	125.050		
		N	5443566.410					907782	80H1338	TERR	156 32 25	58.814	58.838
		El	45.430					CVD28GVRD2018		857524	84H9503	TERR	297 31 22
612846	78H8584	E	506597.622	0.9995969	0.9999963	337337	5300	TERR	89 34 36	147.825	147.886		
		N	5447148.811					294066	78H8572	TERR	166 39 0	164.068	164.134
		El	42.482					CVD28GVRD2018					
989699	78H8585	E	505579.246	0.9996010	1.0000006	174235	79H9855	TERR	1 6 53	188.701	188.776		
		N	5440923.754					457275	78H8586	TERR	155 27 5	147.736	147.796
		El	15.463					CVD28GVRD2018					



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
457275	78H8586	E	505640.625	0.9996003	0.9999999	193904	6918	TERR	207 59 24	88.113	88.147						
		N	5440789.372									989699	78H8585	TERR	335 27 5	147.736	147.796
		El	19.784														
755132	78H8587	E	507224.458	0.9995867	0.9999860	MARKER DESTROYED											
		N	5445192.188														
		El	108.429			CVD28GVRD2018											
944637	78H8588	E	507226.413	0.9995868	0.9999861	892414	6968	TERR	91 53 24	249.809	249.912						
		N	5445615.287									657387	90H6228	TERR	271 6 26	103.392	103.435
		El	107.887														
731257	78H8589	E	505987.765	0.9995970	0.9999966	343368	84H9491	TERR	340 1 59	162.187	162.252						
		N	5442847.731														
		El	41.222									CVD28GVRD2018					
427666	78H8590	E	507459.810	0.9995876	0.9999870	MARKER DESTROYED											
		N	5446412.389														
		El	102.442			CVD28GVRD2018											
161182	78H8591	E	507816.986	0.9995918	0.9999910	882969	80H1347	TERR	39 50 50	116.303	116.349						
		N	5441548.454									619148	82H5391	TERR	174 55 52	136.613	136.670
		El	76.526														
772178	78H8593	E	507607.457	0.9995889	0.9999882	121608	82H5593	TERR	181 24 19	241.718	241.818						
		N	5446979.072														
		El	94.445									CVD28GVRD2018					
37945	78H8594	E	507979.342	0.9995876	0.9999868	MARKER DESTROYED											
		N	5446000.018														
		El	103.329			CVD28GVRD2018											
945774	78H8595	E	505586.869	0.9995915	0.9999911	MARKER DESTROYED											
		N	5444575.705														
		El	75.794			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
298497	79H9835	E	506894.087	0.9995935	0.9999929	952952	79H9889	TERR	117 0 42	161.701	161.767
		N	5441765.531			515189	82H5404	TERR	208 7 8	159.496	159.561
		El	64.872	CVD28GVRD2018		496281	78H8562	TERR	287 6 43	187.031	187.107
652875	79H9836	E	498639.633	0.9996027	1.0000027		MARKER DESTROYED				
		N	5442047.571								
		El	2.251	CVD28GVRD2018							
819516	79H9837	E	507751.743	0.9995916	0.9999908	254318	82H5419	TERR	171 59 9	89.937	89.974
		N	5442370.252			115501	6971	TERR	267 33 59	290.802	290.921
		El	77.950	CVD28GVRD2018							
425363	79H9838	E	494989.150	0.9995953	0.9999950	263608	79H9863	TERR	107 51 6	204.887	204.970
		N	5427806.746			268219	6977	TERR	357 13 27	150.323	150.385
		El	51.756	CVD28GVRD2018							
44818	79H9839	E	505004.876	0.9995957	0.9999954	809491	87H2623	TERR	45 48 47	335.307	335.443
		N	5444909.514								
		El	48.589	CVD28GVRD2018							
74153	79H9840	E	506029.896	0.9995980	0.9999976	417790	84H9485	TERR	81 9 44	73.537	73.567
		N	5442728.121			852020	79H9851	TERR	290 47 40	85.557	85.591
		El	34.938	CVD28GVRD2018							
489708	79H9841	E	495280.647	0.9996018	1.0000015	900290	79H9850	TERR	53 2 54	78.221	78.252
		N	5427943.067			558973	79H9865	TERR	150 54 22	94.465	94.503
		El	10.136	CVD28GVRD2018							
303446	79H9842	E	506560.341	0.9995940	0.9999935	496281	78H8562	TERR	102 3 46	158.495	158.559
		N	5441853.686								
		El	60.748	CVD28GVRD2018							
547976	79H9843	E	505944.894	0.9995919	0.9999915	797589	82H5478	TERR	92 12 48	111.104	111.149
		N	5443513.612			242222	79H9859	TERR	266 47 41	158.334	158.398
		El	73.583	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
505412	79H9844	E	507510.126	0.9995908	0.9999901	566661	79H9882	TERR	157 19 5	86.021	86.056						
		N	5441955.483									7534	79H9864	TERR	259 27 18	103.279	103.322
		El	82.395									CVD28GVRD2018					
37663	79H9846	E	507233.122	0.9995920	0.9999914	7534	79H9864	TERR	112 28 32	189.893	189.971						
		N	5442009.176														
		El	74.510									CVD28GVRD2018					
984492	79H9847	E	506190.733	0.9995930	0.9999925	323105	82H5570	TERR	59 59 2	93.999	94.037						
		N	5445869.793									937177	80H1334	TERR	308 21 39	201.499	201.581
		El	66.934														
635797	79H9848	E	505670.365	0.9996017	1.0000013	405308	79H9884	TERR	51 15 53	179.664	179.735						
		N	5441326.943									174235	79H9855	TERR	202 10 40	231.663	231.755
		El	11.057														
821959	79H9849	E	505843.606	0.9995949	0.9999945	694059	78H8576	TERR	177 7 46	115.196	115.242						
		N	5443272.136														
		El	54.340									CVD28GVRD2018					
900290	79H9850	E	495343.157	0.9996028	1.0000025	489708	79H9841	TERR	233 2 54	78.221	78.252						
		N	5427990.089									345249	78H8559	TERR	319 50 44	316.628	316.753
		El	3.652														
852020	79H9851	E	505949.912	0.9995998	0.9999994	74153	79H9840	TERR	110 47 40	85.557	85.591						
		N	5442758.495									749515	79H9927	TERR	189 23 11	129.141	129.193
		El	23.092														
345025	79H9852	E	507581.402	0.9995918	0.9999911	171082	79H9881	TERR	80 17 33	79.599	79.632						
		N	5441424.047									722918	9344	TERR	285 38 37	217.856	217.944
		El	76.197														
234559	79H9853	E	505404.892	0.9995926	0.9999922	168344	9346	TERR	150 23 11	107.193	107.237						
		N	5444045.317														
		El	68.862									CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
134825	79H9854	E	506590.638	0.9995942	0.9999937		MARKER DESTROYED				
		N	5442351.297								
		El	59.756	CVD28GVRD2018							
174235	79H9855	E	505582.917	0.9996020	1.0000016	635797	79H9848	TERR	22 10 40	231.663	231.755
		N	5441112.419			989699	78H8585	TERR	181 6 53	188.701	188.776
		El	9.350	CVD28GVRD2018							
916619	79H9857	E	505678.534	0.9995952	0.9999948	242222	79H9859	TERR	98 8 11	109.375	109.420
		N	5443520.239			907782	80H1338	TERR	265 21 50	96.267	96.306
		El	52.703	CVD28GVRD2018		504175	83H6503	TERR	355 54 23	144.679	144.738
242222	79H9859	E	505786.808	0.9995935	0.9999931	547976	79H9843	TERR	86 47 41	158.334	158.398
		N	5443504.759			916619	79H9857	TERR	278 8 11	109.375	109.420
		El	63.329	CVD28GVRD2018							
796789	79H9860	E	505938.679	0.9996008	1.0000003	33647	84H9476	TERR	91 21 54	102.270	102.311
		N	5442005.443			382119	79H9862	TERR	191 31 28	257.759	257.862
		El	17.209	CVD28GVRD2018		898106	79H9876	TERR	347 56 26	156.762	156.824
282616	79H9861	E	506601.411	0.9995892	0.9999886		MARKER DESTROYED				
		N	5444386.537								
		El	91.745	CVD28GVRD2018							
382119	79H9862	E	505887.182	0.9995999	0.9999995	796789	79H9860	TERR	11 31 28	257.759	257.862
		N	5441752.881			359125	84H9473	TERR	76 30 53	85.928	85.963
		El	22.516	CVD28GVRD2018		46888	79H9868	TERR	191 41 55	149.973	150.033
263608	79H9863	E	495184.172	0.9995968	0.9999965	761403	79H9895	TERR	90 5 8	156.953	157.016
		N	5427743.937			425363	79H9838	TERR	287 51 6	204.887	204.970
		El	41.987	CVD28GVRD2018							
7534	79H9864	E	507408.591	0.9995912	0.9999905	505412	79H9844	TERR	79 27 18	103.279	103.322
		N	5441936.582			37663	79H9846	TERR	292 28 32	189.893	189.971
		El	79.837	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
558973	79H9865	E	495326.580	0.9996010	1.0000007	761403	79H9895	TERR	172 54 9	117.720	117.767						
		N	5427860.521									489708	79H9841	TERR	330 54 22	94.465	94.503
		El	15.441									CVD28GVRD2018					
69286	79H9866	E	507811.630	0.9995922	0.9999914	MARKER DESTROYED											
		N	5441780.875														
		El	74.083			CVD28GVRD2018											
665042	79H9867	E	506157.763	0.9995944	0.9999939	MARKER DESTROYED											
		N	5446162.411														
		El	58.175			CVD28GVRD2018											
46888	79H9868	E	505856.773	0.9995993	0.9999989	382119	79H9862	TERR	11 41 55	149.973	150.033						
		N	5441606.023									405308	79H9884	TERR	195 30 50	172.962	173.031
		El	26.625									CVD28GVRD2018					
445866	79H9869	E	507233.802	0.9995923	0.9999917	722918	9344	TERR	123 38 53	165.551	165.619						
		N	5441574.522									952952	79H9889	TERR	301 0 7	228.260	228.353
		El	72.647									CVD28GVRD2018					
588889	79H9870	E	507753.099	0.9995915	0.9999907	870584	82H5420	TERR	0 14 18	88.694	88.730						
		N	5441864.640									206920	87H3497	TERR	144 10 15	107.727	107.770
		El	78.443									CVD28GVRD2018		541458	79H9875	TERR	275 26 3
592139	79H9871	E	505738.852	0.9995928	0.9999924	MARKER DESTROYED											
		N	5445105.706														
		El	67.560			CVD28GVRD2018											
143370	79H9872	E	504646.330	0.9995972	0.9999969	MARKER ISOLATED											
		N	5444721.122														
		El	39.101			CVD28GVRD2018											
732685	79H9873	E	505815.576	0.9995911	0.9999907	519405	9313	TERR	88 37 59	224.791	224.883						
		N	5443952.266									591933	79H9916	TERR	274 29 33	252.998	253.102
		El	78.899									CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
520973	79H9874	E	506958.698	0.9995877	0.9999871		MARKER DESTROYED				
		N	5444389.594								
		El	101.557	CVD28GVRD2018							
541458	79H9875	E	507619.617	0.9995908	0.9999901	588889	79H9870	TERR	95 26 3	134.085	134.139
		N	5441877.338			121822	79H9909	TERR	184 33 25	89.086	89.123
		El	82.681	CVD28GVRD2018		566661	79H9882	TERR	269 4 55	76.330	76.361
898106	79H9876	E	505905.927	0.9996019	1.0000015	511071	80H1284	TERR	15 1 0	143.488	143.545
		N	5442158.745			796789	79H9860	TERR	167 56 26	156.762	156.824
		El	9.924	CVD28GVRD2018							
236075	79H9877	E	505292.690	0.9995933	0.9999930		MARKER DESTROYED				
		N	5444122.571								
		El	64.208	CVD28GVRD2018							
986604	79H9878	E	506422.404	0.9995940	0.9999935		MARKER DESTROYED				
		N	5441831.522								
		El	61.084	CVD28GVRD2018							
876094	79H9879	E	507233.470	0.9995924	0.9999918		MARKER DESTROYED				
		N	5442343.336								
		El	71.798	CVD28GVRD2018							
883462	79H9880	E	506882.204	0.9995875	0.9999869	600775	80H1336	TERR	268 10 7	99.033	99.073
		N	5444603.279								
		El	102.841	CVD28GVRD2018							
171082	79H9881	E	507659.861	0.9995916	0.9999909	619148	79H9883	TERR	44 22 46	120.631	120.681
		N	5441437.469			345025	79H9852	TERR	260 17 33	79.599	79.632
		El	77.409	CVD28GVRD2018							
566661	79H9882	E	507543.297	0.9995909	0.9999902	541458	79H9875	TERR	89 4 55	76.330	76.361
		N	5441876.115			505412	79H9844	TERR	337 19 5	86.021	86.056
		El	81.612	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
619148	79H9883	E	507744.231	0.9995919	0.9999911	161182	78H8591	TERR	71 12 2	76.855	76.887						
		N	5441523.687									171082	79H9881	TERR	224 22 46	120.631	120.681
		El	76.036									CVD28GVRD2018					
405308	79H9884	E	505810.511	0.9995998	0.9999994	46888	79H9868	TERR	15 30 50	172.962	173.031						
		N	5441439.363									612895	83H6505	TERR	168 28 43	139.425	139.482
		El	23.215														
612762	79H9885	E	496077.828	0.9996030	1.0000028	54726	87H3174	TERR	355 10 2	113.152	113.197						
		N	5436788.904														
		El	1.635									CVD28GVRD2018					
936971	79H9886	E	506034.078	0.9995937	0.9999933	225177	79H9928	TERR	90 21 52	80.510	80.542						
		N	5445541.616														
		El	62.027									CVD28GVRD2018					
859868	79H9887	E	496077.519	0.9996031	1.0000029	54726	87H3174	TERR	184 42 4	112.544	112.589						
		N	5437013.819									671636	79H9932	TERR	269 25 17	116.550	116.596
		El	.975														
167668	79H9888	E	495872.723	0.9996031	1.0000029	242446	79H9892	TERR	5 12 5	110.338	110.382						
		N	5437644.402									668129	79H9890	TERR	97 14 47	154.786	154.848
		El	1.407														
952952	79H9889	E	507038.149	0.9995927	0.9999921	445866	79H9869	TERR	121 0 7	228.260	228.353						
		N	5441692.091									298497	79H9835	TERR	297 0 42	161.701	161.767
		El	69.964														
668129	79H9890	E	496026.273	0.9996031	1.0000029	397414	79H9891	TERR	4 13 40	96.740	96.779						
		N	5437624.878									167668	79H9888	TERR	277 14 47	154.786	154.848
		El	1.212														
397414	79H9891	E	496033.405	0.9996031	1.0000029	668129	79H9890	TERR	184 13 40	96.740	96.779						
		N	5437721.355									242446	79H9892	TERR	282 19 41	154.236	154.297
		El	1.135														

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
242446	79H9892	E	495882.726	0.9996031	1.0000029	397414	79H9891	TERR	102 19 41	154.236	154.297		
		N	5437754.286					167668	79H9888	TERR	185 12 5	110.338	110.382
		El	1.287					CVD28GVRD2018	474205	84H0339	TERR	358 38 48	99.157
939439	79H9893	E	506020.047	0.9995932	0.9999927	47969	79H9926	TERR	92 46 51	155.352	155.415		
		N	5445295.660										
		El	65.683					CVD28GVRD2018					
965400	79H9894	E	506175.581	0.9995921	0.9999916	698191	6936	TERR	90 21 59	213.451	213.539		
		N	5445210.974					47969	79H9926	TERR	359 43 44	77.150	77.181
		El	72.905					CVD28GVRD2018					
761403	79H9895	E	495341.125	0.9995991	0.9999988	263608	79H9863	TERR	270 5 8	156.953	157.016		
		N	5427743.703					558973	79H9865	TERR	352 54 9	117.720	117.767
		El	27.489					CVD28GVRD2018					
562710	79H9896	E	496097.485	0.9996031	1.0000029	474205	84H0339	TERR	289 16 47	230.000	230.091		
		N	5437777.474										
		El	1.319					CVD28GVRD2018					
455410	79H9897	E	495835.001	0.9996031	1.0000029	81497	79H9898	TERR	110 29 19	209.129	209.212		
		N	5438074.070					525048	84H0337	TERR	178 29 11	88.436	88.471
		El	1.424					CVD28GVRD2018					
81497	79H9898	E	496030.901	0.9996030	1.0000029	822338	84H0336	TERR	182 9 45	109.792	109.835		
		N	5438000.870					455410	79H9897	TERR	290 29 19	209.129	209.212
		El	1.428					CVD28GVRD2018					
714238	79H9899	E	498142.815	0.9996026	1.0000025	MARKER DESTROYED							
		N	5442665.396										
		El	3.187			CVD28GVRD2018							
724187	79H9900	E	507825.923	0.9995935	0.9999927	350512	79H9901	TERR	91 29 42	104.569	104.611		
		N	5440187.873										
		El	65.953					CVD28GVRD2018					



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
350512	79H9901	E	507930.456	0.9995934	0.9999927	154922	79H9902	TERR	0 28 38	253.850	253.953					
		N	5440185.145					724187	79H9900			TERR	271 29 42	104.569	104.611	
		El	66.234					CVD28GVRD2018								
154922	79H9902	E	507932.570	0.9995931	0.9999924	350512	79H9901	TERR	180 28 38	253.850	253.953					
		N	5440438.986													
		El	68.139					CVD28GVRD2018								
430116	79H9903	E	507590.770	0.9995900	0.9999893	374223	79H9934	TERR	0 5 17	202.650	202.734					
		N	5443042.168					44099	6923			TERR	89 37 8	140.094	140.151	
		El	87.595					CVD28GVRD2018	120519			82H5429	TERR	178 25 3	132.928	132.982
									590133			6924	TERR	269 31 37	205.492	205.576
876995	79H9904	E	505833.919	0.9996001	0.9999997	MARKER DESTROYED										
		N	5440819.387													
		El	21.392			CVD28GVRD2018										
861062	79H9905	E	507665.985	0.9995916	0.9999909	206920	87H3497	TERR	53 57 2	185.742	185.818					
		N	5441667.993					719302	79H9906			TERR	232 8 22	139.699	139.756	
		El	77.761					CVD28GVRD2018								
719302	79H9906	E	507555.692	0.9995921	0.9999914	861062	79H9905	TERR	52 8 22	139.699	139.756					
		N	5441582.254					727180	79H9907			TERR	279 2 15	96.269	96.308	
		El	74.442					CVD28GVRD2018								
727180	79H9907	E	507460.618	0.9995922	0.9999915	719302	79H9906	TERR	99 2 15	96.269	96.308					
		N	5441597.376					423780	79H9908			TERR	352 24 10	201.361	201.442	
		El	73.538					CVD28GVRD2018								
423780	79H9908	E	507433.996	0.9995916	0.9999909	121822	79H9909	TERR	92 42 17	178.742	178.816					
		N	5441796.969					727180	79H9907			TERR	172 24 10	201.361	201.442	
		El	77.572					CVD28GVRD2018								
121822	79H9909	E	507612.539	0.9995914	0.9999906	541458	79H9875	TERR	4 33 25	89.086	89.123					
		N	5441788.534					423780	79H9908			TERR	272 42 17	178.742	178.816	
		El	79.058					CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
96834	79H9910	E	505585.802	0.9995922	0.9999918	425587	9297	TERR	92 4 29	190.920	190.998
		N	5444807.001								
		El	71.518	CVD28GVRD2018							
949743	79H9911	E	507832.618	0.9995909	0.9999901	81836	92H0592	TERR	193 54 47	191.225	191.303
		N	5440926.147			172338	79H9912	TERR	352 53 26	165.270	165.337
		El	82.544	CVD28GVRD2018							
172338	79H9912	E	507812.163	0.9995903	0.9999895	949743	79H9911	TERR	172 53 26	165.270	165.337
		N	5441090.146								
		El	86.269	CVD28GVRD2018							
577890	79H9913	E	506118.580	0.9995932	0.9999927	901645	80H1335	TERR	37 59 26	113.522	113.568
		N	5445627.773			225177	79H9928	TERR	182 38 19	86.761	86.796
		El	65.738	CVD28GVRD2018							
387852	79H9914	E	506202.088	0.9995960	0.9999955	203372	78H8579	TERR	42 58 37	217.403	217.491
		N	5441608.680			211102	9319	TERR	132 7 32	85.262	85.296
		El	48.136	CVD28GVRD2018		593293	9312	TERR	226 48 57	137.241	137.296
518555	79H9915	E	507989.032	0.9995899	0.9999891	860387	82H5390	TERR	0 54 10	227.579	227.673
		N	5441035.718								
		El	89.119	CVD28GVRD2018							
591933	79H9916	E	505563.355	0.9995924	0.9999920	561498	84H9492	TERR	0 58 2	274.051	274.163
		N	5443972.083			732685	79H9873	TERR	94 29 33	252.998	253.102
		El	70.512	CVD28GVRD2018		733733	78H8577	TERR	176 1 58	154.976	155.040
						168344	9346	TERR	259 17 15	107.365	107.409
242362	79H9917	E	507614.508	0.9995935	0.9999928	184051	79H9918	TERR	0 11 40	212.397	212.483
		N	5440435.533			843292	82H5383	TERR	73 54 23	158.716	158.781
		El	65.366	CVD28GVRD2018							
184051	79H9918	E	507615.229	0.9995926	0.9999918	292227	79H9919	TERR	95 32 48	166.090	166.158
		N	5440647.929			242362	79H9917	TERR	180 11 40	212.397	212.483
		El	71.429	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
292227	79H9919	E	507780.541	0.9995924	0.9999916	81836	92H0592	TERR	3 12 42	108.828	108.873		
		N	5440631.875					843292	82H5383	TERR	185 4 40	152.945	153.007
		El	72.780					CVD28GVRD2018	184051	79H9918	TERR	275 32 48	166.090
181289	79H9920	E	495098.215	0.9996032	1.0000029	682278	79H9921	TERR	255 8 35	106.332	106.374		
		N	5436822.631					987438	79H9924	TERR	321 32 17	78.633	78.664
		El	.936					CVD28GVRD2018					
682278	79H9921	E	494995.438	0.9996032	1.0000029	181289	79H9920	TERR	75 8 35	106.332	106.374		
		N	5436795.367					674572	79H9922	TERR	270 31 15	282.506	282.617
		El	1.122					CVD28GVRD2018					
674572	79H9922	E	494712.944	0.9996033	1.0000029	682278	79H9921	TERR	90 31 15	282.506	282.617		
		N	5436797.935					470815	84H0446	TERR	272 20 1	196.107	196.185
		El	.938					CVD28GVRD2018	23549	83H6509	TERR	357 49 28	166.564
719096	79H9923	E	494799.625	0.9996033	1.0000029	987438	79H9924	TERR	88 44 51	249.741	249.840		
		N	5436878.743										
		El	.821					CVD28GVRD2018					
987438	79H9924	E	495049.306	0.9996032	1.0000029	449355	79H9925	TERR	22 19 41	80.148	80.180		
		N	5436884.202					181289	79H9920	TERR	141 32 17	78.633	78.664
		El	1.038					CVD28GVRD2018	719096	79H9923	TERR	268 44 51	249.741
449355	79H9925	E	495079.755	0.9996032	1.0000029	987438	79H9924	TERR	202 19 41	80.148	80.180		
		N	5436958.341					735647	83H6508	TERR	265 52 3	110.295	110.338
		El	.888					CVD28GVRD2018					
47969	79H9926	E	506175.216	0.9995922	0.9999917	513259	82H5547	TERR	89 30 31	124.271	124.321		
		N	5445288.123					965400	79H9894	TERR	179 43 44	77.150	77.181
		El	72.199					CVD28GVRD2018	939439	79H9893	TERR	272 46 51	155.352
749515	79H9927	E	505928.850	0.9996016	1.0000012	852020	79H9851	TERR	9 23 11	129.141	129.193		
		N	5442631.083					487009	9354	TERR	166 57 4	94.848	94.886
		El	11.757					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
225177	79H9928	E	506114.586	0.9995930	0.9999926	577890	79H9913	TERR	2 38 19	86.761	86.796		
		N	5445541.104					473496	82H5550	TERR	91 5 16	187.249	187.326
		El	66.637					CVD28GVRD2018	936971	79H9886	TERR	270 21 52	80.510
760157	79H9929	E	507352.899	0.9995897	0.9999890	40899	84H9472	TERR	86 36 39	154.224	154.287		
		N	5441201.946					375675	84H9471	TERR	231 48 54	141.415	141.473
		El	89.651					CVD28GVRD2018					
565390	79H9930	E	495333.893	0.9996031	1.0000029	863951	9306	TERR	192 46 23	170.466	170.534		
		N	5437057.535										
		El	1.293					CVD28GVRD2018					
607598	79H9931	E	495967.668	0.9996030	1.0000028			MARKER DESTROYED					
		N	5437491.081										
		El	1.756					CVD28GVRD2018					
671636	79H9932	E	495960.975	0.9996030	1.0000028	288688	92H0591	TERR	0 55 16	465.499	465.684		
		N	5437012.642					859868	79H9887	TERR	89 25 17	116.550	116.596
		El	1.596					CVD28GVRD2018					
527473	79H9933	E	495960.296	0.9996031	1.0000029			MARKER DESTROYED					
		N	5436788.609										
		El	1.297					CVD28GVRD2018					
374223	79H9934	E	507591.081	0.9995892	0.9999885	993402	78H8552	TERR	1 19 46	263.718	263.826		
		N	5443244.818					430116	79H9903	TERR	180 5 17	202.650	202.734
		El	92.974					CVD28GVRD2018					
496018	80H1252	E	505886.919	0.9996030	1.0000025	820860	88H4275	TERR	62 58 42	463.333	463.517		
		N	5436554.298					895623	80H1253	TERR	241 32 24	592.407	592.642
		El	3.462					CVD28GVRD2018					
895623	80H1253	E	505366.104	0.9996029	1.0000026	496018	80H1252	TERR	61 32 24	592.407	592.642		
		N	5436271.990					773929	83H6496	TERR	246 20 3	660.679	660.942
		El	3.278					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
533059	80H1255	E	504350.341	0.9996028	1.0000025	773929	83H6496	TERR	70 43 44	435.021	435.193
		N	5435863.218			770172	80H1256	TERR	245 47 48	615.014	615.258
		El	3.468			CVD28GVRD2018					
770172	80H1256	E	503789.390	0.9996027	1.0000025	533059	80H1255	TERR	65 47 48	615.014	615.258
		N	5435611.076			762716	80H1257	TERR	253 29 25	687.677	687.949
		El	3.412			CVD28GVRD2018					
762716	80H1257	E	503130.065	0.9996027	1.0000026	105122	88H4200	TERR	0 49 4	420.659	420.827
		N	5435415.654			995365	6910	GPS	30 50 46	3146.132	3147.381
		El	3.356			770172	80H1256	TERR	73 29 25	687.677	687.949
						4903	92H0897	GPS	96 11 39	8074.850	8078.055
						557686	5495	GPS	99 58 57	5921.472	5923.822
						202903	86H1297	GPS	110 30 21	12173.556	12178.485
						942870	86H1263	GPS	117 44 12	9228.912	9232.640
						446658	80H1267	GPS	248 4 4	6402.557	6405.103
						17939	80H1258	TERR	256 51 22	834.120	834.452
						914127	80H1262	GPS	257 28 42	3577.398	3578.821
						703199	6846	GPS	268 5 29	10138.878	10142.906
						991802	88H4194	GPS	279 44 56	6606.885	6609.511
						531079	6902	GPS	302 8 5	3846.262	3847.790
17939	80H1258	E	502317.797	0.9996026	1.0000026	762716	80H1257	TERR	76 51 22	834.120	834.452
		N	5435225.979			756023	80H1259	TERR	255 29 28	852.186	852.525
		El	3.278			CVD28GVRD2018					
756023	80H1259	E	501492.789	0.9996026	1.0000026	17939	80H1258	TERR	75 29 28	852.186	852.525
		N	5435012.479			289603	6906	TERR	359 46 38	295.932	296.050
		El	3.329			CVD28GVRD2018					
39248	80H1260	E	500883.123	0.9996026	1.0000026	752360	80H1261	TERR	257 0 44	635.111	635.364
		N	5434885.821								
		El	3.221			CVD28GVRD2018					
752360	80H1261	E	500264.259	0.9996026	1.0000026	39248	80H1260	TERR	77 0 44	635.111	635.364
		N	5434743.084			914127	80H1262	TERR	260 39 39	634.918	635.170
		El	3.388			CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
914127	80H1262	E	499637.757	0.9996026	1.0000026	531079	6902	GPS	4 46 2	2831.270	2832.395
		N	5434640.051			762716	80H1257	GPS	77 28 42	3577.398	3578.821
		El	2.842	CVD28GVRD2018		752360	80H1261	TERR	80 39 39	634.918	635.170
						446658	80H1267	GPS	236 33 40	2932.238	2933.403
						137653	80H1263	TERR	251 38 23	825.416	825.743
						703199	6846	GPS	273 46 22	6655.367	6658.010
				991802	88H4194	GPS	302 6 20	3564.256	3565.672		
137653	80H1263	E	498854.359	0.9996026	1.0000026	914127	80H1262	TERR	71 38 23	825.416	825.743
		N	5434380.054			247270	80H1264	TERR	243 37 55	693.471	693.747
		El	3.194	CVD28GVRD2018							
247270	80H1264	E	498233.036	0.9996026	1.0000026	137653	80H1263	TERR	63 37 55	693.471	693.747
		N	5434072.060			79962	80H1265	TERR	230 31 19	554.471	554.691
		El	3.348	CVD28GVRD2018		428581	6896	TERR	359 48 35	968.926	969.312
79962	80H1265	E	497805.058	0.9996026	1.0000026	247270	80H1264	TERR	50 31 19	554.471	554.691
		N	5433719.537			477364	80H1266	TERR	227 21 2	555.961	556.182
		El	3.416	CVD28GVRD2018							
477364	80H1266	E	497396.141	0.9996027	1.0000026	79962	80H1265	TERR	47 21 2	555.961	556.182
		N	5433342.868			446658	80H1267	TERR	212 47 27	379.010	379.161
		El	3.226	CVD28GVRD2018							
446658	80H1267	E	497190.879	0.9996027	1.0000026	531079	6902	GPS	31 9 5	5184.926	5186.986
		N	5433024.252			477364	80H1266	TERR	32 47 27	379.010	379.161
		El	3.275	CVD28GVRD2018		914127	80H1262	GPS	56 33 40	2932.238	2933.403
						762716	80H1257	GPS	68 4 4	6402.557	6405.103
						430900	87H3190	GPS	182 49 28	5045.660	5047.665
						630830	87H3184	GPS	206 36 44	5663.974	5666.246
						782433	87H3160	GPS	226 9 1	5135.614	5137.675
						235929	80H1268	TERR	266 0 43	579.357	579.587
						703199	6846	GPS	296 5 23	4669.895	4671.749
						991802	88H4194	GPS	350 44 24	3556.486	3557.899
235929	80H1268	E	496612.925	0.9996027	1.0000026	446658	80H1267	TERR	86 0 43	579.357	579.587
		N	5432983.959			448001	80H1269	TERR	198 41 53	1022.297	1022.703
		El	3.131	CVD28GVRD2018		56663	92H0578	TERR	359 51 49	444.148	444.325
448001	80H1269	E	496285.197	0.9996027	1.0000026	235929	80H1268	TERR	18 41 53	1022.297	1022.703
		N	5432015.617			248427	80H1270	TERR	191 10 50	689.920	690.195
		El	3.394	CVD28GVRD2018		150003	88H4189	TERR	270 4 28	1304.445	1304.963

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
248427	80H1270	E	496151.419	0.9996028	1.0000026	448001	80H1269	TERR	11 10 50	689.920	690.195
		N	5431338.791								
		El	3.278	CVD28GVRD2018							
417030	80H1271	E	491071.141	0.9996035	1.0000026		MARKER DESTROYED				
		N	5433122.055								
		El	3.290	CVD28GVRD2018							
115840	80H1272	E	490459.368	0.9996037	1.0000026	785998	88H4178	TERR	0 33 15	618.074	618.320
		N	5433458.085			25247	80H1273	TERR	298 24 10	438.199	438.372
		El	3.243	CVD28GVRD2018							
25247	80H1273	E	490073.917	0.9996038	1.0000026	115840	80H1272	TERR	118 24 10	438.199	438.372
		N	5433666.521			985655	83H6495	TERR	306 27 56	394.496	394.653
		El	3.263	CVD28GVRD2018							
832469	80H1274	E	489421.082	0.9996040	1.0000026	985655	83H6495	TERR	121 33 38	393.827	393.983
		N	5434107.113			989624	80H1275	TERR	298 49 23	762.371	762.673
		El	3.200	CVD28GVRD2018							
989624	80H1275	E	488753.160	0.9996041	1.0000026	855890	6855	GPS	1 32 51	2288.838	2289.744
		N	5434474.658			394437	77H4671	GPS	12 59 6	5629.690	5631.920
		El	3.057	CVD28GVRD2018		234419	6901	GPS	37 11 20	2620.115	2621.154
						737197	84H0431	GPS	53 49 33	7036.609	7039.400
						703199	6846	GPS	81 54 31	4286.322	4288.021
						832469	80H1274	TERR	118 49 23	762.371	762.673
						782433	87H3160	GPS	136 36 41	6891.600	6894.359
						647321	77C010	GPS	152 24 25	5884.346	5886.677
						394825	81	GPS	186 19 8	4955.113	4957.074
						554618	88H4273	TERR	333 42 57	527.082	527.290
						406991	77C032	GPS	335 11 35	3965.183	3966.753
537381	80H1277	E	488646.460	0.9996042	1.0000026		MARKER DESTROYED				
		N	5435022.055								
		El	3.189	CVD28GVRD2018							
212407	80H1278	E	489365.052	0.9996040	1.0000026	431460	80H1279	TERR	79 11 58	453.305	453.485
		N	5435185.245			411124	6857	TERR	343 1 56	920.379	920.743
		El	3.188	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
431460	80H1279	E	489810.327	0.9996041	1.0000028	402412	88H4215	TERR	65 21 2	355.176	355.317					
		N	5435270.191					212407				80H1278	TERR	259 11 58	453.305	453.485
		El	1.536					CVD28GVRD2018								
511071	80H1284	E	505943.105	0.9996003	0.9999999	799270	9352	TERR	61 11 11	111.100	111.144					
		N	5442297.333					898106				79H9876	TERR	195 1 0	143.488	143.545
		El	19.927										CVD28GVRD2018			
236174	80H1285	E	496114.612	0.9996030	1.0000028	744615	80H1345	TERR	67 45 39	256.176	256.277					
		N	5439949.088					682492				92H0571	TERR	94 44 21	524.445	524.653
		El	1.436										CVD28GVRD2018			
458471	80H1286	E	504906.045	0.9995993	0.9999990	MARKER DESTROYED										
		N	5445471.718													
		El	25.928			CVD28GVRD2018										
626564	80H1287	E	497146.417	0.9996030	1.0000029	977868	92H0568	TERR	97 32 47	129.879	129.931					
		N	5428401.235					183806				87H3189	TERR	174 51 25	419.310	419.477
		El	1.317										CVD28GVRD2018			
61739	80H1288	E	503887.165	0.9996026	1.0000024	MARKER DESTROYED										
		N	5444536.744													
		El	4.062			CVD28GVRD2018										
252312	80H1289	E	494008.962	0.9996032	1.0000028	MARKER DESTROYED										
		N	5437481.469													
		El	1.977			CVD28GVRD2018										
27631	80H1290	E	493848.239	0.9996033	1.0000028	995605	6809	TERR	38 43 20	91.941	91.977					
		N	5437667.953					434969				83H6502	TERR	316 1 38	107.612	107.655
		El	1.739										CVD28GVRD2018			
966663	80H1291	E	493519.213	0.9996035	1.0000030	681700	9320	TERR	179 15 40	165.719	165.784					
		N	5436763.775					156117				84H0411	TERR	266 5 12	161.652	161.716
		El	.804										CVD28GVRD2018			



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
892109	80H1292	E	494106.518	0.9996030	1.0000026		MARKER ISOLATED				
		N	5438256.894								
		El	3.045	CVD28GVRD2018							
43802	80H1295	E	495229.808	0.9996032	1.0000029	173062	92H0589	TERR	0 8 13	204.848	204.929
		N	5437622.092			943449	84H0363	TERR	90 26 57	121.451	121.498
		El	1.238	CVD28GVRD2018		121343	6819	TERR	178 4 42	133.813	133.866
460840	80H1297	E	495372.153	0.9996029	1.0000026	943175	88H4176	TERR	138 28 27	827.368	827.697
		N	5440032.093			144501	84H0373	TERR	226 57 20	120.563	120.610
		El	3.045	CVD28GVRD2018							
106641	80H1298	E	495749.212	0.9996028	1.0000026	865956	80H1299	TERR	26 2 56	850.559	850.897
		N	5440637.040								
		El	3.088	CVD28GVRD2018							
865956	80H1299	E	496122.724	0.9996027	1.0000025	839639	80H1300	TERR	37 11 59	455.973	456.154
		N	5441401.199			106641	80H1298	TERR	206 2 56	850.559	850.897
		El	3.249	CVD28GVRD2018							
839639	80H1300	E	496398.403	0.9996027	1.0000025	274696	78H8518	GPS	2 27 51	4772.102	4773.999
		N	5441764.397			49908	02H2413	GPS	6 1 33	2009.874	2010.673
		El	3.324	CVD28GVRD2018		243790	86H2446	TERR	48 26 37	506.749	506.950
						675850	84H0394	GPS	63 47 7	3300.005	3301.318
						252569	92H0596	GPS	96 38 7	9064.871	9068.481
						607093	5893	GPS	109 30 47	12311.882	12316.773
						995365	6910	GPS	113 36 39	9107.184	9110.801
						531079	6902	GPS	141 4 42	5530.631	5532.828
						528505	92H0579	GPS	175 23 22	2882.263	2883.407
						991802	88H4194	GPS	177 35 21	5234.639	5236.718
						549881	80H1344	TERR	180 37 9	695.176	695.452
						703199	6846	GPS	206 57 50	7501.950	7504.928
						546150	84H0346	GPS	207 23 39	5546.180	5548.382
						737197	84H0431	GPS	212 4 8	3701.201	3702.671
						865956	80H1299	TERR	217 11 59	455.973	456.154
						80101	02H2443	GPS	253 58 58	3458.285	3459.659
						51441	02H2453	GPS	274 4 15	3026.204	3027.406
						619213	94H1624	GPS	320 57 36	4876.804	4878.742
						832238	02H2457	GPS	334 26 29	3324.153	3325.473

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
859470	80H1301	E	497445.342	0.9996030	1.0000029	167072	6803	TERR	0 28 5	573.798	574.026						
		N	5439897.208									92H0571	TERR	270 36 23	808.123	808.445	
		El	1.089														CVD28GVRD2018
855452	80H1302	E	497498.692	0.9996026	1.0000025	468819	6804	TERR	180 15 51	793.220	793.536						
		N	5442513.393									86H2446	TERR	240 12 28	830.906	831.237	
		El	3.544														CVD28GVRD2018
424499	80H1308	E	504755.447	0.9996031	1.0000028	535740	6911	TERR	0 14 42	606.306	606.547						
		N	5436864.136									6913	TERR	179 42 18	660.400	660.662	
		El	1.655														CVD28GVRD2018
997031	80H1309	E	503133.387	0.9996030	1.0000029	105122	88H4200	TERR	179 46 36	687.670	687.943						
		N	5436523.935									88H4201	TERR	359 53 13	522.783	522.990	
		El	.949														CVD28GVRD2018
308171	80H1310	E	499874.488	0.9996028	1.0000028												
		N	5436602.308									MARKER DESTROYED					
		El	1.747									CVD28GVRD2018					
246082	80H1312	E	498859.391	0.9996029	1.0000029	441519	88H4198	TERR	90 22 8	407.272	407.434						
		N	5436613.144									73643	88H4197	TERR	270 10 40	620.883	621.130
		El	1.401														
736926	80H1314	E	499915.995	0.9996025	1.0000025	556043	80H1315	TERR	51 28 5	395.443	395.600						
		N	5443780.910									552760	84H0391	TERR	229 28 42	128.497	128.549
		El	3.529														
556043	80H1315	E	500225.335	0.9996025	1.0000025	112987	80H1316	TERR	63 57 1	339.782	339.917						
		N	5444027.251									736926	80H1314	TERR	231 28 5	395.443	395.600
		El	3.546														
112987	80H1316	E	500530.600	0.9996025	1.0000025	944306	80H1317	TERR	69 46 10	395.972	396.129						
		N	5444176.466									556043	80H1315	TERR	243 57 1	339.782	339.917
		El	3.592														

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
944306	80H1317	E	500902.144	0.9996025	1.0000025	477596	80H1318	TERR	70 49 53	475.436	475.625				
		N	5444313.392					112987	80H1316			TERR	249 46 10	395.972	396.129
		El	3.670					CVD28GVRD2018							
477596	80H1318	E	501351.220	0.9996025	1.0000025	13037	80H1319	TERR	73 42 48	453.366	453.546				
		N	5444469.502					944306	80H1317			TERR	250 49 53	475.436	475.625
		El	3.687					CVD28GVRD2018							
13037	80H1319	E	501786.392	0.9996025	1.0000025	910687	92H0557	TERR	16 20 48	861.880	862.222				
		N	5444596.646					195156	80H1320			TERR	80 25 33	408.420	408.582
		El	3.697					CVD28GVRD2018							
195156	80H1320	E	502189.123	0.9996026	1.0000026	838037	02H2423	GPS	7 34 45	2470.003	2470.985				
		N	5444664.577					177238	88H4212			GPS	38 5 34	2426.112	2427.076
		El	3.019					CVD28GVRD2018							
								841734	6966			GPS	77 57 5	4548.977	4550.817
								732727	87H3188			TERR	93 58 52	214.904	214.989
								815746	84H9508			GPS	106 7 37	3202.904	3204.184
								675850	84H0394			GPS	242 59 35	3176.528	3177.791
								13037	80H1319			TERR	260 25 33	408.420	408.582
								829762	02H2412			GPS	269 27 32	3139.050	3140.298
								274696	78H8518			GPS	288 29 14	5889.465	5891.806
		47092	02H2454	GPS	324 41 58	5404.864	5407.013								
780379	80H1321	E	502788.866	0.9996025	1.0000024			MARKER DESTROYED							
		N	5444532.010												
		El	3.786					CVD28GVRD2018							
929323	80H1322	E	503037.823	0.9996025	1.0000024	252932	80H1325	TERR	103 21 12	398.000	398.158				
		N	5444500.277												
		El	3.966					CVD28GVRD2018							
252932	80H1325	E	503425.063	0.9996025	1.0000024	583807	80H1326	TERR	78 36 28	179.036	179.108				
		N	5444408.357					929323	80H1322			TERR	283 21 12	398.000	398.158
		El	4.062					CVD28GVRD2018							
583807	80H1326	E	503600.572	0.9996026	1.0000024	252932	80H1325	TERR	258 36 28	179.036	179.108				
		N	5444443.721												
		El	3.805					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
559419	80H1327	E	499729.233	0.9996025	1.0000025		MARKER DESTROYED				
		N	5443591.272								
		E1	3.301	CVD28GVRD2018							
781567	80H1328	E	504274.259	0.9996023	1.0000021		MARKER DESTROYED				
		N	5444847.240								
		E1	5.745	CVD28GVRD2018							
304998	80H1329	E	504650.861	0.9996006	1.0000004		MARKER DESTROYED				
		N	5445287.599								
		E1	16.876	CVD28GVRD2018							
756890	80H1330	E	504737.248	0.9996007	1.0000004		MARKER ISOLATED				
		N	5445321.459								
		E1	16.657	CVD28GVRD2018							
250423	80H1331	E	505231.773	0.9995986	0.9999983		MARKER ISOLATED				
		N	5445799.115								
		E1	30.223	CVD28GVRD2018							
539650	80H1332	E	505486.112	0.9995975	0.9999971		MARKER DESTROYED				
		N	5445872.568								
		E1	37.767	CVD28GVRD2018							
826677	80H1333	E	505934.713	0.9995966	0.9999962	937177	80H1334	TERR	52 56 16	122.836	122.887
		N	5445920.815								
		E1	43.428	CVD28GVRD2018							
937177	80H1334	E	506032.734	0.9995952	0.9999947	370767	82H5510	TERR	29 53 21	96.735	96.774
		N	5445994.846			984492	79H9847	TERR	128 21 39	201.499	201.581
		E1	52.848	CVD28GVRD2018		826677	80H1333	TERR	232 56 16	122.836	122.887
901645	80H1335	E	506188.456	0.9995925	0.9999920	577890	79H9913	TERR	217 59 26	113.522	113.568
		N	5445717.241								
		E1	70.369	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
600775	80H1336	E	506783.222	0.9995880	0.9999875	554402	92H0572	TERR	0 11 33	198.659	198.741					
		N	5444600.114					883462				79H9880	TERR	88 10 7	99.033	99.073
		El	99.227					CVD28GVRD2018								
504571	80H1337	E	506782.945	0.9995886	0.9999881	MARKER DESTROYED										
		N	5444381.206													
		El	95.341			CVD28GVRD2018										
907782	80H1338	E	505582.582	0.9995970	0.9999967	916619	79H9857	TERR	85 21 50	96.267	96.306					
		N	5443512.458					677567				87H2621	TERR	150 44 15	211.321	211.406
		El	40.643					CVD28GVRD2018				453779	78H8582	TERR	336 32 25	58.814
36517	80H1339	E	506981.476	0.9995912	0.9999906	406025	6927	TERR	0 36 6	190.721	190.799					
		N	5443373.216					746990				6925	TERR	180 38 4	337.002	337.139
		El	79.520					CVD28GVRD2018				585976	82H5448	TERR	268 28 35	399.336
377028	80H1340	E	507054.456	0.9995892	0.9999886	181982	80H1341	TERR	175 0 22	135.886	135.942					
		N	5441079.688					278101				9341	TERR	343 47 4	203.412	203.496
		El	92.282					CVD28GVRD2018								
181982	80H1341	E	507066.285	0.9995900	0.9999894	377028	80H1340	TERR	355 0 22	135.886	135.942					
		N	5440944.318													
		El	87.316					CVD28GVRD2018								
585950	80H1342	E	506702.229	0.9995928	0.9999922	230300	80H1343	TERR	1 19 5	214.957	215.044					
		N	5446773.955					429092				6948	TERR	94 14 48	91.732	91.769
		El	68.676					CVD28GVRD2018				183418	82H5616	TERR	307 22 22	100.185
230300	80H1343	E	506707.173	0.9995935	0.9999929	585950	80H1342	TERR	181 19 5	214.957	215.044					
		N	5446988.855					294066				78H8572	TERR	270 15 24	71.669	71.698
		El	64.210					CVD28GVRD2018								
549881	80H1344	E	496390.892	0.9996030	1.0000029	839639	80H1300	TERR	0 37 9	695.176	695.452					
		N	5441069.262					857276				6806	TERR	96 51 39	256.240	256.341
		El	1.292					CVD28GVRD2018				744615	80H1345	TERR	182 11 30	1023.967

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
744615	80H1345	E	496351.731	0.9996029	1.0000027	549881	80H1344	TERR	2 11 30	1023.967	1024.374				
		N	5440046.044					943175	88H4176			TERR	214 14 21	766.140	766.445
		El	2.296					CVD28GVRD2018	236174			80H1285	TERR	247 45 39	256.176
949073	80H1346	E	488447.368	0.9996045	1.0000029	941930	6852	TERR	121 45 41	854.387	854.725				
		N	5437727.868					974378	88H4213			TERR	284 27 16	580.110	580.339
		El	1.372					CVD28GVRD2018							
882969	80H1347	E	507891.506	0.9995923	0.9999915	161182	78H8591	TERR	219 50 50	116.303	116.349				
		N	5441637.746					206920	87H3497			TERR	331 38 5	158.595	158.659
		El	73.615					CVD28GVRD2018							
345975	80H1348	E	506379.538	0.9995906	0.9999901										
		N	5445483.786												
		El	82.448	CVD28GVRD2018											
49585	80H1349	E	493792.148	0.9995936	0.9999931	137448	6975	TERR	89 27 2	483.237	483.433				
		N	5427948.680					251918	6868			TERR	271 37 35	328.342	328.476
		El	63.876					CVD28GVRD2018							
849349	82H5376	E	507803.589	0.9995942	0.9999935	425348	82H5377	TERR	271 59 50	207.395	207.479				
		N	5439930.776												
		El	61.084					CVD28GVRD2018							
425348	82H5377	E	507596.320	0.9995950	0.9999943	849349	82H5376	TERR	91 59 50	207.395	207.479				
		N	5439938.004					136739	82H5378			TERR	316 19 43	89.136	89.171
		El	55.744					CVD28GVRD2018							
136739	82H5378	E	507534.770	0.9995950	0.9999943	425348	82H5377	TERR	136 19 43	89.136	89.171				
		N	5440002.477												
		El	56.122					CVD28GVRD2018							
976886	82H5379	E	507529.281	0.9995944	0.9999937	599100	82H5381	TERR	90 9 35	197.979	198.059				
		N	5440185.787												
		El	59.534					CVD28GVRD2018							

MARKER DESTROYED

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
599100	82H5381	E	507727.259	0.9995937	0.9999930	17145	82H5382	TERR	28 5 53	159.395	159.459		
		N	5440185.235					297903	82H5467	TERR	181 7 34	124.372	124.423
		El	64.168					CVD28GVRD2018	976886	82H5379	TERR	270 9 35	197.979
17145	82H5382	E	507802.331	0.9995934	0.9999927	599100	82H5381	TERR	208 5 53	159.395	159.459		
		N	5440325.844					843292	82H5383	TERR	347 3 17	157.694	157.758
		El	66.285					CVD28GVRD2018					
843292	82H5383	E	507767.004	0.9995932	0.9999925	292227	79H9919	TERR	5 4 40	152.945	153.007		
		N	5440479.530					17145	82H5382	TERR	167 3 17	157.694	157.758
		El	67.444					CVD28GVRD2018	242362	79H9917	TERR	253 54 23	158.716
212654	82H5384	E	507787.508	0.9995917	0.9999910	MARKER DESTROYED							
		N	5440742.336										
		El	77.086			CVD28GVRD2018							
385088	82H5385	E	507589.609	0.9995919	0.9999912	150680	82H5386	TERR	0 10 37	259.570	259.676		
		N	5440727.527					81836	92H0592	TERR	86 13 25	197.458	197.538
		El	75.715					CVD28GVRD2018	169375	82H5393	TERR	275 13 19	198.263
150680	82H5386	E	507590.410	0.9995909	0.9999902	385088	82H5385	TERR	180 10 37	259.570	259.676		
		N	5440987.096					301721	84H9467	TERR	267 29 28	92.859	92.897
		El	82.117					CVD28GVRD2018	32516	82H5387	TERR	359 20 6	221.999
32516	82H5387	E	507587.833	0.9995905	0.9999898	150680	82H5386	TERR	179 20 6	221.999	222.090		
		N	5441209.080										
		El	84.751					CVD28GVRD2018					
734731	82H5388	E	507657.531	0.9995903	0.9999896	MARKER DESTROYED							
		N	5441267.479										
		El	85.598			CVD28GVRD2018							
488692	82H5389	E	507837.050	0.9995901	0.9999894	860387	82H5390	TERR	91 39 58	155.634	155.698		
		N	5441267.794					363069	82H5391	TERR	356 50 7	144.802	144.861
		El	87.102					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
860387	82H5390	E	507992.618	0.9995894	0.9999886	518555	79H9915	TERR	180 54 10	227.579	227.673						
		N	5441263.269									488692	82H5389	TERR	271 39 58	155.634	155.698
		El	92.088									CVD28GVRD2018					
363069	82H5391	E	507829.056	0.9995903	0.9999895	488692	82H5389	TERR	176 50 7	144.802	144.861						
		N	5441412.375									161182	78H8591	TERR	354 55 52	136.613	136.670
		El	86.328									CVD28GVRD2018					
810853	82H5392	E	499245.428	0.9996027	1.0000027	423475	82H5433	TERR	207 47 37	187.390	187.464						
		N	5443044.791														
		El	2.236									CVD28GVRD2018					
169375	82H5393	E	507392.169	0.9995913	0.9999906	385088	82H5385	TERR	95 13 19	198.263	198.343						
		N	5440745.572									151597	82H5394	TERR	271 45 53	196.677	196.758
		El	79.162									CVD28GVRD2018					
151597	82H5394	E	507195.585	0.9995916	0.9999909	169375	82H5393	TERR	91 45 53	196.677	196.758						
		N	5440751.629									329508	84H9469	TERR	357 58 38	232.045	232.139
		El	77.396									CVD28GVRD2018					
692715	82H5395	E	506915.656	0.9995911	0.9999905	386284	82H5396	TERR	318 29 25	106.377	106.420						
		N	5440963.848														
		El	80.236									CVD28GVRD2018					
386284	82H5396	E	506845.155	0.9995914	0.9999908	692715	82H5395	TERR	138 29 25	106.377	106.420						
		N	5441043.508									304527	82H5397	TERR	348 21 21	254.913	255.018
		El	78.296									CVD28GVRD2018					
304527	82H5397	E	506793.705	0.9995912	0.9999906	278101	9341	TERR	95 5 25	204.756	204.839						
		N	5441293.175									386284	82H5396	TERR	168 21 21	254.913	255.018
		El	79.364									CVD28GVRD2018					
509489	82H5398	E	506191.745	0.9995948	0.9999943	491159	82H5625	TERR	348 26 8	169.309	169.377						
		N	5446269.910														
		El	55.412									CVD28GVRD2018					



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
947432	82H5399	E	506463.341	0.9995962	0.9999957	959890	78H8564	TERR	151 21 23	129.853	129.904			
		N	5440956.836					307629	84H9459	TERR	238 19 6	113.473	113.519	
		El	47.058					CVD28GVRD2018	114728	82H5400	TERR	334 45 54	123.695	123.745
114728	82H5400	E	506410.606	0.9995961	0.9999956	947432	82H5399	TERR	154 45 54	123.695	123.745			
		N	5441068.726											
		El	47.319					CVD28GVRD2018						
664540	82H5401	E	506606.358	0.9995940	0.9999934	205203	78H8550	TERR	4 15 20	138.213	138.270			
		N	5441309.337					523746	9334	TERR	182 20 52	132.988	133.042	
		El	61.298					CVD28GVRD2018						
761924	82H5402	E	506658.089	0.9995934	0.9999928	496281	78H8562	TERR	14 18 6	231.742	231.836			
		N	5441596.003					225896	82H5403	TERR	109 50 26	184.423	184.499	
		El	65.050					CVD28GVRD2018						
225896	82H5403	E	506831.565	0.9995931	0.9999926	80929	82H5405	TERR	59 38 15	89.240	89.276			
		N	5441533.409					761924	82H5402	TERR	289 50 26	184.423	184.499	
		El	66.798					CVD28GVRD2018						
515189	82H5404	E	506818.916	0.9995935	0.9999929	308429	90H6222	GPS	3 32 41	2804.620	2805.769			
		N	5441624.860					420521	92H0871	GPS	20 15 43	3428.179	3429.582	
		El	64.766					CVD28GVRD2018	298497	79H9835	TERR	28 7 8	159.496	159.561
									182428	92H0872	GPS	35 36 46	2025.962	2026.791
		80929	82H5405					TERR	117 20 10	100.919	100.960			
		102970	92H0875					GPS	126 28 17	1490.066	1490.674			
		55384	6202					GPS	186 11 26	4055.783	4057.414			
80929	82H5405	E	506908.565	0.9995933	0.9999927	225896	82H5403	TERR	239 38 15	89.240	89.276			
		N	5441578.517					515189	82H5404	TERR	297 20 10	100.919	100.960	
		El	65.902					CVD28GVRD2018						
668707	82H5406	E	506474.839	0.9995940	0.9999935	779769	82H5407	TERR	36 10 30	126.241	126.292			
		N	5441863.778											
		El	60.779					CVD28GVRD2018						
779769	82H5407	E	506549.353	0.9995946	0.9999941	668707	82H5406	TERR	216 10 30	126.241	126.292			
		N	5441965.682											
		El	57.066					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
446682	82H5408	E	506682.589	0.9995939	0.9999933	331603	82H5436	TERR	1 56 48	196.743	196.823		
		N	5442338.687					TERR	89 12 6			292.633	292.752
		El	61.979					CVD28GVRD2018					
303396	82H5409	E	507328.925	0.9995921	0.9999914	115501	6971	TERR	91 57 35	132.355	132.410		
		N	5442362.430					TERR	180 8 31			152.172	152.233
		El	74.166					CVD28GVRD2018					
669762	82H5410	E	507328.548	0.9995916	0.9999909	303396	82H5409	TERR	0 8 31	152.172	152.233		
		N	5442210.259					TERR	136 24 16			152.901	152.964
		El	77.372					CVD28GVRD2018					
877084	82H5411	E	507288.348	0.9995917	0.9999910	579888	82H5412	TERR	139 1 34	141.095	141.153		
		N	5442146.674										
		El	76.807					CVD28GVRD2018					
579888	82H5412	E	507380.866	0.9995911	0.9999904	814624	82H5414	TERR	41 48 52	79.669	79.702		
		N	5442040.146					TERR	319 1 34			141.095	141.153
		El	80.624					CVD28GVRD2018					
639864	82H5413	E	505765.410	0.9995991	0.9999987	852020	79H9851	TERR	156 27 11	461.833	462.018		
		N	5443181.873					TERR	331 27 33			166.460	166.527
		El	27.538					CVD28GVRD2018					
814624	82H5414	E	507433.983	0.9995908	0.9999901	579888	82H5412	TERR	221 48 52	79.669	79.702		
		N	5442099.524					TERR	316 24 16			152.901	152.964
		El	82.390					CVD28GVRD2018					
562405	82H5415	E	507588.647	0.9995908	0.9999900	600858	82H5416	TERR	61 19 53	88.962	88.999		
		N	5441981.201										
		El	82.870					CVD28GVRD2018					
600858	82H5416	E	507666.703	0.9995911	0.9999904	219683	82H5417	TERR	0 25 12	244.543	244.642		
		N	5442023.880					TERR	241 19 53			88.962	88.999
		El	80.506					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
219683	82H5417	E	507668.496	0.9995916	0.9999909	600858	82H5416	TERR	180 25 12	244.543	244.642					
		N	5442268.416					794677				82H5418	TERR	268 59 6	79.710	79.743
		El	77.375					CVD28GVRD2018								
794677	82H5418	E	507588.799	0.9995915	0.9999908	219683	82H5417	TERR	88 59 6	79.710	79.743					
		N	5442267.004													
		El	78.070					CVD28GVRD2018								
254318	82H5419	E	507764.282	0.9995917	0.9999910	870584	82H5420	TERR	181 53 21	328.038	328.172					
		N	5442281.193					819516				79H9837	TERR	351 59 9	89.937	89.974
		El	76.925					CVD28GVRD2018								
870584	82H5420	E	507753.468	0.9995916	0.9999909	254318	82H5419	TERR	1 53 21	328.038	328.172					
		N	5441953.333					353490				82H5421	TERR	92 45 60	233.341	233.436
		El	77.397					CVD28GVRD2018								
353490	82H5421	E	507986.537	0.9995923	0.9999916	870584	82H5420	TERR	272 45 60	233.341	233.436					
		N	5441942.070													
		El	73.211					CVD28GVRD2018								
386177	82H5422	E	507587.186	0.9995917	0.9999910	934851	82H5423	TERR	90 2 36	217.529	217.619					
		N	5442456.738					749184				82H5426	TERR	359 48 50	166.019	166.086
		El	76.742					CVD28GVRD2018								
934851	82H5423	E	507804.715	0.9995914	0.9999907	386177	82H5422	TERR	270 2 36	217.529	217.619					
		N	5442456.573					276543				82H5424	TERR	359 53 37	162.042	162.109
		El	78.911					CVD28GVRD2018								
276543	82H5424	E	507804.414	0.9995909	0.9999902	934851	82H5423	TERR	179 53 37	162.042	162.109					
		N	5442618.615					521435				82H5425	TERR	273 40 5	98.222	98.263
		El	82.080					CVD28GVRD2018								
521435	82H5425	E	507706.393	0.9995910	0.9999902	276543	82H5424	TERR	93 40 5	98.222	98.263					
		N	5442624.899					749184				82H5426	TERR	268 58 29	119.765	119.814
		El	81.649					CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
749184	82H5426	E	507586.647	0.9995916	0.9999909	521435	82H5425	TERR	88 58 29	119.765	119.814				
		N	5442622.756					386177	82H5422			TERR	179 48 50	166.019	166.086
		El	77.626					CVD28GVRD2018	663385			82H5445	TERR	268 25 60	391.901
192179	82H5427	E	507539.700	0.9995915	0.9999908	120519	82H5429	TERR	18 43 1	170.591	170.661				
		N	5442747.722					820399	9350			TERR	269 47 7	358.398	358.544
		El	78.191					CVD28GVRD2018							
177774	82H5428	E	499032.116	0.9996027	1.0000027	423475	82H5433	TERR	78 45 49	128.395	128.446				
		N	5442854.001					64196	82H5461			TERR	182 45 45	320.816	320.943
		El	2.387					CVD28GVRD2018	134981			84H0393	TERR	354 42 4	171.356
120519	82H5429	E	507594.441	0.9995905	0.9999898	192179	82H5427	TERR	198 43 1	170.591	170.661				
		N	5442909.291					245324	82H5430			TERR	274 4 4	215.087	215.175
		El	84.263					CVD28GVRD2018	430116			79H9903	TERR	358 25 3	132.928
245324	82H5430	E	507379.896	0.9995915	0.9999908	590133	6924	TERR	2 39 42	116.047	116.095				
		N	5442924.549					120519	82H5429			TERR	94 4 4	215.087	215.175
		El	77.760					CVD28GVRD2018							
3061	82H5431	E	507753.644	0.9995905	0.9999897	MARKER ISOLATED									
		N	5442794.609												
		El	84.821			CVD28GVRD2018									
643510	82H5432	E	507887.714	0.9995905	0.9999897	MARKER DESTROYED									
		N	5442787.109												
		El	84.963			CVD28GVRD2018									
423475	82H5433	E	499158.050	0.9996027	1.0000027	810853	82H5392	TERR	27 47 37	187.390	187.464				
		N	5442879.020					177774	82H5428			TERR	258 45 49	128.395	128.446
		El	2.405					CVD28GVRD2018							
811851	82H5434	E	499631.360	0.9996027	1.0000027	MARKER ISOLATED									
		N	5442923.721												
		El	2.260			CVD28GVRD2018									

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
331603	82H5436	E	506689.272	0.9995938	0.9999933	446682	82H5408	TERR	181 56 48	196.743	196.823					
		N	5442535.316					789206				82H5437	TERR	353 15 2	119.459	119.507
		El	62.199					CVD28GVRD2018								
789206	82H5437	E	506675.232	0.9995938	0.9999933	331603	82H5436	TERR	173 15 2	119.459	119.507					
		N	5442653.947					497545				82H5438	TERR	344 26 19	125.336	125.387
		El	62.312										CVD28GVRD2018			
497545	82H5438	E	506641.608	0.9995940	0.9999934	56705	82H5442	TERR	2 23 1	175.744	175.815					
		N	5442774.689					887349				82H5439	TERR	90 43 21	99.206	99.247
		El	61.308										CVD28GVRD2018			
887349	82H5439	E	506740.806	0.9995937	0.9999931	439596	82H5440	TERR	0 40 59	95.059	95.097					
		N	5442773.438					497545				82H5438	TERR	270 43 21	99.206	99.247
		El	63.325										CVD28GVRD2018			
439596	82H5440	E	506741.939	0.9995936	0.9999931	887349	82H5439	TERR	180 40 59	95.059	95.097					
		N	5442868.490													
		El	63.644					CVD28GVRD2018								
744680	82H5441	E	506971.772	0.9995930	0.9999924	MARKER DESTROYED										
		N	5442858.015													
		El	67.657			CVD28GVRD2018										
56705	82H5442	E	506648.917	0.9995937	0.9999932	497545	82H5438	TERR	182 23 1	175.744	175.815					
		N	5442950.281													
		El	62.792					CVD28GVRD2018								
437947	82H5443	E	506727.909	0.9995934	0.9999928	234930	82H5444	TERR	81 16 13	109.814	109.859					
		N	5443030.787													
		El	65.259					CVD28GVRD2018								
234930	82H5444	E	506836.451	0.9995931	0.9999926	746990	6925	TERR	94 32 24	141.739	141.797					
		N	5443047.454					437947				82H5443	TERR	261 16 13	109.814	109.859
		El	66.754										CVD28GVRD2018			

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
663385	82H5445	E	507194.893	0.9995927	0.9999921	749184	82H5426	TERR	88 25 60	391.901	392.060					
		N	5442612.041					302257	9298			TERR	181 48 37	266.449	266.558	
		El	69.721					CVD28GVRD2018	820399			9350	TERR	354 13 27	135.023	135.079
449660	82H5446	E	499297.308	0.9996027	1.0000027											
		N	5442642.580									MARKER DESTROYED				
		El	2.498									CVD28GVRD2018				
74914	82H5447	E	506827.653	0.9995925	0.9999919	234930	82H5444	TERR	177 46 42	226.940	227.032					
		N	5443274.223													
		El	71.095					CVD28GVRD2018								
585976	82H5448	E	506582.281	0.9995924	0.9999919	398735	82H5449	TERR	25 10 38	278.470	278.583					
		N	5443362.599					36517	80H1339			TERR	88 28 35	399.336	399.499	
		El	71.218					CVD28GVRD2018	401224			78H8574	TERR	270 50 34	202.456	202.539
398735	82H5449	E	506700.747	0.9995909	0.9999903	724542	82H5450	TERR	17 42 45	144.977	145.036					
		N	5443614.613					585976	82H5448			TERR	205 10 38	278.470	278.583	
		El	80.974					CVD28GVRD2018	183046			82H5480	TERR	274 10 51	167.342	167.411
724542	82H5450	E	506744.855	0.9995905	0.9999899	398735	82H5449	TERR	197 42 45	144.977	145.036					
		N	5443752.717													
		El	83.715					CVD28GVRD2018								
94920	82H5451	E	506660.721	0.9995903	0.9999898	671800	82H5454	TERR	90 54 23	228.328	228.421					
		N	5443884.701					792564	82H5452			TERR	348 5 2	92.870	92.908	
		El	84.628					CVD28GVRD2018								
792564	82H5452	E	506641.545	0.9995902	0.9999896	515841	82H5453	TERR	89 36 2	139.980	140.037					
		N	5443975.570					94920	82H5451			TERR	168 5 2	92.870	92.908	
		El	85.484					CVD28GVRD2018	516666			82H5485	TERR	280 17 20	96.925	96.965
515841	82H5453	E	506781.522	0.9995896	0.9999890	966812	82H5492	TERR	0 25 6	203.681	203.765					
		N	5443976.546					143115	6928			TERR	88 18 1	206.374	206.459	
		El	89.499					CVD28GVRD2018	792564			82H5452	TERR	269 36 2	139.980	140.037

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
671800	82H5454	E	506889.020	0.9995894	0.9999888	94920	82H5451	TERR	270 54 23	228.328	228.421
		N	5443881.089								
		El	90.929	CVD28GVRD2018							
846774	82H5455	E	506980.835	0.9995892	0.9999886		MARKER DESTROYED				
		N	5443797.144								
		El	91.747	CVD28GVRD2018							
127126	82H5456	E	507100.712	0.9995901	0.9999894	683136	82H5457	TERR	181 2 5	78.798	78.831
		N	5443564.017			406025	6927	TERR	269 57 20	117.233	117.281
		El	86.708	CVD28GVRD2018							
683136	82H5457	E	507099.289	0.9995903	0.9999897	127126	82H5456	TERR	1 2 5	78.798	78.831
		N	5443485.232								
		El	85.174	CVD28GVRD2018							
981266	82H5458	E	507192.637	0.9995889	0.9999882	750083	9324	TERR	0 12 32	150.769	150.831
		N	5443843.127								
		El	94.418	CVD28GVRD2018							
497933	82H5459	E	507180.349	0.9995909	0.9999902	182378	82H5460	TERR	95 22 31	199.602	199.683
		N	5443252.935								
		El	81.721	CVD28GVRD2018							
182378	82H5460	E	507379.073	0.9995901	0.9999894	30908	6926	TERR	1 34 38	279.697	279.812
		N	5443234.237			590133	6924	TERR	178 9 50	193.866	193.944
		El	86.722	CVD28GVRD2018		497933	82H5459	TERR	275 22 31	199.602	199.683
64196	82H5461	E	499016.654	0.9996027	1.0000027	177774	82H5428	TERR	2 45 45	320.816	320.943
		N	5442533.558			715060	9332	TERR	252 46 38	210.820	210.904
		El	2.159	CVD28GVRD2018							
535203	82H5463	E	507390.540	0.9995884	0.9999878	842682	82H5465	TERR	92 19 9	193.959	194.038
		N	5443879.859			30908	6926	TERR	180 35 24	366.050	366.201
		El	97.326	CVD28GVRD2018		242818	82H5464	TERR	354 20 51	91.113	91.151

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
242818	82H5464	E	507381.566	0.9995882	0.9999875	632240	78H8551	TERR	85 31 38	210.554	210.640		
		N	5443970.529					535203	82H5463	TERR	174 20 51	91.113	91.151
		El	98.804					CVD28GVRD2018	750083	9324	TERR	277 4 15	189.823
842682	82H5465	E	507584.340	0.9995880	0.9999873	632240	78H8551	TERR	3 33 15	115.161	115.208		
		N	5443872.010					907907	82H5466	TERR	176 52 33	196.834	196.914
		El	100.310					CVD28GVRD2018	535203	82H5463	TERR	272 19 9	193.959
907907	82H5466	E	507595.067	0.9995884	0.9999877	423509	82H5475	TERR	91 15 1	150.008	150.070		
		N	5443675.469					993402	78H8552	TERR	179 16 6	167.018	167.087
		El	97.665					CVD28GVRD2018	842682	82H5465	TERR	356 52 33	196.834
297903	82H5467	E	507724.815	0.9995939	0.9999932	599100	82H5381	TERR	1 7 34	124.372	124.423		
		N	5440060.887										
		El	63.110					CVD28GVRD2018					
750919	82H5468	E	507675.141	0.9995885	0.9999878	186478	82H5473	TERR	79 49 1	214.639	214.727		
		N	5443459.845										
		El	97.244					CVD28GVRD2018					
969949	82H5469	E	507992.455	0.9995897	0.9999889	44099	6923	TERR	269 31 12	261.603	261.710		
		N	5443045.291										
		El	90.066					CVD28GVRD2018					
328245	82H5470	E	507884.852	0.9995895	0.9999888			MARKER DESTROYED					
		N	5443220.212										
		El	91.075					CVD28GVRD2018					
703363	82H5471	E	507887.414	0.9995893	0.9999885	186478	82H5473	TERR	359 31 33	122.643	122.694		
		N	5443375.153										
		El	92.607					CVD28GVRD2018					
777128	82H5472	E	506380.792	0.9995913	0.9999908			MARKER DESTROYED					
		N	5443514.670										
		El	78.154					CVD28GVRD2018					



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
186478	82H5473	E	507886.399	0.9995891	0.9999884	755884	82H5474	TERR	3 3 35	177.640	177.713
		N	5443497.792			703363	82H5471	TERR	179 31 33	122.643	122.694
		El	93.558	CVD28GVRD2018		750919	82H5468	TERR	259 49 1	214.639	214.727
755884	82H5474	E	507895.881	0.9995887	0.9999879	186478	82H5473	TERR	183 3 35	177.640	177.713
		N	5443675.179			423509	82H5475	TERR	268 52 2	150.872	150.933
		El	96.214	CVD28GVRD2018		625889	82H5476	TERR	357 20 34	100.153	100.193
423509	82H5475	E	507745.039	0.9995883	0.9999876	755884	82H5474	TERR	88 52 2	150.872	150.933
		N	5443672.196			907907	82H5466	TERR	271 15 1	150.008	150.070
		El	98.417	CVD28GVRD2018							
625889	82H5476	E	507891.238	0.9995885	0.9999878	755884	82H5474	TERR	177 20 34	100.153	100.193
		N	5443775.224								
		El	97.357	CVD28GVRD2018							
694133	82H5477	E	505891.669	0.9995915	0.9999911	190868	82H5487	TERR	89 59 33	77.431	77.462
		N	5444379.220			253674	9323	TERR	272 13 9	306.995	307.121
		El	76.280	CVD28GVRD2018		575993	82H5509	TERR	359 12 56	200.078	200.159
797589	82H5478	E	506055.915	0.9995916	0.9999911	233916	78H8573	TERR	84 58 11	111.941	111.987
		N	5443509.321			374967	84H9497	TERR	158 31 20	162.098	162.164
		El	76.085	CVD28GVRD2018		547976	79H9843	TERR	272 12 48	111.104	111.149
183046	82H5480	E	506533.850	0.9995911	0.9999905	398735	82H5449	TERR	94 10 51	167.342	167.411
		N	5443626.813			577940	6932	TERR	263 57 48	159.733	159.798
		El	79.765	CVD28GVRD2018							
483966	82H5481	E	506381.880	0.9995907	0.9999902	577940	6932	TERR	185 2 45	78.191	78.222
		N	5443687.903			64378	82H5482	TERR	270 53 44	207.073	207.158
		El	81.879	CVD28GVRD2018		74229	6933	TERR	359 13 57	296.572	296.693
64378	82H5482	E	506174.832	0.9995906	0.9999901	662296	82H5483	TERR	2 0 47	117.860	117.908
		N	5443691.139			483966	82H5481	TERR	90 53 44	207.073	207.158
		El	82.428	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
662296	82H5483	E	506178.972	0.9995902	0.9999897	800979	82H5484	TERR	0 27 13	170.894	170.964				
		N	5443808.926					64378	82H5482			TERR	182 0 47	117.860	117.908
		El	84.801					CVD28GVRD2018							
800979	82H5484	E	506180.325	0.9995903	0.9999898	74229	6933	TERR	88 39 24	197.637	197.719				
		N	5443979.815					662296	82H5483			TERR	180 27 13	170.894	170.964
		El	84.289					CVD28GVRD2018				519405	9313	TERR	260 59 46
516666	82H5485	E	506546.179	0.9995905	0.9999900	792564	82H5452	TERR	100 17 20	96.925	96.965				
		N	5443992.882					74229	6933			TERR	267 7 50	168.482	168.551
		El	83.258					CVD28GVRD2018				394783	82H5490	TERR	356 41 53
891762	82H5486	E	498851.301	0.9996027	1.0000027	MARKER DESTROYED									
		N	5442053.176												
		El	2.277			CVD28GVRD2018									
190868	82H5487	E	505969.100	0.9995914	0.9999909	551606	82H5488	TERR	89 57 58	333.845	333.982				
		N	5444379.230					694133	82H5477			TERR	269 59 33	77.431	77.462
		El	77.228					CVD28GVRD2018							
551606	82H5488	E	506302.945	0.9995909	0.9999904	635789	6934	TERR	88 54 38	80.936	80.968				
		N	5444379.428					190868	82H5487			TERR	269 57 58	333.845	333.982
		El	80.738					CVD28GVRD2018							
11924	82H5489	E	506544.752	0.9995898	0.9999893	394783	82H5490	TERR	185 3 44	108.321	108.365				
		N	5444291.183												
		El	87.453					CVD28GVRD2018							
394783	82H5490	E	506535.194	0.9995902	0.9999896	11924	82H5489	TERR	5 3 44	108.321	108.365				
		N	5444183.285					33720	82H5491			TERR	85 47 29	79.277	79.309
		El	85.342					CVD28GVRD2018				516666	82H5485	TERR	176 41 53
33720	82H5491	E	506614.257	0.9995897	0.9999892	966812	82H5492	TERR	93 0 45	168.986	169.055				
		N	5444189.103					394783	82H5490			TERR	265 47 29	79.277	79.309
		El	88.146					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
966812	82H5492	E	506783.009	0.9995890	0.9999884	515841	82H5453	TERR	180 25 6	203.681	203.765					
		N	5444180.222					33720				82H5491	TERR	273 0 45	168.986	169.055
		El	93.020					CVD28GVRD2018								
879361	82H5493	E	507190.772	0.9995879	0.9999873	MARKER DESTROYED										
		N	5444167.410													
		El	100.532			CVD28GVRD2018										
297465	82H5494	E	507590.047	0.9995879	0.9999872	152140	82H5495	TERR	89 46 48	286.018	286.135					
		N	5444475.773					924316				78H8580	TERR	188 37 57	96.837	96.877
		El	100.769					CVD28GVRD2018				868331	82H5497			
152140	82H5495	E	507876.063	0.9995883	0.9999875	297465	82H5494	TERR	269 46 48	286.018	286.135					
		N	5444476.871													
		El	98.970					CVD28GVRD2018								
681148	82H5496	E	508004.444	0.9995885	0.9999877	295287	78H8546	TERR	187 25 26	172.032	172.103					
		N	5444568.309													
		El	97.551					CVD28GVRD2018								
868331	82H5497	E	507588.724	0.9995878	0.9999871	297465	82H5494	TERR	179 29 38	149.751	149.812					
		N	5444625.518					477448				82H5499	TERR	271 23 34	237.901	238.000
		El	101.882					CVD28GVRD2018								
138206	82H5498	E	507528.915	0.9995878	0.9999871	301341	78H8553	TERR	359 49 53	98.614	98.655					
		N	5444702.612													
		El	101.720					CVD28GVRD2018								
477448	82H5499	E	507350.893	0.9995874	0.9999868	868331	82H5497	TERR	91 23 34	237.901	238.000					
		N	5444631.300													
		El	103.732					CVD28GVRD2018								
40162	82H5500	E	507289.486	0.9995874	0.9999867	MARKER ISOLATED										
		N	5444593.463													
		El	103.876			CVD28GVRD2018										

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
717223	82H5501	E	506574.468	0.9995890	0.9999884		MARKER DESTROYED				
		N	5444609.370								
		E1	93.147	CVD28GVRD2018							
498758	82H5502	E	506396.249	0.9995904	0.9999899		MARKER DESTROYED				
		N	5444613.110								
		E1	83.927	CVD28GVRD2018							
508218	82H5503	E	506308.385	0.9995908	0.9999903		MARKER DESTROYED				
		N	5444555.239								
		E1	80.976	CVD28GVRD2018							
330373	82H5504	E	506235.580	0.9995914	0.9999909		MARKER ISOLATED				
		N	5444730.086								
		E1	77.355	CVD28GVRD2018							
675777	82H5505	E	506091.791	0.9995915	0.9999910		MARKER ISOLATED				
		N	5444552.766								
		E1	76.714	CVD28GVRD2018							
154484	82H5506	E	505969.427	0.9995915	0.9999910		MARKER DESTROYED				
		N	5444515.945								
		E1	76.537	CVD28GVRD2018							
238279	82H5507	E	505981.444	0.9995920	0.9999915		MARKER DESTROYED				
		N	5444715.522								
		E1	73.361	CVD28GVRD2018							
379552	82H5508	E	505902.984	0.9995919	0.9999915		MARKER DESTROYED				
		N	5444715.092								
		E1	73.760	CVD28GVRD2018							
575993	82H5509	E	505888.930	0.9995917	0.9999912	694133	82H5477 TERR	179 12 56	200.078	200.159	
		N	5444579.279								
		E1	75.227	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
370767	82H5510	E	506080.939	0.9995946	0.9999941	937177	80H1334	TERR	209 53 21	96.735	96.774
		N	5446078.714								
		El	56.823	CVD28GVRD2018							
626283	82H5511	E	505589.456	0.9995929	0.9999925		MARKER DESTROYED				
		N	5445082.548								
		El	66.870	CVD28GVRD2018							
943431	82H5512	E	506062.116	0.9995920	0.9999915	785394	92H0583	TERR	87 22 12	318.247	318.378
		N	5444799.669			84293	9300	TERR	279 33 34	86.360	86.395
		El	73.250	CVD28GVRD2018		981936	82H5513	TERR	348 38 53	164.341	164.408
981936	82H5513	E	506029.768	0.9995922	0.9999918	996926	82H5514	TERR	89 43 3	152.517	152.578
		N	5444960.795			943431	82H5512	TERR	168 38 53	164.341	164.408
		El	71.717	CVD28GVRD2018							
996926	82H5514	E	506182.283	0.9995919	0.9999914	549873	82H5515	TERR	84 53 14	139.569	139.627
		N	5444961.547			981936	82H5513	TERR	269 43 3	152.517	152.578
		El	74.242	CVD28GVRD2018							
549873	82H5515	E	506321.297	0.9995906	0.9999901	443192	82H5516	TERR	87 58 9	73.709	73.740
		N	5444973.985			996926	82H5514	TERR	264 53 14	139.569	139.627
		El	82.271	CVD28GVRD2018							
443192	82H5516	E	506394.960	0.9995903	0.9999898	785394	92H0583	TERR	185 15 21	163.010	163.077
		N	5444976.597			549873	82H5515	TERR	267 58 9	73.709	73.740
		El	84.488	CVD28GVRD2018		698191	6936	TERR	358 32 30	233.088	233.183
256453	82H5517	E	506716.284	0.9995879	0.9999873	253872	82H5518	TERR	9 38 40	81.412	81.445
		N	5445038.508			754127	82H5519	TERR	91 42 14	195.025	195.106
		El	100.233	CVD28GVRD2018							
253872	82H5518	E	506729.923	0.9995880	0.9999874	256453	82H5517	TERR	189 38 40	81.412	81.445
		N	5445118.769								
		El	99.648	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
754127	82H5519	E	506911.223	0.9995871	0.9999865	256453	82H5517	TERR	271 42 14	195.025	195.106
		N	5445032.709								
		El	105.641	CVD28GVRD2018							
285221	82H5520	E	507282.785	0.9995871	0.9999864	301341	78H8553	TERR	86 14 38	246.369	246.471
		N	5444785.087			7930	92H0574	TERR	268 36 16	94.022	94.060
		El	105.806	CVD28GVRD2018		473009	82H5521	TERR	356 29 54	103.848	103.891
473009	82H5521	E	507276.442	0.9995871	0.9999864	856013	82H5522	TERR	89 55 6	213.614	213.703
		N	5444888.741			285221	82H5520	TERR	176 29 54	103.848	103.891
		El	105.730	CVD28GVRD2018							
856013	82H5522	E	507490.056	0.9995878	0.9999871	630731	82H5523	TERR	90 29 57	233.752	233.847
		N	5444889.045			473009	82H5521	TERR	269 55 6	213.614	213.703
		El	101.575	CVD28GVRD2018		604249	82H5526	TERR	358 24 29	141.637	141.695
630731	82H5523	E	507723.799	0.9995878	0.9999871	928127	78H8561	TERR	175 49 13	96.824	96.863
		N	5444887.008			856013	82H5522	TERR	270 29 57	233.752	233.847
		El	101.827	CVD28GVRD2018							
668269	82H5524	E	507899.012	0.9995886	0.9999878	692749	82H5525	TERR	239 51 11	201.609	201.692
		N	5445145.779								
		El	96.799	CVD28GVRD2018							
692749	82H5525	E	507724.673	0.9995877	0.9999870	687384	78H8548	TERR	1 43 3	148.112	148.173
		N	5445044.527			668269	82H5524	TERR	59 51 11	201.609	201.692
		El	102.371	CVD28GVRD2018		604249	82H5526	TERR	266 39 55	238.957	239.055
604249	82H5526	E	507486.121	0.9995876	0.9999869	566406	82H5527	TERR	1 59 39	91.125	91.163
		N	5445030.627			692749	82H5525	TERR	86 39 55	238.957	239.055
		El	102.970	CVD28GVRD2018		856013	82H5522	TERR	178 24 29	141.637	141.695
566406	82H5527	E	507489.292	0.9995875	0.9999868	604249	82H5526	TERR	181 59 39	91.125	91.163
		N	5445121.697								
		El	103.419	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
318170	82H5528	E	507439.565	0.9995872	0.9999865		MARKER ISOLATED				
		N	5445201.558								
		E1	105.174	CVD28GVRD2018							
519082	82H5529	E	498852.361	0.9996027	1.0000027	715060	9332	TERR	345 58 23	152.960	153.020
		N	5442322.738								
		E1	2.265	CVD28GVRD2018							
360123	82H5530	E	506637.832	0.9995884	0.9999879	698191	6936	TERR	269 56 28	248.804	248.906
		N	5445209.865			803932	82H5551	TERR	359 28 18	163.145	163.212
		E1	96.607	CVD28GVRD2018							
426650	82H5531	E	505720.383	0.9995935	0.9999931						
		N	5445278.587								
		E1	63.044	CVD28GVRD2018							
252254	82H5532	E	505707.359	0.9995941	0.9999937	52712	82H5536	TERR	52 37 53	111.135	111.179
		N	5445450.824			57562	82H5533	TERR	319 47 23	190.993	191.071
		E1	59.681	CVD28GVRD2018							
57562	82H5533	E	505584.055	0.9995952	0.9999949	252254	82H5532	TERR	139 47 23	190.993	191.071
		N	5445596.682								
		E1	52.104	CVD28GVRD2018							
217828	82H5534	E	505633.425	0.9995973	0.9999969	790600	82H5535	TERR	140 49 3	156.945	157.009
		N	5445834.760								
		E1	39.066	CVD28GVRD2018							
790600	82H5535	E	505732.582	0.9995953	0.9999949	217828	82H5534	TERR	320 49 3	156.945	157.009
		N	5445713.106								
		E1	52.000	CVD28GVRD2018							
52712	82H5536	E	505795.683	0.9995942	0.9999937	252254	82H5532	TERR	232 37 53	111.135	111.179
		N	5445518.276								
		E1	59.161	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
621888	82H5537	E	505508.483	0.9995944	0.9999941	831248	9327	TERR	226 19 15	178.610	178.682		
		N	5445393.867					64469	82H5538	TERR	319 43 60	114.801	114.847
		El	57.192					CVD28GVRD2018					
64469	82H5538	E	505434.282	0.9995949	0.9999946	621888	82H5537	TERR	139 43 60	114.801	114.847		
		N	5445481.465					64923	82H5539	TERR	276 49 52	89.488	89.525
		El	53.887					CVD28GVRD2018					
64923	82H5539	E	505345.429	0.9995952	0.9999948	64469	82H5538	TERR	96 49 52	89.488	89.525		
		N	5445492.109					35063	82H5540	TERR	250 26 3	146.210	146.268
		El	52.339					CVD28GVRD2018					
35063	82H5540	E	505207.662	0.9995959	0.9999956	64923	82H5539	TERR	70 26 3	146.210	146.268		
		N	5445443.145					609024	82H5541	TERR	309 42 38	100.036	100.077
		El	47.390					CVD28GVRD2018					
609024	82H5541	E	505130.706	0.9995969	0.9999966	35063	82H5540	TERR	129 42 38	100.036	100.077		
		N	5445507.059										
		El	41.146					CVD28GVRD2018					
951384	82H5542	E	505014.075	0.9995978	0.9999974	MARKER ISOLATED							
		N	5445376.291										
		El	35.586			CVD28GVRD2018							
394627	82H5543	E	504644.739	0.9995987	0.9999985	27078	9362	TERR	42 2 50	225.116	225.207		
		N	5445035.937					587022	82H5544	TERR	141 34 10	149.193	149.253
		El	29.163					CVD28GVRD2018					
587022	82H5544	E	504737.472	0.9995980	0.9999977	394627	82H5543	TERR	321 34 10	149.193	149.253		
		N	5444919.065										
		El	33.750					CVD28GVRD2018					
539932	82H5545	E	505284.494	0.9995935	0.9999932	MARKER DESTROYED							
		N	5444793.460										
		El	62.857			CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
863738	82H5546	E	506026.771	0.9995935	0.9999931		MARKER DESTROYED				
		N	5445436.883								
		El	63.341	CVD28GVRD2018							
513259	82H5547	E	506299.482	0.9995911	0.9999907	47969	79H9926	TERR	269 30 31	124.271	124.321
		N	5445289.189								
		El	78.895	CVD28GVRD2018							
951442	82H5548	E	506383.500	0.9995905	0.9999900	698191	6936	TERR	177 14 10	114.640	114.687
		N	5445324.116			857847	90H6236	TERR	358 37 18	131.859	131.914
		El	83.247	CVD28GVRD2018							
924787	82H5549	E	506383.073	0.9995906	0.9999901		MARKER DESTROYED				
		N	5445493.917								
		El	82.514	CVD28GVRD2018							
473496	82H5550	E	506301.801	0.9995914	0.9999909	225177	79H9928	TERR	271 5 16	187.249	187.326
		N	5445537.549								
		El	77.372	CVD28GVRD2018							
803932	82H5551	E	506636.328	0.9995884	0.9999879	360123	82H5530	TERR	179 28 18	163.145	163.212
		N	5445373.003								
		El	96.673	CVD28GVRD2018							
214338	82H5552	E	507143.188	0.9995866	0.9999860		MARKER DESTROYED				
		N	5445366.850								
		El	108.735	CVD28GVRD2018							
742775	82H5553	E	507814.955	0.9995881	0.9999873	834168	82H5554	TERR	264 39 59	138.089	138.146
		N	5445613.600								
		El	100.105	CVD28GVRD2018							
834168	82H5554	E	507677.464	0.9995879	0.9999872	115444	82H5555	TERR	0 53 59	250.756	250.859
		N	5445600.764			742775	82H5553	TERR	84 39 59	138.089	138.146
		El	101.067	CVD28GVRD2018		892414	6968	TERR	271 47 14	201.476	201.559

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
115444	82H5555	E	507681.401	0.9995881	0.9999874	672030	82H5556	TERR	94 34 57	110.946	110.992		
		N	5445851.489					834168	82H5554	TERR	180 53 59	250.756	250.859
		El	99.604					CVD28GVRD2018					
672030	82H5556	E	507791.992	0.9995883	0.9999875	115444	82H5555	TERR	274 34 57	110.946	110.992		
		N	5445842.625										
		El	98.757					CVD28GVRD2018					
457614	82H5557	E	507488.050	0.9995875	0.9999868	MARKER DESTROYED							
		N	5445840.608										
		El	103.361			CVD28GVRD2018							
416123	82H5558	E	507476.970	0.9995875	0.9999868	892414	6968	TERR	180 33 27	90.840	90.878		
		N	5445697.884					727701	82H5559	TERR	271 59 10	247.791	247.893
		El	103.170							CVD28GVRD2018			
727701	82H5559	E	507229.328	0.9995872	0.9999866	416123	82H5558	TERR	91 59 10	247.791	247.893		
		N	5445706.472					941450	82H5560	TERR	356 38 20	130.483	130.537
		El	104.933							CVD28GVRD2018			
941450	82H5560	E	507221.678	0.9995874	0.9999868	218735	82H5561	TERR	39 57 38	107.128	107.172		
		N	5445836.731					727701	82H5559	TERR	176 38 20	130.483	130.537
		El	103.529							CVD28GVRD2018			
218735	82H5561	E	507290.482	0.9995878	0.9999871	161422	82H5562	TERR	3 11 49	84.887	84.922		
		N	5445918.843					941450	82H5560	TERR	219 57 38	107.128	107.172
		El	101.476							CVD28GVRD2018			
161422	82H5562	E	507295.216	0.9995878	0.9999871	218735	82H5561	TERR	183 11 49	84.887	84.922		
		N	5446003.598					757872	9345	TERR	275 54 49	151.422	151.485
		El	101.272							CVD28GVRD2018			
903153	82H5563	E	507035.524	0.9995872	0.9999866	291104	82H5564	TERR	2 9 47	196.025	196.105		
		N	5445607.509					657387	90H6228	TERR	83 37 34	88.060	88.097
		El	104.895							CVD28GVRD2018		247221	6967

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
291104	82H5564	E	507042.923	0.9995873	0.9999867	903153	82H5563	TERR	182 9 47	196.025	196.105		
		N	5445803.394					314765	82H5565	TERR	271 48 59	155.160	155.224
		El	103.893					CVD28GVRD2018					
314765	82H5565	E	506887.841	0.9995879	0.9999874	291104	82H5564	TERR	91 48 59	155.160	155.224		
		N	5445808.312					287359	82H5566	TERR	273 35 31	199.311	199.393
		El	99.929					CVD28GVRD2018					
287359	82H5566	E	506688.922	0.9995891	0.9999885	314765	82H5565	TERR	93 35 31	199.311	199.393		
		N	5445820.799					238402	82H5568	TERR	267 55 7	211.511	211.597
		El	92.512					CVD28GVRD2018					
109595	82H5567	E	506481.932	0.9995903	0.9999898	238402	82H5568	TERR	357 21 27	95.026	95.065		
		N	5445718.192										
		El	84.499					CVD28GVRD2018					
238402	82H5568	E	506477.551	0.9995905	0.9999899	287359	82H5566	TERR	87 55 7	211.511	211.597		
		N	5445813.117					109595	82H5567	TERR	177 21 27	95.026	95.065
		El	83.358					CVD28GVRD2018					
394981	82H5569	E	506383.590	0.9995910	0.9999905	610592	9361	TERR	0 8 21	114.509	114.557		
		N	5445901.203					381186	6937	TERR	179 0 52	285.886	286.003
		El	79.590					CVD28GVRD2018					
323105	82H5570	E	506272.125	0.9995921	0.9999916	984492	79H9847	TERR	239 59 2	93.999	94.037		
		N	5445916.815										
		El	72.751					CVD28GVRD2018					
612507	82H5571	E	506647.853	0.9995899	0.9999893	766170	82H5572	TERR	87 7 48	172.872	172.942		
		N	5446091.674										
		El	87.434					CVD28GVRD2018					
766170	82H5572	E	506820.508	0.9995890	0.9999884	612507	82H5571	TERR	267 7 48	172.872	172.942		
		N	5446100.330										
		El	93.024					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
491795	82H5574	E	507438.750	0.9995877	0.9999870	279323	82H5575	TERR	80 50 12	82.820	82.854
		N	5446205.488								
		El	102.131	CVD28GVRD2018							
279323	82H5575	E	507520.513	0.9995878	0.9999871	826529	82H5576	TERR	108 51 45	163.514	163.582
		N	5446218.677			491795	82H5574	TERR	260 50 12	82.820	82.854
		El	101.747	CVD28GVRD2018							
826529	82H5576	E	507675.246	0.9995882	0.9999875	691311	82H5580	TERR	122 58 18	88.135	88.171
		N	5446165.813			284026	82H5577	TERR	211 36 58	99.505	99.545
		El	98.889	CVD28GVRD2018		279323	82H5575	TERR	288 51 45	163.514	163.582
284026	82H5577	E	507623.083	0.9995881	0.9999874	826529	82H5576	TERR	31 36 58	99.505	99.545
		N	5446081.077			200667	82H5578	TERR	203 23 43	71.609	71.639
		El	99.845	CVD28GVRD2018							
200667	82H5578	E	507594.649	0.9995879	0.9999872	284026	82H5577	TERR	23 23 43	71.609	71.639
		N	5446015.355			757112	82H5579	TERR	90 35 4	132.933	132.987
		El	100.896	CVD28GVRD2018		915694	6940	TERR	267 30 21	93.432	93.471
757112	82H5579	E	507727.575	0.9995883	0.9999875	200667	82H5578	TERR	270 35 4	132.933	132.987
		N	5446013.999								
		El	98.708	CVD28GVRD2018							
691311	82H5580	E	507749.186	0.9995884	0.9999877	100701	82H5581	TERR	88 47 23	87.738	87.773
		N	5446117.848			826529	82H5576	TERR	302 58 18	88.135	88.171
		El	97.884	CVD28GVRD2018							
100701	82H5581	E	507836.904	0.9995885	0.9999877	691311	82H5580	TERR	268 47 23	87.738	87.773
		N	5446119.701								
		El	97.574	CVD28GVRD2018							
211177	82H5582	E	508008.873	0.9995876	0.9999868		MARKER ISOLATED				
		N	5446094.335								
		El	103.102	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
601658	82H5583	E	507858.645	0.9995887	0.9999879		MARKER DESTROYED				
		N	5446405.645								
		El	96.074	CVD28GVRD2018							
658120	82H5584	E	507869.522	0.9995889	0.9999881	747071	82H5591	TERR	272 25 32	157.906	157.970
		N	5446513.791			902809	82H5585	TERR	346 39 11	175.438	175.510
		El	94.976	CVD28GVRD2018							
902809	82H5585	E	507829.023	0.9995889	0.9999882	658120	82H5584	TERR	166 39 11	175.438	175.510
		N	5446684.490			135525	82H5586	TERR	347 52 32	171.166	171.237
		El	94.676	CVD28GVRD2018							
135525	82H5586	E	507793.072	0.9995891	0.9999883	902809	82H5585	TERR	167 52 32	171.166	171.237
		N	5446851.838			352153	82H5588	TERR	270 16 15	85.487	85.522
		El	93.506	CVD28GVRD2018		844993	82H5587	TERR	346 20 37	203.673	203.756
844993	82H5587	E	507744.985	0.9995895	0.9999888	135525	82H5586	TERR	166 20 37	203.673	203.756
		N	5447049.753								
		El	90.690	CVD28GVRD2018							
352153	82H5588	E	507707.586	0.9995886	0.9999879	135525	82H5586	TERR	90 16 15	85.487	85.522
		N	5446852.242			733287	82H5589	TERR	178 5 22	115.268	115.315
		El	96.291	CVD28GVRD2018							
733287	82H5589	E	507711.429	0.9995886	0.9999878	904920	82H5590	TERR	180 18 15	70.467	70.496
		N	5446737.038			121608	82H5593	TERR	270 12 10	109.901	109.946
		El	96.707	CVD28GVRD2018		352153	82H5588	TERR	358 5 22	115.268	115.315
904920	82H5590	E	507711.055	0.9995884	0.9999877	733287	82H5589	TERR	0 18 15	70.467	70.496
		N	5446666.572			747071	82H5591	TERR	179 43 27	146.100	146.160
		El	97.783	CVD28GVRD2018							
747071	82H5591	E	507711.758	0.9995885	0.9999877	658120	82H5584	TERR	92 25 32	157.906	157.970
		N	5446520.474			904920	82H5590	TERR	359 43 27	146.100	146.160
		El	97.389	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
87429	82H5592	E N El	507600.297 5446566.085 102.736	0.9995876	0.9999869	121608	82H5593	TERR	0 24 43	171.346	171.416
121608	82H5593	E N El	507601.529 5446737.427 98.827	0.9995882	0.9999875	772178 733287 87429	78H8593 82H5589 82H5592	TERR TERR TERR	1 24 19 90 12 10 180 24 43	241.718 109.901 171.346	241.818 109.946 171.416
98079	82H5594	E N El	507527.205 5447040.404 93.782	0.9995890	0.9999883	103291 574368	82H5595 82H5602	TERR TERR	183 16 14 273 14 42	204.510 176.568	204.595 176.641
103291	82H5595	E N El	507515.538 5446836.227 96.664	0.9995886	0.9999879	98079 643916	82H5594 82H5600	TERR TERR	3 16 14 265 26 32	204.510 204.577	204.595 204.662
195818	82H5596	E N El	507509.829 5446732.109 98.971	0.9995882	0.9999875		MARKER DESTROYED				
568139	82H5597	E N El	507404.044 5446737.301 96.935	0.9995885	0.9999878	871129 826644	82H5598 82H5599	TERR TERR	182 42 43 273 23 48	237.969 109.268	238.067 109.312
871129	82H5598	E N El	507392.785 5446499.599 99.800	0.9995880	0.9999874	568139	82H5597	TERR	2 42 43	237.969	238.067
826644	82H5599	E N El	507294.968 5446743.775 97.292	0.9995884	0.9999878	568139	82H5597	TERR	93 23 48	109.268	109.312
643916	82H5600	E N El	507311.608 5446819.970 94.758	0.9995888	0.9999882	103291 410951	82H5595 82H5601	TERR TERR	85 26 32 349 6 2	204.577 193.108	204.662 193.187

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
410951	82H5601	E	507275.094	0.9995890	0.9999884	643916	82H5600	TERR	169 6 2	193.108	193.187
		N	5447009.594								
		El	93.488	CVD28GVRD2018							
574368	82H5602	E	507350.920	0.9995892	0.9999885	98079	82H5594	TERR	93 14 42	176.568	176.641
		N	5447050.399								
		El	92.610	CVD28GVRD2018							
666065	82H5603	E	507209.776	0.9995893	0.9999887	592675	6947	TERR	182 11 20	223.570	223.663
		N	5446993.080								
		El	91.374	CVD28GVRD2018							
352963	82H5604	E	507095.411	0.9995906	0.9999899	55947	82H5605	TERR	179 59 57	190.693	190.771
		N	5446960.281			865311	82H5615	TERR	269 50 32	301.577	301.700
		El	83.390	CVD28GVRD2018							
55947	82H5605	E	507095.414	0.9995900	0.9999894	592675	6947	TERR	89 57 14	105.823	105.866
		N	5446769.588			456905	82H5606	TERR	270 50 26	115.061	115.109
		El	86.929	CVD28GVRD2018		352963	82H5604	TERR	359 59 57	190.693	190.771
456905	82H5606	E	506980.365	0.9995911	0.9999905	55947	82H5605	TERR	90 50 26	115.061	115.109
		N	5446771.276			719781	82H5607	TERR	181 12 22	92.781	92.818
		El	79.741	CVD28GVRD2018		429092	6948	TERR	268 44 15	186.701	186.777
719781	82H5607	E	506978.412	0.9995908	0.9999902	456905	82H5606	TERR	1 12 22	92.781	92.818
		N	5446678.516			492447	82H5608	TERR	85 8 35	110.951	110.997
		El	81.977	CVD28GVRD2018							
492447	82H5608	E	507088.965	0.9995899	0.9999893	414458	82H5609	TERR	178 9 27	172.558	172.630
		N	5446687.910			719781	82H5607	TERR	265 8 35	110.951	110.997
		El	87.526	CVD28GVRD2018							
414458	82H5609	E	507094.513	0.9995893	0.9999887	1859	82H5610	TERR	266 11 36	132.958	133.012
		N	5446515.441			492447	82H5608	TERR	358 9 27	172.558	172.630
		El	91.187	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
1859	82H5610	E	506961.848	0.9995901	0.9999895	414458	82H5609	TERR	86 11 36	132.958	133.012			
		N	5446506.614					889113	82H5611	TERR	276 55 18	131.056	131.110	
		El	86.342					CVD28GVRD2018						
889113	82H5611	E	506831.747	0.9995911	0.9999905	1859 721357	82H5610	TERR	96 55 18	131.056	131.110			
		N	5446522.408					82H5613	TERR	266 56 51	87.415	87.451		
		El	79.798					CVD28GVRD2018						
695965	82H5612	E	506881.382	0.9995911	0.9999905	MARKER DESTROYED								
		N	5446673.414											
		El	79.654	CVD28GVRD2018										
721357	82H5613	E	506744.456	0.9995916	0.9999910	216044	82H5614	TERR	14 18 6	127.182	127.233			
		N	5446517.753					889113	82H5611	TERR	86 56 51	87.415	87.451	
		El	76.311					CVD28GVRD2018						
216044	82H5614	E	506775.873	0.9995918	0.9999912	429092	6948	TERR	8 2 47	127.424	127.476			
		N	5446640.993					721357	82H5613	TERR	194 18 6	127.182	127.233	
		El	75.328					CVD28GVRD2018						
865311	82H5615	E	506793.835	0.9995925	0.9999919	352963	82H5604	TERR	89 50 32	301.577	301.700			
		N	5446959.451					429092	6948	TERR	180 2 15	192.289	192.367	
		El	70.807					CVD28GVRD2018						
183418	82H5616	E	506622.612	0.9995938	0.9999933	585950	80H1342	TERR	127 22 22	100.185	100.226			
		N	5446834.767											
		El	61.947					CVD28GVRD2018						
879841	82H5617	E	506544.158	0.9995938	0.9999933	15578	82H5618	TERR	336 8 37	140.969	141.026			
		N	5446689.164											
		El	62.048					CVD28GVRD2018						
15578	82H5618	E	506487.144	0.9995949	0.9999944	668459	5373	GPS	52 33 34	895.868	896.232			
		N	5446818.089					770800	5296	GPS	77 4 10	1501.522	1502.134	
		El	55.221					CVD28GVRD2018	737213	92H0877	GPS	119 40 36	2423.718	2424.707
									420521	92H0871	GPS	142 27 59	2493.321	2494.339
		879841	82H5617					TERR	156 8 37	140.969	141.026			
		308429	90H6222					GPS	168 5 3	2446.696	2447.697			



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
44354	82H5619	E	506308.445	0.9995944	0.9999939	141572	83H6500	TERR	101 40 18	188.921	188.998
		N	5446583.358								
		El	58.371	CVD28GVRD2018							
555789	82H5620	E	506141.161	0.9995978	0.9999974		MARKER DESTROYED				
		N	5446614.889								
		El	35.951	CVD28GVRD2018							
674077	82H5621	E	506119.792	0.9995993	0.9999989		MARKER DESTROYED				
		N	5446753.379								
		El	26.482	CVD28GVRD2018							
199844	82H5622	E	506172.761	0.9996013	1.0000008		MARKER DESTROYED				
		N	5446919.211								
		El	13.901	CVD28GVRD2018							
396143	82H5623	E	506268.066	0.9996000	0.9999995	7724	82H5624	TERR	108 15 48	77.649	77.680
		N	5446936.703								
		El	22.251	CVD28GVRD2018							
7724	82H5624	E	506341.803	0.9995981	0.9999976	396143	82H5623	TERR	288 15 48	77.649	77.680
		N	5446912.369								
		El	34.553	CVD28GVRD2018							
491159	82H5625	E	506157.804	0.9995960	0.9999955	509489	82H5398	TERR	168 26 8	169.309	169.377
		N	5446435.782			540765	87H3490	TERR	300 44 9	1106.344	1106.787
		El	47.686	CVD28GVRD2018							
985655	83H6495	E	489756.657	0.9996039	1.0000026	25247	80H1273	TERR	126 27 56	394.496	394.653
		N	5433900.985			832469	80H1274	TERR	301 33 38	393.827	393.983
		El	3.210	CVD28GVRD2018							
773929	83H6496	E	504760.987	0.9996028	1.0000025	895623	80H1253	TERR	66 20 3	660.679	660.942
		N	5436006.791			533059	80H1255	TERR	250 43 44	435.021	435.193
		El	3.411	CVD28GVRD2018		970434	6913	TERR	359 22 40	196.966	197.044

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
472092	83H6497	E	493214.770	0.9996035	1.0000029	741066	84H0412	TERR	358 37 2	119.958	120.006
		N	5436726.771								
		El	1.067	CVD28GVRD2018							
705764	83H6498	E	493224.673	0.9996035	1.0000030	258921	84H0413	TERR	84 56 20	127.378	127.427
		N	5436923.317			741066	84H0412	TERR	189 28 56	77.684	77.715
		El	.593	CVD28GVRD2018		365783	84H0409	TERR	279 17 24	97.348	97.387
489443	83H6499	E	494407.796	0.9996033	1.0000029			MARKER DESTROYED			
		N	5436699.576								
		El	1.171	CVD28GVRD2018							
141572	83H6500	E	506493.460	0.9995931	0.9999926	174912	9357	TERR	192 56 51	435.025	435.202
		N	5446545.139			44354	82H5619	TERR	281 40 18	188.921	188.998
		El	66.624	CVD28GVRD2018							
998294	83H6501	E	493060.276	0.9996035	1.0000029	701284	84H0403	TERR	188 9 53	117.161	117.207
		N	5436879.853			981944	84H0400	TERR	269 52 55	91.767	91.804
		El	1.286	CVD28GVRD2018		338939	84H0405	TERR	357 59 19	211.191	211.275
434969	83H6502	E	493773.522	0.9996032	1.0000028	27631	80H1290	TERR	136 1 38	107.612	107.655
		N	5437745.398								
		El	1.954	CVD28GVRD2018							
504175	83H6503	E	505668.206	0.9995937	0.9999933	327619	83H6504	TERR	3 37 39	223.741	223.832
		N	5443664.549			916619	79H9857	TERR	175 54 23	144.679	144.738
		El	62.264	CVD28GVRD2018							
327619	83H6504	E	505682.362	0.9995921	0.9999917	682351	84H9500	TERR	96 58 52	137.178	137.234
		N	5443887.842			504175	83H6503	TERR	183 37 39	223.741	223.832
		El	72.115	CVD28GVRD2018							
612895	83H6505	E	505838.359	0.9995988	0.9999984	694794	84H9466	TERR	50 49 22	144.653	144.710
		N	5441302.747			405308	79H9884	TERR	348 28 43	139.425	139.482
		El	29.718	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
193771	83H6506	E	495224.782	0.9996031	1.0000028		MARKER DESTROYED				
		N	5437242.315								
		El	1.479	CVD28GVRD2018							
514711	83H6507	E	493136.739	0.9996035	1.0000030	288019	84H0414	TERR	94 18 12	182.652	182.724
		N	5437093.558			365783	84H0409	TERR	183 0 51	154.740	154.802
		El	.710	CVD28GVRD2018							
735647	83H6508	E	494969.747	0.9996032	1.0000029	942359	84H0444	TERR	1 25 28	382.406	382.558
		N	5436950.393			449355	79H9925	TERR	85 52 3	110.295	110.338
		El	.921	CVD28GVRD2018		23549	83H6509	TERR	273 2 33	263.497	263.603
23549	83H6509	E	494706.621	0.9996033	1.0000030	207381	87H3179	TERR	2 12 13	83.384	83.417
		N	5436964.379			735647	83H6508	TERR	93 2 33	263.497	263.603
		El	.779	CVD28GVRD2018		674572	79H9922	TERR	177 49 28	166.564	166.631
368860	83H6510	E	495226.301	0.9996032	1.0000029		MARKER DESTROYED				
		N	5436806.282								
		El	1.155	CVD28GVRD2018							
630038	83H6511	E	505723.688	0.9995936	0.9999932		MARKER DESTROYED				
		N	5445321.375								
		El	62.760	CVD28GVRD2018							
633677	83H6512	E	493732.549	0.9996033	1.0000029		MARKER DESTROYED				
		N	5437571.721								
		El	1.412	CVD28GVRD2018							
938217	83H6513	E	506000.458	0.9995935	0.9999930	709030	83H6514	TERR	5 37 23	142.822	142.881
		N	5443207.333			128561	84H9494	TERR	95 45 43	178.380	178.453
		El	63.841	CVD28GVRD2018							
709030	83H6514	E	506014.452	0.9995925	0.9999921	938217	83H6513	TERR	185 37 23	142.822	142.881
		N	5443349.468								
		El	69.940	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
882670	83H6515	E	494170.403	0.9996033	1.0000029		MARKER DESTROYED				
		N	5438112.100								
		El	1.310	CVD28GVRD2018							
635458	83H6516	E	494996.344	0.9996032	1.0000029	941096	83H6517	TERR	1 37 49	265.127	265.233
		N	5437765.836			53629	84H0441	TERR	180 33 24	287.186	287.300
		El	1.070	CVD28GVRD2018							
941096	83H6517	E	495003.887	0.9996032	1.0000029	247791	84H0438	TERR	89 51 5	243.899	243.995
		N	5438030.856			635458	83H6516	TERR	181 37 49	265.127	265.233
		El	1.291	CVD28GVRD2018		13821	86H2439	TERR	268 25 48	246.186	246.284
397083	83H6518	E	495235.424	0.9996031	1.0000028		MARKER DESTROYED				
		N	5438327.590								
		El	1.548	CVD28GVRD2018							
712869	83H6519	E	506022.057	0.9995935	0.9999930		MARKER DESTROYED				
		N	5445438.857								
		El	63.816	CVD28GVRD2018							
822338	84H0336	E	496026.758	0.9996031	1.0000029	81497	79H9898	TERR	2 9 45	109.792	109.835
		N	5437891.156			873067	90H6226	TERR	106 56 9	259.119	259.222
		El	1.021	CVD28GVRD2018		525048	84H0337	TERR	296 30 59	211.689	211.774
525048	84H0337	E	495837.337	0.9996031	1.0000029	822338	84H0336	TERR	116 30 59	211.689	211.774
		N	5437985.665			455410	79H9897	TERR	358 29 11	88.436	88.471
		El	1.037	CVD28GVRD2018							
280420	84H0338	E	494283.822	0.9996034	1.0000030	300665	84H0345	TERR	7 7 45	234.237	234.330
		N	5436464.364			396929	84H0388	TERR	195 49 7	343.007	343.143
		El	.720	CVD28GVRD2018							
474205	84H0339	E	495880.384	0.9996031	1.0000029	562710	79H9896	TERR	109 16 47	230.000	230.091
		N	5437853.415			242446	79H9892	TERR	178 38 48	99.157	99.196
		El	.913	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
171314	84H0340	E	493641.318	0.9996035	1.0000030	470492	90H6227	TERR	2 13 47	357.427	357.568			
		N	5436926.195					13029	6844	TERR	90 22 48	326.914	327.044	
		El	.704					CVD28GVRD2018	857128	6823	TERR	270 18 50	120.979	121.027
189241	84H0341	E	493794.068	0.9996034	1.0000029	925180	84H0342	TERR	89 15 47	177.497	177.566			
		N	5437273.235					470492	90H6227	TERR	274 10 2	139.212	139.267	
		El	1.097					CVD28GVRD2018	92247	86H2449	TERR	359 31 27	108.369	108.412
925180	84H0342	E	493971.550	0.9996033	1.0000029	275495	6845	TERR	90 44 58	181.545	181.617			
		N	5437275.518					13029	6844	TERR	180 32 31	351.507	351.647	
		El	1.105					CVD28GVRD2018	189241	84H0341	TERR	269 15 47	177.497	177.566
218024	84H0343	E	494098.821	0.9996033	1.0000029	805895	84H0344	TERR	86 8 5	119.637	119.685			
		N	5436919.745					13029	6844	TERR	271 52 41	130.666	130.718	
		El	1.067					CVD28GVRD2018						
805895	84H0344	E	494218.186	0.9996033	1.0000029	203596	92H0566	TERR	1 15 50	209.770	209.853			
		N	5436927.810					300665	84H0345	TERR	157 42 32	249.679	249.778	
		El	.960					CVD28GVRD2018	218024	84H0343	TERR	266 8 5	119.637	119.685
300665	84H0345	E	494312.892	0.9996033	1.0000029	617167	92H0580	TERR	88 5 20	94.761	94.798			
		N	5436696.790					280420	84H0338	TERR	187 7 45	234.237	234.330	
		El	1.338					CVD28GVRD2018	805895	84H0344	TERR	337 42 32	249.679	249.778
546150	84H0346	E	493846.564	0.9996034	1.0000030	737197	84H0431	GPS	18 10 9	1881.627	1882.373			
		N	5436840.148					839639	80H1300	GPS	27 23 39	5546.180	5548.382	
		El	.673					CVD28GVRD2018	528505	92H0579	GPS	53 36 42	3457.726	3459.099
									991802	88H4194	GPS	96 17 40	2788.834	2789.941
									378034	84H0421	TERR	182 30 38	170.418	170.485
									703199	6846	GPS	205 44 39	1956.370	1957.145
528885	84H0347	E	493983.120	0.9996034	1.0000030	261172	6955	TERR	87 25 8	229.300	229.391			
		N	5436668.661					378034	84H0421	TERR	270 29 26	144.026	144.083	
		El	.499					CVD28GVRD2018						
832295	84H0348	E	493912.412	0.9996034	1.0000029	553123	84H0349	TERR	91 10 34	241.983	242.079			
		N	5436555.522											
		El	.869					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
553123	84H0349	E	494154.344	0.9996034	1.0000029	832295	84H0348	TERR	271 10 34	241.983	242.079
		N	5436550.555								
		El	.921	CVD28GVRD2018							
839068	84H0350	E	493912.059	0.9996034	1.0000029						
		N	5436459.876								
		El	.873	CVD28GVRD2018							
872606	84H0351	E	494168.720	0.9996033	1.0000029						
		N	5436457.414								
		El	1.180	CVD28GVRD2018							
887745	84H0354	E	494979.553	0.9996029	1.0000026						
		N	5439473.756								
		El	3.055	CVD28GVRD2018							
678698	84H0355	E	494327.573	0.9996033	1.0000029						
		N	5434806.452								
		El	1.354	CVD28GVRD2018							
977447	84H0357	E	495435.733	0.9996032	1.0000029	774158	84H0359	TERR	102 3 38	154.543	154.605
		N	5437912.173			838532	84H0364	TERR	181 7 28	366.608	366.754
		El	1.017	CVD28GVRD2018							
2881	84H0358	E	495518.196	0.9996032	1.0000029	690594	84H0361	TERR	282 7 36	165.634	165.700
		N	5437988.905								
		El	.910	CVD28GVRD2018							
774158	84H0359	E	495586.865	0.9996032	1.0000029	608166	84H0365	TERR	180 7 19	157.050	157.113
		N	5437879.882			977447	84H0357	TERR	282 3 38	154.543	154.605
		El	.895	CVD28GVRD2018							
648964	84H0360	E	495358.084	0.9996032	1.0000029						
		N	5438113.746								
		El	.898	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
690594	84H0361	E	495356.258	0.9996032	1.0000029	2881	84H0358	TERR	102 7 36	165.634	165.700
		N	5438023.700			599589	84H0362	TERR	181 0 45	194.458	194.536
		El	.888	CVD28GVRD2018		247791	84H0438	TERR	274 6 26	108.752	108.795
						570655	92H0590	TERR	357 56 27	88.506	88.541
599589	84H0362	E	495352.822	0.9996032	1.0000029	690594	84H0361	TERR	1 0 45	194.458	194.536
		N	5437829.272			943449	84H0363	TERR	180 25 53	208.138	208.221
		El	1.036	CVD28GVRD2018		173062	92H0589	TERR	268 54 33	122.546	122.595
943449	84H0363	E	495351.255	0.9996032	1.0000029	599589	84H0362	TERR	0 25 53	208.138	208.221
		N	5437621.140			16980	87H3181	TERR	180 22 51	146.887	146.946
		El	.884	CVD28GVRD2018		43802	80H1295	TERR	270 26 57	121.451	121.498
838532	84H0364	E	495428.538	0.9996032	1.0000029	977447	84H0357	TERR	1 7 28	366.608	366.754
		N	5437545.636			294678	84H0434	TERR	87 34 11	234.153	234.246
		El	.978	CVD28GVRD2018							
608166	84H0365	E	495586.531	0.9996032	1.0000029	774158	84H0359	TERR	0 7 19	157.050	157.113
		N	5437722.832			832550	84H0366	TERR	90 45 21	84.386	84.420
		El	.970	CVD28GVRD2018							
832550	84H0366	E	495670.910	0.9996032	1.0000030	106310	84H0367	TERR	0 3 27	449.897	450.075
		N	5437721.719			6064	6815	TERR	88 11 13	80.920	80.951
		El	.737	CVD28GVRD2018		608166	84H0365	TERR	270 45 21	84.386	84.420
106310	84H0367	E	495671.362	0.9996031	1.0000029	679423	6814	TERR	119 24 37	92.675	92.712
		N	5438171.616			832550	84H0366	TERR	180 3 27	449.897	450.075
		El	1.020	CVD28GVRD2018		693242	84H0368	TERR	298 39 59	100.651	100.691
693242	84H0368	E	495583.048	0.9996031	1.0000029	106310	84H0367	TERR	118 39 59	100.651	100.691
		N	5438219.899			827758	84H0369	TERR	179 47 30	155.999	156.061
		El	1.315	CVD28GVRD2018		658849	6813	TERR	298 19 57	207.549	207.631
827758	84H0369	E	495583.615	0.9996031	1.0000029	570655	92H0590	TERR	281 49 14	235.532	235.626
		N	5438063.901			693242	84H0368	TERR	359 47 30	155.999	156.061
		El	1.263	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
518118	84H0370	E	494757.670	0.9996033	1.0000029	663443	84H0442	TERR	178 16 21	317.041	317.168				
		N	5437796.796					99184	84H0371			TERR	330 24 37	129.761	129.812
		El	.941					CVD28GVRD2018							
99184	84H0371	E	494693.596	0.9996032	1.0000029	518118	84H0370	TERR	150 24 37	129.761	129.812				
		N	5437909.634												
		El	1.157					CVD28GVRD2018							
498345	84H0372	E	493319.884	0.9996035	1.0000029	358242	6822	TERR	90 2 24	204.424	204.504				
		N	5437481.954					279786	86H2440			TERR	180 28 13	98.545	98.584
		El	1.087					CVD28GVRD2018							
144501	84H0373	E	495284.043	0.9996029	1.0000026	460840	80H1297	TERR	46 57 20	120.563	120.610				
		N	5439949.801												
		El	2.766					CVD28GVRD2018							
784488	84H0374	E	492805.943	0.9996036	1.0000030	MARKER DESTROYED									
		N	5437110.900												
		El	.627			CVD28GVRD2018									
82651	84H0375	E	494322.695	0.9996032	1.0000028	6361	6839	TERR	180 0 38	310.799	310.922				
		N	5435383.762					67306	6840			TERR	343 58 20	331.585	331.716
		El	1.664					CVD28GVRD2018							
658856	84H0376	E	494986.697	0.9996031	1.0000028	737585	6835	TERR	91 29 32	381.944	382.095				
		N	5433446.820					960112	88H4188			TERR	180 30 56	778.024	778.333
		El	1.583					CVD28GVRD2018				919548	6833	TERR	270 16 6
203349	84H0377	E	504403.625	0.9996021	1.0000019	MARKER DESTROYED									
		N	5444983.937												
		El	7.317			CVD28GVRD2018									
931402	84H0378	E	499885.685	0.9996027	1.0000027	MARKER ISOLATED									
		N	5443539.904												
		El	2.019			CVD28GVRD2018									



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
338335	84H0379	E	492762.763	0.9996036	1.0000029	851576	6825	TERR	64 36 57	334.423	334.556
		N	5437198.442			200063	90H6225	TERR	155 8 38	95.142	95.180
		El	.911	CVD28GVRD2018		208041	84H0389	TERR	244 14 34	144.209	144.267
15420	84H0380	E	493970.864	0.9996031	1.0000026						
		N	5438076.902								
		El	2.771	CVD28GVRD2018							
221341	84H0381	E	499885.285	0.9996027	1.0000027						
		N	5443307.316								
		El	1.870	CVD28GVRD2018							
157594	84H0382	E	497451.187	0.9996030	1.0000029	468819	6804	TERR	7 26 21	338.658	338.793
		N	5441384.374			167072	6803	TERR	180 4 21	913.388	913.750
		El	1.137	CVD28GVRD2018							
6551	84H0383	E	494032.322	0.9996033	1.0000029						
		N	5437712.068								
		El	1.031	CVD28GVRD2018							
668822	84H0384	E	494986.859	0.9996022	1.0000018	268219	6977	TERR	180 27 23	626.443	626.694
		N	5428583.316			557025	88H4211	TERR	183 25 9	299.465	299.584
		El	8.013	CVD28GVRD2018		664607	9364	TERR	270 3 14	417.333	417.500
						723304	6983	TERR	359 20 9	400.564	400.723
569277	84H0385	E	492675.586	0.9996036	1.0000029	200063	90H6225	TERR	63 8 5	142.555	142.612
		N	5437047.693			208041	84H0389	TERR	334 8 6	97.888	97.927
		El	.841	CVD28GVRD2018							
820266	84H0386	E	499886.137	0.9996028	1.0000028						
		N	5443038.140								
		El	1.580	CVD28GVRD2018							
801738	84H0387	E	494190.118	0.9996031	1.0000027						
		N	5438403.819								
		El	2.342	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
396929	84H0388	E	494190.320	0.9996033	1.0000029	280420	84H0338	TERR	15 49 7	343.007	343.143				
		N	5436134.347					67306	6840	TERR	174 36 1	433.815	433.987		
		El	1.203					CVD28GVRD2018							
208041	84H0389	E	492632.882	0.9996036	1.0000029	338335	84H0379	TERR	64 14 34	144.209	144.267				
		N	5437135.775					569277	84H0385	TERR	154 8 6	97.888	97.927		
		El	1.208					CVD28GVRD2018		145946	9310	TERR	241 8 60	143.228	143.284
113415	84H0390	E	498593.220	0.9996026	1.0000025	134981	84H0393	TERR	70 39 58	448.356	448.535				
		N	5442876.186												
		El	3.224					CVD28GVRD2018							
552760	84H0391	E	499818.317	0.9996025	1.0000025	736926	80H1314	TERR	49 28 42	128.497	128.549				
		N	5443697.421					75135	84H0392	TERR	215 30 4	298.707	298.825		
		El	3.461					CVD28GVRD2018							
75135	84H0392	E	499644.852	0.9996026	1.0000026	552760	84H0391	TERR	35 30 4	298.707	298.825				
		N	5443454.243					675850	84H0394	TERR	230 55 26	368.235	368.382		
		El	2.789					CVD28GVRD2018							
134981	84H0393	E	499016.291	0.9996026	1.0000026	675850	84H0394	TERR	60 2 41	395.534	395.692				
		N	5443024.625					177774	82H5428	TERR	174 42 4	171.356	171.424		
		El	3.058					CVD28GVRD2018		113415	84H0390	TERR	250 39 58	448.356	448.535
675850	84H0394	E	499358.988	0.9996025	1.0000025	838037	02H2423	GPS	39 2 45	5009.864	5011.855				
		N	5443222.125					75135	84H0392	TERR	50 55 26	368.235	368.382		
		El	3.416					CVD28GVRD2018		195156	80H1320	GPS	62 59 35	3176.528	3177.791
		252569	92H0596					GPS	112 30 53	6542.209	6544.815				
		607093	5893					GPS	122 47 50	10283.409	10287.494				
		995365	6910					GPS	133 28 38	7419.868	7422.816				
		531079	6902					GPS	174 54 2	5783.490	5785.788				
		134981	84H0393					TERR	240 2 41	395.534	395.692				
		839639	80H1300					GPS	243 47 7	3300.005	3301.318				
		49908	02H2413					GPS	281 7 55	2802.319	2803.434				
		274696	78H8518					GPS	320 13 27	4306.748	4308.460				
829762	02H2412	GPS	347 40 18	1446.152	1446.727										
47092	02H2454	GPS	357 7 59	5860.875	5863.205										
334540	84H0396	E	492484.036	0.9996036	1.0000029	859215	84H0397	TERR	115 22 32	217.819	217.905				
		N	5436985.933												
		El	1.286					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
859215	84H0397	E	492680.839	0.9996036	1.0000029	127100	84H0398	TERR	88 45 55	129.333	129.384				
		N	5436892.587					334540	84H0396	TERR	295 22 32	217.819	217.905		
		El	1.045					CVD28GVRD2018							
127100	84H0398	E	492810.142	0.9996035	1.0000029	235374	84H0399	TERR	5 26 16	129.572	129.623				
		N	5436895.374					981944	84H0400	TERR	95 39 55	159.144	159.208		
		El	1.065					CVD28GVRD2018		153247	84H0401	TERR	170 50 1	69.598	69.625
								859215	84H0397	TERR	268 45 55	129.333	129.384		
235374	84H0399	E	492822.421	0.9996035	1.0000029	127100	84H0398	TERR	185 26 16	129.572	129.623				
		N	5437024.363												
		El	1.154					CVD28GVRD2018							
981944	84H0400	E	492968.509	0.9996035	1.0000029	998294	83H6501	TERR	89 52 55	91.767	91.804				
		N	5436879.664					127100	84H0398	TERR	275 39 55	159.144	159.208		
		El	1.021					CVD28GVRD2018							
153247	84H0401	E	492821.229	0.9996036	1.0000029	770321	84H0402	TERR	114 27 49	110.923	110.968				
		N	5436826.665					127100	84H0398	TERR	350 50 1	69.598	69.625		
		El	.907					CVD28GVRD2018							
770321	84H0402	E	492922.194	0.9996035	1.0000029	701284	84H0403	TERR	97 53 57	122.606	122.655				
		N	5436780.730					153247	84H0401	TERR	294 27 49	110.923	110.968		
		El	.928					CVD28GVRD2018							
701284	84H0403	E	493043.637	0.9996035	1.0000029	998294	83H6501	TERR	8 9 53	117.161	117.207				
		N	5436763.880					770321	84H0402	TERR	277 53 57	122.606	122.655		
		El	1.215					CVD28GVRD2018							
162248	84H0404	E	492893.785	0.9996035	1.0000029	338939	84H0405	TERR	92 3 1	159.181	159.244				
		N	5437096.609												
		El	.928					CVD28GVRD2018							
338939	84H0405	E	493052.864	0.9996035	1.0000029	738930	84H0406	TERR	6 33 53	158.995	159.058				
		N	5437090.914					998294	83H6501	TERR	177 59 19	211.191	211.275		
		El	1.231					CVD28GVRD2018		162248	84H0404	TERR	272 3 1	159.181	159.244

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
738930	84H0406	E	493071.041	0.9996035	1.0000029	338939	84H0405	TERR	186 33 53	158.995	159.058		
		N	5437248.866					200063	90H6225	TERR	242 59 27	301.129	301.249
		El	1.191					CVD28GVRD2018	851576	6825	TERR	356 13 8	93.141
357657	84H0407	E	493145.455	0.9996035	1.0000029	485656	84H0408	TERR	3 3 28	229.547	229.638		
		N	5437161.594										
		El	1.196					CVD28GVRD2018					
485656	84H0408	E	493157.700	0.9996034	1.0000029	279786	86H2440	TERR	92 37 34	161.545	161.609		
		N	5437390.814					357657	84H0407	TERR	183 3 28	229.547	229.638
		El	1.395					CVD28GVRD2018					
365783	84H0409	E	493128.602	0.9996035	1.0000029	514711	83H6507	TERR	3 0 51	154.740	154.802		
		N	5436939.032					705764	83H6498	TERR	99 17 24	97.348	97.387
		El	.861					CVD28GVRD2018					
429548	84H0410	E	493122.976	0.9996035	1.0000029			MARKER DESTROYED					
		N	5436742.281										
		El	1.086					CVD28GVRD2018					
156117	84H0411	E	493357.938	0.9996035	1.0000029	966663	80H1291	TERR	86 5 12	161.652	161.716		
		N	5436752.743										
		El	.871					CVD28GVRD2018					
741066	84H0412	E	493211.875	0.9996035	1.0000030	705764	83H6498	TERR	9 28 56	77.684	77.715		
		N	5436846.694					472092	83H6497	TERR	178 37 2	119.958	120.006
		El	.756					CVD28GVRD2018					
258921	84H0413	E	493351.554	0.9996035	1.0000030	857128	6823	TERR	92 36 38	168.962	169.030		
		N	5436934.554					705764	83H6498	TERR	264 56 20	127.378	127.427
		El	.677					CVD28GVRD2018					
288019	84H0414	E	493318.876	0.9996035	1.0000030	991950	6824	TERR	0 25 46	201.046	201.126		
		N	5437079.852					514711	83H6507	TERR	274 18 12	182.652	182.724
		El	.613					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
205120	84H0415	E	493515.699	0.9996034	1.0000029	358242	6822	TERR	4 35 10	107.670	107.713						
		N	5437374.486									279786	86H2440	TERR	272 35 57	196.827	196.904
		El	1.001														
677278	84H0416	E	493659.836	0.9996034	1.0000029	MARKER DESTROYED											
		N	5437390.188														
		El	1.054			CVD28GVRD2018											
47175	84H0417	E	493972.731	0.9996033	1.0000028	MARKER DESTROYED											
		N	5437389.474														
		El	1.500			CVD28GVRD2018											
163139	84H0418	E	493798.732	0.9996033	1.0000029	MARKER DESTROYED											
		N	5437486.314														
		El	1.384			CVD28GVRD2018											
613786	84H0419	E	493681.092	0.9996033	1.0000028	MARKER DESTROYED											
		N	5437642.833														
		El	1.513			CVD28GVRD2018											
936823	84H0420	E	493632.804	0.9996033	1.0000028	MARKER DESTROYED											
		N	5437746.095														
		El	1.635			CVD28GVRD2018											
378034	84H0421	E	493839.099	0.9996034	1.0000029	546150	84H0346	TERR	2 30 38	170.418	170.485						
		N	5436669.894			528885	84H0347	TERR	90 29 26	144.026	144.083						
		El	.921			CVD28GVRD2018	546689	84H0422	TERR	272 58 45	243.147	243.243					
546689	84H0422	E	493596.281	0.9996035	1.0000030	378034	84H0421	TERR	92 58 45	243.147	243.243						
		N	5436682.531			842872	84H0423	TERR	180 50 15	171.452	171.521						
		El	.679			CVD28GVRD2018											
842872	84H0423	E	493593.775	0.9996034	1.0000029	546689	84H0422	TERR	0 50 15	171.452	171.521						
		N	5436511.097														
		El	.878									CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
854869	84H0424	E N El	493644.722 5436361.943 .690	0.9996035	1.0000030	617258	9321	TERR	266 17 37	132.047	132.100
711556	84H0425	E N El	494211.436 5437148.062 1.503	0.9996033	1.0000028			MARKER DESTROYED			
148114	84H0426	E N El	494713.126 5439050.799 3.213	0.9996029	1.0000026			MARKER DESTROYED			
840447	84H0427	E N El	494075.233 5437980.690 1.249	0.9996033	1.0000029	995605	6809	TERR	215 6 57	294.632	294.749
787085	84H0428	E N El	494606.962 5438653.445 1.297	0.9996032	1.0000029	809087 899047	90H6223 84H0429	TERR TERR	218 58 11 319 51 37	527.119 106.034	527.329 106.075
899047	84H0429	E N El	494538.607 5438734.505 1.217	0.9996032	1.0000029	751297 787085 737197	84H0430 84H0428 84H0431	TERR TERR TERR	44 59 1 139 51 37 224 39 53	189.590 106.034 149.807	189.665 106.075 149.867
751297	84H0430	E N El	494672.629 5438868.604 1.197	0.9996032	1.0000029	899047	84H0429	TERR	224 59 1	189.590	189.665
737197	84H0431	E N El	494433.299 5438627.957 1.225	0.9996033	1.0000029	839639 899047 528505 991802 546150 703199 983908 989624 234419 855890 406991 394437 80101	80H1300 84H0429 92H0579 88H4194 84H0346 6846 84H0432 80H1275 6901 6855 77C032 77H4671 02H2443	GPS TERR GPS GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS	32 4 8 44 39 53 83 9 36 133 46 19 198 10 9 202 1 50 209 42 11 233 49 33 243 14 11 251 38 1 265 41 9 286 47 35 328 5 18	3701.201 149.807 2212.532 3026.301 1881.627 3829.617 141.072 7036.609 4587.919 5919.871 7364.650 4611.837 2570.738	3702.671 149.867 2213.410 3027.502 1882.373 3831.136 141.128 7039.400 4589.739 5922.218 7367.567 4613.666 2571.759

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
983908	84H0432	E	494363.397	0.9996033	1.0000029	737197	84H0431	TERR	29 42 11	141.072	141.128
		N	5438505.421								
		E1	1.038	CVD28GVRD2018							
123406	84H0433	E	494108.280	0.9996032	1.0000028		MARKER DESTROYED				
		N	5437634.574								
		E1	1.655	CVD28GVRD2018							
294678	84H0434	E	495662.480	0.9996031	1.0000028	838532	84H0364	TERR	267 34 11	234.153	234.246
		N	5437555.565								
		E1	1.632	CVD28GVRD2018							
165399	84H0435	E	494928.818	0.9996031	1.0000028	623900	6812	TERR	91 31 16	249.634	249.733
		N	5438328.617			434100	86H2441	TERR	268 59 2	209.971	210.054
		E1	1.637	CVD28GVRD2018							
829242	84H0436	E	495059.575	0.9996031	1.0000028	311324	84H0437	TERR	176 46 30	130.010	130.062
		N	5438244.233								
		E1	1.799	CVD28GVRD2018							
311324	84H0437	E	495066.889	0.9996031	1.0000028	829242	84H0436	TERR	356 46 30	130.010	130.062
		N	5438114.429								
		E1	1.484	CVD28GVRD2018							
247791	84H0438	E	495247.785	0.9996031	1.0000029	690594	84H0361	TERR	94 6 26	108.752	108.795
		N	5438031.489			173062	92H0589	TERR	184 53 11	205.296	205.377
		E1	1.396	CVD28GVRD2018		941096	83H6517	TERR	269 51 5	243.899	243.995
						974980	92H0565	TERR	357 41 29	297.961	298.079
683276	84H0439	E	495229.754	0.9996031	1.0000028		MARKER DESTROYED				
		N	5437826.996								
		E1	1.564	CVD28GVRD2018							
742825	84H0440	E	494465.021	0.9996033	1.0000029	500272	92H0594	TERR	180 20 52	526.043	526.251
		N	5438016.072			295600	86H2436	TERR	285 50 39	156.493	156.555
		E1	1.257	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
53629	84H0441	E	494993.554	0.9996031	1.0000028	635458	83H6516	TERR	0 33 24	287.186	287.300				
		N	5437478.664					121343	6819			TERR	87 41 42	240.936	241.032
		El	1.868					CVD28GVRD2018				663443	84H0442	TERR	270 18 46
663443	84H0442	E	494767.228	0.9996031	1.0000028	53629	84H0441	TERR	90 18 46	226.329	226.419				
		N	5437479.899					500272	92H0594			TERR	271 54 6	305.568	305.690
		El	1.986					CVD28GVRD2018				518118	84H0370	TERR	358 16 21
514901	84H0443	E	494275.002	0.9996032	1.0000028	MARKER DESTROYED									
		N	5437499.839												
		El	1.926			CVD28GVRD2018									
942359	84H0444	E	494979.254	0.9996032	1.0000029	735647	83H6508	TERR	181 25 28	382.406	382.558				
		N	5437332.681												
		El	1.086					CVD28GVRD2018							
680223	84H0445	E	494353.617	0.9996033	1.0000029	617167	92H0580	TERR	167 23 47	247.394	247.492				
		N	5436941.382												
		El	.970					CVD28GVRD2018							
470815	84H0446	E	494517.000	0.9996033	1.0000029	674572	79H9922	TERR	92 20 1	196.107	196.185				
		N	5436805.920					591024	92H0581			TERR	177 44 60	108.070	108.113
		El	.907					CVD28GVRD2018				469718	87H3178	TERR	319 43 28
815019	84H0447	E	494520.656	0.9996033	1.0000029	MARKER DESTROYED									
		N	5436698.283												
		El	.868			CVD28GVRD2018									
717611	84H0448	E	495095.998	0.9996032	1.0000029	479238	92H0582	TERR	269 55 39	197.645	197.724				
		N	5436725.237												
		El	.985					CVD28GVRD2018							
142471	84H0449	E	495233.310	0.9996032	1.0000029	MARKER DESTROYED									
		N	5436946.180												
		El	1.121			CVD28GVRD2018									



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
551408	84H9449	E	495651.216	0.9996031	1.0000029		MARKER DESTROYED				
		N	5436888.077								
		El	1.171	CVD28GVRD2018							
52225	84H9450	E	507993.878	0.9995955	0.9999947		MARKER DESTROYED				
		N	5439384.530								
		El	53.204	CVD28GVRD2018							
36269	84H9451	E	507995.290	0.9995962	0.9999954	853168	84H9452	TERR	270 20 9	268.608	268.716
		N	5439161.826								
		El	48.665	CVD28GVRD2018							
853168	84H9452	E	507726.687	0.9995979	0.9999971	36269	84H9451	TERR	90 20 9	268.608	268.716
		N	5439163.401			711085	84H9453	TERR	359 47 49	190.545	190.623
		El	37.700	CVD28GVRD2018							
711085	84H9453	E	507726.012	0.9995968	0.9999961	853168	84H9452	TERR	179 47 49	190.545	190.623
		N	5439353.945								
		El	44.569	CVD28GVRD2018							
121558	84H9454	E	507990.037	0.9995937	0.9999929		MARKER ISOLATED				
		N	5440007.513								
		El	64.547	CVD28GVRD2018							
303891	84H9455	E	505840.915	0.9996006	1.0000002	130211	78H8560	TERR	85 3 40	188.845	188.920
		N	5440708.127								
		El	18.211	CVD28GVRD2018							
785618	84H9456	E	505935.069	0.9995986	0.9999981	382457	84H9465	TERR	50 37 26	99.031	99.071
		N	5441253.964			738864	84H9461	TERR	180 8 0	151.243	151.304
		El	31.399	CVD28GVRD2018							
363986	84H9457	E	506037.532	0.9995974	0.9999970	382457	84H9465	TERR	347 1 0	115.336	115.382
		N	5441204.403								
		El	38.719	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
959361	84H9458	E	506280.474	0.9995976	0.9999971	307629	84H9459	TERR	47 54 57	116.287	116.334		
		N	5440819.302					295485	9333	TERR	275 32 33	127.912	127.963
		El	37.686	CVD28GVRD2018									
307629	84H9459	E	506366.778	0.9995972	0.9999967	947432	82H5399	TERR	58 19 6	113.473	113.519		
		N	5440897.240					959361	84H9458	TERR	227 54 57	116.287	116.334
		El	40.427	CVD28GVRD2018									
251900	84H9460	E	505833.259	0.9995995	0.9999991								
		N	5441093.996										
		El	25.141	CVD28GVRD2018									
738864	84H9461	E	505934.717	0.9995989	0.9999985	785618	84H9456	TERR	0 8 0	151.243	151.304		
		N	5441102.721										
		El	28.895	CVD28GVRD2018									
741462	84H9462	E	506227.326	0.9995956	0.9999951	220558	84H9464	TERR	347 57 51	130.811	130.864		
		N	5441236.033										
		El	50.821	CVD28GVRD2018									
747915	84H9463	E	506314.129	0.9995949	0.9999944	406413	78H8571	TERR	15 15 12	166.044	166.112		
		N	5441369.490					220558	84H9464	TERR	267 13 44	114.214	114.260
		El	55.327	CVD28GVRD2018									
220558	84H9464	E	506200.049	0.9995960	0.9999955	747915	84H9463	TERR	87 13 44	114.214	114.260		
		N	5441363.968					741462	84H9462	TERR	167 57 51	130.811	130.864
		El	47.823	CVD28GVRD2018						593293	9312	TERR	326 58 19
382457	84H9465	E	506011.620	0.9995978	0.9999974	363986	84H9457	TERR	167 1 0	115.336	115.382		
		N	5441316.790					785618	84H9456	TERR	230 37 26	99.031	99.071
		El	36.023	CVD28GVRD2018						694794	84H9466	TERR	321 40 38
694794	84H9466	E	505950.493	0.9995983	0.9999978	593293	9312	TERR	51 28 33	193.681	193.758		
		N	5441394.127					382457	84H9465	TERR	141 40 38	98.578	98.617
		El	33.179	CVD28GVRD2018						612895	83H6505	TERR	230 49 22

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING								
301721	84H9467	E	507497.640	0.9995904	0.9999897	40899	84H9472	TERR	2 18 49	228.218	228.312				
		N	5440983.031					150680	82H5386			TERR	87 29 28	92.859	92.897
		El	85.190					CVD28GVRD2018	489286			84H9468	TERR	274 45 1	147.949
489286	84H9468	E	507350.199	0.9995899	0.9999892	301721	84H9467	TERR	94 45 1	147.949	148.010				
		N	5440995.283					329508	84H9469			TERR	265 52 14	163.228	163.295
		El	88.369					CVD28GVRD2018							
329508	84H9469	E	507187.395	0.9995900	0.9999893	489286	84H9468	TERR	85 52 14	163.228	163.295				
		N	5440983.529					151597	82H5394			TERR	177 58 38	232.045	232.139
		El	87.552					CVD28GVRD2018	398990			84H9470	TERR	336 37 50	85.132
398990	84H9470	E	507153.627	0.9995895	0.9999888	375675	84H9471	TERR	59 2 52	102.749	102.791				
		N	5441061.677					329508	84H9469			TERR	156 37 50	85.132	85.167
		El	90.596					CVD28GVRD2018							
375675	84H9471	E	507241.744	0.9995897	0.9999890	760157	79H9929	TERR	51 48 54	141.415	141.473				
		N	5441114.523					398990	84H9470			TERR	239 2 52	102.749	102.791
		El	89.529					CVD28GVRD2018							
40899	84H9472	E	507506.853	0.9995902	0.9999896	301721	84H9467	TERR	182 18 49	228.218	228.312				
		N	5441211.063					760157	79H9929			TERR	266 36 39	154.224	154.287
		El	86.071					CVD28GVRD2018							
359125	84H9473	E	505970.741	0.9995992	0.9999988	382119	79H9862	TERR	256 30 53	85.928	85.963				
		N	5441772.919												
		El	27.152					CVD28GVRD2018							
623769	84H9474	E	506049.687	0.9995985	0.9999981	MARKER DESTROYED									
		N	5441808.374												
		El	31.642			CVD28GVRD2018									
147926	84H9475	E	506095.611	0.9995983	0.9999978	33647	84H9476	TERR	326 4 23	97.989	98.027				
		N	5441921.701												
		El	33.431					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
33647	84H9476	E	506040.920	0.9995991	0.9999986	147926	84H9475	TERR	146 4 23	97.989	98.027					
		N	5442003.007					796789				79H9860	TERR	271 21 54	102.270	102.311
		El	28.153					CVD28GVRD2018								
378067	84H9477	E	506379.094	0.9995953	0.9999948	506907	84H9478	TERR	277 10 58	92.437	92.475					
		N	5442426.515					880914				87H2622	TERR	357 6 27	240.048	240.145
		El	52.573										CVD28GVRD2018			
506907	84H9478	E	506287.382	0.9995964	0.9999959	456251	84H9479	TERR	4 17 3	140.272	140.329					
		N	5442438.073					378067				84H9477	TERR	97 10 58	92.437	92.475
		El	45.481										CVD28GVRD2018			
456251	84H9479	E	506297.861	0.9995959	0.9999954	506907	84H9478	TERR	184 17 3	140.272	140.329					
		N	5442577.953					609685				84H9480	TERR	244 10 11	218.376	218.464
		El	48.674										CVD28GVRD2018			
609685	84H9480	E	506101.303	0.9995983	0.9999979	456251	84H9479	TERR	64 10 11	218.376	218.464					
		N	5442482.805													
		El	32.959					CVD28GVRD2018								
540633	84H9481	E	506377.748	0.9995948	0.9999943			MARKER DESTROYED								
		N	5442830.591													
		El	55.992					CVD28GVRD2018								
227637	84H9482	E	506287.889	0.9995953	0.9999948	825851	84H9483	TERR	0 5 23	83.769	83.803					
		N	5442761.739					790956				84H9484	TERR	237 38 15	154.668	154.730
		El	52.580										CVD28GVRD2018			
825851	84H9483	E	506288.020	0.9995948	0.9999943	565192	84H9486	TERR	1 17 20	195.240	195.319					
		N	5442845.508					227637				84H9482	TERR	180 5 23	83.769	83.803
		El	55.513										CVD28GVRD2018			
790956	84H9484	E	506157.244	0.9995968	0.9999964	227637	84H9482	TERR	57 38 15	154.668	154.730					
		N	5442678.949					417790				84H9485	TERR	317 52 35	81.529	81.562
		El	42.539										CVD28GVRD2018			

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING								
417790	84H9485	E	506102.560	0.9995967	0.9999963	701433	84H9488	TERR	2 49 24	211.725	211.811				
		N	5442739.419					790956	84H9484			TERR	137 52 35	81.529	81.562
		El	43.082					CVD28GVRD2018	74153			79H9840	TERR	261 9 44	73.537
565192	84H9486	E	506292.412	0.9995939	0.9999934	825851	84H9483	TERR	181 17 20	195.240	195.319				
		N	5443040.699												
		El	61.245					CVD28GVRD2018							
20966	84H9487	E	506187.242	0.9995947	0.9999942	701433	84H9488	TERR	254 55 36	76.899	76.930				
		N	5442970.885												
		El	56.405					CVD28GVRD2018							
701433	84H9488	E	506112.989	0.9995952	0.9999948	20966	84H9487	TERR	74 55 36	76.899	76.930				
		N	5442950.887					417790	84H9485			TERR	182 49 24	211.725	211.811
		El	52.799					CVD28GVRD2018							
337394	84H9489	E	506177.838	0.9995938	0.9999933	128561	84H9494	TERR	0 4 31	75.259	75.290				
		N	5443114.165					102921	84H9493			TERR	272 12 48	163.199	163.265
		El	62.204					CVD28GVRD2018							
668343	84H9490	E	506030.297	0.9995950	0.9999946	343368	84H9491	TERR	245 9 8	107.904	107.947				
		N	5443045.511												
		El	54.090					CVD28GVRD2018							
343368	84H9491	E	505932.382	0.9995965	0.9999961	668343	84H9490	TERR	65 9 8	107.904	107.947				
		N	5443000.169					731257	78H8589			TERR	160 1 59	162.187	162.252
		El	44.252					CVD28GVRD2018	694059			78H8576	TERR	332 7 18	177.518
561498	84H9492	E	505567.981	0.9995915	0.9999911	253674	9323	TERR	6 39 23	145.997	146.057				
		N	5444246.095					591933	79H9916			TERR	180 58 2	274.051	274.163
		El	76.260					CVD28GVRD2018	457473			84H9510	TERR	242 5 25	114.068
102921	84H9493	E	506014.761	0.9995945	0.9999940	337394	84H9489	TERR	92 12 48	163.199	163.265				
		N	5443120.468												
		El	57.360					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
128561	84H9494	E	506177.937	0.9995932	0.9999928	935932	84H9495	TERR	81 57 53	119.249	119.297				
		N	5443189.424					337394	84H9489			TERR	180 4 31	75.259	75.290
		El	65.465					CVD28GVRD2018	938217			83H6513	TERR	275 45 43	178.380
935932	84H9495	E	506296.015	0.9995929	0.9999924	128561	84H9494	TERR	261 57 53	119.249	119.297				
		N	5443206.093												
		El	67.714					CVD28GVRD2018							
979740	84H9496	E	506261.029	0.9995921	0.9999916	374967	84H9497	TERR	272 25 22	145.893	145.953				
		N	5443352.312												
		El	73.045					CVD28GVRD2018							
374967	84H9497	E	506115.266	0.9995921	0.9999916	979740	84H9496	TERR	92 25 22	145.893	145.953				
		N	5443358.479					797589	82H5478			TERR	338 31 20	162.098	162.164
		El	72.886					CVD28GVRD2018							
675256	84H9498	E	506007.844	0.9995910	0.9999906	565283	84H9501	TERR	0 37 49	290.504	290.623				
		N	5443591.716					356634	84H9499			TERR	274 21 12	178.272	178.345
		El	79.505					CVD28GVRD2018							
356634	84H9499	E	505830.086	0.9995924	0.9999920	675256	84H9498	TERR	94 21 12	178.272	178.345				
		N	5443605.248					682351	84H9500			TERR	357 30 37	266.172	266.282
		El	70.192					CVD28GVRD2018							
682351	84H9500	E	505818.523	0.9995913	0.9999909	565283	84H9501	TERR	86 43 12	192.832	192.911				
		N	5443871.169					356634	84H9499			TERR	177 30 37	266.172	266.282
		El	77.454					CVD28GVRD2018	327619			83H6504	TERR	276 58 52	137.178
565283	84H9501	E	506011.039	0.9995903	0.9999899	675256	84H9498	TERR	180 37 49	290.504	290.623				
		N	5443882.202					682351	84H9500			TERR	266 43 12	192.832	192.911
		El	83.998					CVD28GVRD2018							
791079	84H9502	E	505574.368	0.9995943	0.9999940	453779	78H8582	TERR	186 59 4	125.000	125.050				
		N	5443690.482					733733	78H8577			TERR	359 52 7	126.996	127.048
		El	57.922					CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
857524	84H9503	E	505472.518	0.9995973	0.9999969	453779	78H8582	TERR	117 31 22	97.708	97.748
		N	5443611.561				84H9504	TERR	358 4 18	98.184	98.223
		El	38.912				CVD28GVRD2018				
728170	84H9504	E	505469.214	0.9995956	0.9999952	342345	84H9506	TERR	4 14 3	156.315	156.378
		N	5443709.689				84H9503	TERR	178 4 18	98.184	98.223
		El	49.961				CVD28GVRD2018				
417048	84H9505	E	505369.225	0.9995976	0.9999972	815746	84H9508	TERR	305 55 24	127.484	127.534
		N	5443700.122								
		El	36.991				CVD28GVRD2018				
342345	84H9506	E	505480.755	0.9995933	0.9999929	728170	84H9504	TERR	184 14 3	156.315	156.378
		N	5443865.577								
		El	64.740				CVD28GVRD2018				
238337	84H9507	E	505325.963	0.9995956	0.9999953	748384	84H9509	TERR	307 14 14	139.958	140.014
		N	5443866.065								
		El	49.564				CVD28GVRD2018				
815746	84H9508	E	505265.988	0.9995983	0.9999979	841734	6966	GPS	36 43 11	2294.529	2295.462
		N	5443774.917			417048	84H9505	TERR	125 55 24	127.484	127.534
		El	32.436			102970	92H0875	GPS	137 48 56	4096.941	4098.601
						799270	9352	GPS	151 27 38	1621.011	1621.661
						607093	5893	GPS	155 54 50	6706.931	6709.609
						252569	92H0596	GPS	177 26 34	3060.989	3062.215
						995365	6910	GPS	185 16 44	5682.260	5684.530
						195156	80H1320	GPS	286 7 37	3202.904	3204.184
						669101	78H8547	TERR	318 51 17	234.374	234.468
						838037	02H2423	GPS	320 30 23	4325.651	4327.379
						177238	88H4212	GPS	330 33 16	3214.250	3215.535
						137695	92H0576	GPS	353 39 27	3234.897	3236.190
		748384	84H9509			E	505214.537	0.9995975	0.9999972	238337	84H9507
N	5443950.756			669101	78H8547	TERR	270 21 55			102.762	102.803
El	37.487			CVD28GVRD2018							
457473	84H9510	E	505467.181	0.9995920	0.9999916	561498	84H9492	TERR	62 5 25	114.068	114.114
		N	5444192.702								
		El	72.980			CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
205658	84H9944	E	506971.087	0.9995931	0.9999925		MARKER DESTROYED				
		N	5442528.595								
		E1	66.951	CVD28GVRD2018							
218842	86H2435	E	495489.489	0.9996028	1.0000026		MARKER DESTROYED				
		N	5440210.166								
		E1	3.078	CVD28GVRD2018							
295600	86H2436	E	494314.474	0.9996032	1.0000029	742825	84H0440	TERR	105 50 39	156.493	156.555
		N	5438058.798								
		E1	1.424	CVD28GVRD2018							
832667	86H2437	E	491041.793	0.9996039	1.0000029	531830	6952	TERR	74 59 55	675.851	676.119
		N	5436687.178			568352	6951	TERR	232 29 21	158.450	158.513
		E1	1.026	CVD28GVRD2018							
530063	86H2438	E	493522.787	0.9996034	1.0000029		MARKER DESTROYED				
		N	5437279.174								
		E1	.979	CVD28GVRD2018							
13821	86H2439	E	494757.793	0.9996032	1.0000029	941096	83H6517	TERR	88 25 48	246.186	246.284
		N	5438024.111								
		E1	1.138	CVD28GVRD2018							
279786	86H2440	E	493319.075	0.9996034	1.0000029	498345	84H0372	TERR	0 28 13	98.545	98.584
		N	5437383.412			205120	84H0415	TERR	92 35 57	196.827	196.904
		E1	1.348	CVD28GVRD2018		991950	6824	TERR	179 16 9	102.528	102.569
						485656	84H0408	TERR	272 37 34	161.545	161.609
434100	86H2441	E	494718.880	0.9996032	1.0000029	842484	86H2447	TERR	41 19 16	342.818	342.954
		N	5438324.893			165399	84H0435	TERR	88 59 2	209.971	210.054
		E1	1.259	CVD28GVRD2018							
944819	86H2442	E	494302.398	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438547.651								
		E1	2.135	CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
168005	86H2443	E	494487.187	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438773.334								
		El	2.315	CVD28GVRD2018							
892471	86H2444	E	494638.599	0.9996032	1.0000029	107953	86H2448	TERR	40 19 34	319.639	319.766
		N	5438444.850								
		El	1.246	CVD28GVRD2018							
454124	86H2445	E	494636.109	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438919.116								
		El	2.303	CVD28GVRD2018							
243790	86H2446	E	496777.605	0.9996027	1.0000025	855452	80H1302	TERR	60 12 28	830.906	831.237
		N	5442100.552			839639	80H1300	TERR	228 26 37	506.749	506.950
		El	3.318	CVD28GVRD2018							
842484	86H2447	E	494945.235	0.9996031	1.0000028	623900	6812	TERR	138 9 33	349.485	349.623
		N	5438582.357			434100	86H2441	TERR	221 19 16	342.818	342.954
		El	1.541	CVD28GVRD2018		107953	86H2448	TERR	316 46 39	145.707	145.766
107953	86H2448	E	494845.450	0.9996032	1.0000028	842484	86H2447	TERR	136 46 39	145.707	145.766
		N	5438688.534			892471	86H2444	TERR	220 19 34	319.639	319.766
		El	1.490	CVD28GVRD2018							
92247	86H2449	E	493793.168	0.9996033	1.0000028	189241	84H0341	TERR	179 31 27	108.369	108.412
		N	5437381.600								
		El	1.467	CVD28GVRD2018							
971697	86H2450	E	494455.322	0.9996032	1.0000028	346551	86H2451	TERR	39 18 13	298.228	298.347
		N	5438127.910								
		El	1.443	CVD28GVRD2018							
346551	86H2451	E	494644.229	0.9996032	1.0000029	431395	87H3180	TERR	42 53 11	96.130	96.168
		N	5438358.679			971697	86H2450	TERR	219 18 13	298.228	298.347
		El	1.192	CVD28GVRD2018		225706	86H2453	TERR	310 5 55	129.259	129.310

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
476796	86H2452	E	494551.421	0.9996032	1.0000029		MARKER DESTROYED				
		N	5438127.185								
		El	1.251	CVD28GVRD2018							
225706	86H2453	E	494545.354	0.9996033	1.0000029	236406	86H2454	TERR	38 50 31	88.435	88.470
		N	5438441.935			346551	86H2451	TERR	130 5 55	129.259	129.310
		El	1.123	CVD28GVRD2018							
236406	86H2454	E	494600.818	0.9996032	1.0000029	225706	86H2453	TERR	218 50 31	88.435	88.470
		N	5438510.815								
		El	1.159	CVD28GVRD2018							
770529	8751	E	507993.962	0.9995897	0.9999889		MARKER ISOLATED				
		N	5447141.139								
		El	89.985	CVD28GVRD2018							
179564	8755	E	507985.419	0.9995876	0.9999868	564153	8754	TERR	3 34 2	364.278	364.428
		N	5445857.421								
		El	103.547	CVD28GVRD2018							
9365	87H2618	E	497079.326	0.9996029	1.0000028	980920	87H3192	TERR	71 2 26	77.236	77.267
		N	5428845.509			233106	87H2619	TERR	163 12 29	205.714	205.796
		El	1.804	CVD28GVRD2018							
233106	87H2619	E	497138.756	0.9996029	1.0000028	9365	87H2618	TERR	343 12 29	205.714	205.796
		N	5428648.567								
		El	1.657	CVD28GVRD2018							
677567	87H2621	E	505685.878	0.9995983	0.9999979	639864	82H5413	TERR	151 27 33	166.460	166.527
		N	5443328.104			907782	80H1338	TERR	330 44 15	211.321	211.406
		El	32.907	CVD28GVRD2018							
880914	87H2622	E	506366.981	0.9995950	0.9999945	378067	84H9477	TERR	177 6 27	240.048	240.145
		N	5442666.257								
		El	54.258	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
809491	87H2623	E	505245.314	0.9995948	0.9999944	831248	9327	TERR	46 28 10	184.819	184.894					
		N	5445143.224					44818				79H9839	TERR	225 48 47	335.307	335.443
		El	54.889					CVD28GVRD2018								
862789	87H3144	E	495200.448	0.9996026	1.0000023	677724	87H3209	TERR	66 41 53	81.451	81.483					
		N	5429122.462					631929				87H3145	TERR	185 49 44	126.117	126.167
		El	5.262										CVD28GVRD2018			
631929	87H3145	E	495187.640	0.9996029	1.0000026	862789	87H3144	TERR	5 49 44	126.117	126.167					
		N	5428996.997					723304				6983	TERR	266 20 20	205.844	205.926
		El	3.042										CVD28GVRD2018			
833277	87H3146	E	493789.777	0.9995941	0.9999937	545046	9376	TERR	87 0 30	271.344	271.454					
		N	5428152.169					629329				87H3147	TERR	273 44 8	211.436	211.522
		El	60.186										CVD28GVRD2018			
629329	87H3147	E	493578.790	0.9995939	0.9999934	833277	87H3146	TERR	93 44 8	211.436	211.522					
		N	5428165.944													
		El	61.800					CVD28GVRD2018								
790543	87H3148	E	493422.967	0.9995947	0.9999942	482935	87H3149	TERR	88 56 21	181.860	181.933					
		N	5428955.781					226464				6987	TERR	271 4 15	123.920	123.970
		El	56.775										CVD28GVRD2018			
482935	87H3149	E	493604.796	0.9995951	0.9999945	537621	87H3164	TERR	12 33 4	153.981	154.044					
		N	5428959.148					766196				6986	TERR	87 12 54	139.741	139.798
		El	54.573										CVD28GVRD2018			
56499	87H3150	E	492741.110	0.9995953	0.9999947	273383	87H3151	TERR	1 8 59	182.407	182.480					
		N	5430053.425					351007				87H3156	TERR	155 12 5	182.536	182.610
		El	53.770										CVD28GVRD2018			
273383	87H3151	E	492744.770	0.9995946	0.9999939	329599	87H3152	TERR	52 43 17	98.317	98.357					
		N	5430235.795					56499				87H3150	TERR	181 8 59	182.407	182.480
		El	58.380										CVD28GVRD2018			

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
329599	87H3152	E	492823.001	0.9995944	0.9999938	186114	87H3153	TERR	94 25 51	168.113	168.181		
		N	5430295.345					273383	87H3151	TERR	232 43 17	98.317	98.357
		El	59.493					CVD28GVRD2018					
186114	87H3153	E	492990.611	0.9995938	0.9999932	352500	87H3154	TERR	70 35 20	115.874	115.921		
		N	5430282.357					329599	87H3152	TERR	274 25 51	168.113	168.181
		El	62.890					CVD28GVRD2018					
352500	87H3154	E	493099.899	0.9995956	0.9999950	437277	87H3155	TERR	80 9 50	179.138	179.211		
		N	5430320.867					186114	87H3153	TERR	250 35 20	115.874	115.921
		El	51.399					CVD28GVRD2018					
437277	87H3155	E	493276.404	0.9995984	0.9999978	352500	87H3154	TERR	260 9 50	179.138	179.211		
		N	5430351.469										
		El	33.575					CVD28GVRD2018					
351007	87H3156	E	492817.671	0.9995954	0.9999947	56499	87H3150	TERR	335 12 5	182.536	182.610		
		N	5429887.721										
		El	53.442					CVD28GVRD2018					
305805	87H3157	E	492994.173	0.9995953	0.9999947	641498	87H3158	TERR	143 35 11	284.715	284.830		
		N	5429739.076										
		El	53.474					CVD28GVRD2018					
641498	87H3158	E	493163.183	0.9995955	0.9999949	315903	87H3159	TERR	88 59 33	122.164	122.213		
		N	5429509.951					305805	87H3157	TERR	323 35 11	284.715	284.830
		El	52.444					CVD28GVRD2018					
315903	87H3159	E	493285.328	0.9995950	0.9999944	641498	87H3158	TERR	268 59 33	122.164	122.213		
		N	5429512.099										
		El	55.303					CVD28GVRD2018					
782433	87H3160	E	493487.290	0.9995952	0.9999947	446658	80H1267	GPS	46 9 1	5135.614	5137.675		
		N	5429466.449			629147	6988	TERR	89 51 31	266.862	266.970		
		El	53.825			430900	87H3190	GPS	113 12 47	3759.288	3760.796		
		630830	87H3184			GPS	142 14 38	1904.979	1905.751				
		647321	77C010			GPS	264 7 13	2019.196	2020.006				
		394825	81			GPS	270 54 10	5280.144	5282.257				
		989624	80H1275			GPS	316 36 41	6891.600	6894.359				

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
228106	87H3161	E	493701.609	0.9995996	0.9999991	866012	6994	TERR	92 40 22	216.572	216.658						
		N	5429926.250									376608	6995	TERR	237 34 33	192.790	192.867
		El	25.578									CVD28GVRD2018					
961649	87H3162	E	493821.122	0.9995980	0.9999976	457317	87H3163	TERR	182 40 14	221.511	221.600						
		N	5429349.530														
		El	35.226									CVD28GVRD2018					
457317	87H3163	E	493810.801	0.9995958	0.9999953	961649	87H3162	TERR	2 40 14	221.511	221.600						
		N	5429128.260									537621	87H3164	TERR	263 46 41	173.565	173.636
		El	49.841														
537621	87H3164	E	493638.258	0.9995953	0.9999948	457317	87H3163	TERR	83 46 41	173.565	173.636						
		N	5429109.449									482935	87H3149	TERR	192 33 4	153.981	154.044
		El	53.178														
882027	87H3165	E	494249.315	0.9995991	0.9999987	MARKER ISOLATED											
		N	5430697.016														
		El	27.817			CVD28GVRD2018											
299321	87H3166	E	494372.453	0.9995992	0.9999988	MARKER DESTROYED											
		N	5430814.590														
		El	27.333			CVD28GVRD2018											
977785	87H3167	E	494379.469	0.9995997	0.9999993	932863	88H4272	TERR	105 11 47	111.446	111.491						
		N	5430573.413														
		El	23.982									CVD28GVRD2018					
124586	87H3168	E	494446.113	0.9995998	0.9999994	MARKER ISOLATED											
		N	5430952.090														
		El	23.406			CVD28GVRD2018											
313841	87H3169	E	494723.821	0.9996003	1.0000000	804278	87H3170	TERR	90 54 26	153.987	154.049						
		N	5430763.957									234997	87H3201	TERR	179 9 40	191.406	191.482
		El	19.758														

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804278	87H3170	E	494877.789	0.9996007	1.0000004	313841	87H3169	TERR	270 54 26	153.987	154.049
		N	5430761.519								
		El	17.407	CVD28GVRD2018							
18291	87H3171	E	495229.419	0.9996014	1.0000011	823708	87H3172	TERR	180 24 42	174.262	174.331
		N	5429857.110								
		El	12.571	CVD28GVRD2018							
823708	87H3172	E	495228.167	0.9996010	1.0000007	18291	87H3171	TERR	0 24 42	174.262	174.331
		N	5429682.853			637405	87H3173	TERR	268 54 9	193.609	193.685
		El	15.110	CVD28GVRD2018							
637405	87H3173	E	495034.594	0.9996012	1.0000009	823708	87H3172	TERR	88 54 9	193.609	193.685
		N	5429679.145								
		El	13.911	CVD28GVRD2018							
54726	87H3174	E	496068.295	0.9996030	1.0000028	859868	79H9887	TERR	4 42 4	112.544	112.589
		N	5436901.654			154088	87H3175	TERR	89 28 22	202.508	202.588
		El	1.682	CVD28GVRD2018		612762	79H9885	TERR	175 10 2	113.152	113.197
154088	87H3175	E	496270.794	0.9996030	1.0000028	689869	88H4210	TERR	0 27 10	334.285	334.418
		N	5436903.517			135376	88H4174	TERR	179 48 23	180.742	180.813
		El	1.611	CVD28GVRD2018		54726	87H3174	TERR	269 28 22	202.508	202.588
224287	87H3176	E	494898.870	0.9996033	1.0000030		MARKER DESTROYED				
		N	5436725.146								
		El	.803	CVD28GVRD2018							
970053	87H3177	E	494746.047	0.9996033	1.0000029	479238	92H0582	TERR	90 50 32	152.323	152.384
		N	5436727.226			675900	9316	TERR	257 25 16	102.656	102.696
		El	.972	CVD28GVRD2018							
469718	87H3178	E	494455.173	0.9996033	1.0000029	729699	6953	TERR	1 15 35	125.666	125.716
		N	5436878.887			470815	84H0446	TERR	139 43 28	95.639	95.677
		El	1.065	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
207381	87H3179	E	494709.827	0.9996033	1.0000030	63396	9339	TERR	0 27 57	193.602	193.679		
		N	5437047.701					23549	83H6509	TERR	182 12 13	83.384	83.417
		El	.783					CVD28GVRD2018					
431395	87H3180	E	494709.650	0.9996032	1.0000029	346551	86H2451	TERR	222 53 11	96.130	96.168		
		N	5438429.114										
		El	1.086					CVD28GVRD2018					
16980	87H3181	E	495350.279	0.9996030	1.0000028	943449	84H0363	TERR	0 22 51	146.887	146.946		
		N	5437474.256					295709	87H3182	TERR	90 24 17	226.913	227.003
		El	1.934					CVD28GVRD2018		121343	6819	TERR	276 55 49
295709	87H3182	E	495577.186	0.9996030	1.0000028	16980	87H3181	TERR	270 24 17	226.913	227.003		
		N	5437472.653										
		El	1.964					CVD28GVRD2018					
840215	87H3183	E	495662.686	0.9996030	1.0000028	MARKER DESTROYED							
		N	5437472.904										
		El	1.859			CVD28GVRD2018							
630830	87H3184	E	494653.709	0.9995952	0.9999948	446658	80H1267	GPS	26 36 44	5663.974	5666.246		
		N	5427960.324			430900	87H3190	GPS	89 23 21	2288.668	2289.585		
		El	52.948			CVD28GVRD2018	268219	6977	TERR	90 35 56	328.179	328.312	
							234179	6976	TERR	267 40 23	166.099	166.167	
							782433	87H3160	GPS	322 14 38	1904.979	1905.751	
341875	87H3185	E	493984.566	0.9995951	0.9999947	211383	6980	TERR	94 13 4	186.305	186.380		
		N	5428593.349			285627	87H3186	TERR	288 5 60	117.824	117.872		
		El	53.908			CVD28GVRD2018							
285627	87H3186	E	493872.572	0.9995951	0.9999947	341875	87H3185	TERR	108 5 60	117.824	117.872		
		N	5428629.954			159749	9368	TERR	315 40 46	127.764	127.816		
		El	53.737			CVD28GVRD2018							
332759	87H3187	E	495154.376	0.9996019	1.0000016	MARKER DESTROYED							
		N	5430110.665										
		El	9.468			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
732727	87H3188	E	502403.508	0.9996026	1.0000025	195156	80H1320	TERR	273 58 52	214.904	214.989
		N	5444649.657								
		El	3.346	CVD28GVRD2018							
183806	87H3189	E	497184.005	0.9996029	1.0000028	430900	87H3190	TERR	270 15 46	241.761	241.857
		N	5427983.613			626564	80H1287	TERR	354 51 25	419.310	419.477
		El	2.013	CVD28GVRD2018							
430900	87H3190	E	496942.247	0.9996029	1.0000028	564781	92H0547	TERR	0 28 43	403.021	403.182
		N	5427984.722			446658	80H1267	GPS	2 49 28	5045.660	5047.665
		El	1.951	CVD28GVRD2018		531079	6902	GPS	17 11 5	9919.650	9923.589
						607093	5893	GPS	48 50 48	14690.086	14695.918
						942870	86H1263	GPS	77 40 44	14694.744	14700.680
						183806	87H3189	TERR	90 15 46	241.761	241.857
						630830	87H3184	GPS	269 23 21	2288.668	2289.585
						394825	81	GPS	280 9 28	8873.529	8877.048
						782433	87H3160	GPS	293 12 47	3759.288	3760.796
						869792	NO MARKING	GPS	327 58 52	14481.083	14486.840
442301	87H3191	E	496944.545	0.9996030	1.0000028			MARKER DESTROYED			
		N	5428395.331								
		El	1.651	CVD28GVRD2018							
980920	87H3192	E	497152.372	0.9996029	1.0000028	248005	92H0569	TERR	163 3 6	317.232	317.358
		N	5428870.603			9365	87H2618	TERR	251 2 26	77.236	77.267
		El	1.996	CVD28GVRD2018							
948364	87H3193	E	497245.988	0.9996028	1.0000027			MARKER DESTROYED			
		N	5428570.523								
		El	2.338	CVD28GVRD2018							
640797	87H3194	E	497272.593	0.9996028	1.0000027			MARKER DESTROYED			
		N	5428386.359								
		El	2.370	CVD28GVRD2018							
581645	87H3195	E	495240.733	0.9996031	1.0000029			MARKER DESTROYED			
		N	5431283.533								
		El	1.478	CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
464404	87H3196	E	495560.444	0.9996031	1.0000029	379990	92H0585	TERR	270 50 4	320.579	320.706
		N	5431278.977								
		E1	1.265	CVD28GVRD2018							
928770	87H3197	E	494626.990	0.9996032	1.0000028	445353	87H3198	TERR	187 32 50	136.026	136.081
		N	5431389.079								
		E1	1.763	CVD28GVRD2018							
445353	87H3198	E	494609.124	0.9996022	1.0000018	928770	87H3197	TERR	7 32 50	136.026	136.081
		N	5431254.231								
		E1	8.078	CVD28GVRD2018							
723197	87H3199	E	494494.386	0.9996015	1.0000011						
		N	5431194.897								
		E1	12.819	CVD28GVRD2018							
											MARKER ISOLATED
824565	87H3200	E	494618.495	0.9996002	0.9999998	234997	87H3201	TERR	85 54 24	108.405	108.449
		N	5430564.834								
		E1	21.044	CVD28GVRD2018							
234997	87H3201	E	494726.623	0.9995999	0.9999996	824565	87H3200	TERR	265 54 24	108.405	108.449
		N	5430572.572			313841	87H3169	TERR	359 9 40	191.406	191.482
		E1	22.352	CVD28GVRD2018							
292086	87H3202	E	494483.486	0.9996003	0.9999999	932863	88H4272	TERR	1 7 59	178.619	178.690
		N	5430365.616			771220	9276	TERR	177 32 35	158.858	158.921
		E1	20.202	CVD28GVRD2018							
308858	87H3203	E	494818.962	0.9996019	1.0000016						
		N	5431010.426								
		E1	9.624	CVD28GVRD2018							
											MARKER ISOLATED
381053	87H3204	E	494168.876	0.9996003	0.9999998						
		N	5430197.390								
		E1	20.735	CVD28GVRD2018							
											MARKER DESTROYED

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
504514	87H3205	E N El	494793.796 5429426.056 13.924	0.9996013	1.0000009	356253	87H3206	TERR	276 54 27	206.176	206.257
356253	87H3206	E N El	494589.117 5429450.852 15.172	0.9996011	1.0000007	504514 320531	87H3205 87H3207	TERR TERR	96 54 27 276 33 20	206.176 207.289	206.257 207.372
320531	87H3207	E N El	494383.183 5429474.517 16.889	0.9996008	1.0000005	356253 460550	87H3206 6990	TERR TERR	96 33 20 268 8 24	207.289 209.990	207.372 210.073
987883	87H3208	E N El	495292.696 5429272.855 11.383	0.9996016	1.0000013	677724	87H3209	TERR	188 23 44	119.453	119.501
677724	87H3209	E N El	495275.255 5429154.682 6.696	0.9996023	1.0000021	987883 862789	87H3208 87H3144	TERR TERR	8 23 44 246 41 53	119.453 81.451	119.501 81.483
179960	87H3481	E N El	505173.887 5447706.727 4.390	0.9996026	1.0000023	248187 214973	87H3482 87H3485	TERR TERR	189 23 20 238 33 14	129.201 434.813	129.253 434.987
248187	87H3482	E N El	505152.810 5447579.257 4.194	0.9996027	1.0000023	179960 199406	87H3481 87H3483	TERR TERR	9 23 20 199 40 57	129.201 387.150	129.253 387.304
199406	87H3483	E N El	505022.414 5447214.727 3.377	0.9996028	1.0000025	248187 137695 147520	87H3482 92H0576 87H3484	TERR TERR TERR	19 40 57 206 51 28 290 34 31	387.150 251.885 71.429	387.304 251.985 71.458
147520	87H3484	E N El	504955.541 5447239.830 3.280	0.9996028	1.0000025	199406 214973	87H3483 87H3485	TERR TERR	110 34 31 327 33 19	71.429 284.458	71.458 284.571

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
214973	87H3485	E	504802.934	0.9996028	1.0000025	179960	87H3481	TERR	58 33 14	434.813	434.987		
		N	5447479.887					147520	87H3484	TERR	147 33 19	284.458	284.571
		El	3.432					CVD28GVRD2018	360859	87H3486	TERR	237 18 25	267.815
360859	87H3486	E	504577.547	0.9996028	1.0000026	214973	87H3485	TERR	57 18 25	267.815	267.922		
		N	5447335.230					462960	92H0577	TERR	147 47 21	237.350	237.444
		El	2.876					CVD28GVRD2018					
270140	87H3487	E	504704.071	0.9996028	1.0000026			MARKER DESTROYED					
		N	5447134.444										
		El	2.788					CVD28GVRD2018					
480343	87H3488	E	504908.601	0.9996029	1.0000026			MARKER DESTROYED					
		N	5446989.947										
		El	2.879					CVD28GVRD2018					
350017	87H3489	E	505127.467	0.9996027	1.0000024			MARKER DESTROYED					
		N	5446881.315										
		El	3.991					CVD28GVRD2018					
540765	87H3490	E	505206.864	0.9996027	1.0000024	491159	82H5625	TERR	120 44 9	1106.344	1106.787		
		N	5447001.211					123505	92H0575	TERR	213 31 24	143.846	143.904
		El	3.952					CVD28GVRD2018					
896043	87H3491	E	504773.482	0.9996027	1.0000024	137695	92H0576	TERR	27 28 19	292.938	293.055		
		N	5446730.107										
		El	3.690					CVD28GVRD2018					
11742	87H3492	E	504676.960	0.9996026	1.0000023			MARKER DESTROYED					
		N	5446466.636										
		El	4.323					CVD28GVRD2018					
738518	87H3493	E	504480.897	0.9996027	1.0000025			MARKER DESTROYED					
		N	5446406.909										
		El	3.515					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
420562	87H3494	E	504742.837	0.9996028	1.0000026	137695	92H0576	TERR	117 51 58	187.526	187.600				
		N	5447077.664					462960	92H0577			TERR	325 39 20	68.728	68.755
		El	2.895					CVD28GVRD2018							
396838	87H3495	E	504376.658	0.9996026	1.0000024	462960	92H0577	TERR	53 33 25	406.993	407.155				
		N	5446892.647					863753	87H3496			TERR	232 58 5	418.519	418.685
		El	3.895					CVD28GVRD2018							
863753	87H3496	E	504042.555	0.9996027	1.0000025	396838	87H3495	TERR	52 58 5	418.519	418.685				
		N	5446640.589					177238	88H4212			TERR	259 25 9	362.849	362.994
		El	3.517					CVD28GVRD2018							
206920	87H3497	E	507816.159	0.9995922	0.9999915	882969	80H1347	TERR	151 38 5	158.595	158.659				
		N	5441777.299					861062	79H9905			TERR	233 57 2	185.742	185.818
		El	73.856					CVD28GVRD2018							
715631	87H3498	E	503826.094	0.9996026	1.0000024	595637	90H6221	TERR	137 35 30	431.067	431.239				
		N	5446368.873												
		El	3.625					CVD28GVRD2018							
683672	87H3499	E	504117.149	0.9996026	1.0000024			MARKER DESTROYED							
		N	5446050.164												
		El	3.781					CVD28GVRD2018							
63081	87H3500	E	504052.127	0.9996026	1.0000024	595637	90H6221	TERR	23 15 1	163.856	163.921				
		N	5445900.042					80333	87H3501			TERR	230 28 50	702.212	702.491
		El	3.658					CVD28GVRD2018							
80333	87H3501	E	503510.434	0.9996026	1.0000025	63081	87H3500	TERR	50 28 50	702.212	702.491				
		N	5445453.197					843136	87H3502			TERR	258 39 26	142.955	143.012
		El	3.548					CVD28GVRD2018							
843136	87H3502	E	503370.271	0.9996026	1.0000025	80333	87H3501	TERR	78 39 26	142.955	143.012				
		N	5445425.081												
		El	3.614					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
135376	88H4174	E	496271.405	0.9996030	1.0000029	154088	87H3175	TERR	359 48 23	180.742	180.813
		N	5436722.776								
		El	1.447	CVD28GVRD2018							
636811	88H4175	E	496414.544	0.9996030	1.0000029	323832	88H4216	TERR	92 55 26	199.427	199.506
		N	5436809.251								
		El	1.413	CVD28GVRD2018							
943175	88H4176	E	495920.663	0.9996020	1.0000018	744615	80H1345	TERR	34 14 21	766.140	766.445
		N	5439412.679			528505	92H0579	TERR	126 18 18	880.310	880.661
		El	7.936	CVD28GVRD2018		460840	80H1297	TERR	318 28 27	827.368	827.697
773176	88H4177	E	490469.127	0.9996040	1.0000029	213967	6850	TERR	0 50 22	554.873	555.093
		N	5435188.832			101428	6848	TERR	180 34 19	612.551	612.793
		El	1.268	CVD28GVRD2018							
785998	88H4178	E	490465.346	0.9996040	1.0000029	115840	80H1272	TERR	180 33 15	618.074	618.320
		N	5434076.130			101428	6848	TERR	359 43 57	500.188	500.385
		El	1.236	CVD28GVRD2018							
241000	88H4179	E	491282.567	0.9996038	1.0000029	773077	6828	TERR	92 29 54	711.045	711.326
		N	5434535.185			101428	6848	TERR	272 52 22	820.587	820.913
		El	1.253	CVD28GVRD2018							
873125	88H4180	E	491391.901	0.9996037	1.0000027						
		N	5433347.988								
		El	2.135	CVD28GVRD2018							
827477	88H4181	E	491971.595	0.9996036	1.0000028						
		N	5433964.018								
		El	1.817	CVD28GVRD2018							
284364	88H4182	E	492009.063	0.9996037	1.0000029	137364	6827	TERR	2 16 29	433.537	433.709
		N	5435083.528			773077	6828	TERR	181 35 40	579.561	579.791
		El	1.126	CVD28GVRD2018							

MARKER ISOLATED

MARKER DESTROYED

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
215509	88H4183	E	492044.100	0.9996037	1.0000029	915090	6826	TERR	2 14 21	728.478	728.768						
		N	5436133.429									137364	6827	TERR	181 39 22	616.964	617.208
		El	1.058									CVD28GVRD2018					
710731	88H4184	E	493009.478	0.9996035	1.0000029	MARKER DESTROYED											
		N	5435560.043														
		El	1.235			CVD28GVRD2018											
929257	88H4185	E	493644.104	0.9996034	1.0000030	6361	6839	TERR	90 1 27	678.533	678.802						
		N	5435073.250									703199	6846	TERR	270 25 1	647.309	647.566
		El	.852									CVD28GVRD2018					
399188	88H4186	E	494381.604	0.9996032	1.0000028	MARKER DESTROYED											
		N	5433961.980														
		El	1.699			CVD28GVRD2018											
57968	88H4187	E	494177.876	0.9996033	1.0000029	MARKER DESTROYED											
		N	5432646.135														
		El	1.434			CVD28GVRD2018											
960112	88H4188	E	494979.698	0.9996031	1.0000028	658856	84H0376	TERR	0 30 56	778.024	778.333						
		N	5432668.828									150003	88H4189	TERR	179 54 26	651.515	651.774
		El	1.954									CVD28GVRD2018		153528	137000	TERR	266 23 53
150003	88H4189	E	494980.753	0.9996031	1.0000028	448001	80H1269	TERR	90 4 28	1304.445	1304.963						
		N	5432017.314									960112	88H4188	TERR	359 54 26	651.515	651.774
		El	1.908									CVD28GVRD2018					
784272	88H4190	E	495842.945	0.9996031	1.0000029	MARKER DESTROYED											
		N	5433430.835														
		El	1.494			CVD28GVRD2018											
685982	88H4191	E	496058.658	0.9996031	1.0000029	MARKER DESTROYED											
		N	5434792.809														
		El	1.395			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
641316	88H4192	E 496608.496 N 5434048.140 El 2.077	0.9996029	1.0000028		MARKER DESTROYED				
667139	88H4193	E 496614.366 N 5435758.980 El 1.324	0.9996030	1.0000029	991802 671693	88H4194 6894	TERR TERR	0 18 43 180 0 35	775.423 707.553	775.731 707.834
991802	88H4194	E 496618.586 N 5436534.391 El 1.316	0.9996030	1.0000029	528505 531079 762716 914127 446658 667139 373472 703199 546150 737197 80101 839639 323832	92H0579 6902 80H1257 80H1262 80H1267 88H4193 NO MARKING 6846 84H0346 84H0431 02H2443 80H1300 88H4216	GPS GPS GPS GPS TERR TERR TERR GPS GPS GPS GPS GPS TERR	0 16 46 74 5 55 99 44 56 122 6 20 170 44 24 180 18 43 209 23 46 248 5 36 276 17 40 313 46 19 320 20 40 357 35 21 358 56 41	2357.098 3383.952 6606.885 3564.256 3556.486 775.423 7286.706 3903.644 2788.834 3026.301 5553.706 5234.639 264.732	2358.034 3385.296 6609.511 3565.672 3557.899 775.731 7289.648 3905.193 2789.941 3027.502 5555.911 5236.718 264.837
969857	88H4195	E 497414.348 N 5435043.920 El 1.957	0.9996029	1.0000028	428581 671693	6896 6894	TERR TERR	90 12 23 270 32 15	815.475 800.137	815.799 800.455
741249	88H4196	E 498235.972 N 5435518.808 El 1.618	0.9996029	1.0000028	982868 428581	6897 6896	TERR TERR	0 11 48 180 44 16	813.748 477.867	814.072 478.057
73643	88H4197	E 498238.511 N 5436615.069 El 1.704	0.9996028	1.0000028	352666 246082 982868	6898 80H1312 6897	TERR TERR TERR	0 18 10 90 10 40 179 56 53	856.407 620.883 282.518	856.747 621.130 282.631
441519	88H4198	E 499266.655 N 5436610.522 El 1.584	0.9996028	1.0000028	246082	80H1312	TERR	270 22 8	407.272	407.434
694943	88H4199	E 501497.111 N 5436664.467 El 1.456	0.9996029	1.0000028	172312	6905	TERR	180 24 33	821.618	821.944

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
105122	88H4200	E	503136.068	0.9996030	1.0000029	762716	80H1257	TERR	180 49 4	420.659	420.827					
		N	5435836.270					997031				80H1309	TERR	359 46 36	687.670	687.943
		El	1.173					CVD28GVRD2018								
269191	88H4201	E	503132.356	0.9996031	1.0000029	997031	80H1309	TERR	179 53 13	522.783	522.990					
		N	5437046.717					167627				6907	TERR	359 26 11	421.654	421.822
		El	.904					CVD28GVRD2018								
995951	88H4202	E	503935.091	0.9996030	1.0000028	535740	6911	TERR	90 9 56	822.951	823.279					
		N	5437472.812					167627				6907	TERR	269 40 60	806.894	807.215
		El	1.724					CVD28GVRD2018								
614107	88H4203	E	506378.562	0.9996031	1.0000026	491241	88H4204	TERR	284 3 47	836.585	836.916					
		N	5439471.487													
		El	2.769					CVD28GVRD2018								
491241	88H4204	E	505567.051	0.9996033	1.0000029	614107	88H4203	TERR	104 3 47	836.585	836.916					
		N	5439674.769													
		El	1.103					CVD28GVRD2018								
812883	88H4205	E	504749.869	0.9996032	1.0000029	MARKER DESTROYED										
		N	5439669.270													
		El	.764			CVD28GVRD2018										
464735	88H4206	E	504754.478	0.9996028	1.0000026	MARKER ISOLATED										
		N	5440718.837													
		El	3.050			CVD28GVRD2018										
881201	88H4207	E	505402.569	0.9996011	1.0000007	MARKER DESTROYED										
		N	5440716.979													
		El	14.948			CVD28GVRD2018										
655555	88H4208	E	494994.070	0.9996031	1.0000028	MARKER DESTROYED										
		N	5431373.482													
		El	2.090			CVD28GVRD2018										



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
752949	88H4209	E	496480.705	0.9996030	1.0000028	684209	88H4217	TERR	101 55 19	143.666	143.723				
		N	5437158.025					689869	88H4210	TERR	291 2 57	222.088	222.177		
		El	1.632					CVD28GVRD2018							
689869	88H4210	E	496273.436	0.9996030	1.0000029	752949	88H4209	TERR	111 2 57	222.088	222.177				
		N	5437237.792					154088	87H3175	TERR	180 27 10	334.285	334.418		
		El	1.375					CVD28GVRD2018		973974	88H4222	TERR	357 53 56	247.646	247.744
557025	88H4211	E	494968.999	0.9995999	0.9999996	668822	84H0384	TERR	3 25 9	299.465	299.584				
		N	5428284.384					268219	6977	TERR	177 44 58	327.744	327.876		
		El	22.601					CVD28GVRD2018							
177238	88H4212	E	503685.876	0.9996021	1.0000019	137695	92H0576	GPS	71 12 31	1291.587	1292.101				
		N	5446573.961					863753	87H3496	TERR	79 25 9	362.849	362.994		
		El	7.120					CVD28GVRD2018		841734	6966	GPS	108 0 41	3104.132	3105.388
									815746	84H9508	GPS	150 33 16	3214.250	3215.535	
									195156	80H1320	GPS	218 5 34	2426.112	2427.076	
									171868	90H6233	TERR	234 12 21	148.938	148.997	
974378	88H4213	E	487885.621	0.9996047	1.0000029	949073	80H1346	TERR	104 27 16	580.110	580.339				
		N	5437872.670					964197	6854	TERR	359 48 28	418.418	418.583		
		El	1.056					CVD28GVRD2018							
818930	88H4214	E	489002.611	0.9996043	1.0000029	941930	6852	TERR	42 11 14	254.926	255.026				
		N	5437089.245					855890	6855	TERR	209 52 44	376.648	376.797		
		El	1.344					CVD28GVRD2018							
402412	88H4215	E	490133.138	0.9996041	1.0000029	213967	6850	TERR	46 36 29	473.552	473.740				
		N	5435418.322					431460	80H1279	TERR	245 21 2	355.176	355.317		
		El	1.258					CVD28GVRD2018							
323832	88H4216	E	496613.711	0.9996030	1.0000029	684209	88H4217	TERR	1 18 56	329.356	329.487				
		N	5436799.078					991802	88H4194	TERR	178 56 41	264.732	264.837		
		El	1.426					CVD28GVRD2018		636811	88H4175	TERR	272 55 26	199.427	199.506
684209	88H4217	E	496621.272	0.9996029	1.0000028	911214	88H4269	TERR	92 36 33	432.981	433.153				
		N	5437128.347					323832	88H4216	TERR	181 18 56	329.356	329.487		
		El	1.756					CVD28GVRD2018		752949	88H4209	TERR	281 55 19	143.666	143.723

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
7369	88H4218	E	505639.554	0.9996022	1.0000018	55384	6202	TERR	84 0 51	746.064	746.361						
		N	5437514.926									535740	6911	TERR	267 6 39	882.637	882.988
		El	8.287									CVD28GVRD2018					
587196	88H4219	E	497046.841	0.9996030	1.0000029	MARKER DESTROYED											
		N	5437482.274														
		El	1.387			CVD28GVRD2018											
402628	88H4220	E	496625.155	0.9996029	1.0000028	873067	90H6226	TERR	272 11 28	350.773	350.911						
		N	5437802.263									159855	6817	TERR	359 54 57	481.315	481.506
		El	1.793									CVD28GVRD2018					
75598	88H4221	E	496267.651	0.9996030	1.0000029	MARKER DESTROYED											
		N	5437810.005														
		El	1.335			CVD28GVRD2018											
973974	88H4222	E	496264.356	0.9996030	1.0000028	873067	90H6226	TERR	1 46 57	330.563	330.695						
		N	5437485.271									689869	88H4210	TERR	177 53 56	247.646	247.744
		El	1.517									CVD28GVRD2018	288688	92H0591	TERR	268 36 29	295.985
275511	88H4223	E	496625.440	0.9996030	1.0000028	MARKER DESTROYED											
		N	5437484.205														
		El	1.632			CVD28GVRD2018											
911214	88H4269	E	497053.804	0.9996029	1.0000028	684209	88H4217	TERR	272 36 33	432.981	433.153						
		N	5437108.636														
		El	1.582									CVD28GVRD2018					
699710	88H4270	E	495490.600	0.9996029	1.0000026	MARKER DESTROYED											
		N	5440209.866														
		El	2.939			CVD28GVRD2018											
932863	88H4272	E	494487.018	0.9995999	0.9999995	292086	87H3202	TERR	181 7 59	178.619	178.690						
		N	5430544.200									977785	87H3167	TERR	285 11 47	111.446	111.491
		El	22.681									CVD28GVRD2018	711721	9290	TERR	359 53 38	261.855

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
554618	88H4273	E	488519.756	0.9996042	1.0000026	989624	80H1275	TERR	153 42 57	527.082	527.290
		N	5434947.244								
		El	3.043	CVD28GVRD2018							
308692	88H4274	E	494273.247	0.9996032	1.0000028		MARKER DESTROYED				
		N	5438250.173								
		El	1.609	CVD28GVRD2018							
820860	88H4275	E	506299.672	0.9996031	1.0000026	496018	80H1252	TERR	242 58 42	463.333	463.517
		N	5436764.802								
		El	2.723	CVD28GVRD2018							
973446	89H5681	E	505737.640	0.9995928	0.9999924		MARKER ISOLATED				
		N	5445102.235								
		El	67.704	CVD28GVRD2018							
641829	89H5682	E	505728.718	0.9995936	0.9999932		MARKER DESTROYED				
		N	5445317.440								
		El	62.917	CVD28GVRD2018							
912345	89H5683	E	494263.298	0.9996032	1.0000028	500272	92H0594	TERR	93 19 38	198.865	198.945
		N	5437501.581								
		El	2.004	CVD28GVRD2018							
527945	89H5689	E	505462.766	0.9996028	1.0000024	531988	89H5690	TERR	39 20 40	470.848	471.036
		N	5448455.842								
		El	3.504	CVD28GVRD2018							
531988	89H5690	E	505761.275	0.9996028	1.0000024	104018	89H5537	TERR	14 40 59	679.488	679.757
		N	5448819.971			527945	89H5689	TERR	219 20 40	470.848	471.036
		El	3.746	CVD28GVRD2018							
595637	90H6221	E	504116.809	0.9996026	1.0000024	63081	87H3500	TERR	203 15 1	163.856	163.921
		N	5446050.591			715631	87H3498	TERR	317 35 30	431.067	431.239
		El	3.777	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
308429	90H6222	E	506992.321	0.9995870	0.9999864	821058	84H9889	GPS	4 24 10	13479.739	13485.330
		N	5444424.114			996132	73H0413	GPS	15 26 49	11404.787	11409.526
		El	105.883	1928	Canadian Vertical	985606	86H1304	GPS	54 13 6	7798.169	7801.387
						420521	92H0871	GPS	67 39 9	1096.152	1096.604
						546473	85H0764	GPS	73 38 43	28016.763	28028.145
						825034	3340	GPS	100 49 41	51271.956	51293.680
						182428	92H0872	GPS	138 51 59	1529.788	1530.419
						515189	82H5404	GPS	183 32 41	2804.620	2805.769
						258020	19713	GPS	263 1 42	21413.666	21422.330
						670653	432	GPS	309 53 12	11084.888	11089.464
						681239	677011	GPS	329 12 32	21852.685	21861.751
						15578	82H5618	GPS	348 5 3	2446.696	2447.697
						709113	90H6573	GPS	358 50 59	8562.730	8566.281
809087	90H6223	E	494275.451	0.9996033	1.0000029	787085	84H0428	TERR	38 58 11	527.119	527.329
		N	5438243.622								
		El	1.405	CVD28GVRD2018							
200063	90H6225	E	492802.755	0.9996035	1.0000029	738930	84H0406	TERR	62 59 27	301.129	301.249
		N	5437112.113			569277	84H0385	TERR	243 8 5	142.555	142.612
		El	1.162	CVD28GVRD2018		338335	84H0379	TERR	335 8 38	95.142	95.180
873067	90H6226	E	496274.639	0.9996030	1.0000028	402628	88H4220	TERR	92 11 28	350.773	350.911
		N	5437815.674			973974	88H4222	TERR	181 46 57	330.563	330.695
		El	1.556	CVD28GVRD2018		822338	84H0336	TERR	286 56 9	259.119	259.222
470492	90H6227	E	493655.224	0.9996034	1.0000029	189241	84H0341	TERR	94 10 2	139.212	139.267
		N	5437283.351			171314	84H0340	TERR	182 13 47	357.427	357.568
		El	.916	CVD28GVRD2018							
657387	90H6228	E	507123.040	0.9995870	0.9999864	757872	9345	TERR	3 4 14	402.492	402.658
		N	5445617.285			944637	78H8588	TERR	91 6 26	103.392	103.435
		El	106.225	CVD28GVRD2018		903153	82H5563	TERR	263 37 34	88.060	88.097
99580	90H6229	E	494991.440	0.9996015	1.0000012		MARKER DESTROYED				
		N	5430193.756								
		El	12.138	CVD28GVRD2018							
313478	90H6230	E	495177.552	0.9996020	1.0000017	423608	90H6231	TERR	96 20 54	222.665	222.754
		N	5430209.251								
		El	8.835	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
423608	90H6231	E	495398.852	0.9996031	1.0000028	155200	9280	TERR	89 14 17	324.888	325.016		
		N	5430184.630					706291	92H0549	TERR	158 0 29	181.956	182.028
		El	1.825					CVD28GVRD2018	313478	90H6230	TERR	276 20 54	222.665
171868	90H6233	E	503565.069	0.9996011	1.0000009	177238	88H4212	TERR	54 12 21	148.938	148.997		
		N	5446486.851					327882	90H6234	TERR	222 59 42	73.325	73.354
		El	13.357					CVD28GVRD2018					
327882	90H6234	E	503515.066	0.9996011	1.0000009	171868	90H6233	TERR	42 59 42	73.325	73.354		
		N	5446433.220					979955	92H0551	TERR	245 5 55	354.909	355.051
		El	13.199					CVD28GVRD2018	330811	90H6235	TERR	330 7 22	488.629
330811	90H6235	E	503271.658	0.9996011	1.0000009	327882	90H6234	TERR	150 7 22	488.629	488.824		
		N	5446856.907					536144	89H6011	TERR	327 9 54	373.691	373.840
		El	13.357					CVD28GVRD2018					
857847	90H6236	E	506380.328	0.9995906	0.9999901	381186	6937	TERR	2 56 13	159.632	159.697		
		N	5445455.937					951442	82H5548	TERR	178 37 18	131.859	131.914
		El	82.459					CVD28GVRD2018					
746446	9271	E	495783.380	0.9996029	1.0000027	72264	9272	TERR	259 41 2	116.246	116.292		
		N	5429551.758					155200	9280	TERR	354 39 1	639.980	640.234
		El	2.444					CVD28GVRD2018					
72264	9272	E	495669.013	0.9996032	1.0000030	746446	9271	TERR	79 41 2	116.246	116.292		
		N	5429530.941					266114	9273	TERR	262 21 26	318.969	319.096
		El	.803					CVD28GVRD2018	678409	92H0548	TERR	332 9 22	396.716
266114	9273	E	495352.878	0.9996032	1.0000029	72264	9272	TERR	82 21 26	318.969	319.096		
		N	5429488.519										
		El	1.219					CVD28GVRD2018					
252577	9274	E	495482.014	0.9996032	1.0000029			MARKER DESTROYED					
		N	5429900.613										
		El	1.195					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
865014	9275	E	495141.621	0.9996016	1.0000013		MARKER DESTROYED				
		N	5429931.938								
		El	11.461	CVD28GVRD2018							
771220	9276	E	494490.296	0.9996007	1.0000003	941419	6861	TERR	91 1 44	236.025	236.119
		N	5430206.904			62919	6992	TERR	179 49 23	291.494	291.612
		El	17.929	CVD28GVRD2018		43026	92H0584	TERR	268 18 25	321.431	321.560
						292086	87H3202	TERR	357 32 35	158.858	158.921
391540	9277	E	494978.698	0.9996011	1.0000008		MARKER DESTROYED				
		N	5430621.857								
		El	14.812	CVD28GVRD2018							
701664	9278	E	495163.153	0.9996020	1.0000017		MARKER DESTROYED				
		N	5430203.987								
		El	9.005	CVD28GVRD2018							
280255	9279	E	495402.460	0.9996031	1.0000028		MARKER DESTROYED				
		N	5430199.289								
		El	1.679	CVD28GVRD2018							
155200	9280	E	495723.711	0.9996028	1.0000026	15834	9281	TERR	9 9 7	282.539	282.651
		N	5430188.950			746446	9271	TERR	174 39 1	639.980	640.234
		El	3.046	CVD28GVRD2018		423608	90H6231	TERR	269 14 17	324.888	325.016
15834	9281	E	495768.650	0.9996029	1.0000027	505057	9283	TERR	19 54 32	213.717	213.802
		N	5430467.892			155200	9280	TERR	189 9 7	282.539	282.651
		El	2.683	CVD28GVRD2018							
219253	9282	E	495442.294	0.9996029	1.0000027	254862	9285	TERR	0 40 37	327.363	327.492
		N	5430459.307								
		El	2.853	CVD28GVRD2018							
505057	9283	E	495841.426	0.9996029	1.0000027	15834	9281	TERR	199 54 32	213.717	213.802
		N	5430668.836			604595	9284	TERR	293 52 18	255.097	255.199
		El	2.577	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
604595	9284	E	495608.151	0.9996030	1.0000027	575068	9287	TERR	14 51 31	245.571	245.667						
		N	5430772.071									505057	9283	TERR	113 52 18	255.097	255.199
		El	2.414									CVD28GVRD2018					
254862	9285	E	495446.161	0.9996030	1.0000028	221101	9288	TERR	1 3 32	225.507	225.596						
		N	5430786.647									219253	9282	TERR	180 40 37	327.363	327.492
		El	2.204									CVD28GVRD2018					
645416	9286	E	495956.145	0.9996029	1.0000027	MARKER DESTROYED											
		N	5431004.517														
		El	2.272			CVD28GVRD2018											
575068	9287	E	495671.124	0.9996029	1.0000027	604595	9284	TERR	194 51 31	245.571	245.667						
		N	5431009.430									221101	9288	TERR	270 41 48	220.812	220.900
		El	2.482									CVD28GVRD2018					
221101	9288	E	495450.328	0.9996030	1.0000028	575068	9287	TERR	90 41 48	220.812	220.900						
		N	5431012.115									254862	9285	TERR	181 3 32	225.507	225.596
		El	2.214									CVD28GVRD2018		310276	9289	TERR	270 28 48
310276	9289	E	495187.870	0.9996031	1.0000028	379990	92H0585	TERR	10 56 1	274.311	274.420						
		N	5431014.314									221101	9288	TERR	90 28 48	262.467	262.572
		El	1.771									CVD28GVRD2018					
711721	9290	E	494486.533	0.9995995	0.9999991	932863	88H4272	TERR	179 53 38	261.855	261.960						
		N	5430806.055														
		El	25.564									CVD28GVRD2018					
188722	9291	E	494493.353	0.9996003	0.9999999	MARKER DESTROYED											
		N	5431018.493														
		El	20.474			CVD28GVRD2018											
603712	9292	E	493715.968	0.9995943	0.9999938	864397	9367	TERR	356 58 5	153.855	153.918						
		N	5428528.766														
		El	59.292									CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
777169	9293	E	495238.475	0.9996032	1.0000029		MARKER DESTROYED				
		N	5431277.617								
		El	1.254	CVD28GVRD2018							
131227	9294	E	495767.744	0.9996030	1.0000028		MARKER DESTROYED				
		N	5431312.675								
		El	2.169	CVD28GVRD2018							
981449	9295	E	496044.579	0.9996030	1.0000028		MARKER DESTROYED				
		N	5431308.341								
		El	1.992	CVD28GVRD2018							
44164	9296	E	507188.469	0.9995869	0.9999862		MARKER DESTROYED				
		N	5444781.926								
		El	107.042	CVD28GVRD2018							
425587	9297	E	505776.597	0.9995921	0.9999917	84293	9300	TERR	86 1 31	200.841	200.924
		N	5444800.089			96834	79H9910	TERR	272 4 29	190.920	190.998
		El	72.459	CVD28GVRD2018							
302257	9298	E	507186.476	0.9995925	0.9999919	663385	82H5445	TERR	1 48 37	266.449	266.558
		N	5442345.725			361725	9299	TERR	269 11 50	211.303	211.389
		El	71.052	CVD28GVRD2018							
361725	9299	E	506975.194	0.9995930	0.9999924	302257	9298	TERR	89 11 50	211.303	211.389
		N	5442342.765			446682	82H5408	TERR	269 12 6	292.633	292.752
		El	68.028	CVD28GVRD2018							
564781	92H0547	E	496945.614	0.9996030	1.0000028	626564	80H1287	TERR	86 9 8	201.257	201.337
		N	5428387.729			430900	87H3190	TERR	180 28 43	403.021	403.182
		El	1.660	CVD28GVRD2018		657890	6883	TERR	271 13 43	346.583	346.721
678409	92H0548	E	495483.721	0.9996031	1.0000029	72264	9272	TERR	152 9 22	396.716	396.874
		N	5429881.726			706291	92H0549	TERR	352 53 34	135.227	135.281
		El	1.398	CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
706291	92H0549	E	495466.990	0.9996031	1.0000029	678409	92H0548	TERR	172 53 34	135.227	135.281
		N	5430015.914			423608	90H6231	TERR	338 0 29	181.956	182.028
		El	1.565	CVD28GVRD2018							
100925	92H0550	E	495142.145	0.9996016	1.0000013						
		N	5429931.948								
		El	11.472	CVD28GVRD2018							
979955	92H0551	E	503193.151	0.9996026	1.0000025	327882	90H6234	TERR	65 5 55	354.909	355.051
		N	5446283.783			321166	92H0552	TERR	245 23 49	564.386	564.610
		El	3.572	CVD28GVRD2018							
321166	92H0552	E	502680.003	0.9996025	1.0000025	979955	92H0551	TERR	65 23 49	564.386	564.610
		N	5446048.813			295808	92H0553	TERR	220 13 52	190.205	190.280
		El	3.597	CVD28GVRD2018							
295808	92H0553	E	502557.155	0.9996026	1.0000025	321166	92H0552	TERR	40 13 52	190.205	190.280
		N	5445903.602			269134	92H0563	TERR	142 19 2	222.511	222.600
		El	3.338	CVD28GVRD2018		390385	92H0554	TERR	227 4 32	109.359	109.402
390385	92H0554	E	502477.077	0.9996025	1.0000025	295808	92H0553	TERR	47 4 32	109.359	109.402
		N	5445829.125			701508	92H0555	TERR	248 20 5	125.715	125.765
		El	3.560	CVD28GVRD2018							
701508	92H0555	E	502360.243	0.9996025	1.0000025	390385	92H0554	TERR	68 20 5	125.715	125.765
		N	5445782.713			764258	92H0556	TERR	247 19 36	327.730	327.860
		El	3.577	CVD28GVRD2018							
764258	92H0556	E	502057.841	0.9996025	1.0000025	701508	92H0555	TERR	67 19 36	327.730	327.860
		N	5445656.380			910687	92H0557	TERR	187 4 25	234.479	234.572
		El	3.475	CVD28GVRD2018							
910687	92H0557	E	502028.966	0.9996025	1.0000025	764258	92H0556	TERR	7 4 25	234.479	234.572
		N	5445423.686			959106	92H0558	TERR	92 8 45	471.678	471.866
		El	3.647	CVD28GVRD2018		13037	80H1319	TERR	196 20 48	861.880	862.222

Integrated Survey Area No:13 Corporation of the District of Delta  
 Order in Council No. 783/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
959106	92H0558	E	502500.313	0.9996026	1.0000025	972471	92H0559	TERR	63 9 29	211.178	211.262			
		N	5445406.024					92H0557	TERR			272 8 45	471.678	471.866
		El	3.343					CVD28GVRD2018						
972471	92H0559	E	502688.738	0.9996025	1.0000024	959106	92H0558	TERR	243 9 29	211.178	211.262			
		N	5445501.377											
		El	3.698					CVD28GVRD2018						
169458	92H0560	E	502788.418	0.9996026	1.0000025	MARKER DESTROYED								
		N	5445505.780											
		El	3.491			CVD28GVRD2018								
82040	92H0561	E	503034.164	0.9996026	1.0000025	MARKER DESTROYED								
		N	5445474.588											
		El	3.361			CVD28GVRD2018								
248914	92H0562	E	502786.628	0.9996025	1.0000025	269134	92H0563	TERR	319 20 26	143.431	143.488			
		N	5445618.699											
		El	3.640					CVD28GVRD2018						
269134	92H0563	E	502693.174	0.9996025	1.0000024	248914	92H0562	TERR	139 20 26	143.431	143.488			
		N	5445727.505					92H0553	TERR			322 19 2	222.511	222.600
		El	3.767						CVD28GVRD2018					
974980	92H0565	E	495235.782	0.9996032	1.0000029	658849	6813	TERR	93 45 27	164.935	165.000			
		N	5438329.208					84H0438	TERR			177 41 29	297.961	298.079
		El	1.278						CVD28GVRD2018			6812		
203596	92H0566	E	494222.813	0.9996032	1.0000028	805895	84H0344	TERR	181 15 50	209.770	209.853			
		N	5437137.529					6845	TERR			332 47 14	152.493	152.553
		El	1.732						CVD28GVRD2018					
824557	92H0567	E	495224.985	0.9996031	1.0000028	121343	6819	TERR	2 11 11	244.046	244.143			
		N	5437244.486					9303	TERR			93 41 57	165.914	165.979
		El	1.535						CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
977868	92H0568	E	497275.171	0.9996028	1.0000027	626564	80H1287	TERR	277 32 47	129.879	129.931					
		N	5428384.178					248005				92H0569	TERR	350 35 25	185.467	185.540
		El	2.353					CVD28GVRD2018								
248005	92H0569	E	497244.848	0.9996028	1.0000027	977868	92H0568	TERR	170 35 25	185.467	185.540					
		N	5428567.149					980920				87H3192	TERR	343 3 6	317.232	317.358
		El	2.371										CVD28GVRD2018			
682492	92H0571	E	496637.264	0.9996030	1.0000029	857276	6806	TERR	0 24 23	1132.922	1133.372					
		N	5439905.759					859470				80H1301	TERR	90 36 23	808.123	808.445
		El	1.314										CVD28GVRD2018			
554402	92H0572	E	506783.889	0.9995876	0.9999870	7930	92H0574	TERR	92 15 34	405.217	405.385					
		N	5444798.772					600775				80H1336	TERR	180 11 33	198.659	198.741
		El	101.937										CVD28GVRD2018			
809277	92H0573	E	507191.361	0.9995875	0.9999869	MARKER DESTROYED										
7930	92H0574	E	507188.791	0.9995869	0.9999862	285221	82H5520	TERR	88 36 16	94.022	94.060					
		N	5444782.797					554402				92H0572	TERR	272 15 34	405.217	405.385
		El	107.010										CVD28GVRD2018			
123505	92H0575	E	505127.421	0.9996027	1.0000024	540765	87H3490	TERR	33 31 24	143.846	143.904					
		N	5446881.292					137695				92H0576	TERR	296 25 20	244.326	244.423
		El	3.921										CVD28GVRD2018			
137695	92H0576	E	504908.618	0.9996029	1.0000026	277665	89H6112	GPS	0 56 44	3210.676	3211.956					
		N	5446990.013			199406	87H3483	TERR				26 51 28	251.885	251.985		
		El	2.794			21139	92H0904	GPS				45 6 47	3317.479	3318.796		
		770800	5296			GPS	86 54 46	3046.393				3047.623				
		123505	92H0575			TERR	116 25 20	244.326				244.423				
		841734	6966			GPS	128 30 25	2209.841				2210.735				
		815746	84H9508			GPS	173 39 27	3234.897				3236.190				
		896043	87H3491			TERR	207 28 19	292.938				293.055				
		177238	88H4212			GPS	251 12 31	1291.587				1292.101				
		838037	02H2423			GPS	272 56 29	2396.870				2397.822				
		420562	87H3494			TERR	297 51 58	187.526				187.600				
		32219	94H1708			GPS	322 10 4	2652.640				2653.693				

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
462960	92H0577	E	504704.063	0.9996029	1.0000026	420562	87H3494	TERR	145 39 20	68.728	68.755			
		N	5447134.410					396838	87H3495	TERR	233 33 25	406.993	407.155	
		El	2.731					CVD28GVRD2018	360859	87H3486	TERR	327 47 21	237.350	237.444
56663	92H0578	E	496611.868	0.9996029	1.0000028	235929	80H1268	TERR	179 51 49	444.148	444.325			
		N	5433428.106											
		El	1.845					CVD28GVRD2018						
528505	92H0579	E	496630.084	0.9996029	1.0000028	991802	88H4194	GPS	180 16 46	2357.098	2358.034			
		N	5438891.461					159855	6817	TERR	180 31 53	607.910	608.152	
		El	1.713					CVD28GVRD2018	703199	6846	GPS	223 36 49	5267.205	5269.296
									546150	84H0346	GPS	233 36 42	3457.726	3459.099
									737197	84H0431	GPS	263 9 36	2212.532	2213.410
									80101	02H2443	GPS	298 21 6	4040.357	4041.962
									943175	88H4176	TERR	306 18 18	880.310	880.661
									839639	80H1300	GPS	355 23 22	2882.263	2883.407
617167	92H0580	E	494407.600	0.9996033	1.0000029	591024	92H0581	TERR	91 1 1	113.661	113.706			
		N	5436699.950					300665	84H0345	TERR	268 5 20	94.761	94.798	
		El	1.161					CVD28GVRD2018	680223	84H0445	TERR	347 23 47	247.394	247.492
591024	92H0581	E	494521.243	0.9996033	1.0000029	675900	9316	TERR	86 48 51	124.805	124.855			
		N	5436697.933					617167	92H0580	TERR	271 1 1	113.661	113.706	
		El	.891					CVD28GVRD2018	470815	84H0446	TERR	357 44 60	108.070	108.113
479238	92H0582	E	494898.353	0.9996033	1.0000030	717611	84H0448	TERR	89 55 39	197.645	197.724			
		N	5436724.987					970053	87H3177	TERR	270 50 32	152.323	152.384	
		El	.774					CVD28GVRD2018						
785394	92H0583	E	506380.028	0.9995905	0.9999900	443192	82H5516	TERR	5 15 21	163.010	163.077			
		N	5444814.272					943431	82H5512	TERR	267 22 12	318.247	318.378	
		El	82.859					CVD28GVRD2018						
43026	92H0584	E	494169.005	0.9996003	0.9999998	771220	9276	TERR	88 18 25	321.431	321.560			
		N	5430197.408					810275	6862	TERR	271 46 47	253.198	253.299	
		El	20.747					CVD28GVRD2018						
379990	92H0585	E	495239.899	0.9996031	1.0000029	464404	87H3196	TERR	90 50 4	320.579	320.706			
		N	5431283.646					310276	9289	TERR	190 56 1	274.311	274.420	
		El	1.465					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
666016	92H0586	E	495848.140	0.9996019	1.0000016	229385	6893	TERR	90 17 9	765.309	765.613
		N	5434793.468			133975	6836	TERR	270 51 27	473.856	474.045
		El	9.197	CVD28GVRD2018							
719377	92H0587	E	495650.483	0.9996031	1.0000029						
		N	5436888.682								
		El	1.234	CVD28GVRD2018							
714733	92H0588	E	494107.182	0.9996033	1.0000028						
		N	5437633.243								
		El	1.565	CVD28GVRD2018							
173062	92H0589	E	495230.298	0.9996031	1.0000028	247791	84H0438	TERR	4 53 11	205.296	205.377
		N	5437826.939			599589	84H0362	TERR	88 54 33	122.546	122.595
		El	1.575	CVD28GVRD2018		43802	80H1295	TERR	180 8 13	204.848	204.929
570655	92H0590	E	495353.078	0.9996031	1.0000029	827758	84H0369	TERR	101 49 14	235.532	235.626
		N	5438112.149			690594	84H0361	TERR	177 56 27	88.506	88.541
		El	1.365	CVD28GVRD2018							
288688	92H0591	E	495968.458	0.9996029	1.0000027	973974	88H4222	TERR	88 36 29	295.985	296.103
		N	5437478.081			671636	79H9932	TERR	180 55 16	465.499	465.684
		El	2.109	CVD28GVRD2018							
81836	92H0592	E	507786.638	0.9995917	0.9999910	949743	79H9911	TERR	13 54 47	191.225	191.303
		N	5440740.532			292227	79H9919	TERR	183 12 42	108.828	108.873
		El	76.943	CVD28GVRD2018		385088	82H5385	TERR	266 13 25	197.458	197.538
500272	92H0594	E	494461.828	0.9996032	1.0000028	742825	84H0440	TERR	0 20 52	526.043	526.251
		N	5437490.039			663443	84H0442	TERR	91 54 6	305.568	305.690
		El	1.892	CVD28GVRD2018		729699	6953	TERR	180 27 33	485.532	485.725
						912345	89H5683	TERR	273 19 38	198.865	198.945

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
252569	92H0596	E	505402.557	0.9996011	1.0000007	841734	6966	GPS	14 9 28	5050.572	5052.619	
		N	5440716.976			799270	9352	GPS	21 19 34	1754.009	1754.711	
		El	14.920			CVD28GVRD2018	102970	92H0875	GPS	89 30 52	2614.694	2615.751
							607093	5893	GPS	139 41 11	4019.644	4021.244
							995365	6910	GPS	194 13 45	2682.517	2683.584
							531079	6902	GPS	239 30 46	6416.648	6419.203
							839639	80H1300	GPS	276 38 7	9064.871	9068.481
84293	9300	E	505976.955	0.9995921	0.9999917	943431	82H5512	TERR	99 33 34	86.360	86.395	
		N	5444814.011			425587	9297	TERR	266 1 31	200.841	200.924	
		El	72.523			CVD28GVRD2018						
6387	9301	E	505378.978	0.9995978	0.9999975				MARKER DESTROYED			
		N	5445828.737									
		El	35.242	CVD28GVRD2018								
759027	9302	E	493479.364	0.9996034	1.0000028							
		N	5437646.797									
		El	1.457			CVD28GVRD2018						
656157	9303	E	495390.553	0.9996031	1.0000028	792465	9304	TERR	90 16 49	234.554	234.647	
		N	5437233.782			824557	92H0567	TERR	273 41 57	165.914	165.979	
		El	1.531			CVD28GVRD2018						
792465	9304	E	495625.104	0.9996031	1.0000029	656157	9303	TERR	270 16 49	234.554	234.647	
		N	5437232.635									
		El	1.405			CVD28GVRD2018						
240929	9305	E	493722.805	0.9996032	1.0000027							
		N	5437799.245									
		El	2.139			CVD28GVRD2018						
863951	9306	E	495296.205	0.9996031	1.0000029	565390	79H9930	TERR	12 46 23	170.466	170.534	
		N	5436891.287									
		El	1.277			CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
241059	9307	E	507211.107	0.9995901	0.9999894		MARKER DESTROYED				
		N	5447134.938								
		El	86.667	CVD28GVRD2018							
866327	9308	E	492546.326	0.9996036	1.0000029		MARKER DESTROYED				
		N	5436990.639								
		El	1.215	CVD28GVRD2018							
145946	9310	E	492507.431	0.9996035	1.0000028	208041	84H0389	TERR	61 8 60	143.228	143.284
		N	5437066.665			915090	6826	TERR	244 43 36	480.898	481.090
		El	1.583	CVD28GVRD2018							
276444	9311	E	506343.292	0.9995958	0.9999953	117945	9335	TERR	83 19 27	141.833	141.890
		N	5441159.898			832220	9359	TERR	258 19 27	181.673	181.746
		El	49.438	CVD28GVRD2018							
593293	9312	E	506102.018	0.9995970	0.9999965	387852	79H9914	TERR	46 48 57	137.241	137.296
		N	5441514.760			220558	84H9464	TERR	146 58 19	179.856	179.929
		El	41.422	CVD28GVRD2018		694794	84H9466	TERR	231 28 33	193.681	193.758
519405	9313	E	506040.303	0.9995902	0.9999897	800979	82H5484	TERR	80 59 46	141.769	141.826
		N	5443957.628			732685	79H9873	TERR	268 37 59	224.791	224.883
		El	84.942	CVD28GVRD2018							
530535	9314	E	493658.971	0.9996033	1.0000028	358242	6822	TERR	266 51 30	134.866	134.920
		N	5437489.202								
		El	1.439	CVD28GVRD2018							
675900	9316	E	494645.855	0.9996033	1.0000029	970053	87H3177	TERR	77 25 16	102.656	102.696
		N	5436704.869			591024	92H0581	TERR	266 48 51	124.805	124.855
		El	1.092	CVD28GVRD2018							
211102	9319	E	506265.325	0.9995953	0.9999948	406413	78H8571	TERR	103 15 57	95.024	95.062
		N	5441551.490			387852	79H9914	TERR	312 7 32	85.262	85.296
		El	52.550	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
681700	9320	E	493521.350	0.9996035	1.0000029	617258	9321	TERR	181 57 58	244.807	244.904		
		N	5436598.070					966663	80H1291	TERR	359 15 40	165.719	165.784
		El	.886					CVD28GVRD2018					
617258	9321	E	493512.951	0.9996035	1.0000030	681700	9320	TERR	1 57 58	244.807	244.904		
		N	5436353.407					854869	84H0424	TERR	86 17 37	132.047	132.100
		El	.670					CVD28GVRD2018					
842971	9322	E	505006.452	0.9995968	0.9999965	28878	9366	TERR	260 46 26	92.971	93.009		
		N	5445176.738										
		El	41.400					CVD28GVRD2018					
253674	9323	E	505584.904	0.9995913	0.9999909	694133	82H5477	TERR	92 13 9	306.995	307.121		
		N	5444391.108					561498	84H9492	TERR	186 39 23	145.997	146.057
		El	77.159					CVD28GVRD2018					
750083	9324	E	507193.187	0.9995884	0.9999877	242818	82H5464	TERR	97 4 15	189.823	189.901		
		N	5443993.895					981266	82H5458	TERR	180 12 32	150.769	150.831
		El	97.681					CVD28GVRD2018	143115	6928	TERR	266 52 15	205.689
453712	9325	E	498617.553	0.9996027	1.0000027	715060	9332	TERR	66 16 59	215.974	216.061		
		N	5442384.268					34876	9340	TERR	251 19 34	338.945	339.080
		El	2.196					CVD28GVRD2018					
784355	9326	E	506784.490	0.9995876	0.9999871	MARKER DESTROYED							
		N	5444805.705										
		El	101.857			CVD28GVRD2018							
831248	9327	E	505379.309	0.9995944	0.9999940	621888	82H5537	TERR	46 19 15	178.610	178.682		
		N	5445270.516					809491	87H2623	TERR	226 28 10	184.819	184.894
		El	57.234					CVD28GVRD2018					
495606	9328	E	505119.183	0.9995962	0.9999958	MARKER DESTROYED							
		N	5445254.042										
		El	45.761			CVD28GVRD2018							



Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
148502	9329	E	507189.873	0.9995875	0.9999869		MARKER DESTROYED				
		N	5444392.647								
		E1	102.833	CVD28GVRD2018							
877886	9330	E	504905.585	0.9995992	0.9999990		MARKER DESTROYED				
		N	5445471.478								
		E1	25.934	CVD28GVRD2018							
295196	9331	E	505244.316	0.9995948	0.9999944		MARKER DESTROYED				
		N	5445142.922								
		E1	54.885	CVD28GVRD2018							
715060	9332	E	498815.287	0.9996027	1.0000027	64196	82H5461	TERR	72 46 38	210.820	210.904
		N	5442471.137			519082	82H5529	TERR	165 58 23	152.960	153.020
		E1	2.251	CVD28GVRD2018		453712	9325	TERR	246 16 59	215.974	216.061
295485	9333	E	506153.160	0.9995987	0.9999982	959361	84H9458	TERR	95 32 33	127.912	127.963
		N	5440831.656								
		E1	30.762	CVD28GVRD2018							
523746	9334	E	506600.910	0.9995943	0.9999937	664540	82H5401	TERR	2 20 52	132.988	133.042
		N	5441176.461			117945	9335	TERR	269 57 47	116.747	116.795
		E1	59.409	CVD28GVRD2018							
117945	9335	E	506484.163	0.9995950	0.9999945	523746	9334	TERR	89 57 47	116.747	116.795
		N	5441176.386			291815	9336	TERR	159 12 2	169.843	169.912
		E1	54.758	CVD28GVRD2018		276444	9311	TERR	263 19 27	141.833	141.890
291815	9336	E	506544.474	0.9995950	0.9999944	117945	9335	TERR	339 12 2	169.843	169.912
		N	5441017.612								
		E1	54.943	CVD28GVRD2018							
676825	9337	E	506594.580	0.9995948	0.9999943		MARKER DESTROYED				
		N	5440909.744								
		E1	55.819	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
546929	9338	E	506762.313	0.9995943	0.9999937		MARKER ISOLATED				
		N	5440842.300								
		El	59.435	CVD28GVRD2018							
63396	9339	E	494711.401	0.9996033	1.0000029	207381	87H3179	TERR	180 27 57	193.602	193.679
		N	5437241.297								
		El	1.023	CVD28GVRD2018							
34876	9340	E	498296.451	0.9996027	1.0000027	453712	9325	TERR	71 19 34	338.945	339.080
		N	5442275.744								
		El	2.227	CVD28GVRD2018							
278101	9341	E	506997.653	0.9995885	0.9999878	377028	80H1340	TERR	163 47 4	203.412	203.496
		N	5441275.008			304527	82H5397	TERR	275 5 25	204.756	204.839
		El	96.957	CVD28GVRD2018							
531749	9342	E	504863.846	0.9995973	0.9999970	6429	9347	TERR	91 26 34	262.411	262.517
		N	5444279.506			222471	9351	TERR	159 42 24	162.909	162.974
		El	38.180	CVD28GVRD2018							
153205	9343	E	507199.071	0.9995919	0.9999913		MARKER DESTROYED				
		N	5443046.237								
		El	74.872	CVD28GVRD2018							
722918	9344	E	507371.616	0.9995922	0.9999915	345025	79H9852	TERR	105 38 37	217.856	217.944
		N	5441482.792			445866	79H9869	TERR	303 38 53	165.551	165.619
		El	73.661	CVD28GVRD2018							
757872	9345	E	507144.600	0.9995876	0.9999870	622985	9348	TERR	21 25 26	151.781	151.843
		N	5446019.199			915694	6940	TERR	91 16 13	356.794	356.941
		El	102.252	CVD28GVRD2018		161422	82H5562	TERR	95 54 49	151.422	151.485
						657387	90H6228	TERR	183 4 14	402.492	402.658
						831511	78H8568	TERR	270 11 40	266.867	266.976
168344	9346	E	505457.861	0.9995925	0.9999922	591933	79H9916	TERR	79 17 15	107.365	107.409
		N	5443952.126			234559	79H9853	TERR	330 23 11	107.193	107.237
		El	69.271	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
6429	9347	E	505126.174	0.9995952	0.9999948	531749	9342	TERR	271 26 34	262.411	262.517
		N	5444272.899								
		El	52.209	CVD28GVRD2018							
622985	9348	E	507200.040	0.9995882	0.9999875	757872	9345	TERR	201 25 26	151.781	151.843
		N	5446160.492			958603	6946	TERR	359 21 29	259.747	259.854
		El	98.649	CVD28GVRD2018							
524801	9349	E	507194.442	0.9995899	0.9999892			MARKER DESTROYED			
		N	5443469.097								
		El	87.993	CVD28GVRD2018							
820399	9350	E	507181.305	0.9995926	0.9999919	192179	82H5427	TERR	89 47 7	358.398	358.544
		N	5442746.379			663385	82H5445	TERR	174 13 27	135.023	135.079
		El	70.818	CVD28GVRD2018							
222471	9351	E	504920.347	0.9995995	0.9999992	669101	78H8547	TERR	132 28 52	259.567	259.671
		N	5444126.709			531749	9342	TERR	339 42 24	162.909	162.974
		El	24.287	CVD28GVRD2018							
799270	9352	E	506040.450	0.9995989	0.9999985	841734	6966	GPS	10 22 29	3317.502	3318.850
		N	5442350.879			102970	92H0875	GPS	129 11 34	2550.510	2551.543
		El	29.164	CVD28GVRD2018		607093	5893	GPS	157 19 49	5092.370	5094.402
						995365	6910	GPS	197 2 3	4428.392	4430.160
						252569	92H0596	GPS	201 19 34	1754.009	1754.711
						511071	80H1284	TERR	241 11 11	111.100	111.144
						815746	84H9508	GPS	331 27 38	1621.011	1621.661
						598474	9353	TERR	340 25 52	94.038	94.075
598474	9353	E	506008.953	0.9995994	0.9999990	799270	9352	TERR	160 25 52	94.038	94.075
		N	5442439.485			487009	9354	TERR	329 23 26	115.259	115.306
		El	25.855	CVD28GVRD2018							
487009	9354	E	505950.265	0.9996014	1.0000010	598474	9353	TERR	149 23 26	115.259	115.306
		N	5442538.684			749515	79H9927	TERR	346 57 4	94.848	94.886
		El	13.022	CVD28GVRD2018							
646083	9355	E	506826.191	0.9995944	0.9999938			MARKER DESTROYED			
		N	5440739.889								
		El	59.097	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
864934	9356	E	506254.469	0.9995982	0.9999977	61390	78H8565	TERR	89 17 42	294.883	295.003		
		N	5440728.487					130211	78H8560	TERR	268 57 27	225.447	225.538
		El	34.106					CVD28GVRD2018					
174912	9357	E	506395.988	0.9995918	0.9999913	141572	83H6500	TERR	12 56 51	435.025	435.202		
		N	5446121.174					610592	9361	TERR	186 33 21	106.156	106.199
		El	74.998					CVD28GVRD2018					
832220	9359	E	506165.378	0.9995962	0.9999958	276444	9311	TERR	78 19 27	181.673	181.746		
		N	5441123.132										
		El	46.467					CVD28GVRD2018					
246728	9360	E	506152.690	0.9995972	0.9999968	MARKER DESTROYED							
		N	5440968.979										
		El	40.036			CVD28GVRD2018							
610592	9361	E	506383.868	0.9995913	0.9999908	174912	9357	TERR	6 33 21	106.156	106.199		
		N	5446015.712					994863	78H8575	TERR	88 24 20	199.650	199.731
		El	77.867					CVD28GVRD2018	394981	82H5569	TERR	180 8 21	114.509
27078	9362	E	504795.509	0.9995986	0.9999983	28878	9366	TERR	109 6 11	126.120	126.170		
		N	5445203.107					394627	82H5543	TERR	222 2 50	225.116	225.207
		El	30.069					CVD28GVRD2018					
417063	9363	E	507124.646	0.9995867	0.9999861	861195	78H8549	TERR	270 19 30	285.373	285.490		
		N	5445206.210										
		El	108.075					CVD28GVRD2018					
664607	9364	E	494569.526	0.9995972	0.9999969	668822	84H0384	TERR	90 3 14	417.333	417.500		
		N	5428583.708					211383	6980	TERR	269 25 2	399.181	399.343
		El	39.690					CVD28GVRD2018					
283622	9365	E	507124.484	0.9995869	0.9999863	MARKER DESTROYED							
		N	5445039.014										
		El	106.566			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
28878	9366	E	504914.684	0.9995981	0.9999978	842971	9322	TERR	80 46 26	92.971	93.009	
		N	5445161.832				27078	9362	TERR	289 6 11	126.120	126.170
		El	33.243				CVD28GVRD2018					
864397	9367	E	493707.830	0.9995948	0.9999943	159749	9368	TERR	62 42 1	84.937	84.971	
		N	5428682.406				603712	9292	TERR	176 58 5	153.855	153.918
		El	56.251				CVD28GVRD2018					
159749	9368	E	493783.307	0.9995952	0.9999947	285627	87H3186	TERR	135 40 46	127.764	127.816	
		N	5428721.362				864397	9367	TERR	242 42 1	84.937	84.971
		El	53.597				CVD28GVRD2018		901819	9371	TERR	346 55 47
263673	9369	E	493865.817	0.9995952	0.9999947	MARKER DESTROYED						
		N	5428625.053									
		El	53.684	CVD28GVRD2018								
660308	9370	E	494009.633	0.9995955	0.9999950	901819	9371	TERR	267 6 58	262.412	262.518	
		N	5428888.570									
		El	51.417				CVD28GVRD2018					
901819	9371	E	493747.553	0.9995952	0.9999948	660308	9370	TERR	87 6 58	262.412	262.518	
		N	5428875.368				159749	9368	TERR	166 55 47	158.102	158.166
		El	53.267				CVD28GVRD2018		766196	6986	TERR	357 59 19
657122	9372	E	493934.761	0.9995955	0.9999950	881680	6985	TERR	88 2 48	238.079	238.176	
		N	5428964.003				766196	6986	TERR	270 34 56	190.399	190.476
		El	51.436				CVD28GVRD2018					
649814	9373	E	494369.851	0.9995949	0.9999945	971184	6978	TERR	91 40 31	214.378	214.464	
		N	5428171.317				474676	6979	TERR	268 12 37	208.246	208.331
		El	55.038				CVD28GVRD2018					
163204	9374	E	493749.124	0.9995995	0.9999991	810275	6862	TERR	93 23 17	167.097	167.164	
		N	5430215.147				624478	6998	TERR	352 56 19	279.824	279.936
		El	25.721				CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
673939	9375	E	494076.648	0.9995946	0.9999942	211383	6980	TERR	48 46 17	124.611	124.661
		N	5428497.520			545046	9376	TERR	182 44 53	331.570	331.705
		El	56.940	CVD28GVRD2018							
545046	9376	E	494060.751	0.9995945	0.9999941	673939	9375	TERR	2 44 53	331.570	331.705
		N	5428166.331			474676	6979	TERR	90 51 41	100.967	101.008
		El	57.556	CVD28GVRD2018		833277	87H3146	TERR	267 0 30	271.344	271.454
695932	9377	E	494970.342	0.9996027	1.0000023						
		N	5431026.382								
		El	4.778	CVD28GVRD2018							
957605	9378	E	494969.720	0.9996011	1.0000007						
		N	5430613.233								
		El	15.00	(APPROX. ONLY)							
403014	9379	E	494990.103	0.9996015	1.0000012						
		N	5430190.704								
		El	12.346	CVD28GVRD2018							
386136	9380	E	494969.847	0.9996013	1.0000010	644187	6875	TERR	179 0 3	473.595	473.785
		N	5429932.219								
		El	13.169	CVD28GVRD2018							

END OF REPORT