

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
658971	78H8385	E	524966.351	0.9996037	0.9999960	378281	84H9701	TERR	181 53 59	419.090	419.256							
		N	5436634.419					864181				79H9457	TERR	271 57 5	224.945	225.034		
		El	44.607					CVD28GVRD2018										
363911	78H8386	E	524166.603	0.9996035	0.9999963	MARKER DESTROYED												
		N	5436641.834															
		El	43.004			CVD28GVRD2018												
352799	78H8387	E	524183.690	0.9996035	0.9999963	352492	79H9465	TERR	184 7 3	246.002	246.100							
		N	5437054.032					704239				87H2616	TERR	269 34 38	268.974	269.082		
		El	42.688					CVD28GVRD2018				638973	79H9452				TERR	358 56 22
189506	78H8389	E	524200.804	0.9996063	0.9999991	237412	79H9546	TERR	1 8 5	189.925	190.000							
		N	5437466.068					34074				79H9460	TERR	91 2 58	193.602	193.678		
		El	24.918					CVD28GVRD2018				638973	79H9452				TERR	183 50 14
													60269	79H9604	TERR	269 55 45	204.914	
731026	78H8390	E	523645.182	0.9996050	0.9999982	60269	79H9604	TERR	89 51 45	350.709	350.847							
		N	5437464.974					216374				79H9603	TERR	269 56 57	250.484	250.584		
		El	31.032					CVD28GVRD2018				10280	79H9592				TERR	359 18 35
293373	78H8391	E	524194.992	0.9996078	1.0000006	608158	79H9605	TERR	112 58 27	217.612	217.697							
		N	5437776.662					237412				79H9546	TERR	175 27 56	121.085	121.132		
		El	15.459					CVD28GVRD2018										
735373	78H8392	E	524840.396	0.9996074	0.9999998	165977	79H9522	TERR	0 31 41	176.947	177.016							
		N	5437502.621					692210				79H9572	TERR	112 56 43	214.316	214.400		
		El	20.592					CVD28GVRD2018				219378	79H9612				TERR	293 2 40
216465	78H8393	E	524830.587	0.9996093	1.0000017	387373	89H5077	TERR	1 14 4	214.957	215.041							
		N	5438456.474					580357				89H5059	TERR	88 39 1	221.247	221.334		
		El	8.181					CVD28GVRD2018				803791	79H9531				TERR	176 18 49
													380444	89H5081	TERR	269 41 35	328.216	328.344
699009	78H8394	E	524184.262	0.9996087	1.0000016	380444	89H5081	TERR	89 43 19	318.118	318.242							
		N	5438453.172					280396				79H9529	TERR	176 16 22	171.218	171.285		
		El	9.307					CVD28GVRD2018				903070	79H9511				TERR	269 8 13
													538777	79H9443	TERR	357 14 29	227.004	227.092

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
694224	78H8396	E	524174.203	0.9996084	1.0000012	381467	79H9594	TERR	89 4 44	352.160	352.297	
		N	5439109.346			862029	79H9441	TERR	181 43 40	162.845	162.908	
		El	11.343			CVD28GVRD2018	824615	87H2613	TERR	271 8 3	407.968	408.128
						172700	91H0421	TERR	356 15 15	132.619	132.671	
261362	78H8400	E	525775.879	0.9996100	1.0000019	841130	79H9583	TERR	358 9 26	109.932	109.975	
		N	5438760.885									
		El	7.224			CVD28GVRD2018						
823443	78H8402	E	525787.325	0.9996086	1.0000004	419838	79H9481	TERR	90 10 28	405.781	405.940	
		N	5437473.703			256107	89H5091	TERR	92 43 12	145.870	145.927	
		El	16.622			CVD28GVRD2018	573691	79H9558	TERR	171 34 40	53.466	53.486
							519355	89H5070	TERR	272 10 1	193.997	194.072
							171629	79H9587	TERR	359 50 17	381.307	381.456
813063	78H8404	E	525767.776	0.9996037	0.9999955	682773	89H5093	TERR	3 17 7	265.611	265.715	
		N	5436632.120			419515	84H9715	TERR	181 28 52	412.354	412.518	
		El	47.921			CVD28GVRD2018						
541151	78H8406	E	525785.274	0.9996099	1.0000017	821710	89H5084	TERR	89 23 9	269.495	269.600	
		N	5439152.815			841130	79H9583	TERR	182 37 29	282.351	282.461	
		El	8.253			CVD28GVRD2018	678342	79H9477	TERR	272 48 31	308.973	309.094
526657	78H8408	E	524049.673	0.9996080	1.0000009	131987	87H2594	TERR	67 33 10	150.100	150.159	
		N	5439826.985			849836	89H5058	TERR	229 9 59	119.865	119.911	
		El	13.441			CVD28GVRD2018						
977082	78H8409	E	525466.409	0.9996094	1.0000014	558999	91H0414	TERR	127 0 53	144.076	144.133	
		N	5439748.232			772301	87H2606	TERR	273 15 17	111.154	111.197	
		El	10.162			CVD28GVRD2018						
862029	79H9441	E	524169.293	0.9996087	1.0000015	694224	78H8396	TERR	1 43 40	162.845	162.908	
		N	5438946.575			765297	79H9442	TERR	173 0 4	138.783	138.838	
		El	9.679			CVD28GVRD2018						
765297	79H9442	E	524186.204	0.9996089	1.0000017	538777	79H9443	TERR	185 41 60	129.554	129.605	
		N	5438808.826			862029	79H9441	TERR	353 0 4	138.783	138.838	
		El	8.360			CVD28GVRD2018						

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
538777	79H9443	E	524173.337	0.9996087	1.0000015	765297	79H9442	TERR	5 41 60	129.554	129.605		
		N	5438679.913					750968	87H2608	TERR	63 34 44	366.974	367.117
		El	9.642					CVD28GVRD2018	699009	78H8394	TERR	177 14 29	227.004
819250	79H9444	E	524056.264	0.9996076	1.0000005	949016	79H9445	TERR	269 13 47	135.394	135.448		
		N	5437903.603										
		El	15.859					CVD28GVRD2018					
949016	79H9445	E	523920.882	0.9996081	1.0000010	819250	79H9444	TERR	89 13 47	135.394	135.448		
		N	5437901.783					708800	79H9446	TERR	352 2 35	98.369	98.408
		El	12.676					CVD28GVRD2018					
708800	79H9446	E	523907.265	0.9996090	1.0000020	949016	79H9445	TERR	172 2 35	98.369	98.408		
		N	5437999.205					428128	79H9447	TERR	282 52 37	243.182	243.278
		El	6.535					CVD28GVRD2018					
428128	79H9447	E	523670.199	0.9996089	1.0000021	708800	79H9446	TERR	102 52 37	243.182	243.278		
		N	5438053.400										
		El	6.096					CVD28GVRD2018					
933762	79H9449	E	523428.385	0.9996088	1.0000021	868661	89H5076	TERR	68 12 37	157.869	157.931		
		N	5437943.717										
		El	6.123					CVD28GVRD2018					
452433	79H9450	E	523405.602	0.9996080	1.0000013	40956	89H5092	TERR	76 24 19	123.250	123.298		
		N	5437867.777										
		El	11.187					CVD28GVRD2018					
381723	79H9451	E	523618.980	0.9996080	1.0000011	696450	89H5096	TERR	171 11 10	129.789	129.839		
		N	5437909.629					40956	89H5092	TERR	262 9 44	94.464	94.500
		El	12.256					CVD28GVRD2018					
638973	79H9452	E	524181.414	0.9996042	0.9999970	189506	78H8389	TERR	3 50 14	289.738	289.852		
		N	5437176.980					662403	79H9453	TERR	119 55 11	162.413	162.477
		El	38.266					CVD28GVRD2018	352799	78H8387	TERR	178 56 22	122.969

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
662403	79H9453	E	524322.181	0.9996038	0.9999966	638973	79H9452	TERR	299 55 11	162.413	162.477
		N	5437095.971								
		El	41.264	CVD28GVRD2018							
447029	79H9454	E	524493.734	0.9996039	0.9999965	622795	79H9463	TERR	29 45 15	211.641	211.725
		N	5436968.777			557660	79H9459	TERR	124 42 11	183.423	183.495
		El	41.610	CVD28GVRD2018		313171	79H9455	TERR	203 52 18	156.777	156.839
						783860	79H9599	TERR	304 53 34	91.841	91.878
313171	79H9455	E	524430.288	0.9996037	0.9999964	447029	79H9454	TERR	23 52 18	156.777	156.839
		N	5436825.412			570952	79H9601	TERR	168 58 14	94.641	94.678
		El	42.580	CVD28GVRD2018							
331421	79H9456	E	524478.133	0.9996035	0.9999962	570952	79H9601	TERR	340 56 38	91.086	91.122
		N	5436646.425								
		El	43.861	CVD28GVRD2018							
864181	79H9457	E	524741.537	0.9996036	0.9999961	658971	78H8385	TERR	91 57 5	224.945	225.034
		N	5436642.079								
		El	44.155	CVD28GVRD2018							
820894	79H9458	E	524775.997	0.9996037	0.9999962	557660	79H9459	TERR	308 32 30	168.085	168.152
		N	5436759.619								
		El	43.532	CVD28GVRD2018							
557660	79H9459	E	524644.528	0.9996038	0.9999964	820894	79H9458	TERR	128 32 30	168.085	168.152
		N	5436864.350			447029	79H9454	TERR	304 42 11	183.423	183.495
		El	42.580	CVD28GVRD2018							
34074	79H9460	E	524394.373	0.9996065	0.9999992	608158	79H9605	TERR	0 14 33	229.205	229.295
		N	5437462.522			61499	89H5089	TERR	89 23 17	145.515	145.572
		El	24.598	CVD28GVRD2018		189506	78H8389	TERR	271 2 58	193.602	193.678
877464	79H9461	E	524694.612	0.9996062	0.9999987	69971	89H5097	TERR	4 33 6	91.155	91.190
		N	5437372.659			437012	79H9563	TERR	83 37 43	157.589	157.651
		El	27.822	CVD28GVRD2018		320770	79H9462	TERR	193 10 46	168.502	168.569

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
320770	79H9462	E	524656.193	0.9996046	0.9999972	877464	79H9461	TERR	13 10 46	168.502	168.569					
		N	5437208.595					622795	79H9463			TERR	225 40 48	80.266	80.298	
		El	37.404					CVD28GVRD2018								
622795	79H9463	E	524598.767	0.9996041	0.9999967	320770	79H9462	TERR	45 40 48	80.266	80.298					
		N	5437152.516					674739	79H9591			TERR	127 51 23	177.426	177.497	
		El	40.499					CVD28GVRD2018				447029	79H9454	TERR	209 45 15	211.641
925214	79H9464	E	525133.090	0.9996090	1.0000013	772301	87H2606	TERR	120 9 40	257.160	257.261					
		N	5439883.749					370676	79H9495			TERR	263 56 21	159.155	159.216	
		El	10.945					CVD28GVRD2018								
352492	79H9465	E	524166.027	0.9996035	0.9999963	352799	78H8387	TERR	4 7 3	246.002	246.100					
		N	5436808.665													
		El	42.685					CVD28GVRD2018								
495507	79H9467	E	525412.410	0.9996096	1.0000017	688895	79H9493	TERR	39 21 38	112.490	112.534					
		N	5438938.343					239509	79H9486			TERR	111 11 2	207.066	207.146	
		El	8.267					CVD28GVRD2018	894436			89H5073	TERR	177 26 32	343.104	343.239
									853150			89H5071	TERR	283 34 58	225.061	225.148
408799	79H9468	E	525329.786	0.9996040	0.9999961	771956	79H9559	TERR	0 11 45	202.606	202.686					
		N	5436932.342					186734	79H9576			TERR	178 40 59	90.855	90.891	
		El	44.293					CVD28GVRD2018				979187	79H9562	TERR	270 15 55	355.670
554337	79H9469	E	523856.902	0.9996078	1.0000008	937995	87H2598	TERR	242 30 57	117.971	118.017					
		N	5439591.552													
		El	14.012					CVD28GVRD2018								
497446	79H9472	E	524334.540	0.9996082	1.0000009	602672	87H2614	TERR	121 7 43	355.469	355.608					
		N	5439889.277					131987	87H2594			TERR	268 2 55	146.225	146.282	
		El	13.544					CVD28GVRD2018								
720979	79H9474	E	524977.059	0.9996041	0.9999964	989483	79H9549	TERR	4 10 42	103.606	103.648					
		N	5437037.871					979187	79H9562			TERR	181 37 14	103.925	103.965	
		El	42.101					CVD28GVRD2018								

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
678342	79H9477	E	525476.672	0.9996096	1.0000016	287078	79H0136	GPS	49 36 0	2451.366	2452.322	
		N	5439167.954			541151	78H8406	TERR	92 48 31	308.973	309.094	
		El	8.777			CVD28GVRD2018	8979	75H2716	GPS	140 44 55	2193.101	2193.957
							688895	79H9493	TERR	177 9 32	142.813	142.868
							60269	79H9604	GPS	221 1 18	2256.101	2256.986
							447771	5169	GPS	249 14 13	4829.457	4831.346
							904904	NO MARKING	GPS	256 10 7	480.970	481.157
389205	79H9480	E	523911.120	0.9996083	1.0000013	818385	79H9508	TERR	159 21 6	205.100	205.180	
		N	5438983.219			878454	79H9503	TERR	272 53 21	135.946	135.999	
		El	10.939			CVD28GVRD2018						
419838	79H9481	E	526193.104	0.9996085	1.0000000	9852	77H2734	TERR	90 4 30	403.919	404.077	
		N	5437472.468			82032	79H9550	TERR	267 14 48	124.943	124.993	
		El	19.090			CVD28GVRD2018	823443	78H8402	TERR	270 10 28	405.781	405.940
814426	79H9482	E	524166.995	0.9996081	1.0000010	679951	79H9501	TERR	0 26 46	155.841	155.901	
		N	5439604.142			539643	91H0409	TERR	174 12 57	160.569	160.632	
		El	12.999			CVD28GVRD2018	208348	91H0423	TERR	180 11 54	248.878	248.975
364224	79H9483	E	523834.623	0.9996079	1.0000010	166496	89H5087	TERR	176 21 26	255.062	255.162	
		N	5439398.504			937995	87H2598	TERR	329 16 32	161.236	161.300	
		El	13.047			CVD28GVRD2018						
239509	79H9486	E	525605.483	0.9996099	1.0000018	980979	89H5072	TERR	22 58 24	106.015	106.057	
		N	5438863.517			70722	79H9535	TERR	180 30 11	283.881	283.992	
		El	7.683			CVD28GVRD2018	495507	79H9467	TERR	291 11 2	207.066	207.146
619262	79H9488	E	524028.477	0.9996086	1.0000015	818385	79H9508	TERR	323 31 24	75.748	75.778	
		N	5438730.385									
		El	9.684			CVD28GVRD2018						
827048	79H9489	E	525317.240	0.9996093	1.0000014	445841	91H0413	TERR	31 37 27	141.849	141.904	
		N	5439317.032			678342	79H9477	TERR	133 4 40	218.272	218.358	
		El	10.348			CVD28GVRD2018	451922	89H5064	TERR	224 23 43	174.181	174.249

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
334359	79H9490	E	526119.071	0.9996048	0.9999965	680173	79H9538	TERR	4 32 49	73.214	73.244
		N	5437046.706			98939	79H9564	TERR	181 27 54	148.880	148.938
		El	41.798	CVD28GVRD2018		971846	79H9530	TERR	276 35 0	123.857	123.905
688895	79H9493	E	525483.751	0.9996097	1.0000017	980979	89H5072	TERR	111 28 57	175.287	175.356
		N	5439025.317			495507	79H9467	TERR	219 21 38	112.490	112.534
		El	8.394	CVD28GVRD2018		678342	79H9477	TERR	357 9 32	142.813	142.868
535724	79H9494	E	525876.829	0.9996044	0.9999962	971846	79H9530	TERR	91 1 17	119.221	119.268
		N	5437063.031			893990	87H2602	TERR	258 7 46	109.542	109.585
		El	43.555	CVD28GVRD2018							
370676	79H9495	E	524974.825	0.9996089	1.0000013	925214	79H9464	TERR	83 56 21	159.155	159.216
		N	5439866.945			196386	87H2604	TERR	211 30 51	305.758	305.878
		El	11.146	CVD28GVRD2018							
925438	79H9499	E	525353.399	0.9996093	1.0000014						
		N	5439757.431								
		El	10.503	CVD28GVRD2018							
679951	79H9501	E	524168.208	0.9996081	1.0000009	131987	87H2594	TERR	9 13 31	125.949	125.999
		N	5439759.978			613257	80H2619	TERR	122 10 20	457.113	457.291
		El	13.407	CVD28GVRD2018		814426	79H9482	TERR	180 26 46	155.841	155.901
9225	79H9502	E	524183.504	0.9996086	1.0000014						
		N	5439277.577								
		El	10.281	CVD28GVRD2018							
878454	79H9503	E	523775.347	0.9996081	1.0000012	389205	79H9480	TERR	92 53 21	135.946	135.999
		N	5438990.071			555441	79H9567	TERR	181 33 38	288.049	288.162
		El	11.686	CVD28GVRD2018		824615	87H2613	TERR	355 56 36	127.670	127.720
419762	79H9504	E	524184.040	0.9996084	1.0000012						
		N	5439445.872								
		El	11.385	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
190892	79H9507	E	524831.971	0.9996090	1.0000014	456095	91H0412	TERR	7 11 50	162.105	162.169							
		N	5438863.571									387373	89H5077	TERR	179 1 56	192.217	192.292	
		El	10.251									CVD28GVRD2018						
818385	79H9508	E	523983.445	0.9996086	1.0000015	619262	79H9488	TERR	143 31 24	75.748	75.778							
		N	5438791.294									389205	79H9480	TERR	339 21 6	205.100	205.180	
		El	9.759									CVD28GVRD2018						
896589	79H9510	E	523775.477	0.9996092	1.0000022	702605	88H4537	GPS	37 20 8	5049.772	5051.748							
		N	5438547.494									903070	79H9511	TERR	127 57 33	160.262	160.324	
		El	5.040									CVD28GVRD2018	649012	88H4663	GPS	180 43 41	3869.132	3870.657
													10280	79H9592	GPS	188 28 37	899.642	899.995
													928333	88H4680	GPS	354 9 52	1966.952	1967.724
555441	79H9567	TERR	357 2 52	154.841	154.902													
903070	79H9511	E	523901.835	0.9996093	1.0000023	699009	78H8394	TERR	89 8 13	282.459	282.570							
		N	5438448.917									896589	79H9510	TERR	307 57 33	160.262	160.324	
		El	4.877									CVD28GVRD2018						
459180	79H9513	E	525205.332	0.9996098	1.0000020	781138	89H5095	TERR	97 44 9	87.130	87.163							
		N	5438470.632									580357	89H5059	TERR	266 39 56	153.819	153.880	
		El	6.313									CVD28GVRD2018						
539791	79H9514	E	525433.353	0.9996099	1.0000020	314963	79H9516	TERR	188 50 11	160.392	160.454							
		N	5438275.444															
		El	6.553									CVD28GVRD2018						
314963	79H9516	E	525408.715	0.9996098	1.0000019	539791	79H9514	TERR	8 50 11	160.392	160.454							
		N	5438116.956									273649	79H9551	TERR	88 25 35	172.075	172.142	
		El	7.167									CVD28GVRD2018	249326	79H9517	TERR	220 8 25	205.721	205.801
249326	79H9517	E	525276.095	0.9996096	1.0000018	314963	79H9516	TERR	40 8 25	205.721	205.801							
		N	5437959.689															
		El	8.018									CVD28GVRD2018						
676130	79H9518	E	525286.160	0.9996096	1.0000017	40113	79H9519	TERR	173 20 20	206.615	206.696							
		N	5437821.102									909127	79H9520	TERR	256 11 55	237.802	237.895	
		El	8.305									CVD28GVRD2018						

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
40113	79H9519	E	525310.127	0.9996090	1.0000011	676130	79H9518	TERR	353 20 20	206.615	206.696
		N	5437615.882								
		El	12.317	CVD28GVRD2018							
909127	79H9520	E	525055.224	0.9996091	1.0000014	676130	79H9518	TERR	76 11 55	237.802	237.895
		N	5437764.373			659920	79H9521	TERR	281 14 11	220.638	220.724
		El	10.433	CVD28GVRD2018							
659920	79H9521	E	524838.815	0.9996085	1.0000009	909127	79H9520	TERR	101 14 11	220.638	220.724
		N	5437807.366			165977	79H9522	TERR	178 33 37	127.846	127.897
		El	13.368	CVD28GVRD2018		660993	79H9523	TERR	358 19 3	102.143	102.183
165977	79H9522	E	524842.027	0.9996082	1.0000006	735373	78H8392	TERR	180 31 41	176.947	177.016
		N	5437679.560			659920	79H9521	TERR	358 33 37	127.846	127.897
		El	15.164	CVD28GVRD2018							
660993	79H9523	E	524835.816	0.9996089	1.0000013	659920	79H9521	TERR	178 19 3	102.143	102.183
		N	5437909.465			468439	79H9525	TERR	272 52 59	172.238	172.305
		El	10.756	CVD28GVRD2018		257824	89H5085	TERR	356 14 38	241.231	241.325
616516	79H9524	E	524991.101	0.9996090	1.0000013		MARKER DESTROYED				
		N	5439186.821								
		El	10.975	CVD28GVRD2018							
468439	79H9525	E	524663.796	0.9996087	1.0000012	660993	79H9523	TERR	92 52 59	172.238	172.305
		N	5437918.128			388181	79H9526	TERR	265 19 21	147.844	147.903
		El	11.351	CVD28GVRD2018							
388181	79H9526	E	524516.444	0.9996083	1.0000009	468439	79H9525	TERR	85 19 21	147.844	147.903
		N	5437906.072			581207	79H9527	TERR	269 50 33	259.656	259.757
		El	13.538	CVD28GVRD2018							
581207	79H9527	E	524256.789	0.9996080	1.0000007	388181	79H9526	TERR	89 50 33	259.656	259.757
		N	5437905.358								
		El	14.525	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
23432	79H9528	E	524199.309	0.9996093	1.0000021	280396	79H9529	TERR	359 1 30	230.189	230.280
		N	5438052.160								
		El	5.943	CVD28GVRD2018							
280396	79H9529	E	524195.392	0.9996092	1.0000020	23432	79H9528	TERR	179 1 30	230.189	230.280
		N	5438282.316			699009	78H8394	TERR	356 16 22	171.218	171.285
		El	6.614	CVD28GVRD2018							
971846	79H9530	E	525996.031	0.9996047	0.9999964	334359	79H9490	TERR	96 35 0	123.857	123.905
		N	5437060.906			268797	79H9553	TERR	181 30 38	161.028	161.091
		El	42.170	CVD28GVRD2018		535724	79H9494	TERR	271 1 17	119.221	119.268
803791	79H9531	E	524836.361	0.9996094	1.0000018	257824	89H5085	TERR	184 18 53	217.291	217.376
		N	5438366.853			216465	78H8393	TERR	356 18 49	89.807	89.842
		El	7.614	CVD28GVRD2018							
226670	79H9533	E	525418.182	0.9996039	0.9999959	590729	79H9555	TERR	0 38 24	205.467	205.548
		N	5436831.968			186734	79H9576	TERR	276 18 34	86.834	86.868
		El	45.345	CVD28GVRD2018							
30361	79H9534	E	526182.426	0.9996076	0.9999992	237842	79H9577	TERR	290 53 32	163.721	163.785
		N	5437276.594								
		El	24.589	CVD28GVRD2018							
70722	79H9535	E	525602.991	0.9996101	1.0000020	239509	79H9486	TERR	0 30 11	283.881	283.992
		N	5438579.647			894436	89H5073	TERR	275 11 40	175.992	176.060
		El	6.398	CVD28GVRD2018							
474353	79H9537	E	526069.800	0.9996100	1.0000016	821710	89H5084	TERR	182 4 49	414.514	414.676
		N	5439569.945			630301	91H0427	TERR	347 54 3	239.489	239.583
		El	8.728	CVD28GVRD2018							
680173	79H9538	E	526124.875	0.9996062	0.9999978	334359	79H9490	TERR	184 32 49	73.214	73.244
		N	5437119.690			502591	79H9561	TERR	304 14 54	117.511	117.557
		El	32.975	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
908806	79H9539	E	524852.565	0.9996089	1.0000014		MARKER DESTROYED				
		N	5439023.565								
		El	10.567	CVD28GVRD2018							
835116	79H9540	E	525668.399	0.9996042	0.9999961	235176	79H9557	TERR	0 24 49	100.832	100.871
		N	5437031.429			287607	88H5101	TERR	186 22 25	108.701	108.744
		El	44.412	CVD28GVRD2018		590729	79H9555	TERR	271 23 5	247.994	248.092
135624	79H9541	E	525056.874	0.9996092	1.0000015	629840	89H5060	TERR	1 22 2	196.312	196.389
		N	5438838.874			123349	79H9552	TERR	181 48 6	188.724	188.798
		El	9.450	CVD28GVRD2018							
634857	79H9542	E	525362.207	0.9996037	0.9999958	586834	86H2327	TERR	178 38 27	231.154	231.246
		N	5436639.171								
		El	46.373	CVD28GVRD2018							
237412	79H9546	E	524204.565	0.9996074	1.0000002	189506	78H8389	TERR	181 8 5	189.925	190.000
		N	5437655.956			98640	89H5080	TERR	270 11 40	324.487	324.614
		El	17.858	CVD28GVRD2018		293373	78H8391	TERR	355 27 56	121.085	121.132
250381	79H9547	E	525468.810	0.9996091	1.0000012	186163	79H9556	TERR	271 1 7	581.127	581.354
		N	5440091.193								
		El	11.668	CVD28GVRD2018							
989483	79H9549	E	524984.608	0.9996049	0.9999972	720979	79H9474	TERR	184 10 42	103.606	103.648
		N	5437141.202								
		El	37.136	CVD28GVRD2018							
82032	79H9550	E	526068.305	0.9996085	1.0000002	419838	79H9481	TERR	87 14 48	124.943	124.993
		N	5437466.466			237842	79H9577	TERR	196 27 18	137.102	137.156
		El	18.094	CVD28GVRD2018		256107	89H5091	TERR	270 8 0	135.274	135.327
273649	79H9551	E	525580.725	0.9996098	1.0000017	35782	79H9615	TERR	179 14 40	362.384	362.526
		N	5438121.681			314963	79H9516	TERR	268 25 35	172.075	172.142
		El	8.135	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
123349	79H9552	E	525050.941	0.9996095	1.0000018	135624	79H9541	TERR	1 48 6	188.724	188.798		
		N	5438650.243					580357	89H5059	TERR	179 44 50	188.560	188.633
		El	7.828					CVD28GVRD2018	387373	89H5077	TERR	275 35 47	216.756
268797	79H9553	E	525991.786	0.9996041	0.9999958	971846	79H9530	TERR	1 30 38	161.028	161.091		
		N	5436899.934					98939	79H9564	TERR	90 57 19	123.496	123.545
		El	45.774					CVD28GVRD2018	682773	89H5093	TERR	269 16 32	208.806
590729	79H9555	E	525420.477	0.9996042	0.9999962	835116	79H9540	TERR	91 23 5	247.994	248.092		
		N	5437037.422					226670	79H9533	TERR	180 38 24	205.467	205.548
		El	43.285					CVD28GVRD2018					
186163	79H9556	E	524887.775	0.9996086	1.0000010	250381	79H9547	TERR	91 1 7	581.127	581.354		
		N	5440101.525										
		El	12.744					CVD28GVRD2018					
235176	79H9557	E	525669.127	0.9996046	0.9999965	835116	79H9540	TERR	180 24 49	100.832	100.871		
		N	5437132.258					771956	79H9559	TERR	270 27 18	338.660	338.793
		El	41.773					CVD28GVRD2018					
573691	79H9558	E	525795.156	0.9996084	1.0000002	383760	79H9570	TERR	111 36 17	163.048	163.111		
		N	5437420.814					15479	79H9568	TERR	180 48 52	171.850	171.918
		El	18.006					CVD28GVRD2018	823443	78H8402	TERR	351 34 40	53.466
771956	79H9559	E	525330.478	0.9996043	0.9999964	235176	79H9557	TERR	90 27 18	338.660	338.793		
		N	5437134.947					408799	79H9468	TERR	180 11 45	202.606	202.686
		El	42.179					CVD28GVRD2018					
502591	79H9561	E	526027.740	0.9996067	0.9999984	680173	79H9538	TERR	124 14 54	117.511	117.557		
		N	5437185.823										
		El	29.602					CVD28GVRD2018					
979187	79H9562	E	524974.120	0.9996041	0.9999964	720979	79H9474	TERR	1 37 14	103.925	103.965		
		N	5436933.988					408799	79H9468	TERR	90 15 55	355.670	355.810
		El	42.305					CVD28GVRD2018					

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
437012	79H9563	E	524851.228	0.9996061	0.9999985	810598	79H9565	TERR	204 21 1	199.236	199.315
		N	5437390.147			877464	79H9461	TERR	263 37 43	157.589	157.651
		El	28.743	CVD28GVRD2018							
98939	79H9564	E	526115.265	0.9996042	0.9999958	334359	79H9490	TERR	1 27 54	148.880	148.938
		N	5436897.875			268797	79H9553	TERR	270 57 19	123.496	123.545
		El	45.779	CVD28GVRD2018							
810598	79H9565	E	524769.080	0.9996047	0.9999972	437012	79H9563	TERR	24 21 1	199.236	199.315
		N	5437208.635			441071	79H9613	TERR	169 0 53	106.812	106.854
		El	37.441	CVD28GVRD2018							
555441	79H9567	E	523767.502	0.9996084	1.0000015	878454	79H9503	TERR	1 33 38	288.049	288.162
		N	5438702.129			896589	79H9510	TERR	177 2 52	154.841	154.902
		El	9.982	CVD28GVRD2018							
15479	79H9568	E	525792.713	0.9996074	0.9999992	573691	79H9558	TERR	0 48 52	171.850	171.918
		N	5437248.981			59618	89H5088	TERR	280 5 24	186.071	186.143
		El	24.104	CVD28GVRD2018							
383760	79H9570	E	525946.749	0.9996079	0.9999996	237842	79H9577	TERR	107 19 23	86.650	86.684
		N	5437360.780			573691	79H9558	TERR	291 36 17	163.048	163.111
		El	21.832	CVD28GVRD2018							
692210	79H9572	E	525037.755	0.9996073	0.9999996	1313	87H2591	TERR	112 26 20	162.532	162.595
		N	5437419.070			735373	78H8392	TERR	292 56 43	214.316	214.400
		El	21.994	CVD28GVRD2018							
281428	79H9574	E	523660.517	0.9996036	0.9999967	477638	79H9610	TERR	2 29 21	108.708	108.750
		N	5437050.263			704239	87H2616	TERR	89 35 52	254.212	254.313
		El	40.421	CVD28GVRD2018							
664706	79H9575	E	523673.655	0.9996042	0.9999973	431163	89H5098	TERR	91 15 60	257.148	257.250
		N	5437259.287			730598	79H9585	TERR	214 49 34	58.835	58.858
		El	36.576	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
186734	79H9576	E	525331.874	0.9996039	0.9999960	226670	79H9533	TERR	96 18 34	86.834	86.868
		N	5436841.511			408799	79H9468	TERR	358 40 59	90.855	90.891
		El	44.903	CVD28GVRD2018							
237842	79H9577	E	526029.469	0.9996080	0.9999996	82032	79H9550	TERR	16 27 18	137.102	137.156
		N	5437334.979			30361	79H9534	TERR	110 53 32	163.721	163.785
		El	21.536	CVD28GVRD2018		383760	79H9570	TERR	287 19 23	86.650	86.684
907253	79H9578	E	523915.763	0.9996034	0.9999964		MARKER DESTROYED				
		N	5437052.074								
		El	42.288	CVD28GVRD2018							
971366	79H9579	E	523392.659	0.9996059	0.9999991	216374	79H9603	TERR	179 23 40	192.888	192.964
		N	5437657.629								
		El	24.808	CVD28GVRD2018							
841130	79H9583	E	525772.344	0.9996100	1.0000018	541151	78H8406	TERR	2 37 29	282.351	282.461
		N	5438870.760			261362	78H8400	TERR	178 9 26	109.932	109.975
		El	7.686	CVD28GVRD2018		980979	89H5072	TERR	305 45 32	154.634	154.694
582841	79H9584	E	525995.145	0.9996101	1.0000018	890798	89H5078	TERR	21 11 15	221.350	221.436
		N	5438747.679			647990	88H4661	TERR	130 58 47	111.429	111.472
		El	7.724	CVD28GVRD2018							
730598	79H9585	E	523640.055	0.9996041	0.9999972	664706	79H9575	TERR	34 49 34	58.835	58.858
		N	5437210.990			477638	79H9610	TERR	154 12 44	57.887	57.910
		El	36.867	CVD28GVRD2018							
836494	79H9586	E	525802.568	0.9996099	1.0000017		MARKER DESTROYED				
		N	5438491.686								
		El	8.125	CVD28GVRD2018							
171629	79H9587	E	525786.248	0.9996096	1.0000014	823443	78H8402	TERR	179 50 17	381.307	381.456
		N	5437855.008								
		El	9.985	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
535732	79H9589	E	525230.188	0.9996082	1.0000004	519355	89H5070	TERR	88 56 22	363.341	363.484	
		N	5437474.313				1313	87H2591	TERR	199 47 34	124.645	124.693
		El	16.754	CVD28GVRD2018								
498329	79H9590	E	525941.012	0.9996098	1.0000015	806109	89H5099	TERR	7 15 10	73.142	73.170	
		N	5437935.715				607671	79H9614	TERR	181 17 35	199.557	199.635
		El	9.717	CVD28GVRD2018								
674739	79H9591	E	524738.854	0.9996039	0.9999964	441071	79H9613	TERR	40 3 41	78.588	78.620	
		N	5437043.632				622795	79H9463	TERR	307 51 23	177.426	177.497
		El	42.234	CVD28GVRD2018								
10280	79H9592	E	523642.860	0.9996064	0.9999996	896589	79H9510	GPS	8 28 37	899.642	899.995	
		N	5437657.680				98640	89H5080	TERR	90 9 2	237.221	237.314
		El	21.960	CVD28GVRD2018			91835	78H8346	GPS	136 27 1	2542.791	2543.796
							339895	84H9666	GPS	153 19 11	5662.023	5664.263
							649012	88H4663	GPS	178 23 43	2980.175	2981.353
							731026	78H8390	TERR	179 18 35	192.720	192.796
							696450	89H5096	TERR	358 9 4	123.757	123.806
				928333	88H4680	GPS	358 38 39	2847.370	2848.492			
381467	79H9594	E	524526.317	0.9996087	1.0000013	920199	89H5067	TERR	90 16 26	227.019	227.107	
		N	5439115.007				750968	87H2608	TERR	185 6 60	272.891	272.998
		El	11.113	CVD28GVRD2018			694224	78H8396	TERR	269 4 44	352.160	352.297
							138487	79H9595	TERR	355 33 2	260.476	260.579
138487	79H9595	E	524506.109	0.9996085	1.0000011	613257	80H2619	TERR	19 3 39	150.113	150.172	
		N	5439374.698				381467	79H9594	TERR	175 33 2	260.476	260.579
		El	11.924	CVD28GVRD2018								
263632	79H9598	E	525789.026	0.9996098	1.0000017	MARKER DESTROYED						
		N	5438119.579									
		El	8.533	CVD28GVRD2018								
783860	79H9599	E	524418.404	0.9996038	0.9999965	447029	79H9454	TERR	124 53 34	91.841	91.878	
		N	5437021.314				706051	87H2601	TERR	210 42 18	134.823	134.876
		El	41.890	CVD28GVRD2018								
570952	79H9601	E	524448.394	0.9996036	0.9999963	331421	79H9456	TERR	160 56 38	91.086	91.122	
		N	5436732.519				233296	79H9606	TERR	270 54 28	118.868	118.916
		El	43.101	CVD28GVRD2018			313171	79H9455	TERR	348 58 14	94.641	94.678

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
970715	79H9602	E	525408.745	0.9996072	0.9999992	59618	89H5088	TERR	97 41 46	202.600	202.680
		N	5437308.712			1313	87H2591	TERR	282 20 46	225.990	226.080
		El	24.211	CVD28GVRD2018							
216374	79H9603	E	523394.698	0.9996054	0.9999987	731026	78H8390	TERR	89 56 57	250.484	250.584
		N	5437464.752			8946	79H9608	TERR	181 9 27	211.206	211.289
		El	27.856	CVD28GVRD2018		971366	79H9579	TERR	359 23 40	192.888	192.964
60269	79H9604	E	523995.890	0.9996063	0.9999992	904904	NO MARKING	GPS	32 34 3	1883.287	1884.028
		N	5437465.815			678342	79H9477	GPS	41 1 18	2256.101	2256.986
		El	24.501	CVD28GVRD2018		8979	75H2716	GPS	89 55 23	2868.412	2869.537
						189506	78H8389	TERR	89 55 45	204.914	204.994
						189860	79H0146	GPS	137 36 22	5055.673	5057.672
						392712	78H2744	GPS	152 9 14	7311.237	7314.146
						23978	78H2743	GPS	178 19 59	6091.823	6094.239
						431163	89H5098	TERR	197 4 0	221.988	222.075
						447771	5169	GPS	269 48 45	3035.035	3036.228
						731026	78H8390	TERR	269 51 45	350.709	350.847
				10702	93H1153	GPS	359 55 10	3009.550	3010.736		
608158	79H9605	E	524395.343	0.9996075	1.0000002	219378	79H9612	TERR	113 0 28	312.381	312.504
		N	5437691.725			34074	79H9460	TERR	180 14 33	229.205	229.295
		El	17.835	CVD28GVRD2018		293373	78H8391	TERR	292 58 27	217.612	217.697
233296	79H9606	E	524329.541	0.9996036	0.9999963	706051	87H2601	TERR	6 40 41	172.158	172.226
		N	5436734.402			570952	79H9601	TERR	90 54 28	118.868	118.916
		El	42.844	CVD28GVRD2018							
8946	79H9608	E	523390.431	0.9996049	0.9999982	216374	79H9603	TERR	1 9 27	211.206	211.289
		N	5437253.589			408583	80H2618	TERR	88 32 38	168.123	168.190
		El	30.768	CVD28GVRD2018							
477638	79H9610	E	523665.238	0.9996039	0.9999970	281428	79H9574	TERR	182 29 21	108.708	108.750
		N	5437158.868			730598	79H9585	TERR	334 12 44	57.887	57.910
		El	38.193	CVD28GVRD2018							
219378	79H9612	E	524682.875	0.9996075	1.0000000	735373	78H8392	TERR	113 2 40	171.181	171.248
		N	5437569.629			608158	79H9605	TERR	293 0 28	312.381	312.504
		El	19.478	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
441071	79H9613	E	524789.434	0.9996041	0.9999966	674739	79H9591	TERR	220 3 41	78.588	78.620
		N	5437103.780			810598	79H9565	TERR	349 0 53	106.812	106.854
		El	41.265	CVD28GVRD2018							
607671	79H9614	E	525936.509	0.9996093	1.0000010	498329	79H9590	TERR	1 17 35	199.557	199.635
		N	5437736.209			256107	89H5091	TERR	180 44 22	269.450	269.556
		El	12.538	CVD28GVRD2018							
35782	79H9615	E	525585.503	0.9996092	1.0000012	519355	89H5070	TERR	178 21 39	278.405	278.514
		N	5437759.329			273649	79H9551	TERR	359 14 40	362.384	362.526
		El	11.782	CVD28GVRD2018							
408583	80H2618	E	523558.500	0.9996043	0.9999975	8946	79H9608	TERR	268 32 38	168.123	168.190
		N	5437257.861								
		El	35.535	CVD28GVRD2018							
613257	80H2619	E	524555.132	0.9996085	1.0000011	908053	81H4263	TERR	120 44 50	278.067	278.176
		N	5439516.581			138487	79H9595	TERR	199 3 39	150.113	150.172
		El	11.929	CVD28GVRD2018		679951	79H9501	TERR	302 10 20	457.113	457.291
908053	81H4263	E	524794.111	0.9996088	1.0000012	196386	87H2604	TERR	5 8 54	232.803	232.894
		N	5439374.419			948083	89H5086	TERR	170 25 59	152.400	152.459
		El	11.424	CVD28GVRD2018		613257	80H2619	TERR	300 44 50	278.067	278.176
515882	85H0937	E	526367.330	0.9996103	1.0000018	593111	85H0938	TERR	91 4 24	495.672	495.865
		N	5439141.776			821710	89H5084	TERR	272 33 5	312.887	313.009
		El	7.993	CVD28GVRD2018							
636985	87H2588	E	526152.175	0.9996102	1.0000018	638320	87H2589	TERR	143 11 47	184.494	184.566
		N	5438600.164			647990	88H4661	TERR	315 35 46	104.197	104.238
		El	7.762	CVD28GVRD2018							
638320	87H2589	E	526262.701	0.9996101	1.0000016	636985	87H2588	TERR	323 11 47	184.494	184.566
		N	5438452.441								
		El	8.684	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
1313	87H2591	E	525187.981	0.9996072	0.9999994	535732	79H9589	TERR	19 47 34	124.645	124.693
		N	5437357.032			970715	79H9602	TERR	102 20 46	225.990	226.080
		El	23.316	CVD28GVRD2018		692210	79H9572	TERR	292 26 20	162.532	162.595
808584	87H2593	E	523499.400	0.9996076	1.0000008	937995	87H2598	TERR	63 57 58	281.398	281.509
		N	5439413.601			632885	87H2615	TERR	152 21 18	194.850	194.926
		El	14.313	CVD28GVRD2018							
131987	87H2594	E	524188.400	0.9996080	1.0000008	630848	87H2595	TERR	1 22 2	218.634	218.720
		N	5439884.298			497446	79H9472	TERR	88 2 55	146.225	146.282
		El	14.118	CVD28GVRD2018		679951	79H9501	TERR	189 13 31	125.949	125.999
				526657	78H8408	TERR	247 33 10	150.100	150.159		
630848	87H2595	E	524193.617	0.9996078	1.0000006	131987	87H2594	TERR	181 22 2	218.634	218.720
		N	5440102.870								
		El	15.443	CVD28GVRD2018							
952051	87H2596	E	525573.998	0.9996095	1.0000014		MARKER DESTROYED				
		N	5439651.669								
		El	10.113	CVD28GVRD2018							
937995	87H2598	E	523752.246	0.9996078	1.0000009	554337	79H9469	TERR	62 30 57	117.971	118.017
		N	5439537.108			364224	79H9483	TERR	149 16 32	161.236	161.300
		El	13.746	CVD28GVRD2018		808584	87H2593	TERR	243 57 58	281.398	281.509
183020	87H2599	E	523601.097	0.9996078	1.0000010	824615	87H2613	TERR	87 36 13	165.363	165.427
		N	5439110.507			993691	5724	TERR	268 46 43	241.665	241.760
		El	12.905	CVD28GVRD2018		632885	87H2615	TERR	355 3 21	130.975	131.028
706051	87H2601	E	524349.561	0.9996037	0.9999964	783860	79H9599	TERR	30 42 18	134.823	134.876
		N	5436905.392			233296	79H9606	TERR	186 40 41	172.158	172.226
		El	42.293	CVD28GVRD2018							
893990	87H2602	E	525769.630	0.9996043	0.9999961	535724	79H9494	TERR	78 7 46	109.542	109.585
		N	5437040.498			682773	89H5093	TERR	174 40 2	143.827	143.883
		El	44.103	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
196386	87H2604	E	524815.002	0.9996087	1.0000012	370676	79H9495	TERR	31 30 51	305.758	305.878				
		N	5439606.283					110635	89H5063			TERR	121 4 0	385.364	385.515
		El	11.715					CVD28GVRD2018	908053			81H4263	TERR	185 8 54	232.803
						602672	87H2614	TERR	299 23 23	202.201	202.280				
326181	87H2605	E	525590.337	0.9996100	1.0000019	MARKER DESTROYED									
		N	5438248.506												
		El	6.876			CVD28GVRD2018									
772301	87H2606	E	525355.434	0.9996093	1.0000014	977082	78H8409	TERR	93 15 17	111.154	111.197				
		N	5439754.543					925214	79H9464			TERR	300 9 40	257.160	257.261
		El	10.444					CVD28GVRD2018							
271296	87H2607	E	523765.555	0.9996080	1.0000011	MARKER DESTROYED									
		N	5439110.172												
		El	12.274			CVD28GVRD2018									
750968	87H2608	E	524501.980	0.9996088	1.0000014	381467	79H9594	TERR	5 6 60	272.891	272.998				
		N	5438843.203					779561	87H2611			TERR	181 11 52	169.601	169.667
		El	10.434					CVD28GVRD2018	538777			79H9443	TERR	243 34 44	366.974
309286	87H2610	E	525084.499	0.9996090	1.0000013	MARKER DESTROYED									
		N	5439161.491												
		El	11.084			CVD28GVRD2018									
779561	87H2611	E	524498.435	0.9996088	1.0000014	750968	87H2608	TERR	1 11 52	169.601	169.667				
		N	5438673.639					387373	89H5077			TERR	90 23 3	336.791	336.923
		El	10.325					CVD28GVRD2018	380444			89H5081	TERR	178 58 7	218.959
824615	87H2613	E	523766.315	0.9996080	1.0000011	166496	89H5087	TERR	72 34 6	88.581	88.615				
		N	5439117.421					694224	78H8396			TERR	91 8 3	407.968	408.128
		El	12.349					CVD28GVRD2018	878454			79H9503	TERR	175 56 36	127.670
						183020	87H2599	TERR	267 36 13	165.363	165.427				
602672	87H2614	E	524638.824	0.9996086	1.0000012	196386	87H2604	TERR	119 23 23	202.201	202.280				
		N	5439705.513					497446	79H9472			TERR	301 7 43	355.469	355.608
		El	11.781					CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
632885	87H2615	E	523589.809	0.9996078	1.0000009	183020	87H2599	TERR	175 3 21	130.975	131.028
		N	5439240.995			808584	87H2593	TERR	332 21 18	194.850	194.926
		El	13.284	CVD28GVRD2018							
704239	87H2616	E	523914.723	0.9996035	0.9999965	431163	89H5098	TERR	4 32 37	202.191	202.271
		N	5437052.047			352799	78H8387	TERR	89 34 38	268.974	269.082
		El	41.930	CVD28GVRD2018		281428	79H9574	TERR	269 35 52	254.212	254.313
647990	88H4661	E	526079.267	0.9996102	1.0000019	636985	87H2588	TERR	135 35 46	104.197	104.238
		N	5438674.605			582841	79H9584	TERR	310 58 47	111.429	111.472
		El	7.265	CVD28GVRD2018							
185546	88H5100	E	526034.346	0.9996100	1.0000017	336107	89H5090	TERR	174 30 5	147.710	147.767
		N	5438239.294								
		El	8.419	CVD28GVRD2018							
287607	88H5101	E	525656.332	0.9996040	0.9999959	835116	79H9540	TERR	6 22 25	108.701	108.744
		N	5436923.400								
		El	45.415	CVD28GVRD2018							
434571	88H5102	E	525664.176	0.9996038	0.9999957		MARKER DESTROYED				
		N	5436735.901								
		El	46.751	CVD28GVRD2018							
849836	89H5058	E	523958.982	0.9996079	1.0000008	526657	78H8408	TERR	49 9 59	119.865	119.911
		N	5439748.610			172510	89H5083	TERR	308 11 43	317.543	317.667
		El	13.916	CVD28GVRD2018							
580357	89H5059	E	525051.773	0.9996096	1.0000019	459180	79H9513	TERR	86 39 56	153.819	153.880
		N	5438461.685			216465	78H8393	TERR	268 39 1	221.247	221.334
		El	7.029	CVD28GVRD2018		123349	79H9552	TERR	359 44 50	188.560	188.633
629840	89H5060	E	525061.558	0.9996091	1.0000014	853150	89H5071	TERR	108 23 50	139.200	139.255
		N	5439035.130			135624	79H9541	TERR	181 22 2	196.312	196.389
		El	10.255	CVD28GVRD2018		456095	91H0412	TERR	267 3 53	209.553	209.635

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
369223	89H5061	E	525810.324	0.9996101	1.0000019		MARKER DESTROYED				
		N	5438247.652								
		E1	7.237	CVD28GVRD2018							
726372	89H5062	E	525656.269	0.9996036	0.9999955		MARKER DESTROYED				
		N	5436636.462								
		E1	47.703	CVD28GVRD2018							
110635	89H5063	E	525145.092	0.9996090	1.0000013	196386	87H2604	TERR	301 4 0	385.364	385.515
		N	5439407.421								
		E1	11.121	CVD28GVRD2018							
451922	89H5064	E	525195.382	0.9996091	1.0000013	827048	79H9489	TERR	44 23 43	174.181	174.249
		N	5439192.574								
		E1	10.868	CVD28GVRD2018							
190520	89H5065	E	525397.478	0.9996092	1.0000013		MARKER DESTROYED				
		N	5439441.052								
		E1	10.719	CVD28GVRD2018							
920199	89H5067	E	524753.333	0.9996088	1.0000013	526533	91H0411	TERR	91 2 2	117.777	117.823
		N	5439113.922			456095	91H0412	TERR	132 8 15	133.435	133.487
		E1	11.026	CVD28GVRD2018		381467	79H9594	TERR	270 16 26	227.019	227.107
132787	89H5069	E	525082.969	0.9996090	1.0000013		MARKER DESTROYED				
		N	5439158.669								
		E1	11.114	CVD28GVRD2018							
519355	89H5070	E	525593.467	0.9996085	1.0000005	823443	78H8402	TERR	92 10 1	193.997	194.072
		N	5437481.038			535732	79H9589	TERR	268 56 22	363.341	363.484
		E1	16.158	CVD28GVRD2018		35782	79H9615	TERR	358 21 39	278.405	278.514
853150	89H5071	E	525193.644	0.9996093	1.0000015	495507	79H9467	TERR	103 34 58	225.061	225.148
		N	5438991.198			629840	89H5060	TERR	288 23 50	139.200	139.255
		E1	9.660	CVD28GVRD2018							

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
980979	89H5072	E	525646.861	0.9996098	1.0000018	841130	79H9583	TERR	125 45 32	154.634	154.694					
		N	5438961.124					239509	79H9486			TERR	202 58 24	106.015	106.057	
		El	7.940					CVD28GVRD2018	688895			79H9493	TERR	291 28 57	175.287	175.356
894436	89H5073	E	525427.722	0.9996099	1.0000019	70722	79H9535	TERR	95 11 40	175.992	176.060					
		N	5438595.581					495507	79H9467			TERR	357 26 32	343.104	343.239	
		El	6.782					CVD28GVRD2018								
947523	89H5074	E	524167.425	0.9996080	1.0000008	MARKER DESTROYED										
		N	5439879.331													
		El	13.978			CVD28GVRD2018										
969071	89H5075	E	525837.373	0.9996096	1.0000014	630301	91H0427	TERR	126 56 45	228.013	228.102					
		N	5439941.164					558999	91H0414			TERR	222 27 41	379.092	379.240	
		El	9.955					CVD28GVRD2018								
868661	89H5076	E	523574.975	0.9996088	1.0000020	933762	79H9449	TERR	248 12 37	157.869	157.931					
		N	5438002.318													
		El	6.798					CVD28GVRD2018								
387373	89H5077	E	524835.218	0.9996090	1.0000014	123349	79H9552	TERR	95 35 47	216.756	216.841					
		N	5438671.381					216465	78H8393			TERR	181 14 4	214.957	215.041	
		El	10.149					CVD28GVRD2018	779561			87H2611	TERR	270 23 3	336.791	336.923
									190892			79H9507	TERR	359 1 56	192.217	192.292
890798	89H5078	E	526075.145	0.9996102	1.0000018	582841	79H9584	TERR	201 11 15	221.350	221.436					
		N	5438954.066					821710	89H5084			TERR	354 13 31	202.667	202.745	
		El	7.704					CVD28GVRD2018								
308072	89H5079	E	526019.661	0.9996098	1.0000015	MARKER DESTROYED										
		N	5439804.191													
		El	9.792			CVD28GVRD2018										
98640	89H5080	E	523880.080	0.9996071	1.0000001	237412	79H9546	TERR	90 11 40	324.487	324.614					
		N	5437657.057					10280	79H9592			TERR	270 9 2	237.221	237.314	
		El	18.575					CVD28GVRD2018								

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
380444	89H5081	E	524502.376	0.9996089	1.0000015	216465	78H8393	TERR	89 41 35	328.216	328.344					
		N	5438454.716					699009	78H8394			TERR	269 43 19	318.118	318.242	
		El	9.389					CVD28GVRD2018	779561			87H2611	TERR	358 58 7	218.959	219.044
156992	89H5082	E	524863.800	0.9996089	1.0000013			MARKER DESTROYED								
		N	5439108.787													
		El	10.880					CVD28GVRD2018								
172510	89H5083	E	523709.423	0.9996072	1.0000003	849836	89H5058	TERR	128 11 43	317.543	317.667					
		N	5439944.961					353904	86H2313			TERR	304 35 49	300.043	300.162	
		El	17.266					CVD28GVRD2018								
821710	89H5084	E	526054.753	0.9996101	1.0000017	474353	79H9537	TERR	2 4 49	414.514	414.676					
		N	5439155.704					515882	85H0937			TERR	92 33 5	312.887	313.009	
		El	8.189					CVD28GVRD2018	890798			89H5078	TERR	174 13 31	202.667	202.745
									541151			78H8406	TERR	269 23 9	269.495	269.600
257824	89H5085	E	524820.013	0.9996096	1.0000020	803791	79H9531	TERR	4 18 53	217.291	217.376					
		N	5438150.178					660993	79H9523			TERR	176 14 38	241.231	241.325	
		El	6.339					CVD28GVRD2018								
948083	89H5086	E	524819.440	0.9996088	1.0000012	728584	91H0410	TERR	108 30 2	148.453	148.512					
		N	5439224.139					908053	81H4263			TERR	350 25 59	152.400	152.459	
		El	11.238					CVD28GVRD2018								
166496	89H5087	E	523850.828	0.9996081	1.0000011	824615	87H2613	TERR	252 34 6	88.581	88.615					
		N	5439143.957					364224	79H9483			TERR	356 21 26	255.062	255.162	
		El	12.093					CVD28GVRD2018								
59618	89H5088	E	525609.520	0.9996073	0.9999992	15479	79H9568	TERR	100 5 24	186.071	186.143					
		N	5437281.580					970715	79H9602			TERR	277 41 46	202.600	202.680	
		El	24.344					CVD28GVRD2018								
253690	89H5088	E	524185.545	0.9996085	1.0000014			MARKER DESTROYED								
		N	5437910.326													
		El	10.635					CVD28GVRD2018								

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2018-DEC-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
61499	89H5089	E	524539.880	0.9996062	0.9999988	69971	89H5097	TERR	90 11 40	161.967	162.030					
		N	5437464.076					34074				79H9460	TERR	269 23 17	145.515	145.572
		El	27.031					CVD28GVRD2018								
336107	89H5090	E	526048.500	0.9996099	1.0000016	806109	89H5099	TERR	229 28 29	129.261	129.312					
		N	5438092.264					185546				88H5100	TERR	354 30 5	147.710	147.767
		El	9.215										CVD28GVRD2018			
256107	89H5091	E	525933.031	0.9996087	1.0000005	607671	79H9614	TERR	0 44 22	269.450	269.556					
		N	5437466.781					82032				79H9550	TERR	90 8 0	135.274	135.327
		El	16.186										CVD28GVRD2018			
40956	89H5092	E	523525.399	0.9996079	1.0000011	381723	79H9451	TERR	82 9 44	94.464	94.500					
		N	5437896.747					452433				79H9450	TERR	256 24 19	123.250	123.298
		El	12.046										CVD28GVRD2018			
682773	89H5093	E	525782.997	0.9996040	0.9999959	268797	79H9553	TERR	89 16 32	208.806	208.889					
		N	5436897.294					813063				78H8404	TERR	183 17 7	265.611	265.715
		El	45.617										CVD28GVRD2018			
781138	89H5095	E	525291.669	0.9996098	1.0000020	459180	79H9513	TERR	277 44 9	87.130	87.163					
		N	5438458.904					CVD28GVRD2018								
		El	6.547													
696450	89H5096	E	523638.867	0.9996072	1.0000004	10280	79H9592	TERR	178 9 4	123.757	123.806					
		N	5437781.373					381723				79H9451	TERR	351 11 10	129.789	129.839
		El	17.020										CVD28GVRD2018			
69971	89H5097	E	524701.846	0.9996065	0.9999991	877464	79H9461	TERR	184 33 6	91.155	91.190					
		N	5437463.526					61499				89H5089	TERR	270 11 40	161.967	162.030
		El	25.333										CVD28GVRD2018			
431163	89H5098	E	523930.740	0.9996046	0.9999975	60269	79H9604	TERR	17 4 0	221.988	222.075					
		N	5437253.603					704239				87H2616	TERR	184 32 37	202.191	202.271
		El	35.119										CVD28GVRD2018			

Integrated Survey Area No:45 The Corporation of the City of Langley
 Order in Council No. 1112/92
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
806109	89H5099	E	525950.246	0.9996099	1.0000016	336107	89H5090	TERR	49 28 29	129.261	129.312
		N	5438008.272			498329	79H9590	TERR	187 15 10	73.142	73.170
		El	9.061	CVD28GVRD2018							
539643	91H0409	E	524183.177	0.9996084	1.0000012	814426	79H9482	TERR	354 12 57	160.569	160.632
		N	5439444.391								
		El	11.389	CVD28GVRD2018							
728584	91H0410	E	524960.221	0.9996090	1.0000013	526533	91H0411	TERR	233 47 56	110.453	110.497
		N	5439177.033			948083	89H5086	TERR	288 30 2	148.453	148.512
		El	10.919	CVD28GVRD2018							
526533	91H0411	E	524871.091	0.9996089	1.0000013	728584	91H0410	TERR	53 47 56	110.453	110.497
		N	5439111.797			920199	89H5067	TERR	271 2 2	117.777	117.823
		El	10.875	CVD28GVRD2018							
456095	91H0412	E	524852.280	0.9996090	1.0000014	629840	89H5060	TERR	87 3 53	209.553	209.635
		N	5439024.399			190892	79H9507	TERR	187 11 50	162.105	162.169
		El	10.474	CVD28GVRD2018		920199	89H5067	TERR	312 8 15	133.435	133.487
445841	91H0413	E	525391.618	0.9996093	1.0000014	558999	91H0414	TERR	40 19 15	293.374	293.489
		N	5439437.817			827048	79H9489	TERR	211 37 27	141.849	141.904
		El	10.476	CVD28GVRD2018							
558999	91H0414	E	525581.451	0.9996094	1.0000014	969071	89H5075	TERR	42 27 41	379.092	379.240
		N	5439661.495			445841	91H0413	TERR	220 19 15	293.374	293.489
		El	10.182	CVD28GVRD2018		977082	78H8409	TERR	307 0 53	144.076	144.133
172700	91H0421	E	524165.539	0.9996085	1.0000014	208348	91H0423	TERR	0 18 0	113.586	113.631
		N	5439241.682			694224	78H8396	TERR	176 15 15	132.619	132.671
		El	10.601	CVD28GVRD2018							
208348	91H0423	E	524166.134	0.9996085	1.0000013	814426	79H9482	TERR	0 11 54	248.878	248.975
		N	5439355.266			172700	91H0421	TERR	180 18 0	113.586	113.631
		El	10.648	CVD28GVRD2018							

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2018-DEC-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
630301	91H0427	E	526019.602	0.9996098	1.0000015	474353	79H9537	TERR	167 54 3	239.489	239.583
		N	5439804.114			969071	89H5075	TERR	306 56 45	228.013	228.102
		El	9.762			CVD28GVRD2018					
904904	NO MARKING	E	525009.649	0.9996071	0.9999994	200915	02H2433	GPS	29 11 6	27402.808	27413.747
		N	5439052.970			909333	NO MARKING	GPS	33 17 16	15659.383	15665.574
		El	23.125			124644	90H6429	GPS	34 17 42	8869.543	8873.007
						287078	79H0136	GPS	53 52 11	2889.564	2890.695
						678342	79H9477	GPS	76 10 7	480.970	481.157
						830976	89H4979	GPS	107 39 49	5208.759	5210.813
						147819	91H9962	GPS	128 40 18	17925.831	17932.808
						8979	75H2716	GPS	130 29 14	2438.561	2439.515
						60269	79H9604	GPS	212 34 3	1883.287	1884.028
						394825	81	GPS	255 31 15	38009.066	38024.109
						439760	5184	GPS	257 23 23	7421.892	7424.812
						869792	NO MARKING	GPS	271 56 19	35765.746	35779.941
						875864	NO MARKING	GPS	301 10 28	36824.892	36839.545
						898734	NO MARKING	GPS	303 23 34	17743.278	17750.424
		559500	02H2477	GPS	312 26 51	57238.837	57261.621				
		162537	5071	GPS	318 7 9	10889.285	10893.577				
		10702	93H1153	GPS	324 24 33	1749.141	1749.830				

END OF REPORT