

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
163543	02H2356	E	326156.892	0.9999010	0.9999297	819722	02H2368	GPS	5 43 6	1472.456	1472.600	
		N	5525210.548			210385	02H2365	GPS	44 54 10	904.654	904.745	
		E1	464.416			CVD28BC	212878	02H2389	GPS	149 8 21	1170.126	1170.246
							213637	02H2366	GPS	190 29 48	1014.469	1014.568
							240952	02H2378	GPS	242 41 36	2012.738	2012.921
82636	02H2357	E	329818.397	0.9998744	0.9999187	78949	02H2364	GPS	17 36 38	647.845	647.927	
		N	5525862.107			716449	74H2000	GPS	90 54 38	1165.472	1165.628	
		E1	534.683			CVD28BC	96669	02H2369	GPS	224 7 60	1340.475	1340.638
					93369	02H2392	GPS	255 42 25	850.945	851.048		
45054	02H2358	E	331727.918	0.9998558	0.9999080	77305	02H2359	GPS	228 10 51	747.997	748.104	
		N	5525380.146			36145	02H2362	GPS	358 18 34	627.799	627.888	
		E1	602.762			CVD28BC						
77305	02H2359	E	331170.471	0.9998584	0.9999083	45054	02H2358	GPS	48 10 51	747.997	748.104	
		N	5524881.396			697714	02H2404	GPS	175 26 20	1367.798	1367.993	
		E1	600.933			CVD28BC	96669	02H2369	GPS	270 28 1	2285.563	2285.858
							716449	74H2000	GPS	349 0 58	980.147	980.287
490557	02H2360	E	325938.689	0.9998934	0.9999213	525212	02H2399	GPS	62 34 59	833.201	833.291	
		N	5522225.683			436774	02H2394	GPS	248 44 4	1295.477	1295.610	
		E1	518.362			CVD28BC	477646	02H2383	GPS	340 12 50	762.840	762.921
648212	02H2361	E	327584.264	0.9998903	0.9999252	826032	02H2377	GPS	26 26 18	1609.230	1609.400	
		N	5525012.399			93369	02H2392	GPS	65 35 32	1547.867	1548.042	
		E1	493.488			CVD28BC	96669	02H2369	GPS	94 56 17	1305.566	1305.714
							212878	02H2389	GPS	225 43 52	1155.124	1155.248
							210385	02H2365	GPS	316 45 53	1151.500	1151.622
36145	02H2362	E	331709.396	0.9998595	0.9999116	31625	02H2387	GPS	46 51 58	594.105	594.191	
		N	5526007.672			45054	02H2358	GPS	178 18 34	627.799	627.888	
		E1	579.976			CVD28BC	716449	74H2000	GPS	257 15 32	743.994	744.099
							78949	02H2364	GPS	285 33 30	1759.466	1759.700
107359	02H2363	E	328825.289	0.9998842	0.9999243	150953	02H2384	GPS	33 56 38	1037.585	1037.704	
		N	5526492.819			78949	02H2364	GPS	90 38 14	1189.185	1189.329	
		E1	499.368			CVD28BC	93369	02H2392	GPS	168 40 3	857.515	857.615
							826032	02H2377	GPS	265 41 40	526.028	526.084
78949	02H2364	E	330014.400	0.9998733	0.9999184	36145	02H2362	GPS	105 33 30	1759.466	1759.700	
		N	5526479.591			82636	02H2357	GPS	197 36 38	647.845	647.927	
		E1	536.503			CVD28BC	107359	02H2363	GPS	270 38 14	1189.185	1189.329
							869222	75H2469	GPS	356 16 24	757.920	758.016

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
210385	02H2365	E	326795.491	0.9998966	0.9999281	861989	02H2379	GPS	48 14 16	1151.021	1151.140
		N	5525851.321			648212	02H2361	GPS	136 45 53	1151.500	1151.622
		E1	475.062	CVD28BC		163543	02H2356	GPS	224 54 10	904.654	904.745
213637	02H2366	E	325972.080	0.9999024	0.9999304	163543	02H2356	GPS	10 29 48	1014.469	1014.568
		N	5524213.055			212878	02H2389	GPS	90 30 29	785.063	785.143
		E1	460.336	CVD28BC		477646	02H2383	GPS	192 56 11	1302.630	1302.761
						213827	02H2376	GPS	249 36 26	974.240	974.335
282657	02H2367	E	323232.803	0.9999264	0.9999426	528984	6425	GPS	5 26 59	4670.804	4671.144
		N	5523758.321			240952	02H2378	GPS	65 1 42	1252.756	1252.853
		E1	382.181	CVD28BC		282962	02H2380	GPS	166 34 2	781.981	782.042
819722	02H2368	E	326303.605	0.9999044	0.9999339	861989	02H2379	GPS	92 26 52	1351.682	1351.817
		N	5526675.677			163543	02H2356	GPS	185 43 6	1472.456	1472.600
		E1	438.210	CVD28BC		152066	02H2370	GPS	343 5 39	853.302	853.383
96669	02H2369	E	328884.984	0.9998834	0.9999237	82636	02H2357	GPS	44 7 60	1340.475	1340.638
		N	5524900.019			77305	02H2359	GPS	90 28 1	2285.563	2285.858
		E1	502.703	CVD28BC		686311	02H2396	GPS	151 30 57	2308.301	2308.593
						655019	02H2401	GPS	212 0 36	1122.025	1122.157
						648212	02H2361	GPS	274 56 17	1305.566	1305.714
152066	02H2370	E	326055.467	0.9999065	0.9999348	896159	99H2300	GPS	64 41 2	905.144	905.228
		N	5527492.103			819722	02H2368	GPS	163 5 39	853.302	853.383
		E1	432.029	CVD28BC		240952	02H2378	GPS	207 45 42	3621.803	3622.122
						915439	95H1938	GPS	346 59 27	2084.639	2084.833
714527	02H2371	E	319341.896	0.9999255	0.9999246	698399	02H2391	GPS	68 6 40	2157.796	2157.968
		N	5518869.828			739342	02H2386	GPS	266 49 40	1026.956	1027.026
		E1	497.394	CVD28BC		740068	02H2388	GPS	281 7 6	1437.107	1437.195
748830	02H2372	E	316474.972	0.9999601	0.9999464	744458	02H2375	GPS	61 20 5	895.280	895.317
		N	5518225.939			749127	02H2385	GPS	235 12 43	337.182	337.194
		E1	358.490	CVD28BC		211615	83C161	GPS	322 47 45	7185.514	7185.762
644153	02H2373	E	322654.763	0.9999345	0.9999482		MARKER DESTROYED				
		N	5523638.253								
		E1	346.737	CVD28BC							
648022	02H2374	E	322205.435	0.9999304	0.9999421	282962	02H2380	GPS	64 25 41	1340.316	1340.418
		N	5522419.192			288589	02H2405	GPS	153 35 5	784.588	784.648
		E1	385.569	CVD28BC		211615	83C161	GPS	278 38 3	10190.735	10191.239
744458	02H2375	E	317260.523	0.9999563	0.9999461	740068	02H2388	GPS	53 47 4	831.978	832.017
		N	5518655.399			739342	02H2386	GPS	81 30 42	1067.687	1067.745
		E1	360.229	CVD28BC		748830	02H2372	GPS	241 20 5	895.280	895.317

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
213827	02H2376	E	325058.900	0.9999058	0.9999298	213637	02H2366	GPS	69 36 26	974.240	974.335
		N	5523873.575			447318	02H2398	GPS	211 54 58	1187.127	1187.239
		E1	463.808	CVD28BC		240952	02H2378	GPS	300 55 27	804.866	804.937
826032	02H2377	E	328300.746	0.9998984	0.9999363	107359	02H2363	GPS	85 41 40	526.028	526.084
		N	5526453.327			648212	02H2361	GPS	206 26 18	1609.230	1609.400
		E1	422.226	CVD28BC		861989	02H2379	GPS	284 16 55	667.316	667.385
240952	02H2378	E	324368.447	0.9999173	0.9999385	152066	02H2370	GPS	27 45 42	3621.803	3622.122
		N	5524287.197			163543	02H2356	GPS	62 41 36	2012.738	2012.921
		E1	408.871	CVD28BC		213827	02H2376	GPS	120 55 27	804.866	804.937
						447318	02H2398	GPS	177 28 6	1422.671	1422.797
						282657	02H2367	GPS	245 1 42	1252.756	1252.853
861989	02H2379	E	327654.054	0.9998958	0.9999309	150953	02H2384	GPS	67 12 25	1898.887	1899.094
		N	5526617.949			826032	02H2377	GPS	104 16 55	667.316	667.385
		E1	456.792	CVD28BC		210385	02H2365	GPS	228 14 16	1151.021	1151.140
						819722	02H2368	GPS	272 26 52	1351.682	1351.817
						896159	99H2300	GPS	328 15 10	1483.112	1483.257
282962	02H2380	E	323414.459	0.9999171	0.9999341	447318	02H2398	GPS	97 23 11	1025.341	1025.433
		N	5522997.732			431122	02H2393	GPS	177 2 47	1064.210	1064.302
		E1	436.595	CVD28BC		648022	02H2374	GPS	244 25 41	1340.316	1340.418
						282657	02H2367	GPS	346 34 2	781.981	782.042
671875	02H2381	E	329380.100	0.9998700	0.9999124	686311	02H2396	GPS	94 19 29	607.480	607.561
		N	5522916.950			563148	02H2400	GPS	254 30 19	1836.346	1836.575
		E1	574.915	CVD28BC		655019	02H2401	GPS	313 25 41	1500.695	1500.882
631945	02H2382	E	327986.217	0.9998835	0.9999201	655019	02H2401	GPS	26 34 6	679.732	679.812
		N	5523340.638			563148	02H2400	GPS	202 20 26	988.456	988.573
		E1	525.892	CVD28BC		574202	02H2397	GPS	243 7 36	764.811	764.899
477646	02H2383	E	325680.461	0.9998964	0.9999232	213637	02H2366	GPS	12 56 11	1302.630	1302.761
		N	5522943.487			574202	02H2397	GPS	88 11 7	1624.353	1624.530
		E1	506.101	CVD28BC		490557	02H2360	GPS	160 12 50	762.840	762.921
						447318	02H2398	GPS	266 26 48	1251.575	1251.699
150953	02H2384	E	329404.658	0.9998861	0.9999286	625756	PIER 10	GPS	56 1 19	2754.140	2754.503
		N	5527353.583			869222	75H2469	GPS	101 51 26	572.700	572.769
		E1	471.639	CVD28BC		107359	02H2363	GPS	213 56 38	1037.585	1037.704
						861989	02H2379	GPS	247 12 25	1898.887	1899.094
749127	02H2385	E	316198.056	0.9999605	0.9999455	748830	02H2372	GPS	55 12 43	337.182	337.194
		N	5518033.562			759951	02H2402	GPS	244 37 7	1126.355	1126.402
		E1	363.777	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
739342	02H2386	E	318316.514	0.9999366	0.9999311	714527	02H2371	GPS	86 49 40	1026.956	1027.026		
		N	5518812.999			744458	02H2375	GPS	261 30 42	1067.687	1067.745		
		E1	455.716			CVD28BC							
31625	02H2387	E	332142.950	0.9998530	0.9999070	36145	02H2362	GPS	226 51 58	594.105	594.191		
		N	5526413.864			869222	75H2469	GPS	290 40 47	2327.793	2328.115		
		E1	609.559			CVD28BC		625756	PIER 10	GPS	349 36 44	2520.250	2520.624
740068	02H2388	E	317931.762	0.9999520	0.9999448	714527	02H2371	GPS	101 7 6	1437.107	1437.195		
		N	5519146.954			744458	02H2375	GPS	233 47 4	831.978	832.017		
		E1	368.331			CVD28BC		211615	83C161	GPS	309 36 56	7531.185	7531.476
212878	02H2389	E	326757.112	0.9998936	0.9999250	648212	02H2361	GPS	45 43 52	1155.124	1155.248		
		N	5524206.092			655019	02H2401	GPS	99 32 4	1554.599	1554.774		
		E1	494.837			CVD28BC		574202	02H2397	GPS	155 41 56	1328.909	1329.055
								213637	02H2366	GPS	270 30 29	785.063	785.143
								163543	02H2356	GPS	329 8 21	1170.126	1170.246
698399	02H2391	E	321344.133	0.9999144	0.9999223	288589	02H2405	GPS	30 39 12	2373.965	2374.165		
		N	5519674.272			376533	02H2403	GPS	75 23 19	2368.451	2368.666		
		E1	511.624			CVD28BC		714527	02H2371	GPS	248 6 40	2157.796	2157.968
								211615	83C161	GPS	294 53 20	10157.302	10157.885
93369	02H2392	E	328993.793	0.9998834	0.9999242	82636	02H2357	GPS	75 42 25	850.945	851.048		
		N	5525652.023			648212	02H2361	GPS	245 35 32	1547.867	1548.042		
		E1	499.399			CVD28BC		107359	02H2363	GPS	348 40 3	857.515	857.615
431122	02H2393	E	323469.293	0.9999098	0.9999270	436774	02H2394	GPS	98 4 37	1274.773	1274.895		
		N	5521934.936			288589	02H2405	GPS	256 34 18	940.528	940.608		
		E1	481.931			CVD28BC		282962	02H2380	GPS	357 2 47	1064.210	1064.302
436774	02H2394	E	324731.421	0.9999009	0.9999235	490557	02H2360	GPS	68 44 4	1295.477	1295.610		
		N	5521755.827			436063	02H2395	GPS	219 50 26	1026.027	1026.127		
		E1	503.938			CVD28BC		431122	02H2393	GPS	278 4 37	1274.773	1274.895
								447318	02H2398	GPS	344 52 15	1149.945	1150.056
436063	02H2395	E	324074.093	0.9999032	0.9999230	436774	02H2394	GPS	39 50 26	1026.027	1026.127		
		N	5520968.013			376533	02H2403	GPS	212 10 44	822.636	822.714		
		E1	507.318			CVD28BC		288589	02H2405	GPS	296 13 23	1693.958	1694.109
686311	02H2396	E	329985.850	0.9998633	0.9999083	697714	02H2404	GPS	63 25 54	1446.097	1446.301		
		N	5522871.141			671875	02H2381	GPS	274 19 29	607.480	607.561		
		E1	601.250			CVD28BC		96669	02H2369	GPS	331 30 57	2308.301	2308.593
574202	02H2397	E	327303.999	0.9998854	0.9999190	631945	02H2382	GPS	63 7 36	764.811	764.899		
		N	5522994.930			525212	02H2399	GPS	238 21 22	734.965	735.048		
		E1	532.682			CVD28BC		477646	02H2383	GPS	268 11 7	1624.353	1624.530
								212878	02H2389	GPS	335 41 56	1328.909	1329.055

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
486118	6402	E	320934.840	0.9999425	0.9999486	190017	6435	TERR	1 39 44	317.797	317.815						
		N	5530388.515									195578	6409	TERR	92 14 53	359.083	359.105
		E1	344.137									CVD28BC	129460	6459	TERR	182 0 49	398.999
						159822	6440	TERR	272 23 20	470.999	471.026						
210849	6403	E	322073.119	0.9999367	0.9999479	MARKER DESTROYED											
		N	5528930.812														
		E1	348.928			CVD28BC											
536029	6404	E	320660.287	0.9999437	0.9999487	MARKER DESTROYED											
		N	5528989.071														
		E1	343.741			CVD28BC											
599274	6405	E	321220.822	0.9999410	0.9999484	MARKER DESTROYED											
		N	5528239.868														
		E1	345.560			CVD28BC											
493460	6406	E	321265.217	0.9999409	0.9999485	MARKER DESTROYED											
		N	5529557.828														
		E1	344.799			CVD28BC											
758557	6407	E	321244.282	0.9999408	0.9999483	MARKER DESTROYED											
		N	5528964.378														
		E1	346.043			CVD28BC											
695452	6408	E	320679.211	0.9999438	0.9999488	MARKER DESTROYED											
		N	5529578.476														
		E1	342.887			CVD28BC											
195578	6409	E	321293.647	0.9999408	0.9999486	406017	73H1829	TERR	2 24 29	197.775	197.786						
		N	5530374.429									789008	6457	TERR	181 38 57	397.476	397.499
		E1	344.528														
34918	6411	E	322930.095	0.9999257	0.9999406	MARKER DESTROYED											
		N	5530442.490														
		E1	395.078			CVD28BC											
219543	6412	E	322087.402	0.9999370	0.9999482	MARKER DESTROYED											
		N	5529525.647														
		E1	346.965			CVD28BC											
307090	6413	E	322048.802	0.9999366	0.9999477	MARKER DESTROYED											
		N	5528214.308														
		E1	350.164			CVD28BC											

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
14142	6414	E	321636.494	0.9999389	0.9999481		MARKER DESTROYED				
		N	5528224.167								
		E1	347.487	CVD28BC							
166744	6415	E	321619.199	0.9999390	0.9999482		MARKER DESTROYED				
		N	5527828.174								
		E1	346.761	CVD28BC							
412023	6417	E	320968.604	0.9999423	0.9999486		MARKER DESTROYED				
		N	5526644.326								
		E1	344.101	CVD28BC							
270181	6418	E	320990.373	0.9999422	0.9999486		MARKER DESTROYED				
		N	5527259.288								
		E1	344.496	CVD28BC							
935239	6419	E	321012.312	0.9999420	0.9999485		MARKER DESTROYED				
		N	5527853.891								
		E1	344.695	CVD28BC							
890103	6421	E	322847.813	0.9999322	0.9999467		MARKER DESTROYED				
		N	5529272.281								
		E1	356.360	CVD28BC							
930909	6422	E	322779.545	0.9999315	0.9999458	787044	95H1901	TERR	168 31 44	158.831	158.841
		N	5529066.152								
		E1	362.409	CVD28BC							
583864	6423	E	323193.277	0.9999306	0.9999467		MARKER DESTROYED				
		N	5528419.935								
		E1	356.575	CVD28BC							
15750	6424	E	323682.186	0.9999281	0.9999462		MARKER DESTROYED				
		N	5528859.806								
		E1	359.282	CVD28BC							
528984	6425	E	323676.399	0.9999281	0.9999462	915439	95H1938	GPS	59 43 2	2211.578	2211.760
		N	5528408.013			121327	95H1927	GPS	71 54 53	1287.293	1287.390
		E1	359.561	CVD28BC		625756	PIER 10	GPS	86 32 15	8026.785	8027.674
						328195	657013	TERR	95 9 19	10548.574	10550.329
						716449	74H2000	GPS	109 20 17	7744.240	7745.073
						94573	73H1758	TERR	183 9 21	303.178	303.199
						282657	02H2367	GPS	185 26 59	4670.804	4671.144
						634246	6431	GPS	319 21 39	3820.886	3821.164
						4598	657014	TERR	332 7 27	10851.826	10853.267
						308064	74H1963	GPS	347 20 8	4152.867	4153.210

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
828293	6426	E	323020.612	0.9999303	0.9999455	212563	8011	TERR	87 37 25	146.243	146.253		
		N	5528901.604			787044	95H1901	TERR	272 25 48	209.669	209.683		
		E1	363.816			CVD28BC							
441949	6428	E	323736.083	0.9999267	0.9999451	439380	73H1732	GPS	76 26 12	5379.341	5379.813		
		N	5529991.885			810762	95H1897	TERR	182 35 57	518.278	518.316		
		E1	366.661			610832	6496	TERR	274 6 32	270.481	270.501		
						308064	74H1963	GPS	338 32 24	2651.800	2652.021		
850024	6429	E	323174.348	0.9999281	0.9999440	610832	6496	TERR	91 2 2	291.997	292.017		
		N	5530016.534										
		E1	373.359			CVD28BC							
492843	6430	E	322108.894	0.9999308	0.9999422	MARKER DESTROYED							
		N	5530320.183										
		E1	385.380			CVD28BC							
634246	6431	E	321187.887	0.9999263	0.9999336	308064	74H1963	GPS	53 51 33	1954.040	1954.203		
		N	5531307.406			439380	73H1732	GPS	90 23 51	7777.701	7778.383		
		E1	440.086			625756	PIER 10	GPS	102 56 60	10774.683	10775.886		
						164871	6432	TERR	114 29 8	1217.553	1217.655		
						716449	74H2000	GPS	119 9 5	11216.581	11217.798		
						121327	95H1927	GPS	123 57 22	4475.419	4475.759		
						528984	6425	GPS	139 21 39	3820.886	3821.164		
						891853	73H1827	TERR	174 26 18	330.649	330.670		
						4598	657014	GPS	338 52 49	7175.174	7176.135		
164871	6432	E	322295.941	0.9999046	0.9999168	328195	657013	TERR	105 42 24	12347.414	12349.613		
		N	5530802.776			213090	8010	TERR	108 11 36	309.444	309.473		
		E1	547.400			518043	6433	TERR	120 48 17	2744.158	2744.432		
						634246	6431	TERR	294 29 8	1217.553	1217.655		
						4598	657014	TERR	332 50 12	8090.126	8091.296		
518043	6433	E	324652.944	0.9998949	0.9999172	328195	657013	TERR	101 29 29	9724.286	9726.065		
		N	5529397.451			610543	6517	TERR	154 55 39	1152.026	1152.133		
		E1	544.400			579763	73H1698	TERR	239 59 53	17029.418	17030.601		
						179408	B.C.C.1	TERR	257 13 55	4671.091	4671.463		
						164871	6432	TERR	300 48 17	2744.158	2744.432		
						4598	657014	TERR	324 52 56	10517.692	10519.263		
58115	6434	E	322661.967	0.9999226	0.9999363	893867	6464	TERR	223 22 8	243.902	243.920		
		N	5530233.016										
		E1	422.800			CVD28BC							
190017	6435	E	320944.059	0.9999425	0.9999487	833442	6450	TERR	2 54 7	77.905	77.910		
		N	5530706.178			486118	6402	TERR	181 39 44	317.797	317.815		
		E1	343.355			CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
765719	6437	E N E1	320578.532 5527871.423 343.000	0.9999442	0.9999488	179408	B.C.C.1	TERR	315 44 9	689.395	689.433
811406	6438	E N E1	322652.566 5528427.492 355.050	0.9999332	0.9999469	707059 291682	9611 8012	TERR TERR	97 9 19 300 15 23	205.894 178.657	205.907 178.669
866756	6439	E N E1	322449.713 5528243.878 352.545	0.9999345	0.9999473	715714	78H8244	TERR	268 51 38	201.423	201.436
159822	6440	E N E1	320464.250 5530408.148 343.467	0.9999446	0.9999487	486118	6402	TERR	92 23 20	470.999	471.026
819805	6441	E N E1	320581.358 5529974.092 343.298	0.9999441	0.9999488			MARKER DESTROYED			
556076	6442	E N E1	320897.751 5529568.311 343.668	0.9999427	0.9999487	129460 41152	6459 6443	TERR TERR	3 7 60 182 5 55	422.082 288.008	422.105 288.026
41152	6443	E N E1	320887.204 5529280.496 344.177	0.9999427	0.9999486	556076 705277 669713 260455	6442 95H1856 95H1859 6447	TERR TERR TERR TERR	2 5 55 91 58 23 178 31 20 271 45 24	288.008 362.463 316.680 205.315	288.026 362.484 316.699 205.327
731737	6444	E N E1	320896.320 5528973.314 344.976	0.9999425	0.9999485			MARKER DESTROYED			
21626	6445	E N E1	322015.355 5527730.500 347.845	0.9999371	0.9999480			MARKER DESTROYED			
834572	6446	E N E1	322854.825 5528237.420 354.214	0.9999325	0.9999470			MARKER DESTROYED			
260455	6447	E N E1	320681.986 5529286.790 343.405	0.9999437	0.9999487	41152 655100	6443 95H1860	TERR TERR	91 45 24 181 33 19	205.315 297.753	205.327 297.770

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
699900	6448	E	322428.517	0.9999348	0.9999475		MARKER DESTROYED				
		N	5527719.963								
		E1	351.423	CVD28BC							
93666	6449	E	322419.979	0.9999350	0.9999477	344069	95H1898	TERR	92 14 52	398.994	399.020
		N	5527412.597			390914	95H1909	TERR	274 27 12	324.060	324.081
		E1	350.261	CVD28BC							
833442	6450	E	320948.003	0.9999425	0.9999487	190017	6435	TERR	182 54 7	77.905	77.910
		N	5530783.983								
		E1	343.450	CVD28BC							
443234	6451	E	321649.615	0.9999387	0.9999480		MARKER DESTROYED				
		N	5528949.486								
		E1	347.995	CVD28BC							
350983	6452	E	321312.402	0.9999407	0.9999485		MARKER DESTROYED				
		N	5530782.369								
		E1	344.660	CVD28BC							
63206	6453	E	321711.054	0.9999389	0.9999485		MARKER DESTROYED				
		N	5530381.779								
		E1	345.030	CVD28BC							
167510	6454	E	321660.789	0.9999389	0.9999483	939314	79H9944	TERR	3 57 35	260.434	260.450
		N	5529269.515			422824	6478	TERR	92 11 46	418.280	418.307
		E1	346.457	CVD28BC		758086	95H1858	TERR	181 48 26	314.693	314.712
906107	6456	E	321694.325	0.9999389	0.9999484	939314	79H9944	TERR	181 41 35	526.369	526.401
		N	5530055.466								
		E1	345.435	CVD28BC							
789008	6457	E	321282.207	0.9999409	0.9999485	195578	6409	TERR	1 38 57	397.476	397.499
		N	5529977.118			129460	6459	TERR	272 0 14	361.607	361.628
		E1	344.665	CVD28BC							
286450	6458	E	321260.345	0.9999409	0.9999484		MARKER DESTROYED				
		N	5529268.186								
		E1	345.289	CVD28BC							
129460	6459	E	320920.821	0.9999425	0.9999486	486118	6402	TERR	2 0 49	398.999	399.023
		N	5529989.762			789008	6457	TERR	92 0 14	361.607	361.628
		E1	344.255	CVD28BC		556076	6442	TERR	183 7 60	422.082	422.105
706150	6460	E	322340.054	0.9999356	0.9999479	579508	8016	TERR	91 25 15	188.225	188.237
		N	5529262.842			422824	6478	TERR	267 56 58	261.460	261.476
		E1	348.448	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
698027	6461	E	323700.457	0.9999270	0.9999452		MARKER DESTROYED				
		N	5529189.000								
		E1	365.853	CVD28BC							
721670	6462	E	322903.263	0.9999313	0.9999461		MARKER DESTROYED				
		N	5529643.422								
		E1	360.197	CVD28BC							
82750	6463	E	322102.974	0.9999369	0.9999482		MARKER DESTROYED				
		N	5529824.070								
		E1	346.823	CVD28BC							
893867	6464	E	322494.481	0.9999316	0.9999446	58115	6434	TERR	43 22 8	243.902	243.920
		N	5530055.712			785212	95H1903	TERR	276 43 29	272.047	272.065
		E1	369.520	CVD28BC							
973271	6465	E	323701.718	0.9999263	0.9999446		MARKER DESTROYED				
		N	5529491.672								
		E1	370.049	CVD28BC							
297531	6466	E	322524.404	0.9999344	0.9999476	623249	6469	TERR	178 54 12	189.753	189.765
		N	5529635.132								
		E1	350.874	CVD28BC							
771402	6467	E	323911.614	0.9999253	0.9999445		MARKER DESTROYED				
		N	5530193.930								
		E1	370.433	CVD28BC							
43257	6468	E	323463.458	0.9999280	0.9999452		MARKER DESTROYED				
		N	5529054.982								
		E1	365.743	CVD28BC							
623249	6469	E	322528.036	0.9999348	0.9999479	579508	8016	TERR	179 56 36	187.239	187.252
		N	5529445.414			297531	6466	TERR	358 54 12	189.753	189.765
		E1	348.713	CVD28BC							
995944	6470	E	321007.650	0.9999421	0.9999486		MARKER DESTROYED				
		N	5527552.754								
		E1	344.553	CVD28BC							
959791	6471	E	320982.565	0.9999422	0.9999486		MARKER DESTROYED				
		N	5527050.115								
		E1	344.331	CVD28BC							
773515	6472	E	321001.355	0.9999420	0.9999484		MARKER DESTROYED				
		N	5528045.492								
		E1	345.322	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
518381	6473	E	320610.380	0.9999441	0.9999488		MARKER DESTROYED				
		N	5527774.752								
		E1	343.056	CVD28BC							
96362	6474	E	320618.393	0.9999440	0.9999488		MARKER DESTROYED				
		N	5528060.114								
		E1	343.345	CVD28BC							
763912	6475	E	320758.998	0.9999432	0.9999486		MARKER DESTROYED				
		N	5528343.036								
		E1	344.453	CVD28BC							
342709	6476	E	323441.563	0.9999285	0.9999456		MARKER DESTROYED				
		N	5529467.701								
		E1	363.166	CVD28BC							
362616	6477	E	323137.199	0.9999313	0.9999470		MARKER DESTROYED				
		N	5529368.651								
		E1	354.151	CVD28BC							
422824	6478	E	322078.762	0.9999368	0.9999480	499814	76H2877	TERR	1 53 8	272.979	272.996
		N	5529253.486			706150	6460	TERR	87 56 58	261.460	261.476
		E1	348.012	CVD28BC		937482	79H9943	TERR	179 7 50	315.698	315.718
						167510	6454	TERR	272 11 46	418.280	418.307
567586	6479	E	320439.977	0.9999447	0.9999487		MARKER DESTROYED				
		N	5528356.388								
		E1	343.711	CVD28BC							
51813	6480	E	321592.220	0.9999393	0.9999483		MARKER DESTROYED				
		N	5527034.523								
		E1	346.062	CVD28BC							
299222	6481	E	321613.509	0.9999390	0.9999482		MARKER DESTROYED				
		N	5527443.884								
		E1	347.056	CVD28BC							
789263	6482	E	321205.529	0.9999411	0.9999485	405902	95H1902	TERR	93 30 59	381.262	381.284
		N	5527048.242			666917	6485	TERR	181 52 13	410.629	410.652
		E1	345.166	CVD28BC							
648642	6483	E	320553.089	0.9999443	0.9999488		MARKER ISOLATED				
		N	5527573.480								
		E1	342.972	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
403261	6484	E	321232.949	0.9999409	0.9999483	453621	95H1912	TERR	92 55 5	397.724	397.748
		N	5527846.321								
		E1	345.949	CVD28BC							
666917	6485	E	321192.127	0.9999413	0.9999485	789263	6482	TERR	1 52 13	410.629	410.652
		N	5526637.832			619460	79H9942	TERR	91 19 26	398.881	398.904
		E1	344.633	CVD28BC		118976	6493	TERR	181 56 59	390.516	390.539
369686	6486	E	320684.634	0.9999436	0.9999487	676932	6488	TERR	150 56 7	247.115	247.129
		N	5527258.776								
		E1	343.604	CVD28BC							
530766	6487	E	321218.665	0.9999410	0.9999484			MARKER DESTROYED			
		N	5527451.498								
		E1	345.424	CVD28BC							
676932	6488	E	320804.682	0.9999431	0.9999487	369686	6486	TERR	330 56 7	247.115	247.129
		N	5527042.780								
		E1	343.547	CVD28BC							
700195	6489	E	320713.301	0.9999436	0.9999487			MARKER DESTROYED			
		N	5526720.752								
		E1	343.431	CVD28BC							
311563	6490	E	322174.273	0.9999366	0.9999482			MARKER DESTROYED			
		N	5526112.574								
		E1	346.854	CVD28BC							
277335	6491	E	321871.186	0.9999382	0.9999484	463877	86H2375	TERR	92 35 27	293.108	293.125
		N	5526114.494								
		E1	345.383	CVD28BC							
889881	6492	E	321377.607	0.9999404	0.9999485			MARKER DESTROYED			
		N	5526133.499								
		E1	345.042	CVD28BC							
118976	6493	E	321178.841	0.9999414	0.9999486	666917	6485	TERR	1 56 59	390.516	390.539
		N	5526247.542								
		E1	344.301	CVD28BC							
954891	6494	E	322514.192	0.9999345	0.9999476			MARKER DESTROYED			
		N	5528908.933								
		E1	350.853	CVD28BC							
192419	6495	E	322551.693	0.9999341	0.9999474	291682	8012	TERR	199 27 24	160.457	160.468
		N	5528668.806			210310	79H9938	TERR	353 51 23	120.339	120.347
		E1	352.065	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
610832	6496	E	323466.297	0.9999278	0.9999450	441949	6428	TERR	94 6 32	270.481	270.501
		N	5530011.265			850024	6429	TERR	271 2 2	291.997	292.017
		E1	367.145	CVD28BC							
692400	6497	E	323128.021	0.9999219	0.9999376						
		N	5530859.010								
		E1	414.226	CVD28BC							
579920	6498	E	322915.799	0.9999305	0.9999453						
		N	5530031.450								
		E1	365.145	CVD28BC							
561894	6500	E	323463.442	0.9999279	0.9999451						
		N	5529055.016								
		E1	366.596	CVD28BC							
839035	6513	E	320886.152	0.9999426	0.9999486						
		N	5528673.325								
		E1	344.567	CVD28BC							
771725	6514	E	321651.374	0.9999387	0.9999481						
		N	5528644.362								
		E1	347.766	CVD28BC							
964353	6515	E	322058.904	0.9999366	0.9999477						
		N	5528629.197								
		E1	349.999	CVD28BC							
511501	6516	E	320446.528	0.9999447	0.9999487						
		N	5528689.684								
		E1	343.691	CVD28BC							
610543	6517	E	325141.131	0.9999197	0.9999441	518043	6433	TERR	334 55 39	1152.026	1152.133
		N	5528353.977								
		E1	372.848	CVD28BC							
266775	6518	E	324613.874	0.9999228	0.9999450						
		N	5528346.092								
		E1	367.381	CVD28BC							
56267	6519	E	324166.672	0.9999252	0.9999454						
		N	5528365.118								
		E1	364.459	CVD28BC							
940486	6520	E	322362.890	0.9999349	0.9999473	291682	8012	TERR	114 32 39	148.801	148.811
		N	5528579.323			464131	86H2365	TERR	281 11 30	320.903	320.924
		E1	352.732	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
559948	6521	E	321235.462	0.9999409	0.9999483						
		N	5528658.380								
		E1	345.954	CVD28BC							
438796	6522	E	322872.238	0.9999301	0.9999447	212563	8011	TERR	53 24 39	366.770	366.797
		N	5528689.046			707059	9611	TERR	183 3 57	287.612	287.631
		E1	369.078	CVD28BC							
855825	73H1706	E	321417.699	0.9999402	0.9999484						
		N	5522921.318								
		E1	345.236	CVD28BC							
291617	73H1707	E	320530.532	0.9999425	0.9999469	94870	95H1837	TERR	200 2 13	199.698	199.709
		N	5521235.137								
		E1	355.331	CVD28BC							
798033	73H1708	E	321370.006	0.9999348	0.9999429						
		N	5520901.055								
		E1	380.623	CVD28BC							
911537	73H1709	E	321403.052	0.9999385	0.9999467						
		N	5522220.374								
		E1	356.259	CVD28BC							
620047	73H1710	E	321060.549	0.9999389	0.9999456						
		N	5521648.736								
		E1	363.450	CVD28BC							
755900	73H1711	E	321580.238	0.9999379	0.9999468						
		N	5522231.047								
		E1	355.353	CVD28BC							
834606	73H1712	E	321646.806	0.9999384	0.9999477	887232	73H1715	TERR	180 10 19	184.372	184.383
		N	5522529.072								
		E1	350.199	CVD28BC							
864538	73H1713	E	320336.353	0.9999440	0.9999475						
		N	5521246.765								
		E1	351.271	CVD28BC							
606012	73H1714	E	321409.360	0.9999393	0.9999476						
		N	5522522.744								
		E1	350.793	CVD28BC							
887232	73H1715	E	321646.253	0.9999380	0.9999473	834606	73H1712	TERR	0 10 19	184.372	184.383
		N	5522344.701			471052	95H1896	TERR	205 33 33	121.831	121.838
		E1	352.764	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
816082	73H1716	E N E1	321395.758 5521909.984 364.342	0.9999373 CVD28BC	0.9999454		MARKER DESTROYED				
983007	73H1717	E N E1	328748.387 5528607.177 422.494	0.9998965 CVD28BC	0.9999363	384826 231365	86H2359 73H1720	TERR TERR	2 25 34 89 34 25	414.611 201.889	414.654 201.909
263772	73H1718	E N E1	328370.833 5527760.004 435.347	0.9998961 CVD28BC	0.9999343		MARKER DESTROYED				
788182	73H1719	E N E1	328823.354 5527945.189 430.404	0.9998950 CVD28BC	0.9999351	683581	73H1725	TERR	88 36 51	279.986	280.016
231365	73H1720	E N E1	328950.270 5528608.679 421.313	0.9998959 CVD28BC	0.9999365	180257 627703 175083 983007	86H2358 75H2783 73H1724 73H1717	TERR TERR TERR TERR	2 19 33 91 39 53 180 51 21 269 34 25	408.880 99.411 194.698 201.889	408.922 99.422 194.718 201.909
129437	73H1721	E N E1	328186.759 5527831.735 434.792	0.9998970 CVD28BC	0.9999344	463471 262972	73H1917 73H1723	TERR TERR	16 19 4 79 11 5	182.106 280.488	182.125 280.517
948695	73H1722	E N E1	328714.017 5528423.880 425.138	0.9998963 CVD28BC	0.9999359	175083	73H1724	TERR	92 25 26	233.554	233.578
262972	73H1723	E N E1	328462.265 5527884.367 433.829	0.9998960 CVD28BC	0.9999345	809327 129437	73H1727 73H1721	TERR TERR	2 9 31 259 11 5	294.263 280.488	294.294 280.517
175083	73H1724	E N E1	328947.362 5528414.003 423.560	0.9998955 CVD28BC	0.9999361	231365 948265 948695	73H1720 75H2480 73H1722	TERR TERR TERR	0 51 21 87 26 46 272 25 26	194.698 107.789 233.554	194.718 107.801 233.578
683581	73H1725	E N E1	329103.258 5527951.961 438.316	0.9998925 CVD28BC	0.9999338	788182	73H1719	TERR	268 36 51	279.986	280.016
344572	73H1726	E N E1	328364.601 5527445.630 438.929	0.9998956 CVD28BC	0.9999337		MARKER ISOLATED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
809327	73H1727	E	328473.349	0.9998966	0.9999352	262972	73H1723	TERR	182 9 31	294.263	294.294		
		N	5528178.421					771261	73H1915	TERR	270 50 2	275.759	275.788
		E1	429.420					CVD28BC					
440255	73H1728	E	329968.499	0.9998816	0.9999265	105569	73H1729	TERR	182 0 49	189.486	189.508		
		N	5529567.164					666362	73H1735	TERR	216 52 17	229.749	229.776
		E1	485.294					CVD28BC					
105569	73H1729	E	329961.841	0.9998808	0.9999256	440255	73H1728	TERR	2 0 49	189.486	189.508		
		N	5529377.795					666362	73H1735	TERR	272 25 57	131.314	131.330
		E1	490.540					CVD28BC					
865675	73H1730	E	329413.298	0.9998955	0.9999381	59923	73H1775	TERR	91 57 43	432.058	432.105		
		N	5531237.977					439380	73H1732	TERR	271 58 43	448.164	448.210
		E1	411.200					CVD28BC					
925156	73H1731	E	330193.757	0.9998761	0.9999220	MARKER ISOLATED							
		N	5529521.321										
		E1	514.030									CVD28BC	

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
439380	73H1732	E	328965.401	0.9998982	0.9999389	865675	73H1730	TERR	91 58 43	448.164	448.210
		N	5531253.450			625756	PIER 10	GPS	130 55 18	3603.895	3604.348
		E1	405.780	CVD28BC		716449	74H2000	GPS	159 32 25	5774.100	5774.808
						121327	95H1927	GPS	238 58 3	4744.340	4744.768
						173070	95H1937	GPS	241 2 33	4653.452	4653.872
						915439	95H1938	GPS	242 53 12	3796.395	3796.764
						931725	95H1940	GPS	246 53 11	3065.796	3066.103
						274969	95H1943	GPS	252 3 4	4394.517	4394.950
						951913	95H1941	GPS	255 31 21	3549.147	3549.504
						980995	95H1942	GPS	255 36 41	3900.300	3900.697
						441949	6428	GPS	256 26 12	5379.341	5379.813
						20842	73H1781	GPS	259 42 35	4937.095	4937.536
						53496	75H2832	GPS	261 39 26	5543.032	5543.519
						306548	96H2127	GPS	266 4 17	2924.080	2924.370
						634246	6431	GPS	270 23 51	7777.701	7778.383
						357178	96H2132	GPS	271 8 56	4636.854	4637.275
						311951	96H2128	GPS	276 2 29	2889.073	2889.360
						415729	86H2374	GPS	279 50 12	6186.757	6187.360
						316901	96H2129	GPS	280 33 24	2475.258	2475.506
						308064	74H1963	GPS	281 0 43	6315.778	6316.394
						880765	75H2812	GPS	289 27 9	6517.177	6517.812
						358606	96H2133	GPS	290 35 32	4050.327	4050.707
						392613	75H2494	GPS	293 14 56	4608.781	4609.211
						811950	98H2217	GPS	296 3 1	6446.936	6447.540
						373498	96H2134	GPS	298 4 28	4012.486	4012.870
						322933	96H2130	GPS	301 11 22	2032.382	2032.583
						815431	98H2218	GPS	302 38 18	6574.230	6574.859
						401463	96H2136	GPS	302 41 25	3158.305	3158.616
						4598	657014	GPS	303 4 4	12365.801	12367.628
						390427	96H2135	GPS	303 44 10	3600.585	3600.936
						874362	98H2219	GPS	306 45 17	6814.486	6815.147
						302778	96H2126	GPS	312 34 54	1515.380	1515.531
						11841	96H2109	GPS	348 39 59	1451.701	1451.849
						25965	96H2111	GPS	349 24 47	2984.472	2984.777
						19406	96H2110	GPS	354 2 27	2240.824	2241.051
						122093	96H2118	GPS	358 2 42	11000.884	11002.019
246561	73H1733	E	329267.934	0.9998964	0.9999383		MARKER DESTROYED				
		N	5530828.217								
		E1	409.508	CVD28BC							
988659	73H1734	E	330205.069	0.9998796	0.9999255		MARKER DESTROYED				
		N	5529878.855								
		E1	491.409	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
666362	73H1735	E	329830.645	0.9998849	0.9999292	440255	73H1728	TERR	36 52 17	229.749	229.776					
		N	5529383.368					105569				73H1729	TERR	92 25 57	131.314	131.330
		E1	467.923					CVD28BC								
139329	73H1736	E	328878.784	0.9998988	0.9999391	MARKER DESTROYED										
		N	5530840.644													
		E1	404.510			CVD28BC										
941575	73H1737	E	329079.824	0.9998977	0.9999389	995332	73H1879	TERR	271 50 54	428.357	428.400					
		N	5531746.075					504464				73H1956	TERR	359 35 14	502.634	502.685
		E1	406.002										CVD28BC			
757294	73H1738	E	330188.037	0.9998756	0.9999214	MARKER DESTROYED										
		N	5529363.623													
		E1	517.735			CVD28BC										
356527	73H1739	E	324487.591	0.9999235	0.9999451	MARKER DESTROYED										
		N	5528350.932													
		E1	366.352			CVD28BC										
573709	73H1740	E	325725.269	0.9999165	0.9999435	MARKER DESTROYED										
		N	5528750.129													
		E1	376.867			CVD28BC										
713305	73H1741	E	328235.906	0.9999017	0.9999393	MARKER DESTROYED										
		N	5531372.353													
		E1	403.173			CVD28BC										
733519	73H1742	E	328245.015	0.9999016	0.9999393	995332	73H1879	TERR	78 37 39	414.819	414.860					
		N	5531678.096													
		E1	403.577					CVD28BC								
704999	73H1743	E	328224.101	0.9999019	0.9999395	MARKER DESTROYED										
		N	5531064.156													
		E1	402.302			CVD28BC										
939363	73H1744	E	323407.029	0.9999295	0.9999464	MARKER DESTROYED										
		N	5528414.027													
		E1	358.098			CVD28BC										
927152	73H1745	E	324007.651	0.9999262	0.9999457	MARKER DESTROYED										
		N	5528380.945													
		E1	362.609			CVD28BC										
952796	73H1746	E	327587.956	0.9999052	0.9999400	MARKER DESTROYED										
		N	5531085.502													
		E1	398.736			CVD28BC										

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
601385	73H1747	E N E1	327819.519 5531077.848 401.507	0.9999037	0.9999396		MARKER DESTROYED				
612754	73H1748	E N E1	327806.137 5530763.776 400.547	0.9999039	0.9999398		MARKER DESTROYED				
373217	73H1749	E N E1	327824.708 5531385.588 402.835	0.9999035	0.9999394		MARKER DESTROYED				
486407	73H1750	E N E1	323469.215 5530235.308 371.714	0.9999271	0.9999443	53496	75H2832	TERR	3 9 40	214.203	214.219
267443	73H1751	E N E1	323487.295 5530451.364 378.113	0.9999260	0.9999433		MARKER DESTROYED				
751826	73H1752	E N E1	323620.435 5530468.025 378.313	0.9999254	0.9999433		MARKER DESTROYED				
598763	73H1753	E N E1	323780.595 5530543.959 380.205	0.9999244	0.9999430		MARKER DESTROYED				
923672	73H1754	E N E1	323735.513 5530221.342 368.978	0.9999263	0.9999447		MARKER DESTROYED				
363937	73H1755	E N E1	324463.556 5527842.937 365.126	0.9999238	0.9999453		MARKER DESTROYED				
467134	73H1756	E N E1	323395.964 5528105.949 357.303	0.9999296	0.9999466		MARKER DESTROYED				
882019	73H1757	E N E1	323994.323 5527859.894 361.035	0.9999265	0.9999460	319756 457556	95H1916 73H1760	TERR TERR	93 56 15 271 50 46	455.256 344.856	455.290 344.882
94573	73H1758	E N E1	323659.708 5528105.295 359.117	0.9999282	0.9999463	528984 457556	6425 73H1760	TERR TERR	3 9 21 182 27 33	303.178 234.508	303.199 234.525

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
857508	73H1759	E	323386.085	0.9999296	0.9999465	457556	73H1760	TERR	81 8 5	266.748	266.766							
		N	5527829.894					333237				95H1915	TERR	268 9 51	213.464	213.479		
		E1	357.653					CVD28BC										
457556	73H1760	E	323649.646	0.9999283	0.9999463	94573	73H1758	TERR	2 27 33	234.508	234.525							
		N	5527871.003					882019				73H1757	TERR	91 50 46	344.856	344.882		
		E1	359.039					CVD28BC				845982	75H2853	TERR	182 3 2	691.650	691.700	
													857508	73H1759	TERR	261 8 5	266.748	266.766
443507	73H1761	E	321519.185	0.9999357	0.9999444	MARKER DESTROYED												
		N	5521680.014															
		E1	370.643			CVD28BC												
515684	73H1762	E	326331.844	0.9999131	0.9999426	MARKER DESTROYED												
		N	5528599.072															
		E1	382.140			CVD28BC												
652982	73H1763	E	326319.432	0.9999131	0.9999426	MARKER DESTROYED												
		N	5528141.959															
		E1	382.489			CVD28BC												
138321	73H1764	E	326321.548	0.9999132	0.9999427	MARKER DESTROYED												
		N	5528316.823															
		E1	381.975			CVD28BC												
729301	73H1765	E	326518.796	0.9999119	0.9999423	MARKER DESTROYED												
		N	5528131.251															
		E1	384.415			CVD28BC												
416024	73H1766	E	326890.867	0.9999095	0.9999415	MARKER DESTROYED												
		N	5527856.485															
		E1	389.653			CVD28BC												
560664	73H1767	E	326719.711	0.9999106	0.9999418	MARKER DESTROYED												
		N	5527954.191															
		E1	387.355			CVD28BC												
893669	73H1768	E	326339.955	0.9999131	0.9999427	MARKER DESTROYED												
		N	5528843.818															
		E1	381.808			CVD28BC												
22889	73H1769	E	326627.653	0.9999115	0.9999423	MARKER ISOLATED												
		N	5528760.088															
		E1	384.218			CVD28BC												

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
259853	73H1770	E	321786.016	0.9999333	0.9999432		MARKER DESTROYED				
		N	5521499.342								
		E1	378.818	CVD28BC							
619031	73H1771	E	327874.661	0.9999033	0.9999394		MARKER DESTROYED				
		N	5527414.075								
		E1	402.489	CVD28BC							
240309	73H1772	E	329860.888	0.9998910	0.9999354	960872	73H1773	TERR	1 53 38	291.423	291.454
		N	5531717.131			59923	73H1775	TERR	181 49 49	494.197	494.252
		E1	427.933	CVD28BC							
960872	73H1773	E	329870.519	0.9998906	0.9999350	371955	73H1939	TERR	1 57 2	213.710	213.734
		N	5532008.395			240309	73H1772	TERR	181 53 38	291.423	291.454
		E1	430.489	CVD28BC							
229252	73H1774	E	329638.358	0.9998893	0.9999328		MARKER DESTROYED				
		N	5529161.622								
		E1	444.903	CVD28BC							
59923	73H1775	E	329845.103	0.9998902	0.9999346	240309	73H1772	TERR	1 49 49	494.197	494.252
		N	5531223.186			865675	73H1730	TERR	271 57 43	432.058	432.105
		E1	433.531	CVD28BC							
919043	73H1776	E	329830.421	0.9998878	0.9999322		MARKER DESTROYED				
		N	5530808.154								
		E1	448.914	CVD28BC							
771683	73H1777	E	329260.909	0.9998961	0.9999381		MARKER DESTROYED				
		N	5530629.189								
		E1	411.127	CVD28BC							
217513	73H1778	E	329465.883	0.9998952	0.9999380		MARKER DESTROYED				
		N	5531731.378								
		E1	411.393	CVD28BC							
986646	73H1779	E	324093.442	0.9999238	0.9999438	884833	76H2880	TERR	115 58 32	163.297	163.309
		N	5530092.915								
		E1	375.030	CVD28BC							
345140	73H1780	E	324292.035	0.9999206	0.9999414		MARKER DESTROYED				
		N	5530270.488								
		E1	390.091	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
20842	73H1781	E	324107.716	0.9999228	0.9999428	390427	96H2135	GPS	32 53 22	3431.592	3431.885					
		N	5530371.519					439380	73H1732			GPS	79 42 35	4937.095	4937.536	
		E1	381.555					CVD28BC	877431			76H2873	TERR	118 20 54	209.448	209.464
									121327			95H1927	GPS	153 7 48	1753.174	1753.311
						308064	74H1963	GPS	327 16 41	2482.243	2482.455					
325159	73H1782	E	329564.194	0.9998916	0.9999348	MARKER ISOLATED										
		N	5529808.182													
		E1	432.015			CVD28BC										
147561	73H1785	E	324192.956	0.9999226	0.9999429	MARKER DESTROYED										
		N	5530728.971													
		E1	380.481			CVD28BC										
932822	73H1787	E	323963.913	0.9999250	0.9999444	MARKER DESTROYED										
		N	5530273.472													
		E1	371.329			CVD28BC										
830240	73H1788	E	323986.352	0.9999245	0.9999440	MARKER DESTROYED										
		N	5530427.046													
		E1	373.803			CVD28BC										
46565	73H1789	E	323993.708	0.9999242	0.9999437	MARKER DESTROYED										
		N	5530539.494													
		E1	375.671			CVD28BC										
39255	73H1790	E	324079.245	0.9999235	0.9999434	MARKER DESTROYED										
		N	5530641.977													
		E1	377.729			CVD28BC										
605808	73H1791	E	323050.926	0.9999199	0.9999353	MARKER DESTROYED										
		N	5530991.255													
		E1	429.221			CVD28BC										
464461	73H1792	E	322960.377	0.9999179	0.9999329	MARKER DESTROYED										
		N	5531117.725													
		E1	444.154			CVD28BC										
576710	73H1793	E	323074.222	0.9999168	0.9999323	MARKER ISOLATED										
		N	5531148.644													
		E1	448.129			CVD28BC										
191981	73H1794	E	320975.266	0.9999389	0.9999452	MARKER DESTROYED										
		N	5521286.530													
		E1	365.707			CVD28BC										

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
802579	73H1795	E	321386.020	0.9999360	0.9999442		MARKER DESTROYED				
		N	5521506.447								
		E1	372.411	CVD28BC							
709584	73H1796	E	321363.707	0.9999342	0.9999422		MARKER DESTROYED				
		N	5520717.166								
		E1	384.710	CVD28BC							
176529	73H1797	E	320378.741	0.9999444	0.9999481		MARKER DESTROYED				
		N	5522007.440								
		E1	347.306	CVD28BC							
506162	73H1798	E	321391.112	0.9999366	0.9999447		MARKER DESTROYED				
		N	5521683.523								
		E1	368.955	CVD28BC							
919654	73H1799	E	320820.946	0.9999402	0.9999459		MARKER DESTROYED				
		N	5521365.700								
		E1	361.372	CVD28BC							
839431	73H1800	E	321375.436	0.9999352	0.9999433		MARKER DESTROYED				
		N	5521112.228								
		E1	378.142	CVD28BC							
739359	73H1801	E	321171.210	0.9999381	0.9999453		MARKER DESTROYED				
		N	5521693.675								
		E1	364.971	CVD28BC							
161950	73H1802	E	320119.372	0.9999457	0.9999483		MARKER DESTROYED				
		N	5521336.995								
		E1	346.372	CVD28BC							
333898	73H1803	E	320110.556	0.9999458	0.9999483		MARKER DESTROYED				
		N	5521191.728								
		E1	345.882	CVD28BC							
442673	73H1804	E	321529.751	0.9999323	0.9999411		MARKER DESTROYED				
		N	5520604.359								
		E1	392.096	CVD28BC							
654723	73H1805	E	320602.067	0.9999425	0.9999472		MARKER DESTROYED				
		N	5521716.137								
		E1	353.089	CVD28BC							
681544	73H1806	E	320501.739	0.9999442	0.9999485		MARKER DESTROYED				
		N	5522407.657								
		E1	345.035	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
355842	73H1807	E	320827.292	0.9999427	0.9999484		MARKER DESTROYED				
		N	5522629.779								
		E1	345.357	CVD28BC							
575803	73H1808	E	320670.490	0.9999432	0.9999482	451690	95H1848	TERR	50 50 2	175.594	175.604
		N	5522488.978			449736	95H1849	TERR	243 54 4	203.078	203.089
		E1	346.793	CVD28BC							
790709	73H1809	E	320309.163	0.9999448	0.9999482		MARKER DESTROYED				
		N	5521840.916								
		E1	346.700	CVD28BC							
5025	73H1810	E	320623.775	0.9999420	0.9999468		MARKER DESTROYED				
		N	5521426.171								
		E1	355.794	CVD28BC							
422410	73H1811	E	320629.953	0.9999430	0.9999478		MARKER DESTROYED				
		N	5522158.406								
		E1	349.226	CVD28BC							
232009	73H1812	E	320352.378	0.9999450	0.9999486		MARKER DESTROYED				
		N	5522250.254								
		E1	344.199	CVD28BC							
291997	73H1813	E	320794.596	0.9999409	0.9999465		MARKER DESTROYED				
		N	5521634.691								
		E1	357.825	CVD28BC							
877373	73H1814	E	320741.644	0.9999420	0.9999473		MARKER DESTROYED				
		N	5522025.602								
		E1	352.608	CVD28BC							
387639	73H1815	E	320994.804	0.9999399	0.9999463		MARKER DESTROYED				
		N	5521912.289								
		E1	358.607	CVD28BC							
666024	73H1816	E	322846.442	0.9999325	0.9999470	351734	95H1914	TERR	177 35 35	183.130	183.142
		N	5528049.627								
		E1	354.153	CVD28BC							
445635	73H1817	E	322839.832	0.9999326	0.9999471		MARKER DESTROYED				
		N	5527846.966								
		E1	353.852	CVD28BC							
828772	73H1818	E	322825.434	0.9999330	0.9999474		MARKER DESTROYED				
		N	5527400.792								
		E1	351.793	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
932988	73H1819	E N E1	321026.615 5522766.059 346.013	0.9999418 CVD28BC	0.9999483		MARKER DESTROYED				
248831	73H1820	E N E1	324000.919 5528084.900 362.047	0.9999263 CVD28BC	0.9999458		MARKER DESTROYED				
539668	73H1821	E N E1	321100.556 5522932.259 344.152	0.9999417 CVD28BC	0.9999486		MARKER DESTROYED				
547802	73H1822	E N E1	321006.613 5522228.710 354.440	0.9999405 CVD28BC	0.9999470		MARKER DESTROYED				
117226	73H1823	E N E1	324761.583 5527832.595 368.216	0.9999220 CVD28BC	0.9999448	319756	95H1916	TERR	269 16 29	313.104	313.127
33530	73H1824	E N E1	324475.112 5528118.734 364.879	0.9999238 CVD28BC	0.9999454	319756	95H1916	TERR	185 14 26	291.320	291.342
793455	73H1825	E N E1	321017.462 5522523.430 349.585	0.9999412 CVD28BC	0.9999478		MARKER DESTROYED				
637348	73H1826	E N E1	322832.694 5527623.180 352.786	0.9999328 CVD28BC	0.9999473		MARKER DESTROYED				
891853	73H1827	E N E1	321219.933 5530978.314 345.878	0.9999409 CVD28BC	0.9999483	161133 634246	73H1828 6431	TERR TERR	135 45 52 354 26 18	142.429 330.649	142.437 330.670
161133	73H1828	E N E1	321319.293 5530876.267 344.780	0.9999407 CVD28BC	0.9999485	891853	73H1827	TERR	315 45 52	142.429	142.437
406017	73H1829	E N E1	321301.957 5530572.029 344.597	0.9999408 CVD28BC	0.9999486	528950 195578	73H1830 6409	TERR TERR	92 14 39 182 24 29	206.495 197.775	206.508 197.786
528950	73H1830	E N E1	321508.294 5530563.943 344.486	0.9999399 CVD28BC	0.9999486	906859 406017	73H1831 73H1829	TERR TERR	181 42 37 272 14 39	178.527 206.495	178.537 206.508

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
906859	73H1831	E N E1	321502.966 5530385.496 344.947	0.9999398	0.9999485	528950	73H1830	TERR	1 42 37	178.527	178.537
7435	73H1832	E N E1	321704.590 5530262.632 344.913	0.9999390	0.9999485		MARKER DESTROYED				
662874	73H1833	E N E1	321947.494 5530250.553 345.987	0.9999377	0.9999483		MARKER DESTROYED				
66084	73H1834	E N E1	322729.377 5530041.830 365.836	0.9999312	0.9999452		MARKER DESTROYED				
642728	73H1835	E N E1	322918.265 5530243.803 376.949	0.9999286	0.9999435		MARKER DESTROYED				
408898	73H1836	E N E1	323839.175 5530855.555 389.972	0.9999226	0.9999414		MARKER ISOLATED				
878074	73H1837	E N E1	323893.440 5531092.143 395.757	0.9999215	0.9999405		MARKER DESTROYED				
159442	73H1838	E N E1	327909.071 5528786.730 403.036	0.9999031	0.9999394	517656 762302	73H1839 73H1920	TERR TERR	170 8 24 243 27 10	327.004 202.534	327.036 202.553
517656	73H1839	E N E1	327965.068 5528464.556 405.832	0.9999024	0.9999389	675181 159442	73H1848 73H1838	TERR TERR	165 8 6 350 8 24	275.578 327.004	275.604 327.036
121418	73H1840	E N E1	327260.984 5528259.922 391.966	0.9999076	0.9999411		MARKER DESTROYED				
761874	73H1841	E N E1	327469.734 5528156.904 394.660	0.9999063	0.9999407		MARKER DESTROYED				
173773	73H1842	E N E1	327586.829 5528377.285 398.145	0.9999052	0.9999401	335786	73H1847	TERR	316 16 22	282.630	282.657

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
260703	73H1843	E	327510.376	0.9999056	0.9999402		MARKER DESTROYED				
		N	5527836.877								
		E1	397.882	CVD28BC							
964767	73H1844	E	326925.290	0.9999098	0.9999419		MARKER DESTROYED				
		N	5528745.790								
		E1	387.057	CVD28BC							
664433	73H1845	E	328006.149	0.9999021	0.9999388	241190	73H1898	TERR	161 38 35	186.618	186.636
		N	5527805.658			200048	73H1846	TERR	330 54 31	193.925	193.944
		E1	406.666	CVD28BC							
200048	73H1846	E	327911.862	0.9999029	0.9999392	664433	73H1845	TERR	150 54 31	193.925	193.944
		N	5527975.119								
		E1	404.237	CVD28BC							
335786	73H1847	E	327391.468	0.9999067	0.9999408	173773	73H1842	TERR	136 16 22	282.630	282.657
		N	5528581.525								
		E1	394.168	CVD28BC							
675181	73H1848	E	328035.765	0.9999019	0.9999387	517656	73H1839	TERR	345 8 6	275.578	275.604
		N	5528198.201								
		E1	407.164	CVD28BC							
673640	73H1849	E	328903.961	0.9998977	0.9999381		MARKER DESTROYED				
		N	5529765.988								
		E1	410.879	CVD28BC							
45088	73H1850	E	329092.037	0.9998966	0.9999378		MARKER DESTROYED				
		N	5529410.191								
		E1	412.745	CVD28BC							
903393	73H1851	E	326907.736	0.9999097	0.9999417		MARKER DESTROYED				
		N	5528269.661								
		E1	388.038	CVD28BC							
652958	73H1852	E	328139.067	0.9999004	0.9999377		MARKER DESTROYED				
		N	5529387.185								
		E1	413.870	CVD28BC							
461798	73H1853	E	326721.496	0.9999108	0.9999420		MARKER DESTROYED				
		N	5529433.980								
		E1	386.005	CVD28BC							
693382	73H1854	E	327070.033	0.9999088	0.9999415	840223	86H2354	TERR	182 3 27	357.945	357.977
		N	5529421.180								
		E1	389.634	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
146555	73H1855	E	326916.348	0.9999097	0.9999417		MARKER DESTROYED				
		N	5528501.552								
		E1	387.883	CVD28BC							
531541	73H1856	E	329337.296	0.9998957	0.9999379		MARKER DESTROYED				
		N	5529400.540								
		E1	412.155	CVD28BC							
796441	73H1857	E	327142.684	0.9999085	0.9999415		MARKER DESTROYED				
		N	5528494.084								
		E1	389.481	CVD28BC							
682096	73H1858	E	327453.374	0.9999065	0.9999408		MARKER DESTROYED				
		N	5529406.386								
		E1	393.862	CVD28BC							
33589	73H1859	E	328777.493	0.9998978	0.9999377		MARKER DESTROYED				
		N	5529421.507								
		E1	413.704	CVD28BC							
791582	73H1860	E	328358.824	0.9999001	0.9999382		MARKER DESTROYED				
		N	5529734.484								
		E1	410.344	CVD28BC							
712646	73H1861	E	328099.423	0.9999013	0.9999384		MARKER DESTROYED				
		N	5529743.286								
		E1	409.404	CVD28BC							
122341	73H1862	E	328375.573	0.9999007	0.9999389		MARKER DESTROYED				
		N	5530380.902								
		E1	405.849	CVD28BC							
648758	73H1863	E	327584.720	0.9999057	0.9999406		MARKER DESTROYED				
		N	5530407.719								
		E1	395.332	CVD28BC							
907170	73H1864	E	327781.817	0.9999035	0.9999392		MARKER DESTROYED				
		N	5529754.179								
		E1	403.909	CVD28BC							
208231	73H1865	E	327310.732	0.9999071	0.9999408		MARKER DESTROYED				
		N	5530417.030								
		E1	393.849	CVD28BC							
556191	73H1866	E	327408.797	0.9999061	0.9999402		MARKER DESTROYED				
		N	5530836.420								
		E1	397.746	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
295204	73H1867	E	327566.228	0.9999053	0.9999401		MARKER DESTROYED				
		N	5530832.176								
		E1	398.149	CVD28BC							
211706	73H1868	E	327854.604	0.9999034	0.9999395		MARKER DESTROYED				
		N	5530398.468								
		E1	402.428	CVD28BC							
705798	73H1869	E	324961.644	0.9999208	0.9999445		MARKER DESTROYED				
		N	5528104.196								
		E1	370.433	CVD28BC							
934083	73H1870	E	328120.773	0.9999023	0.9999394		MARKER DESTROYED				
		N	5530389.449								
		E1	402.577	CVD28BC							
533943	73H1871	E	329307.591	0.9998956	0.9999377		MARKER DESTROYED				
		N	5530405.861								
		E1	413.466	CVD28BC							
268789	73H1872	E	329284.973	0.9998960	0.9999381		MARKER DESTROYED				
		N	5529751.335								
		E1	411.117	CVD28BC							
491506	73H1873	E	328661.006	0.9998995	0.9999389	995332	73H1879	TERR	182 3 24	259.596	259.623
		N	5532019.321								
		E1	406.165	CVD28BC							
700369	73H1874	E	329294.898	0.9998959	0.9999380		MARKER DESTROYED				
		N	5530005.888								
		E1	411.795	CVD28BC							
443671	73H1875	E	328670.251	0.9998993	0.9999388		MARKER DESTROYED				
		N	5532262.246								
		E1	406.675	CVD28BC							
795096	73H1876	E	329968.339	0.9998841	0.9999290	97998	73H1881	TERR	272 30 55	284.087	284.119
		N	5530186.867								
		E1	469.098	CVD28BC							
916981	73H1877	E	329513.647	0.9998938	0.9999368		MARKER DESTROYED				
		N	5529987.920								
		E1	419.060	CVD28BC							
648592	73H1878	E	328913.467	0.9998980	0.9999385		MARKER DESTROYED				
		N	5530224.560								
		E1	408.389	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
995332	73H1879	E	328651.690	0.9998999	0.9999392	491506	73H1873	TERR	2 3 24	259.596	259.623		
		N	5531759.892					TERR	91 50 54			428.357	428.400
		E1	403.781					CVD28BC	TERR				
						733519	73H1742	TERR	258 37 39	414.819	414.860		
160671	73H1880	E	329300.387	0.9998957	0.9999378	MARKER DESTROYED							
		N	5530211.627										
		E1	412.881			CVD28BC							
97998	73H1881	E	329684.526	0.9998880	0.9999317	795096	73H1876	TERR	92 30 55	284.087	284.119		
		N	5530199.335										
		E1	451.868					CVD28BC					
187195	73H1882	E	327564.095	0.9999050	0.9999397	MARKER DESTROYED							
		N	5529761.951										
		E1	400.669			CVD28BC							
434399	73H1883	E	328633.572	0.9998999	0.9999392	MARKER DESTROYED							
		N	5531264.395										
		E1	404.214			CVD28BC							
143552	73H1884	E	328564.927	0.9998986	0.9999376	MARKER DESTROYED							
		N	5529371.672										
		E1	414.267			CVD28BC							
99432	73H1885	E	326956.741	0.9999097	0.9999419	MARKER DESTROYED							
		N	5529782.849										
		E1	386.754			CVD28BC							
360677	73H1886	E	328600.900	0.9998997	0.9999389	MARKER DESTROYED							
		N	5530373.283										
		E1	405.961			CVD28BC							
113266	73H1887	E	328643.300	0.9998998	0.9999392	995332	73H1879	TERR	2 4 41	231.364	231.388		
		N	5531528.680										
		E1	404.365					CVD28BC					
281311	73H1888	E	328618.194	0.9998997	0.9999389	MARKER DESTROYED							
		N	5530849.700										
		E1	405.910			CVD28BC							
18341	73H1889	E	327236.053	0.9999081	0.9999415	MARKER DESTROYED							
		N	5529773.717										
		E1	389.190			CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
694398	73H1890	E	328595.958	0.9998995	0.9999387		MARKER DESTROYED				
		N	5530236.942								
		E1	407.421	CVD28BC							
371336	73H1891	E	328625.723	0.9998998	0.9999391		MARKER DESTROYED				
		N	5531050.369								
		E1	404.719	CVD28BC							
629683	73H1892	E	328577.526	0.9998990	0.9999381		MARKER DESTROYED				
		N	5529727.201								
		E1	411.180	CVD28BC							
217091	73H1894	E	329094.292	0.9998944	0.9999356		MARKER DESTROYED				
		N	5528210.888								
		E1	426.775	CVD28BC							
852244	73H1895	E	328525.457	0.9998967	0.9999356		MARKER DESTROYED				
		N	5528373.009								
		E1	427.129	CVD28BC							
708347	73H1896	E	328533.294	0.9998971	0.9999360		MARKER DESTROYED				
		N	5528560.143								
		E1	424.748	CVD28BC							
720680	73H1897	E	328543.558	0.9998976	0.9999365		MARKER DESTROYED				
		N	5528811.376								
		E1	421.181	CVD28BC							
241190	73H1898	E	328064.922	0.9999015	0.9999384	450791	73H1911	TERR	182 9 52	220.429	220.451
		N	5527628.537			664433	73H1845	TERR	341 38 35	186.618	186.636
		E1	409.219	CVD28BC							
509091	73H1899	E	328774.484	0.9998956	0.9999355		MARKER ISOLATED				
		N	5528215.552								
		E1	427.670	CVD28BC							
583286	73H1900	E	328552.250	0.9998980	0.9999369		MARKER DESTROYED				
		N	5529021.791								
		E1	418.484	CVD28BC							
908103	73H1901	E	328768.680	0.9998971	0.9999370		MARKER DESTROYED				
		N	5529017.430								
		E1	418.174	CVD28BC							
959700	73H1902	E	326349.592	0.9999133	0.9999429		MARKER DESTROYED				
		N	5529098.057								
		E1	380.438	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
861328	73H1903	E	328966.639	0.9998964	0.9999371		MARKER DESTROYED				
		N	5529011.306								
		E1	417.225	CVD28BC							
644609	73H1904	E	327213.296	0.9999075	0.9999408		MARKER ISOLATED				
		N	5527606.085								
		E1	393.753	CVD28BC							
725028	73H1905	E	327077.120	0.9999084	0.9999411		MARKER DESTROYED				
		N	5527747.038								
		E1	391.670	CVD28BC							
548198	73H1906	E	326613.102	0.9999114	0.9999422		MARKER DESTROYED				
		N	5528332.370								
		E1	385.178	CVD28BC							
803114	73H1907	E	327380.257	0.9999063	0.9999403		MARKER DESTROYED				
		N	5527453.754								
		E1	397.111	CVD28BC							
655712	73H1908	E	326707.691	0.9999112	0.9999423		MARKER DESTROYED				
		N	5529085.363								
		E1	384.107	CVD28BC							
162735	73H1909	E	328354.573	0.9998987	0.9999369	556936	86H2361	TERR	95 10 16	204.998	205.020
		N	5529027.139			158741	86H2353	TERR	268 48 19	241.675	241.699
		E1	418.935	CVD28BC							
590018	73H1910	E	327751.450	0.9999041	0.9999397		MARKER DESTROYED				
		N	5529049.663								
		E1	401.196	CVD28BC							
450791	73H1911	E	328056.597	0.9999021	0.9999390	241190	73H1898	TERR	2 9 52	220.429	220.451
		N	5527408.265								
		E1	405.278	CVD28BC							
514554	73H1912	E	327058.305	0.9999091	0.9999417		MARKER DESTROYED				
		N	5529073.296								
		E1	387.994	CVD28BC							
738070	73H1913	E	328121.082	0.9998999	0.9999370		MARKER DESTROYED				
		N	5529036.631								
		E1	418.162	CVD28BC							
288274	73H1914	E	327440.767	0.9999061	0.9999404		MARKER DESTROYED				
		N	5529060.092								
		E1	396.655	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
771261	73H1915	E	328197.619	0.9998977	0.9999351	809327	73H1727	TERR	90 50 2	275.759	275.788		
		N	5528182.434					463471	73H1917	TERR	167 5 47	180.487	180.505
		E1	430.116					CVD28BC	73H1918	TERR	343 48 4	203.826	203.847
3004	73H1916	E	328114.584	0.9998993	0.9999364	252445	73H1921	TERR	179 8 19	229.682	229.705		
		N	5528807.372					158741	86H2353	TERR	359 33 51	214.734	214.756
		E1	422.036					CVD28BC					
463471	73H1917	E	328237.924	0.9998971	0.9999347	129437	73H1721	TERR	196 19 4	182.106	182.125		
		N	5528006.505					771261	73H1915	TERR	347 5 47	180.487	180.505
		E1	432.750					CVD28BC					
832337	73H1918	E	328140.757	0.9998983	0.9999355	771261	73H1915	TERR	163 48 4	203.826	203.847		
		N	5528378.168										
		E1	427.406					CVD28BC					
600585	73H1919	E	327682.203	0.9999046	0.9999399								
		N	5527424.892										
		E1	399.639	CVD28BC									
762302	73H1920	E	327727.891	0.9999041	0.9999396	293449	86H2352	TERR	3 5 3	365.076	365.111		
		N	5528696.210					159442	73H1838	TERR	63 27 10	202.534	202.553
		E1	401.479					CVD28BC	897959	73H1925	TERR	181 39 35	281.966
252445	73H1921	E	328118.037	0.9998990	0.9999362	3004	73H1916	TERR	359 8 19	229.682	229.705		
		N	5528577.716										
		E1	423.358					CVD28BC					
838185	73H1922	E	327713.847	0.9999044	0.9999398								
		N	5528202.666										
		E1	400.094			CVD28BC							
483818	73H1923	E	327702.940	0.9999047	0.9999401								
		N	5527977.730										
		E1	398.529			CVD28BC							
855924	73H1924	E	327689.150	0.9999044	0.9999397								
		N	5527603.718										
		E1	400.586			CVD28BC							
897959	73H1925	E	327719.724	0.9999045	0.9999400	762302	73H1920	TERR	1 39 35	281.966	281.993		
		N	5528414.362										
		E1	399.192					CVD28BC					
831396	73H1926	E	322018.497	0.9999300	0.9999409								
		N	5521122.499										
		E1	393.439			CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
482356	73H1927	E	321821.518	0.9999291	0.9999392		MARKER DESTROYED				
		N	5520422.251								
		E1	404.210	CVD28BC							
348268	73H1928	E	321778.321	0.9999313	0.9999412		MARKER DESTROYED				
		N	5521010.226								
		E1	391.326	CVD28BC							
737783	73H1929	E	321692.750	0.9999309	0.9999403		MARKER DESTROYED				
		N	5520585.533								
		E1	396.811	CVD28BC							
426395	73H1930	E	321771.239	0.9999305	0.9999403		MARKER DESTROYED				
		N	5520702.610								
		E1	397.082	CVD28BC							
530188	73H1931	E	322052.603	0.9999292	0.9999402		MARKER DESTROYED				
		N	5520998.138								
		E1	397.629	CVD28BC							
254177	73H1932	E	322169.715	0.9999258	0.9999374		MARKER DESTROYED				
		N	5520468.121								
		E1	415.510	CVD28BC							
61218	73H1933	E	321781.176	0.9999317	0.9999416		MARKER DESTROYED				
		N	5521132.723								
		E1	388.753	CVD28BC							
332387	73H1934	E	322172.031	0.9999267	0.9999383		MARKER DESTROYED				
		N	5520684.290								
		E1	409.994	CVD28BC							
939322	73H1935	E	321926.025	0.9999279	0.9999384		MARKER DESTROYED				
		N	5520380.919								
		E1	409.193	CVD28BC							
160556	73H1936	E	320978.452	0.9999385	0.9999449		MARKER DESTROYED				
		N	5521128.833								
		E1	367.811	CVD28BC							
356485	73H1937	E	330281.846	0.9998796	0.9999258		MARKER DESTROYED				
		N	5530597.031								
		E1	489.269	CVD28BC							
903963	73H1938	E	330134.568	0.9998904	0.9999359		MARKER DESTROYED				
		N	5532212.300								
		E1	424.747	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
371955	73H1939	E N E1	329877.793 5532221.981 422.950	0.9998917	0.9999362	960872	73H1773	TERR	181 57 2	213.710	213.734
577270	73H1940	E N E1	330271.687 5530806.194 490.039	0.9998795	0.9999257		MARKER ISOLATED				
524546	73H1941	E N E1	329410.423 5532236.932 413.475	0.9998952	0.9999377		MARKER DESTROYED				
515387	73H1942	E N E1	330254.156 5531134.079 483.716	0.9998806	0.9999267		MARKER DESTROYED				
533166	73H1943	E N E1	330274.920 5531820.837 481.479	0.9998809	0.9999271		MARKER DESTROYED				
737593	73H1944	E N E1	330226.151 5530444.465 488.953	0.9998799	0.9999259		MARKER DESTROYED				
239962	73H1945	E N E1	330267.033 5531598.356 488.653	0.9998798	0.9999259		MARKER DESTROYED				
547018	73H1946	E N E1	330217.000 5530237.463 494.820	0.9998790	0.9999250		MARKER DESTROYED				
147249	73H1947	E N E1	330257.851 5531369.456 489.637	0.9998797	0.9999258		MARKER DESTROYED				
883041	73H1948	E N E1	327014.250 5530426.742 391.196	0.9999088	0.9999412		MARKER DESTROYED				
68130	73H1949	E N E1	326258.246 5529280.840 380.365	0.9999137	0.9999429		MARKER DESTROYED				
259564	73H1950	E N E1	327960.183 5531689.308 403.671	0.9999028	0.9999393		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
709154	73H1951	E N E1	328369.049 5532002.912 403.292	0.9999011	0.9999393		MARKER DESTROYED				
766923	73H1952	E N E1	326419.458 5529506.244 382.716	0.9999126	0.9999426		MARKER DESTROYED				
305250	73H1953	E N E1	327283.612 5530844.520 395.811	0.9999069	0.9999405		MARKER DESTROYED				
408203	73H1954	E N E1	326606.771 5529795.273 383.747	0.9999117	0.9999424		MARKER DESTROYED				
709980	73H1955	E N E1	326096.867 5529107.812 378.778	0.9999146	0.9999432		MARKER DESTROYED				
504464	73H1956	E N E1	329076.202 5532248.696 410.359	0.9998970	0.9999382	941575	73H1737	TERR	179 35 14	502.634	502.685
874198	74H1957	E N E1	320486.497 5522180.713 346.456	0.9999441	0.9999482		MARKER DESTROYED				
934950	74H1958	E N E1	322852.550 5532125.494 515.351	0.9999072	0.9999218	415729	86H2374	TERR	5 16 3	185.687	185.705
464685	74H1959	E N E1	327574.626 5530084.325 399.769	0.9999050	0.9999399		MARKER DESTROYED				
662262	74H1960	E N E1	322958.672 5532594.315 524.313	0.9999054	0.9999204		MARKER DESTROYED				
514893	74H1961	E N E1	322866.033 5532310.964 516.656	0.9999070	0.9999216		MARKER DESTROYED				
515080	74H1962	E N E1	328110.506 5530065.896 406.573	0.9999017	0.9999388		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
308064	74H1963	E	322765.912	0.9999067	0.9999209	880765	75H2812	GPS	3 13 32	965.532	965.622	
		N	5532459.842			382416	74H1967	TERR	6 8 32	253.066	253.090	
		E1	521.226			CVD28BC	800359	96H2147	GPS	9 44 5	5044.773	5045.204
							811950	98H2217	GPS	14 4 45	1675.178	1675.328
							874362	98H2219	GPS	14 26 46	2965.084	2965.360
							815431	98H2218	GPS	15 49 57	2431.570	2431.793
							122093	96H2118	GPS	30 45 14	11389.806	11390.932
							392613	75H2494	GPS	72 40 44	2058.287	2058.471
							25965	96H2111	GPS	73 0 15	5909.243	5909.820
							373498	96H2134	GPS	75 36 57	2745.183	2745.433
							390427	96H2135	GPS	76 5 57	3301.926	3302.234
							19406	96H2110	GPS	80 16 40	6053.789	6054.376
							401463	96H2136	GPS	81 58 24	3576.487	3576.823
							358606	96H2133	GPS	84 49 23	2417.812	2418.029
							11841	96H2109	GPS	87 53 55	5918.178	5918.753
							322933	96H2130	GPS	91 58 33	4463.520	4463.941
							302778	96H2126	GPS	92 2 22	5086.918	5087.404
							439380	73H1732	GPS	101 0 43	6315.778	6316.394
							316901	96H2129	GPS	101 18 19	3840.648	3841.015
							311951	96H2128	GPS	105 10 36	3446.671	3446.998
							306548	96H2127	GPS	113 11 57	3571.028	3571.366
							357178	96H2132	GPS	125 27 18	1919.497	1919.662
							931725	95H1940	GPS	125 29 24	4150.967	4151.363
							951913	95H1941	GPS	127 9 10	3466.688	3467.022
							980995	95H1942	GPS	131 56 16	3255.314	3255.631
							915439	95H1938	GPS	136 9 27	4071.570	4071.948
							274969	95H1943	GPS	141 44 50	3260.768	3261.075
			415729	86H2374	TERR	145 14 49	181.891	181.908				
			20842	73H1781	GPS	147 16 41	2482.243	2482.455				
			173070	95H1937	GPS	148 24 19	4061.421	4061.771				
			121327	95H1927	GPS	149 41 60	4230.060	4230.423				
			441949	6428	GPS	158 32 24	2651.800	2652.021				
			53496	75H2832	GPS	160 25 17	2134.041	2134.220				
			528984	6425	GPS	167 20 8	4152.867	4153.210				
			634246	6431	GPS	233 51 33	1954.040	1954.203				
			4598	657014	GPS	323 4 43	6930.645	6931.640				
200873	74H1964	E	323294.713	0.9999176	0.9999341	605485	74H1965	TERR	308 44 51	113.953	113.962	
		N	5531057.786									
		E1	437.095									CVD28BC
605485	74H1965	E	323205.840	0.9999174	0.9999335	200873	74H1964	TERR	128 44 51	113.953	113.962	
		N	5531129.108									
		E1	440.569									CVD28BC

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
415661	74H1966	E	322856.733	0.9999083	0.9999229		MARKER DESTROYED				
		N	5531947.231								
		E1	508.180	CVD28BC							
382416	74H1967	E	322792.989	0.9999042	0.9999185	308064	74H1963	TERR	186 8 32	253.066	253.090
		N	5532711.455								
		E1	536.322	CVD28BC							
799197	74H1968	E	322687.973	0.9999067	0.9999206		MARKER DESTROYED				
		N	5532600.181								
		E1	523.055	CVD28BC							
920785	74H1996	E	330913.141	0.9998638	0.9999126	780734	74H2003	TERR	160 36 8	202.827	202.854
		N	5526558.756								
		E1	573.708	CVD28BC							
513051	74H1997	E	330897.455	0.9998602	0.9999089	780221	75H2449	TERR	2 22 25	227.113	227.144
		N	5526055.961			630913	74H2004	TERR	115 56 57	150.165	150.186
		E1	596.992	CVD28BC							
711432	74H1998	E	331102.007	0.9998547	0.9999043	659185	75H2851	TERR	23 2 8	1179.809	1179.981
		N	5525628.641			462747	74H1999	TERR	50 50 16	99.392	99.407
		E1	626.440	CVD28BC		716449	74H2000	TERR	331 10 34	245.344	245.379
462747	74H1999	E	331179.072	0.9998569	0.9999069	711432	74H1998	TERR	230 50 16	99.392	99.407
		N	5525691.409			418863	74H2005	TERR	331 1 48	179.449	179.474
		E1	610.196	CVD28BC							
716449	74H2000	E	330983.722	0.9998567	0.9999058	625756	PIER 10	GPS	13 0 54	3129.616	3130.075
		N	5525843.588			328195	657013	TERR	63 11 16	3583.882	3584.606
		E1	616.948	CVD28BC		36145	02H2362	GPS	77 15 32	743.994	744.099
						418863	74H2005	TERR	87 27 25	108.541	108.556
						711432	74H1998	TERR	151 10 34	245.344	245.379
						77305	02H2359	GPS	169 0 58	980.147	980.287
						82636	02H2357	GPS	270 54 38	1165.472	1165.628
						528984	6425	GPS	289 20 17	7744.240	7745.073
						634246	6431	GPS	299 9 5	11216.581	11217.798
						439380	73H1732	GPS	339 32 25	5774.100	5774.808
647040	74H2001	E	331083.557	0.9998631	0.9999126	630913	74H2004	TERR	193 54 37	212.459	212.488
		N	5526196.481			780221	75H2449	TERR	296 3 25	196.688	196.715
		E1	573.348	CVD28BC		812511	75H2464	TERR	353 14 13	108.784	108.799
918987	74H2002	E	323355.258	0.9999263	0.9999431		MARKER DESTROYED				
		N	5530432.984								
		E1	379.420	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
780734	74H2003	E	330980.505	0.9998644	0.9999135	812511	75H2464	TERR	124 53 32	110.019	110.034
		N	5526367.443			780221	75H2449	TERR	221 3 6	112.136	112.151
		E1	567.600	CVD28BC		920785	74H1996	TERR	340 36 8	202.827	202.854
630913	74H2004	E	331032.481	0.9998603	0.9999096	647040	74H2001	TERR	13 54 37	212.459	212.488
		N	5525990.253			418863	74H2005	TERR	157 11 2	153.890	153.912
		E1	592.696	CVD28BC		513051	74H1997	TERR	295 56 57	150.165	150.186
418863	74H2005	E	331092.156	0.9998582	0.9999077	659185	75H2851	TERR	28 34 4	986.017	986.158
		N	5525848.404			462747	74H1999	TERR	151 1 48	179.449	179.474
		E1	604.732	CVD28BC		716449	74H2000	TERR	267 27 25	108.541	108.556
						630913	74H2004	TERR	337 11 2	153.890	153.912
791541	74H2428	E	322939.220	0.9999143	0.9999292		MARKER DESTROYED				
		N	5531513.735								
		E1	468.071	CVD28BC							
343160	74H2429	E	322851.785	0.9999113	0.9999259		MARKER DESTROYED				
		N	5531797.865								
		E1	489.393	CVD28BC							
487397	74H2430	E	329239.658	0.9998958	0.9999376		MARKER DESTROYED				
		N	5529243.236								
		E1	413.901	CVD28BC							
131052	74H2431	E	328769.693	0.9998975	0.9999373		MARKER ISOLATED				
		N	5529231.226								
		E1	415.997	CVD28BC							
176552	74H2432	E	329237.730	0.9998952	0.9999370		MARKER DESTROYED				
		N	5529005.452								
		E1	417.791	CVD28BC							
751065	74H2433	E	322937.188	0.9999165	0.9999314		MARKER DESTROYED				
		N	5531309.724								
		E1	454.038	CVD28BC							
911966	74H2435	E	323085.815	0.9999278	0.9999434	473181	74H2436	TERR	58 0 44	143.488	143.498
		N	5530188.896								
		E1	377.653	CVD28BC							
473181	74H2436	E	323207.516	0.9999269	0.9999430	911966	74H2435	TERR	238 0 44	143.488	143.498
		N	5530264.907								
		E1	380.135	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
63370	74H2437	E	322859.614	0.9999129	0.9999274		MARKER DESTROYED				
		N	5531672.652								
		E1	479.287	CVD28BC							
395731	75H2438	E	331388.342	0.9998569	0.9999077	426460	75H2460	TERR	156 40 52	164.023	164.046
		N	5527093.982								
		E1	604.992	CVD28BC							
243741	75H2439	E	325790.300	0.9999088	0.9999360	874560	75H2468	TERR	2 37 48	415.425	415.463
		N	5525870.148								
		E1	424.333	CVD28BC							
923110	75H2440	E	321363.796	0.9999405	0.9999486	650127	75H2846	TERR	91 33 11	452.280	452.307
		N	5525765.726			993204	75H2488	TERR	181 55 56	168.600	168.610
		E1	344.579	CVD28BC							
493361	75H2441	E	325259.958	0.9999181	0.9999430	943076	75H2467	TERR	153 35 2	112.761	112.770
		N	5526855.783								
		E1	379.795	CVD28BC							
103721	75H2442	E	324657.433	0.9999223	0.9999446		MARKER DESTROYED				
		N	5525907.021								
		E1	369.494	CVD28BC							
326116	75H2443	E	320964.714	0.9999352	0.9999415	39925	75H2471	TERR	46 54 1	174.062	174.073
		N	5531754.695								
		E1	389.361	CVD28BC							
685362	75H2444	E	323454.061	0.9999303	0.9999475		MARKER DESTROYED				
		N	5526066.423								
		E1	351.491	CVD28BC							
27458	75H2445	E	325449.024	0.9999164	0.9999422	485540	75H2857	TERR	180 13 57	172.701	172.716
		N	5527255.420								
		E1	385.160	CVD28BC							
288639	75H2446	E	321327.678	0.9999378	0.9999457		MARKER DESTROYED				
		N	5532179.973								
		E1	363.033	CVD28BC							
669937	75H2447	E	331061.853	0.9998606	0.9999101		MARKER ISOLATED				
		N	5526825.344								
		E1	589.777	CVD28BC							
48710	75H2448	E	324222.462	0.9999262	0.9999467		MARKER DESTROYED				
		N	5526096.472								
		E1	356.553	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
780221	75H2449	E	330906.861	0.9998645	0.9999133	780734	74H2003	TERR	41 3 6	112.136	112.151					
		N	5526282.879					647040				74H2001	TERR	116 3 25	196.688	196.715
		E1	569.413					CVD28BC				513051	74H1997	TERR	182 22 25	227.113
663179	75H2451	E	325384.439	0.9999170	0.9999425	986414	75H2472	TERR	245 21 38	230.318	230.337					
		N	5526554.668													
		E1	383.160					CVD28BC								
272278	75H2452	E	322905.982	0.9999331	0.9999479	MARKER DESTROYED										
		N	5526085.373													
		E1	349.009			CVD28BC										
657528	75H2453	E	331676.156	0.9998530	0.9999050	112276	75H2455	TERR	307 43 56	177.580	177.605					
		N	5526943.212													
		E1	622.216					CVD28BC								
112276	75H2455	E	331535.712	0.9998548	0.9999062	657528	75H2453	TERR	127 43 56	177.580	177.605					
		N	5527051.886													
		E1	614.513					CVD28BC								
794453	75H2456	E	329856.395	0.9998754	0.9999199	MARKER DESTROYED										
		N	5527351.697													
		E1	527.428			CVD28BC										
515643	75H2457	E	331655.286	0.9998542	0.9999061	659185	75H2851	TERR	234 15 19	112.882	112.898					
		N	5526780.318													
		E1	615.314					CVD28BC								
819698	75H2458	E	323630.556	0.9999294	0.9999473	MARKER DESTROYED										
		N	5526289.304													
		E1	352.380			CVD28BC										
933085	75H2459	E	323772.527	0.9999287	0.9999472	MARKER DESTROYED										
		N	5526486.659													
		E1	352.958			CVD28BC										
426460	75H2460	E	331453.270	0.9998560	0.9999070	659185	75H2851	TERR	154 15 36	254.206	254.242					
		N	5526943.357					395731				75H2438	TERR	336 40 52	164.023	164.046
		E1	609.169					CVD28BC								
153353	75H2461	E	321225.014	0.9999367	0.9999442	MARKER DESTROYED										
		N	5532059.181													
		E1	372.464			CVD28BC										
712497	75H2462	E	329938.168	0.9998754	0.9999201	MARKER DESTROYED										
		N	5527788.922													
		E1	525.604			CVD28BC										

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
940759	75H2463	E N E1	324456.306 5526001.380 358.244	0.9999249 CVD28BC	0.9999464		MARKER ISOLATED				
812511	75H2464	E N E1	331070.746 5526304.508 569.774	0.9998637 CVD28BC	0.9999132	647040 780734	74H2001 74H2003	TERR TERR	173 14 13 304 53 32	108.784 110.019	108.799 110.034
205500	75H2465	E N E1	330099.978 5527620.215 570.726	0.9998676 CVD28BC	0.9999131		MARKER ISOLATED				
204438	75H2466	E N E1	320793.097 5531349.058 343.405	0.9999432 CVD28BC	0.9999487		MARKER DESTROYED				
943076	75H2467	E N E1	325310.124 5526754.796 378.793	0.9999180 CVD28BC	0.9999432	493361	75H2441	TERR	333 35 2	112.761	112.770
874560	75H2468	E N E1	325809.362 5526285.135 428.319	0.9999081 CVD28BC	0.9999354	243741	75H2439	TERR	182 37 48	415.425	415.463
869222	75H2469	E N E1	329965.138 5527235.908 555.737	0.9998705 CVD28BC	0.9999154	31625 78949 150953	02H2387 02H2364 02H2384	GPS GPS GPS	110 40 47 176 16 24 281 51 26	2327.793 757.920 572.700	2328.115 758.016 572.769
722496	75H2470	E N E1	324921.187 5525897.900 381.850	0.9999192 CVD28BC	0.9999427		MARKER ISOLATED				
39925	75H2471	E N E1	321091.808 5531873.626 386.877	0.9999351 CVD28BC	0.9999419	326116	75H2443	TERR	226 54 1	174.062	174.073
986414	75H2472	E N E1	325175.092 5526458.647 378.874	0.9999186 CVD28BC	0.9999432	663179	75H2451	TERR	65 21 38	230.318	230.337
427369	75H2473	E N E1	320784.310 5531715.911 344.117	0.9999431 CVD28BC	0.9999486		MARKER DESTROYED				
298711	75H2474	E N E1	322462.064 5526101.346 348.057	0.9999352 CVD28BC	0.9999480		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
172932	75H2475	E	323453.662	0.9999304	0.9999476		MARKER ISOLATED				
		N	5526502.388								
		E1	350.895	CVD28BC							
836445	75H2476	E	331017.400	0.9998582	0.9999075		MARKER DESTROYED				
		N	5527037.586								
		E1	606.389	CVD28BC							
82867	75H2477	E	329915.433	0.9998758	0.9999204		MARKER ISOLATED				
		N	5527580.766								
		E1	523.699	CVD28BC							
170217	75H2478	E	330607.963	0.9998729	0.9999204	932665	75H2500	TERR	201 52 43	183.825	183.849
		N	5529792.111								
		E1	523.724	CVD28BC							
819581	75H2479	E	320798.275	0.9999431	0.9999486		MARKER DESTROYED				
		N	5526267.339								
		E1	344.159	CVD28BC							
948265	75H2480	E	329055.044	0.9998952	0.9999363	175083	73H1724	TERR	267 26 46	107.789	107.801
		N	5528418.806			627703	75H2783	TERR	358 20 39	187.063	187.083
		E1	422.721	CVD28BC							
197046	75H2481	E	330653.322	0.9998710	0.9999187	411454	75H2496	TERR	25 8 23	214.851	214.878
		N	5530233.757								
		E1	534.564	CVD28BC							
827279	75H2482	E	321051.204	0.9999420	0.9999487		MARKER DESTROYED				
		N	5525414.137								
		E1	343.630	CVD28BC							
644724	75H2483	E	329376.056	0.9998892	0.9999317		MARKER DESTROYED				
		N	5528145.943								
		E1	452.066	CVD28BC							
101790	75H2484	E	330933.904	0.9998743	0.9999233	247122	75H2516	TERR	338 38 9	230.034	230.063
		N	5531290.099								
		E1	505.594	CVD28BC							
357806	75H2485	E	321205.235	0.9999413	0.9999487		MARKER DESTROYED				
		N	5523192.437								
		E1	343.631	CVD28BC							
692616	75H2486	E	324091.979	0.9999205	0.9999404		MARKER DESTROYED				
		N	5531492.672								
		E1	396.361	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
674218	75H2487	E N E1	324265.150 5532530.180 411.813	0.9999173	0.9999380	489740	75H2492	TERR	207 45 41	235.561	235.581
993204	75H2488	E N E1	321358.111 5525597.222 344.762	0.9999405	0.9999485	923110 290007 832006	75H2440 75H2511 95H1803	TERR TERR TERR	1 55 56 148 47 23 239 8 13	168.600 241.550 352.325	168.610 241.566 352.346
492041	75H2489	E N E1	321157.796 5524446.252 343.632	0.9999416	0.9999487	MARKER DESTROYED					
799478	75H2490	E N E1	329417.435 5528411.878 449.131	0.9998895	0.9999321	MARKER DESTROYED					
683151	75H2491	E N E1	329260.920 5528000.229 452.243	0.9998897	0.9999316	MARKER ISOLATED					
489740	75H2492	E N E1	324155.428 5532321.733 406.025	0.9999187	0.9999389	674218	75H2487	TERR	27 45 41	235.561	235.581
854604	75H2493	E N E1	330904.363 5531090.056 503.233	0.9998748	0.9999236	MARKER DESTROYED					
392613	75H2494	E N E1	324730.857 5533072.653 413.645	0.9999150	0.9999377	79772 390427 439380 121327 861484 308064	75H2499 96H2135 73H1732 95H1927 75H2501 74H1963	TERR GPS GPS GPS TERR GPS	24 18 24 81 43 20 113 14 56 177 43 40 190 53 28 252 40 44	162.385 1253.336 4608.781 4268.381 441.895 2058.287	162.398 1253.448 4609.211 4268.731 441.933 2058.471
72819	75H2495	E N E1	325712.944 5535248.571 443.077	0.9999062	0.9999331	363002 665448	75H2521 75H2507	TERR TERR	25 38 49 205 10 47	451.171 555.501	451.214 555.552
411454	75H2496	E N E1	330744.596 5530428.256 537.554	0.9998701	0.9999183	197046	75H2481	TERR	205 8 23	214.851	214.878
757351	75H2497	E N E1	325338.642 5534220.021 435.040	0.9999091	0.9999344	665448 38091	75H2507 95H1865	TERR TERR	14 42 3 193 44 48	543.631 283.701	543.680 283.727

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
477802	75H2498	E	330180.047	0.9998775	0.9999233		MARKER DESTROYED				
		N	5529044.925								
		E1	505.376	CVD28BC							
79772	75H2499	E	324797.698	0.9999144	0.9999374	392613	75H2494	TERR	204 18 24	162.385	162.398
		N	5533220.643								
		E1	415.604	CVD28BC							
932665	75H2500	E	330539.462	0.9998738	0.9999211	170217	75H2478	TERR	21 52 43	183.825	183.849
		N	5529621.526								
		E1	519.719	CVD28BC							
861484	75H2501	E	324647.364	0.9999157	0.9999380	392613	75H2494	TERR	10 53 28	441.895	441.933
		N	5532638.717								
		E1	411.602	CVD28BC							
49437	75H2502	E	324261.013	0.9999196	0.9999402		MARKER DESTROYED				
		N	5531839.474								
		E1	397.534	CVD28BC							
690883	75H2503	E	324542.665	0.9999234	0.9999452		MARKER DESTROYED				
		N	5527540.146								
		E1	365.599	CVD28BC							
103622	75H2504	E	324218.160	0.9999261	0.9999466		MARKER DESTROYED				
		N	5526267.974								
		E1	356.919	CVD28BC							
148189	75H2505	E	330928.550	0.9998737	0.9999226	247122	75H2516	TERR	202 14 0	207.320	207.346
		N	5531696.232								
		E1	509.585	CVD28BC							
128983	75H2506	E	321229.098	0.9999412	0.9999486		MARKER DESTROYED				
		N	5525099.026								
		E1	343.985	CVD28BC							
665448	75H2507	E	325476.601	0.9999086	0.9999345	72819	75H2495	TERR	25 10 47	555.501	555.552
		N	5534745.855			757351	75H2497	TERR	194 42 3	543.631	543.680
		E1	434.320	CVD28BC							
548925	75H2508	E	330460.634	0.9998747	0.9999216	890145	75H2522	TERR	49 33 41	171.662	171.683
		N	5529233.458								
		E1	516.247	CVD28BC							
867457	75H2509	E	322825.200	0.9999330	0.9999474		MARKER DESTROYED				
		N	5527209.359								
		E1	351.656	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
802744	75H2510	E N E1	323973.330 5531249.620 395.964	0.9999211 CVD28BC	0.9999405		MARKER DESTROYED				
290007	75H2511	E N E1	321483.278 5525390.631 345.294	0.9999399 CVD28BC	0.9999484	805838 993204	95H1832 75H2488	TERR TERR	150 24 45 328 47 23	279.128 241.550	279.144 241.566
28043	75H2512	E N E1	320939.502 5525612.425 344.057	0.9999425 CVD28BC	0.9999486	914986 832006	75H2790 95H1803	TERR TERR	1 47 34 149 20 10	366.123 227.794	366.145 227.807
956011	75H2513	E N E1	320711.086 5526498.912 343.652	0.9999435 CVD28BC	0.9999487	487868 625723	95H1935 79H9941	TERR TERR	0 15 27 158 56 29	223.373 247.926	223.385 247.941
902940	75H2514	E N E1	320960.509 5526262.433 344.115	0.9999424 CVD28BC	0.9999486		MARKER DESTROYED				
537522	75H2515	E N E1	325199.682 5533717.678 430.893	0.9999103 CVD28BC	0.9999350	38091	95H1865	TERR	17 30 36	237.787	237.809
247122	75H2516	E N E1	330850.104 5531504.326 507.331	0.9998744 CVD28BC	0.9999230	148189 101790	75H2505 75H2484	TERR TERR	22 14 0 158 38 9	207.320 230.034	207.346 230.063
391953	75H2517	E N E1	329271.877 5528593.852 430.945	0.9998930 CVD28BC	0.9999350		MARKER DESTROYED				
977967	75H2518	E N E1	326039.415 5536317.051 458.531	0.9999024 CVD28BC	0.9999307	122093 387365 390427 572628	96H2118 75H2867 96H2135 75H2782	GPS TERR GPS TERR	23 16 15 27 7 47 181 16 36 194 31 47	6456.102 3384.495 3064.715 334.150	6456.755 3384.915 3065.007 334.182
410159	75H2519	E N E1	324040.622 5526854.303 357.397	0.9999268 CVD28BC	0.9999465		MARKER DESTROYED				
594374	75H2520	E N E1	324411.995 5532149.245 399.174	0.9999187 CVD28BC	0.9999400		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
363002	75H2521	E	325908.222	0.9999036	0.9999313	72819	75H2495	TERR	205 38 49	451.171	451.214
		N	5535655.292								
		E1	454.494	CVD28BC							
890145	75H2522	E	330591.286	0.9998739	0.9999214	548925	75H2508	TERR	229 33 41	171.662	171.683
		N	5529344.803								
		E1	517.564	CVD28BC							
650697	75H2523	E	329265.194	0.9998903	0.9999322		MARKER DESTROYED				
		N	5528160.222								
		E1	448.455	CVD28BC							
785881	75H2524	E	329434.621	0.9998882	0.9999308		MARKER DESTROYED				
		N	5528263.653								
		E1	457.468	CVD28BC							
931113	75H2525	E	329371.238	0.9998917	0.9999341		MARKER DESTROYED				
		N	5528591.788								
		E1	436.270	CVD28BC							
103259	75H2526	E	325039.616	0.9999117	0.9999357		MARKER DESTROYED				
		N	5533508.703								
		E1	426.398	CVD28BC							
233379	75H2527	E	329336.120	0.9998902	0.9999324		MARKER DESTROYED				
		N	5528333.078								
		E1	447.131	CVD28BC							
619288	75H2781	E	324533.246	0.9999174	0.9999392		MARKER DESTROYED				
		N	5532397.641								
		E1	404.100	CVD28BC							
572628	75H2782	E	325955.583	0.9999033	0.9999313	977967	75H2518	TERR	14 31 47	334.150	334.182
		N	5535993.588								
		E1	454.617	CVD28BC							
627703	75H2783	E	329049.639	0.9998955	0.9999366	948265	75H2480	TERR	178 20 39	187.063	187.083
		N	5528605.791			231365	73H1720	TERR	271 39 53	99.411	99.422
		E1	420.756	CVD28BC							
839969	75H2784	E	321249.639	0.9999411	0.9999486	805838	95H1832	TERR	61 40 57	421.953	421.979
		N	5524947.744			731539	95H1812	TERR	170 47 33	218.233	218.245
		E1	344.117	CVD28BC							
91983	75H2784X	E	321249.589	0.9999411	0.9999486		MARKER DESTROYED				
		N	5524948.305								
		E1	344.268	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
93658	75H2785	E	321061.473	0.9999420	0.9999487		MARKER DESTROYED				
		N	5523773.071								
		E1	343.628	CVD28BC							
880112	75H2786	E	324260.085	0.9999253	0.9999459		MARKER DESTROYED				
		N	5527155.099								
		E1	361.231	CVD28BC							
721720	75H2787	E	321121.310	0.9999417	0.9999486	708115	95H1811	TERR	4 38 10	364.665	364.687
		N	5524083.652			655928	95H1810	TERR	194 39 11	280.623	280.639
		E1	343.979	CVD28BC							
832808	75H2788	E	325262.492	0.9999094	0.9999344		MARKER DESTROYED				
		N	5533926.035								
		E1	435.019	CVD28BC							
105650	75H2789	E	321614.676	0.9999393	0.9999485		MARKER DESTROYED				
		N	5525166.096								
		E1	345.208	CVD28BC							
914986	75H2790	E	320950.956	0.9999425	0.9999487	28043	75H2512	TERR	181 47 34	366.123	366.145
		N	5525978.369								
		E1	343.570	CVD28BC							
239525	75H2791	E	322400.296	0.9999157	0.9999282	332916	75H2798	TERR	142 33 40	146.173	146.186
		N	5521263.172								
		E1	474.040	CVD28BC							
15131	75H2792	E	319280.113	0.9999459	0.9999447	602300	75H2844	TERR	218 36 40	188.127	188.137
		N	5520004.406								
		E1	368.779	CVD28BC							
335497	75H2793	E	319399.357	0.9999451	0.9999444		MARKER DESTROYED				
		N	5520083.310								
		E1	370.741	CVD28BC							
171819	75H2794	E	319998.874	0.9999398	0.9999418	17228	95H1840	TERR	45 36 11	260.229	260.244
		N	5520347.816			86678	75H2845	TERR	222 34 14	229.992	230.007
		E1	387.592	CVD28BC							
110965	75H2795	E	322793.576	0.9999109	0.9999252	568428	75H2796	TERR	330 20 44	257.279	257.302
		N	5520525.809								
		E1	493.357	CVD28BC							
568428	75H2796	E	322666.283	0.9999126	0.9999263	110965	75H2795	TERR	150 20 44	257.279	257.302
		N	5520749.391								
		E1	486.298	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
546812	75H2797	E	323071.119	0.9999122	0.9999277	779025	76H2875	TERR	305 8 55	184.074	184.089
		N	5520993.303								
		E1	477.372	CVD28BC							
332916	75H2798	E	322489.157	0.9999149	0.9999279	239525	75H2791	TERR	322 33 40	146.173	146.186
		N	5521147.110								
		E1	476.215	CVD28BC							
230870	75H2799	E	325169.114	0.9999192	0.9999438	49866	75H2839	TERR	309 51 56	178.662	178.676
		N	5526668.243								
		E1	374.695	CVD28BC							
193052	75H2800	E	320043.856	0.9999266	0.9999288		MARKER DESTROYED				
		N	5519587.731								
		E1	470.568	CVD28BC							
673863	75H2801	E	320147.832	0.9999356	0.9999383		MARKER DESTROYED				
		N	5520228.661								
		E1	409.710	CVD28BC							
621581	75H2802	E	318790.680	0.9999398	0.9999365		MARKER DESTROYED				
		N	5519361.807								
		E1	421.465	CVD28BC							
896944	75H2803	E	318944.876	0.9999417	0.9999390		MARKER DESTROYED				
		N	5519594.150								
		E1	405.265	CVD28BC							
545657	75H2804	E	319403.221	0.9999289	0.9999282		MARKER DESTROYED				
		N	5519410.517								
		E1	474.035	CVD28BC							
61317	75H2805	E	319915.532	0.9999282	0.9999298		MARKER ISOLATED				
		N	5519573.112								
		E1	463.940	CVD28BC							
710764	75H2806	E	320297.373	0.9999292	0.9999325	376673	75H2808	TERR	171 3 4	181.715	181.728
		N	5519911.056								
		E1	446.579	CVD28BC							
678417	75H2807	E	319707.366	0.9999275	0.9999282		MARKER DESTROYED				
		N	5519403.270								
		E1	474.392	CVD28BC							
376673	75H2808	E	320325.639	0.9999282	0.9999317	710764	75H2806	TERR	351 3 4	181.715	181.728
		N	5519731.553								
		E1	452.005	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
322354	75H2809	E	320146.249	0.9999330	0.9999357		MARKER DESTROYED				
		N	5520057.428								
		E1	426.456	CVD28BC							
378125	75H2810	E	320999.090	0.9999420	0.9999484		MARKER DESTROYED				
		N	5528047.436								
		E1	345.272	CVD28BC							
615328	75H2811	E	322795.763	0.9999057	0.9999200		MARKER DESTROYED				
		N	5533272.425								
		E1	527.019	CVD28BC							
880765	75H2812	E	322820.241	0.9999073	0.9999217	390427	96H2135	GPS	93 6 7	3155.518	3155.811
		N	5533423.844			439380	73H1732	GPS	109 27 9	6517.177	6517.812
		E1	516.030	CVD28BC		121327	95H1927	GPS	155 44 45	5063.126	5063.560
						308064	74H1963	GPS	183 13 32	965.532	965.622
23705	75H2813	E	322729.430	0.9999340	0.9999480	308379	75H2820	TERR	28 29 47	374.122	374.146
		N	5525177.680								
		E1	348.150	CVD28BC							
605345	75H2814	E	322493.047	0.9999354	0.9999484		MARKER DESTROYED				
		N	5524746.280								
		E1	345.764	CVD28BC							
466003	75H2815	E	322902.429	0.9999311	0.9999459	236562	75H2861	TERR	0 15 47	171.351	171.363
		N	5529677.408								
		E1	361.367	CVD28BC							
398891	75H2816	E	323196.816	0.9999316	0.9999476		MARKER ISOLATED				
		N	5525777.307								
		E1	350.324	CVD28BC							
468603	75H2817	E	321974.919	0.9999377	0.9999484		MARKER DESTROYED				
		N	5524994.056								
		E1	345.211	CVD28BC							
188805	75H2818	E	322675.364	0.9999065	0.9999202		MARKER ISOLATED				
		N	5532922.739								
		E1	525.281	CVD28BC							
126656	75H2819	E	322585.566	0.9999072	0.9999206		MARKER DESTROYED				
		N	5532735.516								
		E1	522.730	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
308379	75H2820	E N E1	322907.925 5525506.476 348.897	0.9999331	0.9999479	23705	75H2813	TERR	208 29 47	374.122	374.146
212670	75H2821	E N E1	320082.548 5519155.824 501.096	0.9999216	0.9999240	645895	75H2828	TERR	181 53 45	131.940	131.951
482737	75H2822	E N E1	331181.045 5532086.899 515.882	0.9998717	0.9999217	189167	75H2826	TERR	176 19 36	199.998	200.024
379685	75H2823	E N E1	319953.776 5519173.303 491.355	0.9999237	0.9999255		MARKER DESTROYED				
787416	75H2824	E N E1	320087.478 5519429.664 479.299	0.9999250	0.9999274		MARKER ISOLATED				
860296	75H2825	E N E1	330453.441 5531536.606 499.876	0.9998772	0.9999242		MARKER DESTROYED				
189167	75H2826	E N E1	331193.858 5531887.312 514.485	0.9998719	0.9999219	482737	75H2822	TERR	356 19 36	199.998	200.024
535112	75H2827	E N E1	330499.447 5531726.338 501.565	0.9998768	0.9999239		MARKER DESTROYED				
645895	75H2828	E N E1	320078.183 5519023.956 501.271	0.9999216	0.9999240	212670	75H2821	TERR	1 53 45	131.940	131.951
164202	75H2829	E N E1	319775.522 5518923.437 497.289	0.9999236	0.9999246		MARKER DESTROYED				
749218	75H2830	E N E1	319861.398 5518992.158 493.655	0.9999237	0.9999252		MARKER DESTROYED				
451484	75H2831	E N E1	324824.704 5526339.903 365.115	0.9999222	0.9999453	904912	75H2838	TERR	210 1 4	172.715	172.729

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
53496	75H2832	E	323481.027	0.9999260	0.9999433	439380	73H1732	GPS	81 39 26	5543.032	5543.519		
		N	5530449.185					TERR	183 9 40			214.203	214.219
		E1	378.109					CVD28BC	308064			74H1963	GPS
465757	75H2833	E	324859.074	0.9999212	0.9999445	827469	75H2835	TERR	96 46 57	175.792	175.807		
		N	5526083.823					TERR	258 25 26			146.070	146.082
		E1	370.623					CVD28BC	733113			75H2836	
56630	75H2834	E	319985.207	0.9999249	0.9999269			MARKER DESTROYED					
		N	5519313.029										
		E1	482.677					CVD28BC					
827469	75H2835	E	325033.636	0.9999195	0.9999435	465757	75H2833	TERR	276 46 57	175.792	175.807		
		N	5526063.062										
		E1	376.920					CVD28BC					
733113	75H2836	E	324715.975	0.9999224	0.9999450	904912	75H2838	TERR	9 19 58	137.665	137.676		
		N	5526054.511					TERR	78 25 26			146.070	146.082
		E1	367.239					CVD28BC	465757				
522474	75H2837	E	325299.724	0.9999166	0.9999417	103028	75H2862	TERR	51 30 34	94.297	94.305		
		N	5526114.271										
		E1	388.138					CVD28BC					
904912	75H2838	E	324738.300	0.9999227	0.9999455	451484	75H2831	TERR	30 1 4	172.715	172.729		
		N	5526190.354					TERR	189 19 58			137.665	137.676
		E1	364.275					CVD28BC	733113			75H2836	
49866	75H2839	E	325031.982	0.9999206	0.9999445	230870	75H2799	TERR	129 51 56	178.662	178.676		
		N	5526782.763										
		E1	370.098					CVD28BC					
312108	75H2840	E	325136.937	0.9999187	0.9999431			MARKER DESTROYED					
		N	5526120.184										
		E1	379.188					CVD28BC					
565077	75H2841	E	322715.402	0.9999150	0.9999289	779025	76H2875	TERR	95 45 37	206.248	206.266		
		N	5521119.974					TERR	207 28 18			123.995	124.005
		E1	469.524					CVD28BC	646828			75H2850	
798249	75H2842	E	319608.054	0.9999419	0.9999422			MARKER DESTROYED					
		N	5520111.306										
		E1	384.963					CVD28BC					
191270	75H2843	E	322818.180	0.9999117	0.9999261	302422	75H2849	TERR	60 17 7	208.483	208.501		
		N	5520715.989										
		E1	487.487					CVD28BC					

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
602300	75H2844	E N E1	319162.716 5519857.404 375.170	0.9999454	0.9999437	15131	75H2792	TERR	38 36 40	188.127	188.137
86678	75H2845	E N E1	319843.285 5520178.439 384.878	0.9999409	0.9999422	171819	75H2794	TERR	42 34 14	229.992	230.007
650127	75H2846	E N E1	321815.910 5525753.469 345.305	0.9999384	0.9999484	781013 923110	95H1829 75H2440	TERR TERR	93 19 38 271 33 11	328.177 452.280	328.199 452.307
321265	75H2847	E N E1	322158.324 5525730.154 346.564	0.9999367	0.9999482		MARKER DESTROYED				
35485	75H2848	E N E1	322135.929 5525333.497 346.818	0.9999368	0.9999482		MARKER DESTROYED				
302422	75H2849	E N E1	322999.248 5520819.330 486.568	0.9999111	0.9999263	191270	75H2843	TERR	240 17 7	208.483	208.501
646828	75H2850	E N E1	322658.202 5521009.961 479.497	0.9999137	0.9999274	565077	75H2841	TERR	27 28 18	123.995	124.005
659185	75H2851	E N E1	331563.668 5526714.375 610.569	0.9998553	0.9999068	515643 711432 418863 426460	75H2457 74H1998 74H2005 75H2460	TERR TERR TERR TERR	54 15 19 203 2 8 208 34 4 334 15 36	112.882 1179.809 986.017 254.206	112.898 1179.981 986.158 254.242
160416	75H2852	E N E1	320874.084 5531190.881 343.108	0.9999429	0.9999488		MARKER DESTROYED				
845982	75H2853	E N E1	323624.897 5527179.796 355.339	0.9999290	0.9999469	457556	73H1760	TERR	2 3 2	691.650	691.700
173666	75H2854	E N E1	323895.079 5526051.622 354.203	0.9999280	0.9999470		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
474429	75H2855	E	320654.227	0.9999438	0.9999487		MARKER DESTROYED				
		N	5531468.354								
		E1	343.395	CVD28BC							
813915	75H2856	E	330113.467	0.9998713	0.9999168		MARKER DESTROYED				
		N	5528035.883								
		E1	546.991	CVD28BC							
485540	75H2857	E	325448.323	0.9999169	0.9999426	27458	75H2445	TERR	0 13 57	172.701	172.716
		N	5527082.720								
		E1	382.250	CVD28BC							
451294	75H2858	E	330105.563	0.9998691	0.9999146		MARKER DESTROYED				
		N	5527855.785								
		E1	561.181	CVD28BC							
991398	75H2859	E	331170.147	0.9998592	0.9999091		MARKER ISOLATED				
		N	5527070.844								
		E1	595.692	CVD28BC							
533141	75H2860	E	331234.467	0.9998608	0.9999109		MARKER DESTROYED				
		N	5526766.710								
		E1	584.318	CVD28BC							
236562	75H2861	E	322903.216	0.9999305	0.9999453	466003	75H2815	TERR	180 15 47	171.351	171.363
		N	5529848.757								
		E1	365.415	CVD28BC							
103028	75H2862	E	325373.531	0.9999155	0.9999409	238832	75H2863	TERR	0 47 13	140.308	140.320
		N	5526172.960			522474	75H2837	TERR	231 30 34	94.297	94.305
		E1	393.057	CVD28BC							
238832	75H2863	E	325375.458	0.9999152	0.9999406	103028	75H2862	TERR	180 47 13	140.308	140.320
		N	5526313.255								
		E1	395.103	CVD28BC							
393280	75H2864	E	325377.552	0.9999156	0.9999410		MARKER DESTROYED				
		N	5526408.725								
		E1	392.493	CVD28BC							
239442	75H2865	E	325179.677	0.9999179	0.9999425		MARKER ISOLATED				
		N	5526335.102								
		E1	383.227	CVD28BC							
22608	75H2866	E	325099.348	0.9999187	0.9999430		MARKER DESTROYED				
		N	5526250.652								
		E1	379.804	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
387365	75H2867	E	327582.767	0.9998503	0.9998852	328195	657013	TERR	150 55 29	13580.401	13583.189				
		N	5539329.172					977967	75H2518			TERR	207 7 47	3384.495	3384.915
		E1	748.724					CVD28BC	4598			657014	TERR	261 35 5	9077.960
176420	75H2868	E	323478.816	0.9999286	0.9999459	MARKER ISOLATED									
		N	5529711.419												
		E1	361.414			CVD28BC									
140640	75H2869	E	323407.150	0.9999290	0.9999460	MARKER DESTROYED									
		N	5529581.152												
		E1	361.074			CVD28BC									
7815	75H2870	E	323370.927	0.9999296	0.9999464	MARKER DESTROYED									
		N	5529476.351												
		E1	358.125			CVD28BC									
746867	75H2871	E	323229.764	0.9999306	0.9999468	MARKER ISOLATED									
		N	5529401.304												
		E1	355.964			CVD28BC									
349738	75H2872	E	323137.206	0.9999313	0.9999471	MARKER DESTROYED									
		N	5529368.646												
		E1	354.146			CVD28BC									
877431	76H2873	E	324292.046	0.9999206	0.9999414	129726	76H2881	TERR	117 46 9	106.629	106.638				
		N	5530272.067			20842	73H1781	TERR	298 20 54	209.448	209.464				
		E1	390.102			CVD28BC									
850818	76H2874	E	322956.633	0.9999179	0.9999329	MARKER DESTROYED									
		N	5531115.071												
		E1	444.178			CVD28BC									
779025	76H2875	E	322920.609	0.9999139	0.9999288	546812	75H2797	TERR	125 8 55	184.074	184.089				
		N	5521099.274			565077	75H2841	TERR	275 45 37	206.248	206.266				
		E1	470.706			CVD28BC									
499814	76H2877	E	322087.744	0.9999369	0.9999481	422824	6478	TERR	181 53 8	272.979	272.996				
		N	5529526.317			939314	79H9944	TERR	270 25 18	408.982	409.007				
		E1	347.166			CVD28BC									
412999	76H2878	E	323169.281	0.9999225	0.9999385	MARKER DESTROYED									
		N	5530808.932												
		E1	408.937			CVD28BC									
510115	76H2879	E	323245.880	0.9999241	0.9999403	MARKER DESTROYED									
		N	5530661.242												
		E1	396.956			CVD28BC									

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
884833	76H2880	E	324240.243	0.9999220	0.9999426	129726	76H2881	TERR	36 1 21	248.514	248.534
		N	5530021.393			986646	73H1779	TERR	295 58 32	163.297	163.309
		E1	382.450	CVD28BC							
129726	76H2881	E	324386.395	0.9999184	0.9999396	884833	76H2880	TERR	216 1 21	248.514	248.534
		N	5530222.387			877431	76H2873	TERR	297 46 9	106.629	106.638
		E1	401.652	CVD28BC							
222356	76H2882	E	322811.236	0.9999314	0.9999458			MARKER DESTROYED			
		N	5528911.048								
		E1	362.292	CVD28BC							
394387	76H2883	E	322540.845	0.9999342	0.9999474			MARKER DESTROYED			
		N	5528784.079								
		E1	351.755	CVD28BC							
438754	77H2884	E	326315.361	0.9999130	0.9999425			MARKER DESTROYED			
		N	5528138.020								
		E1	382.998	CVD28BC							
341461	77H2885	E	321135.028	0.9999413	0.9999483			MARKER DESTROYED			
		N	5528979.464								
		E1	345.991	CVD28BC							
889576	77H2886	E	322074.783	0.9999366	0.9999478			MARKER DESTROYED			
		N	5528804.578								
		E1	349.490	CVD28BC							
363788	77H2888	E	321650.555	0.9999387	0.9999480			MARKER DESTROYED			
		N	5528954.844								
		E1	348.217	CVD28BC							
546283	78H2887	E	321257.170	0.9999407	0.9999483			MARKER DESTROYED			
		N	5528969.700								
		E1	346.481	CVD28BC							
608448	78H2889	E	321012.667	0.9999419	0.9999484			MARKER DESTROYED			
		N	5528983.185								
		E1	345.433	CVD28BC							
266064	78H8226	E	320774.588	0.9999431	0.9999485			MARKER DESTROYED			
		N	5528682.141								
		E1	344.735	CVD28BC							
233817	78H8228	E	322056.611	0.9999365	0.9999476			MARKER DESTROYED			
		N	5528262.943								
		E1	350.755	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
965764	78H8229	E	321624.959	0.9999388	0.9999480	453621	95H1912	TERR	179 14 24	391.875	391.899
		N	5528217.913			973198	79H9936	TERR	272 11 26	225.212	225.226
		E1	347.853	CVD28BC							
938233	78H8232	E	320672.851	0.9999436	0.9999486		MARKER DESTROYED				
		N	5528993.907								
		E1	344.051	CVD28BC							
943779	78H8233	E	320784.271	0.9999431	0.9999486		MARKER DESTROYED				
		N	5528990.326								
		E1	344.360	CVD28BC							
450924	78H8234	E	320891.635	0.9999426	0.9999485		MARKER DESTROYED				
		N	5528859.105								
		E1	344.769	CVD28BC							
162107	78H8235	E	322071.209	0.9999365	0.9999477		MARKER DESTROYED				
		N	5528632.043								
		E1	350.201	CVD28BC							
52043	78H8236	E	320886.238	0.9999426	0.9999485		MARKER DESTROYED				
		N	5528678.417								
		E1	344.777	CVD28BC							
289488	78H8237	E	321139.908	0.9999413	0.9999484		MARKER DESTROYED				
		N	5528668.521								
		E1	345.689	CVD28BC							
888222	78H8239	E	320669.145	0.9999436	0.9999486		MARKER DESTROYED				
		N	5528866.786								
		E1	344.272	CVD28BC							
104950	78H8240	E	320895.584	0.9999425	0.9999485		MARKER DESTROYED				
		N	5528986.870								
		E1	344.915	CVD28BC							
381806	78H8243	E	321639.790	0.9999388	0.9999480		MARKER DESTROYED				
		N	5528648.815								
		E1	347.836	CVD28BC							
715714	78H8244	E	322248.330	0.9999355	0.9999474	866756	6439	TERR	88 51 38	201.423	201.436
		N	5528239.873			783605	86H2372	TERR	275 43 47	191.600	191.613
		E1	351.992	CVD28BC							
80648	78H8246	E	320780.105	0.9999431	0.9999486		MARKER DESTROYED				
		N	5528863.035								
		E1	344.552	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
645564	78H8248	E	321143.538	0.9999413	0.9999484		MARKER DESTROYED				
		N	5528770.953								
		E1	345.482	CVD28BC							
957662	78H8250	E	322844.527	0.9999325	0.9999471		MARKER DESTROYED				
		N	5528247.664								
		E1	354.144	CVD28BC							
732859	78H8251	E	320663.544	0.9999436	0.9999486		MARKER DESTROYED				
		N	5528684.980								
		E1	344.327	CVD28BC							
578039	78H8427	E	320560.157	0.9999442	0.9999487		MARKER DESTROYED				
		N	5528997.274								
		E1	343.714	CVD28BC							
389619	78H8428	E	320450.066	0.9999446	0.9999487		MARKER DESTROYED				
		N	5528953.682								
		E1	343.940	CVD28BC							
753517	78H8429	E	320443.639	0.9999446	0.9999486		MARKER DESTROYED				
		N	5528696.707								
		E1	344.024	CVD28BC							
999169	78H8430	E	321147.792	0.9999413	0.9999484		MARKER DESTROYED				
		N	5528851.440								
		E1	345.619	CVD28BC							
998450	78H8431	E	321245.888	0.9999408	0.9999483		MARKER DESTROYED				
		N	5528663.219								
		E1	346.125	CVD28BC							
792036	79H9935	E	321214.430	0.9999410	0.9999483		MARKER DESTROYED				
		N	5528251.535								
		E1	345.919	CVD28BC							
973198	79H9936	E	321399.912	0.9999400	0.9999482	965764	78H8229	TERR	92 11 26	225.212	225.226
		N	5528226.521								
		E1	346.896	CVD28BC							
189829	79H9937	E	321615.692	0.9999393	0.9999485		MARKER DESTROYED				
		N	5525165.144								
		E1	345.136	CVD28BC							
210310	79H9938	E	322538.814	0.9999343	0.9999475	192419	6495	TERR	173 51 23	120.339	120.347
		N	5528788.454			257394	79H9940	TERR	272 2 41	463.363	463.393
		E1	351.331	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
698688	79H9939	E	320954.706	0.9999424	0.9999487		MARKER DESTROYED				
		N	5526272.455								
		E1	343.962	CVD28BC							
257394	79H9940	E	322075.746	0.9999366	0.9999478	937482	79H9943	TERR	3 21 47	133.067	133.076
		N	5528804.986			210310	79H9938	TERR	92 2 41	463.363	463.393
		E1	349.422	CVD28BC		464131	86H2365	TERR	189 36 29	165.703	165.713
625723	79H9941	E	320800.172	0.9999431	0.9999486	956011	75H2513	TERR	338 56 29	247.926	247.941
		N	5526267.544								
		E1	344.106	CVD28BC							
619460	79H9942	E	321590.901	0.9999394	0.9999484	666917	6485	TERR	271 19 26	398.881	398.904
		N	5526628.617			405902	95H1902	TERR	359 18 7	396.270	396.294
		E1	345.496	CVD28BC							
937482	79H9943	E	322083.552	0.9999367	0.9999479	508846	9614	TERR	93 56 41	440.147	440.175
		N	5528937.824			257394	79H9940	TERR	183 21 47	133.067	133.076
		E1	348.949	CVD28BC		758086	95H1858	TERR	272 16 14	433.027	433.054
						422824	6478	TERR	359 7 50	315.698	315.718
939314	79H9944	E	321678.773	0.9999389	0.9999483	906107	6456	TERR	1 41 35	526.369	526.401
		N	5529529.327			499814	76H2877	TERR	90 25 18	408.982	409.007
		E1	345.903	CVD28BC		167510	6454	TERR	183 57 35	260.434	260.450
213090	8010	E	322589.915	0.9999052	0.9999186	164871	6432	TERR	288 11 36	309.444	309.473
		N	5530706.160								
		E1	535.800	CVD28BC							
212563	8011	E	323166.729	0.9999293	0.9999453	438796	6522	TERR	233 24 39	366.770	366.797
		N	5528907.668			828293	6426	TERR	267 37 25	146.243	146.253
		E1	365.528	CVD28BC							
291682	8012	E	322498.246	0.9999342	0.9999472	192419	6495	TERR	19 27 24	160.457	160.468
		N	5528517.512			811406	6438	TERR	120 15 23	178.657	178.669
		E1	353.446	CVD28BC		940486	6520	TERR	294 32 39	148.801	148.811
479147	8013	E	320718.772	0.9999435	0.9999487	487868	95H1935	TERR	182 24 25	159.102	159.111
		N	5526881.245								
		E1	343.437	CVD28BC							
329888	8014	E	322107.199	0.9999330	0.9999443	785212	95H1903	TERR	127 45 60	148.141	148.150
		N	5530178.297								
		E1	371.950	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
226399	8015	E	322264.084	0.9999321	0.9999441		MARKER DESTROYED				
		N	5530071.279								
		E1	372.999	CVD28BC							
579508	8016	E	322528.221	0.9999346	0.9999478	508846	9614	TERR	180 54 33	350.674	350.698
		N	5529258.175			706150	6460	TERR	271 25 15	188.225	188.237
		E1	349.448	CVD28BC		623249	6469	TERR	359 56 36	187.239	187.252
256339	8017	E	322861.034	0.9999322	0.9999468		MARKER DESTROYED				
		N	5528393.616								
		E1	355.607	CVD28BC							
915397	86H2351	E	327433.643	0.9999061	0.9999404	293449	86H2352	TERR	92 13 12	314.126	314.156
		N	5529072.925			840223	86H2354	TERR	268 33 38	376.580	376.615
		E1	396.604	CVD28BC							
293449	86H2352	E	327747.533	0.9999041	0.9999397	158741	86H2353	TERR	96 2 20	367.457	367.492
		N	5529060.757			762302	73H1920	TERR	183 5 3	365.076	365.111
		E1	401.163	CVD28BC		915397	86H2351	TERR	272 13 12	314.126	314.156
158741	86H2353	E	328112.951	0.9998999	0.9999370	162735	73H1909	TERR	88 48 19	241.675	241.699
		N	5529022.100			3004	73H1916	TERR	179 33 51	214.734	214.756
		E1	418.375	CVD28BC		293449	86H2352	TERR	276 2 20	367.457	367.492
840223	86H2354	E	327057.182	0.9999091	0.9999417	693382	73H1854	TERR	2 3 27	357.945	357.977
		N	5529063.466			915397	86H2351	TERR	88 33 38	376.580	376.615
		E1	388.224	CVD28BC		256404	86H2360	TERR	271 57 12	345.035	345.066
341651	86H2355	E	328572.065	0.9998985	0.9999376	556936	86H2361	TERR	182 6 28	362.384	362.421
		N	5529370.801			751925	86H2356	TERR	359 35 59	354.966	355.001
		E1	414.501	CVD28BC							
751925	86H2356	E	328569.586	0.9998990	0.9999380	341651	86H2355	TERR	179 35 59	354.966	355.001
		N	5529725.758								
		E1	411.414	CVD28BC							
693457	86H2357	E	329243.101	0.9998952	0.9999370	180257	86H2358	TERR	271 25 44	276.323	276.353
		N	5529010.332								
		E1	417.925	CVD28BC							
180257	86H2358	E	328966.864	0.9998964	0.9999371	693457	86H2357	TERR	91 25 44	276.323	276.353
		N	5529017.222			231365	73H1720	TERR	182 19 33	408.880	408.922
		E1	417.555	CVD28BC		384826	86H2359	TERR	271 11 45	200.970	200.990
384826	86H2359	E	328765.938	0.9998971	0.9999369	180257	86H2358	TERR	91 11 45	200.970	200.990
		N	5529021.416			983007	73H1717	TERR	182 25 34	414.611	414.654
		E1	418.584	CVD28BC		556936	86H2361	TERR	266 28 40	207.593	207.614

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
256404	86H2360	E	326712.348	0.9999111	0.9999423	840223	86H2354	TERR	91 57 12	345.035	345.066
		N	5529075.226								
		E1	384.377	CVD28BC							
556936	86H2361	E	328558.737	0.9998979	0.9999369	341651	86H2355	TERR	2 6 28	362.384	362.421
		N	5529008.662			384826	86H2359	TERR	86 28 40	207.593	207.614
		E1	418.499	CVD28BC		162735	73H1909	TERR	275 10 16	204.998	205.020
809061	86H2362	E	328600.831	0.9998995	0.9999387						
		N	5530236.211								
		E1	407.409	CVD28BC							
171264	86H2363	E	328670.331	0.9998993	0.9999387						
		N	5532262.195								
		E1	407.046	CVD28BC							
7484	86H2364	E	322029.214	0.9999370	0.9999480						
		N	5527720.176								
		E1	348.392	CVD28BC							
464131	86H2365	E	322048.089	0.9999366	0.9999477	257394	79H9940	TERR	9 36 29	165.703	165.713
		N	5528641.607			940486	6520	TERR	101 11 30	320.903	320.924
		E1	350.336	CVD28BC		783605	86H2372	TERR	178 33 47	382.725	382.750
910992	86H2366	E	322860.818	0.9999080	0.9999226						
		N	5531971.448								
		E1	510.223	CVD28BC							
294199	86H2367	E	322134.222	0.9999368	0.9999482	781013	95H1829	TERR	1 20 59	395.318	395.343
		N	5525339.214			773523	95H1805	TERR	203 54 54	372.493	372.516
		E1	346.974	CVD28BC							
114983	86H2368	E	321247.491	0.9999408	0.9999483						
		N	5528679.657								
		E1	346.052	CVD28BC							
923250	86H2369	E	322938.102	0.9999142	0.9999291						
		N	5531514.126								
		E1	468.437	CVD28BC							
82388	86H2370	E	321425.105	0.9999401	0.9999484						
		N	5522923.896								
		E1	345.364	CVD28BC							
731430	86H2371	E	320885.923	0.9999426	0.9999485	67686	86H2382	TERR	88 0 60	256.049	256.064
		N	5528658.385			312413	86H2376	TERR	286 36 21	116.304	116.311
		E1	344.701	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
783605	86H2372	E	322057.687	0.9999366	0.9999477	715714	78H8244	TERR	95 43 47	191.600	191.613
		N	5528259.002			398909	95H1911	TERR	185 47 34	369.351	369.374
		E1	350.295	CVD28BC		464131	86H2365	TERR	358 33 47	382.725	382.750
393678	86H2373	E	322852.379	0.9999111	0.9999256						
		N	5531807.669								
		E1	490.829	CVD28BC							
415729	86H2374	E	322869.597	0.9999069	0.9999215	390427	96H2135	GPS	73 5 37	3241.640	3241.942
		N	5532310.397			439380	73H1732	GPS	99 50 12	6186.757	6187.360
		E1	517.210	CVD28BC		121327	95H1927	GPS	149 53 59	4048.742	4049.090
						934950	74H1958	TERR	185 16 3	185.687	185.705
						308064	74H1963	TERR	325 14 49	181.891	181.908
463877	86H2375	E	322163.994	0.9999367	0.9999482	985002	95H1907	TERR	4 50 41	428.729	428.756
		N	5526101.244			781013	95H1829	TERR	183 11 33	367.392	367.416
		E1	346.690	CVD28BC		277335	6491	TERR	272 35 27	293.108	293.125
312413	86H2376	E	320774.470	0.9999431	0.9999486	731430	86H2371	TERR	106 36 21	116.304	116.311
		N	5528691.623			834226	86H2381	TERR	253 17 32	116.672	116.677
		E1	344.516	CVD28BC							
18119	86H2377	E	321968.300	0.9999377	0.9999484						
		N	5524999.127								
		E1	345.469	CVD28BC							
713495	86H2378	E	321640.426	0.9999388	0.9999480						
		N	5528665.263								
		E1	347.902	CVD28BC							
239111	86H2379	E	323771.488	0.9999287	0.9999472						
		N	5526485.805								
		E1	352.943	CVD28BC							
973875	86H2380	E	322159.836	0.9999366	0.9999482						
		N	5525730.209								
		E1	347.025	CVD28BC							
834226	86H2381	E	320662.724	0.9999436	0.9999486	655100	95H1860	TERR	1 56 3	331.255	331.273
		N	5528658.081			312413	86H2376	TERR	73 17 32	116.672	116.677
		E1	344.439	CVD28BC							
67686	86H2382	E	321141.819	0.9999413	0.9999484	731430	86H2371	TERR	268 0 60	256.049	256.064
		N	5528667.247								
		E1	345.689	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
83972	86H2383	E	320461.630	0.9999446	0.9999486		MARKER DESTROYED				
		N	5528703.870								
		E1	343.996	CVD28BC							
234054	95H1795	E	327301.487	0.9999067	0.9999404	258038	95H1796	TERR	50 51 34	363.175	363.210
		N	5530853.454								
		E1	396.437	CVD28BC							
258038	95H1796	E	327583.166	0.9999052	0.9999401	234054	95H1795	TERR	230 51 34	363.175	363.210
		N	5531082.699								
		E1	398.677	CVD28BC							
285593	95H1797	E	327813.675	0.9999035	0.9999394		MARKER ISOLATED				
		N	5531382.412								
		E1	402.940	CVD28BC							
270561	95H1798	E	327820.495	0.9999037	0.9999396		MARKER DESTROYED				
		N	5531078.772								
		E1	401.647	CVD28BC							
294991	95H1799	E	328224.227	0.9999019	0.9999395		MARKER DESTROYED				
		N	5531064.699								
		E1	402.419	CVD28BC							
296335	95H1800	E	328630.358	0.9998998	0.9999391		MARKER DESTROYED				
		N	5531050.419								
		E1	404.811	CVD28BC							
317412	95H1801	E	328877.969	0.9998988	0.9999391	317610	95H1802	TERR	92 7 36	263.290	263.318
		N	5530847.658								
		E1	404.649	CVD28BC							
317610	95H1802	E	329141.078	0.9998970	0.9999385	317412	95H1801	TERR	272 7 36	263.290	263.318
		N	5530837.887								
		E1	408.706	CVD28BC							
832006	95H1803	E	321055.677	0.9999420	0.9999487	993204	75H2488	TERR	59 8 13	352.325	352.346
		N	5525416.483			28043	75H2512	TERR	329 20 10	227.794	227.807
		E1	343.702	CVD28BC							
773523	95H1805	E	321983.220	0.9999376	0.9999484	294199	86H2367	TERR	23 54 54	372.493	372.516
		N	5524998.701			727024	95H1806	TERR	208 24 53	311.061	311.080
		E1	345.506	CVD28BC		805838	95H1832	TERR	292 23 33	391.654	391.678
727024	95H1806	E	321835.202	0.9999384	0.9999485	773523	95H1805	TERR	28 24 53	311.061	311.080
		N	5524725.114								
		E1	344.594	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
691063	95H1807	E	321698.921	0.9999390	0.9999485		MARKER DESTROYED				
		N	5524402.439								
		E1	344.810	CVD28BC							
660399	95H1808	E	321527.020	0.9999395	0.9999483		MARKER DESTROYED				
		N	5524005.797								
		E1	346.359	CVD28BC							
655928	95H1810	E	321050.322	0.9999420	0.9999486	721720	75H2787	TERR	14 39 11	280.623	280.639
		N	5523812.156			653493	95H1816	TERR	97 35 18	479.380	479.409
		E1	343.928	CVD28BC							
708115	95H1811	E	321150.785	0.9999416	0.9999487	731539	95H1812	TERR	25 7 44	315.014	315.032
		N	5524447.124			721720	75H2787	TERR	184 38 10	364.665	364.687
		E1	343.726	CVD28BC							
731539	95H1812	E	321284.558	0.9999409	0.9999486	708115	95H1811	TERR	205 7 44	315.014	315.032
		N	5524732.323			839969	75H2784	TERR	350 47 33	218.233	218.245
		E1	344.542	CVD28BC							
647768	95H1813	E	321479.606	0.9999401	0.9999486	653493	95H1816	TERR	7 23 48	356.527	356.548
		N	5523395.292								
		E1	344.018	CVD28BC							
501205	95H1814	E	321414.894	0.9999401	0.9999484		MARKER DESTROYED				
		N	5522924.906								
		E1	345.399	CVD28BC							
653493	95H1816	E	321525.504	0.9999399	0.9999487	647768	95H1813	TERR	187 23 48	356.527	356.548
		N	5523748.852			655928	95H1810	TERR	277 35 18	479.380	479.409
		E1	343.737	CVD28BC							
635300	95H1817	E	321188.783	0.9999414	0.9999487		MARKER DESTROYED				
		N	5523282.853								
		E1	343.434	CVD28BC							
611913	95H1818	E	321111.915	0.9999417	0.9999486	513382	95H1847	TERR	236 5 13	240.992	241.006
		N	5522931.897								
		E1	343.965	CVD28BC							
628636	95H1819	E	321202.841	0.9999413	0.9999487		MARKER DESTROYED				
		N	5523085.808								
		E1	343.833	CVD28BC							
476325	95H1820	E	321418.256	0.9999393	0.9999475		MARKER DESTROYED				
		N	5522522.199								
		E1	350.996	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
470633	95H1821	E N E1	321407.744 5522220.163 356.447	0.9999384 CVD28BC	0.9999467		MARKER DESTROYED				
203364	95H1822	E N E1	321396.352 5521910.776 364.364	0.9999373 CVD28BC	0.9999454	226431	95H1841	TERR	269 41 15	395.481	395.505
195669	95H1823	E N E1	321390.646 5521503.701 372.431	0.9999360 CVD28BC	0.9999442		MARKER DESTROYED				
132266	95H1824	E N E1	321380.086 5521108.800 378.463	0.9999351 CVD28BC	0.9999432		MARKER DESTROYED				
132639	95H1825	E N E1	321357.740 5520698.016 384.916	0.9999342 CVD28BC	0.9999422		MARKER DESTROYED				
171348	95H1826	E N E1	321781.008 5521096.416 389.762	0.9999316 CVD28BC	0.9999414	188128 164897	95H1827 95H1833	TERR TERR	1 8 24 180 49 44	400.788 240.091	400.816 240.108
188128	95H1827	E N E1	321788.981 5521497.125 379.377	0.9999332 CVD28BC	0.9999431	171348	95H1826	TERR	181 8 24	400.788	400.816
121897	95H1828	E N E1	320977.641 5521127.357 367.731	0.9999386 CVD28BC	0.9999449		MARKER ISOLATED				
781013	95H1829	E N E1	322143.534 5525734.422 346.816	0.9999367 CVD28BC	0.9999482	463877 294199 650127	86H2375 86H2367 75H2846	TERR TERR TERR	3 11 33 181 20 59 273 19 38	367.392 395.318 328.177	367.416 395.343 328.199
118265	95H1830	E N E1	320826.772 5521364.889 361.527	0.9999402 CVD28BC	0.9999459	100115	95H1831	TERR	286 20 53	217.437	217.450
100115	95H1831	E N E1	320618.126 5521426.091 355.744	0.9999420 CVD28BC	0.9999468	248401 118265	95H1842 95H1830	TERR TERR	39 22 48 106 20 53	269.004 217.437	269.019 217.450
805838	95H1832	E N E1	321621.098 5525147.901 345.220	0.9999393 CVD28BC	0.9999484	773523 839969 290007	95H1805 75H2784 75H2511	TERR TERR TERR	112 23 33 241 40 57 330 24 45	391.654 421.953 279.128	391.678 421.979 279.144

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
164897	95H1833	E	321777.535	0.9999308	0.9999407	171348	95H1826	TERR	0 49 44	240.091	240.108
		N	5520856.350								
		E1	394.539	CVD28BC							
150086	95H1834	E	321766.800	0.9999300	0.9999398		MARKER DESTROYED				
		N	5520548.765								
		E1	400.373	CVD28BC							
138586	95H1835	E	321717.190	0.9999306	0.9999402		MARKER DESTROYED				
		N	5520577.465								
		E1	397.811	CVD28BC							
138412	95H1836	E	321515.501	0.9999324	0.9999411		MARKER ISOLATED				
		N	5520608.657								
		E1	391.752	CVD28BC							
94870	95H1837	E	320462.110	0.9999420	0.9999461	291617	73H1707	TERR	20 2 13	199.698	199.709
		N	5521047.526			94607	95H1838	TERR	170 32 33	282.001	282.018
		E1	360.210	CVD28BC							
94607	95H1838	E	320508.447	0.9999398	0.9999441	94870	95H1837	TERR	350 32 33	282.001	282.018
		N	5520769.358								
		E1	373.105	CVD28BC							
37010	95H1839	E	320304.779	0.9999376	0.9999410		MARKER DESTROYED				
		N	5520525.419								
		E1	392.939	CVD28BC							
17228	95H1840	E	320184.810	0.9999394	0.9999422	171819	75H2794	TERR	225 36 11	260.229	260.244
		N	5520529.879								
		E1	384.795	CVD28BC							
226431	95H1841	E	321000.877	0.9999399	0.9999463	465674	95H1894	TERR	0 25 43	389.238	389.261
		N	5521908.619			203364	95H1822	TERR	89 41 15	395.481	395.505
		E1	358.694	CVD28BC		231001	95H1843	TERR	206 52 25	107.700	107.707
						269662	95H1854	TERR	291 21 41	266.534	266.550
248401	95H1842	E	320788.798	0.9999409	0.9999465	231001	95H1843	TERR	42 27 56	242.016	242.030
		N	5521634.019			100115	95H1831	TERR	219 22 48	269.004	269.019
		E1	357.834	CVD28BC		265108	95H1844	TERR	292 48 45	207.106	207.118
231001	95H1843	E	320952.194	0.9999401	0.9999463	226431	95H1841	TERR	26 52 25	107.700	107.707
		N	5521812.550			248401	95H1842	TERR	222 27 56	242.016	242.030
		E1	358.766	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
265108	95H1844	E	320597.892	0.9999425	0.9999472	248401	95H1842	TERR	112 48 45	207.106	207.118					
		N	5521714.317					437681				95H1845	TERR	293 31 60	318.360	318.378
		E1	352.996					CVD28BC								
437681	95H1845	E	320306.011	0.9999448	0.9999482	418996	95H1846	TERR	21 53 40	183.608	183.618					
		N	5521841.432					265108				95H1844	TERR	113 31 60	318.360	318.378
		E1	346.772					CVD28BC								
418996	95H1846	E	320374.478	0.9999444	0.9999481	437681	95H1845	TERR	201 53 40	183.608	183.618					
		N	5522011.797													
		E1	347.401					CVD28BC								
513382	95H1847	E	320911.919	0.9999425	0.9999486	611913	95H1818	TERR	56 5 13	240.992	241.006					
		N	5522797.439					451690				95H1848	TERR	208 3 18	223.866	223.878
		E1	344.512					CVD28BC								
451690	95H1848	E	320806.631	0.9999427	0.9999483	513382	95H1847	TERR	28 3 18	223.866	223.878					
		N	5522599.878					575803				73H1808	TERR	230 50 2	175.594	175.604
		E1	345.909					CVD28BC								
449736	95H1849	E	320488.119	0.9999443	0.9999485	575803	73H1808	TERR	63 54 4	203.078	203.089					
		N	5522399.640					341008				95H1850	TERR	223 18 27	210.715	210.727
		E1	345.088					CVD28BC								
341008	95H1850	E	320343.587	0.9999451	0.9999486	449736	95H1849	TERR	43 18 27	210.715	210.727					
		N	5522246.306					324111				95H1851	TERR	123 56 58	97.384	97.389
		E1	344.075					CVD28BC								
324111	95H1851	E	320424.370	0.9999445	0.9999484	313890	95H1852	TERR	97 45 47	141.482	141.490					
		N	5522191.921					341008				95H1850	TERR	303 56 58	97.384	97.389
		E1	345.596					CVD28BC								
313890	95H1852	E	320564.555	0.9999435	0.9999480	281915	95H1853	TERR	106 51 24	145.394	145.403					
		N	5522172.810					324111				95H1851	TERR	277 45 47	141.482	141.490
		E1	348.045					CVD28BC								
281915	95H1853	E	320703.702	0.9999424	0.9999475	269662	95H1854	TERR	158 36 19	134.192	134.199					
		N	5522130.649					313890				95H1852	TERR	286 51 24	145.394	145.403
		E1	350.981					CVD28BC								
269662	95H1854	E	320752.654	0.9999418	0.9999472	226431	95H1841	TERR	111 21 41	266.534	266.550					
		N	5522005.704					281915				95H1853	TERR	338 36 19	134.192	134.199
		E1	353.235					CVD28BC								
713784	95H1855	E	321275.584	0.9999408	0.9999484	MARKER DESTROYED										
		N	5529562.244													
		E1	345.254			CVD28BC										

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
705277	95H1856	E N E1	321249.452 5529268.017 345.339	0.9999409	0.9999484	41152	6443	TERR	271 58 23	362.463	362.484
745166	95H1857	E N E1	321238.378 5528971.403 346.331	0.9999408	0.9999483		MARKER DESTROYED				
758086	95H1858	E N E1	321650.865 5528954.979 348.098	0.9999387	0.9999480	167510 937482	6454 79H9943	TERR TERR	1 48 26 92 16 14	314.693 433.027	314.712 433.054
669713	95H1859	E N E1	320895.371 5528963.921 344.991	0.9999425	0.9999485	655100 41152	95H1860 6443	TERR TERR	276 29 54 358 31 20	222.898 316.680	222.912 316.699
655100	95H1860	E N E1	320673.905 5528989.147 344.073	0.9999436	0.9999486	260455 669713 834226 600866	6447 95H1859 86H2381 95H1861	TERR TERR TERR TERR	1 33 19 96 29 54 181 56 3 268 20 16	297.753 222.898 331.255 213.136	297.770 222.912 331.273 213.147
600866	95H1861	E N E1	320460.859 5528982.965 344.087	0.9999446	0.9999486	655100	95H1860	TERR	88 20 16	213.136	213.147
595678	95H1862	E N E1	320434.244 5528358.348 343.750	0.9999447	0.9999487		MARKER DESTROYED				
594622	95H1863	E N E1	320617.384 5528064.473 343.405	0.9999440	0.9999487		MARKER DESTROYED				
596122	95H1864	E N E1	320757.838 5528336.445 344.571	0.9999432	0.9999486		MARKER DESTROYED				
38091	95H1865	E N E1	325271.226 5533944.447 435.123	0.9999093	0.9999344	757351 537522	75H2497 75H2515	TERR TERR	13 44 48 197 30 36	283.701 237.787	283.727 237.809
465674	95H1894	E N E1	321003.788 5522297.846 353.422	0.9999407	0.9999472	507384 226431	95H1895 95H1841	TERR TERR	3 27 38 180 25 43	399.838 389.238	399.861 389.261

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
507384	95H1895	E N E1	321027.923 5522696.955 346.897	0.9999416 CVD28BC	0.9999482	465674	95H1894	TERR	183 27 38	399.838	399.861
471052	95H1896	E N E1	321593.690 5522234.792 354.984	0.9999379 CVD28BC	0.9999469	887232	73H1715	TERR	25 33 33	121.831	121.838
810762	95H1897	E N E1	323712.579 5529474.140 370.348	0.9999262 CVD28BC	0.9999445	441949 807016	6428 95H1934	TERR TERR	2 35 57 184 25 48	518.278 340.325	518.316 340.350
344069	95H1898	E N E1	322818.666 5527396.949 351.836	0.9999330 CVD28BC	0.9999474	351734 93666	95H1914 6449	TERR TERR	4 19 5 272 14 52	471.047 398.994	471.078 399.020
427880	95H1899	E N E1	321615.502 5527440.079 347.039	0.9999390 CVD28BC	0.9999482		MARKER DESTROYED				
486647	95H1900	E N E1	320977.906 5526643.562 344.406	0.9999422 CVD28BC	0.9999486		MARKER DESTROYED				
787044	95H1901	E N E1	322811.132 5528910.494 362.159	0.9999314 CVD28BC	0.9999458	828293 508846 930909	6426 9614 6422	TERR TERR TERR	92 25 48 269 24 51 348 31 44	209.669 288.491 158.831	209.683 288.511 158.841
405902	95H1902	E N E1	321586.073 5527024.858 346.282	0.9999393 CVD28BC	0.9999483	619460 789263	79H9942 6482	TERR TERR	179 18 7 273 30 59	396.270 381.262	396.294 381.284
785212	95H1903	E N E1	322224.306 5530087.569 372.624	0.9999323 CVD28BC	0.9999442	893867 329888	6464 8014	TERR TERR	96 43 29 307 45 60	272.047 148.141	272.065 148.150
854414	95H1904	E N E1	322919.473 5530256.068 377.802	0.9999285 CVD28BC	0.9999433		MARKER DESTROYED				
865022	95H1905	E N E1	322942.075 5530437.655 395.154	0.9999257 CVD28BC	0.9999406		MARKER DESTROYED				
884536	95H1906	E N E1	323206.982 5530735.415 404.086	0.9999231 CVD28BC	0.9999392		MARKER DESTROYED				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
985002	95H1907	E	322200.202	0.9999364	0.9999481	943464	95H1908	TERR	1 26 41	486.704	486.734					
		N	5526528.441					86H2375				TERR	184 50 41	428.729	428.756	
		E1	347.599					CVD28BC								
943464	95H1908	E	322212.472	0.9999360	0.9999478	985002	95H1907	TERR	181 26 41	486.704	486.734					
		N	5527014.990					95H1909				TERR	344 42 37	438.282	438.310	
		E1	349.346					CVD28BC								
390914	95H1909	E	322096.897	0.9999366	0.9999478	93666	6449	TERR	94 27 12	324.060	324.081					
		N	5527437.759					95H1908				TERR	164 42 37	438.282	438.310	
		E1	349.130					CVD28BC				95H1910	TERR	343 25 20	303.410	303.429
398495	95H1910	E	322010.329	0.9999371	0.9999480	398909	95H1911	TERR	3 32 20	163.291	163.302					
		N	5527728.557					95H1909				TERR	163 25 20	303.410	303.429	
		E1	348.302					CVD28BC								
398909	95H1911	E	322020.408	0.9999370	0.9999479	783605	86H2372	TERR	5 47 34	369.351	369.374					
		N	5527891.537					95H1913				TERR	93 37 41	402.986	403.011	
		E1	348.881					CVD28BC				95H1910	TERR	183 32 20	163.291	163.302
453621	95H1912	E	321630.157	0.9999389	0.9999482	398909	95H1911	TERR	80 28 39	395.704	395.728					
		N	5527826.073					6484				TERR	272 55 5	397.724	397.748	
		E1	347.089					CVD28BC				78H8229	TERR	359 14 24	391.875	391.899
379446	95H1913	E	322422.586	0.9999349	0.9999476	351734	95H1914	TERR	89 55 2	431.547	431.575					
		N	5527866.036					398909				95H1911	TERR	273 37 41	402.986	403.011
		E1	350.599					CVD28BC								
351734	95H1914	E	322854.133	0.9999325	0.9999470	333237	95H1915	TERR	97 47 36	321.568	321.590					
		N	5527866.659					95H1898				TERR	184 19 5	471.047	471.078	
		E1	354.218					CVD28BC				95H1913	TERR	269 55 2	431.547	431.575
333237	95H1915	E	323172.731	0.9999307	0.9999467	857508	73H1759	TERR	88 9 51	213.464	213.479					
		N	5527823.055					351734				95H1914	TERR	277 47 36	321.568	321.590
		E1	356.578					CVD28BC								
319756	95H1916	E	324448.504	0.9999239	0.9999453	33530	73H1824	TERR	5 14 26	291.320	291.342					
		N	5527828.632					117226				73H1823	TERR	89 16 29	313.104	313.127
		E1	365.057					CVD28BC				882019	73H1757	TERR	273 56 15	455.256
318162	95H1917	E	324534.941	0.9999233	0.9999452		MARKER DESTROYED									
		N	5527534.496													
		E1	365.996	CVD28BC												

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
40691	95H1918	E	324962.548	0.9999209	0.9999446		MARKER DESTROYED				
		N	5527837.182								
		E1	369.668	CVD28BC							
58263	95H1919	E	324901.649	0.9999212	0.9999447		MARKER ISOLATED				
		N	5528058.692								
		E1	369.402	CVD28BC							
11213	95H1920	E	325213.201	0.9999196	0.9999444	8656	95H1921	TERR	60 52 34	477.382	477.421
		N	5527840.569								
		E1	371.153	CVD28BC							
8656	95H1921	E	325630.228	0.9999171	0.9999436	2527	95H1922	TERR	73 55 39	336.357	336.386
		N	5528072.910			11213	95H1920	TERR	240 52 34	477.382	477.421
		E1	375.987	CVD28BC							
2527	95H1922	E	325953.438	0.9999151	0.9999430	8656	95H1921	TERR	253 55 39	336.357	336.386
		N	5528166.031								
		E1	379.670	CVD28BC							
158212	95H1923	E	325509.568	0.9999177	0.9999437		MARKER DESTROYED				
		N	5528617.376								
		E1	375.167	CVD28BC							
163386	95H1924	E	325588.460	0.9999175	0.9999438		MARKER ISOLATED				
		N	5528444.104								
		E1	374.674	CVD28BC							
113357	95H1925	E	324887.446	0.9999211	0.9999445		MARKER DESTROYED				
		N	5528356.100								
		E1	370.528	CVD28BC							
116236	95H1926	E	324873.197	0.9999213	0.9999446	121327	95H1927	TERR	4 52 18	316.723	316.748
		N	5528492.049								
		E1	369.467	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
121327	95H1927	E	324900.095	0.9999215	0.9999449	358606	96H2133	GPS	4 2 46	3880.053	3880.372
		N	5528807.628			373498	96H2134	GPS	6 54 21	4365.850	4366.217
		E1	367.532	CVD28BC		980995	95H1942	GPS	11 0 44	1504.308	1504.444
						390427	96H2135	GPS	13 32 46	4572.671	4573.065
						401463	96H2136	GPS	18 43 30	4383.637	4384.017
						951913	95H1941	GPS	21 58 26	1680.620	1680.769
						311951	96H2128	GPS	23 26 25	2997.236	2997.499
						306548	96H2127	GPS	27 4 49	2521.972	2522.192
						316901	96H2129	GPS	29 22 26	3327.043	3327.337
						322933	96H2130	GPS	33 37 38	4201.398	4201.764
						302778	96H2126	GPS	40 21 18	4555.084	4555.486
						915439	95H1938	GPS	43 47 39	991.384	991.469
						931725	95H1940	GPS	45 4 32	1759.237	1759.392
						439380	73H1732	GPS	58 58 3	4744.340	4744.768
						116236	95H1926	TERR	184 52 18	316.723	316.748
						528984	6425	GPS	251 54 53	1287.293	1287.390
						634246	6431	GPS	303 57 22	4475.419	4475.759
						4598	657014	GPS	325 35 15	11143.170	11144.686
						308064	74H1963	GPS	329 41 60	4230.060	4230.423
						415729	86H2374	GPS	329 53 59	4048.742	4049.090
						20842	73H1781	GPS	333 7 48	1753.174	1753.311
						880765	75H2812	GPS	335 44 45	5063.126	5063.560
						811950	98H2217	GPS	341 52 54	5552.375	5552.830
						357178	96H2132	GPS	347 19 58	2602.120	2602.326
						274969	95H1943	GPS	353 58 6	1097.651	1097.746
						392613	75H2494	GPS	357 43 40	4268.381	4268.731
						173070	95H1937	GPS	358 6 32	192.906	192.921
129114	95H1928	E	325307.719	0.9999191	0.9999443		MARKER DESTROYED				
		N	5528657.518								
		E1	371.786	CVD28BC							
174284	95H1929	E	326129.958	0.9999144	0.9999431		MARKER DESTROYED				
		N	5529114.926								
		E1	379.128	CVD28BC							
197772	95H1930	E	326270.957	0.9999135	0.9999428		MARKER DESTROYED				
		N	5529293.118								
		E1	381.059	CVD28BC							
208058	95H1931	E	326413.263	0.9999126	0.9999425		MARKER DESTROYED				
		N	5529495.040								
		E1	383.185	CVD28BC							
219568	95H1932	E	326593.772	0.9999117	0.9999424		MARKER DESTROYED				
		N	5529805.245								
		E1	383.773	CVD28BC							

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
495770	95H1933	E	322867.097	0.9999324	0.9999471		MARKER DESTROYED				
		N	5528237.472								
		E1	354.087	CVD28BC							
807016	95H1934	E	323686.292	0.9999268	0.9999450	810762	95H1897	TERR	4 25 48	340.325	340.350
		N	5529134.832								
		E1	367.119	CVD28BC							
487868	95H1935	E	320712.090	0.9999435	0.9999487	479147	8013	TERR	2 24 25	159.102	159.111
		N	5526722.283			956011	75H2513	TERR	180 15 27	223.373	223.385
		E1	343.633	CVD28BC							
59543	95H1936	E	320161.326	0.9999332	0.9999360		MARKER DESTROYED				
		N	5520032.209								
		E1	424.752	CVD28BC							
173070	95H1937	E	324893.729	0.9999212	0.9999446	390427	96H2135	GPS	14 13 0	4387.025	4387.403
		N	5529000.429			439380	73H1732	GPS	61 2 33	4653.452	4653.872
		E1	369.694	CVD28BC		121327	95H1927	GPS	178 6 32	192.906	192.921
						308064	74H1963	GPS	328 24 19	4061.421	4061.771
915439	95H1938	E	325586.203	0.9999077	0.9999340	390427	96H2135	GPS	5 53 32	3749.670	3750.018
		N	5529523.238			439380	73H1732	GPS	62 53 12	3796.395	3796.764
		E1	437.187	CVD28BC		625756	PIER 10	GPS	95 53 54	6134.805	6135.548
						152066	02H2370	GPS	166 59 27	2084.639	2084.833
						376533	02H2403	GPS	191 54 13	9454.813	9455.702
						121327	95H1927	GPS	223 47 39	991.384	991.469
						528984	6425	GPS	239 43 2	2211.578	2211.760
						211615	83C161	GPS	247 29 54	14564.864	14565.749
						308064	74H1963	GPS	316 9 27	4071.570	4071.948
						4598	657014	GPS	320 31 6	10983.509	10985.080
927939	95H1939	E	325949.744	0.9999036	0.9999315		MARKER DESTROYED				
		N	5529918.084								
		E1	453.188	CVD28BC							
931725	95H1940	E	326145.701	0.9999019	0.9999307	439380	73H1732	GPS	66 53 11	3065.796	3066.103
		N	5530049.956			121327	95H1927	GPS	225 4 32	1759.237	1759.392
		E1	458.547	CVD28BC		308064	74H1963	GPS	305 29 24	4150.967	4151.363
						390427	96H2135	GPS	356 52 50	3207.894	3208.202
951913	95H1941	E	325528.956	0.9999008	0.9999269	390427	96H2135	GPS	8 42 29	2920.606	2920.888
		N	5530366.158			439380	73H1732	GPS	75 31 21	3549.147	3549.504
		E1	482.718	CVD28BC		121327	95H1927	GPS	201 58 26	1680.620	1680.769
						308064	74H1963	GPS	307 9 10	3466.688	3467.022

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
980995	95H1942	E	325187.443	0.9998982	0.9999228	390427	96H2135	GPS	14 47 14	3070.554	3070.854	
		N	5530284.237			439380	73H1732	GPS	75 36 41	3900.300	3900.697	
		E1	508.822			CVD28BC	121327	95H1927	GPS	191 0 44	1504.308	1504.444
							308064	74H1963	GPS	311 56 16	3255.314	3255.631
274969	95H1943	E	324784.756	0.9999048	0.9999277	390427	96H2135	GPS	19 28 49	3557.543	3557.878	
		N	5529899.202			439380	73H1732	GPS	72 3 4	4394.517	4394.950	
		E1	477.393			CVD28BC	121327	95H1927	GPS	173 58 6	1097.651	1097.746
							308064	74H1963	GPS	321 44 50	3260.768	3261.075
707059	9611	E	322856.856	0.9999322	0.9999468	438796	6522	TERR	3 3 57	287.612	287.631	
		N	5528401.846			811406	6438	TERR	277 9 19	205.894	205.907	
		E1	355.832			CVD28BC						
74021	9613	E	322846.608	0.9999326	0.9999471		MARKER DESTROYED					
508846	9614	E	322522.656	0.9999344	0.9999476	579508	8016	TERR	0 54 33	350.674	350.698	
		N	5528907.545			787044	95H1901	TERR	89 24 51	288.491	288.511	
		E1	350.929			CVD28BC	937482	79H9943	TERR	273 56 41	440.147	440.175
11841	96H2109	E	328680.110	0.9998988	0.9999383	439380	73H1732	GPS	168 39 59	1451.701	1451.849	
		N	5532676.842			308064	74H1963	GPS	267 53 55	5918.178	5918.753	
		E1	409.703			CVD28BC	390427	96H2135	GPS	282 0 32	2769.587	2769.855
							122093	96H2118	GPS	359 27 40	9571.511	9572.496
19406	96H2110	E	328732.755	0.9998992	0.9999389	439380	73H1732	GPS	174 2 27	2240.824	2241.051	
		N	5533482.164			308064	74H1963	GPS	260 16 40	6053.789	6054.376	
		E1	405.994			CVD28BC	390427	96H2135	GPS	265 15 30	2771.103	2771.371
							122093	96H2118	GPS	359 4 3	8766.927	8767.827
25965	96H2111	E	328417.077	0.9998978	0.9999362	122093	96H2118	GPS	1 13 46	8062.667	8063.501	
		N	5534187.119			439380	73H1732	GPS	169 24 47	2984.472	2984.777	
		E1	423.189			CVD28BC	390427	96H2135	GPS	249 5 59	2618.210	2618.465
							308064	74H1963	GPS	253 0 15	5909.243	5909.820
59295	96H2112	E	328652.271	0.9998976	0.9999370	390427	96H2135	GPS	239 29 3	3112.213	3112.516	
		N	5534833.408			800359	96H2147	GPS	297 18 21	5664.566	5665.074	
		E1	418.213			CVD28BC	122093	96H2118	GPS	359 31 10	7414.783	7415.550
71928	96H2113	E	328826.667	0.9998960	0.9999361	390427	96H2135	GPS	225 46 44	3984.543	3984.935	
		N	5536032.040			800359	96H2147	GPS	285 2 47	5392.641	5393.129	
		E1	423.874			CVD28BC						

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
92478	96H2114	E	328656.479	0.9998936	0.9999330	390427	96H2135	GPS	206 27 20	6027.631	6028.233	
		N	5538649.510			800359	96H2147	GPS	256 24 46	5182.616	5183.091	
		E1	443.773			CVD28BC	122093	96H2118	GPS	358 56 35	3599.032	3599.412
97105	96H2115	E	328175.572	0.9998974	0.9999348	122093	96H2118	GPS	8 46 17	2718.253	2718.535	
		N	5539561.468			390427	96H2135	GPS	199 15 42	6682.446	6683.100	
		E1	432.096			CVD28BC	800359	96H2147	GPS	244 57 6	5029.703	5030.155
111310	96H2116	E	327799.446	0.9998989	0.9999346	122093	96H2118	GPS	43 24 44	1150.454	1150.572	
		N	5541412.207			390427	96H2135	GPS	192 37 49	8361.447	8362.259	
		E1	433.158			CVD28BC	800359	96H2147	GPS	226 24 22	5772.272	5772.786
120204	96H2117	E	327813.158	0.9998987	0.9999345	122093	96H2118	GPS	89 53 47	776.929	777.009	
		N	5542246.526			390427	96H2135	GPS	191 34 31	9180.131	9181.023	
		E1	433.892			CVD28BC	800359	96H2147	GPS	221 3 40	6385.265	6385.834
122093	96H2118	E	328590.086	0.9998955	0.9999346	217935	96H2120	GPS	4 20 2	1362.210	1362.353	
		N	5542247.930			336339	85C081	GPS	10 18 0	6511.882	6512.618	
		E1	433.143			CVD28BC	439380	73H1732	GPS	178 2 42	11000.884	11002.019
							92478	96H2114	GPS	178 56 35	3599.032	3599.412
							19406	96H2110	GPS	179 4 3	8766.927	8767.827
							11841	96H2109	GPS	179 27 40	9571.511	9572.496
							59295	96H2112	GPS	179 31 10	7414.783	7415.550
							25965	96H2111	GPS	181 13 46	8062.667	8063.501
							244988	96H2123	GPS	184 46 41	5128.072	5128.622
							300962	96H2125	GPS	188 11 34	5124.478	5125.033
							97105	96H2115	GPS	188 46 17	2718.253	2718.535
							274787	96H2124	GPS	189 39 33	4564.667	4565.153
							390427	96H2135	GPS	196 14 1	9368.347	9369.272
							977967	75H2518	GPS	203 16 15	6456.102	6456.755
							404400	96H2137	GPS	204 6 25	5892.288	5892.876
							533083	96H2138	GPS	208 2 4	5308.523	5309.056
							563197	96H2139	GPS	209 32 36	4904.752	4905.252
							308064	74H1963	GPS	210 45 14	11389.806	11390.932
							815431	98H2218	GPS	214 42 56	9061.884	9062.762
							599241	96H2140	GPS	215 5 18	4130.052	4130.485
							874362	98H2219	GPS	216 19 10	8584.484	8585.328
							805010	96H2148	GPS	221 47 34	7534.773	7535.457
							611673	96H2141	GPS	222 35 6	3257.962	3258.306
							111310	96H2116	GPS	223 24 44	1150.454	1150.572
							800359	96H2147	GPS	225 54 31	6921.416	6922.044
							623165	96H2142	GPS	243 6 24	2699.159	2699.444
							4598	657014	GPS	246 57 43	10853.134	10854.751
			700740	96H2145	GPS	253 41 5	3814.058	3814.417				
			627661	96H2144	GPS	255 29 26	3677.186	3677.531				
			625418	96H2143	GPS	264 33 35	2002.560	2002.771				
			120204	96H2117	GPS	269 53 47	776.929	777.009				
			192658	96H2119	GPS	341 58 40	1449.075	1449.224				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
192658	96H2119	E	328141.765	0.9998984	0.9999356	122093	96H2118	GPS	161 58 40	1449.075	1449.224			
		N	5543625.909					GPS	191 49 9			10597.493	10598.525	
		E1	426.929					CVD28BC	800359					96H2147
217935	96H2120	E	328693.025	0.9998947	0.9999343	122093	96H2118	GPS	184 20 2	1362.210	1362.353			
		N	5543606.245					GPS	194 43 48			10704.969	10706.031	
		E1	435.545					CVD28BC	800359					96H2147
229625	96H2121	E	329666.550	0.9998902	0.9999339	MARKER DESTROYED								
237263	96H2122	E	328529.163	0.9998892	0.9999281	390427	96H2135	GPS	213 27 34	4639.596	4640.069			
		N	5537123.801					GPS	273 35 29			4919.916	4920.378	
		E1	475.228					CVD28BC	800359					96H2147
244988	96H2123	E	328162.929	0.9998900	0.9999273	122093	96H2118	GPS	4 46 41	5128.072	5128.622			
		N	5537137.680					GPS	209 25 59			4460.263	4460.716	
		E1	480.127					CVD28BC	800359					96H2147
274787	96H2124	E	327824.197	0.9998913	0.9999271	122093	96H2118	GPS	9 39 33	4564.667	4565.153			
		N	5537747.975					GPS	202 24 16			4861.868	4862.359	
		E1	481.034					CVD28BC	800359					96H2147
300962	96H2125	E	327859.825	0.9998881	0.9999242	122093	96H2118	GPS	8 11 34	5124.478	5125.033			
		N	5537175.752					GPS	205 42 36			4353.662	4354.108	
		E1	499.988					CVD28BC	800359					96H2147
302778	96H2126	E	327849.608	0.9999021	0.9999380	439380	73H1732	GPS	132 34 54	1515.380	1515.531			
		N	5532278.819			121327	95H1927	GPS	220 21 18			4555.084	4555.486	
		E1	411.450			CVD28BC	308064	74H1963	GPS					272 2 22
							390427	96H2135	GPS			297 24 49	2116.099	2116.301
306548	96H2127	E	326048.192	0.9999038	0.9999322	439380	73H1732	GPS	86 4 17	2924.080	2924.370			
		N	5531053.116			121327	95H1927	GPS	207 4 49			2521.972	2522.192	
		E1	449.119			CVD28BC	308064	74H1963	GPS					293 11 57
							390427	96H2135	GPS			357 59 38	2201.330	2201.540
311951	96H2128	E	326092.374	0.9999032	0.9999317	439380	73H1732	GPS	96 2 29	2889.073	2889.360			
		N	5531557.518			121327	95H1927	GPS	203 26 25			2997.236	2997.499	
		E1	451.877			CVD28BC	308064	74H1963	GPS					285 10 36
							390427	96H2135	GPS			355 54 37	1699.908	1700.070
316901	96H2129	E	326532.038	0.9999018	0.9999322	439380	73H1732	GPS	100 33 24	2475.258	2475.506			
		N	5531706.934			121327	95H1927	GPS	209 22 26			3327.043	3327.337	
		E1	449.054			CVD28BC	308064	74H1963	GPS					281 18 19
							390427	96H2135	GPS			340 3 39	1644.759	1644.916

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
322933	96H2130	E	327226.778	0.9999043	0.9999377	439380	73H1732	GPS	121 11 22	2032.382	2032.583			
		N	5532305.955					GPS	213 37 38			4201.398	4201.764	
		E1	413.685					CVD28BC	GPS			271 58 33	4463.520	4463.941
									GPS			307 1 39	1572.805	1572.953
323899	96H2131	E	323989.564	0.9999237	0.9999432	390427		MARKER DESTROYED						
		N	5530530.884											
		E1	379.009					CVD28BC						
357178	96H2132	E	324329.479	0.9999203	0.9999413	390427	96H2135	GPS	40 43 43	2516.046	2516.264			
		N	5531346.412					GPS	91 8 56			4636.854	4637.275	
		E1	391.013					CVD28BC	GPS			167 19 58	2602.120	2602.326
									GPS			305 27 18	1919.497	1919.662
358606	96H2133	E	325173.861	0.9999140	0.9999386	390427	96H2135	GPS	54 11 48	983.042	983.130			
		N	5532678.011					GPS	110 35 32			4050.327	4050.707	
		E1	408.331					CVD28BC	GPS			184 2 46	3880.053	3880.372
									GPS			264 49 23	2417.812	2418.029
373498	96H2134	E	325425.039	0.9999106	0.9999362	390427	96H2135	GPS	78 28 52	557.322	557.374			
		N	5533141.804					GPS	118 4 28			4012.486	4012.870	
		E1	423.084					CVD28BC	GPS			186 54 21	4365.850	4366.217
									GPS			255 36 57	2745.183	2745.433

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
390427	96H2135	E	325971.136	0.9999068	0.9999348	977967	75H2518	GPS	1 16 36	3064.715	3065.007
		N	5533253.097			623165	96H2142	GPS	1 33 36	7776.806	7777.582
		E1	432.216	CVD28BC		533083	96H2138	GPS	1 38 51	4310.967	4311.375
						563197	96H2139	GPS	2 25 43	4732.031	4732.487
						599241	96H2140	GPS	2 29 47	5620.688	5621.246
						404400	96H2137	GPS	3 21 35	3622.669	3623.010
						611673	96H2141	GPS	3 35 40	6609.084	6609.745
						625418	96H2143	GPS	4 3 46	8827.159	8828.043
						120204	96H2117	GPS	11 34 31	9180.131	9181.023
						192658	96H2119	GPS	11 49 9	10597.493	10598.525
						111310	96H2116	GPS	12 37 49	8361.447	8362.259
						217935	96H2120	GPS	14 43 48	10704.969	10706.031
						122093	96H2118	GPS	16 14 1	9368.347	9369.272
						97105	96H2115	GPS	19 15 42	6682.446	6683.100
						274787	96H2124	GPS	22 24 16	4861.868	4862.359
						300962	96H2125	GPS	25 42 36	4353.662	4354.108
						92478	96H2114	GPS	26 27 20	6027.631	6028.233
						244988	96H2123	GPS	29 25 59	4460.263	4460.716
						237263	96H2122	GPS	33 27 34	4639.596	4640.069
						71928	96H2113	GPS	45 46 44	3984.543	3984.935
						59295	96H2112	GPS	59 29 3	3112.213	3112.516
						25965	96H2111	GPS	69 5 59	2618.210	2618.465
						19406	96H2110	GPS	85 15 30	2771.103	2771.371
						11841	96H2109	GPS	102 0 32	2769.587	2769.855
						302778	96H2126	GPS	117 24 49	2116.099	2116.301
						439380	73H1732	GPS	123 44 10	3600.585	3600.936
						322933	96H2130	GPS	127 1 39	1572.805	1572.953
						401463	96H2136	GPS	131 9 12	446.542	446.584
						316901	96H2129	GPS	160 3 39	1644.759	1644.916
						311951	96H2128	GPS	175 54 37	1699.908	1700.070
						931725	95H1940	GPS	176 52 50	3207.894	3208.202
						306548	96H2127	GPS	177 59 38	2201.330	2201.540
						915439	95H1938	GPS	185 53 32	3749.670	3750.018
						951913	95H1941	GPS	188 42 29	2920.606	2920.888
						121327	95H1927	GPS	193 32 46	4572.671	4573.065
						173070	95H1937	GPS	194 13 0	4387.025	4387.403
						980995	95H1942	GPS	194 47 14	3070.554	3070.854
						274969	95H1943	GPS	199 28 49	3557.543	3557.878
						20842	73H1781	GPS	212 53 22	3431.592	3431.885
						357178	96H2132	GPS	220 43 43	2516.046	2516.264
						358606	96H2133	GPS	234 11 48	983.042	983.130
						415729	86H2374	GPS	253 5 37	3241.640	3241.942
						308064	74H1963	GPS	256 5 57	3301.926	3302.234
						373498	96H2134	GPS	258 28 52	557.322	557.374
						392613	75H2494	GPS	261 43 20	1253.336	1253.448
						880765	75H2812	GPS	273 6 7	3155.518	3155.811
						811950	98H2217	GPS	286 33 15	2918.692	2918.953
						815431	98H2218	GPS	301 18 36	2975.105	2975.377
						874362	98H2219	GPS	310 7 34	3224.478	3224.776

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
						805010	96H2148	GPS	324 34 20	4144.584	4144.937
						791608	96H2146	GPS	338 18 33	5295.538	5296.010
						700740	96H2145	GPS	352 30 41	7991.530	7992.238
						627661	96H2144	GPS	353 21 8	8128.199	8128.918
401463	96H2136	E	326307.361	0.9999051	0.9999346	439380	73H1732	GPS	122 41 25	3158.305	3158.616
		N	5532959.239			121327	95H1927	GPS	198 43 30	4383.637	4384.017
		E1	433.757	CVD28BC		308064	74H1963	GPS	261 58 24	3576.487	3576.823
						390427	96H2135	GPS	311 9 12	446.542	446.584
404400	96H2137	E	326183.433	0.9999049	0.9999338	122093	96H2118	GPS	24 6 25	5892.288	5892.876
		N	5536869.540			390427	96H2135	GPS	183 21 35	3622.669	3623.010
		E1	438.651	CVD28BC		800359	96H2147	GPS	282 22 12	2625.476	2625.702
533083	96H2138	E	326095.068	0.9999036	0.9999321	122093	96H2118	GPS	28 2 4	5308.523	5309.056
		N	5537562.282			390427	96H2135	GPS	181 38 51	4310.967	4311.375
		E1	449.460	CVD28BC		800359	96H2147	GPS	266 59 16	2479.586	2479.801
563197	96H2139	E	326171.645	0.9999004	0.9999293	122093	96H2118	GPS	29 32 36	4904.752	4905.252
		N	5537980.878			390427	96H2135	GPS	182 25 43	4732.031	4732.487
		E1	467.287	CVD28BC		800359	96H2147	GPS	257 51 53	2611.084	2611.314
599241	96H2140	E	326215.966	0.9998948	0.9999238	122093	96H2118	GPS	35 5 18	4130.052	4130.485
		N	5538868.450			390427	96H2135	GPS	182 29 47	5620.688	5621.246
		E1	502.263	CVD28BC		800359	96H2147	GPS	241 3 8	2967.855	2968.125
611673	96H2141	E	326385.474	0.9998929	0.9999227	122093	96H2118	GPS	42 35 6	3257.962	3258.306
		N	5539849.180			390427	96H2135	GPS	183 35 40	6609.084	6609.745
		E1	509.522	CVD28BC		800359	96H2147	GPS	228 51 20	3673.793	3674.131
623165	96H2142	E	326182.838	0.9998934	0.9999223	122093	96H2118	GPS	63 6 24	2699.159	2699.444
		N	5541027.021			390427	96H2135	GPS	181 33 36	7776.806	7777.582
		E1	511.851	CVD28BC		800359	96H2147	GPS	215 29 45	4415.662	4416.067
625418	96H2143	E	326596.546	0.9998929	0.9999236	122093	96H2118	GPS	84 33 35	2002.560	2002.771
		N	5542058.073			390427	96H2135	GPS	184 3 46	8827.159	8828.043
		E1	503.685	CVD28BC		800359	96H2147	GPS	212 46 4	5501.553	5502.059
627661	96H2144	E	325030.179	0.9999164	0.9999404	122093	96H2118	GPS	75 29 26	3677.186	3677.531
		N	5541326.648			390427	96H2135	GPS	173 21 8	8128.199	8128.918
		E1	396.816	CVD28BC		800359	96H2147	GPS	199 55 6	4142.480	4142.813
700740	96H2145	E	324929.621	0.9999159	0.9999395	122093	96H2118	GPS	73 41 5	3814.058	3814.417
		N	5541176.467			390427	96H2135	GPS	172 30 41	7991.530	7992.238
		E1	402.367	CVD28BC		800359	96H2147	GPS	199 17 31	3967.262	3967.582

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
791608	96H2146	E	324013.909	0.9999146	0.9999342	390427	96H2135	GPS	158 18 33	5295.538	5296.010		
		N	5538173.664			800359	96H2147	GPS	208 2 19	840.312	840.380		
		E1	436.099			CVD28BC							
800359	96H2147	E	323618.908	0.9999230	0.9999409	700740	96H2145	GPS	19 17 31	3967.262	3967.582		
		N	5537431.978			627661	96H2144	GPS	19 55 6	4142.480	4142.813		
		E1	393.161			CVD28BC		791608	96H2146	GPS	28 2 19	840.312	840.380
		625418	96H2143			GPS	32 46 4	5501.553	5502.059				
		623165	96H2142			GPS	35 29 45	4415.662	4416.067				
		192658	96H2119			GPS	36 8 14	7669.486	7670.171				
		217935	96H2120			GPS	39 24 50	7991.761	7992.489				
		120204	96H2117			GPS	41 3 40	6385.265	6385.834				
		122093	96H2118			GPS	45 54 31	6921.416	6922.044				
		111310	96H2116			GPS	46 24 22	5772.272	5772.786				
		611673	96H2141			GPS	48 51 20	3673.793	3674.131				
		599241	96H2140			GPS	61 3 8	2967.855	2968.125				
		97105	96H2115			GPS	64 57 6	5029.703	5030.155				
		92478	96H2114			GPS	76 24 46	5182.616	5183.091				
		563197	96H2139			GPS	77 51 53	2611.084	2611.314				
		274787	96H2124			GPS	85 42 10	4217.145	4217.537				
		533083	96H2138			GPS	86 59 16	2479.586	2479.801				
		300962	96H2125			GPS	93 27 27	4248.650	4249.051				
		237263	96H2122			GPS	93 35 29	4919.916	4920.378				
		244988	96H2123			GPS	93 42 20	4553.541	4553.967				
404400	96H2137	GPS	102 22 12	2625.476	2625.702								
71928	96H2113	GPS	105 2 47	5392.641	5393.129								
59295	96H2112	GPS	117 18 21	5664.566	5665.074								
805010	96H2148	GPS	183 35 21	803.250	803.313								
308064	74H1963	GPS	189 44 5	5044.773	5045.204								
4598	657014	GPS	276 28 2	5048.486	5049.168								
805010	96H2148	E	323568.625	0.9999228	0.9999405	800359	96H2147	GPS	3 35 21	803.250	803.313		
		N	5536630.303			122093	96H2118	GPS	41 47 34	7534.773	7535.457		
		E1	395.880			CVD28BC		390427	96H2135	GPS	144 34 20	4144.584	4144.937
811950	98H2217	E	323173.422	0.9999144	0.9999304	815431	98H2218	GPS	19 42 16	758.909	758.976		
		N	5534084.698			390427	96H2135	GPS	106 33 15	2918.692	2918.953		
		E1	460.401			CVD28BC		439380	73H1732	GPS	116 3 1	6446.936	6447.540
		121327	95H1927			GPS	161 52 54	5552.375	5552.830				
		308064	74H1963			GPS	194 4 45	1675.178	1675.328				
815431	98H2218	E	323429.303	0.9999106	0.9999276	874362	98H2219	GPS	8 9 43	537.455	537.504		
		N	5534799.168			122093	96H2118	GPS	34 42 56	9061.884	9062.762		
		E1	478.085			CVD28BC		390427	96H2135	GPS	121 18 36	2975.105	2975.377
		439380	73H1732			GPS	122 38 18	6574.230	6574.859				
		308064	74H1963			GPS	195 49 57	2431.570	2431.793				
		811950	98H2217			GPS	199 42 16	758.909	758.976				

Order in Council No. 2080/70

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2012-FEB-14

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
874362	98H2219	E	323505.607	0.9999079	0.9999253	122093	96H2118	GPS	36 19 10	8584.484	8585.328
		N	5535331.179			439380	73H1732	GPS	126 45 17	6814.486	6815.147
		E1	492.643	CVD28BC		390427	96H2135	GPS	130 7 34	3224.478	3224.776
						815431	98H2218	GPS	188 9 43	537.455	537.504
						308064	74H1963	GPS	194 26 46	2965.084	2965.360
896159	99H2300	E	326873.682	0.9999097	0.9999415	861989	02H2379	GPS	148 15 10	1483.112	1483.257
		N	5527879.155			152066	02H2370	GPS	244 41 2	905.144	905.228
		E1	389.399	CVD28BC							

END OF REPORT