

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:  
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:  
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
443341	78H7032	E	387706.444	0.9997379	0.9999830	434506	79H7059	TERR	0 47 46	208.415	208.471
		N	5528337.226			523183	79H7064	TERR	181 3 34	200.514	200.566
		E1	124.44 (NOT INTEGRATED)				716415	79H7060	TERR	271 17 12	473.027
111393	78H7033	E	388111.365	0.9997350	0.9999812	636225	78H7034	TERR	181 24 38	399.460	399.567
		N	5527934.883			89722	79H7065	TERR	270 25 41	411.644	411.752
		E1	135.75 (NOT INTEGRATED)								
636225	78H7034	E	388101.532	0.9997352	0.9999814	111393	78H7033	TERR	1 24 38	399.460	399.567
		N	5527535.544			880039	79H7210	TERR	92 44 40	399.040	399.146
		E1	134.79 (NOT INTEGRATED)				677336	79H7069	TERR	181 12 31	401.384
220020	78H7035	E	388504.497	0.9997307	0.9999780	880039	79H7210	TERR	180 37 34	401.172	401.280
		N	5527917.585								
		E1	156.26 (NOT INTEGRATED)								
45393	79H0786	E	390540.348	0.9997419	0.9999948	13474	82H4753	TERR	90 1 21	115.128	115.157
		N	5521502.906			525725	79H7181	TERR	271 55 2	117.532	117.563
		E1	49.66 (NOT INTEGRATED)								
496406	79H0787	E	390653.857	0.9997405	0.9999936	998880	79H7161	TERR	1 10 24	185.539	185.588
		N	5521641.074			13474	82H4753	TERR	179 19 44	138.223	138.258
		E1	56.82 (NOT INTEGRATED)								
971176	79H0788	E	390403.074	0.9997450	0.9999975	984419	85H0797	TERR	90 30 56	238.639	238.700
		N	5520408.234			60244	79H0789	TERR	180 34 6	270.197	270.267
		E1	32.44 (NOT INTEGRATED)								
60244	79H0789	E	390400.394	0.9997449	0.9999973	971176	79H0788	TERR	0 34 6	270.197	270.267
		N	5520138.050			131201	79H7162	TERR	90 47 17	140.608	140.644
		E1	33.26 (NOT INTEGRATED)								
220087	79H0790	E	390478.103	0.9997445	0.9999971		MARKER DESTROYED				
		N	5519601.863								
		E1	34.55 (NOT INTEGRATED)								
386920	79H0792	E	390787.553	0.9997405	0.9999940		MARKER DESTROYED				
		N	5521483.085								
		E1	54.70 (NOT INTEGRATED)								
763698	79H0793	E	391463.887	0.9997316	0.9999869		MARKER DESTROYED				
		N	5522123.064								
		E1	99.84 (NOT INTEGRATED)								
824318	79H0794	E	390806.664	0.9997366	0.9999901	625913	79H7152	TERR	95 48 33	121.356	121.388
		N	5522671.491			435503	82H4751	TERR	242 2 38	149.575	149.614
		E1	79.26 (NOT INTEGRATED)								

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
747006	79H0795	E	390542.729	0.9997396	0.9999924	435503	82H4751	TERR	66 38 58	143.573	143.610
		N	5522544.465			923755	79H0796	TERR	242 48 25	95.560	95.585
		E1	64.71 (NOT INTEGRATED)								
923755	79H0796	E	390457.731	0.9997410	0.9999936	747006	79H0795	TERR	62 48 25	95.560	95.585
		N	5522500.795			277236	79H7176	TERR	185 0 58	125.620	125.653
		E1	57.03 (NOT INTEGRATED)								
169557	79H0797	E	390341.830	0.9997431	0.9999954			MARKER DESTROYED			
		N	5522424.419								
		E1	45.73 (NOT INTEGRATED)								
571711	79H0798	E	390112.552	0.9997478	0.9999995	522276	85H0794	TERR	177 14 9	129.762	129.795
		N	5522296.503			228809	85H0793	TERR	337 5 46	131.852	131.886
		E1	19.21 (NOT INTEGRATED)								
528687	79H0799	E	390118.159	0.9997473	0.9999990			MARKER DESTROYED			
		N	5522165.687								
		E1	22.31 (NOT INTEGRATED)								
363556	79H0800	E	390136.061	0.9997468	0.9999986	489450	79H0802	TERR	175 31 24	109.296	109.324
		N	5521930.785								
		E1	25.45 (NOT INTEGRATED)								
307850	79H0801	E	390172.047	0.9997467	0.9999986	55459	LEGAL C	TERR	193 42 17	86.279	86.301
		N	5521588.270			687137	85H0795	TERR	347 56 32	115.613	115.642
		E1	25.19 (NOT INTEGRATED)								
489450	79H0802	E	390144.592	0.9997467	0.9999985	687137	85H0795	TERR	178 25 45	120.535	120.566
		N	5521821.822			363556	79H0800	TERR	355 31 24	109.296	109.324
		E1	25.65 (NOT INTEGRATED)								
303685	79H0803	E	390425.556	0.9997413	0.9999938	862797	79H7180	TERR	5 34 49	129.851	129.885
		N	5521701.473								
		E1	55.66 (NOT INTEGRATED)								
501833	79H0804	E	391150.400	0.9997345	0.9999890	375253	79H7183	TERR	88 11 0	114.132	114.162
		N	5521606.682								
		E1	86.58 (NOT INTEGRATED)								
348649	79H0805	E	390639.482	0.9997424	0.9999955	911057	79H7163	TERR	1 11 51	248.838	248.902
		N	5520957.420			574418	79H7195	TERR	108 51 10	131.421	131.455
		E1	45.13 (NOT INTEGRATED)								
						440420	79H0806	TERR	136 35 50	295.323	295.399
						100008	79H7164	TERR	181 19 1	193.304	193.354

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
440420	79H0806	E	390842.405	0.9997393	0.9999930	937656	79H7199	TERR	157 14 48	153.153	153.193
		N	5520742.856			348649	79H0805	TERR	316 35 50	295.323	295.399
		E1	61.20 (NOT INTEGRATED)								
832790	79H0807	E	390723.567	0.9997408	0.9999942	508564	79H7207	TERR	95 49 47	127.326	127.358
		N	5519327.998			555086	79H7169	TERR	265 33 16	89.779	89.802
		E1	53.58 (NOT INTEGRATED)								
445312	79H0808	E	390421.305	0.9997446	0.9999971	529420	79H7145	TERR	272 55 20	152.586	152.626
		N	5518965.559								
		E1	34.82 (NOT INTEGRATED)								
672907	79H0809	E	390517.810	0.9997420	0.9999948	542043	79H7171	TERR	93 5 54	96.058	96.083
		N	5518701.592			507483	79H7146	TERR	272 58 51	202.897	202.948
		E1	49.77 (NOT INTEGRATED)								
677088	79H0810	E	390985.690	0.9997370	0.9999910	222448	79H0811	TERR	188 55 10	94.630	94.655
		N	5518250.254			72132	79H7173	TERR	295 30 51	127.710	127.743
		E1	73.49 (NOT INTEGRATED)								
222448	79H0811	E	390971.018	0.9997378	0.9999918	677088	79H0810	TERR	8 55 10	94.630	94.655
		N	5518156.768			79889	79H0812	TERR	182 38 3	102.894	102.921
		E1	68.50 (NOT INTEGRATED)								
79889	79H0812	E	390966.289	0.9997391	0.9999931	222448	79H0811	TERR	2 38 3	102.894	102.921
		N	5518053.983			173401	79H7149	TERR	196 22 37	113.553	113.583
		E1	60.38 (NOT INTEGRATED)								
53405	79H0813	E	390442.404	0.9997444	0.9999970	563742	79H7147	TERR	340 58 28	128.547	128.579
		N	5518220.385								
		E1	35.74 (NOT INTEGRATED)								
716639	79H0814	E	390520.761	0.9997451	0.9999978	643296	79H0815	TERR	268 39 14	180.964	181.010
		N	5517969.277								
		E1	30.03 (NOT INTEGRATED)								
643296	79H0815	E	390339.847	0.9997492	1.0000015	716639	79H0814	TERR	88 39 14	180.964	181.010
		N	5517965.026			4952	79H7175	TERR	303 30 34	163.824	163.865
		E1	6.47 (NOT INTEGRATED)								
307967	79H0818	E	390439.853	0.9997459	0.9999985	555086	79H7169	TERR	93 33 10	194.579	194.629
		N	5519333.097								
		E1	26.15 (NOT INTEGRATED)								
450205	79H0819	E	390654.676	0.9997411	0.9999943		MARKER DESTROYED				
		N	5521501.805								
		E1	52.64 (NOT INTEGRATED)								







Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
538488	79H7092	E N E1	389858.632 5525518.407 119.65(NOT INTEGRATED)	0.9997328	0.9999838	69070	79H7093	TERR	92 31 37	272.141	272.214
69070	79H7093	E N E1	390130.508 5525506.409 116.58(NOT INTEGRATED)	0.9997325	0.9999843	867358 991539 538488	79H7094 79H7111 79H7092	TERR TERR TERR	62 30 58 164 22 29 272 31 37	136.479 121.083 272.141	136.515 121.115 272.214
867358	79H7094	E N E1	390251.584 5525569.394 120.22(NOT INTEGRATED)	0.9997316	0.9999837	657130 69070	79H7095 79H7093	TERR TERR	55 16 6 242 30 58	268.295 136.479	268.367 136.515
657130	79H7095	E N E1	390472.077 5525722.251 103.93(NOT INTEGRATED)	0.9997336	0.9999862	765321 867358	79H7096 79H7094	TERR TERR	92 59 17 235 16 6	123.116 268.295	123.149 268.367
765321	79H7096	E N E1	390595.026 5525715.833 99.37(NOT INTEGRATED)	0.9997340	0.9999870	401430 657130	79H7113 79H7095	TERR TERR	181 5 1 272 59 17	329.785 123.116	329.873 123.149
939835	79H7097	E N E1	391036.996 5525511.177 107.87(NOT INTEGRATED)	0.9997315	0.9999856	852079	79H7098	TERR	108 50 19	182.649	182.698
852079	79H7098	E N E1	391209.861 5525452.199 120.78(NOT INTEGRATED)	0.9997290	0.9999836	265 939835	79H0821 79H7097	TERR TERR	89 15 26 288 50 19	398.760 182.649	398.868 182.698
261214	79H7099	E N E1	391499.261 5525145.805 105.99(NOT INTEGRATED)	0.9997305	0.9999859	577783	79H7117	TERR	72 55 52	265.780	265.851
270322	79H7100	E N E1	391599.705 5524811.862 100.69(NOT INTEGRATED)	0.9997311	0.9999867	642025	79H7101	TERR	207 28 1	171.602	171.648
642025	79H7101	E N E1	391520.556 5524659.603 99.67(NOT INTEGRATED)	0.9997314	0.9999869	270322 370361	79H7100 79H7102	TERR TERR	27 28 1 185 31 20	171.602 188.388	171.648 188.439
370361	79H7102	E N E1	391502.427 5524472.089 102.39(NOT INTEGRATED)	0.9997311	0.9999865	642025 537274	79H7101 79H7103	TERR TERR	5 31 20 179 49 20	188.388 315.565	188.439 315.649
537274	79H7103	E N E1	391503.406 5524156.526 102.22(NOT INTEGRATED)	0.9997311	0.9999865	370361	79H7102	TERR	359 49 20	315.565	315.649

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
697698	79H7104	E N E1	391245.456 5524022.240 100.43(NOT INTEGRATED)	0.9997321	0.9999868	936369	79H7127	TERR	165 49 25	332.312	332.401
429225	79H7105	E N E1	391082.716 5524307.996 98.91(NOT INTEGRATED)	0.9997327	0.9999870	638544	79H7106	TERR	315 36 36	239.658	239.722
638544	79H7106	E N E1	390915.066 5524479.255 101.70(NOT INTEGRATED)	0.9997327	0.9999866	429225 201095	79H7105 79H7107	TERR TERR	135 36 36 289 58 49	239.658 256.040	239.722 256.108
201095	79H7107	E N E1	390674.437 5524566.743 99.58(NOT INTEGRATED)	0.9997337	0.9999869	638544	79H7106	TERR	109 58 49	256.040	256.108
217026	79H7108	E N E1	390507.531 5524847.629 104.36(NOT INTEGRATED)	0.9997334	0.9999862	613422	79H7115	TERR	37 52 43	226.814	226.874
985192	79H7109	E N E1	390361.506 5524788.077 104.72(NOT INTEGRATED)	0.9997338	0.9999861	963405 38059	79H7118 79H7110	TERR TERR	234 14 27 324 12 59	147.895 370.252	147.935 370.350
38059	79H7110	E N E1	390145.011 5525088.437 119.35(NOT INTEGRATED)	0.9997321	0.9999838	991539 985192	79H7111 79H7109	TERR TERR	3 26 20 144 12 59	301.908 370.252	301.989 370.350
991539	79H7111	E N E1	390163.121 5525389.801 116.35(NOT INTEGRATED)	0.9997325	0.9999843	38059 69070	79H7110 79H7093	TERR TERR	183 26 20 344 22 29	301.908 121.083	301.989 121.115
401596	79H7112	E N E1	390375.158 5525390.302 120.11(NOT INTEGRATED)	0.9997313	0.9999837	401430 528570	79H7113 79H7114	TERR TERR	91 7 30 181 6 40	213.673 227.948	213.730 228.010
401430	79H7113	E N E1	390588.790 5525386.107 102.31(NOT INTEGRATED)	0.9997335	0.9999865	765321 401596	79H7096 79H7112	TERR TERR	1 5 1 271 7 30	329.785 213.673	329.873 213.730
528570	79H7114	E N E1	390370.738 5525162.397 127.37(NOT INTEGRATED)	0.9997302	0.9999826	401596	79H7112	TERR	1 6 40	227.948	228.010
613422	79H7115	E N E1	390646.793 5525026.656 105.26(NOT INTEGRATED)	0.9997329	0.9999860	217026	79H7108	TERR	217 52 43	226.814	226.874

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
812677	79H7116	E N E1	391608.588 5525457.330 128.85(NOT INTEGRATED)	0.9997266	0.9999823		MARKER DESTROYED				
577783	79H7117	E N E1	391753.334 5525223.817 122.29(NOT INTEGRATED)	0.9997273	0.9999834	261214 265	79H7099 79H0821	TERR TERR	252 55 52 328 12 39	265.780 274.769	265.851 274.844
963405	79H7118	E N E1	390241.492 5524701.650 101.37(NOT INTEGRATED)	0.9997346	0.9999866	985192	79H7109	TERR	54 14 27	147.895	147.935
121640	79H7119	E N E1	389637.901 5524611.826 100.62(NOT INTEGRATED)	0.9997364	0.9999868	476119	79H7120	TERR	133 43 17	611.474	611.635
476119	79H7120	E N E1	390079.818 5524189.204 93.44(NOT INTEGRATED)	0.9997363	0.9999879	715789 121640	79H7121 79H7119	TERR TERR	135 45 17 313 43 17	578.063 611.474	578.215 611.635
715789	79H7121	E N E1	390483.151 5523775.104 89.97(NOT INTEGRATED)	0.9997358	0.9999884	348755 476119	79H7122 79H7120	TERR TERR	134 17 26 315 45 17	522.155 578.063	522.293 578.215
348755	79H7122	E N E1	390856.914 5523410.485 87.63(NOT INTEGRATED)	0.9997351	0.9999888	269621 474486 715789	79H7126 79H7123 79H7121	TERR TERR TERR	42 26 34 136 45 7 314 17 26	286.077 257.773 522.155	286.153 257.842 522.293
474486	79H7123	E N E1	391033.529 5523222.725 98.70(NOT INTEGRATED)	0.9997329	0.9999871	348755	79H7122	TERR	316 45 7	257.773	257.842
352443	79H7124	E N E1	391297.129 5523097.746 109.08(NOT INTEGRATED)	0.9997306	0.9999854	284943	79H7153	TERR	181 31 43	439.458	439.576
105387	79H7125	E N E1	391681.937 5522651.490 112.65(NOT INTEGRATED)	0.9997290	0.9999849	302349 166991	79H7179 79H9687	TERR TERR	181 9 8 273 2 8	524.673 213.072	524.816 213.130
269621	79H7126	E N E1	391049.974 5523621.596 91.69(NOT INTEGRATED)	0.9997340	0.9999882	348755	79H7122	TERR	222 26 34	286.077	286.153
936369	79H7127	E N E1	391326.842 5523700.048 102.94(NOT INTEGRATED)	0.9997315	0.9999864	334888 697698	79H7128 79H7104	TERR TERR	164 47 43 345 49 25	439.275 332.312	439.393 332.401

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
334888	79H7128	E 391442.049	N 5523276.150	0.9997306	0.9999858	336008	79H7129	TERR	143 44 59	191.029	191.080
		E1 106.51				936369	79H7127	TERR	344 47 43	439.275	439.393
		106.51 (NOT INTEGRATED)									
336008	79H7129	E 391555.007	N 5523122.096	0.9997291	0.9999846	436717	79H7130	TERR	143 23 29	222.930	222.991
		E1 114.22				334888	79H7128	TERR	323 44 59	191.029	191.080
		114.22 (NOT INTEGRATED)									
436717	79H7130	E 391687.950	N 5522943.144	0.9997292	0.9999851	336008	79H7129	TERR	323 23 29	222.930	222.991
		E1 111.13									
		111.13 (NOT INTEGRATED)									
997866	79H7131	E 389713.359	N 5523634.791	0.9997420	0.9999926	52944	79H7132	TERR	167 15 28	224.263	224.322
		E1 63.63				612291	79H7080	TERR	326 26 2	753.232	753.425
		63.63 (NOT INTEGRATED)									
52944	79H7132	E 389762.824	N 5523416.051	0.9997418	0.9999926	103606	79H7216	TERR	175 52 41	223.729	223.786
		E1 63.52				997866	79H7131	TERR	347 15 28	224.263	224.322
		63.52 (NOT INTEGRATED)									
923540	79H7133	E 389895.000	N 5523010.767	0.9997475	0.9999986	985317	79H7134	TERR	158 28 43	408.752	408.855
		E1 25.33				103606	79H7216	TERR	327 29 9	215.988	216.043
		25.33 (NOT INTEGRATED)									
985317	79H7134	E 390044.951	N 5522630.513	0.9997485	1.0000000	228809	85H0793	TERR	175 37 7	213.176	213.229
		E1 16.37				923540	79H7133	TERR	338 28 43	408.752	408.855
		16.37 (NOT INTEGRATED)									
78394	79H7135	E 390061.184	N 5522418.005	0.9997474	0.9999990						
		E1 22.87									
		22.87 (NOT INTEGRATED)									
62513	79H7136	E 390127.931	N 5522028.730	0.9997469	0.9999986						
		E1 25.19									
		25.19 (NOT INTEGRATED)									
109926	79H7137	E 390142.723	N 5521725.448	0.9997469	0.9999987						
		E1 24.63									
		24.63 (NOT INTEGRATED)									
225698	79H7138	E 390121.120	N 5521280.198	0.9997485	1.0000002	55459	LEGAL C	TERR	7 44 30	226.312	226.369
		E1 14.97				893099	79H7188	TERR	93 5 37	293.370	293.444
		14.97 (NOT INTEGRATED)									
999920	79H7139	E 390211.835	N 5520764.468	0.9997478	0.9999997	282046	79H7194	TERR	92 35 17	214.736	214.791
		E1 17.89									
		17.89 (NOT INTEGRATED)									

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
170282	79H7143	E N E1	390282.250 551959.954 13.22(NOT INTEGRATED)	0.9997483	1.0000005	504290	79H0824	TERR	87 33 30	100.820	100.844
529420	79H7145	E N E1	390268.917 5518973.338 17.49(NOT INTEGRATED)	0.9997477	0.9999998	445312 507483	79H0808 79H7146	TERR TERR	92 55 20 169 57 15	152.586 265.262	152.626 265.329
507483	79H7146	E N E1	390315.188 5518712.143 26.87(NOT INTEGRATED)	0.9997461	0.9999983	672907 529420	79H0809 79H7145	TERR TERR	92 58 51 349 57 15	202.897 265.262	202.948 265.329
563742	79H7147	E N E1	390400.499 5518341.910 32.57(NOT INTEGRATED)	0.9997450	0.9999975	53405 72843	79H0813 79H7174	TERR TERR	160 58 28 273 6 24	128.547 148.131	128.579 148.169
603985	79H7148	E N E1	390592.772 5518111.849 39.54(NOT INTEGRATED)	0.9997434	0.9999964		MARKER DESTROYED				
173401	79H7149	E N E1	390934.272 5517945.037 46.42(NOT INTEGRATED)	0.9997414	0.9999953	79889 146431	79H0812 82H4752	TERR TERR	16 22 37 296 11 42	113.553 375.992	113.583 376.089
983239	79H7150	E N E1	390261.109 5522462.889 38.38(NOT INTEGRATED)	0.9997444	0.9999965	228809	85H0793	TERR	257 19 52	204.860	204.912
763268	79H7151	E N E1	390673.770 5522601.261 70.12(NOT INTEGRATED)	0.9997384	0.9999916		MARKER DESTROYED				
625913	79H7152	E N E1	390927.397 5522659.208 82.01(NOT INTEGRATED)	0.9997358	0.9999897	302125 284943 824318	79H7154 79H7153 79H0794	TERR TERR TERR	2 14 44 90 7 20 275 48 33	215.917 358.009 121.356	215.975 358.104 121.388
284943	79H7153	E N E1	391285.405 5522658.444 97.05(NOT INTEGRATED)	0.9997325	0.9999873	352443 166991 397117 625913	79H7124 79H9687 79H7178 79H7152	TERR TERR TERR TERR	1 31 43 88 39 2 180 59 29 270 7 20	439.458 183.810 522.254 358.009	439.576 183.859 522.393 358.104
302125	79H7154	E N E1	390935.857 5522874.959 89.99(NOT INTEGRATED)	0.9997345	0.9999884	625913	79H7152	TERR	182 14 44	215.917	215.975

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
671362	79H7155	E	390794.849	0.9997351	0.9999886		MARKER ISOLATED				
		N	5522946.298								
		E1	89.03(NOT INTEGRATED)								
283721	79H7156	E	390585.473	0.9997384	0.9999913	435503	82H4751	TERR	156 18 41	221.697	221.755
		N	5522804.388			556829	79H7157	TERR	236 18 6	189.683	189.733
		E1	71.56(NOT INTEGRATED)								
556829	79H7157	E	390427.663	0.9997405	0.9999930	283721	79H7156	TERR	56 18 6	189.683	189.733
		N	5522699.148								
		E1	60.88(NOT INTEGRATED)								
759647	79H7158	E	390638.448	0.9997371	0.9999902		MARKER DESTROYED				
		N	5523118.634								
		E1	79.02(NOT INTEGRATED)								
330266	79H7159	E	390667.111	0.9997384	0.9999916		MARKER DESTROYED				
		N	5522310.686								
		E1	69.78(NOT INTEGRATED)								
498543	79H7160	E	390650.812	0.9997392	0.9999923		MARKER DESTROYED				
		N	5522146.294								
		E1	65.19(NOT INTEGRATED)								
998880	79H7161	E	390657.656	0.9997399	0.9999931	496406	79H0787	TERR	181 10 24	185.539	185.588
		N	5521826.574			862797	79H7180	TERR	271 4 46	219.512	219.569
		E1	60.27(NOT INTEGRATED)								
131201	79H7162	E	390540.989	0.9997426	0.9999955	846329	79H7166	TERR	90 4 13	88.110	88.132
		N	5520136.116			60244	79H0789	TERR	270 47 17	140.608	140.644
		E1	45.08(NOT INTEGRATED)								
911057	79H7163	E	390644.683	0.9997417	0.9999948	13474	82H4753	TERR	2 5 1	296.853	296.930
		N	5521206.204			132332	85H0798	TERR	90 56 12	399.942	400.047
		E1	49.44(NOT INTEGRATED)			348649	79H0805	TERR	181 11 51	248.838	248.902
100008	79H7164	E	390635.039	0.9997428	0.9999959	348649	79H0805	TERR	1 19 1	193.304	193.354
		N	5520764.167			984419	85H0797	TERR	178 56 2	358.142	358.234
		E1	42.54(NOT INTEGRATED)			282046	79H7194	TERR	267 25 20	208.898	208.952
536342	79H7165	E	390633.434	0.9997425	0.9999956		MARKER DESTROYED				
		N	5520410.389								
		E1	44.09(NOT INTEGRATED)								
846329	79H7166	E	390629.099	0.9997416	0.9999947	984419	85H0797	TERR	2 40 19	270.373	270.443
		N	5520136.008			89185	79H7167	TERR	181 5 44	260.620	260.687
		E1	50.37(NOT INTEGRATED)			131201	79H7162	TERR	270 4 13	88.110	88.132

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
89185	79H7167	E	390624.116	0.9997411	0.9999942	846329	79H7166	TERR	1 5 44	260.620	260.687	
		N	5519875.436			676999	79H7204	TERR	92 24 47	390.397	390.499	
		E1	53.33(NOT INTEGRATED)			559997	82H4756	TERR	179 44 4	275.494	275.566	
						973685	79H7214	TERR	266 21 52	138.035	138.070	
795641	79H7168	E	390625.892	0.9997410	0.9999941		MARKER DESTROYED					
		N	5519600.623									
		E1	54.12(NOT INTEGRATED)									
555086	79H7169	E	390634.058	0.9997426	0.9999957	832790	79H0807	TERR	85 33 16	89.779	89.802	
		N	5519321.039			307967	79H0818	TERR	273 33 10	194.579	194.629	
		E1	43.63(NOT INTEGRATED)			559997	82H4756	TERR	358 13 14	279.041	279.112	
309724	79H7170	E	390610.644	0.9997423	0.9999954		MARKER DESTROYED					
		N	5518947.239									
		E1	45.89(NOT INTEGRATED)									
542043	79H7171	E	390613.728	0.9997407	0.9999937	974717	79H7172	TERR	182 5 28	297.974	298.051	
		N	5518696.400			672907	79H0809	TERR	273 5 54	96.058	96.083	
		E1	56.34(NOT INTEGRATED)									
974717	79H7172	E	390602.855	0.9997417	0.9999947	542043	79H7171	TERR	2 5 28	297.974	298.051	
		N	5518398.624			72132	79H7173	TERR	109 14 4	283.400	283.473	
		E1	49.83(NOT INTEGRATED)			146431	82H4752	TERR	181 11 13	287.676	287.750	
72132	79H7173	E	390870.435	0.9997388	0.9999925	677088	79H0810	TERR	115 30 51	127.710	127.743	
		N	5518305.263			974717	79H7172	TERR	289 14 4	283.400	283.473	
		E1	64.04(NOT INTEGRATED)									
72843	79H7174	E	390252.586	0.9997486	1.0000007	563742	79H7147	TERR	93 6 24	148.131	148.169	
		N	5518349.938			4952	79H7175	TERR	189 30 39	298.573	298.649	
		E1	12.14(NOT INTEGRATED)									
4952	79H7175	E	390203.252	0.9997495	1.0000015	72843	79H7174	TERR	9 30 39	298.573	298.649	
		N	5518055.469			643296	79H0815	TERR	123 30 34	163.824	163.865	
		E1	6.98(NOT INTEGRATED)			142513	30.040-1972	TERR	208 45 13	71.353	71.371	
277236	79H7176	E	390446.747	0.9997403	0.9999929	923755	79H0796	TERR	5 0 58	125.620	125.653	
		N	5522375.656			862797	79H7180	TERR	180 54 1	545.014	545.156	
		E1	61.76(NOT INTEGRATED)									
981647	79H7177	E	391079.033	0.9997368	0.9999911	397117	79H7178	TERR	90 44 45	197.352	197.403	
		N	5522138.837									
		E1	72.90(NOT INTEGRATED)									

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
397117	79H7178	E	391276.368	0.9997342	0.9999890	284943	79H7153	TERR	0 59 29	522.254	522.393
		N	5522136.268			375253	79H7183	TERR	181 17 43	526.102	526.243
		E1	86.08 (NOT INTEGRATED)				981647	79H7177	TERR	270 44 45	197.352
302349	79H7179	E	391671.387	0.9997299	0.9999858	105387	79H7125	TERR	1 9 8	524.673	524.816
		N	5522126.923								
		E1	106.89 (NOT INTEGRATED)								
862797	79H7180	E	390438.183	0.9997411	0.9999936	277236	79H7176	TERR	0 54 1	545.014	545.156
		N	5521830.709			998880	79H7161	TERR	91 4 46	219.512	219.569
		E1	56.97 (NOT INTEGRATED)				303685	79H0803	TERR	185 34 49	129.851
525725	79H7181	E	390422.882	0.9997421	0.9999947	45393	79H0786	TERR	91 55 2	117.532	117.563
		N	5521506.838			893099	79H7188	TERR	182 4 60	242.633	242.696
		E1	50.26 (NOT INTEGRATED)								
626457	79H7182	E	390944.116	0.9997381	0.9999920		MARKER DESTROYED				
		N	5521496.182								
		E1	67.37 (NOT INTEGRATED)								
375253	79H7183	E	391264.475	0.9997330	0.9999878	397117	79H7178	TERR	1 17 43	526.102	526.243
		N	5521610.300			841346	79H7184	TERR	91 31 10	196.311	196.364
		E1	94.19 (NOT INTEGRATED)				501833	79H0804	TERR	268 11 0	114.132
841346	79H7184	E	391460.717	0.9997308	0.9999861	170704	79H7191	TERR	181 8 37	411.182	411.294
		N	5521605.095			375253	79H7183	TERR	271 31 10	196.311	196.364
		E1	104.78 (NOT INTEGRATED)								
509596	79H7185	E	391660.557	0.9997292	0.9999850		MARKER DESTROYED				
		N	5521591.477								
		E1	112.03 (NOT INTEGRATED)								
112979	79H7186	E	391908.496	0.9997277	0.9999842		MARKER DESTROYED				
		N	5521586.262								
		E1	116.94 (NOT INTEGRATED)								
860635	79H7187	E	392165.143	0.9997267	0.9999839		MARKER DESTROYED				
		N	5521581.382								
		E1	118.82 (NOT INTEGRATED)								
893099	79H7188	E	390414.062	0.9997437	0.9999962	525725	79H7181	TERR	2 4 60	242.633	242.696
		N	5521264.365			225698	79H7138	TERR	273 5 37	293.370	293.444
		E1	40.33 (NOT INTEGRATED)								
935817	79H7189	E	391044.545	0.9997346	0.9999888		MARKER DESTROYED				
		N	5521199.671								
		E1	87.88 (NOT INTEGRATED)								



Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
688085	79H7202	E 390802.962	N 5520399.476	0.9997396	0.9999931	206284	79H7203	TERR	141 41 37	326.134	326.219
		E1 60.22	(NOT INTEGRATED)			984419	85H0797	TERR	272 20 51	161.395	161.436
206284	79H7203	E 391005.122	N 5520143.557	0.9997355	0.9999896	676999	79H7204	TERR	178 10 46	284.702	284.777
		E1 82.67	(NOT INTEGRATED)			688085	79H7202	TERR	321 41 37	326.134	326.219
676999	79H7204	E 391014.167	N 5519858.999	0.9997357	0.9999898	89185	79H7167	TERR	272 24 47	390.397	390.499
		E1 81.49	(NOT INTEGRATED)			206284	79H7203	TERR	358 10 46	284.702	284.777
419689	79H7205	E 391202.362	N 5519844.223	0.9997329	0.9999875	116210	79H7206	TERR	90 3 11	220.184	220.243
		E1 96.02	(NOT INTEGRATED)								
116210	79H7206	E 391422.546	N 5519844.019	0.9997304	0.9999856	372219	79H7208	TERR	181 40 14	543.940	544.087
		E1 108.12	(NOT INTEGRATED)			419689	79H7205	TERR	270 3 11	220.184	220.243
508564	79H7207	E 390850.234	N 5519315.065	0.9997399	0.9999935	372219	79H7208	TERR	91 31 8	556.652	556.799
		E1 57.46	(NOT INTEGRATED)			131581	79H7209	TERR	182 44 53	394.824	394.926
						832790	79H0807	TERR	275 49 47	127.326	127.358
372219	79H7208	E 391406.690	N 5519300.310	0.9997319	0.9999871	116210	79H7206	TERR	1 40 14	543.940	544.087
		E1 98.78	(NOT INTEGRATED)			508564	79H7207	TERR	271 31 8	556.652	556.799
131581	79H7209	E 390831.304	N 5518920.695	0.9997395	0.9999931	508564	79H7207	TERR	2 44 53	394.824	394.926
		E1 60.02	(NOT INTEGRATED)								
880039	79H7210	E 388500.114	N 5527516.437	0.9997290	0.9999763	220020	78H7035	TERR	0 37 34	401.172	401.280
		E1 167.28	(NOT INTEGRATED)			522656	79H7212	TERR	181 58 40	236.411	236.475
						636225	78H7034	TERR	272 44 40	399.040	399.146
36483	79H7211	E 388488.447	N 5527040.415	0.9997339	0.9999812	522656	79H7212	TERR	0 50 18	239.778	239.842
		E1 136.07	(NOT INTEGRATED)								
522656	79H7212	E 388491.955	N 5527280.167	0.9997306	0.9999779	880039	79H7210	TERR	1 58 40	236.411	236.475
		E1 157.01	(NOT INTEGRATED)			36483	79H7211	TERR	180 50 18	239.778	239.842
477489	79H7213	E 387062.234	N 5527818.179	0.9997421	0.9999855	975433	79H7068	TERR	121 36 34	207.525	207.579
		E1 108.79	(NOT INTEGRATED)			532671	79H7061	TERR	304 26 37	266.381	266.449

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
973685	79H7214	E	390486.359	0.9997437	0.9999964	89185	79H7167	TERR	86 21 52	138.035	138.070
		N	5519866.683								
		E1	39.35 (NOT INTEGRATED)								
103606	79H7216	E	389778.905	0.9997442	0.9999950	923540	79H7133	TERR	147 29 9	215.988	216.043
		N	5523192.901			52944	79H7132	TERR	355 52 41	223.729	223.786
		E1	48.02 (NOT INTEGRATED)								
119214	79H9676	E	388673.204	0.9997438	0.9999915	575258	79H7082	TERR	73 39 43	212.584	212.638
		N	5525652.982			328872	79H9677	TERR	179 50 19	133.590	133.623
		E1	70.21 (NOT INTEGRATED)								
328872	79H9677	E	388673.580	0.9997440	0.9999918	19364	79H7077	TERR	192 48 34	92.572	92.596
		N	5525519.393			119214	79H9676	TERR	359 50 19	133.590	133.623
		E1	68.46 (NOT INTEGRATED)								
23671	79H9678	E	388809.431	0.9997456	0.9999938	309989	79H7078	TERR	62 36 45	141.813	141.849
		N	5524820.482			849976	79H9679	TERR	149 0 28	166.351	166.393
		E1	55.85 (NOT INTEGRATED)			586131	79H9681	TERR	337 36 56	183.257	183.303
849976	79H9679	E	388895.089	0.9997451	0.9999934	839555	79H9680	TERR	140 27 36	90.448	90.472
		N	5524677.880			23671	79H9678	TERR	329 0 28	166.351	166.393
		E1	58.03 (NOT INTEGRATED)								
839555	79H9680	E	388952.670	0.9997447	0.9999932	151266	79H7079	TERR	145 40 53	102.896	102.922
		N	5524608.128			849976	79H9679	TERR	320 27 36	90.448	90.472
		E1	59.59 (NOT INTEGRATED)								
586131	79H9681	E	388739.643	0.9997460	0.9999940	23671	79H9678	TERR	157 36 56	183.257	183.303
		N	5524989.930			307884	79H9682	TERR	345 34 14	179.715	179.761
		E1	54.49 (NOT INTEGRATED)								
307884	79H9682	E	388694.860	0.9997457	0.9999936	586131	79H9681	TERR	165 34 14	179.715	179.761
		N	5525163.976			383984	79H9683	TERR	353 54 18	140.086	140.121
		E1	57.23 (NOT INTEGRATED)								
383984	79H9683	E	388679.986	0.9997449	0.9999927	307884	79H9682	TERR	173 54 18	140.086	140.121
		N	5525303.270			19364	79H7077	TERR	347 55 20	128.704	128.737
		E1	62.95 (NOT INTEGRATED)								
949925	79H9684	E	388419.724	0.9997463	0.9999934	343350	79H9685	TERR	33 31 2	96.483	96.508
		N	5525952.530			381764	79H7074	TERR	202 54 4	69.057	69.074
		E1	58.16 (NOT INTEGRATED)								
343350	79H9685	E	388473.001	0.9997462	0.9999934	195099	79H7073	TERR	34 23 4	272.127	272.195
		N	5526032.970			382366	79H9686	TERR	126 47 36	170.437	170.481
		E1	58.02 (NOT INTEGRATED)			949925	79H9684	TERR	213 31 2	96.483	96.508

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
382366	79H9686	E	388609.487	0.9997448	0.9999924	283408	79H7081	TERR	121 7 56	91.054	91.077
		N	5525930.890			343350	79H9685	TERR	306 47 36	170.437	170.481
		E1	64.74 (NOT INTEGRATED)								
166991	79H9687	E	391469.164	0.9997303	0.9999856	105387	79H7125	TERR	93 2 8	213.072	213.130
		N	5522662.773			284943	79H7153	TERR	268 39 2	183.810	183.859
		E1	107.81 (NOT INTEGRATED)								
435503	82H4751	E	390674.543	0.9997384	0.9999916	824318	79H0794	TERR	62 2 38	149.575	149.614
		N	5522601.371			747006	79H0795	TERR	246 38 58	143.573	143.610
		E1	69.90 (NOT INTEGRATED)				283721	79H7156	TERR	336 18 41	221.697
146431	82H4752	E	390596.896	0.9997434	0.9999964	974717	79H7172	TERR	1 11 13	287.676	287.750
		N	5518111.010			173401	79H7149	TERR	116 11 42	375.992	376.089
		E1	39.50 (NOT INTEGRATED)								
13474	82H4753	E	390655.476	0.9997412	0.9999943	911057	79H7163	TERR	182 5 1	296.853	296.930
		N	5521502.861			45393	79H0786	TERR	270 1 21	115.128	115.157
		E1	52.52 (NOT INTEGRATED)				496406	79H0787	TERR	359 19 44	138.223
867796	82H4754	E	391462.459	0.9997316	0.9999869		MARKER DESTROYED				
		N	5522122.508								
		E1	99.70 (NOT INTEGRATED)								
559997	82H4756	E	390625.393	0.9997410	0.9999941	555086	79H7169	TERR	178 13 14	279.041	279.112
		N	5519599.945			89185	79H7167	TERR	359 44 4	275.494	275.566
		E1	53.93 (NOT INTEGRATED)								
228809	85H0793	E	390061.237	0.9997474	0.9999990	983239	79H7150	TERR	77 19 52	204.860	204.912
		N	5522417.960			571711	79H0798	TERR	157 5 46	131.852	131.886
		E1	22.88 (NOT INTEGRATED)				985317	79H7134	TERR	355 37 7	213.176
522276	85H0794	E	390118.810	0.9997473	0.9999990	571711	79H0798	TERR	357 14 9	129.762	129.795
		N	5522166.892								
		E1	22.31 (NOT INTEGRATED)								
687137	85H0795	E	390147.896	0.9997469	0.9999987	307850	79H0801	TERR	167 56 32	115.613	115.642
		N	5521701.332			489450	79H0802	TERR	358 25 45	120.535	120.566
		E1	24.64 (NOT INTEGRATED)								
984419	85H0797	E	390641.703	0.9997425	0.9999956	688085	79H7202	TERR	92 20 51	161.395	161.436
		N	5520406.087			846329	79H7166	TERR	182 40 19	270.373	270.443
						971176	79H0788	TERR	270 30 56	238.639	238.700
		E1	44.55 (NOT INTEGRATED)				100008	79H7164	TERR	358 56 2	358.142

Integrated Survey Area No:26 The Corporation of the District of Powell River  
 Order in Council No. 2042/80  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
132332	85H0798	E	391044.572	0.9997346	0.9999888	940858	79H7190	TERR	90 13 6	203.663	203.716
		N	5521199.666			422956	79H7196	TERR	179 40 11	292.906	292.984
		E1	87.96 (NOT INTEGRATED)				911057	79H7163	TERR	270 56 12	399.942
55244	93H1114	E	391462.459	0.9997316	0.9999869						
		N	5522122.505								
		E1	99.698 CVD28BC								
55459	LEGAL C	E	390151.606	0.9997479	0.9999997	307850	79H0801	TERR	13 42 17	86.279	86.301
		N	5521504.447			225698	79H7138	TERR	187 44 30	226.312	226.369
		E1	18.27 (NOT INTEGRATED)								

END OF REPORT