

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
75747	1	E	339621.467	0.9999176	1.0000017	814202	87H3758	TERR	161 30 53	163.366	163.379		
		N	5543515.753					TERR	197 4 33			75.222	75.228
		E1	4.372					CVD28BC					
959676	79H9001	E	341768.686	0.9999091	1.0000015	MARKER DESTROYED							
		N	5536091.282										
		E1	5.169			CVD28BC							
754903	79H9002	E	341463.635	0.9999093	1.0000006	MARKER DESTROYED							
		N	5536108.598										
		E1	11.457			CVD28BC							
91165	79H9003	E	341097.267	0.9999084	0.9999982	MARKER DESTROYED							
		N	5536126.738										
		E1	26.298			CVD28BC							
15198	79H9004	E	341671.849	0.9999096	1.0000017	869966	94H1267	TERR	158 50 11	269.980	270.005		
		N	5536344.997			972158	79H9005	TERR	272 51 4	259.511	259.535		
		E1	4.319			144485	79H9006	TERR	349 19 17	235.285	235.306		
972158	79H9005	E	341412.659	0.9999097	1.0000008	15198	79H9004	TERR	92 51 4	259.511	259.535		
		N	5536357.905										
		E1	9.827			CVD28BC							
144485	79H9006	E	341628.251	0.9999097	1.0000016	15198	79H9004	TERR	169 19 17	235.285	235.306		
		N	5536576.207			868695	79H9007	TERR	342 42 20	305.194	305.221		
		E1	4.632			CVD28BC							
868695	79H9007	E	341537.523	0.9999101	1.0000017	365478	79H9008	TERR	9 2 11	400.636	400.672		
		N	5536867.603			144485	79H9006	TERR	162 42 20	305.194	305.221		
		E1	4.054			CVD28BC							
365478	79H9008	E	341600.448	0.9999098	1.0000017	868695	79H9007	TERR	189 2 11	400.636	400.672		
		N	5537263.266			746685	79H9009	TERR	246 1 31	287.147	287.173		
		E1	4.494			CVD28BC							
746685	79H9009	E	341338.075	0.9999105	1.0000013	365478	79H9008	TERR	66 1 31	287.147	287.173		
		N	5537146.588			263582	79H9010	TERR	230 9 2	239.194	239.215		
		E1	6.634			CVD28BC							
263582	79H9010	E	341154.439	0.9999107	1.0000008	746685	79H9009	TERR	50 9 2	239.194	239.215		
		N	5536993.319			636175	79H9011	TERR	223 36 10	484.956	484.999		
		E1	9.877			CVD28BC							
636175	79H9011	E	340819.986	0.9999111	0.9999998	263582	79H9010	TERR	43 36 10	484.956	484.999		
		N	5536642.144			496455	95H2022	TERR	265 41 12	249.672	249.695		
		E1	16.018			CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
47522	79H9012	E N E1	340793.065 5536406.437 25.875	0.9999096	0.9999983		MARKER DESTROYED				
250829	79H9013	E N E1	340848.123 5536237.067 24.743	0.9999096	0.9999985	786434	94H1262	TERR	342 1 12	164.074	164.088
4895	79H9014	E N E1	341343.694 5537520.813 8.909	0.9999101	1.0000010	740464	79H9015	TERR	217 54 38	240.788	240.809
740464	79H9015	E N E1	341195.747 5537330.838 9.009	0.9999107	1.0000009	4895 167866 741777	79H9014 83H6482 94H1264	TERR TERR TERR	37 54 38 216 20 28 305 32 21	240.788 298.370 278.411	240.809 298.397 278.436
54692	79H9016	E N E1	341322.424 5537640.041 6.966	0.9999105	1.0000013	912162	87H3546	TERR	296 19 43	326.916	326.946
655415	79H9017	E N E1	340907.979 5537176.308 8.876	0.9999118	1.0000010	167866 506006	83H6482 83H6492	TERR TERR	127 42 60 275 6 40	140.265 176.348	140.277 176.364
421511	79H9018	E N E1	341027.626 5537786.510 4.509	0.9999120	1.0000016		MARKER DESTROYED				
616839	79H9019	E N E1	340846.958 5537599.480 11.786	0.9999116	1.0000005		MARKER DESTROYED				
453928	79H9020	E N E1	340641.826 5537204.817 11.188	0.9999125	1.0000006		MARKER DESTROYED				
471896	79H9021	E N E1	340514.442 5537340.201 11.749	0.9999129	1.0000005		MARKER DESTROYED				
840660	79H9022	E N E1	339940.329 5537387.582 24.628	0.9999131	0.9999985		MARKER DESTROYED				
913533	79H9023	E N E1	339563.661 5537415.842 44.376	0.9999115	0.9999954		MARKER DESTROYED				

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
61747	79H9024	E	339585.209	0.9999130	0.9999970	169391	79H9031	TERR	3 4 57	222.910	222.929				
		N	5537820.708					TERR	3 35 49			223.663	223.682		
		E1	34.351					CVD28BC	490508			94H1246	TERR	92 11 52	373.086
						715482	91H0332	TERR	182 59 33	414.894	414.931				
28779	79H9025	E	339957.921	0.9999132	0.9999986	MARKER DESTROYED									
		N	5537806.264												
		E1	24.103			CVD28BC									
540096	79H9026	E	340346.173	0.9999134	1.0000003	217067	83H6480	TERR	156 6 14	422.760	422.796				
		N	5537731.793												
		E1	12.943					CVD28BC							
90613	79H9027	E	340866.113	0.9999126	1.0000016	912162	87H3546	TERR	142 19 28	267.195	267.218				
		N	5537996.515					476820	79H9032			TERR	344 43 54	278.088	278.113
		E1	4.780									CVD28BC			
288241	79H9028	E	340496.707	0.9999128	1.0000003	717652	94H1251	TERR	139 18 23	294.281	294.307				
		N	5538003.395					983957	79H9029			TERR	271 58 2	213.182	213.200
		E1	12.783									CVD28BC			
983957	79H9029	E	340283.651	0.9999134	1.0000001	717579	94H1265	TERR	3 40 12	217.452	217.471				
		N	5538010.713					288241	79H9028			TERR	91 58 2	213.182	213.200
		E1	14.423									CVD28BC	465690		
943423	79H9030	E	339976.111	0.9999129	0.9999984	MARKER DESTROYED									
		N	5538022.002												
		E1	25.402			CVD28BC									
169391	79H9031	E	339597.196	0.9999130	0.9999970	465690	94H1252	TERR	91 57 55	369.505	369.537				
		N	5538043.295					61747	79H9024			TERR	183 4 57	222.910	222.929
		E1	34.185									CVD28BC	429860		
476820	79H9032	E	340792.881	0.9999130	1.0000017	90613	79H9027	TERR	164 43 54	278.088	278.113				
		N	5538264.787					584789	85H1252			TERR	262 35 7	113.698	113.707
		E1	4.445									CVD28BC	207977		
815647	79H9033	E	340515.969	0.9999131	1.0000007	MARKER DESTROYED									
		N	5538225.364												
		E1	10.734			CVD28BC									
733089	79H9034	E	340299.096	0.9999132	1.0000000	MARKER DESTROYED									
		N	5538227.449												
		E1	15.090			CVD28BC									

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
207977	79H9035	E	340764.047	0.9999130	1.0000016	476820	79H9032	TERR	173 23 8	250.323	250.344						
		N	5538513.444									302174	79H9037	TERR	334 27 19	421.330	421.367
		E1	4.819									CVD28BC					
437574	79H9036	E	340308.992	0.9999138	1.0000006	MARKER DESTROYED											
		N	5538526.767														
		E1	10.979			CVD28BC											
302174	79H9037	E	340582.363	0.9999138	1.0000016	207977	79H9035	TERR	154 27 19	421.330	421.367						
		N	5538893.589									94375	79H9039	TERR	357 26 22	439.099	439.137
		E1	4.481									CVD28BC					
228460	79H9038	E	340351.830	0.9999100	0.9999970	MARKER DESTROYED											
94375	79H9039	E	340562.746	0.9999137	1.0000015	302174	79H9037	TERR	177 26 22	439.099	439.137						
		N	5539332.250									260687	79H9043	TERR	339 23 5	417.254	417.290
		E1	5.389									CVD28BC					
833012	79H9040	E	340342.758	0.9999096	0.9999965	542142	94H1260	TERR	177 21 26	287.637	287.663						
		N	5539256.449									774505	79H9044	TERR	336 25 17	377.728	377.762
		E1	37.454									CVD28BC					
331835	79H9041	E	339993.531	0.9999091	0.9999947	MARKER DESTROYED											
260687	79H9043	E	340415.834	0.9999144	1.0000016	94375	79H9039	TERR	159 23 5	417.254	417.290						
		N	5539722.785									220392	79H9049	TERR	344 36 13	420.293	420.328
		E1	4.700									CVD28BC					
774505	79H9044	E	340191.664	0.9999092	0.9999955	833012	79H9040	TERR	156 25 17	377.728	377.762						
		N	5539602.641									315283	94H1250	TERR	265 56 56	193.911	193.928
		E1	43.799									CVD28BC					
214270	79H9045	E	339999.669	0.9999074	0.9999929	MARKER DESTROYED											
657627	79H9046	E	339681.185	0.9999073	0.9999916	533646	94H1253	TERR	181 39 33	536.509	536.557						
		N	5539806.329									429860	79H9129	TERR	183 7 15	1566.961	1567.102
		E1	68.487									CVD28BC		377853	79H9052	TERR	342 51 26
405373	79H9047	E	339996.555	0.9999084	0.9999940	MARKER DESTROYED											
		N	5539880.042														
		E1	53.370	CVD28BC													

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
396036	79H9048	E	340152.467	0.9999096	0.9999958	874982	22712	GPS	147 27 54	14627.453	14628.949
		N	5539920.833			290296	87H3542	GPS	158 42 41	4601.050	4601.468
		E1	41.919	CVD28BC		677062	91H0331	GPS	192 9 9	2820.297	2820.553
						29082	92H0804	GPS	201 45 56	2929.292	2929.559
						55814	92H0805	GPS	225 44 21	2473.889	2474.112
						424739	92H0806	GPS	251 49 59	2463.472	2463.689
						299495	94H1240	TERR	255 16 54	153.715	153.730
						63933	83H6486	GPS	313 48 43	1678.808	1678.963
						362202	13703	GPS	316 52 24	9438.617	9439.455
						903948	79H9112	GPS	333 6 50	5029.096	5029.512
				361717	79H9050	TERR	343 20 43	257.101	257.124		
220392	79H9049	E	340304.248	0.9999150	1.0000017	260687	79H9043	TERR	164 36 13	420.293	420.328
		N	5540127.994			286922	79H9060	TERR	345 56 54	465.342	465.382
		E1	3.809	CVD28BC							
361717	79H9050	E	340078.781	0.9999088	0.9999947	396036	79H9048	TERR	163 20 43	257.101	257.124
		N	5540167.148			284372	79H9059	TERR	345 29 13	286.246	286.272
		E1	48.911	CVD28BC							
215368	79H9051	E	339913.979	0.9999071	0.9999924		MARKER DESTROYED				
		N	5540191.796								
		E1	63.685	CVD28BC							
377853	79H9052	E	339620.654	0.9999064	0.9999905	657627	79H9046	TERR	162 51 26	205.362	205.381
		N	5540002.567			588012	79H9053	TERR	296 48 54	241.454	241.477
		E1	75.390	CVD28BC		923441	89H5108	TERR	303 12 26	108.679	108.689
588012	79H9053	E	339405.164	0.9999074	0.9999906	50724	79H9056	TERR	0 23 1	358.513	358.547
		N	5540111.490			923441	89H5108	TERR	111 38 4	133.999	134.011
		E1	75.031	CVD28BC		377853	79H9052	TERR	116 48 54	241.454	241.477
						101766	87H3536	TERR	276 50 24	135.039	135.052
86975	79H9054	E	339624.467	0.9999054	0.9999895	981597	79H9057	TERR	345 55 7	256.439	256.462
		N	5540217.358								
		E1	81.715	CVD28BC							
53280	79H9055	E	339273.883	0.9999075	0.9999902	566646	79H9062	TERR	3 6 1	346.391	346.424
		N	5540223.912								
		E1	77.505	CVD28BC							
50724	79H9056	E	339407.565	0.9999045	0.9999877	588012	79H9053	TERR	180 23 1	358.513	358.547
		N	5540469.995								
		E1	93.194	CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
981597	79H9057	E	339562.076	0.9999044	0.9999882	208892	94H1245	TERR	91 28 28	289.187	289.214				
		N	5540466.091					86975	79H9054			TERR	165 55 7	256.439	256.462
		E1	90.137					CVD28BC							
264234	79H9058	E	339851.747	0.9999064	0.9999914	MARKER DESTROYED									
		N	5540459.100												
		E1	69.781			CVD28BC									
284372	79H9059	E	340007.048	0.9999080	0.9999936	361717	79H9050	TERR	165 29 13	286.246	286.272				
		N	5540444.260												
		E1	55.999					CVD28BC							
286922	79H9060	E	340191.265	0.9999154	1.0000017	220392	79H9049	TERR	165 56 54	465.342	465.382				
		N	5540579.412					45351	79H9063			TERR	355 18 46	410.814	410.849
		E1	4.022									CVD28BC			
361188	79H9061	E	339806.312	0.9999064	0.9999912	MARKER DESTROYED									
		N	5540646.140												
		E1	71.320			CVD28BC									
566646	79H9062	E	339292.617	0.9999049	0.9999877	53280	79H9055	TERR	183 6 1	346.391	346.424				
		N	5540569.796					784157	79H9119			TERR	352 2 50	84.385	84.392
		E1	93.731									CVD28BC			
45351	79H9063	E	340157.695	0.9999155	1.0000017	286922	79H9060	TERR	175 18 46	410.814	410.849				
		N	5540988.852					386805	79H9066			TERR	347 56 5	274.933	274.956
		E1	4.206									CVD28BC			
689042	79H9064	E	339816.436	0.9999078	0.9999927	MARKER DESTROYED									
		N	5540909.522												
		E1	61.783			CVD28BC									
270330	79H9065	E	339332.861	0.9999036	0.9999866	235713	79H9123	TERR	5 33 39	167.251	167.266				
		N	5540897.633					415109	79H9124			TERR	143 12 23	163.439	163.455
		E1	100.601									784157	79H9119		
386805	79H9066	E	340100.227	0.9999158	1.0000018	45351	79H9063	TERR	167 56 5	274.933	274.956				
		N	5541257.712					322990	79H9069			TERR	350 44 43	214.250	214.269
		E1	3.780									CVD28BC			
522177	79H9067	E	339791.525	0.9999099	0.9999946	947648	79H9070	TERR	1 46 49	307.375	307.403				
		N	5541152.125					188946	94H1243			TERR	174 4 40	242.342	242.364
		E1	49.096									CVD28BC			
506303	79H9068	E	339348.013	0.9999038	0.9999868	235713	79H9123	TERR	179 42 16	204.440	204.460				
		N	5541268.534					291765	87H3762			TERR	359 56 25	196.277	196.296
		E1	99.158									CVD28BC			

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
322990	79H9069	E	340065.771	0.9999159	1.0000017	386805	79H9066	TERR	170 44 43	214.250	214.269
		N	5541469.173			603423	79H9072	TERR	338 11 20	374.292	374.323
		E1	3.826	CVD28BC							
947648	79H9070	E	339801.074	0.9999115	0.9999963	522177	79H9067	TERR	181 46 49	307.375	307.403
		N	5541459.352			445445	79H9071	TERR	270 20 21	261.843	261.866
		E1	38.669	CVD28BC							
445445	79H9071	E	339539.236	0.9999067	0.9999905	947648	79H9070	TERR	90 20 21	261.843	261.866
		N	5541460.902			164129	94H1272	TERR	186 6 29	164.882	164.898
		E1	75.775	CVD28BC							
603423	79H9072	E	339926.703	0.9999159	1.0000012	322990	79H9069	TERR	158 11 20	374.292	374.323
		N	5541816.671								
		E1	7.392	CVD28BC							
771709	79H9073	E	339628.944	0.9999104	0.9999946	117044	94H1259	TERR	4 58 39	201.796	201.814
		N	5541866.735			89409	79H9074	TERR	271 58 24	261.896	261.919
		E1	49.636	CVD28BC							
89409	79H9074	E	339367.203	0.9999081	0.9999912	9233	79H9077	TERR	1 42 59	400.727	400.763
		N	5541875.753			771709	79H9073	TERR	91 58 24	261.896	261.919
		E1	70.898	CVD28BC		23507	87H3763	TERR	179 55 3	208.844	208.863
309757	79H9075	E	339912.241	0.9999133	0.9999985		MARKER DESTROYED				
		N	5542058.579								
		E1	24.203	CVD28BC							
607762	79H9076	E	339662.758	0.9999115	0.9999957		MARKER DESTROYED				
		N	5542261.423								
		E1	42.213	CVD28BC							
9233	79H9077	E	339379.205	0.9999094	0.9999925	637330	79H9082	TERR	1 46 18	404.178	404.215
		N	5542276.300			466425	84H9396	TERR	93 37 24	270.483	270.508
		E1	62.530	CVD28BC		89409	79H9074	TERR	181 42 59	400.727	400.763
58248	79H9078	E	339161.382	0.9999083	0.9999906		MARKER DESTROYED				
		N	5542276.980								
		E1	75.070	CVD28BC							
305839	79H9079	E	339943.749	0.9999132	0.9999985		MARKER DESTROYED				
		N	5542460.644								
		E1	24.345	CVD28BC							
837997	79H9081	E	339105.154	0.9999100	0.9999921	637330	79H9082	TERR	91 42 26	286.674	286.700
		N	5542688.826								
		E1	65.397	CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
637330	79H9082	E	339391.701	0.9999095	0.9999927	9233	79H9077	TERR	181 46 18	404.178	404.215					
		N	5542680.285					837997				79H9081	TERR	271 42 26	286.674	286.700
		E1	61.545					CVD28BC								
300749	79H9083	E	339553.961	0.9999109	0.9999947	MARKER ISOLATED										
		N	5542808.527													
		E1	48.887			CVD28BC										
842096	79H9084	E	339852.900	0.9999145	0.9999995	MARKER DESTROYED										
		N	5542796.696													
		E1	18.382			CVD28BC										
588772	79H9085	E	339776.257	0.9999150	0.9999997	MARKER DESTROYED										
		N	5542989.449													
		E1	16.575			CVD28BC										
536359	79H9086	E	339740.490	0.9999159	1.0000004	MARKER DESTROYED										
		N	5543205.945													
		E1	12.290			CVD28BC										
84269	79H9087	E	339384.642	0.9999118	0.9999949	MARKER DESTROYED										
		N	5543139.253													
		E1	47.223			CVD28BC										
769869	79H9088	E	338982.384	0.9999109	0.9999925	105627	94H1244	TERR	0 5 54	240.051	240.073					
		N	5542824.184					786822				79H9093	TERR	179 32 23	432.184	432.222
		E1	62.754										CVD28BC			
360784	79H9089	E	338728.567	0.9999133	0.9999939	582676	79H9090		TERR	1 27 26	449.619		449.658			
		N	5542701.500													
		E1	53.758					CVD28BC								
582676	79H9090	E	338740.001	0.9999142	0.9999948	360784	79H9089	TERR	181 27 26	449.619	449.658					
		N	5543150.974													
		E1	47.759					CVD28BC								
212449	79H9091	E	338965.454	0.9999118	0.9999933	MARKER DESTROYED										
		N	5543144.455													
		E1	57.650			CVD28BC										
69872	79H9092	E	339290.794	0.9999128	0.9999956	960385	96H2153	TERR	153 24 57	218.590	218.609					
		N	5543344.091					224121				85H1251	TERR	334 18 41	314.609	314.636
		E1	43.271										CVD28BC			
786822	79H9093	E	338985.855	0.9999099	0.9999914	769869	79H9088		TERR	359 32 23	432.184		432.222			
		N	5542392.014													
		E1	69.467					CVD28BC								

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
537670	79H9094	E N E1	339334.455 5543526.457 25.611	0.9999154	0.9999983	224121	85H1251	TERR	299 19 41	206.505	206.523
184143	79H9095	E N E1	338981.948 5543465.985 51.123	0.9999128	0.9999943		MARKER DESTROYED				
372284	79H9096	E N E1	339154.341 5543627.450 35.655	0.9999145	0.9999967		MARKER DESTROYED				
962845	79H9097	E N E1	338988.705 5543635.924 42.904	0.9999140	0.9999956		MARKER DESTROYED				
958280	79H9098	E N E1	339476.037 5543964.589 3.189	0.9999183	1.0000018		MARKER DESTROYED				
117580	79H9099	E N E1	339188.082 5543988.372 2.915	0.9999195	1.0000019		MARKER DESTROYED				
655035	79H9100	E N E1	338882.477 5543961.068 3.255	0.9999207	1.0000018		MARKER DESTROYED				
487819	79H9101	E N E1	338668.038 5543636.202 30.466	0.9999172	0.9999976		MARKER DESTROYED				
955476	79H9102	E N E1	338477.988 5543657.305 10.559	0.9999211	1.0000007		MARKER DESTROYED				
128975	79H9103	E N E1	338482.375 5544060.202 3.786	0.9999222	1.0000017	604272 51417 957415	91H9826 94H1269 87H3545	TERR TERR TERR	2 28 18 93 33 25 182 34 24	402.106 205.306 424.115	402.137 205.322 424.148
419028	79H9104	E N E1	338687.290 5544047.463 4.005	0.9999213	1.0000017		MARKER DESTROYED				
190553	79H9105	E N E1	338881.917 5544182.709 2.587	0.9999208	1.0000019		MARKER DESTROYED				

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
748442	79H9106	E	339326.295	0.9999189	1.0000018	275750	49	TERR	53 58 53	1959.379	1959.545	
		N	5544236.015			874982	22712	GPS	152 25 36	18780.122	18781.954	
		E1	3.309			CVD28BC	134403	79H9127	TERR	160 52 3	109.365	109.374
							290296	87H3542	GPS	163 48 56	8957.253	8958.025
							677062	91H0331	GPS	178 7 3	7076.096	7076.705
							63933	83H6486	GPS	186 58 1	3176.408	3176.686
							128876	92H0812	GPS	196 59 58	2028.537	2028.708
							453910	92H0814	GPS	233 9 11	1475.061	1475.179
							805051	1531	GPS	273 26 21	8793.939	8794.714
							903948	79H9112	GPS	276 42 26	1458.068	1458.182
							241885	84H9399	TERR	283 8 49	151.883	151.895
							362202	13703	GPS	294 34 50	6186.849	6187.369
							648618	92H0818	GPS	302 25 20	2764.449	2764.663
			994814	92H0820	GPS	313 41 24	2458.143	2458.335				
			718411	917004	GPS	323 53 11	11660.744	11661.574				
329011	79H9107	E	338902.472	0.9999207	1.0000020	MARKER DESTROYED						
		N	5544446.654									
		E1	2.298			CVD28BC						
814236	79H9108	E	338506.617	0.9999222	1.0000019	MARKER DESTROYED						
		N	5544462.599									
		E1	3.016			CVD28BC						
225813	79H9109	E	338270.451	0.9999232	1.0000019	991455	79H9113	TERR	271 29 6	376.943	376.971	
		N	5544685.694			892612	95H2024	TERR	272 56 30	217.212	217.229	
		E1	2.696			CVD28BC						
322701	79H9110	E	338139.947	0.9999238	1.0000020	MARKER DESTROYED						
		N	5544478.195									
		E1	2.155			CVD28BC						
308247	79H9111	E	339447.522	0.9999038	0.9999872	956268	79H9118	TERR	74 30 45	78.950	78.958	
		N	5540637.512			784157	79H9119	TERR	275 26 16	167.333	167.349	
		E1	96.369			CVD28BC	415109	79H9124	TERR	352 36 21	130.323	130.336

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
903948	79H9112	E	337878.206	0.9999247	1.0000018	991455	79H9113	TERR	3 3 16	289.560	289.582	
		N	5544406.314			706531	95H2025	TERR	3 25 41	287.398	287.420	
		E1	3.077			CVD28BC	748442	79H9106	GPS	96 42 26	1458.068	1458.182
							396036	79H9048	GPS	153 6 50	5029.096	5029.512
							128876	92H0812	GPS	157 56 35	2276.842	2277.028
							453910	92H0814	GPS	165 45 39	1088.300	1088.385
							677062	91H0331	GPS	166 56 11	7434.994	7435.612
							750224	96H2150	TERR	181 59 37	250.387	250.406
							315630	92H0822	GPS	221 13 56	2280.370	2280.549
							341289	92H0816	GPS	257 8 45	2110.093	2110.255
							805051	1531	GPS	272 47 24	7338.713	7339.339
							630814	92H0817	GPS	278 15 15	933.418	933.487
							26542	92H0819	GPS	296 52 37	1994.079	1994.223
			362202	13703	GPS	299 54 27	4819.967	4820.358				
			648618	92H0818	GPS	325 58 58	1582.721	1582.838				
			718411	917004	GPS	329 36 37	10723.146	10723.878				
			994814	92H0820	GPS	347 49 60	1562.778	1562.895				
991455	79H9113	E	337893.635	0.9999246	1.0000019	225813	79H9109	TERR	91 29 6	376.943	376.971	
		N	5544695.463			903948	79H9112	TERR	183 3 16	289.560	289.582	
		E1	2.794			CVD28BC	164061	84H9397	TERR	274 53 20	350.139	350.165
162552	79H9114	E	337544.696	0.9999261	1.0000019	MARKER DESTROYED						
		N	5544725.307									
		E1	2.499	CVD28BC								
787515	79H9115	E	337531.627	0.9999258	1.0000016	MARKER DESTROYED						
		N	5544316.584									
		E1	4.712	CVD28BC								
375659	79H9116	E	337199.409	0.9999270	1.0000015	MARKER DESTROYED						
		N	5544776.193									
		E1	5.275	CVD28BC								
307322	79H9117	E	337175.681	0.9999266	1.0000009	MARKER DESTROYED						
		N	5544336.018									
		E1	8.747	CVD28BC								
956268	79H9118	E	339523.605	0.9999042	0.9999878	391656	79H9121	TERR	46 3 46	174.795	174.812	
		N	5540658.594			308247	79H9111	TERR	254 30 45	78.950	78.958	
		E1	92.474			CVD28BC						
784157	79H9119	E	339280.942	0.9999049	0.9999877	270330	79H9065	TERR	11 59 59	249.721	249.745	
		N	5540653.369			308247	79H9111	TERR	95 26 16	167.333	167.349	
		E1	93.729			CVD28BC	566646	79H9062	TERR	172 2 50	84.385	84.392

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
292037	79H9120	E N E1	340691.072 5537759.552 11.308	0.9999123	1.0000006		MARKER DESTROYED				
391656	79H9121	E N E1	339649.475 5540779.879 84.412	0.9999049	0.9999891	198507 956268 732545	94H1239 79H9118 79H9126	TERR TERR TERR	129 48 48 226 3 46 315 12 33	201.121 174.795 123.836	201.141 174.812 123.848
444075	79H9122	E N E1	339512.131 5541072.593 93.096	0.9999041	0.9999878		MARKER DESTROYED				
235713	79H9123	E N E1	339349.068 5541064.097 100.726	0.9999035	0.9999866	314633 270330 63933 506303	91H9825 79H9065 83H6486 79H9068	TERR TERR TERR TERR	85 49 16 185 33 39 272 39 39 359 42 16	165.913 167.251 408.497 204.440	165.929 167.266 408.536 204.460
415109	79H9124	E N E1	339430.750 5540766.751 98.241	0.9999036	0.9999869	308247 270330	79H9111 79H9065	TERR TERR	172 36 21 323 12 23	130.323 163.439	130.336 163.455
41327	79H9125	E N E1	339520.182 5541316.237 86.478	0.9999051	0.9999888		MARKER DESTROYED				
732545	79H9126	E N E1	339562.230 5540867.763 91.775	0.9999041	0.9999880	391656 314633	79H9121 91H9825	TERR TERR	135 12 33 347 6 43	123.836 213.810	123.848 213.830
134403	79H9127	E N E1	339362.140 5544132.691 3.190	0.9999188	1.0000018	124669 748442 797746	87H3755 79H9106 95H2011	TERR TERR TERR	145 58 5 340 52 3 341 1 13	202.484 109.365 121.384	202.500 109.374 121.394
27342	79H9128	E N E1	339661.759 5539269.061 31.987	0.9999131	0.9999973		MARKER DESTROYED				
429860	79H9129	E N E1	339595.875 5538241.692 33.959	0.9999130	0.9999970	657627 22186 946103 169391	79H9046 87H3547 95H2030 79H9031	TERR TERR TERR TERR	3 7 15 5 22 58 179 1 30 179 37 7	1566.961 146.926 197.791 198.401	1567.102 146.939 197.807 198.418
854125	81H4653	E N E1	338881.402 5544181.071 2.538	0.9999208	1.0000019	802363 663252	95H2027 81H4654	TERR TERR	6 0 48 177 56 13	276.238 226.105	276.260 226.122

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
663252	81H4654	E	338889.542	0.9999205	1.0000017	628743	84H9398	TERR	83 39 13	300.017	300.041		
		N	5543955.113					854125	81H4653	TERR	357 56 13	226.105	226.122
		E1	4.037					CVD28BC					
706507	81H4655	E	338987.136	0.9999141	0.9999957	267799	85H1255	TERR	96 18 54	79.778	79.784		
		N	5543635.304					76471	94H1256	TERR	270 12 24	317.861	317.888
		E1	42.144							CVD28BC			
964932	81H4656	E	338477.666	0.9999211	1.0000007	MARKER DESTROYED							
		N	5543657.323										
		E1	10.422			CVD28BC							
683516	82H5292	E	339514.368	0.9999041	0.9999878	MARKER DESTROYED							
		N	5541076.218										
		E1	92.994			CVD28BC							
978924	82H5293	E	339161.379	0.9999083	0.9999906	MARKER DESTROYED							
		N	5542276.979										
		E1	75.080			CVD28BC							
290593	82H5294	E	339976.443	0.9999129	0.9999984	MARKER DESTROYED							
		N	5538022.456										
		E1	25.258			CVD28BC							
217067	83H6480	E	340517.425	0.9999129	1.0000005	85522	83H6485	TERR	139 22 19	173.628	173.643		
		N	5537345.272			528349	94H1258	TERR	274 52 49	577.390	577.440		
		E1	11.600			540096	79H9026	TERR	336 6 14	422.760	422.796		
167866	83H6482	E	341018.935	0.9999114	1.0000010	740464	79H9015	TERR	36 20 28	298.370	298.397		
		N	5537090.500			655415	79H9017	TERR	307 42 60	140.265	140.277		
		E1	8.709			CVD28BC							
244137	83H6483	E	338964.568	0.9999094	0.9999909	MARKER DESTROYED							
		N	5541887.336										
		E1	72.882			CVD28BC							
750737	83H6484	E	338952.918	0.9999063	0.9999878	640219	87H3761	TERR	91 43 41	232.929	232.951		
		N	5541485.188			133850	94H1273	TERR	184 10 51	165.205	165.221		
		E1	92.812			CVD28BC							
85522	83H6485	E	340630.482	0.9999126	1.0000007	506006	83H6492	TERR	101 54 31	104.090	104.099		
		N	5537213.497			217067	83H6480	TERR	319 22 19	173.628	173.643		
		E1	10.817			CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
63933	83H6486	E	338941.011	0.9999060	0.9999874	748442	79H9106	GPS	6 58 1	3176.408	3176.686				
		N	5541083.060			235713	79H9123	TERR	92 39 39	408.497	408.536				
		E1	95.487	CVD28BC		396036	79H9048	GPS	133 48 43	1678.808	1678.963				
						874982	22712	GPS	146 4 8	16263.651	16265.344				
						290296	87H3542	GPS	152 7 38	6164.466	6165.038				
						807198	83H6487	TERR	183 30 24	427.190	427.230				
						55814	92H0805	GPS	190 58 33	2942.645	2942.916				
						424739	92H0806	GPS	210 19 39	2236.339	2236.539				
						339119	92H0807	GPS	240 59 1	1689.024	1689.174				
						154898	94H1247	TERR	271 43 19	195.492	195.510				
807198	83H6487	E	338914.883	0.9999087	0.9999900	63933	83H6486	TERR	3 30 24	427.190	427.230				
		N	5540656.670			79467	83H6488	TERR	272 37 58	402.697	402.732				
		E1	78.810	CVD28BC											
		79467	83H6488	E	338512.611	0.9999135	0.9999932	376681	83H6489	TERR	3 33 41	420.565	420.602		
				N	5540675.167			807198	83H6487	TERR	92 37 58	402.697	402.732		
				E1	58.198	CVD28BC									
				376681	83H6489	E	338538.736	0.9999126	0.9999924	154898	94H1247	TERR	91 39 27	206.958	206.977
						N	5541094.920			79467	83H6488	TERR	183 33 41	420.565	420.602
						E1	63.405	CVD28BC							
						804732	83H6490	E	339260.278	0.9999121	0.9999947	101766	87H3536	TERR	2 7 35
N	5539836.497									990101	83H6491	TERR	271 44 36	217.710	217.729
E1	48.526							CVD28BC							
990101	83H6491							E	339042.669	0.9999141	0.9999959	804732	83H6490	TERR	91 44 36
		N	5539843.120							101196	83H6493	TERR	257 53 51	82.833	82.841
		E1	41.215					CVD28BC							
		506006	83H6492					E	340732.332	0.9999126	1.0000010	655415	79H9017	TERR	95 6 40
				N	5537192.018					956649	95H2033	TERR	185 4 2	167.879	167.894
				E1	8.461			CVD28BC		85522	83H6485	TERR	281 54 31	104.090	104.099
				101196	83H6493			E	338961.677	0.9999156	0.9999971	990101	83H6491	TERR	77 53 51
						N	5539825.753			845933	87H3764	TERR	143 55 48	115.127	115.137
						E1	33.713	CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
587568	83H6494	E N E1	339220.461 5539413.442 21.895	0.9999164	0.9999989	497230	87H3765	TERR	324 54 53	188.236	188.252
43331	84H9395	E N E1	339997.821 5539275.593 50.111	0.9999089	0.9999945	118729 381509 533646 326074	87H3766 94H1261 94H1253 94H1255	TERR TERR TERR TERR	183 28 16 185 48 25 269 2 35 357 35 46	419.477 213.574 332.216 124.719	419.514 213.593 332.246 124.730
466425	84H9396	E N E1	339649.147 5542259.206 42.932	0.9999114	0.9999956	117044 9233	94H1259 79H9077	TERR TERR	180 48 22 273 37 24	191.455 270.483	191.472 270.508
164061	84H9397	E N E1	337544.770 5544725.303 2.158	0.9999261	1.0000020	991455 706531 940999	79H9113 95H2025 95H2028	TERR TERR TERR	94 53 20 95 13 54 182 1 28	350.139 352.088 412.694	350.165 352.114 412.723
628743	84H9398	E N E1	339187.720 5543988.277 2.831	0.9999195	1.0000019	663252 241885	81H4654 84H9399	TERR TERR	263 39 13 358 6 27	300.017 282.438	300.041 282.461
241885	84H9399	E N E1	339178.393 5544270.561 2.990	0.9999195	1.0000019	748442 628743	79H9106 84H9398	TERR TERR	103 8 49 178 6 27	151.883 282.438	151.895 282.461
224121	85H1251	E N E1	339154.418 5543627.605 35.542	0.9999145	0.9999968	537670 69872 267799	79H9094 79H9092 85H1255	TERR TERR TERR	119 19 41 154 18 41 269 17 58	206.505 314.609 87.995	206.523 314.636 88.002
584789	85H1252	E N E1	340680.134 5538250.114 9.917	0.9999126	1.0000008	476820 961359	79H9032 85H1256	TERR TERR	82 35 7 262 46 19	113.698 166.853	113.707 166.868
564104	85H1253	E N E1	339775.876 5542989.079 16.494	0.9999151	0.9999998	92924 178004	95H1741 95H1740	TERR TERR	158 6 4 350 43 43	203.476 219.848	203.494 219.867
657825	85H1254	E N E1	338980.839 5543473.845 50.372	0.9999129	0.9999944		MARKER DESTROYED				
267799	85H1255	E N E1	339066.430 5543626.529 42.317	0.9999138	0.9999957	224121 706507	85H1251 81H4655	TERR TERR	89 17 58 276 18 54	87.995 79.778	88.002 79.784

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
961359	85H1256	E	340514.607	0.9999131	1.0000007	584789	85H1252	TERR	82 46 19	166.853	166.868				
		N	5538229.121					717579	94H1265	TERR	269 37 48	217.042	217.061		
		E1	10.772					CVD28BC							
101766	87H3536	E	339271.086	0.9999086	0.9999913	588012	79H9053	TERR	96 50 24	135.039	135.052				
		N	5540127.573					804732	83H6490	TERR	182 7 35	291.277	291.303		
		E1	70.649					CVD28BC							
320044	87H3537	E	339355.362	0.9999160	0.9999991	496026	87H3538	TERR	184 54 40	67.155	67.160				
		N	5539351.305												
		E1	20.935					CVD28BC							
496026	87H3538	E	339349.613	0.9999164	0.9999994	320044	87H3537	TERR	4 54 40	67.155	67.160				
		N	5539284.397					533646	94H1253	TERR	92 36 1	316.364	316.391		
		E1	18.977					CVD28BC							
9175	87H3539	E	341862.205	0.9999085	1.0000014	843797	87H3540	TERR	158 52 41	165.697	165.713				
		N	5535947.129					869966	94H1267	TERR	327 33 11	173.124	173.139		
		E1	6.334					CVD28BC							
843797	87H3540	E	341921.915	0.9999083	1.0000014	130492	87H3541	TERR	148 51 16	189.802	189.819				
		N	5535792.564					9175	87H3539	TERR	338 52 41	165.697	165.713		
		E1	6.070					CVD28BC							
130492	87H3541	E	342020.083	0.9999080	1.0000015	975219	87H3544	TERR	138 52 40	257.897	257.920				
		N	5535630.121					290296	87H3542	TERR	271 3 10	197.162	197.181		
		E1	5.763					CVD28BC							
290296	87H3542	E	341822.954	0.9999084	1.0000011	130492	87H3541	TERR	91 3 10	197.162	197.181				
		N	5535633.744					874982	22712	GPS	142 23 43	10154.479	10155.525		
		E1	7.799					CVD28BC		333716	87H3543	TERR	185 9 43	97.053	97.061
								146175	92H0800	GPS	271 16 35	2243.672	2243.877		
								552380	92H0801	GPS	273 42 39	1761.750	1761.912		
								677062	91H0331	GPS	304 2 53	2732.674	2732.923		
								805051	1531	GPS	308 59 56	14507.704	14509.058		
								63933	83H6486	GPS	332 7 38	6164.466	6165.038		
								396036	79H9048	GPS	338 42 41	4601.050	4601.468		
								748442	79H9106	GPS	343 48 56	8957.253	8958.025		
333716	87H3543	E	341814.222	0.9999084	1.0000011	290296	87H3542	TERR	5 9 43	97.053	97.061				
		N	5535537.085					182790	89H5106	TERR	273 32 28	166.800	166.816		
		E1	8.247					CVD28BC							
975219	87H3544	E	342189.693	0.9999066	1.0000007	130492	87H3541	TERR	318 52 40	257.897	257.920				
		N	5535435.845												
		E1	10.499					CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
814202	87H3758	E	339673.264	0.9999172	1.0000015	178004	95H1740	TERR	156 31 52	168.718	168.731		
		N	5543360.816					35196	87H3757	TERR	318 20 9	111.145	111.154
		E1	5.108					CVD28BC	75747	1	TERR	341 30 53	163.366
816595	87H3759	E	338940.883	0.9999055	0.9999869	MARKER DESTROYED							
		N	5541320.423										
		E1	98.217			CVD28BC							
175679	87H3760	E	338747.394	0.9999083	0.9999889	MARKER DESTROYED							
		N	5541095.480										
		E1	85.639			CVD28BC							
640219	87H3761	E	339185.741	0.9999048	0.9999872	291765	87H3762	TERR	94 42 36	162.616	162.632		
		N	5541478.164			750737	83H6484	TERR	271 43 41	232.929	232.951		
		E1	96.853			CVD28BC							
291765	87H3762	E	339347.808	0.9999050	0.9999880	23507	87H3763	TERR	5 33 59	203.056	203.075		
		N	5541464.811			506303	79H9068	TERR	179 56 25	196.277	196.296		
		E1	91.314			CVD28BC	640219	87H3761	TERR	274 42 36	162.616	162.632	
23507	87H3763	E	339367.504	0.9999062	0.9999893	291765	87H3762	TERR	185 33 59	203.056	203.075		
		N	5541666.909			89409	79H9074	TERR	359 55 3	208.844	208.863		
		E1	83.151			CVD28BC							
845933	87H3764	E	339029.461	0.9999157	0.9999974	497230	87H3765	TERR	153 22 54	184.809	184.824		
		N	5539732.696			101196	83H6493	TERR	323 55 48	115.127	115.137		
		E1	31.498			CVD28BC							
497230	87H3765	E	339112.264	0.9999163	0.9999984	587568	83H6494	TERR	144 54 53	188.236	188.252		
		N	5539567.475			845933	87H3764	TERR	333 22 54	184.809	184.824		
		E1	25.388			CVD28BC							
118729	87H3766	E	339972.424	0.9999149	1.0000004	43331	84H9395	TERR	3 28 16	419.477	419.514		
		N	5538856.886										
		E1	12.496			CVD28BC							
156612	87H3767	E	339481.368	0.9999161	0.9999997	189902	87H3754	TERR	123 14 22	133.313	133.323		
		N	5538927.431			351171	89H5105	TERR	272 42 53	160.564	160.578		
		E1	16.975			CVD28BC							
627158	87H3768	E	339997.725	0.9999148	1.0000004	MARKER DESTROYED							
		N	5538627.138										
		E1	12.355			CVD28BC							
661660	87H3769	E	339967.531	0.9999133	0.9999987	MARKER DESTROYED							
		N	5538236.771										
		E1	23.052			CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
226654	87H3770	E	339382.161	0.9999134	0.9999965	269290	87H3771	TERR	325 15 59	218.098	218.117
		N	5538228.018								
		E1	36.951	CVD28BC							
269290	87H3771	E	339257.897	0.9999136	0.9999963	112136	87H3772	TERR	1 44 17	181.738	181.753
		N	5538407.253			226654	87H3770	TERR	145 15 59	218.098	218.117
		E1	38.580	CVD28BC							
112136	87H3772	E	339263.409	0.9999139	0.9999966	375428	87H3774	TERR	35 47 47	182.266	182.281
		N	5538588.907			269290	87H3771	TERR	181 44 17	181.738	181.753
		E1	36.785	CVD28BC							
92361	87H3773	E	339454.723	0.9999152	0.9999986	762088	87H3548	TERR	144 27 43	177.972	177.988
		N	5538618.851			375428	87H3774	TERR	324 18 9	145.168	145.179
		E1	23.856	CVD28BC							
375428	87H3774	E	339370.017	0.9999161	0.9999992	92361	87H3773	TERR	144 18 9	145.168	145.179
		N	5538736.743			112136	87H3772	TERR	215 47 47	182.266	182.281
		E1	20.254	CVD28BC		555706	87H3775	TERR	321 47 58	208.644	208.661
555706	87H3775	E	339240.988	0.9999168	0.9999994	351171	89H5105	TERR	66 46 25	87.051	87.058
		N	5538900.706			375428	87H3774	TERR	141 47 58	208.644	208.661
		E1	18.809	CVD28BC							
351171	89H5105	E	339320.984	0.9999166	0.9999995	156612	87H3767	TERR	92 42 53	160.564	160.578
		N	5538935.036			555706	87H3775	TERR	246 46 25	87.051	87.058
		E1	17.911	CVD28BC							
182790	89H5106	E	341647.740	0.9999084	1.0000004	333716	87H3543	TERR	93 32 28	166.800	166.816
		N	5535547.387								
		E1	12.230	CVD28BC							
923441	89H5108	E	339529.723	0.9999068	0.9999905	377853	79H9052	TERR	123 12 26	108.679	108.689
		N	5540062.087			588012	79H9053	TERR	291 38 4	133.999	134.011
		E1	75.322	CVD28BC							
190678	89H5109	E	338659.006	0.9999173	0.9999976						
		N	5543628.157								
		E1	30.455	CVD28BC							
641449	89H5110	E	337869.509	0.9999244	1.0000016						
		N	5544155.898								
		E1	4.927	CVD28BC							

MARKER DESTROYED

MARKER DESTROYED

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
677062	91H0331	E	339558.749	0.9999089	0.9999927	715482	91H0332	TERR	1 8 1	242.690	242.711			
		N	5537163.738			396036	79H9048	GPS	12 9 9	2820.297	2820.553			
		E1	61.510			CVD28BC	949362	95H2018	TERR	123 43 5	422.511	422.548		
						290296	87H3542	GPS	124 2 53	2732.674	2732.923			
						874982	22712	GPS	138 32 7	12777.229	12778.541			
						390898	92H0803	GPS	161 26 50	911.941	912.025			
						345348	92H0802	GPS	208 38 30	1076.755	1076.853			
						29082	92H0804	GPS	274 15 15	493.846	493.891			
						55814	92H0805	GPS	311 10 44	1565.135	1565.277			
						362202	13703	GPS	328 43 36	11285.636	11286.641			
715482	91H0332	E	339563.550	0.9999114	0.9999953	61747	79H9024	TERR	2 59 33	414.894	414.931			
		N	5537406.380			528349	94H1258	TERR	91 48 49	378.768	378.801			
		E1	45.177			CVD28BC	677062	91H0331	TERR	181 8 1	242.690	242.711		
	314633	91H9825	E			339514.540	0.9999041	0.9999878	164129	94H1272	TERR	1 51 20	220.885	220.907
			N			5541076.187			732545	79H9126	TERR	167 6 43	213.810	213.830
			E1			92.831			CVD28BC	235713	79H9123	TERR	265 49 16	165.913
	604272	91H9826	E			338499.715	0.9999222	1.0000019	802363	95H2027	TERR	90 51 27	410.672	410.704
			N			5544461.934			128975	79H9103	TERR	182 28 18	402.106	402.137
			E1			2.947			CVD28BC	943340	91H9827	TERR	272 11 27	337.492
	943340	91H9827	E			338162.470	0.9999236	1.0000019	604272	91H9826	TERR	92 11 27	337.492	337.518
N			5544474.836											
E1			2.499	CVD28BC										
146175	92H0800	E	339579.839	0.9999084	0.9999923	390898	92H0803	GPS	23 36 49	671.716	671.777			
		N	5535683.718			552380	92H0801	GPS	82 28 42	489.269	489.314			
		E1	63.839			CVD28BC	290296	87H3542	GPS	91 16 35	2243.672	2243.877		
							874982	22712	GPS	133 48 20	11694.011	11695.215		
							345348	92H0802	GPS	314 52 59	758.184	758.254		
552380	92H0801	E	340064.898	0.9999070	0.9999928	290296	87H3542	GPS	93 42 39	1761.750	1761.912			
		N	5535747.765			874982	22712	GPS	135 43 36	11394.686	11395.868			
		E1	60.745			CVD28BC	146175	92H0800	GPS	262 28 42	489.269	489.314		
							345348	92H0802	GPS	294 44 10	1125.545	1125.649		
							390898	92H0803	GPS	338 36 36	592.217	592.271		
345348	92H0802	E	339042.629	0.9999091	0.9999909	29082	92H0804	GPS	1 22 45	981.916	982.005			
		N	5536218.740			677062	91H0331	GPS	28 38 30	1076.755	1076.853			
		E1	72.700			CVD28BC	390898	92H0803	GPS	84 18 7	810.282	810.356		
							552380	92H0801	GPS	114 44 10	1125.545	1125.649		
							146175	92H0800	GPS	134 52 59	758.184	758.254		

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
390898	92H0803	E	339848.907	0.9999074	0.9999924	552380	92H0801	GPS	158 36 36	592.217	592.271
		N	5536299.189			146175	92H0800	GPS	203 36 49	671.716	671.777
		E1	63.618	CVD28BC		345348	92H0802	GPS	264 18 7	810.282	810.356
						29082	92H0804	GPS	319 1 37	1193.591	1193.701
					677062	91H0331	GPS	341 26 50	911.941	912.025	
29082	92H0804	E	339066.264	0.9999084	0.9999903	396036	79H9048	GPS	21 45 56	2929.292	2929.559
		N	5537200.371			677062	91H0331	GPS	94 15 15	493.846	493.891
		E1	77.077	CVD28BC		390898	92H0803	GPS	139 1 37	1193.591	1193.701
						345348	92H0802	GPS	181 22 45	981.916	982.005
					55814	92H0805	GPS	325 24 14	1207.364	1207.474	
55814	92H0805	E	338380.740	0.9999100	0.9999892	63933	83H6486	GPS	10 58 33	2942.645	2942.916
		N	5538194.244			396036	79H9048	GPS	45 44 21	2473.889	2474.112
		E1	83.865	CVD28BC		677062	91H0331	GPS	131 10 44	1565.135	1565.277
						29082	92H0804	GPS	145 24 14	1207.364	1207.474
					424739	92H0806	GPS	329 18 28	1114.648	1114.746	
424739	92H0806	E	337811.794	0.9999152	0.9999921	510222	92H0808	GPS	9 31 19	2203.578	2203.766
		N	5539152.754			63933	83H6486	GPS	30 19 39	2236.339	2236.539
		E1	65.069	CVD28BC		396036	79H9048	GPS	71 49 59	2463.472	2463.689
						55814	92H0805	GPS	149 18 28	1114.648	1114.746
					339119	92H0807	GPS	342 37 3	1164.194	1164.291	
339119	92H0807	E	337463.993	0.9999164	0.9999919	223875	92H0811	GPS	18 7 26	2092.609	2092.783
		N	5540263.781			510222	92H0808	GPS	33 50 48	1278.931	1279.039
		E1	66.209	CVD28BC		63933	83H6486	GPS	60 59 1	1689.024	1689.174
						424739	92H0806	GPS	162 37 3	1164.194	1164.291
					765677	92H0815	GPS	312 48 41	1332.714	1332.823	
510222	92H0808	E	338176.323	0.9999150	0.9999934	128876	92H0812	GPS	29 51 27	1118.619	1118.715
		N	5541325.972			912410	92H0809	GPS	41 37 37	574.903	574.952
		E1	57.232	CVD28BC		63933	83H6486	GPS	107 37 23	802.343	802.414
						424739	92H0806	GPS	189 31 19	2203.578	2203.766
					339119	92H0807	GPS	213 50 48	1278.931	1279.039	
					765677	92H0815	GPS	264 42 34	1697.230	1697.372	
					223875	92H0811	GPS	356 12 37	928.626	928.703	
912410	92H0809	E	338558.219	0.9999141	0.9999940	128876	92H0812	GPS	17 56 38	568.038	568.087
		N	5541755.703			63933	83H6486	GPS	150 21 23	773.937	774.006
		E1	53.069	CVD28BC		510222	92H0808	GPS	221 37 37	574.903	574.952
						223875	92H0811	GPS	318 15 45	665.856	665.912
663203	92H0810	E	335736.560	0.9999210	0.9999896	315630	92H0822	GPS	64 5 53	709.941	709.998
		N	5542381.252			453910	92H0814	GPS	68 3 58	2597.340	2597.547
		E1	80.869	CVD28BC		223875	92H0811	GPS	93 5 49	2381.866	2382.060
						765677	92H0815	GPS	148 15 13	1424.970	1425.086

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
223875	92H0811	E	338114.947	0.9999164	0.9999945	453910	92H0814	GPS	1 36 47	1099.318	1099.408
		N	5542252.567			128876	92H0812	GPS	85 58 17	619.808	619.860
		E1	49.867	CVD28BC		912410	92H0809	GPS	138 15 45	665.856	665.912
						510222	92H0808	GPS	176 12 37	928.626	928.703
						339119	92H0807	GPS	198 7 26	2092.609	2092.783
						765677	92H0815	GPS	236 22 29	1955.888	1956.050
				663203	92H0810	GPS	273 5 49	2381.866	2382.060		
128876	92H0812	E	338733.223	0.9999121	0.9999927	748442	79H9106	GPS	16 59 58	2028.537	2028.708
		N	5542296.111			63933	83H6486	GPS	170 16 48	1230.719	1230.831
		E1	61.772	CVD28BC		912410	92H0809	GPS	197 56 38	568.038	568.087
						510222	92H0808	GPS	209 51 27	1118.619	1118.715
						223875	92H0811	GPS	265 58 17	619.808	619.860
						453910	92H0814	GPS	330 54 10	1207.764	1207.865
				903948	79H9112	GPS	337 56 35	2276.842	2277.028		
779678	92H0813	E	337511.659	0.9999158	0.9999916		MARKER DESTROYED				
		N	5543057.106								
		E1	68.735	CVD28BC							
453910	92H0814	E	338145.894	0.9999198	0.9999981	748442	79H9106	GPS	53 9 11	1475.061	1475.179
		N	5543351.449			128876	92H0812	GPS	150 54 10	1207.764	1207.865
		E1	27.117	CVD28BC		223875	92H0811	GPS	181 36 47	1099.318	1099.408
						663203	92H0810	GPS	248 3 58	2597.340	2597.547
						315630	92H0822	GPS	249 33 22	1889.739	1889.892
						341289	92H0816	GPS	284 8 1	2397.475	2397.664
				903948	79H9112	GPS	345 45 39	1088.300	1088.385		
765677	92H0815	E	336486.323	0.9999178	0.9999894	223875	92H0811	GPS	56 22 29	1955.888	1956.050
		N	5541169.478			510222	92H0808	GPS	84 42 34	1697.230	1697.372
		E1	82.333	CVD28BC		339119	92H0807	GPS	132 48 41	1332.714	1332.823
						663203	92H0810	GPS	328 15 13	1424.970	1425.086
341289	92H0816	E	335820.994	0.9999222	0.9999912	26542	92H0819	GPS	11 29 5	1398.925	1399.027
		N	5543936.876			630814	92H0817	GPS	61 58 11	1284.088	1284.185
		E1	71.177	CVD28BC		903948	79H9112	GPS	77 8 45	2110.093	2110.255
						453910	92H0814	GPS	104 8 1	2397.475	2397.664
						315630	92H0822	GPS	156 0 47	1363.228	1363.336
						909788	92H0821	GPS	268 48 57	1361.434	1361.538
				443069	90H6271	GPS	334 6 15	2242.085	2242.246		
630814	92H0817	E	336954.457	0.9999276	1.0000011	648618	92H0818	GPS	1 51 46	1178.486	1178.572
		N	5544540.320			672535	77C576	GPS	63 23 43	2387.848	2388.031
		E1	7.613	CVD28BC		903948	79H9112	GPS	98 15 15	933.418	933.487
						341289	92H0816	GPS	241 58 11	1284.088	1284.185
						26542	92H0819	GPS	311 54 52	1148.875	1148.957

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
648618	92H0818	E	336992.766	0.9999266	1.0000003	595645	98SG077	GPS	5 3 6	1911.681	1911.824				
		N	5545718.183			264671	98SG076	GPS	6 4 44	2457.763	2457.948				
		E1	12.987	CVD28BC		868026	98SG074	GPS	20 12 38	1830.189	1830.327				
						449058	98SG073	GPS	28 29 17	1935.461	1935.606				
						994814	92H0820	GPS	68 47 21	596.482	596.526				
						672535	77C576	GPS	92 57 45	2099.514	2099.675				
						748442	79H9106	GPS	122 25 20	2764.449	2764.663				
						903948	79H9112	GPS	145 58 58	1582.721	1582.838				
						630814	92H0817	GPS	181 51 46	1178.486	1178.572				
						26542	92H0819	GPS	245 19 26	983.003	983.072				
26542	92H0819	E	336099.529	0.9999311	1.0000011	648618	92H0818	GPS	65 19 26	983.003	983.072				
		N	5545307.791			903948	79H9112	GPS	116 52 37	1994.079	1994.223				
		E1	7.427	CVD28BC		630814	92H0817	GPS	131 54 52	1148.875	1148.957				
						341289	92H0816	GPS	191 29 5	1398.925	1399.027				
						909788	92H0821	GPS	229 31 39	2155.433	2155.589				
						443069	90H6271	GPS	297 11 15	1413.952	1414.048				
		994814	92H0820	E	337548.840	0.9999247	1.0000005	748442	79H9106	GPS	133 41 24	2458.143	2458.335		
				N	5545933.990			903948	79H9112	GPS	167 49 60	1562.778	1562.895		
				E1	11.314	CVD28BC		648618	92H0818	GPS	248 47 21	596.482	596.526		
								443069	90H6271	GPS	270 25 12	2707.116	2707.307		
						362202	13703	GPS	282 48 59	3947.068	3947.388				
						32052	95H2032	TERR	359 0 18	370.187	370.215				
909788	92H0821			E	334459.851	0.9999251	0.9999885	443069	90H6271	GPS	10 34 44	2080.457	2080.603		
				N	5543908.738			26542	92H0819	GPS	49 31 39	2155.433	2155.589		
				E1	87.778	CVD28BC		341289	92H0816	GPS	88 48 57	1361.434	1361.538		
								805051	1531	GPS	282 19 37	4003.968	4004.309		
		315630	92H0822	E	336375.182	0.9999189	0.9999901	903948	79H9112	GPS	41 13 56	2280.370	2280.549		
				N	5542691.378			453910	92H0814	GPS	69 33 22	1889.739	1889.892		
				E1	78.221	CVD28BC		663203	92H0810	GPS	244 5 53	709.941	709.998		
								341289	92H0816	GPS	336 0 47	1363.228	1363.336		
				198507	94H1239	E	339803.963	0.9999064	0.9999912	188946	94H1243	TERR	2 46 2	260.277	260.301
						N	5540651.103			208892	94H1245	TERR	166 13 8	198.157	198.176
E1	70.806					CVD28BC		391656	79H9121	TERR	309 48 48	201.121	201.141		
299495	94H1240					E	340003.796	0.9999085	0.9999941	396036	79H9048	TERR	75 16 54	153.715	153.730
						N	5539881.779			315283	94H1250	TERR	181 5 14	292.890	292.917
						E1	52.852	CVD28BC		285254	94H1248	TERR	345 11 50	311.185	311.213

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
398875	94H1241	E	339996.443	0.9999149	1.0000005	630194	94H1271	TERR	119 3 40	353.602	353.632			
		N	5538634.515					TERR	183 5 40			416.637	416.672	
		E1	11.960					CVD28BC	TERR			357 17 51	429.077	429.115
286864	94H1242	E	340847.463	0.9999116	1.0000005	741777	94H1264	TERR	132 0 54	163.850	163.865			
		N	5537602.336					TERR	318 14 15			238.544	238.565	
		E1	11.653					CVD28BC						
188946	94H1243	E	339816.529	0.9999079	0.9999927	198507	94H1239	TERR	182 46 2	260.277	260.301			
		N	5540911.076					TERR	354 4 40			242.342	242.364	
		E1	61.323					CVD28BC						
105627	94H1244	E	338982.796	0.9999115	0.9999931	430140	96H2152	TERR	80 27 14	249.884	249.907			
		N	5543064.235					TERR	180 5 54			240.051	240.073	
		E1	59.149					CVD28BC	TERR			353 41 20	197.097	197.114
208892	94H1245	E	339851.167	0.9999065	0.9999915	285254	94H1248	TERR	165 9 42	285.536	285.563			
		N	5540458.650					TERR	271 28 28			289.187	289.214	
		E1	69.320					CVD28BC	TERR			346 13 8	198.157	198.176
490508	94H1246	E	339958.021	0.9999132	0.9999986	465690	94H1252	TERR	2 9 42	224.383	224.402			
		N	5537806.401					TERR	182 12 33			412.315	412.351	
		E1	24.118					CVD28BC	TERR			272 11 52	373.086	373.119
154898	94H1247	E	338745.607	0.9999084	0.9999890	63933	83H6486	TERR	91 43 19	195.492	195.510			
		N	5541088.934					TERR	271 39 27			206.958	206.977	
		E1	85.234					CVD28BC						
285254	94H1248	E	339924.291	0.9999072	0.9999925	299495	94H1240	TERR	165 11 50	311.185	311.213			
		N	5540182.636					TERR	345 9 42			285.536	285.563	
		E1	62.883					CVD28BC						
409672	94H1249	E	339912.366	0.9999133	0.9999985	218107	95H1742	TERR	4 29 29	402.817	402.852			
		N	5542058.571					TERR	271 58 53			266.072	266.095	
		E1	24.198					CVD28BC						
315283	94H1250	E	339998.238	0.9999074	0.9999930	299495	94H1240	TERR	1 5 14	292.890	292.917			
		N	5539588.942					TERR	85 56 56			193.911	193.928	
		E1	59.805					CVD28BC	TERR			181 42 51	188.825	188.842
717652	94H1251	E	340688.582	0.9999124	1.0000006	286864	94H1242	TERR	138 14 15	238.544	238.565			
		N	5537780.269					TERR	319 18 23			294.281	294.307	
		E1	10.894					CVD28BC						
465690	94H1252	E	339966.484	0.9999129	0.9999984	983957	79H9029	TERR	93 35 32	317.791	317.819			
		N	5538030.624					TERR	182 9 42			224.383	224.402	
		E1	25.460					CVD28BC	TERR			271 57 55	369.505	369.537
								TERR	272 4 30			367.484	367.516	

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
533646	94H1253	E	339665.651	0.9999130	0.9999973	657627	79H9046	TERR	1 39 33	536.509	536.557
		N	5539270.045			43331	84H9395	TERR	89 2 35	332.216	332.246
		E1	32.125	CVD28BC		496026	87H3538	TERR	272 36 1	316.364	316.391
436683	94H1254	E	339973.952	0.9999132	0.9999987	398875	94H1241	TERR	3 5 40	416.637	416.672
		N	5538218.486			717579	94H1265	TERR	88 21 57	323.750	323.778
		E1	23.359	CVD28BC							
326074	94H1255	E	339992.590	0.9999077	0.9999932	315283	94H1250	TERR	1 42 51	188.825	188.842
		N	5539400.202			43331	84H9395	TERR	177 35 46	124.719	124.730
		E1	58.205	CVD28BC							
76471	94H1256	E	338669.277	0.9999172	0.9999975	706507	81H4655	TERR	90 12 24	317.861	317.888
		N	5543636.451			957415	87H3545	TERR	270 1 4	205.943	205.960
		E1	30.532	CVD28BC							
84970	94H1257	E	338961.130	0.9999121	0.9999936	105627	94H1244	TERR	173 41 20	197.097	197.114
		N	5543260.138								
		E1	55.824	CVD28BC							
528349	94H1258	E	339942.128	0.9999132	0.9999985	490508	94H1246	TERR	2 12 33	412.315	412.351
		N	5537394.392			217067	83H6480	TERR	94 52 49	577.390	577.440
		E1	24.460	CVD28BC		949362	95H2018	TERR	183 55 42	466.289	466.330
						715482	91H0332	TERR	271 48 49	378.768	378.801
117044	94H1259	E	339646.453	0.9999111	0.9999953	466425	84H9396	TERR	0 48 22	191.455	191.472
		N	5542067.770			409672	94H1249	TERR	91 58 53	266.072	266.095
		E1	44.943	CVD28BC		771709	79H9073	TERR	184 58 39	201.796	201.814
542142	94H1260	E	340356.021	0.9999098	0.9999968	560326	94H1268	TERR	185 59 39	255.226	255.247
		N	5538969.118			833012	79H9040	TERR	357 21 26	287.637	287.663
		E1	35.430	CVD28BC							
381509	94H1261	E	339976.212	0.9999121	0.9999975	43331	84H9395	TERR	5 48 25	213.574	213.593
		N	5539063.115			398875	94H1241	TERR	177 17 51	429.077	429.115
		E1	30.667	CVD28BC							
786434	94H1262	E	340797.476	0.9999096	0.9999983	250829	79H9013	TERR	162 1 12	164.074	164.088
		N	5536393.128								
		E1	25.926	CVD28BC							
807958	94H1263	E	340957.842	0.9999090	0.9999983	872564	94H1266	TERR	93 32 16	198.555	198.574
		N	5536136.173								
		E1	25.780	CVD28BC							

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
741777	94H1264	E	340969.199	0.9999112	1.0000006	740464	79H9015	TERR	125 32 21	278.411	278.436
		N	5537492.667			286864	94H1242	TERR	312 0 54	163.850	163.865
		E1	11.495	CVD28BC							
717579	94H1265	E	340297.570	0.9999133	1.0000000	630194	94H1271	TERR	1 56 20	235.172	235.193
		N	5538227.719			961359	85H1256	TERR	89 37 48	217.042	217.061
		E1	14.931	CVD28BC		983957	79H9029	TERR	183 40 12	217.452	217.471
					436683	94H1254	TERR	268 21 57	323.750	323.778	
872564	94H1266	E	341156.019	0.9999084	0.9999985	860312	94H1270	TERR	92 53 36	379.009	379.044
		N	5536123.921			807958	94H1263	TERR	273 32 16	198.555	198.574
		E1	24.839	CVD28BC							
869966	94H1267	E	341769.321	0.9999091	1.0000015	9175	87H3539	TERR	147 33 11	173.124	173.139
		N	5536093.226			860312	94H1270	TERR	272 49 11	235.061	235.082
		E1	5.160	CVD28BC		15198	79H9004	TERR	338 50 11	269.980	270.005
560326	94H1268	E	340329.368	0.9999116	0.9999985	542142	94H1260	TERR	5 59 39	255.226	255.247
		N	5538715.288			630194	94H1271	TERR	185 23 35	253.655	253.677
		E1	24.670	CVD28BC							
51417	94H1269	E	338687.285	0.9999213	1.0000017	128975	79H9103	TERR	273 33 25	205.306	205.322
		N	5544047.465								
		E1	4.070	CVD28BC							
860312	94H1270	E	341534.545	0.9999091	1.0000007	869966	94H1267	TERR	92 49 11	235.061	235.082
		N	5536104.789			872564	94H1266	TERR	272 53 36	379.009	379.044
		E1	10.741	CVD28BC							
630194	94H1271	E	340305.527	0.9999138	1.0000006	560326	94H1268	TERR	5 23 35	253.655	253.677
		N	5538462.756			717579	94H1265	TERR	181 56 20	235.172	235.193
		E1	11.024	CVD28BC		398875	94H1241	TERR	299 3 40	353.602	353.632
164129	94H1272	E	339521.692	0.9999050	0.9999887	445445	79H9071	TERR	6 6 29	164.882	164.898
		N	5541296.956			314633	91H9825	TERR	181 51 20	220.885	220.907
		E1	86.796	CVD28BC							
133850	94H1273	E	338940.874	0.9999055	0.9999869	750737	83H6484	TERR	4 10 51	165.205	165.221
		N	5541320.423			63933	83H6486	TERR	179 58 1	237.363	237.385
		E1	98.197	CVD28BC							
178004	95H1740	E	339740.456	0.9999159	1.0000004	564104	85H1253	TERR	170 43 43	219.848	219.867
		N	5543206.055			960385	96H2153	TERR	260 43 38	356.499	356.529
		E1	12.290	CVD28BC		814202	87H3758	TERR	336 31 52	168.718	168.731

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
92924	95H1741	E	339851.766	0.9999145	0.9999995	218107	95H1742	TERR	164 50 31	352.394	352.425		
		N	5542800.285					564104	85H1253	TERR	338 6 4	203.476	203.494
		E1	18.312					CVD28BC					
218107	95H1742	E	339943.911	0.9999132	0.9999985	409672	94H1249	TERR	184 29 29	402.817	402.852		
		N	5542460.151					92924	95H1741	TERR	344 50 31	352.394	352.425
		E1	24.354					CVD28BC					
797746	95H2011	E	339322.662	0.9999189	1.0000018	134403	79H9127	TERR	161 1 13	121.384	121.394		
		N	5544247.476					358283	95H2012	TERR	330 35 9	276.340	276.363
		E1	3.201					CVD28BC					
358283	95H2012	E	339186.946	0.9999192	1.0000016	797746	95H2011	TERR	150 35 9	276.340	276.363		
		N	5544488.194					340810	95H2014	TERR	317 44 25	385.094	385.126
		E1	4.854					CVD28BC					
193557	95H2013	E	338617.502	0.9999218	1.0000020	167965	95H2015	TERR	47 2 15	569.147	569.192		
		N	5545135.513					270041	95H2023	TERR	227 2 1	471.728	471.765
		E1	2.408					CVD28BC					
340810	95H2014	E	338927.973	0.9999203	1.0000016	358283	95H2012	TERR	137 44 25	385.094	385.126		
		N	5544773.204					802363	95H2027	TERR	183 10 46	317.904	317.930
		E1	4.573					CVD28BC		292052	95H2019	TERR	292 41 59
167965	95H2015	E	339034.003	0.9999200	1.0000018	193557	95H2013	TERR	227 2 15	569.147	569.192		
		N	5545523.399					63719	95H2017	TERR	337 25 35	490.317	490.355
		E1	3.377					CVD28BC					
477380	95H2016	E	340403.137	0.9999116	0.9999987	997742	95H2026	TERR	1 19 26	297.896	297.921		
		N	5536819.527										
		E1	22.993					CVD28BC					
63719	95H2017	E	338845.785	0.9999208	1.0000018	167965	95H2015	TERR	157 25 35	490.317	490.355		
		N	5545976.151					45112	95H2020	TERR	320 49 60	270.788	270.809
		E1	3.357					CVD28BC					
949362	95H2018	E	339910.184	0.9999107	0.9999960	528349	94H1258	TERR	3 55 42	466.289	466.330		
		N	5536929.199					677062	91H0331	TERR	303 43 5	422.511	422.548
		E1	40.781					CVD28BC					
292052	95H2019	E	338614.331	0.9999214	1.0000015	340810	95H2014	TERR	112 41 59	339.977	340.003		
		N	5544904.402					270041	95H2023	TERR	255 11 37	353.764	353.792
		E1	4.985					CVD28BC					
45112	95H2020	E	338674.761	0.9999215	1.0000018	63719	95H2017	TERR	140 49 60	270.788	270.809		
		N	5546186.096					43414	95H2021	TERR	331 44 52	140.798	140.808
		E1	3.387					CVD28BC					

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
43414	95H2021	E	338608.114	0.9999218	1.0000019	45112	95H2020	TERR	151 44 52	140.798	140.808		
		N	5546310.121					36699	95H2031	TERR	268 30 17	656.222	656.273
		E1	2.755					CVD28BC					
496455	95H2022	E	340571.021	0.9999103	0.9999981	636175	79H9011	TERR	85 41 12	249.672	249.695		
		N	5536623.366										
		E1	26.975					CVD28BC					
270041	95H2023	E	338272.314	0.9999232	1.0000019	193557	95H2013	TERR	47 2 1	471.728	471.765		
		N	5544813.997					292052	95H2019	TERR	75 11 37	353.764	353.792
		E1	2.655							892612	95H2024	TERR	241 49 55
892612	95H2024	E	338053.525	0.9999238	1.0000017	270041	95H2023	TERR	61 49 55	248.182	248.201		
		N	5544696.841					225813	79H9109	TERR	92 56 30	217.212	217.229
		E1	4.310							706531	95H2025	TERR	268 40 49
706531	95H2025	E	337895.391	0.9999246	1.0000019	892612	95H2024	TERR	88 40 49	158.176	158.188		
		N	5544693.198					903948	79H9112	TERR	183 25 41	287.398	287.420
		E1	2.890							164061	84H9397	TERR	275 13 54
997742	95H2026	E	340410.020	0.9999127	0.9999999	972620	95H2029	TERR	96 54 20	141.739	141.752		
		N	5537117.343					477380	95H2016	TERR	181 19 26	297.896	297.921
		E1	15.653							CVD28BC			
802363	95H2027	E	338910.341	0.9999207	1.0000019	340810	95H2014	TERR	3 10 46	317.904	317.930		
		N	5544455.789					854125	81H4653	TERR	186 0 48	276.238	276.260
		E1	2.494							604272	91H9826	TERR	270 51 27
940999	95H2028	E	337530.191	0.9999258	1.0000016	164061	84H9397	TERR	2 1 28	412.694	412.723		
		N	5544312.867										
		E1	4.781					CVD28BC					
972620	95H2029	E	340550.731	0.9999124	1.0000001	956649	95H2033	TERR	114 21 31	183.069	183.086		
		N	5537100.301					997742	95H2026	TERR	276 54 20	141.739	141.752
		E1	14.085							CVD28BC			
946103	95H2030	E	339599.241	0.9999130	0.9999970	465690	94H1252	TERR	92 4 30	367.484	367.516		
		N	5538043.930					61747	79H9024	TERR	183 35 49	223.663	223.682
		E1	33.941							429860	79H9129	TERR	359 1 30
36699	95H2031	E	337952.116	0.9999236	1.0000011	43414	95H2021	TERR	88 30 17	656.222	656.273		
		N	5546292.996					32052	95H2032	TERR	271 33 19	409.855	409.886
		E1	7.992							CVD28BC			
32052	95H2032	E	337542.412	0.9999248	1.0000007	36699	95H2031	TERR	91 33 19	409.855	409.886		
		N	5546304.121					994814	92H0820	TERR	179 0 18	370.187	370.215
		E1	10.606							CVD28BC			

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
956649	95H2033	E	340717.504	0.9999122	1.0000006	506006	83H6492	TERR	5 4 2	167.879	167.894		
		N	5537024.795			972620	95H2029	TERR	294 21 31	183.069	183.086		
		E1	10.979			CVD28BC							
750224	96H2150	E	337869.496	0.9999244	1.0000016	903948	79H9112	TERR	1 59 37	250.387	250.406		
		N	5544156.079			823963	87H3752	TERR	159 42 44	230.098	230.115		
		E1	4.913			CVD28BC							
430140	96H2152	E	339229.220	0.9999104	0.9999930	960385	96H2153	TERR	74 55 28	165.077	165.092		
		N	5543105.676			105627	94H1244	TERR	260 27 14	249.884	249.907		
		E1	59.846			CVD28BC							
960385	96H2153	E	339388.616	0.9999118	0.9999950	178004	95H1740	TERR	80 43 38	356.499	356.529		
		N	5543148.611			430140	96H2152	TERR	254 55 28	165.077	165.092		
		E1	46.948			CVD28BC		69872	79H9092	TERR	333 24 57	218.590	218.609
69914	98SG071	E	337100.270	0.9999251	0.9999991	672535	77C576	GPS	150 3 13	3984.860	3985.170		
		N	5549062.527			23044	98SG075	GPS	153 32 24	920.246	920.316		
		E1	20.268			CVD28BC		868026	98SG074	GPS	162 7 18	1709.386	1709.515
						614792	98SG072	GPS	179 43 42	237.336	237.353		
						443069	90H6271	GPS	215 59 55	3842.483	3842.754		
614792	98SG072	E	337101.395	0.9999227	0.9999968	23044	98SG075	GPS	145 6 58	714.987	715.042		
		N	5548825.194			868026	98SG074	GPS	159 21 2	1484.904	1485.019		
		E1	35.497			CVD28BC		264671	98SG076	GPS	167 7 6	680.187	680.240
						595645	98SG077	GPS	177 9 30	1204.236	1204.328		
						69914	98SG071	GPS	359 43 42	237.336	237.353		
449058	98SG073	E	337915.934	0.9999239	1.0000013	672535	77C576	GPS	147 2 11	2156.828	2156.997		
		N	5547419.292			648618	92H0818	GPS	208 29 17	1935.461	1935.606		
		E1	6.689			CVD28BC		443069	90H6271	GPS	244 30 45	3405.567	3405.809
						868026	98SG074	GPS	273 13 32	291.352	291.374		
						595645	98SG077	GPS	285 3 47	781.696	781.756		
						23044	98SG075	GPS	333 39 47	914.293	914.363		
868026	98SG074	E	337625.044	0.9999234	0.9999996	449058	98SG073	GPS	93 13 32	291.352	291.374		
		N	5547435.686			648618	92H0818	GPS	200 12 38	1830.189	1830.327		
		E1	17.570			CVD28BC		595645	98SG077	GPS	291 55 35	500.124	500.162
						614792	98SG072	GPS	339 21 2	1484.904	1485.019		
						69914	98SG071	GPS	342 7 18	1709.386	1709.515		
						23044	98SG075	GPS	351 52 6	811.151	811.213		
23044	98SG075	E	337510.307	0.9999230	0.9999987	449058	98SG073	GPS	153 39 47	914.293	914.363		
		N	5548238.681			868026	98SG074	GPS	171 52 6	811.151	811.213		
		E1	23.094			CVD28BC		595645	98SG077	GPS	209 32 21	708.310	708.364
						264671	98SG076	GPS	253 25 44	268.421	268.441		
						614792	98SG072	GPS	325 6 58	714.987	715.042		
						69914	98SG071	GPS	333 32 24	920.246	920.316		

Order in Council No. 785/80

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2010-SEP-29

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
264671	98SG076	E	337253.035	0.9999230	0.9999976	23044	98SG075	GPS	73 25 44	268.421	268.441	
		N	5548162.126			672535	77C576	GPS	144 15 57	3144.441	3144.688	
		E1	29.836			CVD28BC	648618	92H0818	GPS	186 4 44	2457.763	2457.948
							595645	98SG077	GPS	189 40 4	547.462	547.504
							443069	90H6271	GPS	227 30 56	3269.652	3269.886
			614792	98SG072	GPS	347 7 6	680.187	680.240				
595645	98SG077	E	337161.096	0.9999248	0.9999991	264671	98SG076	GPS	9 40 4	547.462	547.504	
		N	5547622.439			23044	98SG075	GPS	29 32 21	708.310	708.364	
		E1	20.713			CVD28BC	449058	98SG073	GPS	105 3 47	781.696	781.756
							868026	98SG074	GPS	111 55 35	500.124	500.162
							648618	92H0818	GPS	185 3 6	1911.681	1911.824
							443069	90H6271	GPS	234 16 2	2857.165	2857.367
							614792	98SG072	GPS	357 9 30	1204.236	1204.328

END OF REPORT