

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the Provincial survey control record as managed by Crown Registry and Geographic Base branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://apps.gov.bc.ca/apps/mascotw>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT online reporting system at the following website address:
<http://apps.gov.bc.ca/apps/mascotw/markercond.html>

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
830091	80H3288	E	368788.551	0.9998009	0.9999894	173468	80H3289	TERR	270 0 23	198.705	198.744			
		N	5453299.514					80H3293	TERR			326 2 36	284.850	284.905
		E1	83.144					CVD28BC						
173468	80H3289	E	368589.846	0.9998019	0.9999898	830091	80H3288	TERR	90 0 23	198.705	198.744			
		N	5453299.536					80H3290	TERR			308 50 5	83.368	83.384
		E1	80.668						CVD28BC					
987305	80H3290	E	368524.906	0.9998030	0.9999906	173468	80H3289	TERR	128 50 5	83.368	83.384			
		N	5453351.814					80H3291	TERR			293 18 35	75.463	75.478
		E1	75.306						CVD28BC					
898940	80H3291	E	368455.602	0.9998042	0.9999917	987305	80H3290	TERR	113 18 35	75.463	75.478			
		N	5453381.675					80H3292	TERR			325 52 7	100.903	100.922
		E1	68.809						CVD28BC					
100461	80H3292	E	368398.986	0.9998055	0.9999927	258905	80H3295	TERR	16 33 8	75.534	75.549			
		N	5453465.198					80H3291	TERR			145 52 7	100.903	100.922
		E1	62.016						CVD28BC					
916718	80H3293	E	368629.444	0.9998040	0.9999920	830091	80H3288	TERR	146 2 36	284.850	284.905			
		N	5453535.786					80H3294	TERR			269 52 9	114.806	114.829
		E1	66.653						CVD28BC					
508861	80H3294	E	368514.638	0.9998053	0.9999929	916718	80H3293	TERR	89 52 9	114.806	114.829			
		N	5453535.524											
		E1	60.631					CVD28BC						
258905	80H3295	E	368420.505	0.9998065	0.9999938	759423	80H3296	TERR	11 34 56	92.447	92.464			
		N	5453537.602					80H3292	TERR			196 33 8	75.534	75.549
		E1	55.093						CVD28BC					
759423	80H3296	E	368439.066	0.9998077	0.9999951	258905	80H3295	TERR	191 34 56	92.447	92.464			
		N	5453628.166					80H3297	TERR			304 2 26	107.671	107.692
		E1	46.912						CVD28BC					
214395	80H3297	E	368349.845	0.9998098	0.9999969	782144	80H3321	TERR	12 13 0	253.040	253.089			
		N	5453688.438					80H3296	TERR			124 2 26	107.671	107.692
		E1	35.608						CVD28BC					
98558	80H3298	E	369188.686	0.9997969	0.9999867	591438	80H3302	TERR	1 9 12	213.269	213.312			
		N	5453294.510					80H3299	TERR			89 36 50	201.422	201.463
		E1	100.447						CVD28BC					
118778	80H3299	E	369390.103	0.9997923	0.9999827	457796	80H3300	TERR	3 23 1	118.363	118.388			
		N	5453295.867					80H3298	TERR			269 36 50	201.422	201.463
		E1	125.798						CVD28BC					

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
730978	80H3312	E	369586.737	0.9997945	0.9999856	908137	80H3311	TERR	91 23 17	201.141	201.183
		N	5454010.865			922443	80H3309	TERR	181 43 20	193.999	194.039
		E1	107.606	CVD28BC		758243	80H3330	TERR	359 39 4	213.707	213.751
43737	80H3313	E	369390.114	0.9997958	0.9999863	115915	80H3329	TERR	1 35 29	270.821	270.875
		N	5453940.826			163428	80H3308	TERR	181 25 47	134.625	134.652
		E1	103.285	CVD28BC		138420	80H3314	TERR	274 12 56	201.699	201.740
138420	80H3314	E	369188.961	0.9998003	0.9999901	43737	80H3313	TERR	94 12 56	201.699	201.740
		N	5453955.653			777144	80H3307	TERR	177 30 50	219.202	219.246
		E1	78.796	CVD28BC		678755	80H3315	TERR	255 57 21	85.866	85.882
678755	80H3315	E	369105.662	0.9998009	0.9999904	138420	80H3314	TERR	75 57 21	85.866	85.882
		N	5453934.816			944611	80H3306	TERR	181 13 2	181.334	181.370
		E1	76.951	CVD28BC		724997	80H3316	TERR	273 46 13	201.315	201.355
						909143	80H3327	TERR	358 3 32	317.603	317.666
724997	80H3316	E	368904.783	0.9998038	0.9999927	877019	80H3317	TERR	1 22 49	142.595	142.624
		N	5453948.054			678755	80H3315	TERR	93 46 13	201.315	201.355
		E1	62.390	CVD28BC		341073	80H3305	TERR	186 57 57	193.957	193.995
						724948	80H3318	TERR	270 28 7	202.876	202.915
877019	80H3317	E	368908.218	0.9998040	0.9999929	241158	80H3326	TERR	1 24 58	154.907	154.938
		N	5454090.608			724997	80H3316	TERR	181 22 49	142.595	142.624
		E1	60.952	CVD28BC							
724948	80H3318	E	368701.914	0.9998051	0.9999933	724997	80H3316	TERR	90 28 7	202.876	202.915
		N	5453949.713			223800	80H3304	TERR	181 23 41	199.977	200.017
		E1	58.048	CVD28BC		295733	80H3319	TERR	270 5 39	116.127	116.150
295733	80H3319	E	368585.787	0.9998063	0.9999941	393322	80H3320	TERR	12 10 56	96.887	96.906
		N	5453949.904			724948	80H3318	TERR	90 5 39	116.127	116.150
		E1	53.017	CVD28BC		988790	80H3303	TERR	177 3 56	199.718	199.757
						782144	80H3321	TERR	265 33 44	182.945	182.980
393322	80H3320	E	368606.232	0.9998065	0.9999944	295733	80H3319	TERR	192 10 56	96.887	96.906
		N	5454044.609			492173	80H3323	TERR	354 55 18	166.067	166.098
		E1	51.357	CVD28BC							
782144	80H3321	E	368403.391	0.9998100	0.9999973	295733	80H3319	TERR	85 33 44	182.945	182.980
		N	5453935.748			214395	80H3297	TERR	192 13 0	253.040	253.089
		E1	33.113	CVD28BC		712877		TERR	233 37 28	1878.296	1878.643
						149971	80H3322	TERR	355 5 58	271.933	271.985
149971	80H3322	E	368380.161	0.9998105	0.9999977	766758	90H6220	TERR	1 45 6	133.699	133.723
		N	5454206.687			492173	80H3323	TERR	89 5 44	211.397	211.437
		E1	30.154	CVD28BC		782144	80H3321	TERR	175 5 58	271.933	271.985
						752659	90H6204	TERR	271 20 32	90.980	90.998

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
492173	80H3323	E	368591.532	0.9998075	0.9999954	76893	91H9824	TERR	1 19 46	194.273	194.311	
		N	5454210.024			52258	80H3373	GPS	6 12 22	1193.585	1193.814	
		E1	44.988			CVD28BC	740738	80H3527	GPS	9 11 31	4435.491	4436.352
							515775	634	GPS	43 40 7	7195.605	7197.263
							456848	80H3324	TERR	127 41 22	147.409	147.438
							393322	80H3320	TERR	174 55 18	166.067	166.098
							149971	80H3322	TERR	269 5 44	211.397	211.437
456848	80H3324	E	368708.182	0.9998059	0.9999942	594424	80H3325	TERR	72 33 18	97.048	97.067	
		N	5454119.901			492173	80H3323	TERR	307 41 22	147.409	147.438	
		E1	52.606			CVD28BC						
594424	80H3325	E	368800.766	0.9998047	0.9999932	241158	80H3326	TERR	49 4 36	147.276	147.305	
		N	5454148.995			456848	80H3324	TERR	252 33 18	97.048	97.067	
		E1	58.989			CVD28BC						
241158	80H3326	E	368912.046	0.9998036	0.9999925	909143	80H3327	TERR	87 52 48	182.983	183.019	
		N	5454245.468			877019	80H3317	TERR	181 24 58	154.907	154.938	
		E1	63.332			CVD28BC	594424	80H3325	TERR	229 4 36	147.276	147.305
909143	80H3327	E	369094.904	0.9998022	0.9999917	296244	80H3335	TERR	1 31 46	187.186	187.224	
		N	5454252.237			511931	80H3328	TERR	100 15 34	161.288	161.320	
		E1	68.516			CVD28BC	678755	80H3315	TERR	178 3 32	317.603	317.666
							241158	80H3326	TERR	267 52 48	182.983	183.019
511931	80H3328	E	369253.613	0.9997998	0.9999898	287243	80H3334	TERR	1 30 24	207.498	207.540	
		N	5454223.511			115915	80H3329	TERR	94 45 2	144.519	144.548	
		E1	80.742			CVD28BC	909143	80H3327	TERR	280 15 34	161.288	161.320
115915	80H3329	E	369397.635	0.9997979	0.9999884	43737	80H3313	TERR	181 35 29	270.821	270.875	
		N	5454211.542			511931	80H3328	TERR	274 45 2	144.519	144.548	
		E1	89.613			CVD28BC						
758243	80H3330	E	369585.436	0.9997961	0.9999872	133454	80H3332	TERR	1 28 32	185.903	185.941	
		N	5454224.568			495945	80H3331	TERR	94 6 25	207.096	207.138	
		E1	97.263			CVD28BC	730978	80H3312	TERR	179 39 4	213.707	213.751
495945	80H3331	E	369792.000	0.9997932	0.9999849	758243	80H3330	TERR	274 6 25	207.096	207.138	
		N	5454209.736									
		E1	111.954			CVD28BC						
133454	80H3332	E	369590.223	0.9997967	0.9999878	789123	80H3348	TERR	4 49 39	215.861	215.905	
		N	5454410.409			758243	80H3330	TERR	181 28 32	185.903	185.941	
		E1	93.281			CVD28BC						

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
95406	80H3333	E	369388.555	0.9997988	0.9999893		MARKER DESTROYED				
		N	5454429.811								
		E1	83.975	CVD28BC							
287243	80H3334	E	369259.069	0.9997998	0.9999898	511931	80H3328	TERR	181 30 24	207.498	207.540
		N	5454430.937			296244	80H3335	TERR	273 1 40	159.392	159.423
		E1	80.803	CVD28BC							
296244	80H3335	E	369099.900	0.9998022	0.9999917	539130	80H3345	TERR	6 58 40	183.918	183.954
		N	5454439.356			287243	80H3334	TERR	93 1 40	159.392	159.423
		E1	68.370	CVD28BC		909143	80H3327	TERR	181 31 46	187.186	187.224
448100	80H3336	E	368897.771	0.9998036	0.9999925	29033	80H3343	TERR	1 9 50	108.693	108.714
		N	5454404.050								
		E1	63.412	CVD28BC							
83394	80H3337	E	368596.137	0.9998075	0.9999954		MARKER DESTROYED				
		N	5454404.335								
		E1	44.824	CVD28BC							
94268	80H3338	E	368383.876	0.9998090	0.9999962		MARKER DESTROYED				
		N	5454354.472								
		E1	39.693	CVD28BC							
206102	80H3339	E	368418.925	0.9998085	0.9999958		MARKER DESTROYED				
		N	5454657.070								
		E1	42.601	CVD28BC							
23614	80H3340	E	367951.197	0.9998162	1.0000020		MARKER DESTROYED				
		N	5458121.323								
		E1	3.011	CVD28BC							
743401	80H3341	E	368702.064	0.9998066	0.9999948	712984	80H3355	TERR	4 9 20	190.446	190.482
		N	5454631.945			178079	80H3342	TERR	139 36 14	121.854	121.878
		E1	48.565	CVD28BC		462325	80H8340	TERR	283 51 33	84.914	84.931
178079	80H3342	E	368781.034	0.9998053	0.9999938	29033	80H3343	TERR	102 31 27	121.844	121.869
		N	5454539.143			743401	80H3341	TERR	319 36 14	121.854	121.878
		E1	55.237	CVD28BC							
29033	80H3343	E	368899.979	0.9998036	0.9999925	29157	80H3512	TERR	6 8 11	224.274	224.318
		N	5454512.721			657023	80H3344	TERR	83 35 5	117.261	117.284
		E1	63.402	CVD28BC		448100	80H3336	TERR	181 9 50	108.693	108.714
						178079	80H3342	TERR	282 31 27	121.844	121.869

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
657023	80H3344	E	369016.506	0.9998026	0.9999918	539130	80H3345	TERR	47 44 13	142.876	142.903
		N	5454525.823			29033	80H3343	TERR	263 35 5	117.261	117.284
		E1	67.809	CVD28BC							
539130	80H3345	E	369122.243	0.9998014	0.9999910	393801	80H3352	TERR	1 24 3	240.587	240.635
		N	5454621.912			279133	80H3346	TERR	91 27 44	82.802	82.819
		E1	72.812	CVD28BC		296244	80H3335	TERR	186 58 40	183.918	183.954
						657023	80H3344	TERR	227 44 13	142.876	142.903
279133	80H3346	E	369205.018	0.9998000	0.9999899	766402	80H3347	TERR	91 14 41	188.269	188.308
		N	5454619.799			539130	80H3345	TERR	271 27 44	82.802	82.819
		E1	80.216	CVD28BC							
766402	80H3347	E	369393.243	0.9997989	0.9999894	632398	80H3351	TERR	4 21 60	223.399	223.444
		N	5454615.709			789123	80H3348	TERR	87 23 36	215.369	215.412
		E1	83.522	CVD28BC		279133	80H3346	TERR	271 14 41	188.269	188.308
789123	80H3348	E	369608.389	0.9997972	0.9999884	385278	80H3350	TERR	5 56 38	200.818	200.859
		N	5454625.504			133454	80H3332	TERR	184 49 39	215.861	215.905
		E1	89.692	CVD28BC		766402	80H3347	TERR	267 23 36	215.369	215.412
871962	80H3349	E	369925.986	0.9997960	0.9999882	385278	80H3350	TERR	271 20 10	296.882	296.942
		N	5454818.319			902353	80H3370	TERR	357 18 54	253.687	253.738
		E1	91.067	CVD28BC							
385278	80H3350	E	369629.185	0.9997985	0.9999897	871962	80H3349	TERR	91 20 10	296.882	296.942
		N	5454825.242			789123	80H3348	TERR	185 56 38	200.818	200.859
		E1	81.057	CVD28BC		632398	80H3351	TERR	273 27 17	219.332	219.376
632398	80H3351	E	369410.252	0.9998003	0.9999908	385278	80H3350	TERR	93 27 17	219.332	219.376
		N	5454838.459			766402	80H3347	TERR	184 21 60	223.399	223.444
		E1	74.540	CVD28BC		393801	80H3352	TERR	274 51 21	283.144	283.201
						687715	80H3368	TERR	355 5 49	241.235	241.282
393801	80H3352	E	369128.124	0.9998016	0.9999912	709212	80H3366	TERR	1 20 32	222.581	222.625
		N	5454862.427			632398	80H3351	TERR	94 51 21	283.144	283.201
		E1	71.664	CVD28BC		539130	80H3345	TERR	181 24 3	240.587	240.635
						560821	80H3353	TERR	266 9 14	201.902	201.941
560821	80H3353	E	368926.677	0.9998019	0.9999909	161778	80H3354	TERR	1 18 34	121.776	121.800
		N	5454848.884			393801	80H3352	TERR	86 9 14	201.902	201.941
		E1	73.761	CVD28BC		29157	80H3512	TERR	181 22 44	113.207	113.229
161778	80H3354	E	368929.460	0.9998023	0.9999912	972687	80H3364	TERR	1 22 46	118.898	118.921
		N	5454970.628			560821	80H3353	TERR	181 18 34	121.776	121.800
		E1	71.466	CVD28BC							

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
712984	80H3355	E	368715.865	0.9998053	0.9999935	281568	80H3356	TERR	1 18 14	141.235	141.263	
		N	5454821.890			743401	80H3341	TERR	184 9 20	190.446	190.482	
		E1	56.911			CVD28BC	22855	80H3357	TERR	270 0 47	320.176	320.238
281568	80H3356	E	368719.079	0.9998049	0.9999932	712984	80H3355	TERR	181 18 14	141.235	141.263	
		N	5454963.088			621060	80H3362	TERR	358 10 29	158.799	158.829	
		E1	59.088			CVD28BC						
22855	80H3357	E	368395.689	0.9998079	0.9999951	260950	80H3361	TERR	1 16 30	308.258	308.317	
		N	5454821.963			712984	80H3355	TERR	90 0 47	320.176	320.238	
		E1	46.775			CVD28BC	235986	80H3358	TERR	273 34 56	191.334	191.370
235986	80H3358	E	368204.729	0.9998102	0.9999968	946624	80H3359	TERR	4 14 59	149.941	149.970	
		N	5454833.918			22855	80H3357	TERR	93 34 56	191.334	191.370	
		E1	35.938			CVD28BC						
946624	80H3359	E	368215.840	0.9998113	0.9999980	126052	80H3360	TERR	1 22 21	150.756	150.784	
		N	5454983.447			235986	80H3358	TERR	184 14 59	149.941	149.970	
		E1	28.606			CVD28BC						
126052	80H3360	E	368219.451	0.9998131	0.9999998	260950	80H3361	TERR	91 15 22	183.141	183.175	
		N	5455134.160			946624	80H3359	TERR	181 22 21	150.756	150.784	
		E1	16.734			CVD28BC	538033	90H6198	TERR	271 12 25	219.058	219.099
260950	80H3361	E	368402.548	0.9998102	0.9999974	699538	95H2005	TERR	7 9 60	265.226	265.276	
		N	5455130.145			621060	80H3362	TERR	91 32 1	311.585	311.645	
		E1	31.882			CVD28BC	22855	80H3357	TERR	181 16 30	308.258	308.317
							126052	80H3360	TERR	271 15 22	183.141	183.175
621060	80H3362	E	368714.021	0.9998060	0.9999942	52258	80H3373	TERR	1 21 52	274.886	274.938	
		N	5455121.806			193334	80H3363	TERR	106 55 24	99.274	99.294	
		E1	52.458			CVD28BC	281568	80H3356	TERR	178 10 29	158.799	158.829
							260950	80H3361	TERR	271 32 1	311.585	311.645
193334	80H3363	E	368808.996	0.9998042	0.9999928	972687	80H3364	TERR	91 35 14	123.373	123.398	
		N	5455092.908			621060	80H3362	TERR	286 55 24	99.274	99.294	
		E1	61.521			CVD28BC						
972687	80H3364	E	368932.322	0.9998032	0.9999922	362046	80H3365	TERR	73 44 41	88.504	88.521	
		N	5455089.491			161778	80H3354	TERR	181 22 46	118.898	118.921	
		E1	65.586			CVD28BC	193334	80H3363	TERR	271 35 14	123.373	123.398
362046	80H3365	E	369017.288	0.9998029	0.9999922	709212	80H3366	TERR	104 10 41	119.696	119.720	
		N	5455114.265			972687	80H3364	TERR	253 44 41	88.504	88.521	
		E1	65.458			CVD28BC						

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
709212	80H3366	E	369133.338	0.9998029	0.9999925	732065	80H3371	TERR	1 15 47	120.686	120.711	
		N	5455084.947			751735	80H3367	TERR	91 25 19	143.146	143.174	
		E1	63.211			CVD28BC	393801	80H3352	TERR	181 20 32	222.581	222.625
							362046	80H3365	TERR	284 10 41	119.696	119.720
751735	80H3367	E	369276.440	0.9998024	0.9999925	687715	80H3368	TERR	91 18 28	113.224	113.246	
		N	5455081.395			709212	80H3366	TERR	271 25 19	143.146	143.174	
		E1	63.501			CVD28BC						
687715	80H3368	E	369389.634	0.9998016	0.9999921	203950	80H3369	TERR	91 5 8	264.671	264.723	
		N	5455078.811			632398	80H3351	TERR	175 5 49	241.235	241.282	
		E1	66.274			CVD28BC	751735	80H3367	TERR	271 18 28	113.224	113.246
203950	80H3369	E	369654.257	0.9998003	0.9999916	902353	80H3370	TERR	90 27 23	259.853	259.906	
		N	5455073.797			687715	80H3368	TERR	271 5 8	264.671	264.723	
		E1	68.933			CVD28BC						
902353	80H3370	E	369914.102	0.9997972	0.9999893	871962	80H3349	TERR	177 18 54	253.687	253.738	
		N	5455071.727			203950	80H3369	TERR	270 27 23	259.853	259.906	
		E1	83.832			CVD28BC						
732065	80H3371	E	369135.998	0.9998041	0.9999937	709212	80H3366	TERR	181 15 47	120.686	120.711	
		N	5455205.604			517201	91H9823	TERR	351 50 36	120.121	120.145	
		E1	55.614			CVD28BC						
842377	80H3372	E	369121.101	0.9998062	0.9999958		MARKER DESTROYED					
52258	80H3373	E	368720.567	0.9998088	0.9999971	740738	80H3527	GPS	10 17 24	3244.122	3244.749	
		N	5455396.614			577577	80H3429	GPS	27 13 14	1439.896	1440.174	
		E1	33.904			CVD28BC	515775	634	GPS	50 17 46	6290.227	6291.672
						41376	98H2205	GPS	71 19 36	1530.636	1530.938	
						486753	98H2207	GPS	78 41 17	2470.048	2470.546	
						621060	80H3362	TERR	181 21 52	274.886	274.938	
						492173	80H3323	GPS	186 12 22	1193.585	1193.814	
						691378	27720	GPS	270 52 6	2173.232	2173.635	
						735340	80H3374	TERR	270 59 56	192.009	192.046	
						577114	80H3509	GPS	324 5 18	3978.510	3979.246	
735340	80H3374	E	368528.587	0.9998107	0.9999983	52258	80H3373	TERR	90 59 56	192.009	192.046	
		N	5455399.961									
		E1	26.184			CVD28BC						
382408	80H3375	E	368435.725	0.9998120	0.9999994		MARKER DESTROYED					
		N	5455393.145									
		E1	19.631	CVD28BC								

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
416438	80H3376	E	368223.045	0.9998151	1.0000018		MARKER DESTROYED				
		N	5455295.960								
		E1	4.024	CVD28BC							
906925	80H3377	E	368364.779	0.9998139	1.0000010	143040	80H3378	TERR	36 42 49	126.276	126.299
		N	5455450.610								
		E1	9.060	CVD28BC							
143040	80H3378	E	368440.269	0.9998144	1.0000018	36889	80H3379	TERR	1 21 5	194.275	194.312
		N	5455551.837			699538	95H2005	TERR	181 40 26	158.606	158.635
		E1	3.979	CVD28BC		906925	80H3377	TERR	216 42 49	126.276	126.299
36889	80H3379	E	368444.851	0.9998144	1.0000018	39537	80H3394	TERR	1 19 37	176.993	177.025
		N	5455746.058			143040	80H3378	TERR	181 21 5	194.275	194.312
		E1	4.122	CVD28BC							
981316	80H3380	E	369146.456	0.9998074	0.9999970	404178	80H3390	TERR	1 22 39	111.651	111.673
		N	5455650.852			722090	80H3381	TERR	93 2 34	100.938	100.958
		E1	34.437	CVD28BC		517201	91H9823	TERR	184 49 1	327.499	327.562
722090	80H3381	E	369247.252	0.9998061	0.9999960	981316	80H3380	TERR	273 2 34	100.938	100.958
		N	5455645.494								
		E1	40.834	CVD28BC							
382226	80H3382	E	369393.341	0.9998046	0.9999951	683409	80H3388	TERR	359 41 37	300.823	300.882
		N	5455585.035								
		E1	47.153	CVD28BC							
708164	80H3383	E	369700.614	0.9997996	0.9999910	119347	80H3384	TERR	358 57 43	110.170	110.192
		N	5455594.801								
		E1	72.898	CVD28BC							
119347	80H3384	E	369698.618	0.9997994	0.9999909	708164	80H3383	TERR	178 57 43	110.170	110.192
		N	5455704.953			3038	80H3387	TERR	358 56 26	188.544	188.582
		E1	73.954	CVD28BC							
57893	80H3385	E	369880.526	0.9997973	0.9999893	670885	80H3386	TERR	358 52 12	168.435	168.468
		N	5455709.015								
		E1	83.943	CVD28BC							
670885	80H3386	E	369877.204	0.9997975	0.9999895	918904	80H3404	TERR	8 0 46	157.932	157.964
		N	5455877.417			41376	98H2205	TERR	88 11 28	293.570	293.630
		E1	82.759	CVD28BC		57893	80H3385	TERR	178 52 12	168.435	168.468
						3038	80H3387	TERR	275 2 14	182.778	182.815

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
3038	80H3387	E	369695.132	0.9998010	0.9999924	670885	80H3386	TERR	95 2 14	182.778	182.815	
		N	5455893.465			119347	80H3384	TERR	178 56 26	188.544	188.582	
		E1	64.115			CVD28BC	683409	80H3388	TERR	268 33 47	303.494	303.555
							445155	80H3403	TERR	352 59 16	169.124	169.158
683409	80H3388	E	369391.733	0.9998043	0.9999948	3038	80H3387	TERR	88 33 47	303.494	303.555	
		N	5455885.854			382226	80H3382	TERR	179 41 37	300.823	300.882	
		E1	48.852			CVD28BC	663211	80H3389	TERR	270 23 21	239.592	239.637
							254995	80H3402	TERR	357 9 35	177.544	177.578
663211	80H3389	E	369152.147	0.9998068	0.9999965	683409	80H3388	TERR	90 23 21	239.592	239.637	
		N	5455887.481			404178	80H3390	TERR	181 22 41	125.046	125.070	
		E1	38.131			CVD28BC	761965	80H3391	TERR	271 29 27	210.398	210.439
404178	80H3390	E	369149.140	0.9998069	0.9999966	663211	80H3389	TERR	1 22 41	125.046	125.070	
		N	5455762.471			981316	80H3380	TERR	181 22 39	111.651	111.673	
		E1	37.460			CVD28BC						
761965	80H3391	E	368941.820	0.9998086	0.9999976	663211	80H3389	TERR	91 29 27	210.398	210.439	
		N	5455892.955			579250	80H3392	TERR	271 21 20	209.921	209.960	
		E1	30.819			CVD28BC						
579250	80H3392	E	368731.958	0.9998121	1.0000005	388454	80H3397	TERR	6 37 45	204.226	204.264	
		N	5455897.921			761965	80H3391	TERR	91 21 20	209.921	209.960	
		E1	12.676			CVD28BC	393595	80H3393	TERR	276 45 3	184.058	184.093
393595	80H3393	E	368549.176	0.9998142	1.0000019	579250	80H3392	TERR	96 45 3	184.058	184.093	
		N	5455919.557			39537	80H3394	TERR	271 58 9	100.285	100.304	
		E1	3.519			CVD28BC						
39537	80H3394	E	368448.950	0.9998145	1.0000020	505388	80H3395	TERR	1 16 11	185.600	185.634	
		N	5455923.003			393595	80H3393	TERR	91 58 9	100.285	100.304	
		E1	3.103			CVD28BC	36889	80H3379	TERR	181 19 37	176.993	177.025
505388	80H3395	E	368453.063	0.9998146	1.0000020	400705	80H3415	TERR	1 23 3	165.000	165.031	
		N	5456108.557			39537	80H3394	TERR	181 16 11	185.600	185.634	
		E1	2.547			CVD28BC						
351239	80H3396	E	368553.964	0.9998142	1.0000020							
		N	5456105.296									
		E1	3.052			CVD28BC						
388454	80H3397	E	368755.534	0.9998118	1.0000002	102947	80H3398	TERR	91 48 37	81.646	81.660	
		N	5456100.782			579250	80H3392	TERR	186 37 45	204.226	204.264	
		E1	14.161			CVD28BC	498121	80H3413	TERR	355 41 11	190.021	190.057

MARKER DESTROYED

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
102947	80H3398	E 368837.139	0.9998104	0.9999991	171330	80H3399	TERR	91 13 56	201.816	201.854	
		N 5456098.203			388454	80H3397	TERR	271 48 37	81.646	81.660	
		E1 21.350		CVD28BC							
171330	80H3399	E 369038.908	0.9998078	0.9999971	102947	80H3398	TERR	271 13 56	201.816	201.854	
		N 5456093.863									
		E1 33.993		CVD28BC							
75309	80H3400	E 369156.950	0.9998069	0.9999966			MARKER DESTROYED				
		N 5456091.251									
		E1 37.215		CVD28BC							
962571	80H3401	E 369257.550	0.9998056	0.9999956	254995	80H3402	TERR	100 35 15	127.557	127.582	
		N 5456086.617									
		E1 43.663		CVD28BC							
254995	80H3402	E 369382.935	0.9998046	0.9999950	456376	80H3408	TERR	4 51 56	191.731	191.769	
		N 5456063.180			445155	80H3403	TERR	90 21 53	291.556	291.613	
		E1 47.285		CVD28BC	683409	80H3388	TERR	177 9 35	177.544	177.578	
					962571	80H3401	TERR	280 35 15	127.557	127.582	
445155	80H3403	E 369674.485	0.9998029	0.9999942	486365	80H3406	TERR	4 45 31	206.382	206.423	
		N 5456061.324			3038	80H3387	TERR	172 59 16	169.124	169.158	
		E1 52.366		CVD28BC	254995	80H3402	TERR	270 21 53	291.556	291.613	
918904	80H3404	E 369899.219	0.9997984	0.9999905	670885	80H3386	TERR	188 0 46	157.932	157.964	
		N 5456033.807			22681	80H3405	TERR	353 47 17	218.602	218.645	
		E1 76.194		CVD28BC							
22681	80H3405	E 369875.565	0.9998012	0.9999932	918904	80H3404	TERR	173 47 17	218.602	218.645	
		N 5456251.125			486365	80H3406	TERR	274 55 50	184.642	184.679	
		E1 58.782		CVD28BC							
486365	80H3406	E 369691.606	0.9998034	0.9999948	73452	80H3422	TERR	0 12 44	183.199	183.236	
		N 5456266.995			22681	80H3405	TERR	94 55 50	184.642	184.679	
		E1 48.936		CVD28BC	445155	80H3403	TERR	184 45 31	206.382	206.423	
					648980	80H3407	TERR	270 53 39	147.465	147.493	
648980	80H3407	E 369544.159	0.9998046	0.9999955	486365	80H3406	TERR	90 53 39	147.465	147.493	
		N 5456269.296			456376	80H3408	TERR	264 3 45	145.744	145.773	
		E1 44.097		CVD28BC	966333	80H3421	TERR	359 40 7	184.723	184.759	
456376	80H3408	E 369399.197	0.9998055	0.9999960	648980	80H3407	TERR	84 3 45	145.744	145.773	
		N 5456254.220			254995	80H3402	TERR	184 51 56	191.731	191.769	
		E1 41.051		CVD28BC	262519	80H3420	TERR	354 44 1	203.867	203.907	

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
83543	80H3409	E N E1	369278.166 5456257.449 39.178	0.9998062 CVD28BC	0.9999963		MARKER DESTROYED				
942946	80H3410	E N E1	369162.766 5456280.595 34.386	0.9998073 CVD28BC	0.9999971	978312 645226	80H3411 80H3419	TERR TERR	270 58 40 355 27 39	202.279 183.399	202.317 183.435
978312	80H3411	E N E1	368960.517 5456284.047 29.921	0.9998087 CVD28BC	0.9999978	598888 942946 498121	80H3412 80H3410 80H3413	TERR TERR TERR	1 36 50 90 58 40 271 37 27	88.264 202.279 219.364	88.281 202.317 219.406
598888	80H3412	E N E1	368963.003 5456372.276 32.876	0.9998082 CVD28BC	0.9999973	978312	80H3411	TERR	181 36 50	88.264	88.281
498121	80H3413	E N E1	368741.241 5456290.265 18.387	0.9998112 CVD28BC	0.9999996	978312 388454 570200	80H3411 80H3397 80H3414	TERR TERR TERR	91 37 27 175 41 11 271 20 0	219.364 190.021 198.146	219.406 190.057 198.183
570200	80H3414	E N E1	368543.149 5456294.876 11.440	0.9998129 CVD28BC	1.0000006	498121 400705	80H3413 80H3415	TERR TERR	91 20 0 256 3 46	198.146 88.712	198.183 88.729
400705	80H3415	E N E1	368457.049 5456273.509 3.602	0.9998144 CVD28BC	1.0000019	570200 505388 941062	80H3414 80H3395 96H2079	TERR TERR TERR	76 3 46 181 23 3 330 51 36	88.712 165.000 314.217	88.729 165.031 314.275
45385	80H3416	E N E1	368554.150 5456485.046 19.386	0.9998117 CVD28BC	0.9999994	711002 886044	80H3433 80H3417	TERR TERR	1 35 32 91 16 59	209.157 191.607	209.196 191.643
886044	80H3417	E N E1	368745.709 5456480.756 26.437	0.9998099 CVD28BC	0.9999983	575308 45385	80H3432 80H3416	TERR TERR	6 46 29 271 16 59	194.201 191.607	194.238 191.643
614677	80H3418	E N E1	368965.840 5456469.309 29.727	0.9998087 CVD28BC	0.9999978		MARKER DESTROYED				
645226	80H3419	E N E1	369148.252 5456463.419 33.076	0.9998076 CVD28BC	0.9999973	444182 262519 942946	80H3430 80H3420 80H3410	TERR TERR TERR	1 14 51 91 31 39 175 27 39	210.100 232.316 183.399	210.140 232.360 183.435
262519	80H3420	E N E1	369380.485 5456457.226 38.565	0.9998060 CVD28BC	0.9999964	966333 456376 645226	80H3421 80H3408 80H3419	TERR TERR TERR	91 7 51 174 44 1 271 31 39	162.638 203.867 232.316	162.669 203.907 232.360

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
966333	80H3421	E	369543.091	0.9998041	0.9999950	73452	80H3422	TERR	91 28 4	149.243	149.272	
		N	5456454.016			648980	80H3407	TERR	179 40 7	184.723	184.759	
		E1	47.495			CVD28BC	262519	80H3420	TERR	271 7 51	162.638	162.669
73452	80H3422	E	369692.285	0.9998033	0.9999947	986679	80H3998	TERR	7 33 51	120.880	120.904	
		N	5456450.193			957845	80H3423	TERR	88 30 30	231.517	231.562	
		E1	49.474			CVD28BC	486365	80H3406	TERR	180 12 44	183.199	183.236
							966333	80H3421	TERR	271 28 4	149.243	149.272
957845	80H3423	E	369923.723	0.9998013	0.9999935	827261	80H3424	TERR	43 51 40	119.931	119.956	
		N	5456456.220			73452	80H3422	TERR	268 30 30	231.517	231.562	
		E1	57.308			CVD28BC						
827261	80H3424	E	370006.825	0.9998000	0.9999924	445957	80H3426	TERR	47 26 53	143.418	143.447	
		N	5456542.693			957845	80H3423	TERR	223 51 40	119.931	119.956	
		E1	63.966			CVD28BC	986679	80H3998	TERR	275 13 43	299.876	299.936
445957	80H3426	E	370112.476	0.9997988	0.9999915	827261	80H3424	TERR	227 26 53	143.418	143.447	
		N	5456639.681			656017	80H3427	TERR	277 53 32	200.084	200.125	
		E1	69.747			CVD28BC	126623	80H3442	TERR	359 53 30	207.256	207.298
656017	80H3427	E	369914.287	0.9998013	0.9999934	445957	80H3426	TERR	97 53 32	200.084	200.125	
		N	5456667.155			350793	80H3428	TERR	266 49 46	241.428	241.475	
		E1	57.779			CVD28BC	765925	80H3441	TERR	359 43 13	183.869	183.906
350793	80H3428	E	369673.229	0.9998033	0.9999947	656017	80H3427	TERR	86 49 46	241.428	241.475	
		N	5456653.802			986679	80H3998	TERR	157 20 44	90.786	90.803	
		E1	49.644			CVD28BC	577577	80H3429	TERR	274 31 11	294.947	295.005
577577	80H3429	E	369379.199	0.9998064	0.9999968	469262	80H3439	TERR	0 19 20	194.388	194.426	
		N	5456677.045			515775	634	GPS	56 46 49	4997.507	4998.660	
		E1	36.170			CVD28BC	270983	73C066	GPS	77 8 23	25035.024	25040.963
							350793	80H3428	TERR	94 31 11	294.947	295.005
							486753	98H2207	GPS	114 17 32	1934.736	1935.128
							41376	98H2205	GPS	134 57 41	1118.495	1118.718
							52258	80H3373	GPS	207 13 14	1439.896	1440.174
							691378	27720	GPS	246 13 25	3094.234	3094.812
							444182	80H3430	TERR	269 5 42	226.401	226.445
							740738	80H3527	GPS	357 37 45	1913.152	1913.523
444182	80H3430	E	369152.826	0.9998079	0.9999976	268532	80H3437	TERR	1 27 52	194.164	194.202	
		N	5456673.469			577577	80H3429	TERR	89 5 42	226.401	226.445	
		E1	30.968			CVD28BC	645226	80H3419	TERR	181 14 51	210.100	210.140
							989590	80H3431	TERR	271 21 55	191.790	191.826

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
989590	80H3431	E	368961.091	0.9998091	0.9999981	444182	80H3430	TERR	91 21 55	191.790	191.826
		N	5456678.039			575308	80H3432	TERR	268 40 45	192.524	192.561
		E1	27.467	CVD28BC		588434	80H3435	TERR	358 44 26	193.729	193.766
575308	80H3432	E	368768.618	0.9998113	0.9999998	772046	80H3434	TERR	1 26 6	202.272	202.311
		N	5456673.601			989590	80H3431	TERR	88 40 45	192.524	192.561
		E1	16.901	CVD28BC		886044	80H3417	TERR	186 46 29	194.201	194.238
						711002	80H3433	TERR	275 37 1	209.663	209.702
711002	80H3433	E	368559.962	0.9998128	1.0000005	575308	80H3432	TERR	95 37 1	209.663	209.702
		N	5456694.122			45385	80H3416	TERR	181 35 32	209.157	209.196
		E1	12.151	CVD28BC							
772046	80H3434	E	368773.683	0.9998112	0.9999997	349704	80H3447	TERR	1 33 21	409.072	409.148
		N	5456875.810			588434	80H3435	TERR	91 16 44	183.196	183.230
		E1	17.616	CVD28BC		575308	80H3432	TERR	181 26 6	202.272	202.311
588434	80H3435	E	368956.833	0.9998101	0.9999992	568675	80H3436	TERR	5 22 35	217.060	217.101
		N	5456871.721			268532	80H3437	TERR	91 11 0	200.998	201.036
		E1	20.810	CVD28BC		989590	80H3431	TERR	178 44 26	193.729	193.766
						772046	80H3434	TERR	271 16 44	183.196	183.230
568675	80H3436	E	368977.171	0.9998106	0.9999997	588434	80H3435	TERR	185 22 35	217.060	217.101
		N	5457087.826								
		E1	17.472	CVD28BC							
268532	80H3437	E	369157.788	0.9998081	0.9999978	624668	80H3438	TERR	1 13 56	188.453	188.489
		N	5456867.570			444182	80H3430	TERR	181 27 52	194.164	194.202
		E1	29.690	CVD28BC		588434	80H3435	TERR	271 11 0	200.998	201.036
624668	80H3438	E	369161.841	0.9998084	0.9999981	941385	80H3449	TERR	1 23 21	194.721	194.758
		N	5457055.979			268532	80H3437	TERR	181 13 56	188.453	188.489
		E1	27.563	CVD28BC							
469262	80H3439	E	369380.292	0.9998065	0.9999969	868588	80H3440	TERR	91 8 18	267.318	267.370
		N	5456871.430			577577	80H3429	TERR	180 19 20	194.388	194.426
		E1	35.350	CVD28BC							
868588	80H3440	E	369647.557	0.9998046	0.9999958	765925	80H3441	TERR	93 15 2	266.260	266.312
		N	5456866.119			469262	80H3439	TERR	271 8 18	267.318	267.370
		E1	42.222	CVD28BC							
765925	80H3441	E	369913.389	0.9998019	0.9999940	126623	80H3442	TERR	91 10 40	198.737	198.777
		N	5456851.022			656017	80H3427	TERR	179 43 13	183.869	183.906
		E1	53.814	CVD28BC		868588	80H3440	TERR	273 15 2	266.260	266.312

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
126623	80H3442	E	370112.084	0.9997990	0.9999918	445957	80H3426	TERR	179 53 30	207.256	207.298					
		N	5456846.937					765925				80H3441	TERR	271 10 40	198.737	198.777
		E1	68.026					CVD28BC								
649178	80H3443	E	368299.709	0.9998148	1.0000018	MARKER DESTROYED										
		N	5456556.327													
		E1	4.260			CVD28BC										
329458	80H3445	E	368494.690	0.9998139	1.0000015	597096	80H3999	TERR	191 18 42	300.746	300.802					
		N	5457301.390			866608	87H3402	TERR	291 48 45	94.074	94.092					
		E1	5.933			46797	80H3460	TERR	332 44 53	235.275	235.319					
735142	80H3446	E	368650.844	0.9998125	1.0000006	349704	80H3447	TERR	104 27 23	138.325	138.351					
		N	5457319.263													
		E1	11.746					CVD28BC								
349704	80H3447	E	368784.789	0.9998118	1.0000003	986752	80H3448	TERR	97 44 59	212.729	212.769					
		N	5457284.731			772046	80H3434	TERR	181 33 21	409.072	409.148					
		E1	13.363			735142	80H3446	TERR	284 27 23	138.325	138.351					
986752	80H3448	E	368995.575	0.9998101	0.9999993	402990	80H3457	TERR	5 6 6	124.436	124.460					
		N	5457256.045			941385	80H3449	TERR	91 48 34	171.072	171.105					
		E1	20.299			349704	80H3447	TERR	277 44 59	212.729	212.769					
941385	80H3449	E	369166.562	0.9998078	0.9999976	797621	80H3452	TERR	8 41 14	137.459	137.486					
		N	5457250.643			624668	80H3438	TERR	181 23 21	194.721	194.758					
		E1	31.147			986752	80H3448	TERR	271 48 34	171.072	171.105					
698910	80H3450	E	369381.505	0.9998059	0.9999963	919829	80H3451	TERR	359 45 9	138.898	138.925					
		N	5457242.618													
		E1	39.292					CVD28BC								
919829	80H3451	E	369380.905	0.9998052	0.9999956	698910	80H3450	TERR	179 45 9	138.898	138.925					
		N	5457381.515			797621	80H3452	TERR	271 28 57	193.646	193.683					
		E1	43.453			CVD28BC										
797621	80H3452	E	369187.324	0.9998070	0.9999968	465864	80H3453	TERR	1 26 57	156.509	156.539					
		N	5457386.525			919829	80H3451	TERR	91 28 57	193.646	193.683					
		E1	35.735			941385	80H3449	TERR	188 41 14	137.459	137.486					
465864	80H3453	E	369191.282	0.9998071	0.9999969	797621	80H3452	TERR	181 26 57	156.509	156.539					
		N	5457542.984			364547	80H3456	TERR	271 22 26	180.799	180.834					
		E1	35.247			110221	80H3454	TERR	353 42 25	132.648	132.675					
110221	80H3454	E	369176.742	0.9998069	0.9999966	465864	80H3453	TERR	173 42 25	132.648	132.675					
		N	5457674.833			643676	80H3455	TERR	271 24 21	162.788	162.819					
		E1	37.163			CVD28BC										

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
643676	80H3455	E	369014.003	0.9998079	0.9999972	110221	80H3454	TERR	91 24 21	162.788	162.819						
		N	5457678.827					364547				80H3456	TERR	181 30 38	131.554	131.578	
		E1	33.680					CVD28BC									
364547	80H3456	E	369010.535	0.9998086	0.9999978	643676	80H3455	TERR	1 30 38	131.554	131.578						
		N	5457547.319					465864				80H3453	TERR	91 22 26	180.799	180.834	
		E1	29.576					CVD28BC				402990	80H3457	TERR	181 20 0	167.376	167.408
402990	80H3457	E	369006.640	0.9998093	0.9999985	364547	80H3456	TERR	1 20 0	167.376	167.408						
		N	5457379.988					986752				80H3448	TERR	185 6 6	124.436	124.460	
		E1	25.031					CVD28BC									
230508	80H3458	E	368364.975	0.9998144	1.0000016	MARKER DESTROYED											
		N	5457332.993														
		E1	5.467			CVD28BC											
603019	80H3459	E	368210.541	0.9998150	1.0000017	MARKER DESTROYED											
		N	5457320.191														
		E1	4.823			CVD28BC											
46797	80H3460	E	368386.956	0.9998144	1.0000016	385583	80H3461	TERR	58 28 42	201.572	201.609						
		N	5457510.550					329458				80H3445	TERR	152 44 53	235.275	235.319	
		E1	5.341					CVD28BC				953745	80H3465	TERR	322 31 31	152.412	152.440
385583	80H3461	E	368558.784	0.9998134	1.0000012	46797	80H3460	TERR	238 28 42	201.572	201.609						
		N	5457615.936					709311				80H3464	TERR	334 41 18	136.501	136.527	
		E1	8.046					CVD28BC									
380733	80H3462	E	368667.728	0.9998111	0.9999993	866822	80H3469	TERR	340 55 38	161.898	161.930						
		N	5457840.866														
		E1	20.304					CVD28BC									
425678	80H3463	E	368578.574	0.9998132	1.0000011	MARKER DESTROYED											
		N	5457823.928														
		E1	8.718			CVD28BC											
709311	80H3464	E	368500.424	0.9998137	1.0000013	385583	80H3461	TERR	154 41 18	136.501	136.527						
		N	5457739.332					953745				80H3465	TERR	242 23 38	232.687	232.731	
		E1	7.415					CVD28BC				647800	80H3468	TERR	326 14 43	143.565	143.591
953745	80H3465	E	368294.227	0.9998147	1.0000016	709311	80H3464	TERR	62 23 38	232.687	232.731						
		N	5457631.507					46797				80H3460	TERR	142 31 31	152.412	152.440	
		E1	5.564					CVD28BC				931105	80H3466	TERR	240 43 44	214.246	214.286
												829523	80H3467	TERR	330 35 0	136.836	136.862

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
931105	80H3466	E	368107.337	0.9998155	1.0000018	953745	80H3465	TERR	60 43 44	214.246	214.286	
		N	5457526.753			722306	87H3401	TERR	151 6 2	228.003	228.044	
		E1	4.031			CVD28BC	775544	80H3473	TERR	334 6 21	196.995	197.032
829523	80H3467	E	368227.019	0.9998149	1.0000016	647800	80H3468	TERR	60 51 3	221.714	221.755	
		N	5457750.701			953745	80H3465	TERR	150 35 0	136.836	136.862	
		E1	5.632			CVD28BC	476127	80H3471	TERR	336 29 27	197.959	197.996
647800	80H3468	E	368420.654	0.9998139	1.0000012	866822	80H3469	TERR	55 9 16	236.594	236.639	
		N	5457858.695			709311	80H3464	TERR	146 14 43	143.565	143.591	
		E1	7.733			CVD28BC	829523	80H3467	TERR	240 51 3	221.714	221.755
							681437	80H3470	TERR	335 56 9	197.842	197.879
866822	80H3469	E	368614.825	0.9998117	0.9999997	545228	80H3513	TERR	60 49 24	247.485	247.532	
		N	5457993.877			380733	80H3462	TERR	160 55 38	161.898	161.930	
		E1	17.662			CVD28BC	647800	80H3468	TERR	235 9 16	236.594	236.639
							539239	80H3478	TERR	340 13 53	142.113	142.140
681437	80H3470	E	368339.982	0.9998143	1.0000014	713446	LEGAL 2	TERR	60 58 36	91.695	91.711	
		N	5458039.342			647800	80H3468	TERR	155 56 9	197.842	197.879	
		E1	6.741			CVD28BC	476127	80H3471	TERR	240 50 4	219.794	219.835
476127	80H3471	E	368148.054	0.9998154	1.0000018	681437	80H3470	TERR	60 50 4	219.794	219.835	
		N	5457932.229			829523	80H3467	TERR	156 29 27	197.959	197.996	
		E1	4.041			CVD28BC	476994	80H3472	TERR	237 36 6	170.201	170.233
							324244	80H3475	TERR	330 0 36	221.539	221.580
476994	80H3472	E	368004.346	0.9998159	1.0000019	476127	80H3471	TERR	57 36 6	170.201	170.233	
		N	5457841.035			775544	80H3473	TERR	172 56 45	138.110	138.135	
		E1	3.354			CVD28BC						
775544	80H3473	E	368021.307	0.9998157	1.0000017	931105	80H3466	TERR	154 6 21	196.995	197.032	
		N	5457703.970			126821	80H3498	TERR	312 40 28	285.850	285.902	
		E1	4.468			CVD28BC	476994	80H3472	TERR	352 56 45	138.110	138.135
71597	80H3474	E	367947.563	0.9998162	1.0000020	958488	80H3482	TERR	0 19 43	239.884	239.929	
		N	5458120.106			324244	80H3475	TERR	87 26 51	89.844	89.861	
		E1	2.842			CVD28BC						
324244	80H3475	E	368037.318	0.9998158	1.0000019	515619	80H3481	TERR	2 26 2	234.053	234.096	
		N	5458124.107			541532	80H3476	TERR	90 59 17	209.242	209.281	
		E1	3.403			CVD28BC	476127	80H3471	TERR	150 0 36	221.539	221.580
							71597	80H3474	TERR	267 26 51	89.844	89.861
541532	80H3476	E	368246.529	0.9998149	1.0000017	992859	80H3480	TERR	2 8 17	233.944	233.988	
		N	5458120.499			324244	80H3475	TERR	270 59 17	209.242	209.281	
		E1	4.966			CVD28BC						

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
959494	80H3477	E N E1	368434.425 5458110.315 10.289	0.9998135	1.0000008		MARKER DESTROYED				
539239	80H3478	E N E1	368566.759 5458127.615 13.042	0.9998126	1.0000004	866822	80H3469	TERR	160 13 53	142.113	142.140
635821	80H3479	E N E1	368425.208 5458357.436 15.409	0.9998127	1.0000000	992859	80H3480	TERR	268 56 10	169.980	170.013
992859	80H3480	E N E1	368255.257 5458354.280 6.562	0.9998146	1.0000014	635821 541532 515619	80H3479 80H3476 80H3481	TERR TERR TERR	88 56 10 182 8 17 271 0 38	169.980 233.944 208.032	170.013 233.988 208.070
515619	80H3481	E N E1	368047.257 5458357.949 2.844	0.9998159	1.0000020	281675 992859 324244 958488	80H3484 80H3480 80H3475 80H3482	TERR TERR TERR TERR	6 35 3 91 0 38 182 26 2 271 11 13	201.053 208.032 234.053 98.339	201.089 208.070 234.096 98.357
958488	80H3482	E N E1	367948.939 5458359.986 2.577	0.9998162	1.0000020	392266 515619 71597	80H3483 80H3481 80H3474	TERR TERR TERR	1 47 29 91 11 13 180 19 43	199.481 98.339 239.884	199.517 98.357 239.929
392266	80H3483	E N E1	367955.175 5458559.369 3.035	0.9998161	1.0000020	281675 958488	80H3484 80H3482	TERR TERR	90 50 33 181 47 29	115.147 199.481	115.168 199.517
281675	80H3484	E N E1	368070.310 5458557.676 3.354	0.9998157	1.0000019	348698 39297 515619 392266	80H3489 80H3485 80H3481 80H3483	TERR TERR TERR TERR	1 35 6 91 1 28 186 35 3 270 50 33	277.693 236.403 201.053 115.147	277.745 236.447 201.089 115.168
39297	80H3485	E N E1	368306.675 5458553.449 11.550	0.9998137	1.0000006	783217 281675	80H3486 80H3484	TERR TERR	93 20 17 271 1 28	132.516 236.403	132.541 236.447
783217	80H3486	E N E1	368438.966 5458545.733 20.026	0.9998119	0.9999993	34496 39297	80H3487 80H3485	TERR TERR	98 52 22 273 20 17	108.285 132.516	108.305 132.541
34496	80H3487	E N E1	368545.955 5458529.031 26.297	0.9998106	0.9999983	131748 783217	80H3488 80H3486	TERR TERR	68 42 15 278 52 22	119.871 108.285	119.893 108.305

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
131748	80H3488	E N E1	368657.641 5458572.566 28.201	0.9998099	0.9999980	34496	80H3487	TERR	248 42 15	119.871	119.893
348698	80H3489	E N E1	368077.991 5458835.263 7.870	0.9998150	1.0000012	281675 902130	80H3484 80H3492	TERR TERR	181 35 6 358 55 49	277.693 141.141	277.745 141.167
477778	80H3490	E N E1	368331.443 5458973.861 34.272	0.9998100	0.9999971	902130	80H3492	TERR	270 33 48	256.099	256.148
760942	80H3491	E N E1	367699.835 5458985.628 5.859	0.9998165	1.0000015	902130 297788	80H3492 80H3493	TERR TERR	91 24 39 273 4 14	375.635 288.662	375.704 288.715
902130	80H3492	E N E1	368075.356 5458976.379 13.159	0.9998142	1.0000004	477778 348698 760942	80H3490 80H3489 80H3491	TERR TERR TERR	90 33 48 178 55 49 271 24 39	256.099 141.141 375.635	256.148 141.167 375.704
297788	80H3493	E N E1	367411.588 5459001.091 4.647	0.9998177	1.0000017	760942 353250	80H3491 90H6219	TERR TERR	93 4 14 273 52 19	288.662 241.534	288.715 241.578
587295	80H3494	E N E1	367406.051 5458706.581 6.988	0.9998173	1.0000013	590596	80H3495	TERR	184 15 56	184.371	184.404
590596	80H3495	E N E1	367392.338 5458522.721 2.758	0.9998180	1.0000020	587295 588749	80H3494 80H3496	TERR TERR	4 15 56 145 36 21	184.371 478.412	184.404 478.498
588749	80H3496	E N E1	367662.585 5458127.950 2.258	0.9998172	1.0000021	126821 135541 590596	80H3498 80H3497 80H3495	TERR TERR TERR	147 9 58 272 11 6 325 36 21	273.993 157.092 478.412	274.043 157.121 478.498
135541	80H3497	E N E1	367505.607 5458133.939 1.230	0.9998179	1.0000022	588749 544726	80H3496 80H3499	TERR TERR	92 11 6 183 13 11	157.092 178.702	157.121 178.735
126821	80H3498	E N E1	367811.145 5457897.728 3.852	0.9998165	1.0000018	775544 544726 588749	80H3473 80H3499 80H3496	TERR TERR TERR	132 40 28 280 22 39 327 9 58	285.850 320.823 273.993	285.902 320.882 274.043
544726	80H3499	E N E1	367495.570 5457955.519 3.785	0.9998175	1.0000018	135541 126821 776468	80H3497 80H3498 80H3500	TERR TERR TERR	3 13 11 100 22 39 291 12 46	178.702 320.823 211.477	178.735 320.882 211.516

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
776468	80H3500	E	367298.422	0.9998182	1.0000018	544726	80H3499	TERR	111 12 46	211.477	211.516		
		N	5458032.038			48538	80H3501	TERR	280 33 17	336.692	336.753		
		E1	3.845			CVD28BC							
48538	80H3501	E	366967.427	0.9998192	1.0000018	25346	80H3502	TERR	1 57 59	293.294	293.347		
		N	5458093.712			776468	80H3500	TERR	100 33 17	336.692	336.753		
		E1	3.778			CVD28BC		789347	80H3505	TERR	292 10 21	216.239	216.278
25346	80H3502	E	366977.491	0.9998194	1.0000020	182493	80H3503	TERR	2 35 35	334.721	334.782		
		N	5458386.833			48538	80H3501	TERR	181 57 59	293.294	293.347		
		E1	2.578			CVD28BC							
182493	80H3503	E	366992.635	0.9998182	1.0000009	461889	80H3504	TERR	3 28 58	214.156	214.194		
		N	5458721.211			25346	80H3502	TERR	182 35 35	334.721	334.782		
		E1	10.102			CVD28BC							
461889	80H3504	E	367005.645	0.9998180	1.0000007	353250	90H6219	TERR	63 26 56	184.409	184.442		
		N	5458934.971			182493	80H3503	TERR	183 28 58	214.156	214.194		
		E1	11.131			CVD28BC							
789347	80H3505	E	366767.179	0.9998199	1.0000018	48538	80H3501	TERR	112 10 21	216.239	216.278		
		N	5458175.320			954016	80H3506	TERR	285 22 29	183.570	183.602		
		E1	3.886			CVD28BC							
954016	80H3506	E	366590.179	0.9998204	1.0000018	490938	80H3507	TERR	1 41 48	391.452	391.522		
		N	5458223.990			789347	80H3505	TERR	105 22 29	183.570	183.602		
		E1	3.989			CVD28BC		983221	80H3508	TERR	298 35 52	272.825	272.875
490938	80H3507	E	366601.770	0.9998206	1.0000020	954016	80H3506	TERR	181 41 48	391.452	391.522		
		N	5458615.270			577114	80H3509	TERR	270 58 9	214.771	214.809		
		E1	2.763			CVD28BC							
983221	80H3508	E	366350.638	0.9998212	1.0000018	954016	80H3506	TERR	118 35 52	272.825	272.875		
		N	5458354.580			842104	80H3510	TERR	306 9 7	212.582	212.619		
		E1	3.893			CVD28BC							
577114	80H3509	E	366387.030	0.9998213	1.0000020	41483	11706	GPS	67 31 51	14787.752	14791.570		
		N	5458618.903			740738	80H3527	GPS	90 35 49	2913.189	2913.734		
		E1	2.908			CVD28BC		490938	80H3507	TERR	90 58 9	214.771	214.809
						52258	80H3373	GPS	144 5 18	3978.510	3979.246		
						492173	80H3323	GPS	153 26 3	4929.305	4930.219		
						257287	80H3511	TERR	271 1 45	204.609	204.646		
		518878	27718	GPS	341 21 48	17694.116	17699.263						
842104	80H3510	E	366178.988	0.9998218	1.0000018	257287	80H3511	TERR	1 23 33	142.632	142.658		
		N	5458479.988			983221	80H3508	TERR	126 9 7	212.582	212.619		
		E1	3.780			CVD28BC		19828	90H6205	TERR	312 6 24	251.479	251.524

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS			UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
257287	80H3511	E	366182.454	0.9998218	1.0000019	260752	90H6215	TERR	1 48 34	271.334	271.383		
		N	5458622.578					TERR	91 1 45			204.609	204.646
		E1	3.632					CVD28BC	842104			80H3510	TERR
29157	80H3512	E	368923.953	0.9998022	0.9999911	560821	80H3353	TERR	1 22 44	113.207	113.229		
		N	5454735.710					TERR	186 8 11			224.274	224.318
		E1	72.101					CVD28BC	29033			80H3343	
545228	80H3513	E	368830.909	0.9998083	0.9999970	925669	80H3514	TERR	61 7 51	117.959	117.982		
		N	5458114.527					TERR	240 49 24			247.485	247.532
		E1	34.835					CVD28BC	866822			80H3469	
925669	80H3514	E	368934.209	0.9998071	0.9999961	855411	80H3515	TERR	66 33 56	153.075	153.105		
		N	5458171.479					TERR	241 7 51			117.959	117.982
		E1	40.687					CVD28BC	545228			80H3513	
855411	80H3515	E	369074.658	0.9998060	0.9999955	177378	80H3516	TERR	7 34 57	176.773	176.807		
		N	5458232.357					TERR	68 32 30			211.783	211.824
		E1	44.419					CVD28BC	925669			80H3514	TERR
177378	80H3516	E	369097.984	0.9998061	0.9999956	422105	80H3520	TERR	3 15 44	194.195	194.233		
		N	5458407.584					TERR	187 34 57			176.773	176.807
		E1	43.731					CVD28BC	37853			80H3517	TERR
37853	80H3517	E	368915.146	0.9998079	0.9999968	177378	80H3516	TERR	91 35 54	182.909	182.945		
		N	5458412.686										
		E1	35.709					CVD28BC					
46722	80H3518	E	368726.515	0.9998093	0.9999976	494401	80H3519	TERR	2 59 3	160.220	160.251		
		N	5458360.422										
		E1	30.602					CVD28BC					
494401	80H3519	E	368734.856	0.9998093	0.9999977	501940	91H9822	TERR	3 2 37	172.392	172.425		
		N	5458520.425					TERR	182 59 3			160.220	160.251
		E1	30.388					CVD28BC	46722			80H3518	
422105	80H3520	E	369109.035	0.9998058	0.9999954	149948	80H3524	TERR	2 22 28	178.762	178.796		
		N	5458601.464					TERR	93 51 53			191.461	191.499
		E1	45.114					CVD28BC	177378			80H3516	TERR
53728	80H3521	E	369938.491	0.9998002	0.9999924	608901	80H3545	TERR	20 48 59	88.706	88.724		
		N	5459030.128					TERR	194 15 8			173.879	173.914
		E1	63.894					CVD28BC	285742			80H3546	
661868	80H3522	E	368928.149	0.9998071	0.9999960	862862	80H3523	TERR	2 43 7	97.147	97.165		
		N	5458692.243					TERR	270 6 11			184.140	184.175
		E1	40.783					CVD28BC	501940			91H9822	

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
862862	80H3523	E	368932.757	0.9998066	0.9999956	149948	80H3524	TERR	92 52 12	183.915	183.951
		N	5458789.281			661868	80H3522	TERR	182 43 7	97.147	97.165
		E1	43.945	CVD28BC							
149948	80H3524	E	369116.441	0.9998056	0.9999952	374314	90H6193	TERR	0 56 8	188.424	188.461
		N	5458780.072			422105	80H3520	TERR	182 22 28	178.762	178.796
		E1	46.284	CVD28BC		862862	80H3523	TERR	272 52 12	183.915	183.951
949461	80H3525	E	369120.031	0.9998056	0.9999952		MARKER DESTROYED				
		N	5458963.735								
		E1	46.103	CVD28BC							
128124	80H3526	E	369265.141	0.9998050	0.9999951		MARKER DESTROYED				
		N	5458959.020								
		E1	46.977	CVD28BC							
740738	80H3527	E	369300.061	0.9998045	0.9999947	41483	11706	GPS	62 8 44	12161.135	12164.376
		N	5458588.559			270983	73C066	GPS	81 29 50	24758.292	24764.188
		E1	49.352	CVD28BC		192963	80H3530	TERR	93 50 6	175.742	175.776
						577577	80H3429	GPS	177 37 45	1913.152	1913.523
						492173	80H3323	GPS	189 11 31	4435.491	4436.352
						52258	80H3373	GPS	190 17 24	3244.122	3244.749
						577114	80H3509	GPS	270 35 49	2913.189	2913.734
						422105	80H3520	TERR	273 51 53	191.461	191.499
						518878	27718	GPS	332 58 30	18855.483	18861.125
290080	80H3528	E	369271.761	0.9998051	0.9999952	679209	93H1013	TERR	68 15 5	192.824	192.862
		N	5458309.832			855411	80H3515	TERR	248 32 30	211.783	211.824
		E1	46.362	CVD28BC							
68601	80H3529	E	369459.993	0.9998036	0.9999943		MARKER DESTROYED				
		N	5458384.552								
		E1	52.231	CVD28BC							
192963	80H3530	E	369475.409	0.9998032	0.9999940	212167	80H3531	TERR	2 46 59	200.644	200.683
		N	5458576.805			679209	93H1013	TERR	187 9 23	197.060	197.100
		E1	54.133	CVD28BC		740738	80H3527	TERR	273 50 6	175.742	175.776
212167	80H3531	E	369485.151	0.9998038	0.9999946	128322	80H3532	TERR	2 32 56	176.300	176.335
		N	5458777.212			192963	80H3530	TERR	182 46 59	200.644	200.683
		E1	50.272	CVD28BC							
128322	80H3532	E	369492.991	0.9998038	0.9999946	729343	80H3533	TERR	5 45 7	173.222	173.256
		N	5458953.338			212167	80H3531	TERR	182 32 56	176.300	176.335
		E1	50.270	CVD28BC		355818	90H6192	TERR	269 53 54	226.673	226.718

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
729343	80H3533	E	369510.352	0.9998029	0.9999938	499442	90H6197	TERR	1 45 3	208.868	208.909		
		N	5459125.688					TERR	91 36 13			162.581	162.613
		E1	55.299					CVD28BC	128322				
443226	80H3534	E	369672.869	0.9998017	0.9999931	203935	80H3535	TERR	177 49 42	262.368	262.420		
		N	5459121.138					TERR	271 36 13			162.581	162.613
		E1	59.832					CVD28BC	729343				
203935	80H3535	E	369682.811	0.9998024	0.9999938	285742	80H3546	TERR	89 17 19	212.889	212.931		
		N	5458858.958					TERR	185 10 46			186.429	186.466
		E1	55.053					CVD28BC	443226				
835785	80H3536	E	369665.981	0.9998023	0.9999936	203935	80H3535	TERR	5 10 46	186.429	186.466		
		N	5458673.290					TERR	177 6 32			225.336	225.381
		E1	56.393					CVD28BC	130120				
898825	80H3537	E	369670.224	0.9998015	0.9999928								
		N	5458463.640					MARKER DESTROYED					
		E1	61.366										
309088	80H3538	E	369883.208	0.9998006	0.9999926	402396	80H3541	TERR	24 25 8	233.350	233.396		
		N	5458546.683										
		E1	62.587					CVD28BC					
737320	80H3539	E	370064.223	0.9998001	0.9999927								
		N	5458560.805										
		E1	62.027					CVD28BC					
175844	80H3540	E	370229.632	0.9997997	0.9999929								
		N	5458557.676										
		E1	60.997					CVD28BC					
402396	80H3541	E	369979.676	0.9997989	0.9999912	213629	80H3542	TERR	15 8 0	142.121	142.149		
		N	5458759.159					TERR	204 25 8			233.350	233.396
		E1	71.554					CVD28BC	637447				
213629	80H3542	E	370016.779	0.9997992	0.9999916	35568	80H3543	TERR	24 6 30	105.338	105.359		
		N	5458896.351					TERR	195 8 0			142.121	142.149
		E1	69.095					CVD28BC	402396				
35568	80H3543	E	370059.806	0.9997990	0.9999915	456293	80H3544	TERR	4 51 33	117.723	117.747		
		N	5458992.501					TERR	204 6 30			105.338	105.359
		E1	69.500					CVD28BC	213629				
456293	80H3544	E	370069.778	0.9997997	0.9999924	35568	80H3543	TERR	184 51 33	117.723	117.747		
		N	5459109.801					TERR	271 51 43			99.816	99.836
		E1	64.338					CVD28BC	608901				

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS			UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
476317	90H6195	E	369271.446	0.9998043	0.9999943	479857	90H6196	TERR	1 41 52	190.426	190.463	
		N	5459148.302			355818	90H6192	TERR	181 30 13	195.433	195.472	
		E1	51.758	CVD28BC		379297	90H6194	TERR	270 39 52	210.720	210.761	
479857	90H6196	E	369277.088	0.9998036	0.9999937	499442	90H6197	TERR	91 0 3	239.683	239.730	
		N	5459338.644			476317	90H6195	TERR	181 41 52	190.426	190.463	
		E1	56.048	CVD28BC								
499442	90H6197	E	369516.734	0.9998021	0.9999930	729343	80H3533	TERR	181 45 3	208.868	208.909	
		N	5459334.458			479857	90H6196	TERR	271 0 3	239.683	239.730	
		E1	60.263	CVD28BC								
538033	90H6198	E	368000.442	0.9998159	1.0000019	126052	80H3360	TERR	91 12 25	219.058	219.099	
		N	5455138.774			578872	90H6199	TERR	195 23 46	132.024	132.049	
		E1	3.590	CVD28BC								
578872	90H6199	E	367965.391	0.9998159	1.0000018	538033	90H6198	TERR	15 23 46	132.024	132.049	
		N	5455011.488			652669	90H6200	TERR	151 47 56	289.671	289.724	
		E1	4.304	CVD28BC								
652669	90H6200	E	368102.280	0.9998155	1.0000018	664979	90H6201	TERR	159 45 36	191.898	191.932	
		N	5454756.203			578872	90H6199	TERR	331 47 56	289.671	289.724	
		E1	4.264	CVD28BC								
664979	90H6201	E	368168.668	0.9998151	1.0000017	683144	90H6202	TERR	193 43 21	371.735	371.803	
		N	5454576.155			652669	90H6200	TERR	339 45 36	191.898	191.932	
		E1	5.017	CVD28BC								
683144	90H6202	E	368080.486	0.9998155	1.0000017	664979	90H6201	TERR	13 43 21	371.735	371.803	
		N	5454215.031			742924	90H6203	TERR	91 26 20	107.321	107.341	
		E1	4.689	CVD28BC								
742924	90H6203	E	368187.773	0.9998133	0.9999998	752659	90H6204	TERR	91 59 11	101.494	101.513	
		N	5454212.336			683144	90H6202	TERR	271 26 20	107.321	107.341	
		E1	16.734	CVD28BC								
752659	90H6204	E	368289.206	0.9998116	0.9999985	149971	80H3322	TERR	91 20 32	90.980	90.998	
		N	5454208.818			742924	90H6203	TERR	271 59 11	101.494	101.513	
		E1	25.316	CVD28BC								
19828	90H6205	E	365992.416	0.9998224	1.0000018	842104	80H3510	TERR	132 6 24	251.479	251.524	
		N	5458648.608			31914	90H6206	TERR	320 45 12	194.090	194.125	
		E1	4.032	CVD28BC								
31914	90H6206	E	365869.623	0.9998228	1.0000018	19828	90H6205	TERR	140 45 12	194.090	194.125	
		N	5458798.917			97428	90H6207	TERR	303 3 14	159.462	159.489	
		E1	4.303	CVD28BC								

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
97428	90H6207	E	365735.969	0.9998232	1.0000018	31914	90H6206	TERR	123 3 14	159.462	159.489	
		N	5458885.892			120881	90H6208	TERR	274 33 1	211.773	211.810	
		E1	4.298			CVD28BC	375741	94H1626	TERR	355 56 41	133.049	133.072
120881	90H6208	E	365524.864	0.9998234	1.0000012	97428	90H6207	TERR	94 33 1	211.773	211.810	
		N	5458902.693			123182	90H6209	TERR	317 5 22	194.855	194.889	
		E1	7.702			CVD28BC						
123182	90H6209	E	365392.196	0.9998222	0.9999997	186189	90H6211	TERR	2 8 13	485.743	485.830	
		N	5459045.408			177105	90H6210	TERR	2 56 28	214.311	214.350	
		E1	17.756			CVD28BC	120881	90H6208	TERR	137 5 22	194.855	194.889
177105	90H6210	E	365403.192	0.9998221	0.9999995	186189	90H6211	TERR	1 30 8	271.469	271.518	
		N	5459259.437			123182	90H6209	TERR	182 56 28	214.311	214.350	
		E1	18.673			CVD28BC						
186189	90H6211	E	365410.309	0.9998220	0.9999994	214718	90H6212	TERR	90 47 6	346.765	346.826	
		N	5459530.813			236737	90H6213	TERR	91 7 54	798.019	798.162	
		E1	19.091			CVD28BC	177105	90H6210	TERR	181 30 8	271.469	271.518
							123182	90H6209	TERR	182 8 13	485.743	485.830
214718	90H6212	E	365757.041	0.9998208	0.9999994	236737	90H6213	TERR	91 23 53	451.265	451.347	
		N	5459526.062			157453	94H1627	TERR	203 27 38	193.250	193.285	
		E1	19.258			CVD28BC	186189	90H6211	TERR	270 47 6	346.765	346.826
236737	90H6213	E	366208.172	0.9998193	0.9999994	186189	90H6211	TERR	271 7 54	798.019	798.162	
		N	5459515.053			214718	90H6212	TERR	271 23 53	451.265	451.347	
		E1	19.477			CVD28BC						
254573	90H6214	E	366197.738	0.9998197	0.9999998		MARKER DESTROYED					
		N	5459094.874									
		E1	16.949	CVD28BC								
260752	90H6215	E	366191.022	0.9998208	1.0000009	257287	80H3511	TERR	181 48 34	271.334	271.383	
		N	5458893.777									
		E1	9.916			CVD28BC						
263376	90H6216	E	366381.371	0.9998189	0.9999996	269837	90H6217	TERR	91 25 51	392.384	392.456	
		N	5459451.783									
		E1	18.100			CVD28BC						
269837	90H6217	E	366773.633	0.9998169	0.9999989	351189	90H6218	TERR	142 41 48	429.229	429.307	
		N	5459441.986			263376	90H6216	TERR	271 25 51	392.384	392.456	
		E1	22.494			CVD28BC						

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2012-MAR-08

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
351189	90H6218	E N E1	367033.761 5459100.561 18.477	0.9998167	0.9999995	269837	90H6217	TERR	322 41 48	429.229	429.307
353250	90H6219	E N E1	367170.605 5459017.401 10.973	0.9998175	1.0000007	297788 461889	80H3493 80H3504	TERR TERR	93 52 19 243 26 56	241.534 184.409	241.578 184.442
766758	90H6220	E N E1	368384.248 5454340.323 39.191	0.9998091	0.9999963	196030 149971	87H2624 80H3322	TERR TERR	6 32 23 181 45 6	316.934 133.699	316.995 133.723
501940	91H9822	E N E1	368744.009 5458692.574 33.080	0.9998089	0.9999973	661868 494401	80H3522 80H3519	TERR TERR	90 6 11 183 2 37	184.140 172.392	184.175 172.425
517201	91H9823	E N E1	369118.955 5455324.510 43.717	0.9998060	0.9999956	981316 732065	80H3380 80H3371	TERR TERR	4 49 1 171 50 36	327.499 120.121	327.562 120.145
76893	91H9824	E N E1	368596.039 5454404.245 44.812	0.9998075	0.9999954	462325 492173	80H8340 80H3323	TERR TERR	5 25 52 181 19 46	249.159 194.273	249.206 194.311
679209	93H1013	E N E1	369450.860 5458381.280 52.221	0.9998036	0.9999943	192963 130120 290080	80H3530 93H1014 80H3528	TERR TERR TERR	7 9 23 73 31 47 248 15 5	197.060 236.178 192.824	197.100 236.224 192.862
130120	93H1014	E N E1	369677.347 5458448.241 61.817	0.9998014	0.9999928	637447 679209 835785	93H1015 93H1013 80H3536	TERR TERR TERR	63 11 38 253 31 47 357 6 32	222.761 236.178 225.336	222.806 236.224 225.381
637447	93H1015	E N E1	369876.170 5458548.700 63.448	0.9998005	0.9999925	402396 491043 130120	80H3541 93H1016 93H1014	TERR TERR TERR	26 11 18 86 29 51 243 11 38	234.535 241.840 222.761	234.581 241.889 222.806
491043	93H1016	E N E1	370117.558 5458563.474 61.602	0.9998000	0.9999928	637447	93H1015	TERR	266 29 51	241.840	241.889
932061	93H1017	E N E1	370244.317 5458553.988 60.924	0.9997997	0.9999929		MARKER DESTROYED				
375741	94H1626	E N E1	365726.560 5459018.608 16.098	0.9998214	0.9999999	230219 97428	NO MARKING 90H6207	TERR TERR	1 55 41 175 56 41	143.826 133.049	143.852 133.072

Integrated Survey Area No:37 City of Port Alberni
 Order in Council No. 1684/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
157453	94H1627	E	365680.105	0.9998213	0.9999996	214718	90H6212	TERR	23 27 38	193.250	193.285				
		N	5459348.787					477158	94H1628			TERR	181 46 53	184.852	184.885
		E1	17.866					CVD28BC							
477158	94H1628	E	365674.359	0.9998215	0.9999998	157453	94H1627	TERR	1 46 53	184.852	184.885				
		N	5459164.024					230219	NO MARKING			TERR	91 40 41	57.065	57.075
		E1	16.757					CVD28BC							
699538	95H2005	E	368435.636	0.9998120	0.9999994	143040	80H3378	TERR	1 40 26	158.606	158.635				
		N	5455393.299					260950	80H3361			TERR	187 9 60	265.226	265.276
		E1	19.592					CVD28BC							
941062	96H2079	E	368304.042	0.9998147	1.0000017	542449	96H2080	TERR	14 5 22	142.932	142.959				
		N	5456547.956					400705	80H3415			TERR	150 51 36	314.217	314.275
		E1	4.829					CVD28BC							
542449	96H2080	E	368338.837	0.9998146	1.0000017	597096	80H3999	TERR	16 50 45	334.241	334.303				
		N	5456686.588					941062	96H2079			TERR	194 5 22	142.932	142.959
		E1	4.867					CVD28BC							
713446	LEGAL 2	E	368420.162	0.9998137	1.0000010	681437	80H3470	TERR	240 58 36	91.695	91.711				
		N	5458083.829												
		E1	9.222					CVD28BC							

END OF REPORT