

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
186817	03SG078	E	424731.696	0.9996570	0.9999874	263871	82H5724	GPS	18 11 0	485.728	485.895
		N	5453542.141			906230	79H9408	GPS	97 33 21	241.887	241.970
		El	97.677			482349	98SG019	GPS	171 31 59	341.094	341.212
						913210	98SG037	GPS	193 3 45	478.271	478.436
						399675	03SG079	GPS	232 28 21	302.185	302.289
						102194	96H2088	GPS	241 29 9	1546.457	1546.986
					893701	03SG080	GPS	293 57 50	254.277	254.364	
399675	03SG079	E	424492.045	0.9996548	0.9999848	893701	03SG080	GPS	1 27 13	287.444	287.543
		N	5453358.067			186817	03SG078	GPS	52 28 21	302.185	302.289
		El	113.941			482349	98SG019	GPS	117 52 21	327.915	328.029
						913210	98SG037	GPS	154 58 36	311.014	311.122
893701	03SG080	E	424499.337	0.9996571	0.9999871	906230	79H9408	GPS	105 57 58	491.090	491.258
		N	5453645.418			186817	03SG078	GPS	113 57 50	254.277	254.364
		El	99.388			913210	98SG037	GPS	167 41 3	582.579	582.781
						399675	03SG079	GPS	181 27 13	287.444	287.543
791046	03SG086	E	422965.660	0.9996590	0.9999861	347336	92H0729	GPS	15 22 55	1272.285	1272.717
		N	5453902.788			858100	03SG087	GPS	67 54 13	339.963	340.079
		El	105.750			914846	82H5718	GPS	83 16 15	1131.440	1131.827
						102194	96H2088	GPS	159 40 9	1171.897	1172.297
						211631	94H1617	GPS	173 16 43	531.522	531.703
						622597	94H1618	GPS	175 58 14	676.587	676.817
						452391	96H2090	GPS	217 3 39	649.657	649.878
858100	03SG087	E	423280.653	0.9996578	0.9999855	347336	92H0729	GPS	1 10 20	1099.057	1099.431
		N	5454030.671			914846	82H5718	GPS	89 40 3	808.667	808.944
		El	109.752			102194	96H2088	GPS	175 42 11	1230.231	1230.651
						622597	94H1618	GPS	198 25 31	846.175	846.464
						211631	94H1617	GPS	201 4 51	702.787	703.027
						452391	96H2090	GPS	227 32 54	957.537	957.864
					791046	03SG086	GPS	247 54 13	339.963	340.079	
34629	08H2553	E	434238.399	0.9996448	0.9999917	434068	99HA156	GPS	11 49 50	1151.192	1151.596
		N	5440099.477			712356	96H2086	GPS	49 54 0	2902.788	2903.809
		El	70.163			366161	08H2555	GPS	58 44 25	3249.151	3250.300
						916841	79H9385	GPS	303 33 54	1552.417	1552.964
60384	08H2557	E	434737.752	0.9996542	1.0000019	366161	08H2555	GPS	114 2 5	2494.361	2495.232
		N	5442801.453			712356	96H2086	GPS	115 48 23	1911.706	1912.370
		El	5.450			434068	99HA156	GPS	189 29 26	1597.097	1597.652
						927830	83H6080	GPS	256 33 52	1770.562	1771.171
						994848	77H5096	GPS	308 58 23	3382.643	3383.808

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
862367	13H2697	E	428824.412	0.9996554	0.9999931	872747	82H5680	GPS	92 1 7	785.476	785.745	
		N	5453524.106			127944	13H2703	GPS	128 14 34	277.321	277.417	
		El	61.082			CVD28BC	331199	13H2702	GPS	132 32 57	1044.671	1045.040
							471516	79H9358	GPS	208 35 7	382.414	382.548
							613869	82H5678	GPS	294 12 36	277.262	277.357
486712	13H2698	E	429534.424	0.9996576	0.9999966	872747	82H5680	GPS	39 5 59	118.884	118.924	
		N	5453404.180			722066	13H2699	GPS	124 46 59	612.887	613.099	
		El	39.158			CVD28BC	331199	13H2702	GPS	174 11 53	589.523	589.731
							127944	13H2703	GPS	263 59 60	494.916	495.087
722066	13H2699	E	430037.799	0.9996545	0.9999944	684530	13H2700	GPS	157 47 43	449.361	449.520	
		N	5453054.545			670182	79H9263	GPS	178 50 6	622.801	623.018	
		El	53.352			CVD28BC	257725	13H2701	GPS	204 26 30	448.076	448.235
							331199	13H2702	GPS	241 54 32	503.037	503.215
							486712	13H2698	GPS	304 46 59	612.887	613.099
							694612	79H9219	GPS	352 3 39	147.893	147.943
684530	13H2700	E	430207.621	0.9996419	0.9999820	26005	79H9260	GPS	121 19 50	300.790	300.896	
		N	5452638.509			670182	79H9263	GPS	217 15 19	259.611	259.704	
		El	132.081			CVD28BC	257725	13H2701	GPS	271 18 31	355.314	355.442
							722066	13H2699	GPS	337 47 43	449.361	449.520
257725	13H2701	E	429852.400	0.9996394	0.9999789	722066	13H2699	GPS	24 26 30	448.076	448.235	
		N	5452646.624			684530	13H2700	GPS	91 18 31	355.314	355.442	
		El	151.934			CVD28BC	670182	79H9263	GPS	137 18 55	292.141	292.244
							331199	13H2702	GPS	303 30 19	309.870	309.982
331199	13H2702	E	429594.020	0.9996379	0.9999770	872747	82H5680	GPS	1 17 53	678.937	679.175	
		N	5452817.677			694612	79H9219	GPS	47 50 22	571.121	571.321	
		El	164.246			CVD28BC	722066	13H2699	GPS	61 54 32	503.037	503.215
							26005	79H9260	GPS	111 4 50	932.969	933.301
							257725	13H2701	GPS	123 30 19	309.870	309.982
							820787	92H0751	GPS	133 23 50	1953.132	1953.824
							947937	82H5707	GPS	227 59 57	1339.554	1340.031
							471516	79H9358	GPS	291 15 36	1022.142	1022.510
							613869	82H5678	GPS	308 43 58	1310.758	1311.218
							510479	88H4796	GPS	310 20 6	2181.853	2182.619
							862367	13H2697	GPS	312 32 57	1044.671	1045.040
							127944	13H2703	GPS	314 6 7	768.415	768.689
							486712	13H2698	GPS	354 11 53	589.523	589.731
127944	13H2703	E	429042.219	0.9996493	0.9999875	486712	13H2698	GPS	83 59 60	494.916	495.087	
		N	5453352.446			331199	13H2702	GPS	134 6 7	768.415	768.689	
		El	97.050			CVD28BC	471516	79H9358	GPS	247 43 42	433.089	433.243
							862367	13H2697	GPS	308 14 34	277.321	277.417

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
13201	14H2725	E	435428.997	0.9996489	0.9999977	168039	79H9348	GPS	14 25 25	304.607	304.713	
		N	5443979.965			873513	79H9344	GPS	144 1 7	863.618	863.921	
		El	32.378			CVD28BC	712356	96H2086	GPS	152 52 50	2259.106	2259.896
						909861	98SG017	GPS	339 33 46	867.852	868.155	
265223	14H2754	E	426505.235	0.9996414	0.9999751	583633	14H2758	GPS	0 46 38	585.934	586.144	
		N	5452678.046			604108	14H2759	GPS	16 32 57	742.382	742.648	
		El	176.211			CVD28BC	153114	2284	GPS	98 46 49	367.342	367.476
							527655	79H5592	GPS	246 47 27	402.194	402.337
							406140	14H2755	GPS	280 11 57	361.450	361.579
							875609	14H2760	GPS	335 30 4	460.058	460.223
406140	14H2755	E	426149.497	0.9996456	0.9999786	265223	14H2754	GPS	100 11 57	361.450	361.579	
		N	5452742.048			527655	79H5592	GPS	183 34 35	222.936	223.015	
		El	153.360			CVD28BC	451724	14H2756	GPS	248 6 31	531.881	532.069
							474254	14H2757	GPS	310 56 37	334.360	334.479
451724	14H2756	E	425655.969	0.9996490	0.9999811	474254	14H2757	GPS	29 59 48	481.982	482.152	
		N	5452543.736			875609	14H2760	GPS	49 58 45	859.863	860.168	
		El	137.281			CVD28BC	406140	14H2755	GPS	68 6 31	531.881	532.069
							527655	79H5592	GPS	92 53 14	480.231	480.399
							897348	98SG036	GPS	237 52 42	402.757	402.898
							241398	79H9205	GPS	254 58 43	144.619	144.669
			344416	92H0749	GPS	353 3 26	928.252	928.578				
474254	14H2757	E	425896.936	0.9996449	0.9999775	875609	14H2760	GPS	72 1 1	438.970	439.127	
		N	5452961.159			406140	14H2755	GPS	130 56 37	334.360	334.479	
		El	160.873			CVD28BC	451724	14H2756	GPS	209 59 48	481.982	482.152
							585554	92H0736	GPS	345 40 47	416.331	416.478
583633	14H2758	E	426513.184	0.9996423	0.9999759	604108	14H2759	GPS	58 17 17	239.225	239.311	
		N	5453263.926			265223	14H2754	GPS	180 46 38	585.934	586.144	
		El	170.696			CVD28BC	875609	14H2760	GPS	229 55 0	259.731	259.824
							522060	79H9326	GPS	344 34 5	173.137	173.199
604108	14H2759	E	426716.693	0.9996404	0.9999745	153114	2284	GPS	168 49 51	782.523	782.809	
		N	5453389.675			265223	14H2754	GPS	196 32 57	742.382	742.648	
		El	180.114			CVD28BC	875609	14H2760	GPS	233 55 48	497.628	497.806
							583633	14H2758	GPS	238 17 17	239.225	239.311
							522060	79H9326	GPS	279 21 42	252.949	253.040

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
875609	14H2760	E	426314.461	0.9996428	0.9999761	522060	79H9326	GPS	24 33 13	367.355	367.486
		N	5453096.685			583633	14H2758	GPS	49 55 0	259.731	259.824
		El	169.543			604108	14H2759	GPS	53 55 48	497.628	497.806
						153114	2284	GPS	130 36 8	729.423	729.689
						265223	14H2754	GPS	155 30 4	460.058	460.223
						451724	14H2756	GPS	229 58 45	859.863	860.168
						897348	98SG036	GPS	232 29 49	1260.014	1260.460
						474254	14H2757	GPS	252 1 1	438.970	439.127
						344416	92H0749	GPS	295 33 15	854.261	854.565
							92H0736	GPS	297 13 55	585.385	585.593
897025	15H2761	E	427373.355	0.9996525	0.9999877	745208	79H9293	GPS	7 22 41	132.569	132.615
		N	5448743.145			490326	79H9296	GPS	49 54 33	497.488	497.661
		El	95.240			175562	15H2762	GPS	98 4 36	430.686	430.836
						476226	15H2764	GPS	119 55 28	970.728	971.066
						529636	89H5640	GPS	149 1 53	914.660	914.978
175562	15H2762	E	427799.769	0.9996514	0.9999873	199190	79H9292	GPS	0 48 52	186.620	186.685
		N	5448682.635			891788	15H2763	GPS	133 1 42	253.996	254.084
		El	97.777			476226	15H2764	GPS	135 36 16	593.045	593.251
						897025	15H2761	GPS	278 4 36	430.686	430.836
						490326	79H9296	GPS	353 8 24	383.639	383.773
891788	15H2763	E	427985.444	0.9996519	0.9999882	398123	93H1172	GPS	57 41 7	302.166	302.272
		N	5448509.318			514562	15H2765	GPS	109 1 13	650.053	650.279
		El	92.394			476226	15H2764	GPS	137 31 52	339.498	339.616
						175562	15H2762	GPS	313 1 42	253.996	254.084
						490326	79H9296	GPS	337 19 45	600.616	600.825
476226	15H2764	E	428214.669	0.9996524	0.9999890	820787	92H0751	GPS	41 1 17	4263.807	4265.285
		N	5448258.889			514562	15H2765	GPS	84 16 60	387.263	387.397
		El	86.873			23093	93H1175	GPS	102 47 46	343.596	343.716
						920009	No Marking	GPS	122 33 30	4027.565	4028.960
						837369	77H5295	GPS	138 3 45	793.009	793.283
						298463	16H2775	GPS	201 28 22	2417.562	2418.415
						718304	98H2198	GPS	202 46 18	383.668	383.801
						529636	89H5640	GPS	231 0 45	476.862	477.028
						897025	15H2761	GPS	299 55 28	970.728	971.066
						175562	15H2762	GPS	315 36 16	593.045	593.251
						891788	15H2763	GPS	317 31 52	339.498	339.616
						490326	79H9296	GPS	330 12 19	927.204	927.528
						344416	92H0749	GPS	332 50 29	5851.429	5853.478

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
514562	15H2765	E	428600.006	0.9996512	0.9999886	24810	79H9309	GPS	17 46 17	158.207	158.263	
		N	5448297.464			973768	15H2766	GPS	76 33 31	250.161	250.249	
		El	89.875			CVD28BC	762351	15H2767	GPS	87 59 56	741.103	741.361
							837369	77H5295	GPS	167 2 19	644.904	645.127
							23093	93H1175	GPS	203 40 22	125.211	125.254
							476226	15H2764	GPS	264 16 60	387.263	387.397
							891788	15H2763	GPS	289 1 13	650.053	650.279
973768	15H2766	E	428843.315	0.9996507	0.9999885	762351	15H2767	GPS	93 42 46	498.388	498.562	
		N	5448355.614			230268	78H8326	GPS	118 24 45	347.640	347.762	
		El	90.163			CVD28BC	837369	77H5295	GPS	188 10 37	693.675	693.916
							514562	15H2765	GPS	256 33 31	250.161	250.249
							24810	79H9309	GPS	295 22 38	215.849	215.925
							490326	79H9296	GPS	303 1 2	1299.179	1299.633
762351	15H2767	E	429340.657	0.9996520	0.9999907	263889	77H5280	GPS	72 25 8	333.619	333.736	
		N	5448323.341			837369	77H5295	GPS	222 19 42	885.096	885.402	
		El	76.619			CVD28BC	230268	78H8326	GPS	235 12 7	233.298	233.379
							514562	15H2765	GPS	267 59 56	741.103	741.361
							973768	15H2766	GPS	273 42 46	498.388	498.562
							53488	79H9314	GPS	298 42 30	226.012	226.090
272062	16H2768	E	426222.443	0.9996426	0.9999757	814707	82H5662	GPS	33 59 54	302.992	303.100	
		N	5446628.877			879106	79H5529	GPS	91 36 24	551.679	551.876	
		El	171.577			CVD28BC	826685	79H5533	GPS	92 0 49	283.829	283.930
							699389	16H2769	GPS	131 37 39	201.882	201.954
							469932	96H2100	GPS	229 56 29	632.122	632.349
							735472	90H6399	GPS	304 56 37	858.845	859.150
699389	16H2769	E	426373.346	0.9996424	0.9999758	826685	79H5533	GPS	46 55 16	181.747	181.812	
		N	5446494.770			879106	79H5529	GPS	73 30 5	417.760	417.909	
		El	170.955			CVD28BC	845214	79H5531	GPS	85 30 53	285.229	285.331
							292896	16H2770	GPS	93 1 10	509.867	510.050
							298463	16H2775	GPS	116 55 19	1072.596	1072.980
							272062	16H2768	GPS	311 37 39	201.882	201.954
292896	16H2770	E	426882.505	0.9996405	0.9999749	745901	79H5504	GPS	75 50 16	363.824	363.953	
		N	5446467.914			366922	16H2771	GPS	91 51 38	211.524	211.599	
		El	177.260			CVD28BC	699389	16H2769	GPS	273 1 10	509.867	510.050
							845214	79H5531	GPS	282 20 9	230.117	230.200
							879106	79H5529	GPS	323 15 43	181.557	181.623
366922	16H2771	E	427093.917	0.9996414	0.9999761	745901	79H5504	GPS	55 50 60	170.806	170.867	
		N	5446461.046			851006	16H2772	GPS	90 56 11	412.482	412.630	
		El	169.473			CVD28BC	807230	16H2774	GPS	124 23 26	291.937	292.042
							292896	16H2770	GPS	271 51 38	211.524	211.599
							879106	79H5529	GPS	295 27 36	354.433	354.560

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
851006	16H2772	E	427506.344	0.9996456	0.9999811	238527	79H5513	GPS	39 58 38	266.255	266.348	
		N	5446454.305			122788	16H2773	GPS	173 50 25	149.265	149.318	
		El	137.750			CVD28BC	298463	16H2775	GPS	201 38 34	478.944	479.115
							807230	16H2774	GPS	227 19 17	233.306	233.389
							366922	16H2771	GPS	270 56 11	412.482	412.630
							745901	79H5504	GPS	290 44 10	289.849	289.952
122788	16H2773	E	427522.360	0.9996428	0.9999782	322677	98SG065	GPS	118 12 46	284.094	284.195	
		N	5446305.902			298463	16H2775	GPS	212 59 26	353.828	353.954	
		El	155.822			CVD28BC	807230	16H2774	GPS	267 1 25	187.788	187.855
							851006	16H2772	GPS	353 50 25	149.265	149.318
807230	16H2774	E	427334.825	0.9996420	0.9999771	851006	16H2772	GPS	47 19 17	233.306	233.389	
		N	5446296.151			122788	16H2773	GPS	87 1 25	187.788	187.855	
		El	162.910			CVD28BC	298463	16H2775	GPS	181 1 23	287.071	287.173
							366922	16H2771	GPS	304 23 26	291.937	292.042
298463	16H2775	E	427329.700	0.9996417	0.9999768	807230	16H2774	GPS	1 1 23	287.071	287.173	
		N	5446009.126			476226	15H2764	GPS	21 28 22	2417.562	2418.415	
		El	164.623			CVD28BC	851006	16H2772	GPS	21 38 34	478.944	479.115
							122788	16H2773	GPS	32 59 26	353.828	353.954
							837369	77H5295	GPS	40 26 45	2181.111	2181.879
							322677	98SG065	GPS	69 51 34	471.857	472.026
							445726	77H5122	GPS	73 43 29	2951.723	2952.766
							920009	No Marking	GPS	88 53 54	4280.366	4281.872
							909861	98SG017	GPS	98 51 53	7890.512	7893.293
							553859	83H6083	GPS	123 37 3	6527.550	6529.841
							275438	96H2085	GPS	149 25 48	3156.889	3158.018
							469932	96H2100	GPS	277 37 22	1605.261	1605.836
							699389	16H2769	GPS	296 55 19	1072.596	1072.980
							879106	79H5529	GPS	317 23 36	821.016	821.310
770495	2283	E	435264.592	0.9996524	1.0000009		MARKER DESTROYED					
		N	5444322.927									
		El	11.611	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres								
-----	-----					-----	-----												
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING												
153114	2284	E	426868.272	0.9996282	0.9999625	947937	82H5707	GPS	112 2 41	1866.756	1867.431								
		N	5452621.973			437442	483	TERR	126 37 9	22959.069	22967.522								
		El	256.670			CVD28BC	183921	2281	TERR	130 6 21	14594.558	14599.832							
							828327	3471	TERR	150 35 31	3119.183	3120.307							
							87916	NO MARKING	TERR	161 24 27	7130.889	7133.483							
							490326	79H9296	GPS	166 1 24	3667.009	3668.335							
							301952	82H5634	GPS	188 46 17	2863.592	2864.625							
							252585	78H5416	TERR	195 35 16	2771.165	2772.164							
							801225	11700	TERR	203 26 4	8719.402	8723.140							
							817056	468	TERR	247 24 3	30614.696	30627.784							
							257741	339	TERR	254 55 18	33948.378	33963.417							
							851303	84H9441	TERR	259 47 44	16831.794	16838.531							
							84749	81H4328	TERR	272 32 55	6207.645	6209.952							
							265223	14H2754	GPS	278 46 49	367.342	367.476							
798520	30128	E	432862.142	0.9996575	1.0000021	430843	95H2043	TERR	153 10 38	335.677	335.792								
		N	5447205.137			227108	77H5011	TERR	216 14 5	1465.390	1465.892								
		El	3.627			CVD28BC	921171	NO MARKING	TERR	313 4 54	419.958	420.102							
		900902	3468			E	428888.980	0.9996574	0.9999952	159327	3472	TERR	180 53 14	521.570	521.749				
						N	5450380.817			30270	79H5463	TERR	181 16 17	310.142	310.249				
						El	47.527			CVD28BC	602219	93H1180	TERR	271 30 2	186.930	186.995			
						828327	3471			E	428399.878	0.9996510	0.9999881	801225	11700	TERR	223 25 12	7273.407	7276.441
										N	5449904.716			385682	79H5474	TERR	303 40 17	126.746	126.790
										El	93.220			CVD28BC	153114	2284	TERR	330 35 31	3119.183
						159327	3472			E	428880.905	0.9996532	0.9999911	30270	79H5463	TERR	0 19 25	211.444	211.517
										N	5449859.310			900902	3468	TERR	0 53 14	521.570	521.749
										El	74.015			CVD28BC					
						648840	3473			E	429244.500	0.9996545	0.9999930	885251	78H5434	TERR	160 23 25	158.915	158.970
										N	5449673.662			911990	78H5477	TERR	359 4 44	204.681	204.753
El	61.552			CVD28BC															

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----					-----	-----						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
905422	3474	E	429133.116	0.9996581	0.9999964	525311	78H5479	TERR	78 29 21	121.716	121.757		
		N	5450174.237					324038	3478	TERR	182 22 25	230.643	230.723
		El	40.249					CVD28BC					
739243	3475	E	429005.606	0.9996558	0.9999939	324038	3478	TERR	119 12 45	135.146	135.193		
		N	5450009.750					30270	79H5463	TERR	296 17 6	137.750	137.797
		El	56.029					CVD28BC		800086	78H5391	TERR	359 4 17
653162	3476	E	429236.915	0.9996565	0.9999950	MARKER DESTROYED							
		N	5449880.667										
		El	49.009			CVD28BC							
324038	3478	E	429123.564	0.9996562	0.9999945	905422	3474	TERR	2 22 25	230.643	230.723		
		N	5449943.792					911990	78H5477	TERR	119 5 52	134.639	134.685
		El	52.113					CVD28BC		739243	3475	TERR	299 12 45
521559	3479	E	428986.593	0.9996598	0.9999978	643304	78H5474	TERR	92 41 8	93.246	93.278		
		N	5450482.251										
		El	30.957					CVD28BC					
473330	77H4352	E	431243.553	0.9996577	0.9999997	MARKER DESTROYED							
		N	5446796.055										
		El	19.355			CVD28BC							
570739	77H4353	E	431573.669	0.9996565	0.9999990	MARKER DESTROYED							
		N	5446717.187										
		El	23.760			CVD28BC							
825570	77H4354	E	431861.316	0.9996572	1.0000002	219188	77H4355	TERR	187 28 9	125.224	125.266		
		N	5445933.568					233627	77H5017	TERR	356 36 59	43.037	43.052
		El	15.898					CVD28BC					
219188	77H4355	E	431845.038	0.9996554	0.9999983	825570	77H4354	TERR	7 28 9	125.224	125.266		
		N	5445809.407					556621	90H9803	TERR	185 47 49	115.669	115.709
		El	27.987					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
402750	77H4356	E	431830.004	0.9996540	0.9999969		MARKER DESTROYED				
		N	5445694.872								
		El	37.080	CVD28BC							
252288	77H4357	E	431816.249	0.9996537	0.9999966	556621	90H9803	TERR	9 19 8	105.638	105.674
		N	5445590.086			440743	77H4358	TERR	187 28 18	230.511	230.591
		El	38.726	CVD28BC							
440743	77H4358	E	431786.274	0.9996537	0.9999966	252288	77H4357	TERR	7 28 18	230.511	230.591
		N	5445361.532			78089	77H5091	TERR	187 28 25	115.394	115.434
		El	38.990	CVD28BC							
181065	77H4359	E	431754.933	0.9996532	0.9999960	78089	77H5091	TERR	7 27 36	125.790	125.834
		N	5445122.393								
		El	42.691	CVD28BC							
568642	77H4360	E	431728.576	0.9996532	0.9999960		MARKER DESTROYED				
		N	5444921.279								
		El	42.951	CVD28BC							
696062	77H5001	E	431885.271	0.9996580	1.0000010		MARKER DESTROYED				
		N	5445993.025								
		El	10.973	CVD28BC							
967091	77H5002	E	431883.507	0.9996584	1.0000014		MARKER DESTROYED				
		N	5446079.826								
		El	8.264	CVD28BC							
464719	77H5003	E	431795.025	0.9996587	1.0000016		MARKER DESTROYED				
		N	5446119.093								
		El	7.103	CVD28BC							
497586	77H5004	E	431720.141	0.9996587	1.0000015		MARKER DESTROYED				
		N	5446152.325								
		El	7.929	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
811547	77H5005	E	431787.165	0.9996592	1.0000021		MARKER DESTROYED				
		N	5446174.336								
		El	3.951	CVD28BC							
70227	77H5006	E	431844.395	0.9996586	1.0000015		MARKER DESTROYED				
		N	5446212.265								
		El	7.543	CVD28BC							
997932	77H5007	E	431891.890	0.9996580	1.0000011	733949	77H5008	TERR	60 0 49	128.589	128.633
		N	5446263.347								
		El	10.438	CVD28BC							
733949	77H5008	E	432003.267	0.9996588	1.0000020	419655	77H5009	TERR	132 55 30	172.086	172.144
		N	5446327.615			997932	77H5007	TERR	240 0 49	128.589	128.633
		El	4.640	CVD28BC		924118	77H5029	TERR	257 4 56	102.218	102.252
419655	77H5009	E	432129.276	0.9996585	1.0000019	943480	NO MARKING	GPS	86 58 12	2668.735	2669.653
		N	5446210.418			32870	96H2102	GPS	112 11 13	8767.621	8770.670
		El	5.249	CVD28BC		770628	96H2082	GPS	116 44 57	9897.272	9900.739
						873513	79H9344	GPS	127 34 32	4803.636	4805.299
						300897	96H2081	GPS	156 35 51	6739.370	6741.714
						833632	917001	GPS	161 26 43	11139.432	11143.297
						994848	77H5096	GPS	180 57 14	1281.615	1282.054
						665885	79H9192	GPS	213 26 42	3301.871	3303.014
						48496	77H5010	TERR	215 26 28	48.113	48.129
						275438	96H2085	GPS	227 34 19	4327.191	4328.701
						920009	No Marking	GPS	257 6 37	533.443	533.627
						801225	11700	TERR	259 41 6	8872.096	8875.763
						445726	77H5122	GPS	287 39 33	2063.369	2064.078
						837369	77H5295	GPS	293 18 48	3685.527	3686.792
						390450	96H2098	GPS	297 34 10	8386.323	8389.181
						301952	82H5634	GPS	302 9 10	6729.815	6732.139
						527721	84C004	GPS	302 28 31	22364.054	22371.333
						733949	77H5008	TERR	312 55 30	172.086	172.144
						773572	79H9336	GPS	319 52 56	6071.444	6073.524
						255703	82H5700	GPS	320 22 46	5236.758	5238.554
48496	77H5010	E	432101.377	0.9996585	1.0000019	419655	77H5009	TERR	35 26 28	48.113	48.129
		N	5446171.220			227108	77H5011	TERR	215 26 57	181.763	181.826
		El	5.408	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
227108	77H5011	E	431995.958	0.9996579	1.0000011	48496	77H5010	TERR	35 26 57	181.763	181.826			
		N	5446023.150					798520	30128	TERR	36 14 5	1465.390	1465.892	
		El	10.053					CVD28BC	430843	95H2043	TERR	49 4 15	1346.958	1347.419
									288415	77H5013	TERR	147 56 24	174.657	174.716
									908210	77H5012	TERR	151 37 37	47.512	47.528
									985218	90H9795	TERR	263 4 46	120.324	120.364
908210	77H5012	E	432018.536	0.9996577	1.0000009	288415	77H5013	TERR	146 33 52	127.280	127.323			
		N	5445981.346					227108	77H5011	TERR	331 37 37	47.512	47.528	
		El	11.199					CVD28BC						
288415	77H5013	E	432088.667	0.9996573	1.0000006	908210	77H5012	TERR	326 33 52	127.280	127.323			
		N	5445875.130					227108	77H5011	TERR	327 56 24	174.657	174.716	
		El	13.102					CVD28BC						
25783	77H5014	E	431988.259	0.9996564	0.9999996	MARKER DESTROYED								
		N	5445873.099											
		El	19.983			CVD28BC								
747949	77H5015	E	431887.758	0.9996567	0.9999997	MARKER DESTROYED								
		N	5445871.066											
		El	18.909			CVD28BC								
23085	77H5016	E	431992.746	0.9996558	0.9999990	771303	77H5081	TERR	88 50 49	100.529	100.564			
		N	5445652.239			916916	90H9786	TERR	267 59 59	109.100	109.137			
		El	23.367			CVD28BC								
233627	77H5017	E	431858.776	0.9996578	1.0000008	985218	90H9795	TERR	28 54 13	36.693	36.705			
		N	5445976.530			825570	77H4354	TERR	176 36 59	43.037	43.052			
		El	12.358			CVD28BC	602631	77H5018	TERR	333 2 45	43.053	43.067		
602631	77H5018	E	431839.261	0.9996581	1.0000010	233627	77H5017	TERR	153 2 45	43.053	43.067			
		N	5446014.906											
		El	10.831					CVD28BC						
486597	77H5019	E	431801.981	0.9996583	1.0000012	MARKER DESTROYED								
		N	5446043.056											
		El	9.760			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
308155	77H5020	E	431682.072	0.9996573	0.9999999	257659	82H5674	TERR	45 57 2	78.557	78.584					
		N	5446012.753					623181				77H5069	TERR	220 19 18	125.302	125.344
		El	17.645					CVD28BC								
800516	77H5021	E	431738.535	0.9996585	1.0000013	MARKER DESTROYED										
		N	5446067.370													
		El	9.175			CVD28BC										
170977	77H5022	E	431655.760	0.9996579	1.0000006	257659	82H5674	TERR	130 1 28	108.093	108.130					
		N	5446136.888													
		El	13.618					CVD28BC								
344739	77H5023	E	431602.703	0.9996574	0.9999999	MARKER DESTROYED										
		N	5446178.316													
		El	17.686			CVD28BC										
385328	77H5024	E	431678.886	0.9996588	1.0000015	MARKER DESTROYED										
		N	5446179.558													
		El	7.868			CVD28BC										
342717	77H5025	E	431625.981	0.9996590	1.0000015	MARKER DESTROYED										
		N	5446237.205													
		El	7.434			CVD28BC										
774083	77H5026	E	431709.519	0.9996588	1.0000015	MARKER DESTROYED										
		N	5446211.618													
		El	7.652			CVD28BC										
181578	77H5027	E	431698.794	0.9996586	1.0000013	MARKER DESTROYED										
		N	5446287.043													
		El	9.080			CVD28BC										
682997	77H5028	E	431759.698	0.9996587	1.0000015	MARKER DESTROYED										
		N	5446370.616													
		El	7.350			CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
924118	77H5029	E	431903.636	0.9996592	1.0000022	733949	77H5008	TERR	77 4 56	102.218	102.252		
		N	5446304.764					457341	77H5030	TERR	294 35 23	63.705	63.727
		El	2.993					CVD28BC					
457341	77H5030	E	431845.708	0.9996592	1.0000022	924118	77H5029	TERR	114 35 23	63.705	63.727		
		N	5446331.273										
		El	3.278					CVD28BC					
320283	77H5031	E	431797.462	0.9996587	1.0000016	MARKER DESTROYED							
		N	5446403.444										
		El	7.268			CVD28BC							
642835	77H5032	E	431771.116	0.9996581	1.0000010	MARKER DESTROYED							
		N	5446438.106										
		El	11.130			CVD28BC							
445213	77H5033	E	431707.792	0.9996581	1.0000008	MARKER DESTROYED							
		N	5446370.907										
		El	11.907			CVD28BC							
824763	77H5034	E	431669.787	0.9996583	1.0000010	543223	82H5653	TERR	102 31 21	29.711	29.721		
		N	5446293.490			61663	77H5035	TERR	334 22 48	77.327	77.353		
		El	11.038			CVD28BC							
61663	77H5035	E	431636.351	0.9996578	1.0000004	824763	77H5034	TERR	154 22 48	77.327	77.353		
		N	5446363.214			719765	77H5036	TERR	334 20 8	36.474	36.486		
		El	14.834			CVD28BC							
719765	77H5036	E	431620.554	0.9996576	1.0000002	61663	77H5035	TERR	154 20 8	36.474	36.486		
		N	5446396.090			670778	77H5043	TERR	344 42 41	83.395	83.424		
		El	16.037			CVD28BC							
723056	77H5037	E	431574.252	0.9996591	1.0000016	MARKER DESTROYED							
		N	5446342.138										
		El	7.110			CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
781187	77H5038	E	431475.121	0.9996570	0.9999993		MARKER DESTROYED				
		N	5446320.546								
		El	21.477	CVD28BC							
559641	77H5039	E	431367.911	0.9996571	0.9999993		MARKER DESTROYED				
		N	5446452.998								
		El	21.911	CVD28BC							
293597	77H5040	E	431466.496	0.9996594	1.0000017		MARKER DESTROYED				
		N	5446467.038								
		El	6.264	CVD28BC							
187443	77H5041	E	431512.905	0.9996594	1.0000018	87650	77H5042	TERR	81 55 2	29.409	29.419
		N	5446473.642			567875	90H9793	TERR	150 24 36	142.814	142.863
		El	5.808	CVD28BC		297820	88H4771	TERR	335 47 56	169.191	169.248
87650	77H5042	E	431542.022	0.9996593	1.0000017	187443	77H5041	TERR	261 55 2	29.409	29.419
		N	5446477.777			734103	82H5644	TERR	353 47 32	162.641	162.696
		El	6.095	CVD28BC							
670778	77H5043	E	431598.564	0.9996572	0.9999998	719765	77H5036	TERR	164 42 41	83.395	83.424
		N	5446476.534			566570	77H5047	TERR	349 42 24	131.597	131.643
		El	18.730	CVD28BC							
675793	77H5044	E	431678.103	0.9996576	1.0000003		MARKER DESTROYED				
		N	5446433.925								
		El	15.311	CVD28BC							
771055	77H5045	E	431660.812	0.9996574	1.0000000		MARKER DESTROYED				
		N	5446515.976								
		El	17.241	CVD28BC							
17368	77H5046	E	431633.106	0.9996568	0.9999994		MARKER DESTROYED				
		N	5446575.603								
		El	21.012	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
566570	77H5047	E	431575.049	0.9996577	1.0000002	670778	77H5043	TERR	169 42 24	131.597	131.643
		N	5446606.013								
		El	16.133	CVD28BC							
614891	77H5048	E	431524.437	0.9996595	1.0000019		MARKER DESTROYED				
		N	5446639.471								
		El	5.298	CVD28BC							
60590	77H5049	E	431443.536	0.9996597	1.0000020		MARKER DESTROYED				
		N	5446627.964								
		El	4.499	CVD28BC							
496984	77H5050	E	431344.948	0.9996579	1.0000000		MARKER DESTROYED				
		N	5446613.925								
		El	17.241	CVD28BC							
645697	77H5051	E	431419.298	0.9996590	1.0000012	228429	77H5052	TERR	86 43 17	96.098	96.131
		N	5446798.020			297820	88H4771	TERR	171 53 5	171.777	171.836
		El	9.445	CVD28BC		741025	89H5658	TERR	266 55 10	109.141	109.178
						901587	77H5340	TERR	341 43 3	424.964	425.109
228429	77H5052	E	431515.239	0.9996592	1.0000016	449462	77H5053	TERR	86 46 29	121.579	121.620
		N	5446803.516			734103	82H5644	TERR	176 47 30	164.310	164.365
		El	6.923	CVD28BC		645697	77H5051	TERR	266 43 17	96.098	96.131
449462	77H5053	E	431636.625	0.9996580	1.0000006	960187	77H5054	TERR	167 18 42	63.137	63.159
		N	5446810.356			228429	77H5052	TERR	266 46 29	121.579	121.620
		El	13.146	CVD28BC							
960187	77H5054	E	431650.493	0.9996575	1.0000002	921171	NO MARKING	TERR	50 36 12	1171.008	1171.409
		N	5446748.761			963132	77H5072	TERR	156 56 36	91.213	91.244
		El	16.239	CVD28BC		907600	89H5659	TERR	248 5 31	82.580	82.609
						449462	77H5053	TERR	347 18 42	63.137	63.159
706044	77H5055	E	431079.358	0.9996574	0.9999990	741025	89H5658	TERR	95 39 43	232.089	232.168
		N	5446815.053			841999	77H5056	TERR	171 53 10	236.570	236.652
		El	23.337	CVD28BC		417279	77H5214	TERR	268 10 51	111.254	111.293

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
841999	77H5056	E	431112.748	0.9996562	0.9999979	366583	77H5057	TERR	81 53 20	100.558	100.593			
		N	5446580.851					292763	98SG010	TERR	174 48 5	154.422	154.476	
		El	30.388					CVD28BC	697342	77H5212	TERR	261 52 21	110.569	110.606
						706044	77H5055	TERR	351 53 10	236.570	236.652			
366583	77H5057	E	431212.300	0.9996569	0.9999988	646364	98SG011	TERR	168 24 43	154.481	154.534			
		N	5446595.039					841999	77H5056	TERR	261 53 20	100.558	100.593	
		El	25.035					CVD28BC						
193342	77H5058	E	431235.251	0.9996560	0.9999980			MARKER DESTROYED						
		N	5446434.085											
		El	30.215					CVD28BC						
874412	77H5059	E	431135.708	0.9996553	0.9999971			MARKER DESTROYED						
		N	5446419.902											
		El	35.772					CVD28BC						
784520	77H5060	E	431026.234	0.9996547	0.9999963			MARKER DESTROYED						
		N	5446404.301											
		El	40.890					CVD28BC						
707471	77H5061	E	431166.093	0.9996542	0.9999960	448548	77H5062	TERR	69 40 19	102.863	102.899			
		N	5446206.890					711309	77H5105	TERR	249 40 15	226.307	226.385	
		El	42.590					CVD28BC	292763	98SG010	TERR	349 51 58	223.663	223.740
448548	77H5062	E	431262.550	0.9996550	0.9999969	96719	77H5063	TERR	75 4 40	106.699	106.736			
		N	5446242.624					809707	77H5067	TERR	147 10 5	237.164	237.246	
		El	36.772					CVD28BC	707471	77H5061	TERR	249 40 19	102.863	102.899
									646364	98SG011	TERR	354 32 25	201.999	202.069
96719	77H5063	E	431365.651	0.9996557	0.9999978	380501	77H5066	TERR	147 27 8	204.880	204.951			
		N	5446270.100					448548	77H5062	TERR	255 4 40	106.699	106.736	
		El	31.309					CVD28BC						
718627	77H5064	E	431422.084	0.9996563	0.9999985			MARKER DESTROYED						
		N	5446301.722											
		El	26.533					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
35634	77H5065	E	431530.316	0.9996564	0.9999988	380501	77H5066	TERR	237 27 12	64.581	64.604
		N	5446132.142								
		El	24.975	CVD28BC							
380501	77H5066	E	431475.877	0.9996557	0.9999981	35634	77H5065	TERR	57 27 12	64.581	64.604
		N	5446097.398			809707	77H5067	TERR	237 28 3	100.514	100.547
		El	29.605	CVD28BC		96719	77H5063	TERR	327 27 8	204.880	204.951
809707	77H5067	E	431391.135	0.9996547	0.9999969	380501	77H5066	TERR	57 28 3	100.514	100.547
		N	5446043.344			448548	77H5062	TERR	327 10 5	237.164	237.246
		El	37.257	CVD28BC							
352179	77H5068	E	431305.012	0.9996546	0.9999967			MARKER DESTROYED			
		N	5445988.360								
		El	38.462	CVD28BC							
623181	77H5069	E	431600.992	0.9996560	0.9999985	308155	77H5020	TERR	40 19 18	125.302	125.344
		N	5445917.220								
		El	26.484	CVD28BC							
525758	77H5070	E	431527.138	0.9996554	0.9999978			MARKER DESTROYED			
		N	5445830.191								
		El	31.054	CVD28BC							
647818	77H5071	E	431457.932	0.9996543	0.9999966			MARKER DESTROYED			
		N	5445748.656								
		El	38.786	CVD28BC							
963132	77H5072	E	431686.216	0.9996573	0.9999999	960187	77H5054	TERR	336 56 36	91.213	91.244
		N	5446664.834								
		El	17.665	CVD28BC							
714352	77H5073	E	431678.349	0.9996528	0.9999955			MARKER DESTROYED			
		N	5445761.938								
		El	46.110	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
856047	77H5074	E	431637.356	0.9996527	0.9999953		MARKER DESTROYED				
		N	5445669.201								
		El	47.419	CVD28BC							
273516	77H5075	E	431592.628	0.9996531	0.9999956		MARKER DESTROYED				
		N	5445568.030								
		El	45.318	CVD28BC							
955955	77H5076	E	431383.086	0.9996530	0.9999951	490185	77H5083	TERR	220 19 18	115.666	115.707
		N	5445660.459								
		El	48.271	CVD28BC							
504316	77H5077	E	432097.726	0.9996556	0.9999990	290874	77H5088	TERR	178 50 16	202.480	202.549
		N	5445433.149			103655	90H9769	TERR	269 2 42	103.446	103.482
		El	23.662	CVD28BC		771303	77H5081	TERR	358 50 30	221.158	221.234
904276	77H5078	E	431997.223	0.9996550	0.9999982		MARKER DESTROYED				
		N	5445431.114								
		El	28.458	CVD28BC							
433607	77H5079	E	431896.725	0.9996546	0.9999976		MARKER DESTROYED				
		N	5445429.071								
		El	32.391	CVD28BC							
491027	77H5080	E	431892.225	0.9996546	0.9999976		MARKER DESTROYED				
		N	5445650.222								
		El	32.414	CVD28BC							
771303	77H5081	E	432093.255	0.9996567	1.0000000	281113	77H5084	TERR	88 49 59	100.509	100.544
		N	5445654.262			504316	77H5077	TERR	178 50 30	221.158	221.234
		El	16.978	CVD28BC		23085	77H5016	TERR	268 50 49	100.529	100.564
771600	77H5082	E	431547.916	0.9996531	0.9999956	251207	77H5092	TERR	203 50 48	110.644	110.682
		N	5445466.885								
		El	45.404	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
490185	77H5083	E	431308.241	0.9996522	0.9999943	955955	77H5076	TERR	40 19 18	115.666	115.707					
		N	5445572.272					915231				77H5101	TERR	220 19 11	230.198	230.278
		El	53.825					CVD28BC								
281113	77H5084	E	432193.743	0.9996578	1.0000013	771303	77H5081	TERR	268 49 59	100.509	100.544					
		N	5445656.309													
		El	8.708					CVD28BC								
328799	77H5085	E	432275.013	0.9996575	1.0000011	MARKER ISOLATED										
		N	5445436.736													
		El	10.088			CVD28BC										
92148	77H5086	E	432198.206	0.9996567	1.0000002	MARKER DESTROYED										
		N	5445435.181													
		El	15.912			CVD28BC										
548172	77H5087	E	432202.306	0.9996571	1.0000006	MARKER DESTROYED										
		N	5445232.757													
		El	13.355			CVD28BC										
290874	77H5088	E	432101.833	0.9996566	1.0000000	994848	77H5096	TERR	178 50 24	301.792	301.896					
		N	5445230.711			382465	77H5089	TERR	268 50 8	100.520	100.554					
		El	17.455			504316	77H5077	TERR	358 50 16	202.480	202.549					
382465	77H5089	E	432001.334	0.9996555	0.9999987	290874	77H5088	TERR	88 50 8	100.520	100.554					
		N	5445228.668			204933	77H5095	TERR	178 50 7	301.798	301.902					
		El	25.464			227389	90H9781	TERR	264 3 24	108.889	108.927					
112003	77H5090	E	431900.843	0.9996545	0.9999975	MARKER DESTROYED										
		N	5445226.617			103655	90H9769	TERR	358 0 41	202.879	202.949					
		El	33.066			CVD28BC										
78089	77H5091	E	431771.265	0.9996533	0.9999961	440743	77H4358	TERR	7 28 25	115.394	115.434					
		N	5445247.118			227389	90H9781	TERR	103 43 7	125.341	125.385					
		El	42.004			181065	77H4359	TERR	187 27 36	125.790	125.834					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
251207	77H5092	E	431503.184	0.9996531	0.9999955	771600	77H5082	TERR	23 50 48	110.644	110.682		
		N	5445365.687					93559	77H5093	TERR	203 51 10	120.704	120.746
		El	46.167					CVD28BC					
93559	77H5093	E	431454.373	0.9996523	0.9999945	251207	77H5092	TERR	23 51 10	120.704	120.746		
		N	5445255.293										
		El	52.013					CVD28BC					
870725	77H5094	E	431906.971	0.9996547	0.9999977	MARKER DESTROYED							
		N	5444924.903										
		El	31.889			CVD28BC							
204933	77H5095	E	432007.468	0.9996557	0.9999989	994848	77H5096	TERR	88 49 54	100.496	100.530		
		N	5444926.932			803056	77H5097	TERR	178 50 3	294.377	294.479		
		El	24.080			CVD28BC	422329	90H9778	TERR	262 47 23	110.714	110.753	
							382465	77H5089	TERR	358 50 7	301.798	301.902	
994848	77H5096	E	432107.943	0.9996564	0.9999998	419655	77H5009	GPS	0 57 14	1281.615	1282.054		
		N	5444928.981			909861	98SG017	GPS	92 34 34	3021.071	3022.113		
		El	18.594			CVD28BC	60384	08H2557	GPS	128 58 23	3382.643	3383.808	
							927830	83H6080	GPS	160 19 38	2696.298	2697.224	
		553859	83H6083			GPS	165 27 4	2617.738	2618.636				
		916841	79H9385			GPS	168 5 59	4058.427	4059.834				
		806596	79H9389			GPS	178 33 17	4089.091	4090.519				
		665885	79H9192			GPS	230 40 5	2325.122	2325.930				
		204933	77H5095			TERR	268 49 54	100.496	100.530				
		445726	77H5122			GPS	314 26 36	2724.027	2724.968				
		920009	No Marking			GPS	336 46 53	1264.884	1265.320				
		290874	77H5088			TERR	358 50 24	301.792	301.896				
803056	77H5097	E	432013.457	0.9996559	0.9999991	852608	77H5099	TERR	178 51 33	281.464	281.561		
		N	5444632.616			528844	90H9776	TERR	263 56 19	108.319	108.356		
		El	22.934			204933	77H5095	TERR	358 50 3	294.377	294.479		
386110	77H5098	E	431912.967	0.9996548	0.9999979	MARKER DESTROYED							
		N	5444630.570										
		El	30.561			CVD28BC							
852608	77H5099	E	432019.061	0.9996560	0.9999992	814905	77H5763	TERR	99 4 6	112.745	112.784		
		N	5444351.208			45799	83H6068	TERR	162 27 54	274.410	274.504		
		El	22.342			803056	77H5097	TERR	358 51 33	281.464	281.561		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
1065	77H5100	E	431918.568	0.9996547	0.9999978		MARKER DESTROYED				
		N	5444349.170								
		El	31.387	CVD28BC							
915231	77H5101	E	431159.291	0.9996544	0.9999962	490185	77H5083	TERR	40 19 11	230.198	230.278
		N	5445396.758								
		El	41.226	CVD28BC							
677856	77H5102	E	431025.517	0.9996502	0.9999917	737908	77H5103	TERR	57 26 45	110.523	110.562
		N	5445809.923			855916	98SG039	GPS	304 39 48	300.680	300.785
		El	69.808	CVD28BC		711309	77H5105	GPS	347 19 6	326.305	326.420
737908	77H5103	E	431118.675	0.9996514	0.9999931	677856	77H5102	TERR	237 26 45	110.523	110.562
		N	5445869.395			711309	77H5105	TERR	327 31 12	306.875	306.981
		El	60.923	CVD28BC							
52118	77H5104	E	431211.810	0.9996535	0.9999954		MARKER DESTROYED				
		N	5445928.866								
		El	46.673	CVD28BC							
711309	77H5105	E	430953.882	0.9996533	0.9999947	707471	77H5061	TERR	69 40 15	226.307	226.385
		N	5446128.268			737908	77H5103	TERR	147 31 12	306.875	306.981
		El	50.875	CVD28BC		677856	77H5102	GPS	167 19 6	326.305	326.420
						855916	98SG039	GPS	230 0 54	229.280	229.359
						895458	77H5263	GPS	295 0 4	276.063	276.159
						788422	77H5112	TERR	351 27 5	263.034	263.126
444364	77H5106	E	430847.495	0.9996517	0.9999929		MARKER DESTROYED				
		N	5446088.844								
		El	62.356	CVD28BC							
153007	77H5107	E	430741.694	0.9996522	0.9999933		MARKER DESTROYED				
		N	5446049.644								
		El	59.969	CVD28BC							
417196	77H5108	E	430166.540	0.9996531	0.9999932	813832	77H5114	TERR	127 45 57	121.907	121.949
		N	5447022.193			715987	77H5109	TERR	307 46 25	92.224	92.256
		El	60.671	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
715987	77H5109	E	430093.643	0.9996527	0.9999927	417196	77H5108	TERR	127 46 25	92.224	92.256			
		N	5447078.684					494930	77H5110	TERR	306 8 12	167.982	168.040	
		El	63.656					CVD28BC						
494930	77H5110	E	429957.979	0.9996524	0.9999922	715987	77H5109	TERR	126 8 12	167.982	168.040			
		N	5447177.745					476903	92H0721	TERR	181 10 57	148.465	148.516	
		El	67.091					CVD28BC						
417683	77H5111	E	430805.320	0.9996538	0.9999950	788422	77H5112	TERR	81 51 52	110.575	110.613			
		N	5446372.732					740712	77H5264	TERR	261 52 41	118.663	118.704	
		El	49.328					CVD28BC		272799	77H5115	TERR	351 52 41	162.575
788422	77H5112	E	430914.782	0.9996542	0.9999956	739599	98SG009	TERR	85 49 32	121.440	121.483			
		N	5446388.380					711309	77H5105	TERR	171 27 5	263.034	263.126	
		El	45.209					CVD28BC	417683	77H5111	TERR	261 51 52	110.575	110.613
									571364	77H5211	TERR	351 53 28	162.555	162.611
22525	77H5113	E	430374.118	0.9996536	0.9999940	579946	77H5257	TERR	271 2 27	105.479	105.516			
		N	5446832.529											
		El	55.301					CVD28BC						
813832	77H5114	E	430262.910	0.9996536	0.9999938	579946	77H5257	TERR	177 5 29	113.234	113.274			
		N	5446947.533					417196	77H5108	TERR	307 45 57	121.907	121.949	
		El	56.558					CVD28BC						
272799	77H5115	E	430782.351	0.9996545	0.9999956	571364	77H5211	TERR	81 52 29	110.612	110.651			
		N	5446533.676					417683	77H5111	TERR	171 52 41	162.575	162.630	
		El	45.206					CVD28BC	76984	77H5116	TERR	261 52 14	118.647	118.689
									188110	83H6090	TERR	352 16 17	291.846	291.947
76984	77H5116	E	430664.896	0.9996533	0.9999943	272799	77H5115	TERR	81 52 14	118.647	118.689			
		N	5446516.898					729210	77H5267	TERR	171 53 3	112.824	112.863	
		El	53.778					CVD28BC		498980	77H5117	TERR	351 52 35	108.607
498980	77H5117	E	430649.549	0.9996541	0.9999950	76984	77H5116	TERR	171 52 35	108.607	108.645			
		N	5446624.415					703298	77H5766	TERR	272 7 2	129.311	129.357	
		El	48.981					CVD28BC		930172	77H5118	TERR	351 52 46	206.713

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
930172	77H5118	E	430620.349	0.9996559	0.9999968	498980	77H5117	TERR	171 52 46	206.713	206.784
		N	5446829.055								
		El	37.516	CVD28BC							
884973	77H5119	E	430743.100	0.9996567	0.9999978		MARKER DESTROYED				
		N	5446822.871								
		El	31.146	CVD28BC							
770073	77H5120	E	429952.005	0.9996529	0.9999926	476903	92H0721	TERR	0 52 54	189.137	189.204
		N	5446840.197			152355	77H5121	TERR	91 2 39	105.574	105.610
		El	64.451	CVD28BC		81356	77H5240	TERR	181 0 55	422.552	422.698
152355	77H5121	E	430057.561	0.9996530	0.9999929	445726	77H5122	TERR	91 2 37	105.595	105.631
		N	5446838.273			770073	77H5120	TERR	271 2 39	105.574	105.610
		El	62.504	CVD28BC							
445726	77H5122	E	430163.138	0.9996527	0.9999928	579946	77H5257	TERR	91 2 3	105.535	105.572
		N	5446836.350			419655	77H5009	GPS	107 39 33	2063.369	2064.078
		El	63.215	CVD28BC		920009	No Marking	GPS	117 15 14	1626.725	1627.288
						994848	77H5096	GPS	134 26 36	2724.027	2724.968
						665885	79H9192	GPS	177 31 17	3384.227	3385.409
						801225	11700	GPS	251 52 4	7115.943	7118.905
						298463	16H2775	GPS	253 43 29	2951.723	2952.766
						152355	77H5121	TERR	271 2 37	105.595	105.631
						837369	77H5295	GPS	300 24 46	1644.807	1645.377
975581	77H5123	E	430708.996	0.9996590	1.0000000	535310	78H5366	TERR	181 59 55	92.245	92.277
		N	5448674.782			817130	77H5130	TERR	274 1 3	129.960	130.005
		El	17.172	CVD28BC							
28209	77H5124	E	430698.830	0.9996556	0.9999966		MARKER DESTROYED				
		N	5448382.284								
		El	39.035	CVD28BC							
50252	77H5125	E	430695.337	0.9996547	0.9999957	634923	78H5362	TERR	91 38 0	145.209	145.259
		N	5448282.189			661991	77H5141	TERR	181 59 34	90.190	90.221
		El	44.469	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
471714	77H5126	E	430565.557	0.9996539	0.9999947	681452	78H5432	TERR	181 53 58	80.137	80.165
		N	5448276.387								
		El	50.858	CVD28BC							
383232	77H5127	E	430570.151	0.9996543	0.9999950	493767	77H5128	TERR	1 49 34	90.126	90.157
		N	5448396.585								
		El	48.857	CVD28BC							
493767	77H5128	E	430573.023	0.9996555	0.9999963	693556	77H5129	TERR	1 50 19	100.207	100.241
		N	5448486.665			727966	78H5367	TERR	91 50 53	129.344	129.389
		El	40.953	CVD28BC		383232	77H5127	TERR	181 49 34	90.126	90.157
693556	77H5129	E	430576.238	0.9996573	0.9999981	817130	77H5130	TERR	1 50 21	97.117	97.150
		N	5448586.820			535310	78H5366	TERR	91 52 8	129.610	129.654
		El	29.369	CVD28BC		493767	77H5128	TERR	181 50 19	100.207	100.241
						838060	77H5132	TERR	271 54 31	147.999	148.051
817130	77H5130	E	430579.355	0.9996585	0.9999993	212084	78H5421	TERR	3 15 12	48.547	48.564
		N	5448683.887			975581	77H5123	TERR	94 1 3	129.960	130.005
		El	21.878	CVD28BC		693556	77H5129	TERR	181 50 21	97.117	97.150
						866558	77H5133	TERR	271 19 35	148.003	148.053
107227	77H5131	E	430425.119	0.9996538	0.9999943		MARKER DESTROYED				
		N	5448491.589								
		El	53.444	CVD28BC							
838060	77H5132	E	430428.321	0.9996554	0.9999959	866558	77H5133	TERR	1 50 26	95.613	95.646
		N	5448591.749			693556	77H5129	TERR	91 54 31	147.999	148.051
		El	43.289	CVD28BC		261776	78H5377	TERR	272 45 38	158.680	158.734
866558	77H5133	E	430431.392	0.9996569	0.9999975	71530	78H5382	TERR	3 20 52	49.266	49.283
		N	5448687.313			817130	77H5130	TERR	91 19 35	148.003	148.053
		El	33.387	CVD28BC		838060	77H5132	TERR	181 50 26	95.613	95.646
412262	77H5134	E	429974.814	0.9996525	0.9999923	686113	77H5314	TERR	1 56 45	180.292	180.355
		N	5447764.408			465807	77H5315	TERR	91 53 19	147.863	147.915
		El	66.311	CVD28BC		48181	77H5309	TERR	181 56 50	73.811	73.837

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
967331	77H5135	E	430252.318	0.9996521	0.9999923	147116	77H5304	TERR	91 53 24	148.053	148.104					
		N	5447755.256					465807				77H5315	TERR	129.792	129.837	
		El	66.340					CVD28BC								
693267	77H5136	E	430261.523	0.9996527	0.9999929	806885	78H5427	TERR	271 53 17	129.814	129.859					
		N	5448025.544													
		El	62.174					CVD28BC								
863159	77H5137	E	429984.003	0.9996518	0.9999916	203414	78H5426	TERR	1 51 30	90.200	90.232					
		N	5448034.686					806885				78H5427	TERR	91 53 8	147.857	147.909
		El	70.648					CVD28BC				686113	77H5314	TERR	181 56 59	90.142
213306	77H5138	E	430650.419	0.9996604	1.0000013	856849	90H9809	TERR	143 43 14	120.929	120.971					
		N	5448921.501													
		El	8.655					CVD28BC								
353813	77H5139	E	429170.183	0.9996519	0.9999903	183434	78H5388	TERR	1 11 1	70.682	70.707					
		N	5449243.821					138446				77H5140	TERR	181 55 1	410.206	410.348
		El	79.079					CVD28BC				120527	79H9165	TERR	271 21 15	336.677
138446	77H5140	E	429156.462	0.9996510	0.9999894	353813	77H5139	TERR	1 55 1	410.206	410.348					
		N	5448833.845					854141				77H5298	TERR	182 1 43	108.643	108.681
		El	85.029					CVD28BC				902007	77H5143	TERR	271 12 7	246.558
661991	77H5141	E	430692.201	0.9996541	0.9999951	50252	77H5125	TERR	1 59 34	90.190	90.221					
		N	5448192.054					732321				77H5353	TERR	91 52 23	146.912	146.963
		El	48.273					CVD28BC				681452	78H5432	TERR	271 52 41	129.370
902007	77H5143	E	428909.958	0.9996502	0.9999881	138446	77H5140	TERR	91 12 7	246.558	246.644					
		N	5448839.017					407411				79H9312	TERR	271 12 8	376.841	376.974
		El	92.694					CVD28BC								
964643	77H5144	E	428431.071	0.9996473	0.9999844	407411	79H9312	TERR	91 12 7	102.152	102.188					
		N	5448849.066					77180				79H9367	TERR	271 12 20	114.882	114.923
		El	116.459					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
29413	77H5147	E	428182.186	0.9996495	0.9999862	77180	79H9367	TERR	91 12 22	134.058	134.104			
		N	5448854.305					199190	79H9292	TERR	272 15 5	380.057	380.191	
		El	105.301					CVD28BC						
7120	77H5150	E	432402.042	0.9996560	0.9999999	244095	77H5151	TERR	181 15 53	185.595	185.660			
		N	5442612.805					209213	83H6013	TERR	357 29 1	143.375	143.424	
		El	17.784					CVD28BC						
244095	77H5151	E	432397.946	0.9996563	1.0000002	7120	77H5150	TERR	1 15 53	185.595	185.660			
		N	5442427.255					386508	77H5152	TERR	91 14 6	202.949	203.019	
		El	16.130					CVD28BC						
386508	77H5152	E	432600.848	0.9996566	1.0000008	553859	83H6083	TERR	99 32 45	167.003	167.060			
		N	5442422.881					179622	77H5153	TERR	180 46 57	220.989	221.065	
		El	12.298					CVD28BC		244095	77H5151	TERR	271 14 6	202.949
179622	77H5153	E	432597.830	0.9996570	1.0000012	386508	77H5152	TERR	0 46 57	220.989	221.065			
		N	5442201.913											
		El	9.767					CVD28BC						
98335	77H5154	E	432801.749	0.9996569	1.0000014	MARKER DESTROYED								
		N	5442197.191											
		El	8.236			CVD28BC								
697169	77H5157	E	432884.650	0.9996552	0.9999999	MARKER ISOLATED								
		N	5441837.559											
		El	17.727			CVD28BC								
571364	77H5211	E	430891.853	0.9996551	0.9999964	697342	77H5212	TERR	81 52 31	112.567	112.606			
		N	5446549.310					788422	77H5112	TERR	171 53 28	162.555	162.611	
		El	39.847					CVD28BC	272799	77H5115	TERR	261 52 29	110.612	110.651
									732958	77H5213	TERR	352 19 12	270.416	270.509
697342	77H5212	E	431003.290	0.9996556	0.9999971	841999	77H5056	TERR	81 52 21	110.569	110.606			
		N	5446565.219					739599	98SG009	TERR	169 0 54	171.135	171.194	
		El	35.624					CVD28BC	571364	77H5211	TERR	261 52 31	112.567	112.606
									417279	77H5214	TERR	351 52 58	248.795	248.880

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
732958	77H5213	E	430855.714	0.9996571	0.9999984	571364	77H5211	TERR	172 19 12	270.416	270.509
		N	5446817.300								
		El	27.564	CVD28BC							
417279	77H5214	E	430968.160	0.9996567	0.9999981	706044	77H5055	TERR	88 10 51	111.254	111.293
		N	5446811.521			697342	77H5212	TERR	171 52 58	248.795	248.880
		El	29.101	CVD28BC							
819169	77H5215	E	430370.161	0.9996534	0.9999939	374074	77H5218	TERR	180 56 21	211.140	211.213
		N	5446621.536								
		El	56.329	CVD28BC							
502443	77H5216	E	430155.608	0.9996535	0.9999936	374074	77H5218	TERR	90 59 26	211.124	211.196
		N	5446414.074			81356	77H5240	TERR	270 59 14	211.121	211.194
		El	58.117	CVD28BC							
258616	77H5217	E	430363.009	0.9996544	0.9999948	374074	77H5218	TERR	1 0 8	211.014	211.088
		N	5446199.442			883231	77H5219	TERR	181 0 8	211.340	211.413
		El	50.344	CVD28BC							
374074	77H5218	E	430366.700	0.9996541	0.9999945	819169	77H5215	TERR	0 56 21	211.140	211.213
		N	5446410.424			258616	77H5217	TERR	181 0 8	211.014	211.088
		El	51.890	CVD28BC		502443	77H5216	TERR	270 59 26	211.124	211.196
883231	77H5219	E	430359.312	0.9996532	0.9999937	258616	77H5217	TERR	1 0 8	211.340	211.413
		N	5445988.134			855916	98SG039	GPS	90 59 4	418.955	419.101
		El	57.588	CVD28BC							
270686	77H5220	E	431428.030	0.9996531	0.9999953	664623	77H5221	TERR	7 26 55	150.821	150.872
		N	5444588.594			386318	77H5223	TERR	131 32 23	68.443	68.467
		El	46.915	CVD28BC							
664623	77H5221	E	431447.582	0.9996527	0.9999949	218503	77H5222	TERR	7 26 49	179.231	179.293
		N	5444738.142			880245	77H5224	TERR	97 29 58	56.682	56.702
		El	49.385	CVD28BC		270686	77H5220	TERR	187 26 55	150.821	150.872

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218503	77H5222	E	431470.812	0.9996528	0.9999951	33183	77H5225	TERR	88 47 44	57.330	57.350
		N	5444915.861			664623	77H5221	TERR	187 26 49	179.231	179.293
		El	48.478	CVD28BC							
386318	77H5223	E	431479.259	0.9996535	0.9999959	880245	77H5224	TERR	7 26 57	189.133	189.199
		N	5444543.207			270686	77H5220	TERR	311 32 23	68.443	68.467
		El	43.535	CVD28BC							
880245	77H5224	E	431503.779	0.9996532	0.9999956	33183	77H5225	TERR	7 26 44	187.906	187.971
		N	5444730.744			496612	77H5227	TERR	97 30 1	97.435	97.468
		El	45.234	CVD28BC	386318	77H5223	TERR	187 26 57	189.133	189.199	
					664623	77H5221	TERR	277 29 58	56.682	56.702	
33183	77H5225	E	431528.129	0.9996526	0.9999950	863696	77H5229	TERR	88 47 41	98.496	98.530
		N	5444917.066			880245	77H5224	TERR	187 26 44	187.906	187.971
		El	48.871	CVD28BC		218503	77H5222	TERR	268 47 44	57.330	57.350
965517	77H5226	E	431553.527	0.9996541	0.9999966	496612	77H5227	TERR	11 36 40	232.790	232.870
		N	5444490.000			174797	77H5231	TERR	88 55 22	118.998	119.039
		El	38.972	CVD28BC							
496612	77H5227	E	431600.380	0.9996535	0.9999960	161877	77H5228	TERR	7 25 59	90.627	90.659
		N	5444718.026			965517	77H5226	TERR	191 36 40	232.790	232.870
		El	42.788	CVD28BC		880245	77H5224	TERR	277 30 1	97.435	97.468
161877	77H5228	E	431612.104	0.9996530	0.9999956	863696	77H5229	TERR	7 25 32	112.188	112.226
		N	5444807.891			496612	77H5227	TERR	187 25 59	90.627	90.659
		El	45.422	CVD28BC							
863696	77H5229	E	431626.603	0.9996525	0.9999951	161877	77H5228	TERR	187 25 32	112.188	112.226
		N	5444919.138			33183	77H5225	TERR	268 47 41	98.496	98.530
		El	48.695	CVD28BC							
33241	77H5230	E	431644.134	0.9996541	0.9999967		MARKER DESTROYED				
		N	5444275.204								
		El	38.010	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
174797	77H5231	E	431672.504	0.9996554	0.9999981	130864	77H5232	TERR	7 26 45	180.389	180.451
		N	5444492.237			551242	77H5233	TERR	88 55 26	139.664	139.712
		El	29.281	CVD28BC		970590	98SG015	TERR	186 15 49	215.039	215.114
						965517	77H5226	TERR	268 55 22	118.998	119.039
130864	77H5232	E	431695.880	0.9996543	0.9999970	174797	77H5231	TERR	187 26 45	180.389	180.451
		N	5444671.105								
		El	36.196	CVD28BC							
551242	77H5233	E	431812.143	0.9996547	0.9999976	174797	77H5231	TERR	268 55 26	139.664	139.712
		N	5444494.860			545749	77H5234	TERR	358 49 53	123.611	123.653
		El	32.513	CVD28BC							
545749	77H5234	E	431809.622	0.9996542	0.9999971	528844	90H9776	TERR	88 22 17	96.161	96.194
		N	5444618.445			551242	77H5233	TERR	178 49 53	123.611	123.653
		El	35.793	CVD28BC		597054	90H9780	TERR	358 49 28	311.606	311.713
401778	77H5235	E	431803.413	0.9996536	0.9999965		MARKER DESTROYED				
		N	5444922.799								
		El	39.664	CVD28BC							
294462	77H5236	E	430148.162	0.9996529	0.9999930	127332	77H5239	TERR	271 4 48	212.384	212.457
		N	5445991.830								
		El	62.023	CVD28BC							
494708	77H5237	E	430551.696	0.9996545	0.9999953	604454	77H5256	TERR	91 4 36	211.125	211.198
		N	5445139.711			130062	77H5242	TERR	181 4 7	422.094	422.239
		El	47.213	CVD28BC		522557	77H5238	TERR	271 3 19	211.434	211.507
522557	77H5238	E	430340.298	0.9996533	0.9999937	39289	77H5261	TERR	1 9 52	128.137	128.181
		N	5445143.605			494708	77H5237	TERR	91 3 19	211.434	211.507
		El	57.363	CVD28BC		137539	81H4286	TERR	252 25 56	3672.263	3673.627
						432534	77H5262	TERR	271 8 12	136.294	136.342
127332	77H5239	E	429935.816	0.9996539	0.9999936	81356	77H5240	TERR	1 10 54	421.968	422.115
		N	5445995.833			294462	77H5236	TERR	91 4 48	212.384	212.457
		El	58.134	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
81356	77H5240	E	429944.518	0.9996526	0.9999924	770073	77H5120	TERR	1 0 55	422.552	422.698
		N	5446417.711			502443	77H5216	TERR	90 59 14	211.121	211.194
		El	65.843	CVD28BC		127332	77H5239	TERR	181 10 54	421.968	422.115
						365254	90H6366	TERR	271 31 23	565.417	565.613
166017	77H5241	E	430332.341	0.9996552	0.9999956	130062	77H5242	TERR	91 1 53	211.518	211.592
		N	5444721.497			665885	79H9192	GPS	181 2 2	1266.414	1266.855
		El	45.025	CVD28BC		426692	77H5270	TERR	181 2 44	422.040	422.185
						619056	98SG057	GPS	221 14 42	566.365	566.561
130062	77H5242	E	430543.825	0.9996556	0.9999963	494708	77H5237	TERR	1 4 7	422.094	422.239
		N	5444717.690			366781	77H5258	TERR	91 3 49	211.053	211.126
		El	40.700	CVD28BC		166017	77H5241	TERR	271 1 53	211.518	211.592
322388	77H5243	E	430731.186	0.9996542	0.9999953	884502	77H5246	TERR	1 5 20	210.598	210.671
		N	5443447.292			303719	83H6006	TERR	180 59 41	122.802	122.844
		El	47.339	CVD28BC							
235135	77H5244	E	430739.198	0.9996563	0.9999974	456988	77H5273	TERR	1 3 35	422.709	422.854
		N	5443869.058			815761	77H5277	TERR	91 0 8	421.732	421.877
		El	33.637	CVD28BC		884502	77H5246	TERR	181 5 16	211.244	211.317
						660100	77H5276	TERR	271 7 58	210.827	210.900
438705	77H5245	E	430317.131	0.9996518	0.9999922						
		N	5443877.419								
		El	66.868	CVD28BC							
							MARKER DESTROYED				
884502	77H5246	E	430735.188	0.9996555	0.9999966	235135	77H5244	TERR	1 5 16	211.244	211.317
		N	5443657.852			322388	77H5243	TERR	181 5 20	210.598	210.671
		El	38.855	CVD28BC							
27417	77H5247	E	430348.768	0.9996533	0.9999937	653816	77H5271	TERR	1 28 33	211.095	211.169
		N	5445566.079			39289	77H5261	TERR	181 8 30	294.422	294.525
		El	57.145	CVD28BC		159509	77H5249	TERR	271 5 28	421.665	421.812
856534	77H5248	E	430770.761	0.9996525	0.9999936	604454	77H5256	TERR	181 4 58	422.113	422.260
		N	5445557.782								
		El	57.703	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
159509	77H5249	E	429927.179	0.9996525	0.9999922	27417	77H5247	TERR	91 5 28	421.665	421.812
		N	5445574.108								
		El	66.961	CVD28BC							
216077	77H5250	E	429918.221	0.9996514	0.9999911	432534	77H5262	TERR	91 7 17	285.865	285.963
		N	5445151.903			43133	77H5251	TERR	181 2 51	267.785	267.878
		El	74.024	CVD28BC							
43133	77H5251	E	429913.326	0.9996511	0.9999908	216077	77H5250	TERR	1 2 51	267.785	267.878
		N	5444884.163			551614	77H5252	TERR	47 54 53	141.762	141.811
		El	75.859	CVD28BC		619056	98SG057	GPS	175 34 2	590.281	590.487
						106138	77H5260	TERR	181 8 29	155.076	155.130
						718353	98SG070	GPS	192 8 37	1660.342	1660.927
						369504	98SG056	GPS	195 21 10	978.905	979.247
						655860	98SG058	GPS	225 46 56	1387.718	1388.206
551614	77H5252	E	430018.534	0.9996520	0.9999919	432534	77H5262	TERR	47 58 53	249.684	249.771
		N	5444979.177			43133	77H5251	TERR	227 54 53	141.762	141.811
		El	68.836	CVD28BC							
838276	77H5253	E	430773.554	0.9996524	0.9999935			MARKER DESTROYED			
		N	5445981.032								
		El	58.511	CVD28BC							
990028	77H5254	E	431046.879	0.9996543	0.9999959	491175	77H5265	TERR	271 6 40	151.600	151.653
		N	5445552.724								
		El	43.600	CVD28BC							
272021	77H5255	E	430718.388	0.9996525	0.9999935			MARKER ISOLATED			
		N	5445610.793								
		El	58.357	CVD28BC							
604454	77H5256	E	430762.784	0.9996544	0.9999956	856534	77H5248	TERR	1 4 58	422.113	422.260
		N	5445135.744			406801	77H5266	TERR	91 5 34	422.103	422.249
		El	45.481	CVD28BC		366781	77H5258	TERR	181 4 42	422.047	422.192
						494708	77H5237	TERR	271 4 36	211.125	211.198
579946	77H5257	E	430268.656	0.9996526	0.9999929	22525	77H5113	TERR	91 2 27	105.479	105.516
		N	5446834.445			445726	77H5122	TERR	271 2 3	105.535	105.572
		El	62.713	CVD28BC		813832	77H5114	TERR	357 5 29	113.234	113.274

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
366781	77H5258	E	430754.842	0.9996557	0.9999968	604454	77H5256	TERR	1 4 42	422.047	422.192		
		N	5444713.772					365189	77H5268	TERR	91 3 47	211.022	211.095
		El	37.482					CVD28BC	456988	77H5273	TERR	181 3 44	422.150
						130062	77H5242	TERR	271 3 49	211.053	211.126		
130773	77H5259	E	431180.982	0.9996551	0.9999969	MARKER DESTROYED							
		N	5444916.575										
		El	36.633			CVD28BC							
106138	77H5260	E	429910.237	0.9996515	0.9999911	43133	77H5251	TERR	1 8 29	155.076	155.130		
		N	5444729.118										
		El	73.580					CVD28BC					
39289	77H5261	E	430342.902	0.9996532	0.9999936	27417	77H5247	TERR	1 8 30	294.422	294.525		
		N	5445271.715					522557	77H5238	TERR	181 9 52	128.137	128.181
		El	57.645					CVD28BC					
432534	77H5262	E	430204.031	0.9996529	0.9999931	522557	77H5238	TERR	91 8 12	136.294	136.342		
		N	5445146.309					551614	77H5252	TERR	227 58 53	249.684	249.771
		El	61.126					CVD28BC	216077	77H5250	TERR	271 7 17	285.865
895458	77H5263	E	430703.686	0.9996525	0.9999935	711309	77H5105	GPS	115 0 4	276.063	276.159		
		N	5446244.942					855916	98SG039	GPS	164 14 15	274.321	274.417
		El	58.497					CVD28BC	740712	77H5264	TERR	351 52 51	112.149
740712	77H5264	E	430687.847	0.9996537	0.9999947	417683	77H5111	TERR	81 52 41	118.663	118.704		
		N	5446355.967					895458	77H5263	TERR	171 52 51	112.149	112.188
		El	50.942					CVD28BC	729210	77H5267	TERR	351 52 56	49.735
491175	77H5265	E	430895.308	0.9996535	0.9999948	990028	77H5254	TERR	91 6 40	151.600	151.653		
		N	5445555.664										
		El	49.995					CVD28BC					
406801	77H5266	E	431184.810	0.9996540	0.9999958	604454	77H5256	TERR	271 5 34	422.103	422.249		
		N	5445127.693										
		El	43.623					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
729210	77H5267	E	430680.824	0.9996538	0.9999947	740712	77H5264	TERR	171 52 56	49.735	49.753		
		N	5446405.204					76984	77H5116	TERR	351 53 3	112.824	112.863
		El	50.674					CVD28BC					
365189	77H5268	E	430965.828	0.9996552	0.9999966	366781	77H5258	TERR	271 3 47	211.022	211.095		
		N	5444709.857										
		El	38.509					CVD28BC					
101386	77H5269	E	431176.863	0.9996538	0.9999957	MARKER ISOLATED							
		N	5444705.668										
		El	44.861			CVD28BC							
426692	77H5270	E	430324.640	0.9996559	0.9999963	166017	77H5241	TERR	1 2 44	422.040	422.185		
		N	5444299.527					75754	77H5272	TERR	91 2 23	211.243	211.316
		El	40.872					CVD28BC		861534	79H5598	TERR	181 1 3
653816	77H5271	E	430354.205	0.9996518	0.9999922	27417	77H5247	TERR	181 28 33	211.095	211.169		
		N	5445777.104										
		El	66.683					CVD28BC					
75754	77H5272	E	430535.848	0.9996563	0.9999970	456988	77H5273	TERR	91 5 6	211.206	211.278		
		N	5444295.694					426692	77H5270	TERR	271 2 23	211.243	211.316
		El	35.884					CVD28BC					
456988	77H5273	E	430747.016	0.9996562	0.9999973	366781	77H5258	TERR	1 3 44	422.150	422.295		
		N	5444291.695					421081	77H5274	TERR	91 8 32	210.996	211.068
		El	34.604					CVD28BC		235135	77H5244	TERR	181 3 35
421081	77H5274	E	430957.970	0.9996561	0.9999975	702720	77H5275	TERR	90 59 53	210.582	210.655		
		N	5444287.489					456988	77H5273	TERR	271 8 32	210.996	211.068
		El	32.782					CVD28BC					
702720	77H5275	E	431168.520	0.9996560	0.9999978	815761	77H5277	TERR	181 2 20	422.208	422.354		
		N	5444283.821					421081	77H5274	TERR	270 59 53	210.582	210.655
		El	31.149					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
660100	77H5276	E	430528.412	0.9996550	0.9999957	235135	77H5244	TERR	91 7 58	210.827	210.900				
		N	5443873.226					861534	79H5598	TERR	271 8 16	211.310	211.383		
		El	44.241					CVD28BC							
815761	77H5277	E	431160.865	0.9996548	0.9999966	702720	77H5275	TERR	1 2 20	422.208	422.354				
		N	5443861.682					825794	83H6005	TERR	181 2 56	420.353	420.499		
		El	39.057					CVD28BC		235135	77H5244	TERR	271 0 8	421.732	421.877
										801225	11700	TERR	275 35 39	7797.432	7800.670
813584	77H5278	E	429127.037	0.9996507	0.9999890	846147	78H5425	TERR	108 47 2	413.902	414.046				
		N	5447988.968												
		El	87.132					CVD28BC							
690834	77H5279	E	429790.215	0.9996516	0.9999910	636290	77H5281	TERR	20 41 7	153.566	153.619				
		N	5448030.850					307306	77H5301	TERR	203 1 18	247.642	247.728		
		El	74.509					CVD28BC							
263889	77H5280	E	429658.693	0.9996516	0.9999908	95638	77H5282	TERR	94 46 43	191.161	191.227				
		N	5448424.113					762351	15H2767	GPS	252 25 8	333.619	333.736		
		El	75.572					CVD28BC		53488	79H9314	GPS	270 51 53	516.325	516.505
										51268	77H5299	TERR	356 48 39	95.248	95.281
636290	77H5281	E	429844.460	0.9996520	0.9999915	95638	77H5282	TERR	1 9 34	233.720	233.801				
		N	5448174.516					690834	77H5279	TERR	200 41 7	153.566	153.619		
		El	71.432					CVD28BC							
95638	77H5282	E	429849.189	0.9996524	0.9999920	494476	78H5428	TERR	1 10 16	199.221	199.290				
		N	5448408.188					636290	77H5281	TERR	181 9 34	233.720	233.801		
		El	68.298					CVD28BC		263889	77H5280	TERR	274 46 43	191.161	191.227
726869	77H5283	E	428992.898	0.9996539	0.9999920			MARKER DESTROYED							
		N	5447772.983												
		El	68.129					CVD28BC							
880369	77H5284	E	429643.876	0.9996524	0.9999916	152991	78H5429	TERR	1 52 45	96.300	96.333				
		N	5448709.105					688036	77H5300	TERR	177 26 42	94.888	94.922		
		El	70.985					CVD28BC		752436	78H5436	TERR	271 52 22	222.108	222.185

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
691733	77H5285	E	429650.194	0.9996521	0.9999913	152991	78H5429	TERR	181 52 48	96.318	96.351
		N	5448901.619								
		El	72.337	CVD28BC							
858654	77H5286	E	429425.050	0.9996520	0.9999908	694026	77H5287	TERR	1 52 26	190.034	190.100
		N	5448812.616			152991	78H5429	TERR	91 52 26	222.103	222.180
		El	75.944	CVD28BC		752436	78H5436	TERR	181 52 56	96.304	96.338
694026	77H5287	E	429431.264	0.9996524	0.9999912	131920	77H5289	TERR	91 51 26	165.076	165.133
		N	5449002.548			858654	77H5286	TERR	181 52 26	190.034	190.100
		El	73.279	CVD28BC							
827600	77H5288	E	429516.237	0.9996527	0.9999916	517649	77H5302	TERR	144 54 54	179.626	179.688
		N	5448075.977			498246	77H5292	TERR	234 33 1	150.310	150.362
		El	70.480	CVD28BC							
131920	77H5289	E	429596.253	0.9996523	0.9999914	694026	77H5287	TERR	271 51 26	165.076	165.133
		N	5448997.198								
		El	71.734	CVD28BC							
208652	77H5290	E	428930.436	0.9996541	0.9999921	565945	77H5296	TERR	91 27 36	187.849	187.914
		N	5447526.170								
		El	67.534	CVD28BC							
577726	77H5291	E	429857.146	0.9996527	0.9999922	494476	78H5428	TERR	181 9 53	191.133	191.199
		N	5448798.460			152991	78H5429	TERR	271 52 44	210.225	210.298
		El	66.708	CVD28BC							
498246	77H5292	E	429393.791	0.9996515	0.9999903	827600	77H5288	TERR	54 33 1	150.310	150.362
		N	5447988.799			230268	78H8326	TERR	309 27 18	316.933	317.044
		El	79.109	CVD28BC							
356121	77H5293	E	429131.010	0.9996542	0.9999925	565945	77H5296	TERR	186 50 2	107.454	107.492
		N	5447628.075			948059	90H9770	TERR	318 52 25	199.551	199.620
		El	64.859	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
356139	77H5294	E	429132.367	0.9996537	0.9999920		MARKER DESTROYED				
		N	5447852.129								
		El	68.360	CVD28BC							
837369	77H5295	E	428744.653	0.9996547	0.9999923	255703	82H5700	GPS	1 0 16	2575.620	2576.507
		N	5447668.991			973768	15H2766	GPS	8 10 37	693.675	693.916
		El	66.010	CVD28BC		762351	15H2767	GPS	42 19 42	885.096	885.402
						948059	90H9770	TERR	66 47 20	277.575	277.670
						419655	77H5009	GPS	113 18 48	3685.527	3686.792
						920009	No Marking	GPS	118 50 31	3270.289	3271.418
						445726	77H5122	GPS	120 24 46	1644.807	1645.377
						665885	79H9192	GPS	159 37 36	4494.887	4496.453
						298463	16H2775	GPS	220 26 45	2181.111	2181.879
						801225	11700	GPS	240 18 29	6151.805	6154.360
						718304	98H2198	GPS	289 11 22	718.403	718.652
						301952	82H5634	GPS	312 32 42	3139.565	3140.656
						476226	15H2764	GPS	318 3 45	793.009	793.283
						490326	79H9296	GPS	324 36 33	1710.623	1711.218
						514562	15H2765	GPS	347 2 19	644.904	645.127
						773572	79H9336	GPS	350 35 35	3227.805	3228.917
565945	77H5296	E	429118.224	0.9996534	0.9999917	356121	77H5293	TERR	6 50 2	107.454	107.492
		N	5447521.384			208652	77H5290	TERR	271 27 36	187.849	187.914
		El	70.269	CVD28BC							
824524	77H5297	E	429435.229	0.9996520	0.9999908	846147	78H5425	TERR	79 21 57	85.127	85.156
		N	5447839.982								
		El	75.830	CVD28BC							
854141	77H5298	E	429152.616	0.9996511	0.9999894	138446	77H5140	TERR	2 1 43	108.643	108.681
		N	5448725.270			752436	78H5436	TERR	91 53 40	269.418	269.512
		El	84.571	CVD28BC		202580	79H9313	TERR	181 59 9	194.388	194.455
51268	77H5299	E	429653.394	0.9996519	0.9999911	263889	77H5280	TERR	176 48 39	95.248	95.281
		N	5448519.213			688036	77H5300	TERR	356 49 2	95.245	95.278
		El	74.139	CVD28BC							
688036	77H5300	E	429648.106	0.9996521	0.9999913	494476	78H5428	TERR	91 56 19	205.273	205.344
		N	5448614.311			51268	77H5299	TERR	176 49 2	95.245	95.278
		El	72.433	CVD28BC		880369	77H5284	TERR	357 26 42	94.888	94.922

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
307306	77H5301	E	429693.367	0.9996528	0.9999921	690834	77H5279	TERR	23 1 18	247.642	247.728			
		N	5447802.931					48181	77H5309	TERR	111 55 41	300.693	300.798	
		El	67.588					CVD28BC	846147	78H5425	TERR	286 49 30	182.276	182.339
517649	77H5302	E	429619.484	0.9996523	0.9999915	307306	77H5301	TERR	149 37 31	146.114	146.164			
		N	5447928.989					827600	77H5288	TERR	324 54 54	179.626	179.688	
		El	71.429					CVD28BC	517649	77H5302	TERR	329 37 31	146.114	146.164
909895	77H5303	E	430804.578	0.9996557	0.9999968	488460	77H5308	TERR	2 6 20	206.384	206.456			
		N	5447353.272					195321	78H5373	TERR	272 4 18	73.199	73.224	
		El	37.273					CVD28BC						
147116	77H5304	E	430400.290	0.9996523	0.9999928	238709	77H5306	TERR	1 56 22	180.298	180.361			
		N	5447750.373					853770	77H5307	TERR	91 53 20	275.428	275.523	
		El	63.284					CVD28BC	967331	77H5135	TERR	271 53 24	148.053	148.104
360149	77H5305	E	430382.384	0.9996545	0.9999950	1321	77H5312	TERR	3 19 2	206.166	206.237			
		N	5447368.545					195321	78H5373	TERR	92 4 19	349.271	349.392	
		El	49.352					CVD28BC						
238709	77H5306	E	430406.392	0.9996530	0.9999935	174201	77H5317	TERR	1 56 16	180.064	180.126			
		N	5447930.568					750653	77H5323	TERR	93 33 28	268.659	268.752	
		El	58.391					CVD28BC	147116	77H5304	TERR	181 56 22	180.298	180.361
									181552	77H5316	TERR	271 53 20	277.824	277.920
853770	77H5307	E	430675.568	0.9996538	0.9999948	22111	77H5324	TERR	91 56 28	134.088	134.134			
		N	5447741.295					147116	77H5304	TERR	271 53 20	275.428	275.523	
		El	50.373					CVD28BC	750653	77H5323	TERR	359 39 23	172.604	172.664
488460	77H5308	E	430812.161	0.9996548	0.9999960	909895	77H5303	TERR	182 6 20	206.384	206.456			
		N	5447559.517					918482	77H5313	TERR	272 2 8	219.822	219.898	
		El	42.900					CVD28BC	22111	77H5324	TERR	359 9 55	177.255	177.315
48181	77H5309	E	429972.306	0.9996526	0.9999924	412262	77H5134	TERR	1 56 50	73.811	73.837			
		N	5447690.640					459933	77H5310	TERR	110 0 40	155.522	155.575	
		El	65.715					CVD28BC	307306	77H5301	TERR	291 55 41	300.693	300.798

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
459933	77H5310	E	430118.438	0.9996529	0.9999929	465807	77H5315	TERR	1 57 2	122.186	122.228
		N	5447637.420			159137	77H5311	TERR	110 0 42	192.746	192.814
		El	62.309	CVD28BC		48181	77H5309	TERR	290 0 40	155.522	155.575
159137	77H5311	E	430299.547	0.9996533	0.9999937	1321	77H5312	TERR	88 14 39	94.812	94.844
		N	5447571.460			459933	77H5310	TERR	290 0 42	192.746	192.814
		El	57.537	CVD28BC							
1321	77H5312	E	430394.314	0.9996535	0.9999940	918482	77H5313	TERR	92 2 5	198.289	198.358
		N	5447574.365			360149	77H5305	TERR	183 19 2	206.166	206.237
		El	55.732	CVD28BC		159137	77H5311	TERR	268 14 39	94.812	94.844
918482	77H5313	E	430592.478	0.9996534	0.9999942	488460	77H5308	TERR	92 2 8	219.822	219.898
		N	5447567.325			1321	77H5312	TERR	272 2 5	198.289	198.358
		El	53.914	CVD28BC							
686113	77H5314	E	429980.936	0.9996516	0.9999913	863159	77H5137	TERR	1 56 59	90.142	90.174
		N	5447944.596			181552	77H5316	TERR	91 53 16	147.863	147.915
		El	72.400	CVD28BC		412262	77H5134	TERR	181 56 45	180.292	180.355
465807	77H5315	E	430122.597	0.9996522	0.9999922	181552	77H5316	TERR	1 56 45	180.294	180.356
		N	5447759.535			967331	77H5135	TERR	91 53 21	129.792	129.837
		El	66.787	CVD28BC	459933	77H5310	TERR	181 57 2	122.186	122.228	
					412262	77H5134	TERR	271 53 19	147.863	147.915	
181552	77H5316	E	430128.719	0.9996519	0.9999919	806885	78H5427	TERR	1 56 45	90.148	90.179
		N	5447939.725			238709	77H5306	TERR	91 53 20	277.824	277.920
		El	68.830	CVD28BC	465807	77H5315	TERR	181 56 45	180.294	180.356	
					686113	77H5314	TERR	271 53 16	147.863	147.915	
174201	77H5317	E	430412.481	0.9996535	0.9999940	960328	78H8325	TERR	89 50 27	157.007	157.060
		N	5448110.529			238709	77H5306	TERR	181 56 16	180.064	180.126
		El	55.588	CVD28BC		928903	77H5318	TERR	271 55 35	277.916	278.013
928903	77H5318	E	430134.722	0.9996525	0.9999925	477588	77H5319	TERR	1 43 54	180.562	180.624
		N	5448119.871			174201	77H5317	TERR	91 55 35	277.916	278.013
		El	64.900	CVD28BC	806885	78H5427	TERR	181 52 16	90.098	90.130	
					203414	78H5426	TERR	271 55 31	147.878	147.929	

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
477588	77H5319	E	430140.178	0.9996531	0.9999931	928903	77H5318	TERR	181 43 54	180.562	180.624			
		N	5448300.350					225912	77H5320	TERR	271 51 43	147.606	147.658	
		El	61.050					CVD28BC	105031	77H5339	TERR	357 48 29	201.225	201.295
225912	77H5320	E	429992.650	0.9996528	0.9999926	163212	77H5321	TERR	1 53 41	209.657	209.730			
		N	5448305.146					477588	77H5319	TERR	91 51 43	147.606	147.658	
		El	64.263					CVD28BC	203414	78H5426	TERR	181 49 4	180.398	180.460
163212	77H5321	E	429999.582	0.9996531	0.9999929	105031	77H5339	TERR	95 41 52	133.560	133.606			
		N	5448514.688					225912	77H5320	TERR	181 53 41	209.657	209.730	
		El	62.257					CVD28BC						
99804	77H5322	E	430043.749	0.9996531	0.9999930	261776	78H5377	TERR	91 16 47	226.132	226.211			
		N	5448604.441					494476	78H5428	TERR	270 52 48	190.511	190.577	
		El	61.987					CVD28BC						
750653	77H5323	E	430674.533	0.9996544	0.9999953	853770	77H5307	TERR	179 39 23	172.604	172.664			
		N	5447913.896					238709	77H5306	TERR	273 33 28	268.659	268.752	
		El	47.065					CVD28BC						
22111	77H5324	E	430809.579	0.9996548	0.9999960	488460	77H5308	TERR	179 9 55	177.255	177.315			
		N	5447736.753					853770	77H5307	TERR	271 56 28	134.088	134.134	
		El	42.784					CVD28BC						
836072	77H5325	E	429338.053	0.9996561	0.9999947	310656	77H5326	TERR	166 12 20	170.961	171.020			
		N	5449755.598											
		El	50.675					CVD28BC						
310656	77H5326	E	429378.817	0.9996551	0.9999938	272047	77H5327	TERR	131 30 28	221.862	221.939			
		N	5449589.568					836072	77H5325	TERR	346 12 20	170.961	171.020	
		El	56.481					CVD28BC						
272047	77H5327	E	429544.962	0.9996550	0.9999940	443127	77H5332	TERR	93 44 22	141.554	141.603			
		N	5449442.535					310656	77H5326	TERR	311 30 28	221.862	221.939	
		El	55.375					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
915611	77H5328	E	429900.918	0.9996585	0.9999981	217315	77H5334	TERR	117 43 51	214.564	214.637		
		N	5449550.046					609339	77H5329	TERR	313 44 48	109.660	109.697
		El	29.295					CVD28BC					
609339	77H5329	E	429821.699	0.9996585	0.9999980	915611	77H5328	TERR	133 44 48	109.660	109.697		
		N	5449625.873					18960	77H5333	TERR	240 28 46	162.695	162.751
		El	29.709					CVD28BC		416891	77H5330	TERR	307 15 49
416891	77H5330	E	429558.373	0.9996583	0.9999973	609339	77H5329	TERR	127 15 49	330.870	330.984		
		N	5449826.209					983817	77H5331	TERR	197 19 1	141.939	141.987
		El	34.335					CVD28BC					
983817	77H5331	E	429516.124	0.9996570	0.9999960	416891	77H5330	TERR	17 19 1	141.939	141.987		
		N	5449690.704										
		El	42.843					CVD28BC					
443127	77H5332	E	429686.215	0.9996563	0.9999955	272047	77H5327	TERR	273 44 22	141.554	141.603		
		N	5449433.303					18960	77H5333	TERR	356 53 56	112.569	112.608
		El	45.665					CVD28BC					
18960	77H5333	E	429680.125	0.9996569	0.9999962	609339	77H5329	TERR	60 28 46	162.695	162.751		
		N	5449545.707					443127	77H5332	TERR	176 53 56	112.569	112.608
		El	41.594					CVD28BC					
217315	77H5334	E	430090.838	0.9996589	0.9999989	915611	77H5328	TERR	297 43 51	214.564	214.637		
		N	5449450.205										
		El	24.159					CVD28BC					
898759	77H5335	E	429381.811	0.9996635	1.0000022	553651	77H5336	TERR	160 16 45	120.692	120.732		
		N	5450244.745					26740	77H5337	TERR	267 31 41	44.305	44.320
		El	2.879					CVD28BC					
553651	77H5336	E	429422.537	0.9996635	1.0000023	898759	77H5335	TERR	340 16 45	120.692	120.732		
		N	5450131.132										
		El	2.716					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
26740	77H5337	E	429337.547	0.9996629	1.0000016	898759	77H5335	TERR	87 31 41	44.305	44.320		
		N	5450242.834					208660	77H5338	TERR	345 18 27	152.896	152.948
		El	6.900					CVD28BC					
208660	77H5338	E	429298.768	0.9996634	1.0000020	26740	77H5337	TERR	165 18 27	152.896	152.948		
		N	5450390.730										
		El	4.264					CVD28BC					
105031	77H5339	E	430132.482	0.9996534	0.9999934	477588	77H5319	TERR	177 48 29	201.225	201.295		
		N	5448501.428					163212	77H5321	TERR	275 41 52	133.560	133.606
		El	59.259					CVD28BC					
901587	77H5340	E	431285.986	0.9996582	1.0000002	921171	NO MARKING	TERR	77 6 44	1302.231	1302.676		
		N	5447201.532					645697	77H5051	TERR	161 43 3	424.964	425.109
		El	16.099					CVD28BC		920603	77H5341	TERR	344 33 26
920603	77H5341	E	431257.877	0.9996582	1.0000001	901587	77H5340	TERR	164 33 26	105.564	105.600		
		N	5447303.285										
		El	16.434					CVD28BC					
601989	77H5342	E	431229.755	0.9996581	1.0000001	MARKER DESTROYED							
		N	5447405.075										
		El	16.873			CVD28BC							
126615	77H5343	E	431160.119	0.9996586	1.0000004	805085	78H5375	TERR	164 33 16	135.749	135.796		
		N	5447657.099					684514	77H5346	TERR	249 18 26	111.038	111.076
		El	14.954					CVD28BC		778464	90H9805	TERR	342 9 44
952721	77H5344	E	431073.432	0.9996594	1.0000011	MARKER DESTROYED							
		N	5447945.446										
		El	10.407			CVD28BC							
412502	77H5345	E	430976.232	0.9996577	0.9999992	684514	77H5346	TERR	164 37 21	301.732	301.835		
		N	5447908.793										
		El	22.229					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
684514	77H5346	E	431056.244	0.9996571	0.9999987	126615	77H5343	TERR	69 18 26	111.038	111.076					
		N	5447617.863					412502				77H5345	TERR	344 37 21	301.732	301.835
		El	25.477					CVD28BC								
346478	77H5347	E	431123.184	0.9996574	0.9999991	MARKER DESTROYED										
		N	5447375.613													
		El	22.622			CVD28BC										
109421	77H5348	E	431151.293	0.9996577	0.9999995	MARKER DESTROYED										
		N	5447273.890													
		El	20.422			CVD28BC										
399980	77H5349	E	431179.421	0.9996579	0.9999998	MARKER DESTROYED										
		N	5447172.088													
		El	18.738			CVD28BC										
586149	77H5350	E	430983.174	0.9996579	0.9999993	MARKER DESTROYED										
		N	5448092.271													
		El	21.393			CVD28BC										
700708	77H5351	E	430986.092	0.9996582	0.9999996	583914	90H9779	TERR	76 22 56	67.256	67.279					
		N	5448182.369			732321	77H5353	TERR	271 54 6	147.139	147.189					
		El	19.492			CVD28BC										
606814	77H5352	E	430836.088	0.9996556	0.9999968	732321	77H5353	TERR	1 52 19	90.190	90.221					
		N	5448097.110													
		El	37.492			CVD28BC										
732321	77H5353	E	430839.034	0.9996560	0.9999973	634923	78H5362	TERR	0 55 0	90.810	90.840					
		N	5448187.252			700708	77H5351	TERR	91 54 6	147.139	147.189					
		El	34.557			CVD28BC	606814	77H5352	TERR	181 52 19	90.190	90.221				
							661991	77H5141	TERR	271 52 23	146.912	146.963				
302638	77H5354	E	425257.763	0.9996554	0.9999867	510230	77H5355	TERR	188 28 29	124.336	124.378					
		N	5450462.641													
		El	101.538			CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
510230	77H5355	E	425239.439	0.9996549	0.9999862	302638	77H5354	TERR	8 28 29	124.336	124.378				
		N	5450339.663					77H5356				TERR	149 55 15	80.332	80.360
		El	104.726					CVD28BC							
669390	77H5356	E	425279.701	0.9996540	0.9999854	554832	77H5357	TERR	66 15 57	149.439	149.491				
		N	5450270.149					77H5355				TERR	329 55 15	80.332	80.360
		El	110.116					CVD28BC							
554832	77H5357	E	425416.501	0.9996526	0.9999843	359646	77H5358	TERR	47 0 34	108.117	108.155				
		N	5450330.297					78H5456				TERR	120 30 15	214.722	214.797
		El	117.132					CVD28BC				669390	77H5356	TERR	246 15 57
359646	77H5358	E	425495.585	0.9996535	0.9999853	380030	77H5359	TERR	116 48 12	220.562	220.638				
		N	5450404.020					77H5357				TERR	227 0 34	108.117	108.155
		El	110.780					CVD28BC							
380030	77H5359	E	425692.450	0.9996523	0.9999845	623108	77H5360	TERR	133 14 49	142.213	142.263				
		N	5450304.562					77H5358				TERR	296 48 12	220.562	220.638
		El	116.000					CVD28BC							
623108	77H5360	E	425796.039	0.9996514	0.9999838	42226	78H5361	TERR	130 8 27	173.751	173.812				
		N	5450207.126					77H5359				TERR	313 14 49	142.213	142.263
		El	120.282					CVD28BC							
514521	77H5762	E	431898.953	0.9996551	0.9999981		MARKER DESTROYED								
		N	5445740.290												
		El	29.387	CVD28BC											
814905	77H5763	E	432130.397	0.9996572	1.0000006	972711	77H5764	TERR	2 32 10	302.372	302.476				
		N	5444333.438					77H5099				TERR	279 4 6	112.745	112.784
		El	13.423					CVD28BC							
972711	77H5764	E	432143.777	0.9996567	1.0000001	814905	77H5763	TERR	182 32 10	302.372	302.476				
		N	5444635.514												
		El	16.416					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
21063	77H5765	E	431201.379	0.9996514	0.9999933		MARKER DESTROYED				
		N	5445755.151								
		El	60.150	CVD28BC							
703298	77H5766	E	430520.326	0.9996530	0.9999937	498980	77H5117	TERR	92 7 2	129.311	129.357
		N	5446629.192								
		El	57.400	CVD28BC							
42226	78H5361	E	425928.865	0.9996512	0.9999838	533265	78H5455	TERR	99 45 9	85.932	85.962
		N	5450095.114			623108	77H5360	TERR	310 8 27	173.751	173.812
		El	120.087	CVD28BC							
634923	78H5362	E	430840.487	0.9996566	0.9999978	340000	78H5363	TERR	2 12 23	82.103	82.131
		N	5448278.050			732321	77H5353	TERR	180 55 0	90.810	90.840
		El	31.255	CVD28BC		50252	77H5125	TERR	271 38 0	145.209	145.259
340000	78H5363	E	430843.648	0.9996575	0.9999988	906750	78H5364	TERR	2 33 44	116.028	116.067
		N	5448360.092			634923	78H5362	TERR	182 12 23	82.103	82.131
		El	25.078	CVD28BC							
906750	78H5364	E	430848.835	0.9996598	1.0000011	340000	78H5363	TERR	182 33 44	116.028	116.067
		N	5448476.004			727966	78H5367	TERR	272 32 9	146.679	146.728
		El	10.365	CVD28BC		590661	90H9782	TERR	359 54 8	108.324	108.361
998724	78H5365	E	430853.324	0.9996598	1.0000011		MARKER DESTROYED				
		N	5448576.128								
		El	10.237	CVD28BC							
535310	78H5366	E	430705.779	0.9996591	1.0000001	975581	77H5123	TERR	1 59 55	92.245	92.277
		N	5448582.593			590661	90H9782	TERR	89 18 15	142.882	142.930
		El	16.414	CVD28BC		727966	78H5367	TERR	181 59 26	100.159	100.194
						693556	77H5129	TERR	271 52 8	129.610	129.654
727966	78H5367	E	430702.300	0.9996572	0.9999982	535310	78H5366	TERR	1 59 26	100.159	100.194
		N	5448482.494			906750	78H5364	TERR	92 32 9	146.679	146.728
		El	28.634	CVD28BC		493767	77H5128	TERR	271 50 53	129.344	129.389

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
906610	78H5368	E	428788.506	0.9996531	0.9999908		MARKER DESTROYED				
		N	5449934.384								
		El	75.819	CVD28BC							
70649	78H5369	E	428783.237	0.9996526	0.9999902		MARKER DESTROYED				
		N	5449770.665								
		El	79.311	CVD28BC							
404756	78H5370	E	428712.970	0.9996519	0.9999895	376079	92H0745	TERR	42 26 3	106.582	106.619
		N	5449680.207			883710	78H5371	TERR	128 34 1	289.197	289.297
		El	84.158	CVD28BC		970574	78H5461	TERR	244 55 4	90.173	90.205
883710	78H5371	E	428939.087	0.9996523	0.9999903	183434	78H5388	TERR	128 33 60	297.430	297.533
		N	5449499.913			404756	78H5370	TERR	308 34 1	289.197	289.297
		El	79.188	CVD28BC							
858274	78H5372	E	429116.646	0.9996525	0.9999908	504373	78H5389	TERR	119 28 5	163.664	163.721
		N	5449504.850			376079	92H0745	TERR	307 26 25	417.842	417.987
		El	75.890	CVD28BC							
195321	78H5373	E	430731.427	0.9996556	0.9999967	909895	77H5303	TERR	92 4 18	73.199	73.224
		N	5447355.918			360149	77H5305	TERR	272 4 19	349.271	349.392
		El	38.373	CVD28BC							
745018	78H5374	E	430724.596	0.9996587	0.9999998		MARKER DESTROYED				
		N	5447081.620								
		El	18.509	CVD28BC							
805085	78H5375	E	431196.272	0.9996583	1.0000002	126615	77H5343	TERR	344 33 16	135.749	135.796
		N	5447526.253								
		El	16.194	CVD28BC							
115618	78H5376	E	431089.717	0.9996570	0.9999986		MARKER DESTROYED				
		N	5447496.725								
		El	25.852	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
261776	78H5377	E	430269.825	0.9996538	0.9999941	838060	77H5132	TERR	92 45 38	158.680	158.734		
		N	5448599.391					99804	77H5322	TERR	271 16 47	226.132	226.211
		El	54.865					CVD28BC	591941	78H5378	TERR	320 43 21	120.704
591941	78H5378	E	430193.410	0.9996542	0.9999943	261776	78H5377	TERR	140 43 21	120.704	120.746		
		N	5448692.827					189712	78H5379	TERR	322 49 4	169.496	169.555
		El	53.224					CVD28BC					
189712	78H5379	E	430090.975	0.9996546	0.9999946	605931	78H5381	TERR	91 33 2	344.850	344.969		
		N	5448827.867					591941	78H5378	TERR	142 49 4	169.496	169.555
		El	51.843					CVD28BC	494690	78H5380	TERR	313 3 9	53.700
494690	78H5380	E	430051.735	0.9996545	0.9999944	189712	78H5379	TERR	133 3 9	53.700	53.718		
		N	5448864.526					116749	78H5430	TERR	304 39 19	322.463	322.575
		El	52.615					CVD28BC					
605931	78H5381	E	430435.699	0.9996580	0.9999985	885970	78H5385	TERR	89 46 30	70.551	70.575		
		N	5448818.535					71530	78H5382	TERR	180 59 55	82.053	82.080
		El	26.622					CVD28BC	189712	78H5379	TERR	271 33 2	344.850
71530	78H5382	E	430434.269	0.9996574	0.9999980	605931	78H5381	TERR	0 59 55	82.053	82.080		
		N	5448736.495					212084	78H5421	TERR	91 36 13	147.899	147.949
		El	30.250					CVD28BC	866558	77H5133	TERR	183 20 52	49.266
545160	78H5383	E	430709.691	0.9996602	1.0000012		MARKER DESTROYED						
908962	78H5384	E	430585.847	0.9996587	0.9999996	856849	90H9809	TERR	86 51 21	136.334	136.381		
		N	5448816.537					885970	78H5385	TERR	271 38 14	79.631	79.657
		El	20.045					CVD28BC					
885970	78H5385	E	430506.249	0.9996582	0.9999989	908962	78H5384	TERR	91 38 14	79.631	79.657		
		N	5448818.812					605931	78H5381	TERR	269 46 30	70.551	70.575
		El	24.209					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
364034	78H5386	E	431079.109	0.9996594	1.0000011		MARKER DESTROYED				
		N	5448088.057								
		El	10.241	CVD28BC							
332585	78H5387	E	430760.803	0.9996600	1.0000011		MARKER DESTROYED				
		N	5448719.453								
		El	9.953	CVD28BC							
183434	78H5388	E	429171.643	0.9996524	0.9999907	504373	78H5389	TERR	38 32 14	140.435	140.483
		N	5449314.488			353813	77H5139	TERR	181 11 1	70.682	70.707
		El	76.295	CVD28BC		883710	78H5371	TERR	308 33 60	297.430	297.533
504373	78H5389	E	429259.137	0.9996526	0.9999912	183434	78H5388	TERR	218 32 14	140.435	140.483
		N	5449424.337			858274	78H5372	TERR	299 28 5	163.664	163.721
		El	73.489	CVD28BC							
794933	78H5390	E	430424.067	0.9996589	0.9999995	326140	78H5393	TERR	335 45 0	163.962	164.018
		N	5448974.394								
		El	20.498	CVD28BC							
800086	78H5391	E	429002.918	0.9996569	0.9999950	739243	3475	TERR	179 4 17	165.858	165.914
		N	5450175.586								
		El	49.124	CVD28BC							
326140	78H5393	E	430356.725	0.9996598	1.0000003	794933	78H5390	TERR	155 45 0	163.962	164.018
		N	5449123.888			745596	78H5394	TERR	318 46 54	67.030	67.052
		El	15.546	CVD28BC							
745596	78H5394	E	430312.557	0.9996597	1.0000001	326140	78H5393	TERR	138 46 54	67.030	67.052
		N	5449174.308			777391	78H5395	TERR	303 44 44	74.631	74.656
		El	16.677	CVD28BC							
777391	78H5395	E	430250.500	0.9996594	0.9999996	745596	78H5394	TERR	123 44 44	74.631	74.656
		N	5449215.766			455923	78H5396	TERR	290 58 44	108.261	108.299
		El	19.665	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
455923	78H5396	E	430149.415	0.9996587	0.9999987	777391	78H5395	TERR	110 58 44	108.261	108.299		
		N	5449254.526					951749	78H5403	TERR	178 19 48	90.690	90.721
		El	25.211					CVD28BC	310102	78H5397	TERR	273 55 9	170.355
310102	78H5397	E	429979.458	0.9996573	0.9999971	455923	78H5396	TERR	93 55 9	170.355	170.414		
		N	5449266.170					267880	78H5398	TERR	260 55 59	61.153	61.174
		El	35.812					CVD28BC					
267880	78H5398	E	429919.069	0.9996565	0.9999962	310102	78H5397	TERR	80 55 59	61.153	61.174		
		N	5449256.533					827519	78H5399	TERR	226 54 6	60.793	60.815
		El	41.722					CVD28BC					
827519	78H5399	E	429874.679	0.9996556	0.9999952	267880	78H5398	TERR	46 54 6	60.793	60.815		
		N	5449214.996					933234	78H5400	TERR	186 11 51	57.747	57.766
		El	48.034					CVD28BC					
933234	78H5400	E	429868.445	0.9996548	0.9999944	827519	78H5399	TERR	6 11 51	57.747	57.766		
		N	5449157.587					434878	78H5402	TERR	80 2 25	107.055	107.093
		El	53.048					CVD28BC	603662	78H5401	TERR	176 29 10	89.869
603662	78H5401	E	429873.953	0.9996540	0.9999936	116749	78H5430	TERR	257 7 25	89.728	89.760		
		N	5449067.887					933234	78H5400	TERR	356 29 10	89.869	89.900
		El	57.890					CVD28BC					
434878	78H5402	E	429973.887	0.9996562	0.9999960	951749	78H5403	TERR	93 55 34	178.590	178.651		
		N	5449176.103					933234	78H5400	TERR	260 2 25	107.055	107.093
		El	42.801					CVD28BC					
951749	78H5403	E	430152.058	0.9996581	0.9999982	927962	78H5424	TERR	177 48 2	107.486	107.523		
		N	5449163.875					434878	78H5402	TERR	273 55 34	178.590	178.651
		El	28.736					CVD28BC	455923	78H5396	TERR	358 19 48	90.690
380055	78H5404	E	425781.547	0.9996510	0.9999833	975896	78H5415	TERR	129 26 21	164.744	164.802		
		N	5450071.930					812016	78H5405	TERR	219 26 3	131.967	132.013
		El	123.157					CVD28BC	945246	78H5456	TERR	309 40 52	233.940

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
812016	78H5405	E	425697.723	0.9996517	0.9999839	380055	78H5404	TERR	39 26 3	131.967	132.013				
		N	5449970.005					549113	78H5406	TERR	165 9 14	127.130	127.175		
		El	119.835					CVD28BC							
549113	78H5406	E	425730.297	0.9996518	0.9999841	947242	79H9240	TERR	90 51 51	392.010	392.146				
		N	5449847.119					812016	78H5405	TERR	345 9 14	127.130	127.175		
		El	118.490					CVD28BC							
975896	78H5415	E	425908.779	0.9996514	0.9999840	252585	78H5416	TERR	93 52 22	215.337	215.413				
		N	5449967.275					380055	78H5404	TERR	309 26 21	164.744	164.802		
		El	119.093					CVD28BC							
252585	78H5416	E	426123.624	0.9996509	0.9999839	282780	78H5459	TERR	0 39 45	151.467	151.519				
		N	5449952.731					153114	2284	TERR	15 35 16	2771.165	2772.164		
		El	119.732					CVD28BC		947242	79H9240	TERR	180 41 59	111.533	111.572
										975896	78H5415	TERR	273 52 22	215.337	215.413
966135	78H5417	E	431046.506	0.9996594	1.0000010	MARKER DESTROYED									
		N	5448190.898												
		El	10.583			CVD28BC									
943274	78H5418	E	430964.466	0.9996600	1.0000015	MARKER DESTROYED									
		N	5448304.588												
		El	7.885			CVD28BC									
258145	78H5419	E	430925.975	0.9996602	1.0000016	MARKER DESTROYED									
		N	5448582.895												
		El	7.107			CVD28BC									
45690	78H5420	E	430071.168	0.9996562	0.9999961	927962	78H5424	TERR	73 3 19	88.873	88.904				
		N	5449030.566												
		El	42.053					CVD28BC							
212084	78H5421	E	430582.110	0.9996586	0.9999994	651448	78H5422	TERR	91 43 21	81.014	81.042				
		N	5448732.356					817130	77H5130	TERR	183 15 12	48.547	48.564		
		El	21.145					CVD28BC		71530	78H5382	TERR	271 36 13	147.899	147.949

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
651448	78H5422	E	430663.087	0.9996589	0.9999998	643783	90H9788	TERR	96 26 23	90.175	90.205
		N	5448729.921			212084	78H5421	TERR	271 43 21	81.014	81.042
		El	18.440	CVD28BC							
771717	78H5423	E	430236.794	0.9996578	0.9999981	927962	78H5424	TERR	285 10 16	83.522	83.551
		N	5449034.610								
		El	29.619	CVD28BC							
927962	78H5424	E	430156.183	0.9996572	0.9999973	771717	78H5423	TERR	105 10 16	83.522	83.551
		N	5449056.468			45690	78H5420	TERR	253 3 19	88.873	88.904
		El	34.564	CVD28BC		951749	78H5403	TERR	357 48 2	107.486	107.523
846147	78H5425	E	429518.894	0.9996520	0.9999909	307306	77H5301	TERR	106 49 30	182.276	182.339
		N	5447855.691			824524	77H5297	TERR	259 21 57	85.127	85.156
		El	74.976	CVD28BC		813584	77H5278	TERR	288 47 2	413.902	414.046
203414	78H5426	E	429986.928	0.9996522	0.9999920	225912	77H5320	TERR	1 49 4	180.398	180.460
		N	5448124.839			928903	77H5318	TERR	91 55 31	147.878	147.929
		El	68.026	CVD28BC		863159	77H5137	TERR	181 51 30	90.200	90.232
806885	78H5427	E	430131.780	0.9996524	0.9999924	928903	77H5318	TERR	1 52 16	90.098	90.130
		N	5448029.821			693267	77H5136	TERR	91 53 17	129.814	129.859
		El	65.396	CVD28BC		181552	77H5316	TERR	181 56 45	90.148	90.179
						863159	77H5137	TERR	271 53 8	147.857	147.909
494476	78H5428	E	429853.261	0.9996527	0.9999922	577726	77H5291	TERR	1 9 53	191.133	191.199
		N	5448607.367			99804	77H5322	TERR	90 52 48	190.511	190.577
		El	66.626	CVD28BC		95638	77H5282	TERR	181 10 16	199.221	199.290
						688036	77H5300	TERR	271 56 19	205.273	205.344
152991	78H5429	E	429647.034	0.9996524	0.9999916	691733	77H5285	TERR	1 52 48	96.318	96.351
		N	5448805.353			577726	77H5291	TERR	91 52 44	210.225	210.298
		El	70.940	CVD28BC		880369	77H5284	TERR	181 52 45	96.300	96.333
						858654	77H5286	TERR	271 52 26	222.103	222.180
116749	78H5430	E	429786.481	0.9996536	0.9999930	603662	78H5401	TERR	77 7 25	89.728	89.760
		N	5449047.891			494690	78H5380	TERR	124 39 19	322.463	322.575
		El	61.710	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
742908	78H5431	E	429656.052	0.9996533	0.9999925		MARKER DESTROYED				
		N	5449100.240								
		El	64.822	CVD28BC							
681452	78H5432	E	430562.901	0.9996544	0.9999952	471714	77H5126	TERR	1 53 58	80.137	80.165
		N	5448196.294			661991	77H5141	TERR	91 52 41	129.370	129.414
		El	48.085	CVD28BC		960328	78H8325	TERR	175 35 11	85.583	85.612
885251	78H5434	E	429297.834	0.9996536	0.9999922	746305	78H5435	TERR	134 48 3	307.180	307.287
		N	5449523.964			648840	3473	TERR	340 23 25	158.915	158.970
		El	66.922	CVD28BC							
746305	78H5435	E	429515.797	0.9996531	0.9999920	885251	78H5434	TERR	314 48 3	307.180	307.287
		N	5449307.511								
		El	68.030	CVD28BC							
752436	78H5436	E	429421.887	0.9996513	0.9999901	858654	77H5286	TERR	1 52 56	96.304	96.338
		N	5448716.364			880369	77H5284	TERR	91 52 22	222.108	222.185
		El	79.962	CVD28BC		854141	77H5298	TERR	271 53 40	269.418	269.512
605857	78H5437	E	426648.097	0.9996505	0.9999844	185348	79H5464	TERR	98 13 50	498.396	498.571
		N	5450723.998			255992	78H5438	TERR	285 4 3	289.283	289.384
		El	116.692	CVD28BC							
255992	78H5438	E	426368.760	0.9996513	0.9999847	605857	78H5437	TERR	105 4 3	289.283	289.384
		N	5450799.199			756478	82H5635	TERR	125 36 58	215.780	215.855
		El	114.906	CVD28BC		164772	78H5439	TERR	291 10 15	291.272	291.373
164772	78H5439	E	426097.147	0.9996522	0.9999851	255992	78H5438	TERR	111 10 15	291.272	291.373
		N	5450904.392								
		El	111.899	CVD28BC							
524561	78H5440	E	425410.657	0.9996538	0.9999854	424275	79H5565	TERR	98 20 42	305.669	305.775
		N	5451259.529			25130	78H5441	TERR	315 20 4	241.398	241.481
		El	109.867	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
25130	78H5441	E	425240.962	0.9996539	0.9999853	524561	78H5440	TERR	135 20 4	241.398	241.481				
		N	5451431.217					659516	78H5442	TERR	327 40 55	198.172	198.241		
		El	111.031					CVD28BC							
659516	78H5442	E	425135.016	0.9996537	0.9999848	25130	78H5441	TERR	147 40 55	198.172	198.241				
		N	5451598.691					859173	78H5443	TERR	330 18 40	312.586	312.694		
		El	113.871					CVD28BC		749614	79H9325	TERR	341 19 36	223.634	223.711
859173	78H5443	E	424980.195	0.9996536	0.9999845	749614	79H9325	TERR	125 39 1	102.413	102.449				
		N	5451870.243					659516	78H5442	TERR	150 18 40	312.586	312.694		
		El	115.915					CVD28BC		165951	79H9163	TERR	301 51 39	219.465	219.541
										647677	78H5444	TERR	329 3 2	364.449	364.576
647677	78H5444	E	424792.765	0.9996542	0.9999848	859173	78H5443	TERR	149 3 2	364.449	364.576				
		N	5452182.802					379024	78H5445	TERR	332 29 55	254.935	255.022		
		El	114.217					CVD28BC							
379024	78H5445	E	424675.044	0.9996537	0.9999840	647677	78H5444	TERR	152 29 55	254.935	255.022				
		N	5452408.929												
		El	119.045					CVD28BC							
871475	78H5446	E	424466.972	0.9996528	0.9999827	982835	82H5663	TERR	220 42 2	255.517	255.605				
		N	5452908.036					116566	78H5447	TERR	340 44 46	132.288	132.335		
		El	127.542					CVD28BC							
116566	78H5447	E	424423.349	0.9996529	0.9999828	913210	98SG037	GPS	77 47 35	204.883	204.955				
		N	5453032.925					871475	78H5446	TERR	160 44 46	132.288	132.335		
		El	126.985					CVD28BC		457093	78H5448	TERR	335 32 28	366.743	366.870
457093	78H5448	E	424271.502	0.9996543	0.9999839	116566	78H5447	TERR	155 32 28	366.743	366.870				
		N	5453366.756					137133	82H5664	TERR	268 8 38	241.454	241.537		
		El	119.953					CVD28BC		4127	78H5449	TERR	335 35 40	739.616	739.872
4127	78H5449	E	423965.898	0.9996565	0.9999855	914846	82H5718	TERR	92 16 57	123.506	123.548				
		N	5454040.283					457093	78H5448	TERR	155 35 40	739.616	739.872		
		El	109.686					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
533976	78H5451	E	426581.213	0.9996510	0.9999848	522268	79H9249	TERR	91 14 36	334.920	335.036		
		N	5449685.691					261701	78H5453	TERR	271 13 19	460.852	461.013
		El	114.207					CVD28BC	49155	82H5628	TERR	355 52 5	104.869
319715	78H5452	E	426687.859	0.9996516	0.9999856	MARKER DESTROYED							
		N	5450085.146										
		El	108.824			CVD28BC							
261701	78H5453	E	426120.466	0.9996517	0.9999847	947242	79H9240	TERR	0 42 23	145.698	145.749		
		N	5449695.519					533976	78H5451	TERR	91 13 19	460.852	461.013
		El	114.615					CVD28BC					
795708	78H5454	E	426184.028	0.9996516	0.9999847	282780	78H5459	TERR	276 38 21	59.049	59.070		
		N	5450097.361										
		El	114.781					CVD28BC					
533265	78H5455	E	426013.555	0.9996515	0.9999842	243311	78H5457	TERR	30 42 42	73.624	73.649		
		N	5450080.558					42226	78H5361	TERR	279 45 9	85.932	85.962
		El	117.687					CVD28BC					
945246	78H5456	E	425601.504	0.9996514	0.9999834	380055	78H5404	TERR	129 40 52	233.940	234.022		
		N	5450221.304					554832	77H5357	TERR	300 30 15	214.722	214.797
		El	122.611					CVD28BC					
243311	78H5457	E	426051.156	0.9996524	0.9999852	282780	78H5459	TERR	118 7 24	84.155	84.184		
		N	5450143.856					533265	78H5455	TERR	210 42 42	73.624	73.649
		El	111.069					CVD28BC	523605	78H5458	TERR	308 8 50	194.649
523605	78H5458	E	425898.079	0.9996536	0.9999861	243311	78H5457	TERR	128 8 50	194.649	194.716		
		N	5450264.087					493122	82H5627	TERR	326 11 33	88.712	88.743
		El	105.645					CVD28BC					
282780	78H5459	E	426125.375	0.9996520	0.9999850	795708	78H5454	TERR	96 38 21	59.049	59.070		
		N	5450104.188					252585	78H5416	TERR	180 39 45	151.467	151.519
		El	112.690					CVD28BC	243311	78H5457	TERR	298 7 24	84.155

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
472035	78H5460	E	428622.580	0.9996504	0.9999878	970574	78H5461	TERR	1 17 49	385.291	385.425
		N	5449256.789			120527	79H9165	TERR	91 21 38	211.080	211.153
		El	94.687			CVD28BC	451716	82H5645	TERR	271 20 27	125.693
						241232	79H9157	TERR	271 20 34	211.106	211.181
970574	78H5461	E	428631.300	0.9996509	0.9999884	404756	78H5370	TERR	64 55 4	90.173	90.205
		N	5449641.981			472035	78H5460	TERR	181 17 49	385.291	385.425
		El	91.352			CVD28BC					
926881	78H5462	E	428501.077	0.9996508	0.9999880	630434	78H5463	TERR	304 21 10	140.391	140.441
		N	5449748.185								
		El	93.639			CVD28BC					
630434	78H5463	E	428385.173	0.9996507	0.9999877	926881	78H5462	TERR	124 21 10	140.391	140.441
		N	5449827.406			385682	79H5474	TERR	328 24 16	173.265	173.326
		El	95.594			CVD28BC					
778704	78H5464	E	428416.024	0.9996503	0.9999873	747865	78H5465	TERR	1 15 34	129.573	129.618
		N	5449464.650			241232	79H9157	TERR	181 16 5	202.964	203.035
		El	97.953			CVD28BC	254664	78H5466	TERR	271 53 39	205.135
747865	78H5465	E	428418.872	0.9996507	0.9999877	778704	78H5464	TERR	181 15 34	129.573	129.618
		N	5449594.192								
		El	95.483			CVD28BC					
254664	78H5466	E	428211.001	0.9996500	0.9999867	687228	78H5467	TERR	0 9 37	324.758	324.872
		N	5449471.430			778704	78H5464	TERR	91 53 39	205.135	205.208
		El	101.682			CVD28BC					
687228	78H5467	E	428211.909	0.9996507	0.9999874	603787	78H5468	TERR	0 8 59	101.041	101.077
		N	5449796.187			254664	78H5466	TERR	180 9 37	324.758	324.872
		El	97.620			CVD28BC					
603787	78H5468	E	428212.173	0.9996506	0.9999873	385682	79H5474	TERR	46 35 53	113.169	113.208
		N	5449897.228			687228	78H5467	TERR	180 8 59	101.041	101.077
		El	98.363			CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
378166	78H5471	E	428893.324	0.9996585	0.9999964		MARKER DESTROYED				
		N	5450483.144								
		El	40.204	CVD28BC							
802835	78H5472	E	428897.300	0.9996606	0.9999985	856153	78H5473	TERR	1 34 12	205.655	205.725
		N	5450627.156			192070	78H5475	TERR	91 34 58	186.386	186.449
		El	26.815	CVD28BC							
856153	78H5473	E	428902.935	0.9996620	0.9999999	392563	78H5476	TERR	91 43 38	186.532	186.595
		N	5450832.734			802835	78H5472	TERR	181 34 12	205.655	205.725
		El	17.761	CVD28BC		971325	82H5703	TERR	271 43 27	165.224	165.280
						667220	79H5473	TERR	271 43 37	256.347	256.435
643304	78H5474	E	429079.737	0.9996612	0.9999994	192070	78H5475	TERR	1 32 29	144.178	144.226
		N	5450477.882			521559	3479	TERR	272 41 8	93.246	93.278
		El	21.101	CVD28BC							
192070	78H5475	E	429083.615	0.9996631	1.0000014	392563	78H5476	TERR	1 36 38	205.185	205.255
		N	5450622.008			141366	78H5482	TERR	91 36 19	233.386	233.464
		El	8.440	CVD28BC		643304	78H5474	TERR	181 32 29	144.178	144.226
						802835	78H5472	TERR	271 34 58	186.386	186.449
392563	78H5476	E	429089.382	0.9996638	1.0000020	192070	78H5475	TERR	181 36 38	205.185	205.255
		N	5450827.112			856153	78H5473	TERR	271 43 38	186.532	186.595
		El	4.431	CVD28BC							
911990	78H5477	E	429241.210	0.9996565	0.9999950	648840	3473	TERR	179 4 44	204.681	204.753
		N	5449878.317			324038	3478	TERR	299 5 52	134.639	134.685
		El	48.899	CVD28BC		342113	78H5478	TERR	356 44 47	108.715	108.752
342113	78H5478	E	429235.040	0.9996571	0.9999956	525311	78H5479	TERR	4 41 4	212.378	212.451
		N	5449986.857			911990	78H5477	TERR	176 44 47	108.715	108.752
		El	45.128	CVD28BC							
525311	78H5479	E	429252.384	0.9996595	0.9999980	342113	78H5478	TERR	184 41 4	212.378	212.451
		N	5450198.526			905422	3474	TERR	258 29 21	121.716	121.757
		El	29.702	CVD28BC		263061	78H5480	TERR	345 2 40	132.225	132.270

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
263061	78H5480	E	429218.261	0.9996608	0.9999992	525311	78H5479	TERR	165 2 40	132.225	132.270
		N	5450326.272								
		El	22.191	CVD28BC							
636159	78H5481	E	429252.372	0.9996634	1.0000019		MARKER DESTROYED				
		N	5450473.006								
		El	5.142	CVD28BC							
141366	78H5482	E	429316.909	0.9996634	1.0000021	468108	78H5483	TERR	13 40 12	209.634	209.705
		N	5450615.470			192070	78H5475	TERR	271 36 19	233.386	233.464
		El	3.933	CVD28BC							
468108	78H5483	E	429366.452	0.9996634	1.0000021	141366	78H5482	TERR	193 40 12	209.634	209.705
		N	5450819.166			226571	79H9328	TERR	329 30 32	92.875	92.906
		El	3.971	CVD28BC							
960328	78H8325	E	430569.487	0.9996543	0.9999951	174201	77H5317	TERR	269 50 27	157.007	157.060
		N	5448110.965			681452	78H5432	TERR	355 35 11	85.583	85.612
		El	48.560	CVD28BC							
230268	78H8326	E	429149.080	0.9996511	0.9999895	762351	15H2767	GPS	55 12 7	233.298	233.379
		N	5448190.201			498246	77H5292	TERR	129 27 18	316.933	317.044
		El	84.292	CVD28BC		973768	15H2766	GPS	298 24 45	347.640	347.762
						53488	79H9314	TERR	358 25 24	241.797	241.881
162404	79H5462	E	428786.664	0.9996548	0.9999925	255703	82H5700	TERR	1 26 58	123.891	123.933
		N	5450120.364			30270	79H5463	TERR	117 28 6	107.561	107.598
		El	64.993	CVD28BC		542688	92H0734	TERR	177 50 3	185.558	185.623
30270	79H5463	E	428882.099	0.9996552	0.9999931	900902	3468	TERR	1 16 17	310.142	310.249
		N	5450070.751			739243	3475	TERR	116 17 6	137.750	137.797
		El	61.041	CVD28BC		159327	3472	TERR	180 19 25	211.444	211.517
						162404	79H5462	TERR	297 28 6	107.561	107.598
185348	79H5464	E	427141.360	0.9996495	0.9999843	995563	79H9265	TERR	1 1 24	252.837	252.927
		N	5450652.650			315911	79H9369	TERR	115 14 2	374.398	374.529
		El	117.153	CVD28BC		605857	78H5437	TERR	278 13 50	498.396	498.571
						548412	79H9200	TERR	288 20 32	100.190	100.225

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
85571	79H5465	E	429038.390	0.9996610	0.9999991	864173	79H5466	TERR	284 26 26	105.435	105.471
		N	5450947.341								
		El	22.900	CVD28BC							
864173	79H5466	E	428936.286	0.9996606	0.9999986	85571	79H5465	TERR	104 26 26	105.435	105.471
		N	5450973.634			77701	79H5467	TERR	309 2 41	115.945	115.984
		El	26.100	CVD28BC							
77701	79H5467	E	428846.237	0.9996598	0.9999976	864173	79H5466	TERR	129 2 41	115.945	115.984
		N	5451046.671			140707	79H5468	TERR	322 50 4	129.478	129.522
		El	32.440	CVD28BC							
140707	79H5468	E	428768.017	0.9996589	0.9999966	77701	79H5467	TERR	142 50 4	129.478	129.522
		N	5451149.851			690495	79H5469	TERR	300 50 48	68.323	68.346
		El	39.077	CVD28BC							
690495	79H5469	E	428709.359	0.9996583	0.9999959	140707	79H5468	TERR	120 50 48	68.323	68.346
		N	5451184.883			715813	79H5470	TERR	278 8 51	206.757	206.828
		El	43.318	CVD28BC							
715813	79H5470	E	428504.689	0.9996576	0.9999948	690495	79H5469	TERR	98 8 51	206.757	206.828
		N	5451214.185			929513	79H5478	TERR	295 44 8	147.424	147.475
		El	50.322	CVD28BC							
60681	79H5471	E	428358.959	0.9996567	0.9999937	929513	79H5478	TERR	1 43 34	429.214	429.361
		N	5450849.180			76240	79H5472	TERR	91 43 46	93.433	93.465
		El	57.418	CVD28BC		773572	79H9336	TERR	271 41 59	141.938	141.986
						988105	79H5481	TERR	277 20 36	379.539	379.670
76240	79H5472	E	428452.349	0.9996572	0.9999944	667220	79H5473	TERR	91 44 21	194.445	194.510
		N	5450846.360			60681	79H5471	TERR	271 43 46	93.433	93.465
		El	53.078	CVD28BC							
667220	79H5473	E	428646.704	0.9996594	0.9999969	856153	78H5473	TERR	91 43 37	256.347	256.435
		N	5450840.459			971325	82H5703	TERR	91 43 55	91.124	91.155
		El	37.013	CVD28BC		612010	82H5646	TERR	167 13 24	68.613	68.636
						76240	79H5472	TERR	271 44 21	194.445	194.510

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
385682	79H5474	E	428294.396	0.9996508	0.9999876	828327	3471	TERR	123 40 17	126.746	126.790			
		N	5449974.988					630434	78H5463	TERR	148 24 16	173.265	173.326	
		El	95.980					CVD28BC	603787	78H5468	TERR	226 35 53	113.169	113.208
387233	79H5475	E	426885.372	0.9996497	0.9999840	227777	82H5629	TERR	0 39 0	86.472	86.502			
		N	5449909.705											
		El	118.744					CVD28BC						
652644	79H5476	E	427280.133	0.9996484	0.9999835	860056	79H5477	TERR	181 7 43	201.288	201.359			
		N	5451691.964					531459	79H9162	TERR	245 52 50	100.291	100.326	
		El	122.641					CVD28BC	813683	79H5499	TERR	349 3 40	104.657	104.693
860056	79H5477	E	427276.168	0.9996489	0.9999839	652644	79H5476	TERR	1 7 43	201.288	201.359			
		N	5451490.715					990978	79H5479	TERR	148 35 1	174.751	174.812	
		El	119.574					CVD28BC						
929513	79H5478	E	428371.888	0.9996565	0.9999935	715813	79H5470	TERR	115 44 8	147.424	147.475			
		N	5451278.199					60681	79H5471	TERR	181 43 34	429.214	429.361	
		El	58.783					CVD28BC	582924	79H5488	TERR	271 14 18	244.083	244.167
990978	79H5479	E	427367.258	0.9996500	0.9999852	420794	79H5498	TERR	181 6 37	170.236	170.296			
		N	5451341.582					860056	79H5477	TERR	328 35 1	174.751	174.812	
		El	111.744					CVD28BC						
154567	79H5480	E	427851.534	0.9996537	0.9999897	988105	79H5481	TERR	95 4 19	131.514	131.559			
		N	5450909.318					640508	79H9289	TERR	255 21 2	83.174	83.202	
		El	82.610					CVD28BC						
988105	79H5481	E	427982.533	0.9996548	0.9999911	448746	79H9168	TERR	22 27 19	183.499	183.563			
		N	5450897.691					60681	79H5471	TERR	97 20 36	379.539	379.670	
		El	73.813					CVD28BC	773572	79H9336	TERR	100 41 45	238.698	238.781
									154567	79H5480	TERR	275 4 19	131.514	131.559
850982	79H5482	E	426955.582	0.9996452	0.9999796	915181	79H5491	TERR	110 51 28	243.550	243.635			
		N	5451959.383					990200	79H5501	TERR	273 12 58	161.657	161.714	
		El	147.061					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
29645	79H5484	E	428874.440	0.9996359	0.9999737	24901	79H5485	TERR	109 44 18	69.471	69.496					
		N	5445824.553					31922				79H9210	TERR	263 53 48	129.693	129.740
		El	184.510					CVD28BC								
24901	79H5485	E	428939.829	0.9996367	0.9999747	24083	79H5486	TERR	137 2 51	157.370	157.427					
		N	5445801.091					29645				79H5484	TERR	289 44 18	69.471	69.496
		El	178.675					CVD28BC								
24083	79H5486	E	429047.060	0.9996382	0.9999764	24901	79H5485	TERR	317 2 51	157.370	157.427					
		N	5445685.909													
		El	167.591					CVD28BC								
305490	79H5487	E	428770.315	0.9996527	0.9999903	311597	79H5519	TERR	92 42 49	104.873	104.909					
		N	5446383.823					294942				79H9264	TERR	353 59 7	75.077	75.104
		El	78.611					CVD28BC								
582924	79H5488	E	428127.862	0.9996551	0.9999917	929513	79H5478	TERR	91 14 18	244.083	244.167					
		N	5451283.474					448746				79H9168	TERR	199 11 19	228.915	228.994
		El	70.148					CVD28BC				6635	79H5497	TERR	268 56 48	536.523
915181	79H5491	E	427183.171	0.9996459	0.9999807	813683	79H5499	TERR	135 18 45	109.639	109.678					
		N	5451872.667					850982				79H5482	TERR	290 51 28	243.550	243.635
		El	139.984					CVD28BC								
173104	79H5493	E	427456.979	0.9996488	0.9999841	880468	79H5508	TERR	180 50 35	141.250	141.301					
		N	5446859.447					262279				79H5496	TERR	271 7 33	240.397	240.481
		El	118.125					CVD28BC								
665323	79H5494	E	427816.356	0.9996501	0.9999861	693895	90H6356	TERR	66 31 56	109.521	109.560					
		N	5446802.790					663377				90H6352	TERR	114 56 5	125.036	125.080
		El	105.523					CVD28BC				154419	79H5512	TERR	230 11 20	114.666
757740	79H5495	E	427694.720	0.9996499	0.9999857	665323	79H5494	TERR	113 9 15	132.292	132.338					
		N	5446854.808					632752				88H4770	TERR	294 54 6	254.874	254.964
		El	108.468					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
262279	79H5496	E	427216.628	0.9996494	0.9999843	173104	79H5493	TERR	91 7 33	240.397	240.481			
		N	5446864.170					203240	79H5500	TERR	182 26 32	211.428	211.502	
		El	117.169					CVD28BC	262402	82H5659	TERR	268 40 20	71.121	71.146
6635	79H5497	E	427591.430	0.9996516	0.9999872	234641	79H5560	TERR	2 12 56	398.152	398.291			
		N	5451273.612					582924	79H5488	TERR	88 56 48	536.523	536.709	
		El	98.483					CVD28BC	987594	79H9288	TERR	187 9 12	111.690	111.729
									420794	79H5498	TERR	245 47 57	249.389	249.476
420794	79H5498	E	427363.959	0.9996503	0.9999855	990978	79H5479	TERR	1 6 37	170.236	170.296			
		N	5451171.378					6635	79H5497	TERR	65 47 57	249.389	249.476	
		El	109.775					CVD28BC	81679	79H9199	TERR	249 39 17	152.562	152.615
813683	79H5499	E	427260.273	0.9996466	0.9999816	652644	79H5476	TERR	169 3 40	104.657	104.693			
		N	5451794.719					915181	79H5491	TERR	315 18 45	109.639	109.678	
		El	134.370					CVD28BC						
203240	79H5500	E	427207.619	0.9996474	0.9999823	262279	79H5496	TERR	2 26 32	211.428	211.502			
		N	5446652.934					745901	79H5504	TERR	163 55 55	99.907	99.942	
		El	130.082					CVD28BC						
990200	79H5501	E	426794.180	0.9996457	0.9999799	850982	79H5482	TERR	93 12 58	161.657	161.714			
		N	5451968.452					411918	79H5542	TERR	298 4 51	170.097	170.158	
		El	145.583					CVD28BC						
333310	79H5502	E	426642.344	0.9996451	0.9999790									
		N	5452049.454											
		El	150.889	CVD28BC										
331702	79H5503	E	426210.507	0.9996459	0.9999790	439232	79H5551	TERR	92 29 11	237.409	237.492			
		N	5452068.342					411918	79H5542	TERR	92 37 3	434.052	434.205	
		El	150.783					CVD28BC	785915	79H9160	TERR	192 54 1	77.558	77.585
									315499	79H5541	TERR	272 29 7	135.093	135.141
745901	79H5504	E	427235.271	0.9996451	0.9999801	851006	16H2772	GPS	110 44 10	289.849	289.952			
		N	5446556.930					366922	16H2771	GPS	235 50 60	170.806	170.867	
		El	143.842					CVD28BC	292896	16H2770	GPS	255 50 16	363.824	363.953
									203240	79H5500	TERR	343 55 55	99.907	99.942

MARKER DESTROYED

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
273656	79H5506	E	427263.190	0.9996435	0.9999785		MARKER DESTROYED				
		N	5446462.136								
		El	154.063	CVD28BC							
847202	79H5507	E	427494.926	0.9996456	0.9999810		MARKER DESTROYED				
		N	5446457.705								
		El	138.255	CVD28BC							
880468	79H5508	E	427454.901	0.9996483	0.9999837	173104	79H5493	TERR	0 50 35	141.250	141.301
		N	5446718.212								
		El	121.164	CVD28BC							
929844	79H5509	E	427417.515	0.9996602	0.9999955		MARKER DESTROYED				
		N	5453936.443								
		El	45.690	CVD28BC							
284612	79H5510	E	428690.874	0.9996533	0.9999908	294942	79H9264	TERR	107 34 22	75.078	75.103
		N	5446481.154								
		El	75.389	CVD28BC							
517086	79H5511	E	427422.583	0.9996613	0.9999966	593988	79H5521	TERR	351 28 55	113.157	113.196
		N	5454112.427								
		El	38.707	CVD28BC							
154419	79H5512	E	427728.274	0.9996487	0.9999845	665323	79H5494	TERR	50 11 20	114.666	114.706
		N	5446729.374			238527	79H5513	TERR	215 36 15	87.371	87.402
		El	115.520	CVD28BC							
238527	79H5513	E	427677.408	0.9996478	0.9999835	154419	79H5512	TERR	35 36 15	87.371	87.402
		N	5446658.336			398792	82H5665	TERR	200 24 4	140.105	140.154
		El	121.876	CVD28BC		851006	16H2772	GPS	219 58 38	266.255	266.348
335158	79H5514	E	428867.888	0.9996504	0.9999882	331553	79H5585	TERR	109 8 40	84.187	84.217
		N	5446177.876			343723	79H5535	TERR	303 38 28	203.575	203.646
		El	92.073	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
354605	79H5515	E	428961.140	0.9996539	0.9999919	331553	79H5585	TERR	183 51 53	203.575	203.646		
		N	5446353.379					311597	79H5519	TERR	286 29 25	89.762	89.794
		El	68.801					CVD28BC					
259028	79H5516	E	428629.377	0.9996507	0.9999881	343723	79H5535	TERR	139 8 42	105.527	105.563		
		N	5446370.471					254052	79H5522	TERR	331 3 23	62.759	62.781
		El	92.739					CVD28BC					
32953	79H5517	E	428742.554	0.9996344	0.9999720	31922	79H9210	TERR	1 53 54	88.384	88.416		
		N	5445722.429					41582	79H5518	TERR	228 58 7	70.842	70.868
		El	195.506					CVD28BC					
41582	79H5518	E	428689.114	0.9996331	0.9999706	32953	79H5517	TERR	48 58 7	70.842	70.868		
		N	5445675.923					58792	79H9269	TERR	318 49 59	83.310	83.341
		El	204.464					CVD28BC					
311597	79H5519	E	428875.070	0.9996534	0.9999912	354605	79H5515	TERR	106 29 25	89.762	89.794		
		N	5446378.858					313213	79H9270	TERR	186 29 4	87.796	87.826
		El	72.901					CVD28BC		305490	79H5487	TERR	272 42 49
593988	79H5521	E	427405.822	0.9996616	0.9999968	517086	79H5511	TERR	171 28 55	113.157	113.196		
		N	5454224.336					700690	89H5619	TERR	340 28 8	125.069	125.111
		El	37.473					CVD28BC					
254052	79H5522	E	428599.005	0.9996516	0.9999890	259028	79H5516	TERR	151 3 23	62.759	62.781		
		N	5446425.391					242727	90H6363	TERR	358 56 18	121.919	121.961
		El	87.101					CVD28BC					
795229	79H5524	E	432070.969	0.9996442	0.9999875	806596	79H9389	TERR	94 54 48	140.619	140.668		
		N	5440853.235					97733	79H5596	TERR	341 7 16	71.565	71.589
		El	96.628					CVD28BC					
849190	79H5525	E	426866.855	0.9996406	0.9999749		MARKER DESTROYED						
		N	5446473.508										
		El	177.033	CVD28BC									

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
362574	79H5526	E	427650.217	0.9996642	0.9999999	66639	82H5692	TERR	70 31 40	108.678	108.714
		N	5454454.816			64956	83H6024	TERR	181 31 51	135.919	135.964
		El	17.954	CVD28BC		827972	89H5620	TERR	259 53 18	260.017	260.105
835801	79H5527	E	428353.443	0.9996621	0.9999990	696740	83H6054	TERR	95 17 10	195.372	195.438
		N	5454428.309			368159	79H5536	TERR	266 22 44	55.733	55.752
		El	23.564	CVD28BC							
858084	79H5528	E	428118.330	0.9996639	1.0000005	951830	88H4791	GPS	105 29 26	589.550	589.750
		N	5454448.870			946087	90H6393	GPS	134 51 50	360.797	360.920
		El	14.194	CVD28BC		993808	88H4773	GPS	229 54 16	252.023	252.107
					292623	79H9252	TERR	280 56 46	214.958	215.030	
879106	79H5529	E	426773.905	0.9996410	0.9999752	875583	82H5658	TERR	33 53 55	113.081	113.121
		N	5446613.410			366922	16H2771	GPS	115 27 36	354.433	354.560
		El	175.392	CVD28BC		298463	16H2775	GPS	137 23 36	821.016	821.310
					292896	16H2770	GPS	143 15 43	181.557	181.623	
					699389	16H2769	GPS	253 30 5	417.760	417.909	
					272062	16H2768	GPS	271 36 24	551.679	551.876	
					735472	90H6399	GPS	292 0 20	1354.123	1354.604	
					811109	90H6395	GPS	321 8 26	604.735	604.949	
					301952	82H5634	GPS	353 51 11	3196.842	3197.974	
790147	79H5530	E	426614.468	0.9996444	0.9999783	584375	82H5660	TERR	91 6 36	291.919	292.022
		N	5446865.736			810382	82H5661	TERR	274 31 9	100.227	100.262
		El	155.456	CVD28BC							
845214	79H5531	E	426657.701	0.9996415	0.9999754	292896	16H2770	GPS	102 20 9	230.117	230.200
		N	5446517.076			699389	16H2769	GPS	265 30 53	285.229	285.331
		El	173.552	CVD28BC		826685	79H5533	TERR	303 53 17	182.627	182.693
574483	79H5532	E	427086.766	0.9996414	0.9999761	MARKER DESTROYED					
826685	79H5533	N	5446466.275								
		El	169.548	CVD28BC		845214	79H5531	TERR	123 53 17	182.627	182.693
					699389	16H2769	GPS	226 55 16	181.747	181.812	
			172.110	CVD28BC	272062	16H2768	GPS	272 0 49	283.829	283.930	

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
869040	79H5534	E	426688.548	0.9996435	0.9999775	875583	82H5658	TERR	120 44 11	172.682	172.743
		N	5446795.526								
		El	160.479	CVD28BC							
343723	79H5535	E	428698.407	0.9996498	0.9999873	335158	79H5514	TERR	123 38 28	203.575	203.646
		N	5446290.654			259028	79H5516	TERR	319 8 42	105.527	105.563
		El	97.858	CVD28BC							
368159	79H5536	E	428297.821	0.9996623	0.9999992	835801	79H5527	TERR	86 22 44	55.733	55.752
		N	5454424.789								
		El	22.480	CVD28BC							
661967	79H5537	E	426757.380	0.9996443	0.9999784	894402	79H5538	TERR	91 25 43	138.099	138.149
		N	5452093.253			426882	79H5545	TERR	341 53 42	79.708	79.736
		El	154.712	CVD28BC							
894402	79H5538	E	426895.436	0.9996445	0.9999788	379081	79H5543	TERR	92 9 44	176.655	176.718
		N	5452089.810			661967	79H5537	TERR	271 25 43	138.099	138.149
		El	152.017	CVD28BC							
697482	79H5539	E	426624.329	0.9996444	0.9999783	426882	79H5545	TERR	118 1 31	122.665	122.707
		N	5452226.649			586404	79H5553	TERR	289 43 1	165.543	165.603
		El	155.739	CVD28BC							
166207	79H5540	E	426077.541	0.9996460	0.9999789	227520	79H5580	TERR	4 6 20	122.606	122.649
		N	5452237.807			315499	79H5541	TERR	180 42 1	163.619	163.677
		El	151.539	CVD28BC							
315499	79H5541	E	426075.541	0.9996469	0.9999798	166207	79H5540	TERR	0 42 1	163.619	163.677
		N	5452074.200			331702	79H5503	TERR	92 29 7	135.093	135.141
		El	145.852	CVD28BC		361154	79H9255	TERR	280 1 24	116.156	116.198
411918	79H5542	E	426644.106	0.9996452	0.9999791	990200	79H5501	TERR	118 4 51	170.097	170.158
		N	5452048.520			331702	79H5503	TERR	272 37 3	434.052	434.205
		El	150.572	CVD28BC		439232	79H5551	TERR	272 46 33	196.645	196.715
						201053	79H5557	TERR	355 19 10	94.916	94.949

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
379081	79H5543	E	427071.965	0.9996467	0.9999814	317016	79H5544	TERR	118 12 54	100.833	100.869		
		N	5452083.145					894402	79H5538	TERR	272 9 44	176.655	176.718
		El	135.983					CVD28BC					
317016	79H5544	E	427160.817	0.9996470	0.9999818	902908	79H5546	TERR	105 14 35	97.295	97.329		
		N	5452035.473					379081	79H5543	TERR	298 12 54	100.833	100.869
		El	132.925					CVD28BC					
426882	79H5545	E	426732.610	0.9996443	0.9999784	661967	79H5537	TERR	161 53 42	79.708	79.736		
		N	5452169.014					697482	79H5539	TERR	298 1 31	122.665	122.707
		El	155.108					CVD28BC					
902908	79H5546	E	427254.689	0.9996476	0.9999826	206581	79H5547	TERR	114 55 1	111.884	111.923		
		N	5452009.893					317016	79H5544	TERR	285 14 35	97.295	97.329
		El	128.244					CVD28BC					
206581	79H5547	E	427356.159	0.9996478	0.9999830	28514	79H5548	TERR	186 36 3	152.450	152.503		
		N	5451962.756					902908	79H5546	TERR	294 55 1	111.884	111.923
		El	125.814					CVD28BC					
28514	79H5548	E	427338.635	0.9996473	0.9999824	206581	79H5547	TERR	6 36 3	152.450	152.503		
		N	5451811.317					983742	79H5549	TERR	91 34 5	140.427	140.476
		El	129.295					CVD28BC					
983742	79H5549	E	427479.009	0.9996487	0.9999841	37044	79H5554	TERR	51 42 34	154.809	154.863		
		N	5451807.474					28514	79H5548	TERR	271 34 5	140.427	140.476
		El	118.367					CVD28BC					
780619	79H5550	E	426449.673	0.9996443	0.9999779	586404	79H5553	TERR	18 9 3	60.410	60.431		
		N	5452225.095					833046	79H5555	TERR	180 40 56	73.815	73.842
		El	158.211					CVD28BC					
439232	79H5551	E	426447.692	0.9996455	0.9999791	833046	79H5555	TERR	0 40 38	93.249	93.281		
		N	5452058.043					411918	79H5542	TERR	92 46 33	196.645	196.715
		El	150.690					CVD28BC		331702	79H5503	TERR	272 29 11

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
315358	79H5552	E	426438.916	0.9996452	0.9999787	586404	79H5553	TERR	149 52 2	58.916	58.936		
		N	5452333.453					652826	79H5582	TERR	296 32 18	121.324	121.367
		El	152.977					CVD28BC					
586404	79H5553	E	426468.492	0.9996445	0.9999781	697482	79H5539	TERR	109 43 1	165.543	165.603		
		N	5452282.499					780619	79H5550	TERR	198 9 3	60.410	60.431
		El	157.082					CVD28BC		315358	79H5552	TERR	329 52 2
37044	79H5554	E	427600.515	0.9996492	0.9999848	983742	79H5549	TERR	231 42 34	154.809	154.863		
		N	5451903.401										
		El	113.991					CVD28BC					
833046	79H5555	E	426448.794	0.9996452	0.9999787	780619	79H5550	TERR	0 40 56	73.815	73.842		
		N	5452151.285					721035	79H5556	TERR	92 29 19	93.869	93.901
		El	152.799					CVD28BC		439232	79H5551	TERR	180 40 38
721035	79H5556	E	426542.574	0.9996443	0.9999780	201053	79H5557	TERR	92 29 49	93.876	93.910		
		N	5452147.209					833046	79H5555	TERR	272 29 19	93.869	93.901
		El	157.187					CVD28BC					
201053	79H5557	E	426636.361	0.9996441	0.9999779	411918	79H5542	TERR	175 19 10	94.916	94.949		
		N	5452143.119					721035	79H5556	TERR	272 29 49	93.876	93.910
		El	157.867					CVD28BC					
403964	79H5559	E	427479.018	0.9996514	0.9999868	140186	79H9298	TERR	82 15 47	112.202	112.242		
		N	5449055.246										
		El	101.401					CVD28BC					
234641	79H5560	E	427606.823	0.9996505	0.9999861	879718	79H9291	TERR	10 0 47	101.736	101.772		
		N	5451671.466					6635	79H5497	TERR	182 12 56	398.152	398.291
		El	105.541					CVD28BC					
964007	79H5561	E	427381.705	0.9996518	0.9999870								
		N	5448943.362										
		El	99.899	CVD28BC									

MARKER DESTROYED

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
519249	79H5562	E	424310.020	0.9996584	0.9999880	471748	79H5563	TERR	0 48 21	369.511	369.636					
		N	5454821.119					27367	88H4793			TERR	91 6 58	386.161	386.294	
		El	93.671					CVD28BC	330050			88H4802	TERR	92 19 35	195.411	195.478
									386458			95H1764	TERR	174 46 18	158.778	158.832
999474	89H5652	TERR	271 15 37	214.150	214.223											
471748	79H5563	E	424315.217	0.9996611	0.9999907	474882	79H9225	TERR	89 15 10	192.705	192.770					
		N	5455190.593					519249	79H5562			TERR	180 48 21	369.511	369.636	
		El	76.408					CVD28BC								
424275	79H5565	E	425713.090	0.9996533	0.9999855	76224	79H9166	TERR	127 10 18	193.569	193.636					
		N	5451215.166					524561	78H5440			TERR	278 20 42	305.669	305.775	
		El	109.147					CVD28BC								
463190	79H5566	E	428190.071	0.9996495	0.9999862	241232	79H9157	TERR	91 21 24	221.523	221.600					
		N	5449266.981					134320	79H9174			TERR	181 6 16	109.999	110.038	
		El	105.319					CVD28BC	675652			83H6022	TERR	271 51 59	468.479	468.643
301986	79H5567	E	429974.630	0.9996491	0.9999888	208280	79H5573	TERR	31 57 54	104.414	104.451					
		N	5451593.648					949354	79H5568			TERR	274 23 48	114.828	114.869	
		El	88.564					CVD28BC								
949354	79H5568	E	429860.140	0.9996502	0.9999897	301986	79H5567	TERR	94 23 48	114.828	114.869					
		N	5451602.451					240622	79H5569			TERR	309 41 59	101.166	101.201	
		El	82.658					CVD28BC								
240622	79H5569	E	429782.303	0.9996491	0.9999885	949354	79H5568	TERR	129 41 59	101.166	101.201					
		N	5451667.072													
		El	90.414					CVD28BC								
437814	79H5570	E	429857.031	0.9996477	0.9999873	819995	79H5571	TERR	348 34 19	79.991	80.019					
		N	5451757.712													
		El	98.478					CVD28BC								
819995	79H5571	E	429841.182	0.9996478	0.9999874	449538	82H5638	TERR	95 5 37	77.964	77.991					
		N	5451836.117					437814	79H5570			TERR	168 34 19	79.991	80.019	
		El	97.793					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
267641	79H5572	E	429965.212	0.9996447	0.9999844	208280	79H5573	TERR	134 31 1	90.731	90.763
		N	5451745.843								
		El	116.531	CVD28BC							
208280	79H5573	E	430029.907	0.9996451	0.9999850	301986	79H5567	TERR	211 57 54	104.414	104.451
		N	5451682.230			267641	79H5572	TERR	314 31 1	90.731	90.763
		El	113.282	CVD28BC							
790204	79H5574	E	425789.898	0.9996524	0.9999848	4770	79H5575	TERR	225 4 41	165.079	165.135
		N	5450869.369			354498	98SG028	GPS	294 31 56	295.628	295.730
		El	114.172	CVD28BC							
4770	79H5575	E	425673.011	0.9996529	0.9999850	790204	79H5574	TERR	45 4 41	165.079	165.135
		N	5450752.800			209551	79H5576	TERR	242 47 36	145.943	145.994
		El	112.382	CVD28BC							
209551	79H5576	E	425543.215	0.9996533	0.9999852	4770	79H5575	TERR	62 47 36	145.943	145.994
		N	5450686.075			501841	79H5578	TERR	115 43 34	143.519	143.568
		El	111.244	CVD28BC		673988	79H5577	TERR	295 43 18	95.664	95.697
673988	79H5577	E	425457.030	0.9996533	0.9999851	209551	79H5576	TERR	115 43 18	95.664	95.697
		N	5450727.593			610600	83H6023	TERR	180 18 26	231.069	231.149
		El	112.201	CVD28BC		334474	89H5633	TERR	295 24 46	268.964	269.057
501841	79H5578	E	425672.508	0.9996534	0.9999856	999144	79H5579	TERR	131 54 34	97.248	97.281
		N	5450623.778			209551	79H5576	TERR	295 43 34	143.519	143.568
		El	109.111	CVD28BC							
999144	79H5579	E	425744.880	0.9996535	0.9999857	706317	82H5626	TERR	146 11 26	94.236	94.268
		N	5450558.821			501841	79H5578	TERR	311 54 34	97.248	97.281
		El	107.966	CVD28BC							
227520	79H5580	E	426086.319	0.9996464	0.9999793	181750	79H5581	TERR	24 11 4	68.100	68.124
		N	5452360.098			166207	79H5540	TERR	184 6 20	122.606	122.649
		El	148.972	CVD28BC		455865	79H5593	TERR	291 12 15	93.013	93.046

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
181750	79H5581	E	426114.218	0.9996469	0.9999799	652826	79H5582	TERR	99 5 3	218.903	218.980	
		N	5452422.221					79H5580	TERR	204 11 4	68.100	68.124
		El	145.541					CVD28BC				
652826	79H5582	E	426330.375	0.9996463	0.9999796	315358	79H5552	TERR	116 32 18	121.324	121.367	
		N	5452387.660					79H5581	TERR	279 5 3	218.903	218.980
		El	147.155					CVD28BC				
232116	79H5583	E	425036.534	0.9996595	0.9999904	882688	79H5599	TERR	14 4 20	111.242	111.280	
		N	5454806.695					89H5611	TERR	91 7 51	259.247	259.335
		El	78.118					CVD28BC	215491	79H5600	TERR	271 9 36
50989	79H5584	E	424953.683	0.9996636	0.9999944	713206	79H9172	TERR	46 3 23	46.862	46.878	
		N	5455167.700					79H5588	TERR	180 46 58	168.867	168.923
		El	52.709					CVD28BC				
331553	79H5585	E	428947.419	0.9996513	0.9999893	354605	79H5515	TERR	3 51 53	203.575	203.646	
		N	5446150.267					79H5514	TERR	289 8 40	84.187	84.217
		El	85.151					CVD28BC				
762112	79H5586	E	432876.054	0.9996507	0.9999953	916841	79H9385	TERR	91 12 46	68.793	68.818	
		N	5440959.235					79H9330	TERR	298 54 1	69.429	69.452
		El	47.041					CVD28BC				
587170	79H5588	E	424951.376	0.9996609	0.9999917	50989	79H5584	TERR	0 46 58	168.867	168.923	
		N	5454998.849					79H9178	TERR	271 11 4	54.911	54.929
		El	69.812					CVD28BC				
492108	79H5589	E	433038.966	0.9996530	0.9999979	439240	79H5590	TERR	175 16 36	95.840	95.873	
		N	5441051.137					79H9390	TERR	358 36 13	107.136	107.173
		El	30.458					CVD28BC				
439240	79H5590	E	433046.858	0.9996523	0.9999973	916841	79H9385	TERR	271 12 38	102.049	102.085	
		N	5440955.623					79H5589	TERR	355 16 36	95.840	95.873
		El	34.671					CVD28BC	492108			

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
536573	79H5591	E	425950.749	0.9996503	0.9999829	527655	79H5592	TERR	84 47 37	185.607	185.672				
		N	5452502.703					736066	90H6353	TERR	271 0 28	87.387	87.418		
		El	126.042					CVD28BC							
527655	79H5592	E	426135.590	0.9996500	0.9999830	406140	14H2755	GPS	3 34 35	222.936	223.015				
		N	5452519.546					265223	14H2754	GPS	66 47 27	402.194	402.337		
		El	125.376					CVD28BC		761320	79H5594	TERR	101 6 49	278.493	278.590
										536573	79H5591	TERR	264 47 37	185.607	185.672
										451724	14H2756	GPS	272 53 14	480.231	480.399
455865	79H5593	E	425999.603	0.9996473	0.9999800	227520	79H5580	TERR	111 12 15	93.013	93.046				
		N	5452393.740					482802	90H6392	TERR	284 42 15	89.285	89.317		
		El	144.739					CVD28BC							
761320	79H5594	E	426408.860	0.9996498	0.9999833	527655	79H5592	TERR	281 6 49	278.493	278.590				
		N	5452465.865												
		El	123.723					CVD28BC							
632570	79H5595	E	432652.785	0.9996512	0.9999955	803510	79H9398	TERR	16 3 34	89.410	89.441				
		N	5440961.348					848127	79H9395	TERR	226 28 15	106.767	106.805		
		El	45.817					CVD28BC							
97733	79H5596	E	432047.813	0.9996441	0.9999874	795229	79H5524	TERR	161 7 16	71.565	71.589				
		N	5440920.950												
		El	97.374					CVD28BC							
861534	79H5598	E	430317.144	0.9996518	0.9999922	426692	77H5270	TERR	1 1 3	422.172	422.318				
		N	5443877.422					660100	77H5276	TERR	91 8 16	211.310	211.383		
		El	66.905					CVD28BC		436055	79H9194	TERR	181 2 9	342.234	342.354
882688	79H5599	E	425063.582	0.9996606	0.9999916	232116	79H5583	TERR	194 4 20	111.242	111.280				
		N	5454914.599					525345	79H9171	TERR	350 38 15	145.332	145.381		
		El	70.656					CVD28BC							
215491	79H5600	E	424893.896	0.9996587	0.9999894	684415	79H9178	TERR	0 46 36	190.419	190.484				
		N	5454809.583					232116	79H5583	TERR	91 9 36	142.667	142.716		
		El	84.951					CVD28BC		27029	89H5610	TERR	180 35 21	151.162	151.213
										27367	88H4793	TERR	271 9 47	197.829	197.896

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
282442	79H9151	E	426943.852	0.9996492	0.9999836	383190	79H9161	TERR	49 50 40	218.284	218.361			
		N	5451449.965					55855	79H9152	TERR	282 41 5	171.932	171.993	
		El	121.470					CVD28BC						
55855	79H9152	E	426776.116	0.9996508	0.9999849	282442	79H9151	TERR	102 41 5	171.932	171.993			
		N	5451487.719					237396	79H9153	TERR	293 37 42	103.802	103.838	
		El	113.434					CVD28BC						
237396	79H9153	E	426681.016	0.9996510	0.9999849	55855	79H9152	TERR	113 37 42	103.802	103.838			
		N	5451529.323					532655	79H9154	TERR	305 46 12	352.243	352.366	
		El	113.071					CVD28BC						
532655	79H9154	E	426395.217	0.9996487	0.9999822	237396	79H9153	TERR	125 46 12	352.243	352.366			
		N	5451735.221					262469	79H9155	TERR	329 19 57	116.489	116.530	
		El	130.707					CVD28BC						
262469	79H9155	E	426335.801	0.9996473	0.9999806	532655	79H9154	TERR	149 19 57	116.489	116.530			
		N	5451835.418					728733	79H9156	TERR	303 35 38	106.118	106.155	
		El	140.609					CVD28BC						
728733	79H9156	E	426247.407	0.9996473	0.9999805	262469	79H9155	TERR	123 35 38	106.118	106.155			
		N	5451894.133					414151	79H9159	TERR	283 9 28	74.857	74.883	
		El	141.508					CVD28BC						
241232	79H9157	E	428411.532	0.9996497	0.9999867	778704	78H5464	TERR	1 16 5	202.964	203.035			
		N	5449261.736					472035	78H5460	TERR	91 20 34	211.106	211.181	
		El	101.648					CVD28BC	451716	82H5645	TERR	91 20 45	85.413	85.443
									463190	79H5566	TERR	271 21 24	221.523	221.600
414151	79H9159	E	426174.515	0.9996476	0.9999806	785915	79H9160	TERR	12 53 48	83.680	83.709			
		N	5451911.173					728733	79H9156	TERR	103 9 28	74.857	74.883	
		El	140.799					CVD28BC		24422	79H9222	TERR	288 46 33	225.131
785915	79H9160	E	426193.192	0.9996462	0.9999793	331702	79H5503	TERR	12 54 1	77.558	77.585			
		N	5451992.742					414151	79H9159	TERR	192 53 48	83.680	83.709	
		El	149.390					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres												
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																
383190	79H9161	E	427110.686	0.9996480	0.9999827	531459	79H9162	TERR	52 17 2	98.492	98.527												
		N	5451590.729					79H9151				TERR	229 50 40	218.284	218.361								
		El	127.183					CVD28BC															
531459	79H9162	E	427188.598	0.9996484	0.9999833	652644	79H5476	TERR	65 52 50	100.291	100.326												
		N	5451650.981					79H9161				TERR	232 17 2	98.492	98.527								
		El	123.604									CVD28BC											
165951	79H9163	E	424793.796	0.9996538	0.9999843	859173	78H5443	TERR	121 51 39	219.465	219.541												
		N	5451986.089					79H9164				TERR	300 43 29	319.481	319.592								
		El	116.961									CVD28BC											
420612	79H9164	E	424519.160	0.9996544	0.9999844	165951	79H9163	TERR	120 43 29	319.481	319.592												
		N	5452149.317					89H5626				TERR	260 20 46	151.030	151.082								
		El	116.512									CVD28BC				490276	79H9184	TERR	311 18 59	223.803	223.879		
120527	79H9165	E	428833.600	0.9996511	0.9999889	353813	77H5139	TERR	91 21 15	336.677	336.795												
		N	5449251.777					78H5460				TERR	271 21 38	211.080	211.153								
		El	88.227									CVD28BC											
76224	79H9166	E	425867.331	0.9996525	0.9999850	575688	79H9180	TERR	37 6 17	158.451	158.505												
		N	5451098.211					79H5565				TERR	307 10 18	193.569	193.636								
		El	112.877									CVD28BC											
447201	79H9167	E	427862.790	0.9996514	0.9999874	101311	79H9173	TERR	126 5 53	120.122	120.163												
		N	5450642.634																				
		El	97.280					CVD28BC															
448746	79H9168	E	428052.623	0.9996553	0.9999917	582924	79H5488	TERR	19 11 19	228.915	228.994												
		N	5451067.277					79H5481				TERR	202 27 19	183.499	183.563								
		El	70.162									CVD28BC											
876235	79H9169	E	423195.043	0.9996641	0.9999916	792457	92H0755	GPS	55 46 56	361.975	362.096												
		N	5455249.328					940551				GPS	97 8 52	293.000	293.099								
		El	70.577					CVD28BC				347336				92H0729	GPS	137 56 51	161.380	161.435			
												953216				79H9179	TERR				326 2 21	209.822	209.892

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
525345	79H9171	E	425039.939	0.9996625	0.9999935	674481	79H9193	TERR	26 16 14	64.533	64.555						
		N	5455057.995					882688				79H5599	TERR	170 38 15	145.332	145.381	
		El	58.442					CVD28BC									
713206	79H9172	E	424987.425	0.9996641	0.9999950	674481	79H9193	TERR	136 8 9	117.003	117.042						
		N	5455200.220					50989				79H5584	TERR	226 3 23	46.862	46.878	
		El	49.092					CVD28BC				1529	89H5617	TERR	316 17 13	171.977	172.035
101311	79H9173	E	427959.850	0.9996517	0.9999879	992792	79H9175	TERR	64 24 13	127.408	127.452						
		N	5450571.862					447201				79H9167	TERR	306 5 53	120.122	120.163	
		El	93.992					CVD28BC									
134320	79H9174	E	428187.951	0.9996496	0.9999862	463190	79H5566	TERR	1 6 16	109.999	110.038						
		N	5449157.002					776559				82H5643	TERR	181 5 21	140.663	140.713	
		El	104.977					CVD28BC									
992792	79H9175	E	428074.754	0.9996533	0.9999897	101311	79H9173	TERR	244 24 13	127.408	127.452						
		N	5450626.906					276477				82H5714	TERR	333 17 7	85.372	85.402	
		El	82.506					CVD28BC									
294801	79H9176	E	423150.803	0.9996679	0.9999954	940551	92H0732	GPS	127 47 14	423.847	423.988						
		N	5455472.573					953216				79H9179	TERR	236 0 12	88.017	88.045	
		El	46.522					CVD28BC									
282988	79H9177	E	430361.777	0.9996507	0.9999911	290700	79H9191	TERR	153 52 46	153.779	153.833						
		N	5443591.083					436055				79H9194	TERR	222 18 19	75.502	75.529	
		El	73.515					CVD28BC									
684415	79H9178	E	424896.477	0.9996606	0.9999913	587170	79H5588	TERR	91 11 4	54.911	54.929						
		N	5454999.984					215491				79H5600	TERR	180 46 36	190.419	190.484	
		El	72.294					CVD28BC				673616	88H4803	TERR	271 9 45	197.847	197.915
953216	79H9179	E	423077.831	0.9996673	0.9999947	294801	79H9176	TERR	56 0 12	88.017	88.045						
		N	5455423.359					792457				92H0755	GPS	85 56 45	417.576	417.715	
		El	51.111					CVD28BC				940551	92H0732	GPS	117 17 35	459.039	459.192
												876235	79H9169	TERR	146 2 21	209.822	209.892

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
575688	79H9180	E	425962.920	0.9996517	0.9999844	170902	79H9181	TERR	127 10 34	191.050	191.116			
		N	5451224.581					76224	79H9166	TERR	217 6 17	158.451	158.505	
		El	116.465					CVD28BC						
170902	79H9181	E	426115.145	0.9996514	0.9999844	461327	79H9183	TERR	74 16 9	181.859	181.923			
		N	5451109.136					583534	79H9182	TERR	124 30 37	109.667	109.705	
		El	116.600					CVD28BC		575688	79H9180	TERR	307 10 34	191.050
583534	79H9182	E	426205.513	0.9996514	0.9999845	461327	79H9183	TERR	37 13 51	139.960	140.010			
		N	5451047.004					170902	79H9181	TERR	304 30 37	109.667	109.705	
		El	116.143					CVD28BC						
461327	79H9183	E	426290.193	0.9996505	0.9999838	583534	79H9182	TERR	217 13 51	139.960	140.010			
		N	5451158.441					170902	79H9181	TERR	254 16 9	181.859	181.923	
		El	120.607					CVD28BC						
490276	79H9184	E	424351.067	0.9996552	0.9999849	420612	79H9164	TERR	131 18 59	223.803	223.879			
		N	5452297.075					925057	79H9185	TERR	326 42 19	188.453	188.519	
		El	113.196					CVD28BC						
925057	79H9185	E	424247.616	0.9996563	0.9999858	490276	79H9184	TERR	146 42 19	188.453	188.519			
		N	5452454.595					352385	79H9186	TERR	336 10 13	177.333	177.394	
		El	107.296					CVD28BC						
352385	79H9186	E	424175.970	0.9996565	0.9999859	982835	82H5663	TERR	51 54 14	158.045	158.100			
		N	5452616.810					925057	79H9185	TERR	156 10 13	177.333	177.394	
		El	106.912					CVD28BC	345058	89H5628	GPS	176 21 24	849.884	850.177
									690222	94H1536	GPS	216 27 49	805.077	805.351
									102194	96H2088	GPS	283 6 46	824.647	824.928
									977801	79H9187	TERR	337 42 12	152.540	152.592
977801	79H9187	E	424118.096	0.9996555	0.9999848	352385	79H9186	TERR	157 42 12	152.540	152.592			
		N	5452757.945					347724	79H9188	TERR	345 5 33	177.790	177.852	
		El	114.079					CVD28BC						
347724	79H9188	E	424072.358	0.9996553	0.9999845	977801	79H9187	TERR	165 5 33	177.790	177.852			
		N	5452929.751					36103	79H9189	TERR	354 25 20	327.561	327.674	
		El	115.941					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----		Metres	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING								
36103	79H9189	E	424040.520	0.9996548	0.9999839	347724	79H9188	TERR	174 25 20	327.561	327.674				
		N	5453255.761					137133	82H5664	TERR	354 16 27	103.691	103.726		
		El	119.751					CVD28BC							
560870	79H9190	E	423984.122	0.9996558	0.9999849	137133	82H5664	TERR	174 16 28	461.624	461.784				
		N	5453818.256					102194	96H2088	GPS	211 4 30	1184.316	1184.722		
		El	113.568					CVD28BC							
290700	79H9191	E	430429.480	0.9996504	0.9999909	873315	87H3503	TERR	91 5 4	91.043	91.075				
		N	5443453.010					665885	79H9192	TERR	271 5 17	120.010	120.052		
		El	74.920					CVD28BC		282988	79H9177	TERR	333 52 46	153.779	153.833
665885	79H9192	E	430309.492	0.9996488	0.9999891	166017	77H5241	GPS	1 2 2	1266.414	1266.855				
		N	5443455.289					436055	79H9194	TERR	1 3 2	79.968	79.996		
		El	86.273					CVD28BC		920009	No Marking	GPS	26 14 47	2939.153	2940.176
		419655	77H5009					GPS	33 26 42	3301.871	3303.014				
		994848	77H5096					GPS	50 40 5	2325.122	2325.930				
		290700	79H9191					TERR	91 5 17	120.010	120.052				
		916841	79H9385					GPS	133 27 43	3630.781	3632.054				
		806596	79H9389					GPS	143 57 60	3232.570	3233.712				
		425900	96H2083					GPS	233 22 47	1231.928	1232.366				
		718353	98SG070					GPS	255 23 23	770.349	770.622				
		801225	11700					GPS	279 35 0	7006.706	7009.636				
		369504	98SG056					GPS	306 29 55	815.233	815.520				
		619056	98SG057					GPS	337 21 26	910.540	910.859				
		837369	77H5295					GPS	339 37 36	4494.887	4496.453				
445726	77H5122	GPS	357 31 17	3384.227	3385.409										
674481	79H9193	E	425068.502	0.9996633	0.9999943	525345	79H9171	TERR	206 16 14	64.533	64.555				
		N	5455115.863					713206	79H9172	TERR	316 8 9	117.003	117.042		
		El	53.422					CVD28BC							
436055	79H9194	E	430310.958	0.9996490	0.9999893	861534	79H5598	TERR	1 2 9	342.234	342.354				
		N	5443535.244					282988	79H9177	TERR	42 18 19	75.502	75.529		
		El	85.065					CVD28BC		665885	79H9192	TERR	181 3 2	79.968	79.996
340935	79H9195	E	426430.069	0.9996507	0.9999842			MARKER DESTROYED							
		N	5450962.865												
		El	117.829					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
521294	79H9196	E	426485.730	0.9996498	0.9999834	783407	79H9204	TERR	109 27 8	257.267	257.357
		N	5451111.468								
		El	122.978	CVD28BC							
747857	79H9197	E	427088.185	0.9996486	0.9999833	522078	79H9198	TERR	37 9 32	110.488	110.527
		N	5450998.264			89094	79H9273	TERR	94 0 54	112.585	112.625
		El	123.792	CVD28BC		952275	79H9202	TERR	222 14 51	170.886	170.946
522078	79H9198	E	427154.923	0.9996487	0.9999835	81679	79H9199	TERR	64 7 8	73.349	73.375
		N	5451086.319			747857	79H9197	TERR	217 9 32	110.488	110.527
		El	122.012	CVD28BC							
81679	79H9199	E	427220.915	0.9996489	0.9999838	420794	79H5498	TERR	69 39 17	152.562	152.615
		N	5451118.336			522078	79H9198	TERR	244 7 8	73.349	73.375
		El	120.238	CVD28BC							
548412	79H9200	E	427046.260	0.9996496	0.9999842	185348	79H5464	TERR	108 20 32	100.190	100.225
		N	5450684.179			211185	82H5713	TERR	173 26 7	206.497	206.569
		El	117.905	CVD28BC		819466	79H9201	TERR	357 34 33	109.790	109.829
819466	79H9201	E	427041.616	0.9996496	0.9999842	548412	79H9200	TERR	177 34 33	109.790	109.829
		N	5450793.871			952275	79H9202	TERR	318 44 42	103.614	103.650
		El	117.575	CVD28BC							
952275	79H9202	E	426973.292	0.9996491	0.9999836	747857	79H9197	TERR	42 14 51	170.886	170.946
		N	5450871.766			819466	79H9201	TERR	138 44 42	103.614	103.650
		El	121.676	CVD28BC		159400	79H9203	TERR	304 44 10	148.154	148.206
159400	79H9203	E	426851.541	0.9996486	0.9999829	952275	79H9202	TERR	124 44 10	148.154	148.206
		N	5450956.184			783407	79H9204	TERR	299 27 40	141.530	141.580
		El	126.342	CVD28BC							
783407	79H9204	E	426728.312	0.9996487	0.9999828	159400	79H9203	TERR	119 27 40	141.530	141.580
		N	5451025.793			521294	79H9196	TERR	289 27 8	257.267	257.357
		El	126.996	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
241398	79H9205	E	425516.292	0.9996491	0.9999809	451724	14H2756	GPS	74 58 43	144.619	144.669		
		N	5452506.254					TERR	181 20 22	230.683	230.765		
		El	138.743					CVD28BC	774893	79H9206	TERR	346 8 32	201.592
774893	79H9206	E	425468.008	0.9996502	0.9999819	714287	79H9207	TERR	3 17 7	223.924	224.002		
		N	5452701.978					TERR	166 8 32	201.592	201.662		
		El	132.401					CVD28BC	241398	79H9205	TERR		
714287	79H9207	E	425480.840	0.9996476	0.9999794	445551	79H9338	TERR	16 36 14	120.573	120.616		
		N	5452925.534					TERR	183 17 7	223.924	224.002		
		El	148.510					CVD28BC	774893	79H9206	TERR		
765040	79H9208	E	425510.900	0.9996492	0.9999810	241398	79H9205	TERR	1 20 22	230.683	230.765		
		N	5452275.634					TERR	92 31 15	165.501	165.559		
		El	138.112					CVD28BC	79H9209	TERR	181 20 21	134.227	134.274
									98SG036	GPS	285 23 13	203.322	203.393
183376	79H9209	E	425507.763	0.9996490	0.9999808	765040	79H9208	TERR	1 20 21	134.227	134.274		
		N	5452141.444					TERR	198 13 56	193.420	193.488		
		El	139.471					CVD28BC	307231	79H9254	TERR		
31922	79H9210	E	428745.482	0.9996355	0.9999731	29645	79H5484	TERR	83 53 48	129.693	129.740		
		N	5445810.764					TERR	181 53 54	88.384	88.416		
		El	188.403					CVD28BC	65482	79H9239	TERR	315 54 59	170.750
149740	79H9211	E	430217.095	0.9996588	0.9999990	523142	90H6369	TERR	107 1 24	78.190	78.217		
		N	5453056.186					TERR	305 56 55	246.711	246.795		
		El	23.614					CVD28BC	694612	79H9219	TERR		
603050	79H9212	E	424858.122	0.9996539	0.9999845	906230	79H9408	TERR	36 14 40	191.737	191.803		
		N	5453355.699										
		El	115.739					CVD28BC					
380162	79H9213	E	424781.999	0.9996527	0.9999832	MARKER DESTROYED							
		N	5453209.415										
		El	124.033			CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
505701	79H9214	E	424701.509	0.9996517	0.9999821		MARKER DESTROYED				
		N	5453134.746								
		El	131.391	CVD28BC							
79475	79H9215	E	430351.860	0.9996566	0.9999970	800391	79H9234	TERR	122 19 3	97.235	97.268
		N	5452904.756								
		El	36.610	CVD28BC							
212274	79H9216	E	430686.006	0.9996521	0.9999930	27565	79H9217	TERR	168 45 46	128.283	128.328
		N	5452469.690								
		El	61.695	CVD28BC							
27565	79H9217	E	430711.005	0.9996522	0.9999933	136291	79H9244	TERR	168 45 34	54.503	54.521
		N	5452343.866			946350	79H9258	TERR	274 45 26	81.441	81.469
		El	60.360	CVD28BC		212274	79H9216	TERR	348 45 46	128.283	128.328
408070	79H9218	E	429470.731	0.9996542	0.9999931	408286	79H9401	TERR	0 31 44	239.604	239.687
		N	5446480.544			369603	79H9402	TERR	270 59 14	84.689	84.718
		El	61.105	CVD28BC							
694612	79H9219	E	430017.372	0.9996592	0.9999991	149740	79H9211	TERR	125 56 55	246.711	246.795
		N	5453201.020			722066	13H2699	GPS	172 3 39	147.893	147.943
		El	23.294	CVD28BC		331199	13H2702	GPS	227 50 22	571.121	571.321
						623702	82H5679	TERR	305 30 33	211.134	211.206
404863	79H9220	E	432801.411	0.9996505	0.9999951	896852	79H9229	TERR	6 21 34	94.020	94.052
		N	5439640.091			833632	917001	GPS	144 14 56	4916.531	4918.256
		El	48.564	CVD28BC		394908	2285	GPS	145 18 4	10594.072	10597.973
						477240	87H3623	GPS	150 42 23	17137.610	17143.751
						931170	87H3580	GPS	151 45 13	14123.480	14128.531
						821884	79H9403	TERR	157 29 6	86.367	86.397
						593475	83H6069	GPS	283 24 9	847.790	848.087
39453	79H9221	E	424704.280	0.9996649	0.9999953	1529	89H5617	TERR	120 53 20	191.456	191.521
		N	5455422.816			949552	79H9400	TERR	180 46 12	240.760	240.841
		El	47.263	CVD28BC		457903	79H9257	TERR	292 32 28	105.061	105.096
24422	79H9222	E	425961.364	0.9996484	0.9999811	414151	79H9159	TERR	108 46 33	225.131	225.211
		N	5451983.635			105759	79H9223	TERR	271 20 48	171.897	171.956
		El	137.636	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
105759	79H9223	E	425789.515	0.9996492	0.9999815	24422	79H9222	TERR	91 20 48	171.897	171.956					
		N	5451987.675					391698				83H6014	TERR	224 18 28	162.890	162.947
		El	134.946					CVD28BC								
263053	79H9224	E	424511.511	0.9996643	0.9999943	457903	79H9257	TERR	91 2 57	95.750	95.782					
		N	5455464.844													
		El	53.361					CVD28BC								
474882	79H9225	E	424507.906	0.9996612	0.9999912	20743	79H9226	TERR	86 48 43	101.397	101.431					
		N	5455193.106					471748				79H5563	TERR	269 15 10	192.705	192.770
		El	73.127					CVD28BC								
20743	79H9226	E	424609.146	0.9996616	0.9999917	949552	79H9400	TERR	100 16 46	93.398	93.430					
		N	5455198.745					474882				79H9225	TERR	266 48 43	101.397	101.431
		El	69.739					CVD28BC								
988980	79H9227	E	432788.640	0.9996540	0.9999985	933655	79H9228	TERR	214 23 10	71.587	71.612					
		N	5439869.867													
		El	26.555					CVD28BC								
933655	79H9228	E	432748.210	0.9996541	0.9999985	988980	79H9227	TERR	34 23 10	71.587	71.612					
		N	5439810.790					960005				79H9243	TERR	193 32 23	190.280	190.346
		El	26.353					CVD28BC								
896852	79H9229	E	432811.825	0.9996513	0.9999958	841064	89H5625	TERR	77 36 46	87.820	87.851					
		N	5439733.532					404863				79H9220	TERR	186 21 34	94.020	94.052
		El	43.590					CVD28BC								
739912	79H9230	E	430581.290	0.9996528	0.9999936	60996	79H9233	TERR	136 37 36	91.648	91.680					
		N	5452610.986					882878				79H9236	TERR	328 42 53	99.474	99.508
		El	58.246					CVD28BC								
66944	79H9231	E	426235.903	0.9996516	0.9999848	952846	79H9232	TERR	91 23 36	198.049	198.118					
		N	5450004.772													
		El	114.071					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
952846	79H9232	E	426433.893	0.9996515	0.9999850	301952	82H5634	TERR	180 37 60	208.097	208.169		
		N	5449999.956					66944	79H9231	TERR	271 23 36	198.049	198.118
		El	112.513	CVD28BC				358747	82H5642	TERR	359 22 30	91.383	91.416
60996	79H9233	E	430644.229	0.9996524	0.9999933	739912	79H9230	TERR	316 37 36	91.648	91.680		
		N	5452544.368										
		El	59.965	CVD28BC									
800391	79H9234	E	430434.033	0.9996569	0.9999974	79475	79H9215	TERR	302 19 3	97.235	97.268		
		N	5452852.773										
		El	33.820	CVD28BC									
414888	79H9235	E	429473.926	0.9996531	0.9999920	408286	79H9401	TERR	180 31 31	107.244	107.281		
		N	5446827.377										
		El	67.986	CVD28BC									
882878	79H9236	E	430529.633	0.9996536	0.9999943	739912	79H9230	TERR	148 42 53	99.474	99.508		
		N	5452695.996										
		El	53.782	CVD28BC									
838847	79H9237	E	425676.241	0.9996485	0.9999806	56358	79H9238	TERR	114 7 35	125.534	125.579		
		N	5452268.355					765040	79H9208	TERR	272 31 15	165.501	165.559
		El	140.650	CVD28BC									
56358	79H9238	E	425790.809	0.9996479	0.9999803	361154	79H9255	TERR	125 44 54	209.895	209.968		
		N	5452217.043					838847	79H9237	TERR	294 7 35	125.534	125.579
		El	142.991	CVD28BC									
65482	79H9239	E	428626.690	0.9996331	0.9999705	31922	79H9210	TERR	135 54 59	170.750	170.812		
		N	5445933.418					158154	79H9272	TERR	282 41 5	86.467	86.500
		El	205.345	CVD28BC									
947242	79H9240	E	426122.262	0.9996512	0.9999842	252585	78H5416	TERR	0 41 59	111.533	111.572		
		N	5449841.206					261701	78H5453	TERR	180 42 23	145.698	145.749
		El	117.798	CVD28BC					549113	78H5406	TERR	270 51 51	392.010

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
149260	79H9241	E	424570.757	0.9996512	0.9999813		MARKER DESTROYED				
		N	5453030.773								
		El	136.307	CVD28BC							
534578	79H9242	E	426887.312	0.9996508	0.9999851	510966	90H9814	TERR	87 56 54	268.446	268.540
		N	5450080.694			85894	79H9246	TERR	91 17 20	291.663	291.765
		El	111.806	CVD28BC		227777	82H5629	TERR	180 39 0	84.528	84.558
						86967	90H9787	TERR	270 2 37	212.124	212.198
960005	79H9243	E	432703.662	0.9996547	0.9999991	933655	79H9228	TERR	13 32 23	190.280	190.346
		N	5439625.798			971077	89H5646	TERR	244 55 10	153.840	153.894
		El	23.094	CVD28BC							
136291	79H9244	E	430721.629	0.9996527	0.9999938	665489	90H6372	TERR	71 5 37	198.279	198.349
		N	5452290.409			4804	83H6050	TERR	235 55 21	275.345	275.440
		El	56.993	CVD28BC		27565	79H9217	TERR	348 45 34	54.503	54.521
85894	79H9246	E	427178.901	0.9996484	0.9999832	534578	79H9242	TERR	271 17 20	291.663	291.765
		N	5450074.134			510966	90H9814	TERR	304 44 35	28.374	28.384
		El	123.937	CVD28BC							
666404	79H9247	E	427041.359	0.9996497	0.9999843	67108	79H9248	TERR	64 44 22	125.265	125.310
		N	5449737.562								
		El	117.233	CVD28BC							
67108	79H9248	E	427154.646	0.9996490	0.9999838	666404	79H9247	TERR	244 44 22	125.265	125.310
		N	5449791.017								
		El	120.551	CVD28BC							
522268	79H9249	E	426916.054	0.9996507	0.9999850	533976	78H5451	TERR	271 14 36	334.920	335.036
		N	5449678.423								
		El	112.419	CVD28BC							
950188	79H9251	E	432790.826	0.9996515	0.9999961	855262	79H9390	TERR	91 16 50	245.590	245.676
		N	5441163.729			483313	79H9381	TERR	179 59 29	107.034	107.071
		El	42.323	CVD28BC		495234	79H9396	TERR	280 25 31	124.833	124.876

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
292623	79H9252	E	427907.283	0.9996638	1.0000000	858084	79H5528	TERR	100 56 46	214.958	215.030
		N	5454489.687								
		El	17.355	CVD28BC							
67785	79H9253	E	428514.565	0.9996318	0.9999690	58792	79H9269	TERR	82 30 59	120.738	120.783
		N	5445722.913								
		El	214.746	CVD28BC							
307231	79H9254	E	425447.248	0.9996508	0.9999825	183376	79H9209	TERR	18 13 56	193.420	193.488
		N	5451957.734								
		El	128.371	CVD28BC							
361154	79H9255	E	425961.158	0.9996474	0.9999801	315499	79H5541	TERR	100 1 24	116.156	116.198
		N	5452094.417			56358	79H9238	TERR	305 44 54	209.895	209.968
		El	143.971	CVD28BC							
68015	79H9256	E	428616.057	0.9996318	0.9999692	58792	79H9269	TERR	168 46 4	93.529	93.563
		N	5445830.375								
		El	213.370	CVD28BC							
457903	79H9257	E	424607.245	0.9996646	0.9999947	39453	79H9221	TERR	112 32 28	105.061	105.096
		N	5455463.091			263053	79H9224	TERR	271 2 57	95.750	95.782
		El	50.686	CVD28BC							
946350	79H9258	E	430629.845	0.9996515	0.9999924	27565	79H9217	TERR	94 45 26	81.441	81.469
		N	5452350.620			521187	79H9259	TERR	325 51 2	125.411	125.455
		El	66.068	CVD28BC							
521187	79H9259	E	430559.445	0.9996502	0.9999910	946350	79H9258	TERR	145 51 2	125.411	125.455
		N	5452454.407			26005	79H9260	TERR	286 16 19	98.855	98.890
		El	74.771	CVD28BC							
26005	79H9260	E	430464.550	0.9996487	0.9999893	521187	79H9259	TERR	106 16 19	98.855	98.890
		N	5452482.106			560680	79H9261	TERR	233 36 43	102.400	102.436
		El	85.676	CVD28BC		331199	13H2702	GPS	291 4 50	932.969	933.301
						684530	13H2700	GPS	301 19 50	300.790	300.896

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
560680	79H9261	E	430382.116	0.9996474	0.9999878	26005	79H9260	TERR	53 36 43	102.400	102.436			
		N	5452421.357					349159	79H9262	TERR	282 17 44	127.209	127.254	
		El	95.079					CVD28BC						
349159	79H9262	E	430257.825	0.9996455	0.9999857	560680	79H9261	TERR	102 17 44	127.209	127.254			
		N	5452448.447					670182	79H9263	TERR	265 25 49	208.025	208.099	
		El	108.556					CVD28BC						
670182	79H9263	E	430050.461	0.9996468	0.9999867	684530	13H2700	GPS	37 15 19	259.611	259.704			
		N	5452431.873					349159	79H9262	TERR	85 25 49	208.025	208.099	
		El	102.160					CVD28BC	257725	13H2701	GPS	317 18 55	292.141	292.244
									722066	13H2699	GPS	358 50 6	622.801	623.018
294942	79H9264	E	428762.448	0.9996532	0.9999909	305490	79H5487	TERR	173 59 7	75.077	75.104			
		N	5446458.487					284612	79H5510	TERR	287 34 22	75.078	75.103	
		El	75.260					CVD28BC						
995563	79H9265	E	427145.876	0.9996487	0.9999835	89094	79H9273	TERR	32 44 37	100.980	101.015			
		N	5450905.447					185348	79H5464	TERR	181 1 24	252.837	252.927	
		El	122.035					CVD28BC						
121459	79H9266	E	428431.001	0.9996311	0.9999681	123760	79H9271	TERR	351 0 6	62.849	62.872			
		N	5445769.136											
		El	220.229					CVD28BC						
130021	79H9267	E	428505.010	0.9996308	0.9999680	162834	79H9274	TERR	334 30 0	71.258	71.283			
		N	5445862.035											
		El	220.821					CVD28BC						
58792	79H9269	E	428634.275	0.9996321	0.9999695	41582	79H5518	TERR	138 49 59	83.310	83.341			
		N	5445738.638					67785	79H9253	TERR	262 30 59	120.738	120.783	
		El	211.406					CVD28BC		68015	79H9256	TERR	348 46 4	93.529
313213	79H9270	E	428865.155	0.9996524	0.9999902	311597	79H5519	TERR	6 29 4	87.796	87.826			
		N	5446291.624											
		El	79.541					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
123760	79H9271	E	428421.171	0.9996306	0.9999676	121459	79H9266	TERR	171 0 6	62.849	62.872					
		N	5445831.211					168815				90H6382	TERR	356 14 4	64.117	64.141
		El	223.631					CVD28BC								
158154	79H9272	E	428542.333	0.9996330	0.9999703	65482	79H9239	TERR	102 41 5	86.467	86.500					
		N	5445952.405					162834				79H9274	TERR	249 2 9	72.820	72.847
		El	206.741					CVD28BC								
89094	79H9273	E	427200.494	0.9996490	0.9999839	995563	79H9265	TERR	212 44 37	100.980	101.015					
		N	5450990.381					747857				79H9197	TERR	274 0 54	112.585	112.625
		El	119.814					CVD28BC								
162834	79H9274	E	428474.333	0.9996319	0.9999691	158154	79H9272	TERR	69 2 9	72.820	72.847					
		N	5445926.351					130021				79H9267	TERR	154 30 0	71.258	71.283
		El	214.343					CVD28BC				168815	90H6382	TERR	241 29 32	65.289
981696	79H9275	E	424300.163	0.9996571	0.9999867	46292	79H9277	TERR	2 3 6	194.045	194.113					
		N	5451184.759					654624				79H9276	TERR	93 34 38	298.881	298.984
		El	101.719					CVD28BC								
654624	79H9276	E	424598.462	0.9996563	0.9999864	684779	79H9278	TERR	91 29 33	220.654	220.730					
		N	5451166.110					981696				79H9275	TERR	273 34 38	298.881	298.984
		El	103.543					CVD28BC								
46292	79H9277	E	424307.110	0.9996562	0.9999858	981696	79H9275	TERR	182 3 6	194.045	194.113					
		N	5451378.680													
		El	107.640					CVD28BC								
684779	79H9278	E	424819.041	0.9996554	0.9999860	595785	89H5622	TERR	184 27 38	126.975	127.018					
		N	5451160.363					654624				79H9276	TERR	271 29 33	220.654	220.730
		El	106.359					CVD28BC								
810424	79H9279	E	427323.236	0.9996492	0.9999843	MARKER ISOLATED										
		N	5451039.618													
		El	117.031	CVD28BC												

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
932681	79H9280	E	427981.071	0.9996559	0.9999922	718304	98H2198	GPS	7 4 54	690.235	690.473
		N	5447220.157					TERR	110 40 53	129.224	129.270
		El	67.023					CVD28BC	932319	79H9283	TERR
716647	79H9281	E	427860.019	0.9996513	0.9999874	701482	92H0753	TERR	144 6 28	78.236	78.264
		N	5447052.352					TERR	348 53 1	154.477	154.531
		El	97.538					CVD28BC	932319	79H9283	TERR
932319	79H9283	E	427830.235	0.9996539	0.9999899	932681	79H9280	TERR	83 51 36	151.706	151.759
		N	5447203.931					TERR	168 53 1	154.477	154.531
		El	81.224					CVD28BC	716647	79H9281	TERR
732529	79H9284	E	427737.299	0.9996508	0.9999867	738112	79H9286	TERR	303 44 48	257.561	257.651
		N	5447087.115								
		El	101.839					CVD28BC			
700468	79H9285	E	427960.841	0.9996505	0.9999868	701482	92H0753	TERR	303 13 54	65.699	65.722
		N	5446952.966								
		El	101.441					CVD28BC			
738112	79H9286	E	427523.137	0.9996512	0.9999866	732529	79H9284	TERR	123 44 48	257.561	257.651
		N	5447230.196								
		El	102.223					CVD28BC			
681973	79H9287	E	427513.112	0.9996507	0.9999862			MARKER DESTROYED			
		N	5451036.597								
		El	105.215					CVD28BC			
987594	79H9288	E	427577.522	0.9996516	0.9999872	6635	79H5497	TERR	7 9 12	111.690	111.729
		N	5451162.791								
		El	98.652					CVD28BC			
640508	79H9289	E	427771.064	0.9996525	0.9999884	154567	79H5480	TERR	75 21 2	83.174	83.202
		N	5450888.283					TERR	180 59 45	247.578	247.665
		El	90.778					CVD28BC	855866	79H9409	TERR

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
949859	79H9290	E	427665.983	0.9996502	0.9999859		MARKER DESTROYED				
		N	5451854.261								
		El	107.168	CVD28BC							
879718	79H9291	E	427624.512	0.9996506	0.9999862	602763	98SG020	TERR	33 0 16	161.597	161.654
		N	5451771.652			234641	79H5560	TERR	190 0 47	101.736	101.772
		El	104.949	CVD28BC							
199190	79H9292	E	427802.422	0.9996511	0.9999870	29413	77H5147	TERR	92 15 5	380.057	380.191
		N	5448869.236			175562	15H2762	GPS	180 48 52	186.620	186.685
		El	99.625	CVD28BC		745208	79H9293	TERR	270 44 53	412.078	412.222
745208	79H9293	E	427390.379	0.9996519	0.9999871	199190	79H9292	TERR	90 44 53	412.078	412.222
		N	5448874.616			897025	15H2761	GPS	187 22 41	132.569	132.615
		El	99.014	CVD28BC							
699157	79H9294	E	427384.555	0.9996512	0.9999864		MARKER ISOLATED				
		N	5449084.537								
		El	103.775	CVD28BC							
950816	79H9295	E	427391.512	0.9996495	0.9999847		MARKER DESTROYED				
		N	5449267.534								
		El	114.443	CVD28BC							
490326	79H9296	E	427753.946	0.9996493	0.9999852	510479	88H4796	GPS	1 57 40	5169.398	5171.184
		N	5449063.527			773572	79H9336	GPS	14 30 27	1848.812	1849.454
		El	111.467	CVD28BC		678805	90H9810	TERR	96 42 14	118.815	118.857
						973768	15H2766	GPS	123 1 2	1299.179	1299.633
						837369	77H5295	GPS	144 36 33	1710.623	1711.218
						476226	15H2764	GPS	150 12 19	927.204	927.528
						891788	15H2763	GPS	157 19 45	600.616	600.825
						175562	15H2762	GPS	173 8 24	383.639	383.773
						801225	11700	GPS	224 25 28	6219.402	6222.002
						897025	15H2761	GPS	229 54 33	497.488	497.661
						140186	79H9298	TERR	272 23 11	163.889	163.947
						301952	82H5634	GPS	298 50 45	1509.670	1510.199
						153114	2284	GPS	346 1 24	3667.009	3668.335
594515	79H9297	E	427511.256	0.9996500	0.9999855		MARKER ISOLATED				
		N	5450919.577								
		El	109.597	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
140186	79H9298	E	427590.199	0.9996504	0.9999860	490326	79H9296	TERR	92 23 11	163.889	163.947	
		N	5449070.351			403964	79H5559	TERR	262 15 47	112.202	112.242	
		El	106.262	CVD28BC								
587725	79H9299	E	427550.690	0.9996498	0.9999853							
		N	5449275.448									
		El	110.863	CVD28BC								
801423	79H9300	E	425746.183	0.9996557	0.9999880	466052	82H5720	TERR	23 5 48	158.215	158.270	
		N	5453846.578			322206	79H9305	TERR	210 14 9	133.678	133.723	
		El	93.928	CVD28BC								
102830	79H9301	E	426094.711	0.9996585	0.9999914	788323	79H9327	TERR	92 50 9	156.709	156.763	
		N	5454219.874			716944	79H9302	TERR	286 45 49	78.391	78.418	
		El	72.239	CVD28BC								
716944	79H9302	E	426019.651	0.9996593	0.9999921	102830	79H9301	TERR	106 45 49	78.391	78.418	
		N	5454242.484			496596	82H5719	TERR	189 56 20	265.997	266.088	
		El	67.488	CVD28BC		837641	89H5614	TERR	303 32 36	254.587	254.674	
828426	79H9303	E	425362.507	0.9996500	0.9999815							
		N	5452310.585									
		El	134.872	CVD28BC								
527267	79H9304	E	425190.649	0.9996510	0.9999823							
		N	5452405.848									
		El	130.068	CVD28BC								
322206	79H9305	E	425678.868	0.9996533	0.9999855	801423	79H9300	TERR	30 14 9	133.678	133.723	
		N	5453731.086			422998	79H9308	TERR	115 28 7	188.001	188.067	
		El	109.848	CVD28BC								
225623	79H9306	E	425002.387	0.9996515	0.9999824	47308	83H6031	TERR	64 14 50	165.598	165.655	
		N	5452521.283			897348	98SG036	GPS	121 31 42	366.595	366.723	
		El	129.360	CVD28BC			913210	98SG037	GPS	325 41 5	671.910	672.145
							595892	98SG035	GPS	335 6 5	180.358	180.420

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
401919	79H9307	E	424886.819	0.9996515	0.9999821		MARKER DESTROYED				
		N	5452479.816								
		El	130.846	CVD28BC							
422998	79H9308	E	425848.599	0.9996502	0.9999826	14720	79H9316	TERR	98 52 31	103.509	103.545
		N	5453650.243			322206	79H9305	TERR	295 28 7	188.001	188.067
		El	128.054	CVD28BC							
24810	79H9309	E	428648.294	0.9996505	0.9999880	53488	79H9314	TERR	91 52 47	494.399	494.572
		N	5448448.122			973768	15H2766	GPS	115 22 38	215.849	215.925
		El	93.879	CVD28BC		514562	15H2765	GPS	197 46 17	158.207	158.263
						557249	79H9310	TERR	316 13 41	174.652	174.712
557249	79H9310	E	428527.472	0.9996502	0.9999874	390401	79H9311	TERR	1 12 15	186.539	186.604
		N	5448574.238			24810	79H9309	TERR	136 13 41	174.652	174.712
		El	97.218	CVD28BC							
390401	79H9311	E	428531.392	0.9996481	0.9999854	407411	79H9312	TERR	1 12 6	86.206	86.237
		N	5448760.736			557249	79H9310	TERR	181 12 15	186.539	186.604
		El	110.475	CVD28BC							
407411	79H9312	E	428533.200	0.9996480	0.9999852	902007	77H5143	TERR	91 12 8	376.841	376.974
		N	5448846.923			390401	79H9311	TERR	181 12 6	86.206	86.237
		El	111.332	CVD28BC		964643	77H5144	TERR	271 12 7	102.152	102.188
202580	79H9313	E	429145.880	0.9996502	0.9999886	854141	77H5298	TERR	1 59 9	194.388	194.455
		N	5448530.999			53488	79H9314	TERR	181 59 45	99.153	99.188
		El	89.986	CVD28BC							
53488	79H9314	E	429142.427	0.9996510	0.9999893	202580	79H9313	TERR	1 59 45	99.153	99.188
		N	5448431.906			263889	77H5280	GPS	90 51 53	516.325	516.505
		El	85.239	CVD28BC		762351	15H2767	GPS	118 42 30	226.012	226.090
						230268	78H8326	TERR	178 25 24	241.797	241.881
						24810	79H9309	TERR	271 52 47	494.399	494.572
168278	79H9315	E	426253.949	0.9996621	0.9999953	788323	79H9327	TERR	180 36 32	255.998	256.085
		N	5454468.104								
		El	47.381	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
14720	79H9316	E	425950.869	0.9996483	0.9999809	585000	79H9319	TERR	197 3 11	151.322	151.376			
		N	5453634.273					422998	79H9308	TERR	278 52 31	103.509	103.545	
		El	138.932					CVD28BC						
9613	79H9317	E	425344.383	0.9996526	0.9999841	MARKER DESTROYED								
		N	5451895.539											
		El	118.339			CVD28BC								
208579	79H9318	E	428413.016	0.9996558	0.9999928	926550	79H9324	TERR	88 59 54	256.915	257.003			
		N	5451332.875					350637	92H0722	TERR	92 39 51	133.478	133.524	
		El	63.040					CVD28BC						
585000	79H9319	E	425906.493	0.9996462	0.9999787	14720	79H9316	TERR	17 3 11	151.322	151.376			
		N	5453489.604					123695	79H9320	TERR	208 43 58	107.598	107.636	
		El	152.804					CVD28BC						
123695	79H9320	E	425854.768	0.9996450	0.9999775	585000	79H9319	TERR	28 43 58	107.598	107.636			
		N	5453395.254					275909	79H9321	TERR	107 21 46	206.710	206.782	
		El	160.903					CVD28BC	445551	79H9338	TERR	223 47 9	490.593	490.768
									585554	92H0736	TERR	243 12 44	68.118	68.142
275909	79H9321	E	426052.059	0.9996439	0.9999767	2261	79H9322	TERR	104 34 22	118.286	118.329			
		N	5453333.568					123695	79H9320	TERR	287 21 46	206.710	206.782	
		El	165.503					CVD28BC						
2261	79H9322	E	426166.540	0.9996437	0.9999768	522060	79H9326	TERR	67 5 32	326.308	326.425			
		N	5453303.806					275909	79H9321	TERR	284 34 22	118.286	118.329	
		El	165.372					CVD28BC						
926550	79H9324	E	428669.892	0.9996538	0.9999913	274159	79H9329	TERR	69 30 40	119.532	119.574			
		N	5451337.366					350637	92H0722	TERR	265 3 8	124.004	124.047	
		El	72.448					CVD28BC	208579	79H9318	TERR	268 59 54	256.915	257.003
749614	79H9325	E	425063.415	0.9996535	0.9999845	659516	78H5442	TERR	161 19 36	223.634	223.711			
		N	5451810.553					488882	98SG008	TERR	251 27 57	314.512	314.621	
		El	115.805					CVD28BC	859173	78H5443	TERR	305 39 1	102.413	102.449

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
522060	79H9326	E	426467.113	0.9996429	0.9999765	835868	79H9331	TERR	68 5 22	247.231	247.319	
		N	5453430.821			604108	14H2759	GPS	99 21 42	252.949	253.040	
		El	167.211			CVD28BC	583633	14H2758	GPS	164 34 5	173.137	173.199
							875609	14H2760	GPS	204 33 13	367.355	367.486
				2261	79H9322	TERR	247 5 32	326.308	326.425			
788323	79H9327	E	426251.228	0.9996578	0.9999910	168278	79H9315	TERR	0 36 32	255.998	256.085	
		N	5454212.121			102830	79H9301	TERR	272 50 9	156.709	156.763	
		El	74.423			CVD28BC						
226571	79H9328	E	429319.327	0.9996626	1.0000012	468108	78H5483	TERR	149 30 32	92.875	92.906	
		N	5450899.197									
		El	9.605			CVD28BC						
274159	79H9329	E	428781.862	0.9996522	0.9999899	926550	79H9324	TERR	249 30 40	119.532	119.574	
		N	5451379.205									
		El	81.433			CVD28BC						
352930	79H9330	E	432815.272	0.9996505	0.9999950	762112	79H5586	TERR	118 54 1	69.429	69.452	
		N	5440992.789			483313	79H9381	TERR	339 4 45	68.416	68.441	
		El	49.010			CVD28BC						
835868	79H9331	E	426696.486	0.9996426	0.9999766	953711	89H5613	TERR	73 19 46	121.645	121.688	
		N	5453523.077			522060	79H9326	TERR	248 5 22	247.231	247.319	
		El	166.286			CVD28BC						
817049	79H9332	E	426964.362	0.9996409	0.9999753	981746	79H9333	TERR	90 57 33	212.393	212.468	
		N	5453487.609			953711	89H5613	TERR	294 56 6	166.902	166.962	
		El	174.474			CVD28BC						
981746	79H9333	E	427176.725	0.9996406	0.9999754	6338	79H9334	TERR	92 19 50	218.641	218.720	
		N	5453484.054			817049	79H9332	TERR	270 57 33	212.393	212.468	
		El	174.098			CVD28BC						
6338	79H9334	E	427395.185	0.9996416	0.9999768	569376	79H9337	TERR	97 34 38	269.842	269.938	
		N	5453475.163			981746	79H9333	TERR	272 19 50	218.641	218.720	
		El	164.992			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
773572	79H9336	E	428217.084	0.9996566	0.9999933	947937	82H5707	GPS	19 39 25	1134.021	1134.415					
		N	5450853.390					94532	98SG027			GPS	34 41 39	967.024	967.359	
		El	59.626					CVD28BC	60681			79H5471	TERR	91 41 59	141.938	141.986
									255703			82H5700	GPS	136 46 1	836.119	836.407
									419655			77H5009	GPS	139 52 56	6071.444	6073.524
									837369			77H5295	GPS	170 35 35	3227.805	3228.917
									490326			79H9296	GPS	194 30 27	1848.812	1849.454
									988105			79H5481	TERR	280 41 45	238.698	238.781
									527721			84C004	GPS	296 13 12	16669.907	16675.348
									602763			98SG020	GPS	334 24 54	1168.343	1168.748
			252171	98SG022	GPS	353 8 54	1208.923	1209.343								
			510479	88H4796	GPS	355 9 16	3388.617	3389.776								
569376	79H9337	E	427662.671	0.9996424	0.9999781	753624	98SG041	GPS	62 35 58	268.541	268.635					
		N	5453439.581					893735	79H9339			TERR	117 29 39	343.540	343.664	
		El	156.916					CVD28BC	6338			79H9334	TERR	277 34 38	269.842	269.938
									630442			98SG040	GPS	359 21 54	246.372	246.458
445551	79H9338	E	425515.294	0.9996458	0.9999776	123695	79H9320	TERR	43 47 9	490.593	490.768					
		N	5453041.080					714287	79H9207			TERR	196 36 14	120.573	120.616	
		El	159.833					CVD28BC								
893735	79H9339	E	427967.411	0.9996386	0.9999749	569376	79H9337	TERR	297 29 39	343.540	343.664					
		N	5453280.983					630442	98SG040			GPS	322 47 30	508.455	508.634	
		El	177.555					CVD28BC	753624			98SG041	GPS	346 46 22	289.873	289.976
622506	79H9340	E	428141.857	0.9996383	0.9999748		MARKER DESTROYED									
		N	5453202.641													
		El	177.734	CVD28BC												
294835	79H9341	E	428255.984	0.9996390	0.9999757	821546	89H5615	TERR	84 53 17	220.765	220.845					
		N	5453162.132													
		El	172.010					CVD28BC								
21840	79H9343	E	436418.381	0.9996478	0.9999982	765479	96H2094	GPS	65 26 37	395.917	396.057					
		N	5442937.414					712356	96H2086			GPS	177 36 33	969.028	969.366	
		El	29.173					CVD28BC	873513			79H9344	GPS	305 29 33	591.986	592.194
									255786			79H9353	GPS	357 2 21	140.624	140.674

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
873513	79H9344	E	435936.391	0.9996495	0.9999991	936260	79H9352	GPS	50 13 46	246.595	246.681			
		N	5443281.118					765479	96H2094	GPS	102 0 40	860.947	861.250	
		El	23.324					CVD28BC	21840	79H9343	GPS	125 29 33	591.986	592.194
									712356	96H2086	GPS	158 17 12	1412.079	1412.572
									300897	96H2081	GPS	199 8 47	3446.309	3447.523
									419655	77H5009	GPS	307 34 32	4803.636	4805.299
									13201	14H2725	GPS	324 1 7	863.618	863.921
					943480	NO MARKING	GPS	339 35 45	3275.904	3277.045				
168039	79H9348	E	435504.871	0.9996530	1.0000019	936260	79H9352	GPS	143 23 42	1041.527	1041.890			
		N	5444274.971					13201	14H2725	GPS	194 25 25	304.607	304.713	
		El	5.012					CVD28BC	909861	98SG017	GPS	323 49 36	641.969	642.192
									943480	NO MARKING	GPS	341 6 32	2194.729	2195.489
129627	79H9350	E	428412.131	0.9996528	0.9999899	44149	79H9351	TERR	122 33 2	200.302	200.372			
		N	5453449.189					176560	82H5684	TERR	358 57 34	164.525	164.581	
		El	81.742					CVD28BC						
44149	79H9351	E	428580.969	0.9996488	0.9999861	129627	79H9350	TERR	302 33 2	200.302	200.372			
		N	5453341.418											
		El	105.709					CVD28BC						
936260	79H9352	E	436125.927	0.9996512	1.0000011	255786	79H9353	GPS	141 41 34	460.073	460.234			
		N	5443438.868					873513	79H9344	GPS	230 13 46	246.595	246.681	
		El	10.642					CVD28BC	168039	79H9348	GPS	323 23 42	1041.527	1041.890
255786	79H9353	E	436411.117	0.9996479	0.9999982	765479	96H2094	GPS	86 14 47	368.162	368.292			
		N	5443077.850					21840	79H9343	GPS	177 2 21	140.624	140.674	
		El	28.893					CVD28BC	936260	79H9352	GPS	321 41 34	460.073	460.234
847467	79H9354	E	428843.537	0.9996520	0.9999898	325456	79H9355	TERR	1 56 49	82.975	83.004			
		N	5451454.747											
		El	82.543					CVD28BC						
325456	79H9355	E	428846.356	0.9996517	0.9999895	377333	79H9356	TERR	60 16 7	140.787	140.836			
		N	5451537.674					847467	79H9354	TERR	181 56 49	82.975	83.004	
		El	83.954					CVD28BC	94532	98SG027	TERR	324 33 56	135.993	136.041
377333	79H9356	E	428968.610	0.9996534	0.9999914	951293	79H9360	TERR	94 55 29	171.522	171.582			
		N	5451607.495					11452	92H0764	TERR	160 15 25	128.215	128.259	
		El	72.062					CVD28BC	325456	79H9355	TERR	240 16 7	140.787	140.836

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
872424	79H9357	E	429208.970	0.9996611	0.9999995		MARKER DESTROYED				
		N	5450975.739								
		El	20.167	CVD28BC							
471516	79H9358	E	428641.440	0.9996439	0.9999813	862367	13H2697	GPS	28 35 7	382.414	382.548
		N	5453188.306			127944	13H2703	GPS	67 43 42	433.089	433.243
		El	136.539	CVD28BC		331199	13H2702	GPS	111 15 36	1022.142	1022.510
						678292	89H5616	TERR	185 36 7	85.844	85.875
599993	79H9359	E	428743.942	0.9996456	0.9999832		MARKER DESTROYED				
		N	5453252.182								
		El	124.364	CVD28BC							
951293	79H9360	E	429139.499	0.9996533	0.9999916	516484	79H9361	TERR	141 35 4	157.704	157.758
		N	5451592.770			377333	79H9356	TERR	274 55 29	171.522	171.582
		El	70.466	CVD28BC							
516484	79H9361	E	429237.490	0.9996541	0.9999926	147868	79H9364	TERR	51 36 20	56.029	56.048
		N	5451469.205			951293	79H9360	TERR	321 35 4	157.704	157.758
		El	64.392	CVD28BC							
602540	79H9362	E	432237.357	0.9996523	0.9999959	557785	79H9363	TERR	221 21 37	132.683	132.730
		N	5443640.039								
		El	43.282	CVD28BC							
557785	79H9363	E	432149.681	0.9996515	0.9999950	602540	79H9362	TERR	41 21 37	132.683	132.730
		N	5443540.451			544163	90H6354	TERR	133 19 51	159.053	159.109
		El	49.165	CVD28BC		584672	90H6364	TERR	310 7 56	200.140	200.209
147868	79H9364	E	429281.403	0.9996548	0.9999934	102863	82H5632	TERR	115 17 44	78.945	78.972
		N	5451504.003			516484	79H9361	TERR	231 36 20	56.029	56.048
		El	59.322	CVD28BC							
615674	79H9365	E	429422.828	0.9996556	0.9999944	514414	79H9366	TERR	112 13 35	121.948	121.990
		N	5451437.169			102863	82H5632	TERR	295 17 35	77.477	77.504
		El	52.663	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
514414	79H9366	E	429535.715	0.9996564	0.9999955	346080	79H9375	TERR	112 25 20	123.594	123.637		
		N	5451391.040					615674	79H9365	TERR	292 13 35	121.948	121.990
		El	46.214					CVD28BC					
77180	79H9367	E	428316.214	0.9996477	0.9999846	964643	77H5144	TERR	91 12 20	114.882	114.923		
		N	5448851.483					29413	77H5147	TERR	271 12 22	134.058	134.104
		El	115.404					CVD28BC					
315911	79H9369	E	427480.031	0.9996497	0.9999851	185348	79H5464	TERR	295 14 2	374.398	374.529		
		N	5450493.039										
		El	111.990					CVD28BC					
541912	79H9373	E	427727.472	0.9996504	0.9999863	855866	79H9409	TERR	45 55 50	54.682	54.702		
		N	5450602.709					933911	79H9393	TERR	315 56 37	121.258	121.301
		El	104.758					CVD28BC					
346080	79H9375	E	429649.965	0.9996582	0.9999974	82081	79H9377	TERR	16 32 51	80.714	80.741		
		N	5451343.898					514414	79H9366	TERR	292 25 20	123.594	123.637
		El	33.913					CVD28BC					
555458	79H9376	E	423289.776	0.9996599	0.9999877		MARKER DESTROYED						
		N	5454655.433										
		El	95.724	CVD28BC									
82081	79H9377	E	429672.953	0.9996565	0.9999958	346080	79H9375	TERR	196 32 51	80.714	80.741		
		N	5451421.269										
		El	44.282					CVD28BC					
832485	79H9378	E	429735.395	0.9996557	0.9999950	316372	79H9379	TERR	123 14 38	157.164	157.219		
		N	5451465.657					593418	83H6027	TERR	324 41 57	86.833	86.862
		El	48.895					CVD28BC					
316372	79H9379	E	429866.838	0.9996571	0.9999967	832485	79H9378	TERR	303 14 38	157.164	157.219		
		N	5451379.499										
		El	38.367					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
245993	79H9380	E	428496.260	0.9996497	0.9999869	451716	82H5645	TERR	0 17 47	127.784	127.828
		N	5449131.948								
		El	100.564	CVD28BC							
483313	79H9381	E	432790.842	0.9996498	0.9999943	352930	79H9330	TERR	159 4 45	68.416	68.441
		N	5441056.695			950188	79H9251	TERR	359 59 29	107.034	107.071
		El	53.666	CVD28BC							
914887	79H9382	E	432328.389	0.9996468	0.9999905	787572	79H9387	TERR	2 19 13	188.043	188.109
		N	5440848.070			806596	79H9389	TERR	266 38 39	117.520	117.562
		El	77.612	CVD28BC							
562785	79H9383	E	423282.195	0.9996577	0.9999854						
		N	5454049.657								
		El	110.287	CVD28BC							
											MARKER DESTROYED
796474	79H9384	E	427509.392	0.9996499	0.9999853						
		N	5450802.268								
		El	110.709	CVD28BC							
											MARKER DESTROYED
916841	79H9385	E	432944.832	0.9996506	0.9999954	213785	08H2556	GPS	18 40 31	765.876	766.143
		N	5440957.779			439240	79H5590	TERR	91 12 38	102.049	102.085
		El	46.667	CVD28BC		34629	08H2553	GPS	123 33 54	1552.417	1552.964
						833632	917001	GPS	152 47 20	5968.294	5970.388
						593475	83H6069	GPS	220 48 37	1481.318	1481.837
						806596	79H9389	GPS	260 58 18	742.966	743.228
						762112	79H5586	TERR	271 12 46	68.793	68.818
						665885	79H9192	GPS	313 27 43	3630.781	3632.054
						994848	77H5096	GPS	348 5 59	4058.427	4059.834
						553859	83H6083	GPS	352 53 24	1448.546	1449.049
253229	79H9386	E	427484.355	0.9996496	0.9999850						
		N	5450760.427								
		El	112.680	CVD28BC							
											MARKER ISOLATED
787572	79H9387	E	432336.002	0.9996480	0.9999917	848127	79H9395	TERR	121 45 9	281.508	281.607
		N	5441035.959			914887	79H9382	TERR	182 19 13	188.043	188.109
		El	69.808	CVD28BC		356212	79H9394	TERR	349 21 5	155.622	155.677

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
746768	79H9388	E	427482.551	0.9996496	0.9999850		MARKER DESTROYED				
		N	5450646.980								
		El	112.491	CVD28BC							
806596	79H9389	E	432211.071	0.9996450	0.9999886	916841	79H9385	GPS	80 58 18	742.966	743.228
		N	5440841.191			914887	79H9382	TERR	86 38 39	117.520	117.562
		El	89.916	CVD28BC		833632	917001	GPS	146 17 38	6240.188	6242.395
						593475	83H6069	GPS	193 7 54	1031.566	1031.930
						795229	79H5524	TERR	274 54 48	140.619	140.668
						665885	79H9192	GPS	323 57 60	3232.570	3233.712
						994848	77H5096	GPS	358 33 17	4089.091	4090.519
855262	79H9390	E	433036.355	0.9996539	0.9999988	492108	79H5589	TERR	178 36 13	107.136	107.173
		N	5441158.241			950188	79H9251	TERR	271 16 50	245.590	245.676
		El	24.759	CVD28BC							
305631	79H9391	E	432281.770	0.9996478	0.9999914	356212	79H9394	TERR	164 39 4	96.243	96.277
		N	5441281.711			320580	79H9397	TERR	271 34 17	185.027	185.092
		El	71.700	CVD28BC							
467571	79H9392	E	427597.038	0.9996499	0.9999855	933911	79H9393	TERR	45 55 59	64.180	64.202
		N	5450645.215								
		El	109.250	CVD28BC							
933911	79H9393	E	427643.153	0.9996502	0.9999859	541912	79H9373	TERR	135 56 37	121.258	121.301
		N	5450689.852			467571	79H9392	TERR	225 55 59	64.180	64.202
		El	107.005	CVD28BC							
356212	79H9394	E	432307.245	0.9996481	0.9999918	222257	79H9399	TERR	89 13 6	280.054	280.153
		N	5441188.901			787572	79H9387	TERR	169 21 5	155.622	155.677
		El	69.144	CVD28BC		305631	79H9391	TERR	344 39 4	96.243	96.277
848127	79H9395	E	432575.376	0.9996500	0.9999942	632570	79H5595	TERR	46 28 15	106.767	106.805
		N	5440887.815			12161	83H6087	TERR	208 26 24	201.632	201.702
		El	54.234	CVD28BC		787572	79H9387	TERR	301 45 9	281.508	281.607
495234	79H9396	E	432668.054	0.9996514	0.9999957	950188	79H9251	TERR	100 25 31	124.833	124.876
		N	5441186.318			803510	79H9398	TERR	176 6 21	139.371	139.419
		El	44.361	CVD28BC		222257	79H9399	TERR	274 31 58	81.034	81.062

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
320580	79H9397	E	432096.813	0.9996463	0.9999896	305631	79H9391	TERR	91 34 17	185.027	185.092
		N	5441286.785								
		El	83.161	CVD28BC							
803510	79H9398	E	432677.519	0.9996517	0.9999960	632570	79H5595	TERR	196 3 34	89.410	89.441
		N	5441047.269			495234	79H9396	TERR	356 6 21	139.371	139.419
		El	42.594	CVD28BC							
222257	79H9399	E	432587.273	0.9996516	0.9999958	495234	79H9396	TERR	94 31 58	81.034	81.062
		N	5441192.722			356212	79H9394	TERR	269 13 6	280.054	280.153
		El	44.100	CVD28BC							
949552	79H9400	E	424701.045	0.9996619	0.9999923	39453	79H9221	TERR	0 46 12	240.760	240.841
		N	5455182.078			673616	88H4803	TERR	180 45 50	178.096	178.156
		El	66.301	CVD28BC		20743	79H9226	TERR	280 16 46	93.398	93.430
408286	79H9401	E	429472.943	0.9996532	0.9999921	414888	79H9235	TERR	0 31 31	107.244	107.281
		N	5446720.138			408070	79H9218	TERR	180 31 44	239.604	239.687
		El	67.722	CVD28BC							
369603	79H9402	E	429386.055	0.9996547	0.9999935	412072	79H9406	TERR	0 44 46	192.632	192.699
		N	5446482.003			408070	79H9218	TERR	90 59 14	84.689	84.718
		El	58.680	CVD28BC		365254	90H6366	TERR	187 48 24	49.724	49.741
821884	79H9403	E	432834.483	0.9996500	0.9999946	404863	79H9220	TERR	337 29 6	86.367	86.397
		N	5439560.307								
		El	51.660	CVD28BC							
657700	79H9404	E	425028.035	0.9996564	0.9999873	237610	79H9405	TERR	186 5 29	100.946	100.980
		N	5453708.747								
		El	97.970	CVD28BC							
237610	79H9405	E	425017.323	0.9996559	0.9999868	657700	79H9404	TERR	6 5 29	100.946	100.980
		N	5453608.371			906230	79H9408	TERR	205 3 36	108.224	108.262
		El	101.227	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
412072	79H9406	E	429388.563	0.9996544	0.9999931	369603	79H9402	TERR	180 44 46	192.632	192.699
		N	5446674.619								
		El	60.926	CVD28BC							
906230	79H9408	E	424971.483	0.9996556	0.9999865	237610	79H9405	TERR	25 3 36	108.224	108.262
		N	5453510.335			261917	82H5706	GPS	162 54 19	326.095	326.209
		El	103.379	CVD28BC		482349	98SG019	GPS	211 48 50	359.594	359.718
						603050	79H9212	TERR	216 14 40	191.737	191.803
						186817	03SG078	GPS	277 33 21	241.887	241.970
						893701	03SG080	GPS	285 57 58	491.090	491.258
855866	79H9409	E	427766.761	0.9996506	0.9999865	640508	79H9289	TERR	0 59 45	247.578	247.665
		N	5450640.742			541912	79H9373	TERR	225 55 50	54.682	54.702
		El	103.169	CVD28BC							
432666	79H9410	E	429359.146	0.9996540	0.9999927	433110	92H0725	TERR	352 30 16	88.280	88.311
		N	5446806.515								
		El	63.640	CVD28BC							
71704	81H4315	E	429987.127	0.9996429	0.9999826			MARKER DESTROYED			
		N	5451795.153								
		El	128.042	CVD28BC							
706317	82H5626	E	425797.316	0.9996535	0.9999859	493122	82H5627	TERR	160 11 35	151.697	151.750
		N	5450480.521			999144	79H5579	TERR	326 11 26	94.236	94.268
		El	107.013	CVD28BC							
493122	82H5627	E	425848.719	0.9996537	0.9999862	523605	78H5458	TERR	146 11 33	88.712	88.743
		N	5450337.799			706317	82H5626	TERR	340 11 35	151.697	151.750
		El	105.201	CVD28BC							
49155	82H5628	E	426573.657	0.9996517	0.9999855	533976	78H5451	TERR	175 52 5	104.869	104.906
		N	5449790.287			301952	82H5634	TERR	270 38 21	142.073	142.123
		El	109.655	CVD28BC							
227777	82H5629	E	426886.353	0.9996501	0.9999844	534578	79H9242	TERR	0 39 0	84.528	84.558
		N	5449996.171			387233	79H5475	TERR	180 39 0	86.472	86.502
		El	116.554	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
474791	82H5630	E	426936.842	0.9996488	0.9999832	43521	82H5712	TERR	90 53 12	170.258	170.318					
		N	5450371.384					910463				82H5633	TERR	271 41 25	234.974	235.057
		El	123.908					CVD28BC								
508291	82H5631	E	426690.396	0.9996511	0.9999851	199505	82H5640	TERR	90 57 48	130.736	130.781					
		N	5450485.411					910463				82H5633	TERR	173 49 55	107.720	107.757
		El	112.139					CVD28BC				756478	82H5635	TERR	322 8 39	238.270
102863	82H5632	E	429352.778	0.9996549	0.9999936	615674	79H9365	TERR	115 17 35	77.477	77.504					
		N	5451470.271					147868				79H9364	TERR	295 17 44	78.945	78.972
		El	57.919					CVD28BC								
910463	82H5633	E	426701.970	0.9996514	0.9999854	474791	82H5630	TERR	91 41 25	234.974	235.057					
		N	5450378.315					508291				82H5631	TERR	353 49 55	107.720	107.757
		El	109.991					CVD28BC								
301952	82H5634	E	426431.593	0.9996510	0.9999845	952846	79H9232	TERR	0 37 60	208.097	208.169					
		N	5449791.872			153114	2284	GPS	8 46 17	2863.592	2864.625					
		El	115.664			441196	96H2089	GPS	16 25 29	3462.916	3464.146					
		49155	82H5628			TERR	90 38 21	142.073	142.123							
		570135	96H2084			GPS	93 25 21	4568.672	4570.245							
		490326	79H9296			GPS	118 50 45	1509.670	1510.199							
		419655	77H5009			GPS	122 9 10	6729.815	6732.139							
		837369	77H5295			GPS	132 32 42	3139.565	3140.656							
		275438	96H2085			GPS	158 56 12	6966.309	6968.767							
		879106	79H5529			GPS	173 51 11	3196.842	3197.974							
		648519	90H6398			GPS	183 29 38	2719.285	2720.239							
		636803	90H6394			GPS	192 25 17	2763.334	2764.304							
		735472	90H6399			GPS	198 52 26	2822.852	2823.840							
		801225	11700			GPS	210 22 53	5993.072	5995.571							
		390450	96H2098			GPS	279 47 59	1762.097	1762.704							
102194	96H2088	GPS	314 33 32	4292.826	4294.307											
347336	92H0729	GPS	329 37 29	6186.880	6189.007											
756478	82H5635	E	426544.175	0.9996511	0.9999848	508291	82H5631	TERR	142 8 39	238.270	238.354					
		N	5450673.539					255992				78H5438	TERR	305 36 58	215.780	215.855
		El	113.979					CVD28BC								
716373	82H5636	E	428341.165	0.9996489	0.9999858	234427	82H5637	TERR	94 52 28	153.430	153.484					
		N	5449027.390													
		El	107.746					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
234427	82H5637	E	428494.040	0.9996496	0.9999867	716373	82H5636	TERR	274 52 28	153.430	153.484
		N	5449014.353								
		El	101.608	CVD28BC							
449538	82H5638	E	429918.838	0.9996462	0.9999859	819995	79H5571	TERR	275 5 37	77.964	77.991
		N	5451829.195								
		El	107.299	CVD28BC							
199505	82H5640	E	426821.113	0.9996501	0.9999843	211185	82H5713	TERR	90 57 43	248.790	248.877
		N	5450483.213			508291	82H5631	TERR	270 57 48	130.736	130.781
		El	116.913	CVD28BC							
358747	82H5642	E	426432.896	0.9996518	0.9999853	86967	90H9787	TERR	92 28 35	242.519	242.603
		N	5450091.334			952846	79H9232	TERR	179 22 30	91.383	91.416
		El	110.694	CVD28BC							
776559	82H5643	E	428185.277	0.9996479	0.9999846	134320	79H9174	TERR	1 5 21	140.663	140.713
		N	5449016.364								
		El	115.371	CVD28BC							
734103	82H5644	E	431524.435	0.9996594	1.0000019	87650	77H5042	TERR	173 47 32	162.641	162.696
		N	5446639.464			297820	88H4771	TERR	261 54 28	81.702	81.729
		El	5.388	CVD28BC		228429	77H5052	TERR	356 47 30	164.310	164.365
451716	82H5645	E	428496.921	0.9996501	0.9999873	472035	78H5460	TERR	91 20 27	125.693	125.737
		N	5449259.730			245993	79H9380	TERR	180 17 47	127.784	127.828
		El	98.310	CVD28BC		241232	79H9157	TERR	271 20 45	85.413	85.443
612010	82H5646	E	428661.878	0.9996591	0.9999965	647636	82H5702	TERR	136 15 52	219.701	219.777
		N	5450773.545			97956	82H5647	TERR	229 29 30	86.185	86.213
		El	39.156	CVD28BC		667220	79H5473	TERR	347 13 24	68.613	68.636
97956	82H5647	E	428596.351	0.9996574	0.9999948	612010	82H5646	TERR	49 29 30	86.185	86.213
		N	5450717.563			464115	82H5671	TERR	139 29 11	116.471	116.511
		El	50.393	CVD28BC		759480	82H5648	TERR	298 5 47	70.202	70.227

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
759480	82H5648	E	428534.422	0.9996571	0.9999943	97956	82H5647	TERR	118 5 47	70.202	70.227					
		N	5450750.625					155515				82H5649	TERR	271 42 52	76.842	76.869
		El	53.202					CVD28BC								
155515	82H5649	E	428457.614	0.9996566	0.9999937	759480	82H5648	TERR	91 42 52	76.842	76.869					
		N	5450752.924													
		El	57.363					CVD28BC								
729103	82H5650	E	428515.683	0.9996564	0.9999936	645861	82H5651	TERR	139 28 11	131.571	131.617					
		N	5450668.473													
		El	57.825					CVD28BC								
645861	82H5651	E	428601.184	0.9996564	0.9999938	464115	82H5671	TERR	49 28 35	93.180	93.212					
		N	5450568.471					729103				82H5650	TERR	319 28 11	131.571	131.617
		El	56.592					CVD28BC								
49122	82H5652	E	431720.141	0.9996587	1.0000014	MARKER DESTROYED										
		N	5446152.321													
		El	8.271			CVD28BC										
543223	82H5653	E	431698.791	0.9996586	1.0000013	349852	82H5655	TERR	6 7 37	84.341	84.370					
		N	5446287.048					824763				77H5034	TERR	282 31 21	29.711	29.721
		El	9.086					CVD28BC								
271379	82H5654	E	431678.102	0.9996576	1.0000003	349852	82H5655	TERR	154 46 26	69.666	69.690					
		N	5446433.929					442558				88H4799	TERR	348 6 5	83.858	83.886
		El	15.473					CVD28BC								
349852	82H5655	E	431707.793	0.9996581	1.0000008	543223	82H5653	TERR	186 7 37	84.341	84.370					
		N	5446370.907					271379				82H5654	TERR	334 46 26	69.666	69.690
		El	12.083					CVD28BC								
988634	82H5656	E	431771.116	0.9996581	1.0000009	MARKER ISOLATED										
		N	5446438.101													
		El	11.278			CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
516203	82H5657	E	431795.026	0.9996587	1.0000015		MARKER DESTROYED				
		N	5446119.084								
		El	7.505	CVD28BC							
875583	82H5658	E	426836.973	0.9996429	0.9999771	879106	79H5529	TERR	213 53 55	113.081	113.121
		N	5446707.270			869040	79H5534	TERR	300 44 11	172.682	172.743
		El	162.999	CVD28BC							
262402	82H5659	E	427145.526	0.9996494	0.9999842	881607	82H5667	TERR	0 38 8	203.714	203.785
		N	5446862.522			262279	79H5496	TERR	88 40 20	71.121	71.146
		El	117.437	CVD28BC		584375	82H5660	TERR	269 24 55	239.207	239.291
584375	82H5660	E	426906.332	0.9996480	0.9999823	262402	82H5659	TERR	89 24 55	239.207	239.291
		N	5446860.081			790147	79H5530	TERR	271 6 36	291.919	292.022
		El	129.589	CVD28BC							
810382	82H5661	E	426514.553	0.9996439	0.9999775	790147	79H5530	TERR	94 31 9	100.227	100.262
		N	5446873.633			814707	82H5662	TERR	273 0 17	122.855	122.899
		El	160.229	CVD28BC							
814707	82H5662	E	426391.867	0.9996441	0.9999775	810382	82H5661	TERR	93 0 17	122.855	122.899
		N	5446880.073			272062	16H2768	GPS	213 59 54	302.992	303.100
		El	160.234	CVD28BC							
982835	82H5663	E	424300.348	0.9996550	0.9999847	871475	78H5446	TERR	40 42 2	255.517	255.605
		N	5452714.321			352385	79H9186	TERR	231 54 14	158.045	158.100
		El	114.869	CVD28BC							
137133	82H5664	E	424030.175	0.9996550	0.9999841	457093	78H5448	TERR	88 8 38	241.454	241.537
		N	5453358.935			36103	79H9189	TERR	174 16 27	103.691	103.726
		El	118.310	CVD28BC		560870	79H9190	TERR	354 16 28	461.624	461.784
398792	82H5665	E	427628.569	0.9996470	0.9999827	238527	79H5513	TERR	20 24 4	140.105	140.154
		N	5446527.019								
		El	127.306	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
819391	82H5666	E	426405.687	0.9996425	0.9999760		MARKER DESTROYED				
		N	5446694.572								
		El	170.082	CVD28BC							
881607	82H5667	E	427147.786	0.9996495	0.9999843	875773	89H5635	TERR	0 11 60	92.298	92.330
		N	5447066.223			897660	88H4805	TERR	97 35 19	102.181	102.216
		El	117.324	CVD28BC		262402	82H5659	TERR	180 38 8	203.714	203.785
						236273	90H6397	TERR	271 46 50	361.108	361.235
167577	82H5668	E	428714.979	0.9996556	0.9999931	255703	82H5700	TERR	126 36 47	93.211	93.244
		N	5450299.807			602219	93H1180	TERR	351 28 58	86.863	86.892
		El	60.941	CVD28BC							
464115	82H5671	E	428672.014	0.9996574	0.9999949	177550	82H5673	TERR	142 14 56	123.398	123.440
		N	5450629.016			645861	82H5651	TERR	229 28 35	93.180	93.212
		El	49.687	CVD28BC		97956	82H5647	TERR	319 29 11	116.471	116.511
177550	82H5673	E	428747.562	0.9996572	0.9999948	775619	82H5698	TERR	215 17 11	88.427	88.458
		N	5450531.448			464115	82H5671	TERR	322 14 56	123.398	123.440
		El	50.061	CVD28BC							
257659	82H5674	E	431738.534	0.9996585	1.0000013	308155	77H5020	TERR	225 57 2	78.557	78.584
		N	5446067.372			170977	77H5022	TERR	310 1 28	108.093	108.130
		El	9.146	CVD28BC		300269	90H9777	TERR	342 40 51	101.538	101.573
250860	82H5675	E	428000.832	0.9996543	0.9999907	276477	82H5714	TERR	157 2 34	91.126	91.157
		N	5450787.073								
		El	76.693	CVD28BC							
532838	82H5677	E	429054.038	0.9996595	0.9999977	382937	82H5683	TERR	100 44 38	175.624	175.684
		N	5453600.958			592220	82H5682	TERR	280 25 7	226.846	226.923
		El	31.807	CVD28BC							
613869	82H5678	E	428571.536	0.9996585	0.9999958	790949	98SG060	TERR	3 30 7	371.463	371.590
		N	5453637.806			951830	88H4791	GPS	9 58 22	663.634	663.861
		El	43.760	CVD28BC		592220	82H5682	TERR	89 4 40	259.430	259.518
						862367	13H2697	GPS	114 12 36	277.262	277.357
						331199	13H2702	GPS	128 43 58	1310.758	1311.218
						176560	82H5684	TERR	261 33 7	164.174	164.231
						993808	88H4773	GPS	315 7 18	915.522	915.834

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
623702	82H5679	E	429845.504	0.9996601	0.9999996	694612	79H9219	TERR	125 30 33	211.134	211.206			
		N	5453323.654					872747	82H5680	TERR	306 11 51	292.574	292.674	
		El	19.819					CVD28BC						
872747	82H5680	E	429609.401	0.9996608	0.9999999	623702	82H5679	TERR	126 11 51	292.574	292.674			
		N	5453496.440					331199	13H2702	GPS	181 17 53	678.937	679.175	
		El	17.903					CVD28BC	486712	13H2698	GPS	219 5 59	118.884	118.924
									862367	13H2697	GPS	272 1 7	785.476	785.745
									685800	82H5681	TERR	285 20 13	190.276	190.341
685800	82H5681	E	429425.901	0.9996600	0.9999988	872747	82H5680	TERR	105 20 13	190.276	190.341			
		N	5453546.767					382937	82H5683	TERR	276 8 34	200.469	200.537	
		El	25.117					CVD28BC						
592220	82H5682	E	428830.932	0.9996593	0.9999971	532838	82H5677	TERR	100 25 7	226.846	226.923			
		N	5453641.981					613869	82H5678	TERR	269 4 40	259.430	259.518	
		El	35.734					CVD28BC						
382937	82H5683	E	429226.583	0.9996596	0.9999980	685800	82H5681	TERR	96 8 34	200.469	200.537			
		N	5453568.218					532838	82H5677	TERR	280 44 38	175.624	175.684	
		El	29.874					CVD28BC						
176560	82H5684	E	428409.143	0.9996568	0.9999939	613869	82H5678	TERR	81 33 7	164.174	164.231			
		N	5453613.687					129627	79H9350	TERR	178 57 34	164.525	164.581	
		El	56.449					CVD28BC		682294	82H5685	TERR	274 48 56	162.429
682294	82H5685	E	428247.287	0.9996566	0.9999934	176560	82H5684	TERR	94 48 56	162.429	162.485			
		N	5453627.323					96388	82H5687	TERR	283 33 18	185.754	185.818	
		El	59.538					CVD28BC						
967000	82H5686	E	427638.342	0.9996599	0.9999956	589507	90H6387	TERR	1 40 37	250.632	250.718			
		N	5453927.714					507137	90H6384	TERR	120 44 15	317.991	318.100	
		El	45.172					CVD28BC	96388	82H5687	TERR	120 56 51	499.470	499.641
									753624	98SG041	GPS	144 13 6	449.365	449.520
									630442	98SG040	GPS	174 53 42	242.739	242.823
									639088	82H5688	TERR	271 16 51	702.321	702.560
96388	82H5687	E	428066.707	0.9996572	0.9999936	682294	82H5685	TERR	103 33 18	185.754	185.818			
		N	5453670.860					753624	98SG041	GPS	236 57 60	197.558	197.626	
		El	57.944					CVD28BC	630442	98SG040	GPS	272 7 22	407.045	407.186
									967000	82H5686	TERR	300 56 51	499.470	499.641
									507137	90H6384	TERR	301 18 56	181.485	181.547

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
639088	82H5688	E	426936.197	0.9996566	0.9999910	967000	82H5686	TERR	91 16 51	702.321	702.560			
		N	5453943.413					576207	82H5689	TERR	272 19 42	446.669	446.822	
		El	74.445					CVD28BC						
576207	82H5689	E	426489.897	0.9996565	0.9999901	639088	82H5688	TERR	92 19 42	446.669	446.822			
		N	5453961.560					71696	82H5690	TERR	272 6 10	205.274	205.345	
		El	80.272					CVD28BC						
71696	82H5690	E	426284.761	0.9996558	0.9999890	576207	82H5689	TERR	92 6 10	205.274	205.345			
		N	5453969.092					496596	82H5719	TERR	272 5 48	311.228	311.335	
		El	87.025					CVD28BC						
536714	82H5691	E	427809.611	0.9996632	0.9999992	618348	88H4767	TERR	101 46 16	119.973	120.014			
		N	5454407.580					66639	82H5692	TERR	325 42 6	101.032	101.066	
		El	22.303					CVD28BC						
66639	82H5692	E	427752.679	0.9996644	1.0000003	536714	82H5691	TERR	145 42 6	101.032	101.066			
		N	5454491.044					362574	79H5526	TERR	250 31 40	108.678	108.714	
		El	15.496					CVD28BC						
775619	82H5698	E	428696.481	0.9996564	0.9999940	177550	82H5673	TERR	35 17 11	88.427	88.458			
		N	5450459.267					602219	93H1180	TERR	175 37 15	73.770	73.796	
		El	55.657					CVD28BC						
906941	82H5699	E	428707.209	0.9996561	0.9999936		MARKER DESTROYED							
255703	82H5700	E	428789.798	0.9996556	0.9999933	419655	77H5009	GPS	140 22 46	5236.758	5238.554			
		N	5450244.215					837369	77H5295	GPS	181 0 16	2575.620	2576.507	
		El	59.550					CVD28BC	162404	79H5462	TERR	181 26 58	123.891	123.933
									167577	82H5668	TERR	306 36 47	93.211	93.244
									773572	79H9336	GPS	316 46 1	836.119	836.407
									510479	88H4796	GPS	347 50 18	4077.186	4078.582
470898	82H5701	E	428810.252	0.9996576	0.9999953	647636	82H5702	TERR	1 33 19	129.402	129.447			
		N	5450485.448											
		El	46.995	CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
647636	82H5702	E	428813.764	0.9996592	0.9999969	58214	82H5704	TERR	1 33 14	129.908	129.952	
		N	5450614.802			470898	82H5701	TERR	181 33 19	129.402	129.447	
		El	36.603			CVD28BC	612010	82H5646	TERR	316 15 52	219.701	219.777
971325	82H5703	E	428737.786	0.9996604	0.9999980	856153	78H5473	TERR	91 43 27	165.224	165.280	
		N	5450837.705			58214	82H5704	TERR	139 29 15	122.382	122.423	
		El	30.082			CVD28BC	667220	79H5473	TERR	271 43 55	91.124	91.155
58214	82H5704	E	428817.287	0.9996607	0.9999985	647636	82H5702	TERR	181 33 14	129.908	129.952	
		N	5450744.662			971325	82H5703	TERR	319 29 15	122.382	122.423	
		El	26.965			CVD28BC						
261917	82H5706	E	425067.340	0.9996489	0.9999800	897348	98SG036	GPS	164 6 7	903.627	903.944	
		N	5453198.647			595892	98SG035	GPS	195 20 5	532.737	532.923	
		El	144.865			CVD28BC	913210	98SG037	GPS	254 34 45	460.312	460.474
							482349	98SG019	GPS	271 13 41	285.487	285.587
							906230	79H9408	GPS	342 54 19	326.095	326.209
947937	82H5707	E	428598.552	0.9996488	0.9999862	331199	13H2702	GPS	47 59 57	1339.554	1340.031	
		N	5451921.325			94532	98SG027	GPS	148 13 57	320.925	321.037	
		El	105.396			CVD28BC	773572	79H9336	GPS	199 39 25	1134.021	1134.415
							602763	98SG020	GPS	269 5 5	886.130	886.441
							252171	98SG022	GPS	284 7 54	542.098	542.289
							153114	2284	GPS	292 2 41	1866.756	1867.431
760389	98SG025	TERR	307 56 40	164.074	164.132							
43521	82H5712	E	427107.080	0.9996491	0.9999838	474791	82H5630	TERR	270 53 12	170.258	170.318	
		N	5450368.749			211185	82H5713	TERR	341 21 18	116.396	116.437	
		El	120.278			CVD28BC						
211185	82H5713	E	427069.868	0.9996494	0.9999840	43521	82H5712	TERR	161 21 18	116.396	116.437	
		N	5450479.036			199505	82H5640	TERR	270 57 43	248.790	248.877	
		El	118.978			CVD28BC	548412	79H9200	TERR	353 26 7	206.497	206.569
276477	82H5714	E	428036.375	0.9996538	0.9999901	992792	79H9175	TERR	153 17 7	85.372	85.402	
		N	5450703.165			250860	82H5675	TERR	337 2 34	91.126	91.157	
		El	79.953			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
914846	82H5718	E	424089.306	0.9996560	0.9999852	656660	89H5650	TERR	1 0 21	196.727	196.795
		N	5454035.364			623611	93H1179	TERR	94 14 53	485.162	485.329
		El	111.275	CVD28BC		102194	96H2088	GPS	210 11 29	1424.729	1425.217
						622597	94H1618	GPS	233 6 58	1345.376	1345.838
						211631	94H1617	GPS	238 6 34	1250.134	1250.562
						452391	96H2090	GPS	246 44 56	1649.102	1649.665
						791046	03SG086	GPS	263 16 15	1131.440	1131.827
						858100	03SG087	GPS	269 40 3	808.667	808.944
						4127	78H5449	TERR	272 16 57	123.506	123.548
						347336	92H0729	GPS	324 18 6	1347.290	1347.750
496596	82H5719	E	425973.741	0.9996571	0.9999898	716944	79H9302	TERR	9 56 20	265.997	266.088
		N	5453980.479			71696	82H5690	TERR	92 5 48	311.228	311.335
		El	82.076	CVD28BC		466052	82H5720	TERR	274 1 14	165.901	165.958
466052	82H5720	E	425808.248	0.9996577	0.9999901	496596	82H5719	TERR	94 1 14	165.901	165.958
		N	5453992.111			801423	79H9300	TERR	203 5 48	158.215	158.270
		El	80.392	CVD28BC		469510	82H5721	TERR	272 5 35	118.498	118.539
469510	82H5721	E	425689.829	0.9996582	0.9999904	827808	83H6051	TERR	0 37 34	245.277	245.361
		N	5453996.439			466052	82H5720	TERR	92 5 35	118.498	118.539
		El	78.239	CVD28BC		14118	82H5722	TERR	270 6 31	404.534	404.672
14118	82H5722	E	425285.296	0.9996580	0.9999894	730622	83H6028	TERR	0 45 46	351.579	351.700
		N	5453997.206			469510	82H5721	TERR	90 6 31	404.534	404.672
		El	84.709	CVD28BC							
810911	82H5723	E	424995.165	0.9996577	0.9999886		MARKER DESTROYED				
		N	5454001.830								
		El	89.953	CVD28BC							
263871	82H5724	E	424883.272	0.9996574	0.9999881	27029	89H5610	TERR	0 47 37	654.879	655.103
		N	5454003.613			186817	03SG078	GPS	198 11 0	485.728	485.895
		El	92.908	CVD28BC		623611	93H1179	TERR	269 13 35	310.165	310.272
605287	82H5725	E	424539.675	0.9996553	0.9999853		MARKER DESTROYED				
		N	5454009.336								
		El	110.596	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
941674	83H6003	E	425551.760	0.9996597	0.9999916	455956	88H4794	TERR	71 24 39	80.193	80.220		
		N	5454344.457					730622	83H6028	TERR	270 56 25	261.819	261.909
		El	70.640					CVD28BC					
884239	83H6004	E	431573.937	0.9996534	0.9999959	261800	83H6010	TERR	181 0 37	424.306	424.453		
		N	5443431.628					825794	83H6005	TERR	271 19 49	420.879	421.026
		El	43.520					CVD28BC					
825794	83H6005	E	431153.171	0.9996538	0.9999956	815761	77H5277	TERR	1 2 56	420.353	420.499		
		N	5443441.399					884239	83H6004	TERR	91 19 49	420.879	421.026
		El	45.116					CVD28BC					
303719	83H6006	E	430729.054	0.9996528	0.9999938	322388	77H5243	TERR	0 59 41	122.802	122.844		
		N	5443324.509					166918	83H6007	TERR	181 22 39	299.429	299.533
		El	56.356					CVD28BC					
166918	83H6007	E	430721.856	0.9996506	0.9999917	303719	83H6006	TERR	1 22 39	299.429	299.533		
		N	5443025.167					202911	83H6008	TERR	90 42 57	424.042	424.190
		El	70.290					CVD28BC					
202911	83H6008	E	431145.865	0.9996514	0.9999932	932202	83H6009	TERR	92 15 42	211.220	211.293		
		N	5443019.869					166918	83H6007	TERR	270 42 57	424.042	424.190
		El	60.629					CVD28BC					
932202	83H6009	E	431356.920	0.9996515	0.9999936	261800	83H6010	TERR	91 8 1	209.577	209.650		
		N	5443011.534					202911	83H6008	TERR	272 15 42	211.220	211.293
		El	58.111					CVD28BC					
261800	83H6010	E	431566.456	0.9996528	0.9999953	884239	83H6004	TERR	1 0 37	424.306	424.453		
		N	5443007.388					267898	83H6011	TERR	91 8 9	413.765	413.909
		El	47.192					CVD28BC		932202	83H6009	TERR	271 8 1
267898	83H6011	E	431980.140	0.9996548	0.9999980	980631	83H6012	TERR	103 26 55	186.110	186.174		
		N	5442999.186					261800	83H6010	TERR	271 8 9	413.765	413.909
		El	29.887					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
980631	83H6012	E	432161.147	0.9996544	0.9999978	209213	83H6013	TERR	130 25 42	308.190	308.297		
		N	5442955.902					267898	83H6011	TERR	283 26 55	186.110	186.174
		El	30.975					CVD28BC					
209213	83H6013	E	432395.747	0.9996554	0.9999992	7120	77H5150	TERR	177 29 1	143.375	143.424		
		N	5442756.042					980631	83H6012	TERR	310 25 42	308.190	308.297
		El	22.022					CVD28BC					
391698	83H6014	E	425675.734	0.9996485	0.9999806	105759	79H9223	TERR	44 18 28	162.890	162.947		
		N	5451871.111										
		El	140.837					CVD28BC					
138537	83H6015	E	427255.830	0.9996490	0.9999839	483164	90H9800	TERR	134 11 26	233.036	233.118		
		N	5449752.275										
		El	119.415					CVD28BC					
694471	83H6018	E	432880.783	0.9996559	1.0000005	MARKER DESTROYED							
		N	5441656.344										
		El	13.767			CVD28BC							
744391	83H6019	E	425694.140	0.9996597	0.9999919	MARKER DESTROYED							
		N	5454392.349										
		El	68.879			CVD28BC							
719526	83H6020	E	427419.258	0.9996495	0.9999848	MARKER DESTROYED							
		N	5449583.080										
		El	114.022			CVD28BC							
675652	83H6022	E	427721.841	0.9996490	0.9999848	463190	79H5566	TERR	91 51 59	468.479	468.643		
		N	5449282.238					678805	90H9810	TERR	147 9 42	276.815	276.912
		El	114.103					583443	90H9816	TERR	342 29 21	206.037	206.110
610600	83H6023	E	425455.791	0.9996548	0.9999865	673988	79H5577	TERR	0 18 26	231.069	231.149		
		N	5450496.527										
		El	102.856					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
64956	83H6024	E	427646.586	0.9996620	0.9999977	362574	79H5526	TERR	1 31 51	135.919	135.964		
		N	5454318.946					141150	83H6025	TERR	95 4 49	89.395	89.426
		El	31.872					CVD28BC	589507	90H6387	TERR	180 22 13	140.710
141150	83H6025	E	427735.630	0.9996618	0.9999976	639021	83H6035	TERR	173 19 54	97.078	97.111		
		N	5454311.030					64956	83H6024	TERR	275 4 49	89.395	89.426
		El	32.445					CVD28BC					
593418	83H6027	E	429685.217	0.9996542	0.9999934	832485	79H9378	TERR	144 41 57	86.833	86.862		
		N	5451536.524										
		El	59.099					CVD28BC					
730622	83H6028	E	425289.976	0.9996595	0.9999909	665000	88H4801	TERR	0 44 40	309.450	309.555		
		N	5454348.754					941674	83H6003	TERR	90 56 25	261.819	261.909
		El	75.024					CVD28BC	14118	82H5722	TERR	180 45 46	351.579
47308	83H6031	E	425151.537	0.9996510	0.9999822	225623	79H9306	TERR	244 14 50	165.598	165.655		
		N	5452593.233										
		El	130.721					CVD28BC					
639021	83H6035	E	427746.903	0.9996606	0.9999965	141150	83H6025	TERR	353 19 54	97.078	97.111		
		N	5454214.609										
		El	39.651					CVD28BC					
264960	83H6037	E	429466.993	0.9996615	1.0000004			MARKER DESTROYED					
		N	5450931.021										
		El	14.730					CVD28BC					
857615	83H6038	E	429578.632	0.9996624	1.0000015			MARKER DESTROYED					
		N	5451023.031										
		El	7.539					CVD28BC					
613067	83H6039	E	429680.062	0.9996621	1.0000014	512343	83H6040	TERR	43 59 32	88.616	88.646		
		N	5451048.406										
		El	8.459					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
512343	83H6040	E	429741.611	0.9996617	1.0000010	613067	83H6039	TERR	223 59 32	88.616	88.646		
		N	5451112.159					419200	83H6041	TERR	354 31 59	102.644	102.678
		El	10.698					CVD28BC					
419200	83H6041	E	429731.832	0.9996607	1.0000001	955500	83H6042	TERR	72 53 24	87.534	87.565		
		N	5451214.336					512343	83H6040	TERR	174 31 59	102.644	102.678
		El	16.725					CVD28BC					
955500	83H6042	E	429815.492	0.9996609	1.0000004	718965	83H6043	TERR	94 25 16	121.912	121.953		
		N	5451240.089					419200	83H6041	TERR	252 53 24	87.534	87.565
		El	14.458					CVD28BC					
718965	83H6043	E	429937.041	0.9996607	1.0000004	449959	83H6044	TERR	54 48 12	102.454	102.489		
		N	5451230.691					955500	83H6042	TERR	274 25 16	121.912	121.953
		El	14.529					CVD28BC					
449959	83H6044	E	430020.764	0.9996603	1.0000002	258368	83H6045	TERR	77 15 58	127.037	127.080		
		N	5451289.744					718965	83H6043	TERR	234 48 12	102.454	102.489
		El	16.186					CVD28BC					
258368	83H6045	E	430144.676	0.9996603	1.0000004	867077	83H6046	TERR	52 24 16	249.279	249.364		
		N	5451317.746					449959	83H6044	TERR	257 15 58	127.037	127.080
		El	14.729					CVD28BC					
867077	83H6046	E	430342.189	0.9996566	0.9999970	884577	83H6047	TERR	4 11 49	148.156	148.207		
		N	5451469.827					265603	93H1177	TERR	112 46 35	209.028	209.100
		El	36.341					CVD28BC		258368	83H6045	TERR	232 24 16
884577	83H6047	E	430353.032	0.9996552	0.9999957	867077	83H6046	TERR	184 11 49	148.156	148.207		
		N	5451617.586					403717	83H6048	TERR	353 40 17	103.663	103.698
		El	45.013					CVD28BC					
403717	83H6048	E	430341.605	0.9996556	0.9999960	145524	83H6049	TERR	13 58 58	167.901	167.960		
		N	5451720.617					884577	83H6047	TERR	173 40 17	103.663	103.698
		El	42.553					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
145524	83H6049	E	430382.175	0.9996544	0.9999949	4804	83H6050	TERR	23 47 51	276.058	276.153		
		N	5451883.543					403717	83H6048	TERR	193 58 58	167.901	167.960
		El	49.886					CVD28BC					
4804	83H6050	E	430493.566	0.9996544	0.9999950	136291	79H9244	TERR	55 55 21	275.345	275.440		
		N	5452136.130					145524	83H6049	TERR	203 47 51	276.058	276.153
		El	49.168					CVD28BC					
827808	83H6051	E	425692.509	0.9996595	0.9999917	846667	93H1181	TERR	0 30 14	150.459	150.510		
		N	5454241.701					469510	82H5721	TERR	180 37 34	245.277	245.361
		El	70.285					CVD28BC					
696740	83H6054	E	428547.984	0.9996612	0.9999985	951830	88H4791	TERR	130 38 56	182.519	182.581		
		N	5454410.310					835801	79H5527	TERR	275 17 10	195.372	195.438
		El	26.859					CVD28BC					
75077	83H6055	E	431975.618	0.9996467	0.9999899	73718	83H6084	TERR	69 44 38	112.987	113.026		
		N	5440166.840					110155	88H4757	TERR	176 27 56	170.521	170.582
		El	81.783					CVD28BC					
29900	83H6056	E	432741.550	0.9996574	1.0000018	325431	83H6057	TERR	46 6 20	94.525	94.556		
		N	5442695.958					553859	83H6083	TERR	175 26 23	301.727	301.831
		El	5.478					CVD28BC					
325431	83H6057	E	432809.666	0.9996571	1.0000016	399105	83H6058	TERR	2 42 7	124.137	124.180		
		N	5442761.495					29900	83H6056	TERR	226 6 20	94.525	94.556
		El	6.712					CVD28BC					
399105	83H6058	E	432815.518	0.9996566	1.0000012	325431	83H6057	TERR	182 42 7	124.137	124.180		
		N	5442885.494					335646	83H6061	TERR	343 41 47	118.157	118.198
		El	9.528					CVD28BC					
540138	83H6059	E	427742.781	0.9996439	0.9999798	175299	98SG064	TERR	209 26 16	74.402	74.429		
		N	5446344.003										
		El	145.947					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
335646	83H6061	E	432782.348	0.9996561	1.0000006	333260	83H6062	TERR	26 7 58	133.674	133.720			
		N	5442998.900					399105	83H6058	TERR	163 41 47	118.157	118.198	
		El	13.201					CVD28BC	495069	90H6379	TERR	235 17 58	91.753	91.784
333260	83H6062	E	432841.225	0.9996554	1.0000000	291658	83H6063	TERR	2 54 50	96.074	96.108			
		N	5443118.909					335646	83H6061	TERR	206 7 58	133.674	133.720	
		El	17.256					CVD28BC						
291658	83H6063	E	432846.109	0.9996562	1.0000008	333260	83H6062	TERR	182 54 50	96.074	96.108			
		N	5443214.859					182170	83H6064	TERR	332 42 51	185.593	185.656	
		El	12.112					CVD28BC						
182170	83H6064	E	432761.028	0.9996557	1.0000002	909861	98SG017	GPS	59 8 8	2755.101	2756.052			
		N	5443379.801					366161	08H2555	GPS	110 32 27	4543.701	4545.283	
		El	15.959					CVD28BC	291658	83H6063	TERR	152 42 51	185.593	185.656
									553859	83H6083	GPS	179 44 15	984.625	984.963
									164285	83H6065	TERR	316 53 24	219.610	219.686
									920009	No Marking	GPS	336 59 12	2946.083	2947.100
164285	83H6065	E	432610.946	0.9996552	0.9999994	182170	83H6064	TERR	136 53 24	219.610	219.686			
		N	5443540.126					162073	83H6066	TERR	323 56 8	113.811	113.851	
		El	21.078					CVD28BC						
162073	83H6066	E	432543.946	0.9996553	0.9999994	164285	83H6065	TERR	143 56 8	113.811	113.851			
		N	5443632.126					127043	83H6067	TERR	314 8 30	259.931	260.020	
		El	20.984					CVD28BC						
127043	83H6067	E	432357.414	0.9996560	0.9999998	162073	83H6066	TERR	134 8 30	259.931	260.020			
		N	5443813.151					45799	83H6068	TERR	317 13 49	376.518	376.649	
		El	18.766					CVD28BC						
45799	83H6068	E	432101.738	0.9996558	0.9999992	127043	83H6067	TERR	137 13 49	376.518	376.649			
		N	5444089.549					852608	77H5099	TERR	342 27 54	274.410	274.504	
		El	22.522					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
593475	83H6069	E	431976.710	0.9996491	0.9999922	110155	88H4757	TERR	3 22 7	160.320	160.376
		N	5439836.600			806596	79H9389	GPS	13 7 54	1031.566	1031.930
		El	66.625			916841	79H9385	GPS	40 48 37	1481.318	1481.837
						727495	89H5648	TERR	87 1 12	291.015	291.116
						404863	79H9220	GPS	103 24 9	847.790	848.087
						833632	917001	GPS	138 33 6	5585.444	5587.408
						931170	87H3580	GPS	149 17 1	14700.547	14705.814
			195347			83H6070	TERR	180 53 45	406.057	406.199	
195347	83H6070	E	431970.362	0.9996524	0.9999955	593475	83H6069	TERR	0 53 45	406.057	406.199
		N	5439430.593			237479	88H4758	TERR	175 58 6	153.281	153.334
		El	45.469								
927830	83H6080	E	433015.646	0.9996571	1.0000020	60384	08H2557	GPS	76 33 52	1770.562	1771.171
		N	5442390.064			213785	08H2556	GPS	166 8 11	727.939	728.190
		El	4.396			553859	83H6083	GPS	271 10 24	250.159	250.246
						994848	77H5096	GPS	340 19 38	2696.298	2697.224
553859	83H6083	E	432765.539	0.9996565	1.0000010	909861	98SG017	GPS	44 32 51	3364.821	3365.982
		N	5442395.186			927830	83H6080	GPS	91 10 24	250.159	250.246
		El	11.038			916841	79H9385	GPS	172 53 24	1448.546	1449.049
						386508	77H5152	TERR	279 32 45	167.003	167.060
						298463	16H2775	GPS	303 37 3	6527.550	6529.841
						920009	No Marking	GPS	342 37 45	3872.865	3874.199
						994848	77H5096	GPS	345 27 4	2617.738	2618.636
						29900	83H6056	TERR	355 26 23	301.727	301.831
						182170	83H6064	GPS	359 44 15	984.625	984.963
73718	83H6084	E	432081.617	0.9996473	0.9999906	26260	83H6085	TERR	37 50 28	190.350	190.417
		N	5440205.958			75077	83H6055	TERR	249 44 38	112.987	113.026
		El	76.904								
26260	83H6085	E	432198.392	0.9996479	0.9999915	21329	83H6086	TERR	41 12 28	284.466	284.565
		N	5440356.280			73718	83H6084	TERR	217 50 28	190.350	190.417
		El	71.562								
21329	83H6086	E	432385.795	0.9996476	0.9999914	12161	83H6087	TERR	33 42 38	168.571	168.630
		N	5440570.291			26260	83H6085	TERR	221 12 28	284.466	284.565
		El	72.011								
12161	83H6087	E	432479.351	0.9996491	0.9999931	848127	79H9395	TERR	28 26 24	201.632	201.702
		N	5440710.517			21329	83H6086	TERR	213 42 38	168.571	168.630
		El	61.348								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
239996	83H6088	E	431961.803	0.9996502	0.9999933	237479	88H4758	TERR	8 42 4	127.817	127.862				
		N	5439151.345					88H4759				TERR	184 58 23	179.151	179.214
		El	59.538					CVD28BC							
514083	83H6089	E	432414.599	0.9996552	0.9999991	448928	88H4760	TERR	224 15 26	179.871	179.933				
		N	5439515.349												
		El	22.551					CVD28BC							
188110	83H6090	E	430743.103	0.9996567	0.9999978	272799	77H5115	TERR	172 16 17	291.846	291.947				
		N	5446822.871												
		El	31.150					CVD28BC							
873315	87H3503	E	430520.507	0.9996507	0.9999914	290700	79H9191	TERR	271 5 4	91.043	91.075				
		N	5443451.287												
		El	71.613					CVD28BC							
110155	88H4757	E	431986.130	0.9996479	0.9999910	593475	83H6069	TERR	183 22 7	160.320	160.376				
		N	5439996.643					83H6055				TERR	356 27 56	170.521	170.582
		El	74.226					CVD28BC							
237479	88H4758	E	431981.139	0.9996516	0.9999948	239996	83H6088	TERR	188 42 4	127.817	127.862				
		N	5439277.691					83H6070				TERR	355 58 6	153.281	153.334
		El	50.162					CVD28BC							
340760	88H4759	E	431946.273	0.9996510	0.9999941	239996	83H6088	TERR	4 58 23	179.151	179.214				
		N	5438972.868					88H4763				TERR	98 4 39	166.317	166.375
		El	54.912					CVD28BC							
448928	88H4760	E	432289.071	0.9996552	0.9999989	514083	83H6089	TERR	44 15 26	179.871	179.933				
		N	5439386.523					88H4764				TERR	230 48 9	213.011	213.084
		El	23.927					CVD28BC							
402388	88H4762	E	432115.733	0.9996539	0.9999973	438119	88H4764	TERR	3 13 21	146.939	146.991				
		N	5439105.194					88H4763				TERR	181 45 48	155.770	155.823
		El	34.258					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
373803	88H4763	E	432110.940	0.9996545	0.9999979	402388	88H4762	TERR	1 45 48	155.770	155.823		
		N	5438949.498			340760	88H4759	TERR	278 4 39	166.317	166.375		
		El	30.352			CVD28BC							
438119	88H4764	E	432123.993	0.9996546	0.9999980	448928	88H4760	TERR	50 48 9	213.011	213.084		
		N	5439251.901			402388	88H4762	TERR	183 13 21	146.939	146.991		
		El	29.872			CVD28BC							
618348	88H4767	E	427927.061	0.9996622	0.9999984	993808	88H4773	TERR	180 54 9	96.566	96.598		
		N	5454383.105			536714	82H5691	TERR	281 46 16	119.973	120.014		
		El	27.614			CVD28BC							
296632	88H4768	E	424625.225	0.9996570	0.9999872	596544	88H4790	TERR	175 19 37	83.846	83.875		
		N	5454644.627			796011	95H1766	TERR	274 34 57	118.206	118.246		
		El	98.686			CVD28BC							
923706	88H4769	E	427365.606	0.9996508	0.9999859	445239	88H4776	TERR	125 22 17	181.094	181.157		
		N	5447129.809			918789	92H0760	TERR	326 45 23	93.314	93.346		
		El	106.572			CVD28BC							
632752	88H4770	E	427463.541	0.9996492	0.9999846	445239	88H4776	TERR	38 21 9	80.148	80.176		
		N	5446962.126			757740	79H5495	TERR	114 54 6	254.874	254.964		
		El	115.119			CVD28BC		223198	88H4777	TERR	292 38 28	123.335	123.378
297820	88H4771	E	431443.547	0.9996597	1.0000020	734103	82H5644	TERR	81 54 28	81.702	81.729		
		N	5446627.963			187443	77H5041	TERR	155 47 56	169.191	169.248		
		El	4.394			CVD28BC		731349	98SG012	TERR	256 51 37	92.668	92.700
993808	88H4773	E	427925.540	0.9996609	0.9999971	618348	88H4767	TERR	0 54 9	96.566	96.598		
		N	5454286.551			858084	79H5528	GPS	49 54 16	252.023	252.107		
		El	35.944			CVD28BC		951830	88H4791	GPS	89 38 2	760.940	761.199
						161349	88H4782	TERR	90 49 34	126.288	126.330		
						946087	90H6393	GPS	101 36 57	457.895	458.052		
						790949	98SG060	GPS	112 34 23	724.162	724.409		
						613869	82H5678	GPS	135 7 18	915.522	915.834		
						510479	88H4796	TERR	174 38 26	56.903	56.922		
491696	88H4774	E	426087.506	0.9996612	0.9999941	479790	89H5612	TERR	302 35 35	276.356	276.450		
		N	5454462.601										
		El	54.665			CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
445239	88H4776	E	427513.273	0.9996505	0.9999859	632752	88H4770	TERR	218 21 9	80.148	80.176			
		N	5447024.979					923706	88H4769	TERR	305 22 17	181.094	181.157	
		El	106.610					CVD28BC						
223198	88H4777	E	427349.711	0.9996490	0.9999841	632752	88H4770	TERR	112 38 28	123.335	123.378			
		N	5447009.605					897660	88H4805	TERR	293 11 43	109.489	109.528	
		El	118.234					CVD28BC						
262980	88H4780	E	430726.350	0.9996565	0.9999975	845958	93H1178	TERR	185 13 44	87.070	87.101			
		N	5451453.154											
		El	33.178					CVD28BC						
161349	88H4782	E	428051.815	0.9996590	0.9999954	860197	88H4787	TERR	64 19 39	83.733	83.762			
		N	5454284.730					993808	88H4773	TERR	270 49 34	126.288	126.330	
		El	46.474					CVD28BC						
85688	88H4783	E	424713.351	0.9996575	0.9999879	906412	88H4792	TERR	179 50 58	159.819	159.873			
		N	5454721.432					171553	88H4795	TERR	273 50 56	212.887	212.960	
		El	94.558					CVD28BC						
310235	88H4785	E	425443.270	0.9996601	0.9999918	321612	88H4806	TERR	138 41 32	181.667	181.728			
		N	5454648.912					665000	88H4801	TERR	273 33 7	149.561	149.612	
		El	69.239					CVD28BC						
860197	88H4787	E	428127.282	0.9996582	0.9999948	632950	90H9784	TERR	94 39 38	65.191	65.212			
		N	5454321.005					161349	88H4782	TERR	244 19 39	83.733	83.762	
		El	50.721					CVD28BC						
596544	88H4790	E	424632.056	0.9996569	0.9999871	906412	88H4792	TERR	89 36 42	81.717	81.745			
		N	5454561.060					296632	88H4768	TERR	355 19 37	83.846	83.875	
		El	99.525					CVD28BC						
951830	88H4791	E	428686.464	0.9996579	0.9999954	828400	98SG063	TERR	181 30 43	108.274	108.310			
		N	5454291.413					613869	82H5678	GPS	189 58 22	663.634	663.861	
		El	46.316					CVD28BC	946087	90H6393	GPS	252 44 28	327.137	327.249
									993808	88H4773	GPS	269 38 2	760.940	761.199
									858084	79H5528	GPS	285 29 26	589.550	589.750
									696740	83H6054	TERR	310 38 56	182.519	182.581

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
906412	88H4792	E	424713.771	0.9996568	0.9999871	596544	88H4790	TERR	269 36 42	81.717	81.745						
		N	5454561.614					85688	88H4783			TERR	359 50 58	159.819	159.873		
		El	99.179					CVD28BC									
27367	88H4793	E	424696.108	0.9996585	0.9999889	673616	88H4803	TERR	0 46 16	190.417	190.482						
		N	5454813.598					215491	79H5600			TERR	91 9 47	197.829	197.896		
		El	88.099					CVD28BC				330050	88H4802	TERR	269 52 36	190.838	190.904
								519249	79H5562			TERR	271 6 58	386.161	386.294		
455956	88H4794	E	425627.769	0.9996598	0.9999918	846667	93H1181	TERR	71 28 40	69.672	69.695						
		N	5454370.021					941674	83H6003			TERR	251 24 39	80.193	80.220		
		El	69.241					CVD28BC									
171553	88H4795	E	424500.944	0.9996575	0.9999875	330050	88H4802	TERR	3 11 47	77.586	77.611						
		N	5454735.722					85688	88H4783			TERR	93 50 56	212.887	212.960		
		El	96.669					CVD28BC				796011	95H1766	TERR	175 28 52	81.906	81.934
510479	88H4796	E	427930.855	0.9996602	0.9999964	331199	13H2702	GPS	130 20 6	2181.853	2182.619						
		N	5454229.897					818252	88H4798			TERR	148 9 35	116.155	116.195		
		El	40.433					CVD28BC				94532	98SG027	GPS	162 2 32	2713.617	2714.554
								255703	82H5700			GPS	167 50 18	4077.186	4078.582		
		773572	79H9336					GPS	175 9 16			3388.617	3389.776				
		490326	79H9296					GPS	181 57 40			5169.398	5171.184				
		602763	98SG020					GPS	185 22 11			2332.963	2333.768				
		527721	84C004					GPS	285 12 43			15201.022	15205.957				
993808	88H4773	TERR	354 38 26	56.903	56.922												
958157	88H4797	E	425695.344	0.9996599	0.9999920	846667	93H1181	TERR	180 46 59	110.640	110.678						
		N	5454502.784					321612	88H4806			TERR	274 10 57	132.508	132.553		
		El	67.911					CVD28BC									
818252	88H4798	E	427992.133	0.9996593	0.9999956	510479	88H4796	TERR	328 9 35	116.155	116.195						
		N	5454131.221														
		El	45.207					CVD28BC									
442558	88H4799	E	431660.812	0.9996574	1.0000000	271379	82H5654	TERR	168 6 5	83.858	83.886						
		N	5446515.985					54197	88H4800			TERR	335 4 36	65.754	65.776		
		El	17.303					CVD28BC									

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
54197	88H4800	E	431633.103	0.9996568	0.9999994	442558	88H4799	TERR	155 4 36	65.754	65.776					
		N	5446575.615					907600				89H5659	TERR	337 24 27	154.165	154.217
		El	21.065					CVD28BC								
665000	88H4801	E	425293.996	0.9996596	0.9999911	973461	89H5611	TERR	0 41 34	143.412	143.460					
		N	5454658.178					310235				88H4785	TERR	93 33 7	149.561	149.612
		El	74.154					CVD28BC				730622	83H6028	TERR	180 44 40	309.450
330050	88H4802	E	424505.270	0.9996582	0.9999882	27367	88H4793	TERR	89 52 36	190.838	190.904					
		N	5454813.187					171553				88H4795	TERR	183 11 47	77.586	77.611
		El	92.211					CVD28BC				519249	79H5562	TERR	272 19 35	195.411
673616	88H4803	E	424698.671	0.9996606	0.9999909	949552	79H9400	TERR	0 45 50	178.096	178.156					
		N	5455003.998					684415				79H9178	TERR	91 9 45	197.847	197.915
		El	75.136					CVD28BC				27367	88H4793	TERR	180 46 16	190.417
897660	88H4805	E	427249.072	0.9996492	0.9999842	223198	88H4777	TERR	113 11 43	109.489	109.528					
		N	5447052.729					881607				82H5667	TERR	277 35 19	102.181	102.216
		El	118.011					CVD28BC								
321612	88H4806	E	425563.189	0.9996600	0.9999920	958157	88H4797	TERR	94 10 57	132.508	132.553					
		N	5454512.448					310235				88H4785	TERR	318 41 32	181.667	181.728
		El	68.341					CVD28BC								
27029	89H5610	E	424892.342	0.9996576	0.9999883	215491	79H5600	TERR	0 35 21	151.162	151.213					
		N	5454658.429					263871				82H5724	TERR	180 47 37	654.879	655.103
		El	91.613					CVD28BC								
973461	89H5611	E	425295.730	0.9996605	0.9999920	665000	88H4801	TERR	180 41 34	143.412	143.460					
		N	5454801.579					232116				79H5583	TERR	271 7 51	259.247	259.335
		El	68.438					CVD28BC								
479790	89H5612	E	425854.671	0.9996611	0.9999936	491696	88H4774	TERR	122 35 35	276.356	276.450					
		N	5454611.465													
		El	58.013					CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
953711	89H5613	E	426813.018	0.9996426	0.9999768	817049	79H9332	TERR	114 56 6	166.902	166.962					
		N	5453557.973					835868				79H9331	TERR	253 19 46	121.645	121.688
		El	164.909					CVD28BC								
837641	89H5614	E	425807.461	0.9996598	0.9999922	716944	79H9302	TERR	123 32 36	254.587	254.674					
		N	5454383.161					846667				93H1181	TERR	274 31 31	113.984	114.023
		El	66.712					CVD28BC								
821546	89H5615	E	428475.871	0.9996408	0.9999779	294835	79H9341	TERR	264 53 17	220.765	220.845					
		N	5453181.803													
		El	157.961					CVD28BC								
678292	89H5616	E	428633.060	0.9996425	0.9999800	471516	79H9358	TERR	5 36 7	85.844	85.875					
		N	5453102.872													
		El	145.103					CVD28BC								
1529	89H5617	E	424868.581	0.9996649	0.9999956	713206	79H9172	TERR	136 17 13	171.977	172.035					
		N	5455324.527					39453				79H9221	TERR	300 53 20	191.456	191.521
		El	45.370					CVD28BC								
382176	89H5618	E	423485.567	0.9996574	0.9999855	MARKER DESTROYED										
		N	5454038.479													
		El	109.418			CVD28BC										
700690	89H5619	E	427364.009	0.9996635	0.9999987	827972	89H5620	TERR	24 17 54	73.465	73.489					
		N	5454342.208					593988				79H5521	TERR	160 28 8	125.069	125.111
		El	25.461					CVD28BC								
827972	89H5620	E	427394.239	0.9996645	0.9999998	362574	79H5526	TERR	79 53 18	260.017	260.105					
		N	5454409.165					700690				89H5619	TERR	204 17 54	73.465	73.489
		El	18.622					CVD28BC								
180661	89H5621	E	424600.183	0.9996553	0.9999855	MARKER DESTROYED										
		N	5451363.865													
		El	109.583			CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
595785	89H5622	E	424809.166	0.9996559	0.9999865	684779	79H9278	TERR	4 27 38	126.975	127.018						
		N	5451033.773					812214				89H5634	TERR	114 30 18	161.501	161.557	
		El	103.295					CVD28BC									
518787	89H5623	E	428597.764	0.9996527	0.9999900	MARKER ISOLATED											
		N	5447975.509														
		El	80.595			CVD28BC											
915629	89H5624	E	432900.534	0.9996486	0.9999932	841064	89H5625	TERR	181 39 28	101.380	101.416						
		N	5439853.709					727495				89H5648	TERR	269 49 15	633.206	633.428	
		El	60.182					CVD28BC									
841064	89H5625	E	432897.601	0.9996497	0.9999944	915629	89H5624	TERR	1 39 28	101.380	101.416						
		N	5439752.371					896852				79H9229	TERR	257 36 46	87.820	87.851	
		El	52.705					CVD28BC									
167924	89H5626	E	424370.269	0.9996554	0.9999852	420612	79H9164	TERR	80 20 46	151.030	151.082						
		N	5452123.990					636365				89H5627	TERR	217 23 13	215.738	215.812	
		El	111.600					CVD28BC									
636365	89H5627	E	424239.274	0.9996566	0.9999861	167924	89H5626	TERR	37 23 13	215.738	215.812						
		N	5451952.575					345058				89H5628	TERR	182 53 39	184.166	184.230	
		El	105.793					CVD28BC									
345058	89H5628	E	424229.975	0.9996547	0.9999842	636365	89H5627	TERR	2 53 39	184.166	184.230						
		N	5451768.644					892950				89H5629	TERR	93 39 41	217.696	217.772	
		El	117.707					CVD28BC				428722	94H1535	GPS	279 55 27	544.265	544.451
												690222	94H1536	GPS	290 39 7	569.038	569.233
		102194	96H2088					GPS				320 22 36	1344.044	1344.506			
		352385	79H9186					GPS				356 21 24	849.884	850.177			
892950	89H5629	E	424447.227	0.9996548	0.9999846	345058	89H5628	TERR	273 39 41	217.696	217.772						
		N	5451754.742														
		El	114.963					CVD28BC									
371021	89H5630	E	424868.536	0.9996540	0.9999847	MARKER DESTROYED											
		N	5451758.896														
		El	114.656			CVD28BC											

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
964072	89H5631	E	424639.283	0.9996539	0.9999841		MARKER DESTROYED				
		N	5451621.002								
		El	118.449	CVD28BC							
240564	89H5632	E	424607.664	0.9996541	0.9999843	458117	98SG029	TERR	125 31 56	241.679	241.763
		N	5451509.740								
		El	117.338	CVD28BC							
334474	89H5633	E	425214.091	0.9996538	0.9999851	354498	98SG028	GPS	64 5 9	341.170	341.288
		N	5450843.016			673988	79H5577	TERR	115 24 46	268.964	269.057
		El	111.716	CVD28BC		812214	89H5634	TERR	295 37 52	286.126	286.225
812214	89H5634	E	424956.120	0.9996545	0.9999853	334474	89H5633	TERR	115 37 52	286.126	286.225
		N	5450966.787			595785	89H5622	TERR	294 30 18	161.501	161.557
		El	110.751	CVD28BC							
875773	89H5635	E	427148.108	0.9996495	0.9999843	561514	89H5636	TERR	1 16 44	299.058	299.162
		N	5447158.520			881607	82H5667	TERR	180 11 60	92.298	92.330
		El	117.073	CVD28BC							
561514	89H5636	E	427154.783	0.9996524	0.9999872	559138	89H5637	TERR	1 6 56	389.447	389.582
		N	5447457.503			875773	89H5635	TERR	181 16 44	299.058	299.162
		El	98.379	CVD28BC							
559138	89H5637	E	427162.366	0.9996554	0.9999902	556324	89H5638	TERR	0 52 8	115.345	115.384
		N	5447846.876			561514	89H5636	TERR	181 6 56	389.447	389.582
		El	79.494	CVD28BC							
556324	89H5638	E	427164.115	0.9996576	0.9999924	554261	89H5649	TERR	54 53 5	261.319	261.409
		N	5447962.208			559138	89H5637	TERR	180 52 8	115.345	115.384
		El	65.375	CVD28BC							
530949	89H5639	E	427615.603	0.9996537	0.9999893	529636	89H5640	TERR	110 55 55	244.548	244.632
		N	5448046.238								
		El	85.093	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
529636	89H5640	E	427844.012	0.9996539	0.9999900	476226	15H2764	GPS	51 0 45	476.862	477.028		
		N	5447958.871					718304	98H2198	GPS	103 36 0	228.564	228.643
		El	80.930					CVD28BC	530949	89H5639	TERR	290 55 55	244.548
						897025	15H2761	GPS	329 1 53	914.660	914.978		
528646	89H5641	E	428094.147	0.9996544	0.9999908	MARKER DESTROYED							
		N	5447921.674										
		El	75.419			CVD28BC							
29256	89H5642	E	432241.973	0.9996491	0.9999927	84368	89H5643	TERR	147 15 12	209.188	209.261		
		N	5440218.697										
		El	63.840					CVD28BC					
84368	89H5643	E	432355.128	0.9996507	0.9999945	29256	89H5642	TERR	327 15 12	209.188	209.261		
		N	5440042.755										
		El	52.381					CVD28BC					
698654	89H5644	E	432448.243	0.9996527	0.9999966	621706	89H5645	TERR	157 4 34	159.005	159.060		
		N	5439848.978										
		El	38.790					CVD28BC					
621706	89H5645	E	432510.177	0.9996533	0.9999974	698654	89H5644	TERR	337 4 34	159.005	159.060		
		N	5439702.531										
		El	33.774					CVD28BC					
971077	89H5646	E	432564.327	0.9996545	0.9999986	960005	79H9243	TERR	64 55 10	153.840	153.894		
		N	5439560.586										
		El	25.955					CVD28BC					
737338	89H5647	E	432265.970	0.9996539	0.9999975	727495	89H5648	TERR	0 23 7	202.426	202.495		
		N	5439649.308										
		El	32.808					CVD28BC					
727495	89H5648	E	432267.331	0.9996515	0.9999951	915629	89H5624	TERR	89 49 15	633.206	633.428		
		N	5439851.729					737338	89H5647	TERR	180 23 7	202.426	202.495
		El	48.356							CVD28BC	593475	83H6069	TERR

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
554261	89H5649	E	427377.873	0.9996576	0.9999929	556324	89H5638	TERR	234 53 5	261.319	261.409
		N	5448112.525								
		El	62.504	CVD28BC							
656660	89H5650	E	424092.759	0.9996554	0.9999846	177006	89H5651	TERR	0 17 16	397.461	397.597
		N	5454232.061			914846	82H5718	TERR	181 0 21	196.727	196.795
		El	115.335	CVD28BC							
177006	89H5651	E	424094.756	0.9996572	0.9999864	999474	89H5652	TERR	0 20 25	196.316	196.383
		N	5454629.517			656660	89H5650	TERR	180 17 16	397.461	397.597
		El	103.916	CVD28BC							
999474	89H5652	E	424095.922	0.9996586	0.9999878	519249	79H5562	TERR	91 15 37	214.150	214.223
		N	5454825.829			177006	89H5651	TERR	180 20 25	196.316	196.383
		El	94.703	CVD28BC		540039	89H5653	TERR	273 15 33	188.952	189.016
540039	89H5653	E	423907.276	0.9996588	0.9999877	999474	89H5652	TERR	93 15 33	188.952	189.016
		N	5454836.571			61481	89H5654	TERR	273 3 19	409.448	409.588
		El	95.639	CVD28BC		940551	92H0732	GPS	311 45 24	565.041	565.233
						792457	92H0755	GPS	326 10 44	741.846	742.096
61481	89H5654	E	423498.410	0.9996599	0.9999880	540039	89H5653	TERR	93 3 19	409.448	409.588
		N	5454858.394			117663	89H5655	TERR	159 50 14	349.365	349.485
		El	93.661	CVD28BC		347336	92H0729	GPS	324 14 7	334.109	334.222
						940551	92H0732	GPS	357 57 26	354.701	354.821
						792457	92H0755	GPS	359 36 36	594.501	594.700
117663	89H5655	E	423618.832	0.9996584	0.9999868	61481	89H5654	TERR	339 50 14	349.365	349.485
		N	5454530.439								
		El	101.336	CVD28BC							
741025	89H5658	E	431310.315	0.9996580	1.0000001	645697	77H5051	TERR	86 55 10	109.141	109.178
		N	5446792.155			731349	98SG012	TERR	166 56 8	190.181	190.245
		El	16.669	CVD28BC		706044	77H5055	TERR	275 39 43	232.089	232.168
907600	89H5659	E	431573.877	0.9996565	0.9999990	960187	77H5054	TERR	68 5 31	82.580	82.609
		N	5446717.949			54197	88H4800	TERR	157 24 27	154.165	154.217
		El	23.735	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
199364	90H6351	E	428111.135	0.9996369	0.9999734	200899	92H0728	TERR	1 30 46	342.255	342.378					
		N	5446101.512					191932				90H6389	TERR	168 44 32	97.083	97.119
		El	186.369					CVD28BC								
663377	90H6352	E	427929.737	0.9996507	0.9999869	206748	90H6386	TERR	101 51 44	195.299	195.367					
		N	5446750.077					665323				79H5494	TERR	294 56 5	125.036	125.080
		El	100.742					CVD28BC								
736066	90H6353	E	425863.376	0.9996498	0.9999822	536573	79H5591	TERR	91 0 28	87.387	87.418					
		N	5452504.240					482802				90H6392	TERR	150 24 57	101.005	101.041
		El	130.277					CVD28BC								
544163	90H6354	E	432265.377	0.9996527	0.9999964	262733	90H9818	TERR	163 57 53	124.925	124.968					
		N	5443431.307					557785				79H9363	TERR	313 19 51	159.053	159.109
		El	40.266					CVD28BC								
179820	90H6355	E	428345.273	0.9996315	0.9999684	168815	90H6382	TERR	109 1 10	75.827	75.855					
		N	5445919.901					184432				90H6391	TERR	312 23 14	119.904	119.948
		El	218.548					CVD28BC								
693895	90H6356	E	427916.818	0.9996506	0.9999867	680587	90H6400	TERR	87 8 21	67.660	67.684					
		N	5446846.405					665323				79H5494	TERR	246 31 56	109.521	109.560
		El	101.636					CVD28BC								
364893	90H6357	E	429071.252	0.9996551	0.9999933	MARKER DESTROYED										
		N	5446436.775													
		El	59.532			CVD28BC										
361097	90H6358	E	428981.239	0.9996548	0.9999928	MARKER DESTROYED										
		N	5446437.657													
		El	62.901			CVD28BC										
245092	90H6359	E	428733.991	0.9996538	0.9999914	MARKER DESTROYED										
		N	5446541.963													
		El	71.757			CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
569947	90H6360	E	428135.231	0.9996561	0.9999926		MARKER DESTROYED				
		N	5447443.584								
		El	64.032	CVD28BC							
48454	90H6361	E	430409.284	0.9996601	1.0000006	279406	90H6373	TERR	121 24 12	166.193	166.249
		N	5453015.136			523142	90H6369	TERR	278 47 27	118.821	118.861
		El	13.585	CVD28BC							
897280	90H6362	E	430993.698	0.9996553	0.9999968	665489	90H6372	TERR	246 54 55	91.841	91.873
		N	5452390.666			756585	90H6371	TERR	329 21 21	119.243	119.285
		El	37.754	CVD28BC							
242727	90H6363	E	428596.746	0.9996538	0.9999911	254052	79H5522	TERR	178 56 18	121.919	121.961
		N	5446547.289								
		El	73.620	CVD28BC							
584672	90H6364	E	431996.662	0.9996511	0.9999943	557785	79H9363	TERR	130 7 56	200.140	200.209
		N	5443669.452			728030	90H6375	TERR	314 25 56	170.923	170.982
		El	53.268	CVD28BC							
236109	90H6365	E	428417.996	0.9996529	0.9999900		MARKER DESTROYED				
		N	5446671.432								
		El	81.074	CVD28BC							
365254	90H6366	E	429379.301	0.9996548	0.9999936	369603	79H9402	TERR	7 48 24	49.724	49.741
		N	5446432.740			81356	77H5240	TERR	91 31 23	565.417	565.613
		El	58.014	CVD28BC							
523142	90H6369	E	430291.859	0.9996592	0.9999995	48454	90H6361	TERR	98 47 27	118.821	118.861
		N	5453033.295			149740	79H9211	TERR	287 1 24	78.190	78.217
		El	20.544	CVD28BC							
583559	90H6370	E	428130.035	0.9996566	0.9999931	606269	90H9817	TERR	193 20 33	121.623	121.665
		N	5447292.859								
		El	60.822	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
756585	90H6371	E	430932.919	0.9996559	0.9999973	897280	90H6362	TERR	149 21 21	119.243	119.285		
		N	5452493.257					852954	90H6374	TERR	313 18 58	203.549	203.618
		El	34.765					CVD28BC					
665489	90H6372	E	430909.211	0.9996543	0.9999957	897280	90H6362	TERR	66 54 55	91.841	91.873		
		N	5452354.656					481226	92H0724	TERR	152 47 21	282.843	282.940
		El	44.723					CVD28BC		136291	79H9244	TERR	251 5 37
279406	90H6373	E	430551.133	0.9996603	1.0000011	852954	90H6374	TERR	141 40 33	376.849	376.978		
		N	5452928.540					48454	90H6361	TERR	301 24 12	166.193	166.249
		El	10.337					CVD28BC					
852954	90H6374	E	430784.821	0.9996577	0.9999989	756585	90H6371	TERR	133 18 58	203.549	203.618		
		N	5452632.896					279406	90H6373	TERR	321 40 33	376.849	376.978
		El	24.568					CVD28BC					
728030	90H6375	E	431874.610	0.9996523	0.9999953	584672	90H6364	TERR	134 25 56	170.923	170.982		
		N	5443789.109					722876	90H6378	TERR	322 55 12	168.804	168.863
		El	47.326					CVD28BC					
854984	90H6376	E	432470.133	0.9996549	0.9999989	250415	90H6377	TERR	135 54 33	143.953	144.001		
		N	5443151.601					635631	90H9819	TERR	312 52 5	79.277	79.305
		El	24.100					CVD28BC					
250415	90H6377	E	432570.295	0.9996552	0.9999994	495069	90H6379	TERR	126 37 19	170.223	170.282		
		N	5443048.209					854984	90H6376	TERR	315 54 33	143.953	144.001
		El	21.129					CVD28BC					
722876	90H6378	E	431772.833	0.9996534	0.9999962	728030	90H6375	TERR	142 55 12	168.804	168.863		
		N	5443923.780					558361	90H6380	TERR	332 16 19	297.062	297.165
		El	41.248					CVD28BC					
495069	90H6379	E	432706.914	0.9996560	1.0000004	335646	83H6061	TERR	55 17 58	91.753	91.784		
		N	5442946.666					250415	90H6377	TERR	306 37 19	170.223	170.282
		El	14.770					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
558361	90H6380	E	431634.617	0.9996537	0.9999963	970590	98SG015	TERR	8 56 7	92.880	92.912		
		N	5444186.729					722876	90H6378	TERR	152 16 19	297.062	297.165
		El	40.782					CVD28BC					
216184	90H6381	E	428195.149	0.9996510	0.9999877	206748	90H6386	TERR	271 29 15	74.309	74.334		
		N	5446708.003										
		El	95.740					CVD28BC					
168815	90H6382	E	428416.960	0.9996315	0.9999685	162834	79H9274	TERR	61 29 32	65.289	65.313		
		N	5445895.190					123760	79H9271	TERR	176 14 4	64.117	64.141
		El	217.958					CVD28BC		179820	90H6355	TERR	289 1 10
507137	90H6384	E	427911.661	0.9996584	0.9999946	96388	82H5687	TERR	121 18 56	181.485	181.547		
		N	5453765.187					967000	82H5686	TERR	300 44 15	317.991	318.100
		El	51.802					CVD28BC					
625202	90H6385	E	428053.234	0.9996509	0.9999873	606269	90H9817	TERR	9 27 43	296.449	296.552		
		N	5446882.103					680587	90H6400	TERR	244 50 58	76.050	76.077
		El	98.220					CVD28BC					
206748	90H6386	E	428120.865	0.9996508	0.9999874	216184	90H6381	TERR	91 29 15	74.309	74.334		
		N	5446709.932					200899	92H0728	TERR	180 8 58	266.285	266.378
		El	97.497					CVD28BC		663377	90H6352	TERR	281 51 44
589507	90H6387	E	427645.677	0.9996599	0.9999956	64956	83H6024	TERR	0 22 13	140.710	140.758		
		N	5454178.239					967000	82H5686	TERR	181 40 37	250.632	250.718
		El	45.495					CVD28BC					
191932	90H6389	E	428130.088	0.9996352	0.9999717	184432	90H6391	TERR	92 30 58	126.745	126.791		
		N	5446006.297					101444	98SG038	TERR	291 11 13	138.606	138.657
		El	197.507					CVD28BC		199364	90H6351	TERR	348 44 32
184432	90H6391	E	428256.711	0.9996330	0.9999698	179820	90H6355	TERR	132 23 14	119.904	119.948		
		N	5446000.733					191932	90H6389	TERR	272 30 58	126.745	126.791
		El	209.755					CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
482802	90H6392	E	425913.242	0.9996484	0.9999810	455865	79H5593	TERR	104 42 15	89.285	89.317				
		N	5452416.403					736066	90H6353	TERR	330 24 57	101.005	101.041		
		El	138.292					CVD28BC							
946087	90H6393	E	428374.057	0.9996553	0.9999923	951830	88H4791	GPS	72 44 28	327.137	327.249				
		N	5454194.355					790949	98SG060	GPS	130 9 29	288.077	288.175		
		El	66.689					CVD28BC		993808	88H4773	GPS	281 36 57	457.895	458.052
									632950	90H9784	TERR	303 43 24	218.581	218.657	
									858084	79H5528	GPS	314 51 50	360.797	360.920	
636803	90H6394	E	425837.194	0.9996474	0.9999798	301952	82H5634	GPS	12 25 17	2763.334	2764.304				
		N	5447093.223					648519	90H6398	GPS	92 4 54	428.964	429.116		
		El	145.577					CVD28BC		735472	90H6399	GPS	274 56 39	319.951	320.063
811109	90H6395	E	426394.487	0.9996481	0.9999815	236273	90H6397	TERR	91 0 9	392.425	392.562				
		N	5447084.309					879106	79H5529	GPS	141 8 26	604.735	604.949		
		El	134.697					CVD28BC		648519	90H6398	GPS	267 1 56	128.785	128.830
231647	90H6396	E	428363.849	0.9996524	0.9999894		MARKER DESTROYED								
236273	90H6397	E	426786.852	0.9996511	0.9999852	881607	82H5667	TERR	91 46 50	361.108	361.235				
		N	5447077.444					811109	90H6395	TERR	271 0 9	392.425	392.562		
		El	111.152					CVD28BC							
648519	90H6398	E	426265.875	0.9996477	0.9999809	301952	82H5634	GPS	3 29 38	2719.285	2720.239				
		N	5447077.641					811109	90H6395	GPS	87 1 56	128.785	128.830		
		El	138.514					CVD28BC		636803	90H6394	GPS	272 4 54	428.964	429.116
									735472	90H6399	GPS	273 18 16	748.686	748.949	
735472	90H6399	E	425518.434	0.9996489	0.9999808	301952	82H5634	GPS	18 52 26	2822.852	2823.840				
		N	5447120.798					648519	90H6398	GPS	93 18 16	748.686	748.949		
		El	139.438					CVD28BC		636803	90H6394	GPS	94 56 39	319.951	320.063
									879106	79H5529	GPS	112 0 20	1354.123	1354.604	
									272062	16H2768	GPS	124 56 37	858.845	859.150	
680587	90H6400	E	427984.394	0.9996504	0.9999867	625202	90H6385	TERR	64 50 58	76.050	76.077				
		N	5446849.782					693895	90H6356	TERR	267 8 21	67.660	67.684		
		El	101.896					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
519132	90H9768	E	431800.619	0.9996586	1.0000014	972489	90H9791	TERR	101 15 1	101.305	101.339		
		N	5446105.344					300269	90H9777	TERR	302 34 3	109.536	109.573
		El	7.982					CVD28BC					
103655	90H9769	E	431994.294	0.9996551	0.9999983	504316	77H5077	TERR	89 2 42	103.446	103.482		
		N	5445431.425					382465	77H5089	TERR	178 0 41	202.879	202.949
		El	28.308					CVD28BC		109512	90H9783	TERR	266 8 30
948059	90H9770	E	428999.761	0.9996538	0.9999919	356121	77H5293	TERR	138 52 25	199.551	199.620		
		N	5447778.389					837369	77H5295	TERR	246 47 20	277.575	277.670
		El	68.962					CVD28BC					
445007	90H9771	E	431614.756	0.9996589	1.0000015	300269	90H9777	TERR	129 26 32	121.138	121.179		
		N	5446241.265					567875	90H9793	TERR	343 50 57	112.634	112.672
		El	7.887					CVD28BC					
155317	90H9772	E	427230.240	0.9996478	0.9999828	510966	90H9814	TERR	230 21 2	96.958	96.992		
		N	5450152.172										
		El	127.054					CVD28BC					
946293	90H9773	E	429136.097	0.9996535	0.9999918	MARKER DESTROYED							
		N	5447856.130										
		El	69.272			CVD28BC							
697953	90H9775	E	431913.075	0.9996545	0.9999976	MARKER DESTROYED							
		N	5444325.353										
		El	32.712			CVD28BC							
528844	90H9776	E	431905.744	0.9996547	0.9999978	803056	77H5097	TERR	83 56 19	108.319	108.356		
		N	5444621.178					545749	77H5234	TERR	268 22 17	96.161	96.194
		El	31.280					CVD28BC		422329	90H9778	TERR	358 24 27
300269	90H9777	E	431708.307	0.9996587	1.0000014	519132	90H9768	TERR	122 34 3	109.536	109.573		
		N	5446164.306					257659	82H5674	TERR	162 40 51	101.538	101.573
		El	8.095					CVD28BC		445007	90H9771	TERR	309 26 32

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
422329	90H9778	E	431897.630	0.9996546	0.9999976	204933	77H5095	TERR	82 47 23	110.714	110.753
		N	5444913.036			528844	90H9776	TERR	178 24 27	291.971	292.072
		El	32.548	CVD28BC		597054	90H9780	TERR	280 10 43	95.911	95.943
						227389	90H9781	TERR	359 8 3	304.392	304.496
583914	90H9779	E	431051.457	0.9996593	1.0000009	710483	90H9794	TERR	162 16 5	115.805	115.845
		N	5448198.204			700708	77H5351	TERR	256 22 56	67.256	67.279
		El	11.425	CVD28BC		787630	90H9796	TERR	321 35 15	152.050	152.102
597054	90H9780	E	431803.229	0.9996536	0.9999964	422329	90H9778	TERR	100 10 43	95.911	95.943
		N	5444929.985			545749	77H5234	TERR	178 49 28	311.606	311.713
		El	39.894	CVD28BC							
227389	90H9781	E	431893.030	0.9996543	0.9999974	382465	77H5089	TERR	84 3 24	108.889	108.927
		N	5445217.393			422329	90H9778	TERR	179 8 3	304.392	304.496
		El	33.982	CVD28BC		78089	77H5091	TERR	283 43 7	125.341	125.385
						109512	90H9783	TERR	358 25 47	206.898	206.969
590661	90H9782	E	430848.650	0.9996598	1.0000010	980300	90H9812	TERR	91 22 13	84.673	84.702
		N	5448584.328			906750	78H5364	TERR	179 54 8	108.324	108.361
		El	10.577	CVD28BC		535310	78H5366	TERR	269 18 15	142.882	142.930
109512	90H9783	E	431887.360	0.9996545	0.9999975	103655	90H9769	TERR	86 8 30	107.177	107.213
		N	5445424.213			227389	90H9781	TERR	178 25 47	206.898	206.969
		El	33.181	CVD28BC		916916	90H9786	TERR	359 4 5	224.248	224.325
632950	90H9784	E	428192.257	0.9996575	0.9999941	946087	90H6393	TERR	123 43 24	218.581	218.657
		N	5454315.708			860197	88H4787	TERR	274 39 38	65.191	65.212
		El	54.811	CVD28BC							
433623	90H9785	E	428069.098	0.9996501	0.9999865		MARKER DESTROYED				
		N	5448861.448								
		El	102.951	CVD28BC							
916916	90H9786	E	431883.713	0.9996545	0.9999975	23085	77H5016	TERR	87 59 59	109.100	109.137
		N	5445648.431			109512	90H9783	TERR	179 4 5	224.248	224.325
		El	32.872	CVD28BC		499376	90H9789	TERR	358 42 8	82.163	82.191

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
86967	90H9787	E	426675.188	0.9996517	0.9999857	534578	79H9242	TERR	90 2 37	212.124	212.198						
		N	5450080.855					82H5642				TERR	272 28 35	242.519	242.603		
		El	108.331					CVD28BC									
643783	90H9788	E	430752.693	0.9996599	1.0000010	980300	90H9812	TERR	127 17 2	226.993	227.070						
		N	5448719.807					78H5422				TERR	276 26 23	90.175	90.205		
		El	10.872					CVD28BC				856849	90H9809	TERR	343 34 35	108.641	108.678
499376	90H9789	E	431881.852	0.9996550	0.9999980	916916	90H9786	TERR	178 42 8	82.163	82.191						
		N	5445730.573					90H9790				TERR	358 50 56	140.969	141.019		
		El	30.067					CVD28BC									
488569	90H9790	E	431879.020	0.9996566	0.9999996	499376	90H9789	TERR	178 50 56	140.969	141.019						
		N	5445871.514					90H9795				TERR	358 57 7	137.161	137.207		
		El	19.551					CVD28BC									
972489	90H9791	E	431899.977	0.9996584	1.0000014	985218	90H9795	TERR	196 57 49	80.427	80.455						
		N	5446085.580					90H9768				TERR	281 15 1	101.305	101.339		
		El	8.333					CVD28BC									
567875	90H9793	E	431583.425	0.9996590	1.0000015	445007	90H9771	TERR	163 50 57	112.634	112.672						
		N	5446349.454					77H5041				TERR	330 24 36	142.814	142.863		
		El	7.329					CVD28BC									
710483	90H9794	E	431086.727	0.9996593	1.0000009	778464	90H9805	TERR	187 19 22	146.065	146.114						
		N	5448087.901					90H9779				TERR	342 16 5	115.805	115.845		
		El	11.222					CVD28BC									
985218	90H9795	E	431876.511	0.9996580	1.0000010	972489	90H9791	TERR	16 57 49	80.427	80.455						
		N	5446008.652					77H5011				TERR	83 4 46	120.324	120.364		
		El	10.944					CVD28BC				488569	90H9790	TERR	178 57 7	137.161	137.207
												233627	77H5017	TERR	208 54 13	36.693	36.705
787630	90H9796	E	430956.985	0.9996600	1.0000014	583914	90H9779	TERR	141 35 15	152.050	152.102						
		N	5448317.344					90H9812				TERR	354 53 30	266.016	266.106		
		El	8.077					CVD28BC									

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
483164	90H9800	E	427422.923	0.9996495	0.9999848	583443	90H9816	TERR	115 7 31	261.684	261.775					
		N	5449589.838					138537				83H6015	TERR	314 11 26	233.036	233.118
		El	113.957					CVD28BC								
732016	90H9801	E	427156.854	0.9996479	0.9999828	MARKER DESTROYED										
		N	5450244.927													
		El	126.986			CVD28BC										
83436	90H9802	E	429208.532	0.9996610	0.9999994	MARKER DESTROYED										
		N	5450979.169													
		El	20.901			CVD28BC										
556621	90H9803	E	431833.355	0.9996540	0.9999969	219188	77H4355	TERR	5 47 49	115.669	115.709					
		N	5445694.330			252288	77H4357	TERR				189 19 8	105.638	105.674		
		El	37.014			CVD28BC										
778464	90H9805	E	431068.110	0.9996593	1.0000010	710483	90H9794	TERR	7 19 22	146.065	146.114					
		N	5447943.027			126615	77H5343	TERR				162 9 44	300.367	300.470		
		El	11.053			CVD28BC										
531632	90H9807	E	427392.136	0.9996483	0.9999835	MARKER DESTROYED										
		N	5449852.625													
		El	122.106			CVD28BC										
856849	90H9809	E	430721.976	0.9996601	1.0000011	643783	90H9788	TERR	163 34 35	108.641	108.678					
		N	5448824.015			908962	78H5384	TERR				266 51 21	136.334	136.381		
		El	9.886			213306	77H5138	TERR				323 43 14	120.929	120.971		
678805	90H9810	E	427871.949	0.9996486	0.9999847	490326	79H9296	TERR	276 42 14	118.815	118.857					
		N	5449049.657			675652	83H6022	TERR				327 9 42	276.815	276.912		
		El	114.514			CVD28BC										
980300	90H9812	E	430933.299	0.9996601	1.0000015	787630	90H9796	TERR	174 53 30	266.016	266.106					
		N	5448582.303			590661	90H9782	TERR				271 22 13	84.673	84.702		
		El	7.926			643783	90H9788	TERR				307 17 2	226.993	227.070		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
510966	90H9814	E	427155.586	0.9996483	0.9999831	155317	90H9772	TERR	50 21 2	96.958	96.992
		N	5450090.304			85894	79H9246	TERR	124 44 35	28.374	28.384
		El	124.798	CVD28BC		534578	79H9242	TERR	267 56 54	268.446	268.540
216630	90H9815	E	427602.625	0.9996487	0.9999843						
		N	5449600.364								
		El	117.132	CVD28BC							
583443	90H9816	E	427659.847	0.9996494	0.9999851	675652	83H6022	TERR	162 29 21	206.037	206.110
		N	5449478.727			483164	90H9800	TERR	295 7 31	261.684	261.775
		El	112.034	CVD28BC							
606269	90H9817	E	428101.968	0.9996558	0.9999923	583559	90H6370	TERR	13 20 33	121.623	121.665
		N	5447174.519			625202	90H6385	TERR	189 27 43	296.449	296.552
		El	65.881	CVD28BC		932681	79H9280	TERR	290 40 53	129.224	129.270
262733	90H9818	E	432299.885	0.9996539	0.9999976	635631	90H9819	TERR	133 18 29	154.113	154.165
		N	5443311.243			544163	90H6354	TERR	343 57 53	124.925	124.968
		El	32.198	CVD28BC							
635631	90H9819	E	432412.029	0.9996547	0.9999986	854984	90H6376	TERR	132 52 5	79.277	79.305
		N	5443205.534			262733	90H9818	TERR	313 18 29	154.113	154.165
		El	25.923	CVD28BC							
464164	92H0720	E	429449.866	0.9996545	0.9999933	447961	92H0726	TERR	175 18 23	245.419	245.505
		N	5447209.627								
		El	59.567	CVD28BC							
476903	92H0721	E	429954.915	0.9996509	0.9999907	494930	77H5110	TERR	1 10 57	148.465	148.516
		N	5447029.312			770073	77H5120	TERR	180 52 54	189.137	189.204
		El	76.617	CVD28BC							
350637	92H0722	E	428546.350	0.9996552	0.9999925	926550	79H9324	TERR	85 3 8	124.004	124.047
		N	5451326.671			703793	92H0739	TERR	109 40 13	192.663	192.730
		El	64.906	CVD28BC		208579	79H9318	TERR	272 39 51	133.478	133.524

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
481226	92H0724	E	431038.546	0.9996551	0.9999967	611483	92H0766	TERR	187 21 1	113.713	113.752				
		N	5452103.115					665489	90H6372	TERR	332 47 21	282.843	282.940		
		El	38.464					CVD28BC							
433110	92H0725	E	429347.630	0.9996542	0.9999928	447961	92H0726	TERR	59 52 13	141.426	141.475				
		N	5446894.041					432666	79H9410	TERR	172 30 16	88.280	88.311		
		El	62.788					CVD28BC							
447961	92H0726	E	429469.948	0.9996542	0.9999931	433110	92H0725	TERR	239 52 13	141.426	141.475				
		N	5446965.031					464164	92H0720	TERR	355 18 23	245.419	245.505		
		El	60.858					CVD28BC							
200899	92H0728	E	428120.170	0.9996474	0.9999839	206748	90H6386	TERR	0 8 58	266.285	266.378				
		N	5446443.648					199364	90H6351	TERR	181 30 46	342.255	342.378		
		El	119.642					CVD28BC		643171	92H0743	TERR	271 49 31	199.381	199.452
347336	92H0729	E	423303.137	0.9996620	0.9999897	792457	92H0755	GPS	30 35 49	375.691	375.817				
		N	5455129.498					940551	92H0732	GPS	65 27 46	200.759	200.827		
		El	82.506					CVD28BC		441196	96H2089	GPS	116 8 31	4575.677	4577.278
									61481	89H5654	GPS	144 14 7	334.109	334.222	
									914846	82H5718	GPS	144 18 6	1347.290	1347.750	
									301952	82H5634	GPS	149 37 29	6186.880	6189.007	
									102194	96H2088	GPS	178 17 1	2326.644	2327.434	
									858100	03SG087	GPS	181 10 20	1099.057	1099.431	
									791046	03SG086	GPS	195 22 55	1272.285	1272.717	
									452391	96H2090	GPS	202 40 19	1891.278	1891.919	
									527721	84C004	GPS	287 6 1	10505.109	10508.508	
									876235	79H9169	GPS	317 56 51	161.380	161.435	
57109	92H0730	E	429489.857	0.9996597	0.9999986	405522	92H0733	TERR	208 58 22	89.080	89.111				
		N	5451097.026					220996	92H0737	TERR	322 38 29	240.487	240.569		
		El	26.250					CVD28BC							
732875	92H0731	E	430937.702	0.9996546	0.9999960	151720	92H0754	TERR	180 45 45	262.965	263.057				
		N	5452158.129					828012	92H0763	TERR	271 42 49	203.729	203.799		
		El	42.700					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
940551	92H0732	E	423485.766	0.9996630	0.9999911	792457	92H0755	GPS	2 3 4	240.165	240.246	
		N	5455212.870			540039	89H5653	GPS	131 45 24	565.041	565.233	
		El	73.947			CVD28BC	61481	89H5654	GPS	177 57 26	354.701	354.821
							347336	92H0729	GPS	245 27 46	200.759	200.827
							876235	79H9169	GPS	277 8 52	293.000	293.099
							953216	79H9179	GPS	297 17 35	459.039	459.192
						294801	79H9176	GPS	307 47 14	423.847	423.988	
405522	92H0733	E	429446.707	0.9996599	0.9999987	57109	92H0730	TERR	28 58 22	89.080	89.111	
		N	5451019.094									
		El	25.391			CVD28BC						
542688	92H0734	E	428793.677	0.9996530	0.9999907	376079	92H0745	TERR	182 51 31	176.288	176.349	
		N	5449934.939			162404	79H5462	TERR	357 50 3	185.558	185.623	
		El	76.265			CVD28BC						
585554	92H0736	E	425793.960	0.9996453	0.9999777	123695	79H9320	TERR	63 12 44	68.118	68.142	
		N	5453364.554			875609	14H2760	GPS	117 13 55	585.385	585.593	
		El	159.597			CVD28BC	474254	14H2757	GPS	165 40 47	416.331	416.478
							344416	92H0749	GPS	291 54 36	269.673	269.769
							494377	92H0747	TERR	308 39 40	127.440	127.486
220996	92H0737	E	429343.929	0.9996571	0.9999958	57109	92H0730	TERR	142 38 29	240.487	240.569	
		N	5451288.178			829739	92H0738	TERR	288 12 42	114.514	114.554	
		El	44.056			CVD28BC						
829739	92H0738	E	429235.151	0.9996558	0.9999943	220996	92H0737	TERR	108 12 42	114.514	114.554	
		N	5451323.967			11452	92H0764	TERR	306 6 41	276.318	276.413	
		El	53.556			CVD28BC						
703793	92H0739	E	428727.770	0.9996562	0.9999938	656918	92H0741	TERR	99 51 45	193.531	193.597	
		N	5451261.819			350637	92H0722	TERR	289 40 13	192.663	192.730	
		El	56.630			CVD28BC						
656918	92H0741	E	428918.441	0.9996559	0.9999938	339077	92H0744	TERR	131 43 6	126.983	127.027	
		N	5451228.670			703793	92H0739	TERR	279 51 45	193.531	193.597	
		El	56.611			CVD28BC						
246165	92H0742	E	431012.219	0.9996541	0.9999956	320937	92H0748	TERR	1 32 37	323.359	323.471	
		N	5451568.815			820787	92H0751	TERR	179 24 21	93.044	93.077	
		El	45.408			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
643171	92H0743	E	427920.890	0.9996471	0.9999832	200899	92H0728	TERR	91 49 31	199.381	199.452
		N	5446449.999								
		El	123.888	CVD28BC							
339077	92H0744	E	429013.224	0.9996574	0.9999955	110007	92H0750	TERR	97 17 44	121.336	121.378
		N	5451144.167			656918	92H0741	TERR	311 43 6	126.983	127.027
		El	45.656	CVD28BC							
376079	92H0745	E	428784.885	0.9996525	0.9999901	542688	92H0734	TERR	2 51 31	176.288	176.349
		N	5449758.870			858274	78H5372	TERR	127 26 25	417.842	417.987
		El	79.959	CVD28BC		404756	78H5370	TERR	222 26 3	106.582	106.619
494377	92H0747	E	425694.448	0.9996465	0.9999787	585554	92H0736	TERR	128 39 40	127.440	127.486
		N	5453444.167			344416	92H0749	TERR	277 56 22	152.141	152.195
		El	153.185	CVD28BC							
320937	92H0748	E	431020.929	0.9996545	0.9999961	611483	92H0766	TERR	1 47 19	98.328	98.362
		N	5451892.057			246165	92H0742	TERR	181 32 37	323.359	323.471
		El	42.230	CVD28BC		151720	92H0754	TERR	272 4 1	86.784	86.813
344416	92H0749	E	425543.765	0.9996473	0.9999792	494377	92H0747	TERR	97 56 22	152.141	152.195
		N	5453465.182			820787	92H0751	GPS	109 59 17	5819.990	5822.022
		El	149.964	CVD28BC		585554	92H0736	GPS	111 54 36	269.673	269.769
						875609	14H2760	GPS	115 33 15	854.261	854.565
						920009	No Marking	GPS	140 33 36	9547.921	9551.252
						476226	15H2764	GPS	152 50 29	5851.429	5853.478
						451724	14H2756	GPS	173 3 26	928.252	928.578
						87312	92H0761	TERR	266 52 24	129.490	129.535
110007	92H0750	E	429133.578	0.9996571	0.9999954	72538	92H0758	TERR	138 2 4	95.855	95.888
		N	5451128.759			339077	92H0744	TERR	277 17 44	121.336	121.378
		El	46.596	CVD28BC							
820787	92H0751	E	431013.184	0.9996545	0.9999960	920009	No Marking	GPS	173 40 57	5417.253	5419.123
		N	5451475.776			476226	15H2764	GPS	221 1 17	4263.807	4265.285
		El	42.751	CVD28BC		344416	92H0749	GPS	289 59 17	5819.990	5822.022
						331199	13H2702	GPS	313 23 50	1953.132	1953.824
						246165	92H0742	TERR	359 24 21	93.044	93.077

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
615682	92H0752	E	425333.764	0.9996527	0.9999842	87312	92H0761	TERR	147 47 27	151.411	151.464
		N	5453586.229								
		El	117.972	CVD28BC							
701482	92H0753	E	427905.886	0.9996507	0.9999868	700468	79H9285	TERR	123 13 54	65.699	65.722
		N	5446988.971			716647	79H9281	TERR	324 6 28	78.236	78.264
		El	100.970	CVD28BC							
151720	92H0754	E	430934.202	0.9996547	0.9999961	732875	92H0731	TERR	0 45 45	262.965	263.057
		N	5451895.187			320937	92H0748	TERR	92 4 1	86.784	86.813
		El	42.392	CVD28BC							
792457	92H0755	E	423494.362	0.9996676	0.9999957	540039	89H5653	GPS	146 10 44	741.846	742.096
		N	5455452.881			61481	89H5654	GPS	179 36 36	594.501	594.700
		El	44.222	CVD28BC		940551	92H0732	GPS	182 3 4	240.165	240.246
						347336	92H0729	GPS	210 35 49	375.691	375.817
						876235	79H9169	GPS	235 46 56	361.975	362.096
						953216	79H9179	GPS	265 56 45	417.576	417.715
72538	92H0758	E	429197.675	0.9996593	0.9999977	10579	92H0765	TERR	123 53 5	154.194	154.247
		N	5451057.486			110007	92H0750	TERR	318 2 4	95.855	95.888
		El	31.863	CVD28BC							
918789	92H0760	E	427314.451	0.9996511	0.9999862	923706	88H4769	TERR	146 45 23	93.314	93.346
		N	5447207.852								
		El	104.776	CVD28BC							
87312	92H0761	E	425414.468	0.9996496	0.9999813	344416	92H0749	TERR	86 52 24	129.490	129.535
		N	5453458.119			615682	92H0752	TERR	327 47 27	151.411	151.464
		El	136.439	CVD28BC							
828012	92H0763	E	430734.064	0.9996542	0.9999953	732875	92H0731	TERR	91 42 49	203.729	203.799
		N	5452164.221								
		El	47.480	CVD28BC							
11452	92H0764	E	429011.921	0.9996534	0.9999915	829739	92H0738	TERR	126 6 41	276.318	276.413
		N	5451486.817			377333	79H9356	TERR	340 15 25	128.215	128.259
		El	71.353	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
10579	92H0765	E	429325.681	0.9996596	0.9999983	72538	92H0758	TERR	303 53 5	154.194	154.247
		N	5450971.519								
		El	28.209	CVD28BC							
611483	92H0766	E	431023.998	0.9996544	0.9999960	481226	92H0724	TERR	7 21 1	113.713	113.752
		N	5451990.337			320937	92H0748	TERR	181 47 19	98.328	98.362
		El	43.100	CVD28BC							
149534	93H1171	E	428122.413	0.9996498	0.9999863	398123	93H1172	TERR	126 50 52	147.956	148.008
		N	5448759.574								
		El	104.317	CVD28BC							
398123	93H1172	E	428240.812	0.9996496	0.9999863	891788	15H2763	GPS	237 41 7	302.166	302.272
		N	5448670.846			149534	93H1171	TERR	306 50 52	147.956	148.008
		El	104.241	CVD28BC							
949248	93H1173	E	428300.969	0.9996510	0.9999879			MARKER DESTROYED			
		N	5448497.739								
		El	94.328	CVD28BC							
481424	93H1174	E	428465.649	0.9996512	0.9999883	23093	93H1175	TERR	142 33 34	138.309	138.356
		N	5448292.604								
		El	91.447	CVD28BC							
23093	93H1175	E	428549.732	0.9996517	0.9999890	514562	15H2765	GPS	23 40 22	125.211	125.254
		N	5448182.789			476226	15H2764	GPS	282 47 46	343.596	343.716
		El	87.150	CVD28BC		481424	93H1174	TERR	322 33 34	138.309	138.356
231738	93H1176	E	428691.647	0.9996525	0.9999900			MARKER DESTROYED			
		N	5447996.840								
		El	80.801	CVD28BC							
265603	93H1177	E	430534.918	0.9996583	0.9999990	845958	93H1178	TERR	96 58 41	184.866	184.930
		N	5451388.905			867077	83H6046	TERR	292 46 35	209.028	209.100
		El	23.520	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
845958	93H1178	E	430718.415	0.9996579	0.9999990	262980	88H4780	TERR	5 13 44	87.070	87.101	
		N	5451366.446			265603	93H1177	TERR	276 58 41	184.866	184.930	
		El	23.860			CVD28BC						
623611	93H1179	E	424573.135	0.9996553	0.9999855	263871	82H5724	TERR	89 13 35	310.165	310.272	
		N	5453999.425			914846	82H5718	TERR	274 14 53	485.162	485.329	
		El	109.787			CVD28BC						
602219	93H1180	E	428702.114	0.9996560	0.9999935	900902	3468	TERR	91 30 2	186.930	186.995	
		N	5450385.712			167577	82H5668	TERR	171 28 58	86.863	86.892	
		El	58.306			CVD28BC		775619	82H5698	TERR	355 37 15	73.770
846667	93H1181	E	425693.832	0.9996597	0.9999919	958157	88H4797	TERR	0 46 59	110.640	110.678	
		N	5454392.154			837641	89H5614	TERR	94 31 31	113.984	114.023	
		El	68.867			CVD28BC	827808	83H6051	TERR	180 30 14	150.459	150.510
							455956	88H4794	TERR	251 28 40	69.672	69.695
428722	94H1535	E	423693.854	0.9996599	0.9999884	690222	94H1536	GPS	1 57 20	106.957	106.994	
		N	5451862.444			345058	89H5628	GPS	99 55 27	544.265	544.451	
		El	91.046			CVD28BC		102194	96H2088	GPS	341 10 16	994.683
690222	94H1536	E	423697.504	0.9996610	0.9999895	352385	79H9186	GPS	36 27 49	805.077	805.351	
		N	5451969.339			345058	89H5628	GPS	110 39 7	569.038	569.233	
		El	84.008			CVD28BC	428722	94H1535	GPS	181 57 20	106.957	106.994
							102194	96H2088	GPS	338 44 31	895.491	895.795
211631	94H1617	E	423027.870	0.9996590	0.9999862	858100	03SG087	GPS	21 4 51	702.787	703.027	
		N	5453374.919			914846	82H5718	GPS	58 6 34	1250.134	1250.562	
		El	104.774			CVD28BC	102194	96H2088	GPS	148 51 49	667.128	667.356
							622597	94H1618	GPS	185 41 46	147.775	147.825
							452391	96H2090	GPS	271 11 33	453.831	453.986
791046	03SG086	GPS	353 16 43	531.522	531.703							
622597	94H1618	E	423013.203	0.9996578	0.9999850	211631	94H1617	GPS	5 41 46	147.775	147.825	
		N	5453227.874			858100	03SG087	GPS	18 25 31	846.175	846.464	
		El	112.876			CVD28BC	914846	82H5718	GPS	53 6 58	1345.376	1345.838
							102194	96H2088	GPS	139 41 42	555.954	556.144
							452391	96H2090	GPS	289 37 1	466.120	466.279
791046	03SG086	GPS	355 58 14	676.587	676.817							
386458	95H1764	E	424324.489	0.9996568	0.9999865	417527	95H1765	TERR	147 23 37	147.523	147.573	
		N	5454663.002			519249	79H5562	TERR	354 46 18	158.778	158.832	
		El	103.363			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
417527	95H1765	E	424403.984	0.9996561	0.9999859	386458	95H1764	TERR	327 23 37	147.523	147.573
		N	5454538.730								
		El	106.987	CVD28BC							
796011	95H1766	E	424507.397	0.9996568	0.9999868	296632	88H4768	TERR	94 34 57	118.206	118.246
		N	5454654.071			171553	88H4795	TERR	355 28 52	81.906	81.934
		El	101.070	CVD28BC							
204149	95H1767	E	426499.621	0.9996582	0.9999919	93104	95H1768	TERR	2 28 40	213.161	213.234
		N	5454174.704			377747	95H1772	TERR	87 35 36	212.125	212.197
		El	68.943	CVD28BC							
93104	95H1768	E	426508.836	0.9996615	0.9999951	485367	95H1769	TERR	101 48 18	171.019	171.078
		N	5454387.666			204149	95H1767	TERR	182 28 40	213.161	213.234
		El	48.282	CVD28BC							
485367	95H1769	E	426676.238	0.9996623	0.9999963	914564	95H1770	TERR	104 56 58	207.679	207.749
		N	5454352.679			93104	95H1768	TERR	281 48 18	171.019	171.078
		El	40.713	CVD28BC							
914564	95H1770	E	426876.888	0.9996622	0.9999965	165753	95H1771	TERR	201 25 47	80.001	80.028
		N	5454299.105			485367	95H1769	TERR	284 56 58	207.679	207.749
		El	39.559	CVD28BC							
165753	95H1771	E	426847.659	0.9996607	0.9999949	914564	95H1770	TERR	21 25 47	80.001	80.028
		N	5454224.635			687426	95H1773	TERR	161 30 26	121.100	121.141
		El	49.450	CVD28BC		377747	95H1772	TERR	253 13 34	142.148	142.197
377747	95H1772	E	426711.559	0.9996595	0.9999935	165753	95H1771	TERR	73 13 34	142.148	142.197
		N	5454183.612			204149	95H1767	TERR	267 35 36	212.125	212.197
		El	58.515	CVD28BC							
687426	95H1773	E	426886.070	0.9996592	0.9999936	670026	95H1774	TERR	192 45 26	97.301	97.334
		N	5454109.788			165753	95H1771	TERR	341 30 26	121.100	121.141
		El	58.114	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
670026	95H1774	E	426864.584	0.9996581	0.9999924	687426	95H1773	TERR	12 45 26	97.301	97.334
		N	5454014.889								
		El	65.745	CVD28BC							
430843	95H2043	E	433013.611	0.9996575	1.0000023	227108	77H5011	TERR	229 4 15	1346.958	1347.419
		N	5446905.577			921171	NO MARKING	TERR	321 59 50	744.191	744.446
		El	2.345	CVD28BC		798520	30128	TERR	333 10 38	335.677	335.792
425900	96H2083	E	429320.740	0.9996410	0.9999797	369504	98SG056	GPS	15 17 16	1264.507	1264.957
		N	5442720.431			718353	98SG070	GPS	24 14 2	592.780	592.992
		El	146.633	CVD28BC		665885	79H9192	GPS	53 22 47	1231.928	1232.366
						501809	96H2093	GPS	134 7 51	4981.462	4983.227
						132944	96H2095	GPS	145 19 37	4166.103	4167.587
						656983	98SG069	GPS	241 33 42	515.884	516.069
						469932	96H2100	GPS	314 20 57	5009.288	5011.086
						275438	96H2085	GPS	325 57 30	688.594	688.839
						132506	96H2096	GPS	326 55 2	2518.398	2519.308
570135	96H2084	E	430992.117	0.9996610	1.0000025	733378	96H2091	GPS	82 3 59	1733.757	1734.347
		N	5449519.133			301952	82H5634	GPS	273 25 21	4568.672	4570.245
		El	1.565	CVD28BC		441196	96H2089	GPS	315 6 13	5074.002	5075.780
275438	96H2085	E	428935.267	0.9996437	0.9999817	419655	77H5009	GPS	47 34 19	4327.191	4328.701
		N	5443291.020			718353	98SG070	GPS	92 44 9	629.504	629.727
		El	133.913	CVD28BC		501809	96H2093	GPS	135 33 37	5657.198	5659.194
						132944	96H2095	GPS	145 24 59	4854.660	4856.383
						425900	96H2083	GPS	145 57 30	688.594	688.839
						656983	98SG069	GPS	184 46 24	819.101	819.392
						469932	96H2100	GPS	312 31 5	4336.995	4338.547
						132506	96H2096	GPS	327 16 41	1829.937	1830.596
						390450	96H2098	GPS	328 3 28	8014.272	8017.062
						298463	16H2775	GPS	329 25 48	3156.889	3158.018
						301952	82H5634	GPS	338 56 12	6966.309	6968.767
						655860	98SG058	GPS	358 29 15	625.586	625.808
712356	96H2086	E	436458.805	0.9996519	1.0000023	765479	96H2094	GPS	15 45 38	1176.969	1177.381
		N	5441969.230			721043	96H2092	GPS	102 20 7	1524.957	1525.490
		El	2.748	CVD28BC		366161	08H2555	GPS	108 15 7	586.554	586.760
						300897	96H2081	GPS	220 22 24	2551.440	2552.336
						34629	08H2553	GPS	229 54 0	2902.788	2903.809
						434068	99HA156	GPS	249 28 22	2118.934	2119.673
						60384	08H2557	GPS	295 48 23	1911.706	1912.370
						13201	14H2725	GPS	332 52 50	2259.106	2259.896
						873513	79H9344	GPS	338 17 12	1412.079	1412.572
						21840	79H9343	GPS	357 36 33	969.028	969.366

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
179168	96H2087	E	423208.456	0.9996630	0.9999906	102194	96H2088	GPS	5 40 21	1662.967	1663.531	
		N	5451149.074			390450	96H2098	GPS	125 25 5	1824.358	1824.976	
		El	76.948			CVD28BC	132506	96H2096	GPS	143 8 15	7897.386	7900.153
							469932	96H2100	GPS	152 49 5	5538.700	5540.629
							452391	96H2090	GPS	344 9 27	2323.549	2324.335
102194	96H2088	E	423372.826	0.9996591	0.9999870	914846	82H5718	GPS	30 11 29	1424.729	1425.217	
		N	5452803.898			560870	79H9190	GPS	31 4 30	1184.316	1184.722	
		El	99.838			CVD28BC	186817	03SG078	GPS	61 29 9	1546.457	1546.986
							913210	98SG037	GPS	77 42 57	1280.082	1280.523
							441196	96H2089	GPS	85 36 57	4049.772	4051.194
							352385	79H9186	GPS	103 6 46	824.647	824.928
							897348	98SG036	GPS	103 43 30	1999.123	1999.814
							301952	82H5634	GPS	134 33 32	4292.826	4294.307
							345058	89H5628	GPS	140 22 36	1344.044	1344.506
							390450	96H2098	GPS	154 0 25	3017.322	3018.349
							690222	94H1536	GPS	158 44 31	895.491	895.795
							428722	94H1535	GPS	161 10 16	994.683	995.021
							179168	96H2087	GPS	185 40 21	1662.967	1663.531
							527721	84C004	GPS	298 10 16	11468.981	11472.709
							452391	96H2090	GPS	306 0 31	987.342	987.679
							622597	94H1618	GPS	319 41 42	555.954	556.144
							211631	94H1617	GPS	328 51 49	667.128	667.356
			791046	03SG086	GPS	339 40 9	1171.897	1172.297				
			858100	03SG087	GPS	355 42 11	1230.231	1230.651				
			347336	92H0729	GPS	358 17 1	2326.644	2327.434				
452391	96H2090	E	422574.137	0.9996611	0.9999875	347336	92H0729	GPS	22 40 19	1891.278	1891.919	
		N	5453384.364			791046	03SG086	GPS	37 3 39	649.657	649.878	
		El	96.676			CVD28BC	858100	03SG087	GPS	47 32 54	957.537	957.864
							914846	82H5718	GPS	66 44 56	1649.102	1649.665
							211631	94H1617	GPS	91 11 33	453.831	453.986
							622597	94H1618	GPS	109 37 1	466.120	466.279
							102194	96H2088	GPS	126 0 31	987.342	987.679
							390450	96H2098	GPS	147 12 38	3916.631	3917.961
							179168	96H2087	GPS	164 9 27	2323.549	2324.335
			527721	84C004	GPS	297 26 9	10491.726	10495.125				
733378	96H2091	E	432709.279	0.9996579	1.0000022	570135	96H2084	GPS	262 3 59	1733.757	1734.347	
		N	5449758.437									
		El	3.068			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
765479	96H2094	E	436778.489	0.9996462	0.9999971	888859	96H2097	GPS	87 55 8	1624.253	1624.826	
		N	5443101.952			721043	96H2092	GPS	141 15 43	1869.834	1870.492	
		El	36.077			CVD28BC	712356	96H2086	GPS	195 45 38	1176.969	1177.381
							21840	79H9343	GPS	245 26 37	395.917	396.057
							255786	79H9353	GPS	266 14 47	368.162	368.292
							873513	79H9344	GPS	282 0 40	860.947	861.250
							943480	NO MARKING	GPS	328 35 28	3807.430	3808.763
132944	96H2095	E	431690.805	0.9996466	0.9999892	501809	96H2093	GPS	92 0 42	1206.131	1206.555	
		N	5439294.179			833632	917001	GPS	132 27 19	5398.656	5400.562	
		El	85.633			CVD28BC	425900	96H2083	GPS	325 19 37	4166.103	4167.587
							275438	96H2085	GPS	325 24 59	4854.660	4856.383
888859	96H2097	E	438401.671	0.9996485	1.0000019	32870	96H2102	GPS	98 3 38	1864.461	1865.119	
		N	5443160.934			770628	96H2082	GPS	118 42 27	2925.295	2926.334	
		El	5.468			CVD28BC	721043	96H2092	GPS	196 37 31	1583.685	1584.240
							765479	96H2094	GPS	267 55 8	1624.253	1624.826
390450	96H2098	E	424695.207	0.9996602	0.9999905	301952	82H5634	GPS	99 47 59	1762.097	1762.704	
		N	5450091.788			419655	77H5009	GPS	117 34 10	8386.323	8389.181	
		El	77.392			CVD28BC	275438	96H2085	GPS	148 3 28	8014.272	8017.062
							132506	96H2096	GPS	148 17 19	6184.555	6186.730
							469932	96H2100	GPS	164 54 35	4007.930	4009.331
							179168	96H2087	GPS	305 25 5	1824.358	1824.976
							452391	96H2090	GPS	327 12 38	3916.631	3917.961
							102194	96H2088	GPS	334 0 25	3017.322	3018.349
469932	96H2100	E	425738.625	0.9996410	0.9999733	272062	16H2768	GPS	49 56 29	632.122	632.349	
		N	5446222.062			298463	16H2775	GPS	97 37 22	1605.261	1605.836	
		El	187.36			(PROVISIONAL)	132506	96H2096	GPS	122 13 34	2609.428	2610.371
							275438	96H2085	GPS	132 31 5	4336.995	4338.547
							425900	96H2083	GPS	134 20 57	5009.288	5011.086
							179168	96H2087	GPS	332 49 5	5538.700	5540.629
			390450	96H2098	GPS	344 54 35	4007.930	4009.331				
32870	96H2102	E	440247.712	0.9996464	1.0000026	770628	96H2082	GPS	147 49 10	1351.295	1351.776	
		N	5442899.500			833632	917001	GPS	212 14 53	8571.712	8574.737	
		El	1.349			CVD28BC	888859	96H2097	GPS	278 3 38	1864.461	1865.119
							419655	77H5009	GPS	292 11 13	8767.621	8770.670
718304	98H2198	E	428066.167	0.9996538	0.9999903	476226	15H2764	GPS	22 46 18	383.668	383.801	
		N	5447905.126			837369	77H5295	GPS	109 11 22	718.403	718.652	
		El	79.075			CVD28BC	932681	79H9280	GPS	187 4 54	690.235	690.473
							529636	89H5640	GPS	283 36 0	228.564	228.643

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
540849	98SG007	E	424632.564	0.9996538	0.9999840		MARKER DESTROYED				
		N	5451618.303								
		El	119.171	CVD28BC							
488882	98SG008	E	424765.215	0.9996543	0.9999848	749614	79H9325	TERR	71 27 57	314.512	314.621
		N	5451710.579								
		El	113.915	CVD28BC							
739599	98SG009	E	431035.900	0.9996547	0.9999962	292763	98SG010	TERR	71 48 46	95.617	95.650
		N	5446397.220			788422	77H5112	TERR	265 49 32	121.440	121.483
		El	41.187	CVD28BC		697342	77H5212	TERR	349 0 54	171.135	171.194
292763	98SG010	E	431126.740	0.9996553	0.9999971	646364	98SG011	TERR	81 52 34	117.773	117.813
		N	5446427.064			707471	77H5061	TERR	169 51 58	223.663	223.740
		El	35.930	CVD28BC		739599	98SG009	TERR	251 48 46	95.617	95.650
						841999	77H5056	TERR	354 48 5	154.422	154.476
646364	98SG011	E	431243.331	0.9996561	0.9999980	448548	77H5062	TERR	174 32 25	201.999	202.069
		N	5446443.707			292763	98SG010	TERR	261 52 34	117.773	117.813
		El	29.977	CVD28BC		366583	77H5057	TERR	348 24 43	154.481	154.534
731349	98SG012	E	431353.305	0.9996579	1.0000000	297820	88H4771	TERR	76 51 37	92.668	92.700
		N	5446606.897			741025	89H5658	TERR	346 56 8	190.181	190.245
		El	17.184	CVD28BC							
153833	98SG013	E	431374.398	0.9996571	0.9999993		MARKER DESTROYED				
		N	5446463.010								
		El	21.811	CVD28BC							
919977	98SG014	E	431460.742	0.9996569	0.9999992		MARKER DESTROYED				
		N	5446325.458								
		El	22.527	CVD28BC							
970590	98SG015	E	431649.043	0.9996542	0.9999968	174797	77H5231	TERR	6 15 49	215.039	215.114
		N	5444278.482			455170	98SG016	TERR	88 42 2	167.186	167.244
		El	37.802	CVD28BC		558361	90H6380	TERR	188 56 7	92.880	92.912

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
455170	98SG016	E	431816.186	0.9996540	0.9999969	970590	98SG015	TERR	268 42 2	167.186	167.244
		N	5444282.273								
		El	37.041	CVD28BC							
909861	98SG017	E	435125.961	0.9996538	1.0000021	168039	79H9348	GPS	143 49 36	641.969	642.192
		N	5444793.191			366161	08H2555	GPS	147 51 23	3552.146	3553.386
		El	3.890	CVD28BC		13201	14H2725	GPS	159 33 46	867.852	868.155
						553859	83H6083	GPS	224 32 51	3364.821	3365.982
						182170	83H6064	GPS	239 8 8	2755.101	2756.052
						994848	77H5096	GPS	272 34 34	3021.071	3022.113
						298463	16H2775	GPS	278 51 53	7890.512	7893.293
						920009	No Marking	GPS	290 15 44	3748.663	3749.960
						995324	98SG018	GPS	345 14 8	384.909	385.043
995324	98SG018	E	435027.869	0.9996536	1.0000018	909861	98SG017	GPS	165 14 8	384.909	385.043
		N	5445165.391			943480	NO MARKING	GPS	348 51 31	1208.873	1209.291
		El	5.974	CVD28BC							
482349	98SG019	E	424781.919	0.9996526	0.9999831	906230	79H9408	GPS	31 48 50	359.594	359.718
		N	5453204.765			261917	82H5706	GPS	91 13 41	285.487	285.587
		El	124.961	CVD28BC		913210	98SG037	GPS	230 55 53	203.917	203.988
						399675	03SG079	GPS	297 52 21	327.915	328.029
						186817	03SG078	GPS	351 31 59	341.094	341.212
602763	98SG020	E	427712.535	0.9996500	0.9999858	510479	88H4796	GPS	5 22 11	2332.963	2333.768
		N	5451907.172			252171	98SG022	GPS	67 52 24	388.970	389.107
		El	107.593	CVD28BC		358648	98SG021	TERR	73 50 22	273.638	273.734
						947937	82H5707	GPS	89 5 5	886.130	886.441
						773572	79H9336	GPS	154 24 54	1168.343	1168.748
						879718	79H9291	TERR	213 0 16	161.597	161.654
358648	98SG021	E	427975.360	0.9996495	0.9999858	252171	98SG022	TERR	54 11 23	120.227	120.269
		N	5451983.334			602763	98SG020	TERR	253 50 22	273.638	273.734
		El	107.609	CVD28BC							
252171	98SG022	E	428072.859	0.9996491	0.9999855	495804	98SG023	TERR	90 57 58	142.763	142.813
		N	5452053.679			947937	82H5707	GPS	104 7 54	542.098	542.289
		El	109.422	CVD28BC		94532	98SG027	GPS	120 15 20	804.195	804.477
						773572	79H9336	GPS	173 8 54	1208.923	1209.343
						358648	98SG021	TERR	234 11 23	120.227	120.269
						602763	98SG020	GPS	247 52 24	388.970	389.107

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
495804	98SG023	E	428215.602	0.9996484	0.9999851	535419	98SG024	TERR	92 2 58	158.599	158.654				
		N	5452051.272					252171	98SG022	TERR	270 57 58	142.763	142.813		
		El	112.248					CVD28BC							
535419	98SG024	E	428374.099	0.9996509	0.9999878	760389	98SG025	TERR	103 49 14	97.897	97.932				
		N	5452045.600					495804	98SG023	TERR	272 2 58	158.599	158.654		
		El	94.818					CVD28BC							
760389	98SG025	E	428469.162	0.9996506	0.9999878	947937	82H5707	TERR	127 56 40	164.074	164.132				
		N	5452022.214					535419	98SG024	TERR	283 49 14	97.897	97.932		
		El	95.127					CVD28BC							
869925	98SG026	E	428704.459	0.9996486	0.9999861										
		N	5451727.601												
		El	105.579	CVD28BC											
94532	98SG027	E	428767.511	0.9996496	0.9999873	325456	79H9355	TERR	144 33 56	135.993	136.041				
		N	5451648.478					773572	79H9336	GPS	214 41 39	967.024	967.359		
		El	98.104					CVD28BC		252171	98SG022	GPS	300 15 20	804.195	804.477
									947937	82H5707	GPS	328 13 57	320.925	321.037	
									510479	88H4796	GPS	342 2 32	2713.617	2714.554	
354498	98SG028	E	425520.957	0.9996514	0.9999833	790204	79H5574	GPS	114 31 56	295.628	295.730				
		N	5450992.115					334474	89H5633	GPS	244 5 9	341.170	341.288		
		El	123.782					CVD28BC		999193	98SG033	GPS	296 56 14	198.835	198.905
									461582	98SG030	GPS	307 0 9	323.470	323.583	
									591461	98SG031	GPS	311 1 57	636.494	636.716	
458117	98SG029	E	424804.340	0.9996530	0.9999836	240564	89H5632	TERR	305 31 56	241.679	241.763				
		N	5451369.286												
		El	121.651					CVD28BC							
461582	98SG030	E	425262.631	0.9996509	0.9999823	354498	98SG028	GPS	127 0 9	323.470	323.583				
		N	5451186.796					999193	98SG033	GPS	142 13 35	132.340	132.386		
		El	130.016					CVD28BC		591461	98SG031	GPS	315 10 33	314.646	314.756
591461	98SG031	E	425040.827	0.9996530	0.9999839	354498	98SG028	GPS	131 1 57	636.494	636.716				
		N	5451409.966					461582	98SG030	GPS	135 10 33	314.646	314.756		
		El	119.423					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
931006	98SG032	E	424935.588	0.9996529	0.9999837		MARKER DESTROYED				
		N	5451430.249								
		El	120.841	CVD28BC							
999193	98SG033	E	425343.695	0.9996508	0.9999823	354498	98SG028	GPS	116 56 14	198.835	198.905
		N	5451082.190			461582	98SG030	GPS	322 13 35	132.340	132.386
		El	129.579	CVD28BC							
583526	98SG034	E	424716.683	0.9996512	0.9999815		MARKER DESTROYED				
		N	5452860.920								
		El	134.788	CVD28BC							
595892	98SG035	E	424926.454	0.9996518	0.9999826	261917	82H5706	GPS	15 20 5	532.737	532.923
		N	5452684.877			897348	98SG036	GPS	132 27 1	526.401	526.584
		El	128.048	CVD28BC		225623	79H9306	GPS	155 6 5	180.358	180.420
						913210	98SG037	GPS	322 15 58	494.864	495.037
897348	98SG036	E	425314.866	0.9996501	0.9999815	875609	14H2760	GPS	52 29 49	1260.014	1260.460
		N	5452329.583			451724	14H2756	GPS	57 52 42	402.757	402.898
		El	134.707	CVD28BC		765040	79H9208	GPS	105 23 13	203.322	203.393
						102194	96H2088	GPS	283 43 30	1999.123	1999.814
						225623	79H9306	GPS	301 31 42	366.595	366.723
						595892	98SG035	GPS	312 27 1	526.401	526.584
						261917	82H5706	GPS	344 6 7	903.627	903.944
913210	98SG037	E	424623.600	0.9996512	0.9999814	186817	03SG078	GPS	13 3 45	478.271	478.436
		N	5453076.246			482349	98SG019	GPS	50 55 53	203.917	203.988
		El	135.927	CVD28BC		261917	82H5706	GPS	74 34 45	460.312	460.474
						595892	98SG035	GPS	142 15 58	494.864	495.037
						225623	79H9306	GPS	145 41 5	671.910	672.145
						102194	96H2088	GPS	257 42 57	1280.082	1280.523
						116566	78H5447	GPS	257 47 35	204.883	204.955
						399675	03SG079	GPS	334 58 36	311.014	311.122
						893701	03SG080	GPS	347 41 3	582.579	582.781
101444	98SG038	E	428000.851	0.9996377	0.9999741	191932	90H6389	TERR	111 11 13	138.606	138.657
		N	5446056.391			376988	98SG066	TERR	270 58 14	223.576	223.657
		El	182.461	CVD28BC							
855916	98SG039	E	430778.205	0.9996524	0.9999935	711309	77H5105	GPS	50 0 54	229.280	229.359
		N	5445980.936			677856	77H5102	GPS	124 39 48	300.680	300.785
		El	58.376	CVD28BC		883231	77H5219	GPS	270 59 4	418.955	419.101
						895458	77H5263	GPS	344 14 15	274.321	274.417

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
630442	98SG040	E	427659.941	0.9996541	0.9999898	96388	82H5687	GPS	92 7 22	407.045	407.186	
		N	5453685.938			753624	98SG041	GPS	116 58 54	270.597	270.691	
		El	82.369			CVD28BC	893735	79H9339	GPS	142 47 30	508.455	508.634
							569376	79H9337	GPS	179 21 54	246.372	246.458
							967000	82H5686	GPS	354 53 42	242.739	242.823
753624	98SG041	E	427901.084	0.9996516	0.9999877	96388	82H5687	GPS	56 57 60	197.558	197.626	
		N	5453563.166			893735	79H9339	GPS	166 46 22	289.873	289.976	
		El	95.571			CVD28BC	569376	79H9337	GPS	242 35 58	268.541	268.635
							630442	98SG040	GPS	296 58 54	270.597	270.691
							967000	82H5686	GPS	324 13 6	449.365	449.520
369504	98SG056	E	429654.149	0.9996481	0.9999873	43133	77H5251	GPS	15 21 10	978.905	979.247	
		N	5443940.192			619056	98SG057	GPS	40 36 46	468.244	468.407	
		El	97.859			CVD28BC	665885	79H9192	GPS	126 29 55	815.233	815.520
							718353	98SG070	GPS	187 33 22	685.167	685.410
							425900	96H2083	GPS	195 17 16	1264.507	1264.957
			655860	98SG058	GPS	268 8 46	735.780	736.040				
619056	98SG057	E	429958.949	0.9996512	0.9999910	166017	77H5241	GPS	41 14 42	566.365	566.561	
		N	5444295.648			665885	79H9192	GPS	157 21 26	910.540	910.859	
		El	74.609			CVD28BC	369504	98SG056	GPS	220 36 46	468.244	468.407
							43133	77H5251	GPS	355 34 2	590.281	590.487
655860	98SG058	E	428918.754	0.9996469	0.9999848	43133	77H5251	GPS	45 46 56	1387.718	1388.206	
		N	5443916.388			369504	98SG056	GPS	88 8 46	735.780	736.040	
		El	113.985			CVD28BC	275438	96H2085	GPS	178 29 15	625.586	625.808
703991	98SG059	E	428500.643	0.9996554	0.9999926	790949	98SG060	TERR	135 59 41	134.704	134.750	
		N	5454105.464									
		El	64.670			CVD28BC						
790949	98SG060	E	428594.225	0.9996567	0.9999941	778076	98SG061	TERR	92 24 50	117.075	117.115	
		N	5454008.575			613869	82H5678	TERR	183 30 7	371.463	371.590	
		El	55.113			CVD28BC	993808	88H4773	GPS	292 34 23	724.162	724.409
							946087	90H6393	GPS	310 9 29	288.077	288.175
							703991	98SG059	TERR	315 59 41	134.704	134.750
778076	98SG061	E	428711.196	0.9996573	0.9999948	269373	98SG062	TERR	2 18 39	113.323	113.362	
		N	5454003.644			790949	98SG060	TERR	272 24 50	117.075	117.115	
		El	50.114			CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
269373	98SG062	E	428715.765	0.9996560	0.9999935	778076	98SG061	TERR	182 18 39	113.323	113.362			
		N	5454116.875					828400	98SG063	TERR	334 7 32	73.689	73.715	
		El	58.533					CVD28BC						
828400	98SG063	E	428683.607	0.9996563	0.9999938	951830	88H4791	TERR	1 30 43	108.274	108.310			
		N	5454183.177					269373	98SG062	TERR	154 7 32	73.689	73.715	
		El	56.772					CVD28BC						
175299	98SG064	E	427706.214	0.9996434	0.9999792	540138	83H6059	TERR	29 26 16	74.402	74.429			
		N	5446279.207					322677	98SG065	TERR	148 17 21	126.493	126.539	
		El	149.429					CVD28BC						
322677	98SG065	E	427772.703	0.9996413	0.9999773	376988	98SG066	TERR	177 38 2	111.515	111.556			
		N	5446171.598					298463	16H2775	GPS	249 51 34	471.857	472.026	
		El	162.039					CVD28BC	122788	16H2773	GPS	298 12 46	284.094	284.195
									175299	98SG064	TERR	328 17 21	126.493	126.539
376988	98SG066	E	427777.307	0.9996405	0.9999764	101444	98SG038	TERR	90 58 14	223.576	223.657			
		N	5446060.178					322677	98SG065	TERR	357 38 2	111.515	111.556	
		El	167.462					CVD28BC						
656983	98SG069	E	428867.108	0.9996427	0.9999806	275438	96H2085	GPS	4 46 24	819.101	819.392			
		N	5442474.760					718353	98SG070	GPS	41 33 20	1050.650	1051.024	
		El	140.845					CVD28BC		425900	96H2083	GPS	61 33 42	515.884
718353	98SG070	E	429564.053	0.9996442	0.9999832	369504	98SG056	GPS	7 33 22	685.167	685.410			
		N	5443260.974					43133	77H5251	GPS	12 8 37	1660.342	1660.927	
		El	124.108					CVD28BC	665885	79H9192	GPS	75 23 23	770.349	770.622
									425900	96H2083	GPS	204 14 2	592.780	592.992
									656983	98SG069	GPS	221 33 20	1050.650	1051.024
									275438	96H2085	GPS	272 44 9	629.504	629.727
434068	99HA156	E	434474.413	0.9996517	0.9999989	60384	08H2557	GPS	9 29 26	1597.097	1597.652			
		N	5441226.216					712356	96H2086	GPS	69 28 22	2118.934	2119.673	
		El	24.031					CVD28BC	34629	08H2553	GPS	191 49 50	1151.192	1151.596
									213785	08H2556	GPS	289 35 29	1363.267	1363.740
921171	NO MARKING	E	432555.412	0.9996583	1.0000024	798520	30128	TERR	133 4 54	419.958	420.102			
		N	5447491.985					430843	95H2043	TERR	141 59 50	744.191	744.446	
		El	1.815					CVD28BC	960187	77H5054	TERR	230 36 12	1171.008	1171.409
									901587	77H5340	TERR	257 6 44	1302.231	1302.676

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2017-OCT-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
943480	NO MARKING	E	434794.280	0.9996540	1.0000018	765479	96H2094	GPS	148 35 28	3807.430	3808.763	
		N	5446351.481			873513	79H9344	GPS	159 35 45	3275.904	3277.045	
		El	6.073			CVD28BC	168039	79H9348	GPS	161 6 32	2194.729	2195.489
							995324	98SG018	GPS	168 51 31	1208.873	1209.291
419655	77H5009	GPS	266 58 12	2668.735	2669.653							

END OF REPORT