

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
601708	10H2585	E	507982.106	0.9995885	0.9999877		MARKER DESTROYED				
		N	5444205.112								
		El	97.891	CVD28GVRD2018							
88062	14H2736	E	502309.028	0.9996027	1.0000026	898734	NO MARKING	GPS	62 0 7	8931.805	8935.421
		N	5444625.491			904904	NO MARKING	GPS	103 47 32	23374.572	23383.824
		El	2.767	CVD28GVRD2018		531079	6902	GPS	198 46 47	7566.765	7569.772
						80101	02H2443	GPS	247 33 7	9991.777	9995.747
						875864	NO MARKING	GPS	326 51 44	16109.913	16116.347
711036	2961	E	507543.292	0.9995874	0.9999867		MARKER DESTROYED				
		N	5445199.146								
		El	103.919	CVD28GVRD2018							
55384	6202	E	506381.550	0.9996025	1.0000020	515189	82H5404	GPS	6 11 26	4055.783	4057.414
		N	5437592.728			546473	85H0764	GPS	61 50 6	31186.629	31199.053
		El	6.946	CVD28GVRD2018		929125	82H5827	GPS	84 18 4	35601.117	35615.330
						607093	5893	TERR	87 54 29	1622.667	1623.312
						967042	PIER 3	GPS	100 51 21	16429.046	16435.589
						503094	NO MARKING	TERR	128 5 23	8830.165	8833.764
						854612	88H3910	GPS	136 28 53	9491.173	9494.994
						341438	3489	TERR	154 4 60	4228.292	4229.972
						467878	6914	TERR	179 38 35	741.741	742.037
						373472	NO MARKING	TERR	240 57 31	15258.004	15264.169
						7369	88H4218	TERR	264 0 51	746.064	746.361
						535740	6911	TERR	265 41 32	1628.110	1628.757
						526806	6203	TERR	268 10 29	3447.278	3448.650
						258020	19713	GPS	281 35 8	21073.931	21082.293
						7401	6958	TERR	359 34 14	781.521	781.831
526806	6203	E	502936.021	0.9996020	1.0000019	55384	6202	TERR	88 10 29	3447.278	3448.650
		N	5437482.924			167627	6907	TERR	94 20 11	192.740	192.816
		El	7.424	CVD28GVRD2018		503094	NO MARKING	TERR	117 10 42	11685.474	11690.239
						373472	NO MARKING	TERR	233 35 26	12293.892	12298.862
282400	6801	E	496637.797	0.9996030	1.0000028		MARKER DESTROYED				
		N	5439903.282								
		El	1.386	CVD28GVRD2018							
167072	6803	E	497450.030	0.9996029	1.0000028	157594	84H0382	TERR	0 4 21	913.388	913.750
		N	5440470.987			859470	80H1301	TERR	180 28 5	573.798	574.026
		El	1.457	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
468819	6804	E	497495.034	0.9996030	1.0000029	347575	6805	TERR	0 10 18	909.636	909.997			
		N	5441720.181					855452	80H1302	TERR	0 15 51	793.220	793.536	
		El	1.003					CVD28GVRD2018	157594	84H0382	TERR	187 26 21	338.658	338.793
857276	6806	E	496645.297	0.9996030	1.0000029	682492	92H0571	TERR	180 24 23	1132.922	1133.372			
		N	5441038.652					667352	6201	TERR	204 1 16	1720.847	1721.532	
		El	1.316					CVD28GVRD2018	549881	80H1344	TERR	276 51 39	256.240	256.341
827915	6807	E	494733.945	0.9996032	1.0000029			MARKER DESTROYED						
		N	5438795.011											
		El	1.348					CVD28GVRD2018						
995605	6809	E	493905.752	0.9996033	1.0000029	840447	84H0427	TERR	35 6 57	294.632	294.749			
		N	5437739.684					666396	9381	TERR	35 44 53	629.004	629.254	
		El	1.365					CVD28GVRD2018	27631	80H1290	TERR	218 43 20	91.941	91.977
623900	6812	E	495178.364	0.9996031	1.0000029	974980	92H0565	TERR	82 50 9	57.870	57.893			
		N	5438321.991					658849	6813	TERR	90 55 37	222.027	222.116	
		El	1.340					CVD28GVRD2018	40576	6811	TERR	270 18 18	451.837	452.017
									165399	84H0435	TERR	271 31 16	249.634	249.733
									842484	86H2447	TERR	318 9 33	349.485	349.623
658849	6813	E	495400.362	0.9996031	1.0000028	693242	84H0368	TERR	118 19 57	207.549	207.631			
		N	5438318.399					679423	6814	TERR	118 39 56	400.864	401.022	
		El	1.454					CVD28GVRD2018	623900	6812	TERR	270 55 37	222.027	222.116
									974980	92H0565	TERR	273 45 27	164.935	165.000
679423	6814	E	495752.094	0.9996031	1.0000029	6064	6815	TERR	180 2 37	401.828	401.988			
		N	5438126.107					658849	6813	TERR	298 39 56	400.864	401.022	
		El	1.317					CVD28GVRD2018	106310	84H0367	TERR	299 24 37	92.675	92.712
6064	6815	E	495751.789	0.9996031	1.0000029	679423	6814	TERR	0 2 37	401.828	401.988			
		N	5437724.279					667352	6201	TERR	6 19 12	1753.214	1753.911	
		El	1.063					CVD28GVRD2018	121343	6819	TERR	245 29 31	568.736	568.962
									832550	84H0366	TERR	268 11 13	80.920	80.951
793950	6816	E	496630.082	0.9996030	1.0000028			MARKER DESTROYED						
		N	5438891.464											
		El	1.537					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
159855	6817	E	496624.447	0.9996029	1.0000028	528505	92H0579	TERR	0 31 52	607.914	608.155	
		N	5438283.577			402628	88H4220	TERR	179 54 57	481.315	481.506	
		El	1.696			CVD28GVRD2018	377291	6818	TERR	180 6 27	801.742	802.060
121343	6819	E	495234.295	0.9996031	1.0000028	6064	6815	TERR	65 29 31	568.736	568.962	
		N	5437488.354			377291	6818	TERR	90 16 8	1388.661	1389.213	
		El	1.751			CVD28GVRD2018	16980	87H3181	TERR	96 55 49	116.838	116.884
							824557	92H0567	TERR	182 11 11	244.046	244.143
							53629	84H0441	TERR	267 41 42	240.936	241.032
				43802	80H1295	TERR	358 4 42	133.813	133.866			
823153	6820	E	494466.731	0.9996032	1.0000028	MARKER DESTROYED						
		N	5437492.318									
		El	1.630			CVD28GVRD2018						
358242	6822	E	493524.308	0.9996034	1.0000029	530535	9314	TERR	86 51 30	134.866	134.920	
		N	5437481.811			857128	6823	TERR	180 24 34	554.967	555.187	
		El	1.196			CVD28GVRD2018	205120	84H0415	TERR	184 35 10	107.670	107.713
							498345	84H0372	TERR	270 2 24	204.424	204.504
857128	6823	E	493520.341	0.9996035	1.0000029	358242	6822	TERR	0 24 34	554.967	555.187	
		N	5436926.858			171314	84H0340	TERR	90 18 50	120.979	121.027	
		El	.855			CVD28GVRD2018	13029	6844	TERR	90 21 44	447.893	448.071
							258921	84H0413	TERR	272 36 38	168.962	169.030
991950	6824	E	493320.383	0.9996035	1.0000029	288019	84H0414	TERR	180 25 46	201.046	201.126	
		N	5437280.892			851576	6825	TERR	283 24 36	262.645	262.749	
		El	.864			CVD28GVRD2018	279786	86H2440	TERR	359 16 9	102.528	102.569
851576	6825	E	493064.899	0.9996035	1.0000029	991950	6824	TERR	103 24 36	262.645	262.749	
		N	5437341.804			738930	84H0406	TERR	176 13 8	93.141	93.178	
		El	1.306			CVD28GVRD2018	915090	6826	TERR	244 9 55	1102.526	1102.964
							338335	84H0379	TERR	244 36 57	334.423	334.556
915090	6826	E	492072.564	0.9996036	1.0000028	851576	6825	TERR	64 9 55	1102.526	1102.964	
		N	5436861.351			145946	9310	TERR	64 43 36	480.898	481.090	
		El	1.563			CVD28GVRD2018	137364	6827	TERR	181 58 19	1345.425	1345.958
							215509	88H4183	TERR	182 14 21	728.478	728.768
							531830	6952	TERR	270 6 58	377.954	378.103

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
137364	6827	E	492026.270	0.9996036	1.0000029	215509	88H4183	TERR	1 39 22	616.964	617.208			
		N	5435516.723					915090	6826	TERR	1 58 19	1345.425	1345.958	
		El	1.346					CVD28GVRD2018	703199	6846	TERR	114 19 37	1065.113	1065.535
									773077	6828	TERR	181 53 8	1013.081	1013.482
									284364	88H4182	TERR	182 16 29	433.537	433.709
						213967	6850	TERR	278 20 3	1565.548	1566.169			
773077	6828	E	491992.936	0.9996036	1.0000028	284364	88H4182	TERR	1 35 40	579.561	579.791			
		N	5434504.191					137364	6827	TERR	1 53 8	1013.081	1013.482	
		El	1.679					CVD28GVRD2018	241000	88H4179	TERR	272 29 54	711.045	711.326
									101428	6848	TERR	272 41 56	1531.624	1532.231
125955	6829	E	491965.573	0.9996036	1.0000028	MARKER DESTROYED								
		N	5433343.252											
		El	1.605			CVD28GVRD2018								
755579	6830	E	492745.534	0.9996035	1.0000029	MARKER DESTROYED								
		N	5433338.074											
		El	1.454			CVD28GVRD2018								
331918	6831	E	493401.248	0.9996034	1.0000029	898734	NO MARKING	GPS	47 32 40	22762.563	22771.769			
		N	5433453.300			327726	6832	TERR	90 25 5	775.834	776.142			
		El	1.181			CVD28GVRD2018	869792	NO MARKING	GPS	328 43 15	7967.651	7970.818		
							336099	OCM	GPS	342 5 13	14303.092	14308.760		
							51649	77H4983	GPS	348 25 3	10684.334	10688.569		
327726	6832	E	494177.061	0.9996033	1.0000029	919548	6833	TERR	89 26 4	204.290	204.370			
		N	5433447.639			398065	6858	TERR	180 4 41	1405.262	1405.820			
		El	1.338			CVD28GVRD2018	331918	6831	TERR	270 25 5	775.834	776.142		
919548	6833	E	494381.341	0.9996032	1.0000028	658856	84H0376	TERR	90 16 6	605.363	605.603			
		N	5433449.655			327726	6832	TERR	269 26 4	204.290	204.370			
		El	1.584			CVD28GVRD2018								
737585	6835	E	495368.511	0.9996031	1.0000028	133975	6836	TERR	0 14 41	1363.698	1364.240			
		N	5433436.874			658856	84H0376	TERR	271 29 32	381.944	382.095			
		El	1.741			CVD28GVRD2018								
133975	6836	E	495374.337	0.9996032	1.0000029	229385	6893	TERR	90 30 16	1239.150	1239.642			
		N	5434800.560			666016	92H0586	TERR	90 51 27	473.856	474.045			
		El	1.259			CVD28GVRD2018	737585	6835	TERR	180 14 41	1363.698	1364.240		
							24489	6837	TERR	270 29 17	737.276	737.568		

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
24489	6837	E	494637.088	0.9996033	1.0000029	133975	6836	TERR	90 29 17	737.276	737.568		
		N	5434806.840					6361	6839	TERR	310 14 30	411.948	412.112
		El	.904					CVD28GVRD2018					
504688	6838	E	494390.683	0.9996032	1.0000029	MARKER DESTROYED							
		N	5434310.183										
		El	1.427			CVD28GVRD2018							
6361	6839	E	494322.637	0.9996032	1.0000028	82651	84H0375	TERR	0 0 38	310.799	310.922		
		N	5435072.963			24489	6837	TERR	130 14 30	411.948	412.112		
		El	1.544			CVD28GVRD2018	929257	88H4185	TERR	270 1 27	678.533	678.802	
							703199	6846	TERR	270 12 57	1325.835	1326.361	
67306	6840	E	494231.143	0.9996032	1.0000028	82651	84H0375	TERR	163 58 20	331.585	331.716		
		N	5435702.457			649244	6842	TERR	335 19 40	718.324	718.609		
		El	1.837			CVD28GVRD2018	396929	84H0388	TERR	354 36 1	433.815	433.987	
449561	6841	E	494157.098	0.9996033	1.0000028	261172	6955	TERR	9 34 3	331.439	331.571		
		N	5436352.158			649244	6842	TERR	270 46 24	225.822	225.911		
		El	1.498			CVD28GVRD2018							
649244	6842	E	493931.297	0.9996034	1.0000029	449561	6841	TERR	90 46 24	225.822	225.911		
		N	5436355.206			67306	6840	TERR	155 19 40	718.324	718.609		
		El	1.100			CVD28GVRD2018							
13029	6844	E	493968.225	0.9996033	1.0000029	347393	6821	TERR	0 11 50	554.386	554.607		
		N	5436924.027			925180	84H0342	TERR	0 32 31	351.507	351.647		
		El	1.439			CVD28GVRD2018	218024	84H0343	TERR	91 52 41	130.666	130.718	
							857128	6823	TERR	270 21 44	447.893	448.071	
							171314	84H0340	TERR	270 22 48	326.914	327.044	
275495	6845	E	494153.079	0.9996032	1.0000028	203596	92H0566	TERR	152 47 14	152.493	152.553		
		N	5437273.143			925180	84H0342	TERR	270 44 58	181.545	181.617		
		El	1.599			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
703199	6846	E	492996.811	0.9996035	1.0000029	80101	02H2443	GPS	0 46 31	5732.726	5735.000	
		N	5435077.956			714972	78H8458	GPS	14 3 5	14797.942	14803.813	
		El	1.065			CVD28GVRD2018	737197	84H0431	GPS	22 1 50	3829.619	3831.139
							47092	02H2454	GPS	23 26 25	15256.772	15262.828
							546150	84H0346	GPS	25 44 39	1956.368	1957.144
							839639	80H1300	GPS	26 57 50	7501.959	7504.937
							528505	92H0579	GPS	43 36 49	5267.211	5269.301
							991802	88H4194	GPS	68 5 36	3903.640	3905.189
							531079	6902	GPS	70 52 53	7277.654	7280.543
							762716	80H1257	GPS	88 5 29	10138.854	10142.880
							6361	6839	TERR	90 12 57	1325.835	1326.361
							929257	88H4185	TERR	90 24 60	647.310	647.567
							914127	80H1262	GPS	93 46 22	6655.359	6658.002
							446658	80H1267	GPS	116 5 23	4669.890	4671.744
							989624	80H1275	GPS	261 54 31	4286.325	4288.024
							855890	6855	GPS	291 56 34	4508.456	4510.242
							137364	6827	TERR	294 19 37	1065.113	1065.535
			406991	77C032	GPS	296 53 34	6623.618	6626.240				
			234419	6901	GPS	299 9 28	3045.908	3047.116				
			869792	NO MARKING	GPS	324 15 4	6388.587	6391.126				
			394437	77H4671	GPS	328 36 48	5719.329	5721.596				
861914	6847	E	493029.246	0.9996035	1.0000029	MARKER DESTROYED						
		N	5436109.035									
		El	1.351	CVD28GVRD2018								
101428	6848	E	490463.011	0.9996040	1.0000029	773176	88H4177	TERR	0 34 19	612.551	612.793	
		N	5434576.312			213967	6850	TERR	0 41 57	1167.420	1167.883	
		El	1.379			CVD28GVRD2018	773077	6828	TERR	92 41 56	1531.624	1532.231
							241000	88H4179	TERR	92 52 22	820.587	820.913
							785998	88H4178	TERR	179 43 57	500.188	500.385
							994251	6849	TERR	180 3 39	1088.746	1089.177
213967	6850	E	490477.255	0.9996040	1.0000029	840488	6950	TERR	36 22 38	316.387	316.512	
		N	5435743.645			137364	6827	TERR	98 20 3	1565.548	1566.169	
		El	1.431			CVD28GVRD2018	101428	6848	TERR	180 41 57	1167.420	1167.883
							773176	88H4177	TERR	180 50 22	554.873	555.093
							402412	88H4215	TERR	226 36 29	473.552	473.740
460527	6851	E	489572.240	0.9996042	1.0000029	234419	6901	TERR	121 34 25	897.493	897.848	
		N	5437031.891			989624	80H1275	GPS	197 45 37	2685.213	2686.276	
		El	1.203			CVD28GVRD2018	406991	77C032	GPS	292 46 9	2692.561	2693.626
							941930	6852	TERR	301 43 2	468.384	468.569
							869792	NO MARKING	GPS	354 33 25	3245.576	3246.865

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
----- GCM-NO	----- TABLET MARKING		Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING							
941930	6852	E	489173.808	0.9996043	1.0000029	460527	6851	TERR	121 43 2	468.384	468.569			
		N	5437278.133					855890	6855	TERR	214 50 41	628.076	628.324	
		El	1.386					CVD28GVRD2018	818930	88H4214	TERR	222 11 14	254.926	255.026
						949073	80H1346	TERR	301 45 41	854.387	854.725			
964197	6854	E	487884.217	0.9996045	1.0000027	400028	NO MARKING	TERR	42 50 58	27602.637	27614.443			
		N	5438291.086					373472	NO MARKING	TERR	147 31 46	9607.114	9610.985	
		El	2.265					CVD28GVRD2018	974378	88H4213	TERR	179 48 28	418.418	418.583
855890	6855	E	488814.955	0.9996044	1.0000029	869792	NO MARKING	GPS	7 19 0	3528.898	3530.300			
		N	5436762.668					394437	77H4671	GPS	20 37 9	3416.586	3417.938	
		El	1.374					CVD28GVRD2018	818930	88H4214	TERR	29 52 56	376.653	376.802
									941930	6852	TERR	34 50 41	628.076	628.324
									737197	84H0431	GPS	71 38 2	5919.887	5922.233
									234419	6901	GPS	97 30 45	1535.095	1535.703
									703199	6846	GPS	111 56 34	4508.456	4510.242
									989624	80H1275	GPS	181 32 50	2288.850	2289.756
									986182	6856	TERR	222 13 22	446.968	447.145
									406991	77C032	GPS	307 14 2	2167.180	2168.037
			58081	02H2408	GPS	349 16 4	10829.747	10834.030						
986182	6856	E	488514.586	0.9996043	1.0000027	855890	6855	TERR	42 13 22	446.968	447.145			
		N	5436431.671					411124	6857	TERR	122 10 41	687.465	687.738	
		El	2.307					CVD28GVRD2018						
411124	6857	E	489096.454	0.9996043	1.0000028	234419	6901	TERR	68 11 20	1336.063	1336.591			
		N	5436065.559					212407	80H1278	TERR	163 1 56	920.379	920.743	
		El	1.529					CVD28GVRD2018	986182	6856	TERR	302 10 41	687.465	687.738
398065	6858	E	494175.148	0.9996033	1.0000029	327726	6832	TERR	0 4 41	1405.262	1405.820			
		N	5432042.378					153528	137000	TERR	29 33 17	686.433	686.705	
		El	1.340					1928 Canadian Vertical Datum						
98202	6859	E	494173.073	0.9996033	1.0000029		MARKER DESTROYED							
		N	5431421.517											
		El	1.154	CVD28GVRD2018										
215541	6860	E	494166.518	0.9995998	0.9999993	793596	6999	TERR	243 20 24	167.362	167.429			
		N	5430615.399											
		El	24.001					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
-----	-----					-----	-----							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
941419	6861	E	494726.283	0.9996007	1.0000004	373472	NO MARKING	TERR	269 25 43	1684.425	1685.106			
		N	5430202.666					810275	6862	TERR	270 11 3	810.358	810.681	
		El	17.317					CVD28GVRD2018	771220	9276	TERR	271 1 44	236.025	236.119
810275	6862	E	493915.929	0.9995999	0.9999994	941419	6861	TERR	90 11 3	810.358	810.681			
		N	5430205.272					43026	92H0584	TERR	91 46 47	253.198	253.299	
		El	23.580					CVD28GVRD2018	866012	6994	TERR	179 36 2	289.128	289.244
									429019	6863	TERR	270 11 38	556.050	556.274
						163204	9374	TERR	273 23 17	167.097	167.164			
429019	6863	E	493359.882	0.9995985	0.9999979	810275	6862	TERR	90 11 38	556.050	556.274			
		N	5430207.153											
		El	32.890					CVD28GVRD2018						
650085	6864	E	493360.653	0.9995947	0.9999941	MARKER DESTROYED								
		N	5429637.051											
		El	57.132			CVD28GVRD2018								
248880	6865	E	493356.188	0.9995950	0.9999945	518076	6891	TERR	203 56 5	255.882	255.986			
		N	5429402.633											
		El	54.968					CVD28GVRD2018						
285528	6866	E	493425.659	0.9995949	0.9999943	226464	6987	TERR	341 47 41	405.186	405.350			
		N	5428573.194					518076	6891	TERR	343 46 39	620.257	620.508	
		El	56.038					CVD28GVRD2018						
544957	6867	E	493456.541	0.9995944	0.9999938	MARKER DESTROYED								
		N	5428162.915											
		El	59.064			CVD28GVRD2018								
251918	6868	E	493463.938	0.9995948	0.9999943	49585	80H1349	TERR	91 37 35	328.342	328.476			
		N	5427957.999											
		El	56.149					CVD28GVRD2018						
142307	6874	E	493920.946	0.9995995	0.9999991	MARKER DESTROYED								
		N	5429467.079											
		El	25.698			CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
644187	6875	E	494978.106	0.9996012	1.0000009	723304	6983	TERR	179 30 15	474.861	475.050						
		N	5429458.696									386136	9380	TERR	359 0 3	473.595	473.785
		El	14.076									CVD28GVRD2018					
677690	6882	E	495893.178	0.9996030	1.0000028	MARKER DESTROYED											
		N	5429337.105														
		El	1.934			CVD28GVRD2018											
657890	6883	E	496599.111	0.9996030	1.0000028	436337	6884	TERR	90 21 4	547.442	547.660						
		N	5428395.160									564781	92H0547	TERR	91 13 43	346.583	346.721
		El	1.816														
199745	6886	E	497212.677	0.9996028	1.0000028	MARKER DESTROYED											
		N	5427689.786														
		El	2.271			CVD28GVRD2018											
495960	6887	E	494979.138	0.9996015	1.0000012	MARKER DESTROYED											
		N	5430203.428														
		El	12.176			CVD28GVRD2018											
315820	6888	E	494978.063	0.9996011	1.0000008	MARKER DESTROYED											
		N	5430667.738														
		El	14.481			CVD28GVRD2018											
112904	6889	E	494979.016	0.9996026	1.0000023	MARKER DESTROYED											
		N	5431017.857														
		El	4.903			CVD28GVRD2018											
109942	6890	E	494977.315	0.9996032	1.0000029	MARKER DESTROYED											
		N	5432017.450														
		El	1.522			CVD28GVRD2018											
518076	6891	E	493252.378	0.9995953	0.9999947	248880	6865	TERR	23 56 5	255.882	255.986						
		N	5429168.755									285528	6866	TERR	163 46 39	620.257	620.508
		El	53.481														

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
233635	6892	E	496611.891	0.9996030	1.0000028		MARKER DESTROYED				
		N	5433428.111								
		El	1.747	CVD28GVRD2018							
229385	6893	E	496613.439	0.9996030	1.0000028	671693	6894	TERR	0 10 36	261.778	261.882
		N	5434789.650			666016	92H0586	TERR	270 17 9	765.309	765.613
		El	1.675	CVD28GVRD2018		133975	6836	TERR	270 30 16	1239.150	1239.642
671693	6894	E	496614.246	0.9996030	1.0000028	667139	88H4193	TERR	0 0 35	707.553	707.834
		N	5435051.427			279521	6895	TERR	0 12 54	1481.576	1482.165
		El	1.617	CVD28GVRD2018		428581	6896	TERR	90 22 14	1615.606	1616.247
						969857	88H4195	TERR	90 32 15	800.137	800.455
						229385	6893	TERR	180 10 36	261.778	261.882
428581	6896	E	498229.818	0.9996028	1.0000028	982868	6897	TERR	0 23 49	1291.601	1292.115
		N	5435040.981			741249	88H4196	TERR	0 44 16	477.867	478.057
		El	1.796	CVD28GVRD2018		247270	80H1264	TERR	179 48 35	968.926	969.312
						969857	88H4195	TERR	270 12 23	815.475	815.799
						671693	6894	TERR	270 22 14	1615.606	1616.247
982868	6897	E	498238.767	0.9996029	1.0000029	352666	6898	TERR	0 12 53	1138.921	1139.373
		N	5436332.551			114439	6900	TERR	90 21 20	645.893	646.150
		El	1.424	CVD28GVRD2018		741249	88H4196	TERR	180 11 48	813.748	814.072
						428581	6896	TERR	180 23 49	1291.601	1292.115
						73643	88H4197	TERR	359 56 53	282.518	282.631
352666	6898	E	498243.035	0.9996029	1.0000028	531079	6902	TERR	90 20 54	1630.048	1630.696
		N	5437471.464			982868	6897	TERR	180 12 53	1138.921	1139.373
		El	1.621	CVD28GVRD2018		73643	88H4197	TERR	180 18 10	856.407	856.747
						377291	6818	TERR	270 22 1	1620.127	1620.771
234419	6901	E	490336.874	0.9996039	1.0000028	177238	88H4212	GPS	53 7 46	16686.397	16693.025
		N	5436561.968			737197	84H0431	GPS	63 14 11	4587.917	4589.737
		El	1.755	CVD28GVRD2018		568352	6951	TERR	87 9 38	579.943	580.172
						703199	6846	GPS	119 9 28	3045.908	3047.116
						989624	80H1275	GPS	217 11 20	2620.124	2621.162
						411124	6857	TERR	248 11 20	1336.063	1336.591
						855890	6855	GPS	277 30 45	1535.095	1535.703
						406991	77C032	GPS	294 58 1	3582.112	3583.530
						460527	6851	TERR	301 34 25	897.493	897.848
						558759	02H2407	GPS	325 14 37	16774.029	16780.652
						537563	77H4827	GPS	332 42 20	5947.698	5950.052
						869792	NO MARKING	GPS	343 50 19	3853.136	3854.667
						394437	77H4671	GPS	354 38 30	3413.338	3414.691

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
531079	6902	E	499873.053	0.9996030	1.0000030	88062	14H2736	GPS	18 46 47	7566.765	7569.772	
		N	5437461.556			898734	NO MARKING	GPS	42 16 5	15347.041	15353.250	
		El	.713			CVD28GVRD2018	252569	92H0596	GPS	59 30 47	6416.626	6419.181
							909333	NO MARKING	GPS	66 28 44	36787.714	36802.373
							995365	6910	GPS	82 20 16	4914.018	4915.969
							904904	NO MARKING	GPS	86 22 39	25186.910	25196.879
							607093	5893	GPS	88 39 30	8132.312	8135.541
							942870	86H1263	GPS	119 1 49	13067.195	13072.472
							762716	80H1257	GPS	122 8 8	3846.269	3847.797
							694992	6899	TERR	180 4 3	776.801	777.109
							914127	80H1262	GPS	184 46 2	2831.301	2832.426
							430900	87H3190	GPS	197 11 5	9919.687	9923.626
							446658	80H1267	GPS	211 9 5	5184.969	5187.029
							394825	81	GPS	235 51 11	14095.253	14100.843
							703199	6846	GPS	250 52 53	7277.654	7280.543
							991802	88H4194	GPS	254 5 54	3383.968	3385.311
							352666	6898	TERR	270 20 54	1630.048	1630.696
							406991	77C032	GPS	272 44 34	12798.208	12803.280
			869792	NO MARKING	GPS	284 47 30	10972.295	10976.659				
			30031	77H4885	GPS	301 57 5	16871.220	16877.903				
			521617	PP	GPS	317 6 2	27189.162	27200.087				
			839639	80H1300	GPS	321 4 42	5530.615	5532.813				
			274696	78H8518	GPS	340 10 42	9641.775	9645.605				
			875864	NO MARKING	GPS	342 51 28	21613.883	21622.505				
			675850	84H0394	GPS	354 54 2	5783.457	5785.755				
533679	6903	E	501497.984	0.9996029	1.0000029		MARKER DESTROYED					
		N	5437456.197									
		El	1.237	CVD28GVRD2018								
172312	6905	E	501491.254	0.9996030	1.0000030	572198	6904	TERR	0 15 59	839.592	839.926	
		N	5435842.863			694943	88H4199	TERR	0 24 30	821.625	821.951	
		El	.822			CVD28GVRD2018	970434	6913	GPS	83 41 52	3287.463	3288.768
							762716	80H1257	GPS	104 36 43	1693.561	1694.234
							289603	6906	TERR	179 57 32	534.454	534.666
							914127	80H1262	GPS	237 1 8	2209.580	2210.458
			991802	88H4194	GPS	278 4 39	4921.500	4923.454				
289603	6906	E	501491.638	0.9996028	1.0000028	330456	6909	TERR	79 27 3	1670.432	1671.096	
		N	5435308.409			756023	80H1259	TERR	179 46 38	295.932	296.050	
		El	1.707			CVD28GVRD2018	172312	6905	TERR	359 57 32	534.454	534.666

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
167627	6907	E	503128.209	0.9996029	1.0000028	995951	88H4202	TERR	89 40 60	806.894	807.215	
		N	5437468.351			535740	6911	TERR	89 55 36	1629.831	1630.479	
		El	1.898			CVD28GVRD2018	269191	88H4201	TERR	179 26 11	421.654	421.822
							798785	6908	TERR	179 47 23	778.291	778.600
							526806	6203	TERR	274 20 11	192.740	192.816
995365	6910	E	504743.195	0.9996032	1.0000029	840629	6916	TERR	0 6 43	996.710	997.106	
		N	5438116.756			815746	84H9508	GPS	5 16 44	5682.261	5684.530	
		El	1.145			CVD28GVRD2018	252569	92H0596	GPS	14 13 45	2682.511	2683.579
							799270	9352	GPS	17 2 2	4428.385	4430.152
							898734	NO MARKING	GPS	26 59 52	12010.567	12015.424
							102970	92H0875	GPS	51 18 22	4194.721	4196.410
							459750	5992	GPS	60 26 20	20503.808	20511.899
							909333	NO MARKING	GPS	64 4 50	32088.845	32101.619
							904904	NO MARKING	GPS	87 21 18	20288.055	20296.078
							607093	5893	GPS	98 6 52	3292.909	3294.216
							4903	92H0897	GPS	119 6 51	7342.253	7345.166
							202903	86H1297	GPS	125 26 3	12014.346	12019.207
							557686	5495	GPS	131 27 48	5629.585	5631.818
							942870	86H1263	GPS	136 51 50	9587.555	9591.424
							535740	6911	TERR	178 41 4	646.490	646.746
							762716	80H1257	GPS	210 50 47	3146.165	3147.415
							531079	6902	GPS	262 20 16	4914.018	4915.969
							528505	92H0579	GPS	275 27 16	8150.017	8153.254
							869792	NO MARKING	GPS	277 53 37	15626.887	15633.103
							839639	80H1300	GPS	293 36 39	9107.191	9110.810
							675850	84H0394	GPS	313 28 38	7419.869	7422.817
							875864	NO MARKING	GPS	330 39 38	22941.100	22950.252
535740	6911	E	504758.039	0.9996031	1.0000028	55384	6202	TERR	85 41 32	1628.110	1628.757	
		N	5437470.436			7369	88H4218	TERR	87 6 39	882.637	882.988	
		El	1.628			CVD28GVRD2018	424499	80H1308	TERR	180 14 42	606.306	606.547
							568360	6912	TERR	180 26 47	795.214	795.530
							167627	6907	TERR	269 55 36	1629.831	1630.479
							995951	88H4202	TERR	270 9 56	822.951	823.279
							995365	6910	TERR	358 41 4	646.490	646.746
970434	6913	E	504758.849	0.9996033	1.0000030	607093	5893	GPS	65 56 40	3552.847	3554.257	
		N	5436203.744			773929	83H6496	TERR	179 22 41	196.965	197.042	
		El	.647			CVD28GVRD2018	762716	80H1257	GPS	244 10 46	1809.460	1810.178
							330456	6909	TERR	250 3 38	1728.639	1729.325
							172312	6905	GPS	263 41 52	3287.463	3288.768
							568360	6912	TERR	359 8 56	471.554	471.741
							424499	80H1308	TERR	359 42 17	660.401	660.663

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
467878	6914	E	506386.171	0.9996032	1.0000027	823575	1589	TERR	275 39 32	387.040	387.194						
		N	5436851.001									55384	6202	TERR	359 38 35	741.741	742.037
		El	2.429									CVD28GVRD2018					
707323	6915	E	506376.581	0.9996033	1.0000028	MARKER DESTROYED											
		N	5439073.680														
		El	1.343			CVD28GVRD2018											
840629	6916	E	504745.141	0.9996032	1.0000029	214858	6917	TERR	0 13 21	1585.198	1585.827						
		N	5439113.464									995365	6910	TERR	180 6 43	996.710	997.106
		El	.824									CVD28GVRD2018					
214858	6917	E	504751.295	0.9996029	1.0000027	193904	6918	TERR	89 7 39	848.075	848.413						
		N	5440698.650									840629	6916	TERR	180 13 21	1585.198	1585.827
		El	2.496									1928 Canadian Vertical Datum					
193904	6918	E	505599.272	0.9996010	1.0000006	457275	78H8586	TERR	27 59 24	88.113	88.147						
		N	5440711.566									214858	6917	TERR	269 7 39	848.075	848.413
		El	15.666									CVD28GVRD2018					
464065	6919	E	507066.501	0.9995916	0.9999910	MARKER DESTROYED											
		N	5440740.753														
		El	76.898			CVD28GVRD2018											
728683	6920	E	507994.331	0.9995915	0.9999907	MARKER DESTROYED											
		N	5440726.842														
		El	78.617			CVD28GVRD2018											
59162	6921	E	507994.793	0.9995895	0.9999887	MARKER DESTROYED											
		N	5441385.987														
		El	91.211			CVD28GVRD2018											
732883	6922	E	507993.816	0.9995914	0.9999907	MARKER DESTROYED											
		N	5442366.863														
		El	78.940			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
44099	6923	E	507730.861	0.9995894	0.9999887	969949	82H5469	TERR	89 31 12	261.603	261.710			
		N	5443043.100					590133	6924	TERR	269 33 51	345.586	345.727	
		El	91.416					CVD28GVRD2018	430116	79H9903	TERR	269 37 8	140.094	140.151
590133	6924	E	507385.285	0.9995908	0.9999902	30908	6926	TERR	0 10 48	473.359	473.553			
		N	5443040.471					430116	79H9903	TERR	89 31 37	205.492	205.576	
		El	82.065					CVD28GVRD2018	44099	6923	TERR	89 33 51	345.586	345.727
									245324	82H5430	TERR	182 39 42	116.047	116.095
									746990	6925	TERR	269 24 16	407.562	407.728
									182378	82H5460	TERR	358 9 50	193.866	193.944
746990	6925	E	506977.745	0.9995928	0.9999922	406025	6927	TERR	0 37 21	527.722	527.938			
		N	5443036.235					36517	80H1339	TERR	0 38 4	337.002	337.139	
		El	68.835					CVD28GVRD2018	590133	6924	TERR	89 24 16	407.562	407.728
									389304	6970	TERR	180 23 38	686.502	686.782
									234930	82H5444	TERR	274 32 24	141.739	141.797
30908	6926	E	507386.771	0.9995890	0.9999884	410100	6929	TERR	0 7 50	466.998	467.191			
		N	5443513.828					535203	82H5463	TERR	0 35 24	366.050	366.201	
		El	93.636					CVD28GVRD2018	590133	6924	TERR	180 10 48	473.359	473.553
									182378	82H5460	TERR	181 34 38	279.697	279.812
406025	6927	E	506983.479	0.9995903	0.9999897	143115	6928	TERR	0 35 31	418.763	418.935			
		N	5443563.926					127126	82H5456	TERR	89 57 20	117.233	117.281	
		El	84.960					CVD28GVRD2018	36517	80H1339	TERR	180 36 6	190.721	190.799
									746990	6925	TERR	180 37 21	527.722	527.938
143115	6928	E	506987.805	0.9995885	0.9999879	750083	9324	TERR	86 52 15	205.689	205.773			
		N	5443982.667					410100	6929	TERR	90 15 50	400.034	400.199	
		El	96.688					CVD28GVRD2018	406025	6927	TERR	180 35 31	418.763	418.935
									515841	82H5453	TERR	268 18 1	206.374	206.459
									74229	6933	TERR	270 10 2	609.900	610.150
919	6931	E	506373.398	0.9995927	0.9999922	577940	6932	TERR	0 14 51	371.429	371.580			
		N	5443238.590											
		El	68.836					1928 Canadian Vertical Datum						
577940	6932	E	506375.003	0.9995910	0.9999905	74229	6933	TERR	0 26 40	374.444	374.597			
		N	5443610.015					483966	82H5481	TERR	5 2 45	78.191	78.222	
		El	80.182					CVD28GVRD2018	183046	82H5480	TERR	83 57 48	159.733	159.798
									401224	78H8574	TERR	178 51 53	244.486	244.586
									919	6931	TERR	180 14 51	371.429	371.580

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
74229	6933	E	506377.908	0.9995907	0.9999902	635789	6934	TERR	0 51 39	396.564	396.726	
		N	5443984.448			516666	82H5485	TERR	87 7 50	168.482	168.551	
		El	81.697			CVD28GVRD2018	143115	6928	TERR	90 10 2	609.900	610.150
							483966	82H5481	TERR	179 13 57	296.572	296.693
							577940	6932	TERR	180 26 40	374.444	374.597
							800979	82H5484	TERR	268 39 24	197.637	197.719
635789	6934	E	506383.866	0.9995907	0.9999902	74229	6933	TERR	180 51 39	396.564	396.726	
		N	5444380.967			551606	82H5488	TERR	268 54 38	80.936	80.968	
		El	81.847			CVD28GVRD2018						
999029	6935	E	506389.691	0.9995905	0.9999900	MARKER DESTROYED						
		N	5444806.664									
		El	83.317									
698191	6936	E	506389.028	0.9995903	0.9999898	360123	82H5530	TERR	89 56 28	248.804	248.906	
		N	5445209.609			443192	82H5516	TERR	178 32 30	233.088	233.183	
		El	84.376			CVD28GVRD2018	965400	79H9894	TERR	270 21 59	213.451	213.539
							951442	82H5548	TERR	357 14 10	114.640	114.687
							381186	6937	TERR	359 55 35	405.750	405.917
381186	6937	E	506388.507	0.9995907	0.9999902	454355	6942	TERR	0 12 19	400.627	400.790	
		N	5445615.359			841734	6966	TERR	90 16 47	249.377	249.479	
		El	81.753			CVD28GVRD2018	698191	6936	TERR	179 55 35	405.750	405.917
							857847	90H6236	TERR	182 56 13	159.632	159.697
							394981	82H5569	TERR	359 0 52	285.886	286.003
915694	6940	E	507501.306	0.9995874	0.9999867	200667	82H5578	TERR	87 30 21	93.432	93.471	
		N	5446011.289			892414	6968	TERR	183 34 12	405.027	405.194	
		El	104.065			CVD28GVRD2018	246363	6941	TERR	270 16 57	554.449	554.677
							757872	9345	TERR	271 16 13	356.794	356.941
560383	6943	E	506493.082	0.9995931	0.9999925	MARKER DESTROYED						
		N	5446537.680									
		El	66.763									
958603	6946	E	507197.130	0.9995884	0.9999877	592675	6947	TERR	0 40 24	349.474	349.618	
		N	5446420.223			957068	6945	TERR	91 10 39	230.917	231.012	
		El	97.536			CVD28GVRD2018	622985	9348	TERR	179 21 29	259.747	259.854
592675	6947	E	507201.237	0.9995885	0.9999879	666065	82H5603	TERR	2 11 20	223.570	223.663	
		N	5446769.673			958603	6946	TERR	180 40 24	349.474	349.618	
		El	96.644			CVD28GVRD2018	429092	6948	TERR	269 38 49	407.536	407.703
							55947	82H5605	TERR	269 57 14	105.823	105.866

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
429092	6948	E	506793.709	0.9995918	0.9999912	865311	82H5615	TERR	0 2 15	192.289	192.367	
		N	5446767.162			456905	82H5606	TERR	88 44 15	186.701	186.777	
		El	75.148			CVD28GVRD2018	592675	6947	TERR	89 38 49	407.536	407.703
							216044	82H5614	TERR	188 2 47	127.424	127.476
				585950	80H1342	TERR	274 14 48	91.732	91.769			
840488	6950	E	490664.904	0.9996039	1.0000029	568352	6951	TERR	22 58 54	643.385	643.639	
		N	5435998.377			213967	6850	TERR	216 22 38	316.387	316.512	
		El	1.343			CVD28GVRD2018						
568352	6951	E	490916.105	0.9996039	1.0000029	832667	86H2437	TERR	52 29 21	158.450	158.513	
		N	5436590.696			531830	6952	TERR	70 46 45	824.464	824.791	
		El	1.141			CVD28GVRD2018	840488	6950	TERR	202 58 54	643.385	643.639
							234419	6901	TERR	267 9 38	579.943	580.172
531830	6952	E	491694.611	0.9996037	1.0000029	915090	6826	TERR	90 6 58	377.954	378.103	
		N	5436862.117			568352	6951	TERR	250 46 45	824.464	824.791	
		El	1.369			CVD28GVRD2018	832667	86H2437	TERR	254 59 55	675.851	676.119
729699	6953	E	494457.936	0.9996033	1.0000029	500272	92H0594	TERR	0 27 33	485.532	485.725	
		N	5437004.523			238154	6954	TERR	162 24 10	335.941	336.075	
		El	.966			CVD28GVRD2018	469718	87H3178	TERR	181 15 35	125.666	125.716
261172	6955	E	494212.187	0.9996033	1.0000029	238154	6954	TERR	89 7 24	347.353	347.491	
		N	5436678.987			449561	6841	TERR	189 34 3	331.439	331.571	
		El	1.385			CVD28GVRD2018	528885	84H0347	TERR	267 25 8	229.300	229.391
991190	6956	E	493665.447	0.9996034	1.0000029		MARKER DESTROYED					
		N	5437278.049									
		El	.963	CVD28GVRD2018								
7401	6958	E	506375.694	0.9996034	1.0000029	55384	6202	TERR	179 34 14	781.521	781.831	
		N	5438374.227									
		El	1.116	CVD28GVRD2018								
509513	6959	E	504923.235	0.9995953	0.9999950		MARKER DESTROYED					
		N	5444783.612									
		El	51.025	CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
113290	6960	E	504726.486	0.9995954	0.9999952		MARKER DESTROYED				
		N	5444646.547								
		El	50.163	CVD28GVRD2018							
557108	6961	E	504410.035	0.9996021	1.0000019		MARKER DESTROYED				
		N	5444978.395								
		El	7.224	CVD28GVRD2018							
407924	6962	E	506371.535	0.9995955	0.9999950		MARKER DESTROYED				
		N	5442340.569								
		El	50.997	CVD28GVRD2018							
841734	6966	E	506637.881	0.9995888	0.9999882	770800	5296	GPS	40 26 44	2023.519	2024.350
		N	5445614.141			606558	5400	GPS	43 25 42	6572.944	6575.628
		El	94.202	CVD28GVRD2018		898734	NO MARKING	GPS	47 59 27	4787.917	4789.889
						426981	92H0886	GPS	72 1 9	4859.398	4861.383
						228619	5066	GPS	79 3 48	8009.361	8012.648
						247221	6967	TERR	90 35 39	244.961	245.062
						98178	86H1262	GPS	104 32 57	8138.392	8141.675
						90316	80H2099	GPS	109 52 26	4920.243	4922.250
						147819	91H9962	GPS	118 45 25	36920.596	36935.330
						799270	9352	GPS	190 22 29	3317.508	3318.856
						252569	92H0596	GPS	194 9 28	5050.576	5052.623
						815746	84H9508	GPS	216 43 11	2294.530	2295.463
						869792	NO MARKING	GPS	252 52 49	18178.980	18186.342
						195156	80H1320	GPS	257 57 5	4548.969	4550.809
						381186	6937	TERR	270 16 47	249.377	249.479
						177238	88H4212	GPS	288 0 42	3104.134	3105.390
						838037	02H2423	GPS	289 58 42	4386.973	4388.747
						137695	92H0576	GPS	308 30 26	2209.842	2210.735
						583880	89H6028	GPS	325 58 9	4055.405	4057.044
247221	6967	E	506882.829	0.9995876	0.9999870	166041	6938	TERR	90 31 49	299.482	299.606
		N	5445611.601			903153	82H5563	TERR	91 32 6	152.750	152.813
		El	102.124	CVD28GVRD2018		841734	6966	TERR	270 35 39	244.961	245.062
892414	6968	E	507476.086	0.9995875	0.9999868	416123	82H5558	TERR	0 33 27	90.840	90.878
		N	5445607.048			915694	6940	TERR	3 34 12	405.027	405.194
		El	103.545	CVD28GVRD2018		834168	82H5554	TERR	91 47 14	201.476	201.559
						166041	6938	TERR	270 20 51	293.793	293.915
						944637	78H8588	TERR	271 53 24	249.809	249.912

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
667907	6969	E	506730.350	0.9995912	0.9999906		MARKER DESTROYED				
		N	5446423.978								
		El	79.083	CVD28GVRD2018							
115501	6971	E	507461.203	0.9995917	0.9999911	819516	79H9837	TERR	87 33 59	290.802	290.921
		N	5442357.904			389304	6970	TERR	269 2 35	488.245	488.445
		El	76.455	CVD28GVRD2018		303396	82H5409	TERR	271 57 35	132.355	132.410
888669	6972	E	494275.583	0.9995945	0.9999941	688440	6973	TERR	92 40 6	213.560	213.646
		N	5427744.343			137448	6975	TERR	359 56 23	208.971	209.056
		El	57.478	CVD28GVRD2018							
688440	6973	E	494488.911	0.9995951	0.9999948	888669	6972	TERR	272 40 6	213.560	213.646
		N	5427734.401			234179	6976	TERR	359 41 45	219.182	219.271
		El	53.198	CVD28GVRD2018							
500611	6974	E	493802.734	0.9995936	0.9999931		MARKER DESTROYED				
		N	5427953.916								
		El	63.952	CVD28GVRD2018							
137448	6975	E	494275.363	0.9995949	0.9999945	234179	6976	TERR	89 55 42	212.384	212.470
		N	5427953.314			888669	6972	TERR	179 56 23	208.971	209.056
		El	54.742	CVD28GVRD2018		49585	80H1349	TERR	269 27 2	483.237	483.433
234179	6976	E	494487.747	0.9995951	0.9999947	630830	87H3184	TERR	87 40 15	166.097	166.165
		N	5427953.580			268219	6977	TERR	89 36 57	494.134	494.335
		El	53.389	CVD28GVRD2018		688440	6973	TERR	179 41 45	219.182	219.271
						137448	6975	TERR	269 55 42	212.384	212.470
268219	6977	E	494981.870	0.9995955	0.9999952	668822	84H0384	TERR	0 27 23	626.443	626.694
		N	5427956.893			425363	79H9838	TERR	177 13 27	150.323	150.385
		El	50.339	CVD28GVRD2018		234179	6976	TERR	269 36 57	494.134	494.335
						630830	87H3184	TERR	270 36 0	328.181	328.314
						971184	6978	TERR	297 37 33	448.911	449.093
						557025	88H4211	TERR	357 44 58	327.744	327.876
971184	6978	E	494584.137	0.9995953	0.9999949	268219	6977	TERR	117 37 33	448.911	449.093
		N	5428165.050			649814	9373	TERR	271 40 31	214.378	214.464
		El	52.424	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
474676	6979	E	494161.707	0.9995948	0.9999944	211383	6980	TERR	1 11 45	414.924	415.092			
		N	5428164.813					649814	9373	TERR	88 12 37	208.246	208.331	
		El	55.507					CVD28GVRD2018	545046	9376	TERR	270 51 41	100.967	101.008
211383	6980	E	494170.366	0.9995950	0.9999946	664607		TERR	89 25 2	399.181	399.343			
		N	5428579.647					474676	6979	TERR	181 11 45	414.924	415.092	
		El	54.070					CVD28GVRD2018	673939	9375	TERR	228 46 17	124.611	124.661
									341875	87H3185	TERR	274 13 4	186.305	186.380
432377	6981	E	494581.477	0.9995973	0.9999969			MARKER DESTROYED						
		N	5428579.434											
		El	39.415					CVD28GVRD2018						
432674	6982	E	494982.881	0.9996021	1.0000018			MARKER DESTROYED						
		N	5428582.454											
		El	8.346					CVD28GVRD2018						
723304	6983	E	494982.216	0.9996022	1.0000019	631929	87H3145	TERR	86 20 20	205.844	205.926			
		N	5428983.853					668822	84H0384	TERR	179 20 9	400.564	400.723	
		El	7.734					CVD28GVRD2018	56341	6984	TERR	269 10 59	412.575	412.740
									644187	6875	TERR	359 30 15	474.861	475.050
56341	6984	E	494569.683	0.9996003	1.0000000	723304		6983	TERR	89 10 59	412.575	412.740		
		N	5428977.971					881680	6985	TERR	269 9 19	397.024	397.183	
		El	19.898					CVD28GVRD2018						
881680	6985	E	494172.702	0.9995978	0.9999974	460550		6990	TERR	0 4 11	495.583	495.782		
		N	5428972.118					56341	6984	TERR	89 9 19	397.024	397.183	
		El	36.296					CVD28GVRD2018	657122	9372	TERR	268 2 48	238.079	238.176
766196	6986	E	493744.372	0.9995952	0.9999947	657122		9372	TERR	90 34 56	190.399	190.476		
		N	5428965.938					901819	9371	TERR	177 59 19	90.626	90.663	
		El	53.800					CVD28GVRD2018	482935	87H3149	TERR	267 12 54	139.741	139.798
226464	6987	E	493299.069	0.9995953	0.9999947	790543	87H3148	TERR	91 4 15	123.920	123.970			
		N	5428958.097					285528	6866	TERR	161 47 41	405.186	405.350	
		El	53.318					CVD28GVRD2018	518076	6891	TERR	347 30 10	215.770	215.857

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
629147	6988	E	493754.151	0.9995984	0.9999979	782433	87H3160	TERR	269 51 30	266.869	266.977		
		N	5429467.107					376608	6995	TERR	328 49 19	415.834	416.001
		El	33.323					CVD28GVRD2018					
460550	6990	E	494173.304	0.9996003	0.9999999	320531	87H3207	TERR	88 8 24	209.990	210.073		
		N	5429467.701					881680	6985	TERR	180 4 11	495.583	495.782
		El	20.461					CVD28GVRD2018		458943	6993	TERR	359 13 38
773192	6991	E	494497.040	0.9996010	1.0000007	62919	6992	TERR	358 36 25	240.361	240.456		
		N	5429675.121										
		El	15.492					CVD28GVRD2018					
62919	6992	E	494491.196	0.9996011	1.0000007	773192	6991	TERR	178 36 25	240.361	240.456		
		N	5429915.411					771220	9276	TERR	359 49 23	291.494	291.612
		El	15.308					CVD28GVRD2018					
458943	6993	E	494167.434	0.9996005	1.0000000	460550	6990	TERR	179 13 38	435.306	435.479		
		N	5429902.967					866012	6994	TERR	273 1 30	249.837	249.937
		El	19.502					CVD28GVRD2018					
866012	6994	E	493917.945	0.9996000	0.9999995	458943	6993	TERR	93 1 30	249.837	249.937		
		N	5429916.151					228106	87H3161	TERR	272 40 22	216.572	216.658
		El	22.873					CVD28GVRD2018		810275	6862	TERR	359 36 2
376608	6995	E	493538.875	0.9995985	0.9999980	228106	87H3161	TERR	57 34 33	192.790	192.867		
		N	5429822.879					629147	6988	TERR	148 49 19	415.834	416.001
		El	32.336					CVD28GVRD2018					
804526	6996	E	493141.577	0.9995944	0.9999938	386094	6997	TERR	332 37 23	287.577	287.694		
		N	5429834.872										
		El	59.021					CVD28GVRD2018					
386094	6997	E	493009.337	0.9995942	0.9999936	804526	6996	TERR	152 37 23	287.577	287.694		
		N	5430090.241										
		El	60.503					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
624478	6998	E	493714.725	0.9995993	0.9999989	793596	6999	TERR	81 4 35	305.927	306.050		
		N	5430492.849					163204	9374	TERR	172 56 19	279.824	279.936
		El	27.083					CVD28GVRD2018					
793596	6999	E	494016.949	0.9995997	0.9999992	215541	6860	TERR	63 20 24	167.362	167.429		
		N	5430540.304					624478	6998	TERR	261 4 35	305.927	306.050
		El	24.574					CVD28GVRD2018					
85480	7000	E	494168.898	0.9996000	0.9999996	MARKER DESTROYED							
		N	5430421.271										
		El	22.146			CVD28GVRD2018							
295287	78H8546	E	507982.216	0.9995885	0.9999877	681148	82H5496	TERR	7 25 26	172.032	172.103		
		N	5444397.719					924316	78H8580	TERR	267 30 36	407.088	407.256
		El	97.594					CVD28GVRD2018					
669101	78H8547	E	505111.777	0.9995993	0.9999990	748384	84H9509	TERR	90 21 55	102.762	102.803		
		N	5443951.411					815746	84H9508	TERR	138 51 25	234.367	234.461
		El	25.730					CVD28GVRD2018		222471	9351	TERR	312 28 52
687384	78H8548	E	507729.112	0.9995877	0.9999869	MARKER DESTROYED							
		N	5445192.572										
		El	102.502			CVD28GVRD2018							
861195	78H8549	E	506839.278	0.9995872	0.9999867	417063	9363	TERR	90 19 30	285.373	285.490		
		N	5445207.829										
		El	104.400					CVD28GVRD2018					
205203	78H8550	E	506616.614	0.9995934	0.9999928	664540	82H5401	TERR	184 15 20	138.213	138.270		
		N	5441447.169					406413	78H8571	TERR	287 41 4	271.637	271.748
		El	65.143					CVD28GVRD2018					
632240	78H8551	E	507591.479	0.9995879	0.9999872	842682	82H5465	TERR	183 33 15	115.161	115.208		
		N	5443986.949					242818	82H5464	TERR	265 31 41	210.517	210.603
		El	100.837					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
993402	78H8552	E	507597.200	0.9995885	0.9999878	374223 907907	79H9934 82H5466	TERR	181 19 46	263.718	263.826	
		N	5443508.465					TERR	359 16 6	167.018	167.087	
		El	97.087	CVD28GVRD2018								
301341	78H8553	E	507528.625	0.9995878	0.9999871	928127 138206 285221	78H8561 82H5498 82H5520	TERR	93 3 9	202.518	202.602	
		N	5444801.226					TERR	179 49 53	98.614	98.655	
		El	101.733	CVD28GVRD2018						TERR	266 14 38	246.369
115394	78H8556	E	507169.097	0.9995873	0.9999867	MARKER DESTROYED						
		N	5444586.566									
		El	104.116	CVD28GVRD2018								
486845	78H8557	E	506575.220	0.9995888	0.9999882	MARKER DESTROYED						
		N	5444809.582									
		El	94.427	CVD28GVRD2018								
345249	78H8559	E	495138.979	0.9996019	1.0000017	900290	79H9850	TERR	139 50 44	316.628	316.753	
		N	5428232.090									
		El	9.243	CVD28GVRD2018								
130211	78H8560	E	506029.059	0.9996003	0.9999999	864934 303891	9356 84H9455	TERR	88 57 27	225.447	225.538	
		N	5440724.385					TERR	265 3 40	188.845	188.920	
		El	20.367	CVD28GVRD2018								
928127	78H8561	E	507730.856	0.9995880	0.9999872	301341 630731	78H8553 82H5523	TERR	273 3 9	202.518	202.602	
		N	5444790.442					TERR	355 49 13	96.824	96.863	
		El	100.758	CVD28GVRD2018								
496281	78H8562	E	506715.336	0.9995939	0.9999934	298497 761924 303446	79H9835 82H5402 79H9842	TERR	107 6 43	187.031	187.107	
		N	5441820.563					TERR	194 18 6	231.742	231.836	
		El	61.776	CVD28GVRD2018						TERR	282 3 46	158.495
959890	78H8564	E	506525.587	0.9995957	0.9999952	61390 947432	78H8565 82H5399	TERR	167 54 3	113.276	113.322	
		N	5440842.875					TERR	331 21 23	129.853	129.904	
		El	50.287	CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
61390	78H8565	E	506549.330	0.9995963	0.9999957	864934 959890	9356 78H8564	TERR	269 17 42	294.883	295.003
		N	5440732.115					TERR	347 54 3	113.276	113.322
		El	46.627	CVD28GVRD2018							
98954	78H8566	E	507125.240	0.9995870	0.9999864	MARKER DESTROYED					
		N	5445617.801								
		El	106.282	CVD28GVRD2018							
817395	78H8567	E	506375.524	0.9995907	0.9999902	MARKER DESTROYED					
		N	5444184.225								
		El	82.126	CVD28GVRD2018							
831511	78H8568	E	506877.735	0.9995882	0.9999876	757872 994863	9345 78H8575	TERR	90 11 40	266.867	266.976
		N	5446020.105					TERR	270 13 34	294.296	294.418
		El	98.021	CVD28GVRD2018							
181529	78H8569	E	506965.049	0.9995897	0.9999891	MARKER DESTROYED					
		N	5446420.142								
		El	89.040	CVD28GVRD2018							
792184	78H8570	E	505002.915	0.9995988	0.9999985	MARKER DESTROYED					
		N	5445570.889								
		El	29.086	CVD28GVRD2018							
406413	78H8571	E	506357.813	0.9995946	0.9999941	205203 747915 211102	78H8550 84H9463 9319	TERR	107 41 4	271.637	271.748
		N	5441529.685					TERR	195 15 12	166.044	166.112
		El	57.280	CVD28GVRD2018				TERR	283 15 57	95.024	95.062
294066	78H8572	E	506635.505	0.9995947	0.9999942	230300 612846	80H1343 78H8584	TERR	90 15 24	71.669	71.698
		N	5446989.176					TERR	346 39 0	164.068	164.134
		El	56.345	CVD28GVRD2018							
233916	78H8573	E	506167.425	0.9995912	0.9999908	797589	82H5478	TERR	264 58 11	111.941	111.987
		N	5443519.136								
		El	78.186	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
401224	78H8574	E	506379.847	0.9995919	0.9999914	585976	82H5448	TERR	90 50 34	202.456	202.539					
		N	5443365.577					577940				6932	TERR	358 51 53	244.486	244.586
		El	74.364					CVD28GVRD2018								
994863	78H8575	E	506583.441	0.9995899	0.9999894	831511	78H8568	TERR	90 13 34	294.296	294.418					
		N	5446021.267					610592				9361	TERR	268 24 20	199.650	199.731
		El	87.107					CVD28GVRD2018								
694059	78H8576	E	505849.375	0.9995961	0.9999957	343368	84H9491	TERR	152 7 18	177.518	177.590					
		N	5443157.085					821959				79H9849	TERR	357 7 46	115.196	115.242
		El	46.602					CVD28GVRD2018								
733733	78H8577	E	505574.077	0.9995928	0.9999924	791079	84H9502	TERR	179 52 7	126.996	127.048					
		N	5443817.478					591933				79H9916	TERR	356 1 58	154.976	155.040
		El	67.506					CVD28GVRD2018								
321521	78H8578	E	494969.686	0.9996011	1.0000007	MARKER ISOLATED										
		N	5430627.062													
		El	14.986			CVD28GVRD2018										
203372	78H8579	E	506350.292	0.9995943	0.9999938	387852	79H9914	TERR	222 58 37	217.403	217.491					
		N	5441767.738													
		El	58.763					CVD28GVRD2018								
924316	78H8580	E	507575.512	0.9995878	0.9999871	297465	82H5494	TERR	8 37 57	96.837	96.877					
		N	5444380.033					295287				78H8546	TERR	87 30 36	407.088	407.256
		El	101.796					CVD28GVRD2018								
69625	78H8581	E	507600.308	0.9995880	0.9999872	MARKER DESTROYED										
		N	5446410.020													
		El	100.571			CVD28GVRD2018										
453779	78H8582	E	505559.168	0.9995963	0.9999959	791079	84H9502	TERR	6 59 4	125.000	125.050					
		N	5443566.410					907782				80H1338	TERR	156 32 25	58.814	58.838
		El	45.430					CVD28GVRD2018				857524	84H9503	TERR	297 31 22	97.708

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
612846	78H8584	E	506597.622	0.9995969	0.9999963	337337	5300	TERR	89 34 36	147.825	147.886					
		N	5447148.811					294066				78H8572	TERR	166 39 0	164.068	164.134
		El	42.482					CVD28GVRD2018								
989699	78H8585	E	505579.246	0.9996010	1.0000006	174235	79H9855	TERR	1 6 53	188.701	188.776					
		N	5440923.754					457275				78H8586	TERR	155 27 5	147.736	147.796
		El	15.463					CVD28GVRD2018								
457275	78H8586	E	505640.625	0.9996003	0.9999999	193904	6918	TERR	207 59 24	88.113	88.147					
		N	5440789.372					989699				78H8585	TERR	335 27 5	147.736	147.796
		El	19.784					CVD28GVRD2018								
755132	78H8587	E	507224.458	0.9995867	0.9999860	MARKER DESTROYED										
		N	5445192.188													
		El	108.429			CVD28GVRD2018										
944637	78H8588	E	507226.413	0.9995868	0.9999861	892414	6968	TERR	91 53 24	249.809	249.912					
		N	5445615.287					657387				90H6228	TERR	271 6 26	103.392	103.435
		El	107.887					CVD28GVRD2018								
731257	78H8589	E	505987.765	0.9995970	0.9999966	343368	84H9491	TERR	340 1 59	162.187	162.252					
		N	5442847.731													
		El	41.222					CVD28GVRD2018								
427666	78H8590	E	507459.810	0.9995876	0.9999870	MARKER DESTROYED										
		N	5446412.389													
		El	102.442			CVD28GVRD2018										
161182	78H8591	E	507816.986	0.9995918	0.9999910	882969	80H1347	TERR	39 50 50	116.303	116.349					
		N	5441548.454					363069				82H5391	TERR	174 55 52	136.613	136.670
		El	76.526					CVD28GVRD2018				619148	79H9883	TERR	251 12 2	76.855
772178	78H8593	E	507607.457	0.9995889	0.9999882	121608	82H5593	TERR	181 24 19	241.718	241.818					
		N	5446979.072													
		El	94.445					CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
37945	78H8594	E	507979.342	0.9995876	0.9999868		MARKER DESTROYED				
		N	5446000.018								
		El	103.329	CVD28GVRD2018							
945774	78H8595	E	505586.869	0.9995915	0.9999911		MARKER DESTROYED				
		N	5444575.705								
		El	75.794	CVD28GVRD2018							
298497	79H9835	E	506894.087	0.9995935	0.9999929	952952	79H9889	TERR	117 0 42	161.701	161.767
		N	5441765.531			515189	82H5404	TERR	208 7 8	159.496	159.561
		El	64.872	CVD28GVRD2018		496281	78H8562	TERR	287 6 43	187.031	187.107
652875	79H9836	E	498639.633	0.9996027	1.0000027		MARKER DESTROYED				
		N	5442047.571								
		El	2.251	CVD28GVRD2018							
819516	79H9837	E	507751.743	0.9995916	0.9999908	254318	82H5419	TERR	171 59 9	89.937	89.974
		N	5442370.252			115501	6971	TERR	267 33 59	290.802	290.921
		El	77.950	CVD28GVRD2018							
425363	79H9838	E	494989.150	0.9995953	0.9999950	263608	79H9863	TERR	107 51 6	204.887	204.970
		N	5427806.746			268219	6977	TERR	357 13 27	150.323	150.385
		El	51.756	CVD28GVRD2018							
44818	79H9839	E	505004.876	0.9995957	0.9999954	809491	87H2623	TERR	45 48 47	335.307	335.443
		N	5444909.514								
		El	48.589	CVD28GVRD2018							
74153	79H9840	E	506029.896	0.9995980	0.9999976	417790	84H9485	TERR	81 9 44	73.537	73.567
		N	5442728.121			852020	79H9851	TERR	290 47 40	85.557	85.591
		El	34.938	CVD28GVRD2018							
489708	79H9841	E	495280.647	0.9996018	1.0000015	900290	79H9850	TERR	53 2 54	78.221	78.252
		N	5427943.067			558973	79H9865	TERR	150 54 22	94.465	94.503
		El	10.136	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
303446	79H9842	E	506560.341	0.9995940	0.9999935	496281	78H8562	TERR	102 3 46	158.495	158.559
		N	5441853.686								
		El	60.748	CVD28GVRD2018							
547976	79H9843	E	505944.894	0.9995919	0.9999915	797589	82H5478	TERR	92 12 48	111.104	111.149
		N	5443513.612			242222	79H9859	TERR	266 47 41	158.334	158.398
		El	73.583	CVD28GVRD2018							
505412	79H9844	E	507510.126	0.9995908	0.9999901	566661	79H9882	TERR	157 19 5	86.021	86.056
		N	5441955.483			7534	79H9864	TERR	259 27 18	103.279	103.322
		El	82.395	CVD28GVRD2018							
37663	79H9846	E	507233.122	0.9995920	0.9999914	7534	79H9864	TERR	112 28 32	189.893	189.971
		N	5442009.176								
		El	74.510	CVD28GVRD2018							
984492	79H9847	E	506190.733	0.9995930	0.9999925	323105	82H5570	TERR	59 59 2	93.999	94.037
		N	5445869.793			937177	80H1334	TERR	308 21 39	201.499	201.581
		El	66.934	CVD28GVRD2018							
635797	79H9848	E	505670.365	0.9996017	1.0000013	405308	79H9884	TERR	51 15 53	179.664	179.735
		N	5441326.943			174235	79H9855	TERR	202 10 40	231.663	231.755
		El	11.057	CVD28GVRD2018							
821959	79H9849	E	505843.606	0.9995949	0.9999945	694059	78H8576	TERR	177 7 46	115.196	115.242
		N	5443272.136								
		El	54.340	CVD28GVRD2018							
900290	79H9850	E	495343.157	0.9996028	1.0000025	489708	79H9841	TERR	233 2 54	78.221	78.252
		N	5427990.089			345249	78H8559	TERR	319 50 44	316.628	316.753
		El	3.652	CVD28GVRD2018							
852020	79H9851	E	505949.912	0.9995998	0.9999994	74153	79H9840	TERR	110 47 40	85.557	85.591
		N	5442758.495			749515	79H9927	TERR	189 23 11	129.141	129.193
		El	23.092	CVD28GVRD2018		639864	82H5413	TERR	336 27 11	461.833	462.018

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
345025	79H9852	E	507581.402	0.9995918	0.9999911	171082	79H9881	TERR	80 17 33	79.599	79.632					
		N	5441424.047					722918				9344	TERR	285 38 37	217.856	217.944
		El	76.197					CVD28GVRD2018								
234559	79H9853	E	505404.892	0.9995926	0.9999922	168344	9346	TERR	150 23 11	107.193	107.237					
		N	5444045.317													
		El	68.862					CVD28GVRD2018								
134825	79H9854	E	506590.638	0.9995942	0.9999937	MARKER DESTROYED										
		N	5442351.297													
		El	59.756			CVD28GVRD2018										
174235	79H9855	E	505582.917	0.9996020	1.0000016	635797	79H9848	TERR	22 10 40	231.663	231.755					
		N	5441112.419					989699				78H8585	TERR	181 6 53	188.701	188.776
		El	9.350					CVD28GVRD2018								
916619	79H9857	E	505678.534	0.9995952	0.9999948	242222	79H9859	TERR	98 8 11	109.375	109.420					
		N	5443520.239					907782				80H1338	TERR	265 21 50	96.267	96.306
		El	52.703					CVD28GVRD2018				504175	83H6503	TERR	355 54 23	144.679
242222	79H9859	E	505786.808	0.9995935	0.9999931	547976	79H9843	TERR	86 47 41	158.334	158.398					
		N	5443504.759					916619				79H9857	TERR	278 8 11	109.375	109.420
		El	63.329					CVD28GVRD2018								
796789	79H9860	E	505938.679	0.9996008	1.0000003	33647	84H9476	TERR	91 21 54	102.270	102.311					
		N	5442005.443					382119				79H9862	TERR	191 31 28	257.759	257.862
		El	17.209					CVD28GVRD2018				898106	79H9876	TERR	347 56 26	156.762
282616	79H9861	E	506601.411	0.9995892	0.9999886	MARKER DESTROYED										
		N	5444386.537													
		El	91.745			CVD28GVRD2018										
382119	79H9862	E	505887.182	0.9995999	0.9999995	796789	79H9860	TERR	11 31 28	257.759	257.862					
		N	5441752.881					359125				84H9473	TERR	76 30 53	85.928	85.963
		El	22.516					CVD28GVRD2018				46888	79H9868	TERR	191 41 55	149.973

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
263608	79H9863	E	495184.172	0.9995968	0.9999965	761403	79H9895	TERR	90 5 8	156.953	157.016				
		N	5427743.937					79H9838				TERR	287 51 6	204.887	204.970
		El	41.987					CVD28GVRD2018							
7534	79H9864	E	507408.591	0.9995912	0.9999905	505412	79H9844	TERR	79 27 18	103.279	103.322				
		N	5441936.582					79H9846				TERR	292 28 32	189.893	189.971
		El	79.837					CVD28GVRD2018							
558973	79H9865	E	495326.580	0.9996010	1.0000007	761403	79H9895	TERR	172 54 9	117.720	117.767				
		N	5427860.521					79H9841				TERR	330 54 22	94.465	94.503
		El	15.441					CVD28GVRD2018							
69286	79H9866	E	507811.630	0.9995922	0.9999914	MARKER DESTROYED									
		N	5441780.875												
		El	74.083			CVD28GVRD2018									
665042	79H9867	E	506157.763	0.9995944	0.9999939	MARKER DESTROYED									
		N	5446162.411												
		El	58.175			CVD28GVRD2018									
46888	79H9868	E	505856.773	0.9995993	0.9999989	382119	79H9862	TERR	11 41 55	149.973	150.033				
		N	5441606.023					79H9884				TERR	195 30 50	172.962	173.031
		El	26.625					CVD28GVRD2018							
445866	79H9869	E	507233.802	0.9995923	0.9999917	722918	9344	TERR	123 38 53	165.551	165.619				
		N	5441574.522					79H9889				TERR	301 0 7	228.260	228.353
		El	72.647					CVD28GVRD2018							
588889	79H9870	E	507753.099	0.9995915	0.9999907	870584	82H5420	TERR	0 14 18	88.694	88.730				
		N	5441864.640					87H3497				TERR	144 10 15	107.727	107.770
		El	78.443					CVD28GVRD2018				541458	79H9875	TERR	275 26 3
592139	79H9871	E	505738.852	0.9995928	0.9999924	MARKER DESTROYED									
		N	5445105.706												
		El	67.560			CVD28GVRD2018									

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
143370	79H9872	E	504646.330	0.9995972	0.9999969		MARKER ISOLATED				
		N	5444721.122								
		El	39.101	CVD28GVRD2018							
732685	79H9873	E	505815.576	0.9995911	0.9999907	519405	9313	TERR	88 37 59	224.791	224.883
		N	5443952.266			591933	79H9916	TERR	274 29 33	252.998	253.102
		El	78.899	CVD28GVRD2018							
520973	79H9874	E	506958.698	0.9995877	0.9999871		MARKER DESTROYED				
		N	5444389.594								
		El	101.557	CVD28GVRD2018							
541458	79H9875	E	507619.617	0.9995908	0.9999901	588889	79H9870	TERR	95 26 3	134.085	134.139
		N	5441877.338			121822	79H9909	TERR	184 33 25	89.086	89.123
		El	82.681	CVD28GVRD2018		566661	79H9882	TERR	269 4 55	76.330	76.361
898106	79H9876	E	505905.927	0.9996019	1.0000015	511071	80H1284	TERR	15 1 0	143.488	143.545
		N	5442158.745			796789	79H9860	TERR	167 56 26	156.762	156.824
		El	9.924	CVD28GVRD2018							
236075	79H9877	E	505292.690	0.9995933	0.9999930		MARKER DESTROYED				
		N	5444122.571								
		El	64.208	CVD28GVRD2018							
986604	79H9878	E	506422.404	0.9995940	0.9999935		MARKER DESTROYED				
		N	5441831.522								
		El	61.084	CVD28GVRD2018							
876094	79H9879	E	507233.470	0.9995924	0.9999918		MARKER DESTROYED				
		N	5442343.336								
		El	71.798	CVD28GVRD2018							
883462	79H9880	E	506882.204	0.9995875	0.9999869	600775	80H1336	TERR	268 10 7	99.033	99.073
		N	5444603.279								
		El	102.841	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
171082	79H9881	E	507659.861	0.9995916	0.9999909	619148	79H9883	TERR	44 22 46	120.631	120.681				
		N	5441437.469					345025	79H9852			TERR	260 17 33	79.599	79.632
		El	77.409					CVD28GVRD2018							
566661	79H9882	E	507543.297	0.9995909	0.9999902	541458	79H9875	TERR	89 4 55	76.330	76.361				
		N	5441876.115					505412	79H9844			TERR	337 19 5	86.021	86.056
		El	81.612					CVD28GVRD2018							
619148	79H9883	E	507744.231	0.9995919	0.9999911	161182	78H8591	TERR	71 12 2	76.855	76.887				
		N	5441523.687					171082	79H9881			TERR	224 22 46	120.631	120.681
		El	76.036					CVD28GVRD2018							
405308	79H9884	E	505810.511	0.9995998	0.9999994	46888	79H9868	TERR	15 30 50	172.962	173.031				
		N	5441439.363					612895	83H6505			TERR	168 28 43	139.425	139.482
		El	23.215					CVD28GVRD2018				635797	79H9848	TERR	231 15 53
612762	79H9885	E	496077.828	0.9996030	1.0000028	54726	87H3174	TERR	355 10 2	113.152	113.197				
		N	5436788.904												
		El	1.635					CVD28GVRD2018							
936971	79H9886	E	506034.078	0.9995937	0.9999933	225177	79H9928	TERR	90 21 52	80.510	80.542				
		N	5445541.616												
		El	62.027					CVD28GVRD2018							
859868	79H9887	E	496077.519	0.9996031	1.0000029	54726	87H3174	TERR	184 42 4	112.544	112.589				
		N	5437013.819					671636	79H9932			TERR	269 25 17	116.550	116.596
		El	.975					CVD28GVRD2018							
167668	79H9888	E	495872.723	0.9996031	1.0000029	242446	79H9892	TERR	5 12 5	110.338	110.382				
		N	5437644.402					668129	79H9890			TERR	97 14 47	154.786	154.848
		El	1.407					CVD28GVRD2018							
952952	79H9889	E	507038.149	0.9995927	0.9999921	445866	79H9869	TERR	121 0 7	228.260	228.353				
		N	5441692.091					298497	79H9835			TERR	297 0 42	161.701	161.767
		El	69.964					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
668129	79H9890	E	496026.273	0.9996031	1.0000029	397414	79H9891	TERR	4 13 40	96.740	96.779		
		N	5437624.878					167668	79H9888	TERR	277 14 47	154.786	154.848
		El	1.212					CVD28GVRD2018					
397414	79H9891	E	496033.405	0.9996031	1.0000029	668129	79H9890	TERR	184 13 40	96.740	96.779		
		N	5437721.355					242446	79H9892	TERR	282 19 41	154.236	154.297
		El	1.135					CVD28GVRD2018					
242446	79H9892	E	495882.726	0.9996031	1.0000029	397414	79H9891	TERR	102 19 41	154.236	154.297		
		N	5437754.286					167668	79H9888	TERR	185 12 5	110.338	110.382
		El	1.287					CVD28GVRD2018		474205	84H0339	TERR	358 38 48
939439	79H9893	E	506020.047	0.9995932	0.9999927	47969	79H9926	TERR	92 46 51	155.352	155.415		
		N	5445295.660										
		El	65.683					CVD28GVRD2018					
965400	79H9894	E	506175.581	0.9995921	0.9999916	698191	6936	TERR	90 21 59	213.451	213.539		
		N	5445210.974					47969	79H9926	TERR	359 43 44	77.150	77.181
		El	72.905					CVD28GVRD2018					
761403	79H9895	E	495341.125	0.9995991	0.9999988	263608	79H9863	TERR	270 5 8	156.953	157.016		
		N	5427743.703					558973	79H9865	TERR	352 54 9	117.720	117.767
		El	27.489					CVD28GVRD2018					
562710	79H9896	E	496097.485	0.9996031	1.0000029	474205	84H0339	TERR	289 16 47	230.000	230.091		
		N	5437777.474										
		El	1.319					CVD28GVRD2018					
455410	79H9897	E	495835.001	0.9996031	1.0000029	81497	79H9898	TERR	110 29 19	209.129	209.212		
		N	5438074.070					525048	84H0337	TERR	178 29 11	88.436	88.471
		El	1.424					CVD28GVRD2018					
81497	79H9898	E	496030.901	0.9996030	1.0000029	822338	84H0336	TERR	182 9 45	109.792	109.835		
		N	5438000.870					455410	79H9897	TERR	290 29 19	209.129	209.212
		El	1.428					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
714238	79H9899	E	498142.815	0.9996026	1.0000025		MARKER DESTROYED				
		N	5442665.396								
		El	3.187	CVD28GVRD2018							
724187	79H9900	E	507825.923	0.9995935	0.9999927	350512	79H9901	TERR	91 29 42	104.569	104.611
		N	5440187.873								
		El	65.953	CVD28GVRD2018							
350512	79H9901	E	507930.456	0.9995934	0.9999927	154922	79H9902	TERR	0 28 38	253.850	253.953
		N	5440185.145			724187	79H9900	TERR	271 29 42	104.569	104.611
		El	66.234	CVD28GVRD2018							
154922	79H9902	E	507932.570	0.9995931	0.9999924	350512	79H9901	TERR	180 28 38	253.850	253.953
		N	5440438.986								
		El	68.139	CVD28GVRD2018							
430116	79H9903	E	507590.770	0.9995900	0.9999893	374223	79H9934	TERR	0 5 17	202.650	202.734
		N	5443042.168			44099	6923	TERR	89 37 8	140.094	140.151
		El	87.595	CVD28GVRD2018		120519	82H5429	TERR	178 25 3	132.928	132.982
						590133	6924	TERR	269 31 37	205.492	205.576
876995	79H9904	E	505833.919	0.9996001	0.9999997		MARKER DESTROYED				
		N	5440819.387								
		El	21.392	CVD28GVRD2018							
861062	79H9905	E	507665.985	0.9995916	0.9999909	206920	87H3497	TERR	53 57 2	185.742	185.818
		N	5441667.993			719302	79H9906	TERR	232 8 22	139.699	139.756
		El	77.761	CVD28GVRD2018							
719302	79H9906	E	507555.692	0.9995921	0.9999914	861062	79H9905	TERR	52 8 22	139.699	139.756
		N	5441582.254			727180	79H9907	TERR	279 2 15	96.269	96.308
		El	74.442	CVD28GVRD2018							
727180	79H9907	E	507460.618	0.9995922	0.9999915	719302	79H9906	TERR	99 2 15	96.269	96.308
		N	5441597.376			423780	79H9908	TERR	352 24 10	201.361	201.442
		El	73.538	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
423780	79H9908	E	507433.996	0.9995916	0.9999909	121822	79H9909	TERR	92 42 17	178.742	178.816				
		N	5441796.969					727180	79H9907	TERR	172 24 10	201.361	201.442		
		El	77.572					CVD28GVRD2018							
121822	79H9909	E	507612.539	0.9995914	0.9999906	541458	79H9875	TERR	4 33 25	89.086	89.123				
		N	5441788.534					423780	79H9908	TERR	272 42 17	178.742	178.816		
		El	79.058					CVD28GVRD2018							
96834	79H9910	E	505585.802	0.9995922	0.9999918	425587	9297	TERR	92 4 29	190.920	190.998				
		N	5444807.001												
		El	71.518					CVD28GVRD2018							
949743	79H9911	E	507832.618	0.9995909	0.9999901	81836	92H0592	TERR	193 54 47	191.225	191.303				
		N	5440926.147					172338	79H9912	TERR	352 53 26	165.270	165.337		
		El	82.544					CVD28GVRD2018							
172338	79H9912	E	507812.163	0.9995903	0.9999895	949743	79H9911	TERR	172 53 26	165.270	165.337				
		N	5441090.146												
		El	86.269					CVD28GVRD2018							
577890	79H9913	E	506118.580	0.9995932	0.9999927	901645	80H1335	TERR	37 59 26	113.522	113.568				
		N	5445627.773					225177	79H9928	TERR	182 38 19	86.761	86.796		
		El	65.738					CVD28GVRD2018							
387852	79H9914	E	506202.088	0.9995960	0.9999955	203372	78H8579	TERR	42 58 37	217.403	217.491				
		N	5441608.680					211102	9319	TERR	132 7 32	85.262	85.296		
		El	48.136					CVD28GVRD2018		593293	9312	TERR	226 48 57	137.241	137.296
518555	79H9915	E	507989.032	0.9995899	0.9999891	860387	82H5390	TERR	0 54 10	227.579	227.673				
		N	5441035.718												
		El	89.119					CVD28GVRD2018							
591933	79H9916	E	505563.355	0.9995924	0.9999920	561498	84H9492	TERR	0 58 2	274.051	274.163				
		N	5443972.083					732685	79H9873	TERR	94 29 33	252.998	253.102		
		El	70.512					CVD28GVRD2018		733733	78H8577	TERR	176 1 58	154.976	155.040
										168344	9346	TERR	259 17 15	107.365	107.409

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
242362	79H9917	E	507614.508	0.9995935	0.9999928	184051	79H9918	TERR	0 11 40	212.397	212.483		
		N	5440435.533					843292	82H5383	TERR	73 54 23	158.716	158.781
		El	65.366					CVD28GVRD2018					
184051	79H9918	E	507615.229	0.9995926	0.9999918	292227	79H9919	TERR	95 32 48	166.090	166.158		
		N	5440647.929					242362	79H9917	TERR	180 11 40	212.397	212.483
		El	71.429					CVD28GVRD2018					
292227	79H9919	E	507780.541	0.9995924	0.9999916	81836	92H0592	TERR	3 12 42	108.828	108.873		
		N	5440631.875					843292	82H5383	TERR	185 4 40	152.945	153.007
		El	72.780					CVD28GVRD2018		184051	79H9918	TERR	275 32 48
181289	79H9920	E	495098.215	0.9996032	1.0000029	682278	79H9921	TERR	255 8 35	106.332	106.374		
		N	5436822.631					987438	79H9924	TERR	321 32 17	78.633	78.664
		El	.936					CVD28GVRD2018					
682278	79H9921	E	494995.438	0.9996032	1.0000029	181289	79H9920	TERR	75 8 35	106.332	106.374		
		N	5436795.367					674572	79H9922	TERR	270 31 15	282.506	282.617
		El	1.122					CVD28GVRD2018					
674572	79H9922	E	494712.944	0.9996033	1.0000029	682278	79H9921	TERR	90 31 15	282.506	282.617		
		N	5436797.935					470815	84H0446	TERR	272 20 1	196.107	196.185
		El	.938					CVD28GVRD2018		23549	83H6509	TERR	357 49 28
719096	79H9923	E	494799.625	0.9996033	1.0000029	987438	79H9924	TERR	88 44 51	249.741	249.840		
		N	5436878.743										
		El	.821					CVD28GVRD2018					
987438	79H9924	E	495049.306	0.9996032	1.0000029	449355	79H9925	TERR	22 19 41	80.148	80.180		
		N	5436884.202					181289	79H9920	TERR	141 32 17	78.633	78.664
		El	1.038					CVD28GVRD2018		719096	79H9923	TERR	268 44 51
449355	79H9925	E	495079.755	0.9996032	1.0000029	987438	79H9924	TERR	202 19 41	80.148	80.180		
		N	5436958.341					735647	83H6508	TERR	265 52 3	110.295	110.338
		El	.888					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
47969	79H9926	E	506175.216	0.9995922	0.9999917	513259	82H5547	TERR	89 30 31	124.271	124.321		
		N	5445288.123					965400	79H9894	TERR	179 43 44	77.150	77.181
		El	72.199					CVD28GVRD2018	939439	79H9893	TERR	272 46 51	155.352
749515	79H9927	E	505928.850	0.9996016	1.0000012	852020	79H9851	TERR	9 23 11	129.141	129.193		
		N	5442631.083					487009	9354	TERR	166 57 4	94.848	94.886
		El	11.757					CVD28GVRD2018					
225177	79H9928	E	506114.586	0.9995930	0.9999926	577890	79H9913	TERR	2 38 19	86.761	86.796		
		N	5445541.104					473496	82H5550	TERR	91 5 16	187.249	187.326
		El	66.637					CVD28GVRD2018	936971	79H9886	TERR	270 21 52	80.510
760157	79H9929	E	507352.899	0.9995897	0.9999890	40899	84H9472	TERR	86 36 39	154.224	154.287		
		N	5441201.946					375675	84H9471	TERR	231 48 54	141.415	141.473
		El	89.651					CVD28GVRD2018					
565390	79H9930	E	495333.893	0.9996031	1.0000029	863951	9306	TERR	192 46 23	170.466	170.534		
		N	5437057.535										
		El	1.293					CVD28GVRD2018					
607598	79H9931	E	495967.668	0.9996030	1.0000028	MARKER DESTROYED							
		N	5437491.081										
		El	1.756			CVD28GVRD2018							
671636	79H9932	E	495960.975	0.9996030	1.0000028	288688	92H0591	TERR	0 55 16	465.499	465.684		
		N	5437012.642					859868	79H9887	TERR	89 25 17	116.550	116.596
		El	1.596					CVD28GVRD2018					
527473	79H9933	E	495960.296	0.9996031	1.0000029	MARKER DESTROYED							
		N	5436788.609										
		El	1.297			CVD28GVRD2018							
374223	79H9934	E	507591.081	0.9995892	0.9999885	993402	78H8552	TERR	1 19 46	263.718	263.826		
		N	5443244.818					430116	79H9903	TERR	180 5 17	202.650	202.734
		El	92.974					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
496018	80H1252	E	505886.919	0.9996030	1.0000025	820860	88H4275	TERR	62 58 42	463.333	463.517		
		N	5436554.298					895623	80H1253	TERR	241 32 24	592.407	592.642
		El	3.462					CVD28GVRD2018					
895623	80H1253	E	505366.104	0.9996029	1.0000026	496018	80H1252	TERR	61 32 24	592.407	592.642		
		N	5436271.990					773929	83H6496	TERR	246 20 3	660.679	660.942
		El	3.278					CVD28GVRD2018					
533059	80H1255	E	504350.341	0.9996028	1.0000025	773929	83H6496	TERR	70 43 44	435.021	435.193		
		N	5435863.218					770172	80H1256	TERR	245 47 48	615.014	615.258
		El	3.468					CVD28GVRD2018					
770172	80H1256	E	503789.390	0.9996027	1.0000025	533059	80H1255	TERR	65 47 48	615.014	615.258		
		N	5435611.076					762716	80H1257	TERR	253 29 20	687.708	687.981
		El	3.412					CVD28GVRD2018					
762716	80H1257	E	503130.040	0.9996027	1.0000026	105122	88H4200	TERR	0 49 16	420.684	420.852		
		N	5435415.629			995365	6910	GPS	30 50 47	3146.165	3147.415		
		El	3.356			970434	6913	GPS	64 10 46	1809.460	1810.178		
		607093	5893			GPS	65 20 56	5361.738	5363.867				
		770172	80H1256			TERR	73 29 20	687.708	687.981				
		4903	92H0897			GPS	96 11 39	8074.871	8078.077				
		557686	5495			GPS	99 58 56	5921.491	5923.841				
		202903	86H1297			GPS	110 30 20	12173.575	12178.504				
		942870	86H1263			GPS	117 44 12	9228.927	9232.654				
		630830	87H3184			GPS	228 40 1	11288.477	11293.006				
		446658	80H1267			GPS	248 4 5	6402.540	6405.085				
		394825	81			GPS	248 32 24	16033.803	16040.166				
		17939	80H1258			TERR	256 51 27	834.090	834.421				
		914127	80H1262			GPS	257 28 44	3577.377	3578.799				
		703199	6846			GPS	268 5 29	10138.854	10142.880				
		991802	88H4194			GPS	279 44 56	6606.870	6609.495				
172312	6905	GPS	284 36 43	1693.561	1694.234								
531079	6902	GPS	302 8 8	3846.269	3847.797								
829762	02H2412	GPS	336 7 45	10081.692	10085.700								
17939	80H1258	E	502317.797	0.9996026	1.0000026	762716	80H1257	TERR	76 51 27	834.090	834.421		
		N	5435225.979					756023	80H1259	TERR	255 29 28	852.186	852.525
		El	3.278					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----		Metres	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING								
756023	80H1259	E	501492.789	0.9996026	1.0000026	17939	80H1258	TERR	75 29 28	852.186	852.525				
		N	5435012.479					289603	6906	TERR	359 46 38	295.932	296.050		
		El	3.329					CVD28GVRD2018							
39248	80H1260	E	500883.123	0.9996026	1.0000026	752360	80H1261	TERR	257 0 44	635.111	635.364				
		N	5434885.821												
		El	3.221					CVD28GVRD2018							
752360	80H1261	E	500264.259	0.9996026	1.0000026	39248	80H1260	TERR	77 0 44	635.111	635.364				
		N	5434743.084					914127	80H1262	TERR	260 39 39	634.927	635.179		
		El	3.388					CVD28GVRD2018							
914127	80H1262	E	499637.748	0.9996026	1.0000026	531079	6902	GPS	4 46 2	2831.301	2832.426				
		N	5434640.050					172312	6905	GPS	57 1 8	2209.580	2210.458		
		El	2.842					CVD28GVRD2018		762716	80H1257	GPS	77 28 44	3577.377	3578.799
										752360	80H1261	TERR	80 39 39	634.927	635.179
										693275	NO MARKING	GPS	87 13 34	22891.729	22900.844
										430900	87H3190	GPS	202 2 55	7180.477	7183.330
										630830	87H3184	GPS	216 43 42	8334.226	8337.570
										446658	80H1267	GPS	236 33 40	2932.247	2933.412
										137653	80H1263	TERR	251 38 23	825.407	825.735
										703199	6846	GPS	273 46 22	6655.359	6658.002
										869792	NO MARKING	GPS	298 27 34	11799.263	11803.958
										991802	88H4194	GPS	302 6 20	3564.251	3565.668
										752949	88H4209	GPS	308 34 30	4038.200	4039.805
										247494	78H8494	GPS	334 19 59	16437.357	16443.881
										274696	78H8518	GPS	345 41 13	12273.001	12277.877
				829762	02H2412	GPS	356 38 9	10012.134	10016.114						
137653	80H1263	E	498854.359	0.9996026	1.0000026	914127	80H1262	TERR	71 38 23	825.407	825.735				
		N	5434380.054					247270	80H1264	TERR	243 37 55	693.471	693.747		
		El	3.194					CVD28GVRD2018							
247270	80H1264	E	498233.036	0.9996026	1.0000026	137653	80H1263	TERR	63 37 55	693.471	693.747				
		N	5434072.060					79962	80H1265	TERR	230 31 19	554.471	554.691		
		El	3.348					CVD28GVRD2018		428581	6896	TERR	359 48 35	968.926	969.312
79962	80H1265	E	497805.058	0.9996026	1.0000026	247270	80H1264	TERR	50 31 19	554.471	554.691				
		N	5433719.537					477364	80H1266	TERR	227 21 2	555.961	556.182		
		El	3.416					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
477364	80H1266	E	497396.141	0.9996027	1.0000026	79962	80H1265	TERR	47 21 2	555.961	556.182				
		N	5433342.868					446658	80H1267	TERR	212 47 28	379.028	379.178		
		El	3.226					CVD28GVRD2018							
446658	80H1267	E	497190.868	0.9996027	1.0000026	531079	6902	GPS	31 9 5	5184.969	5187.029				
		N	5433024.238					477364	80H1266	TERR	32 47 28	379.028	379.178		
		El	3.275					CVD28GVRD2018			NO MARKING	GPS	39 28 2	20459.160	20467.439
										799270	9352	GPS	43 29 48	12856.947	12862.081
										914127	80H1262	GPS	56 33 40	2932.247	2933.412
										762716	80H1257	GPS	68 4 5	6402.540	6405.085
										430900	87H3190	GPS	182 49 28	5045.652	5047.657
										630830	87H3184	GPS	206 36 44	5663.952	5666.224
										782433	87H3160	GPS	226 9 1	5135.603	5137.664
										235929	80H1268	TERR	266 0 48	579.345	579.575
										703199	6846	GPS	296 5 23	4669.890	4671.744
		235929	80H1268					E	496612.925	0.9996027	1.0000026	446658	80H1267	TERR	86 0 48
N	5432983.959			448001	80H1269	TERR	198 41 53	1022.297	1022.703						
El	3.131			CVD28GVRD2018			92H0578	TERR	359 51 49					444.148	444.325
448001	80H1269	E	496285.197	0.9996027	1.0000026	235929	80H1268	TERR	18 41 53	1022.297	1022.703				
		N	5432015.617					248427	80H1270	TERR	191 10 50	689.920	690.195		
		El	3.394					CVD28GVRD2018			88H4189	TERR	270 4 28	1304.445	1304.963
248427	80H1270	E	496151.419	0.9996028	1.0000026	448001	80H1269	TERR	11 10 50	689.920	690.195				
		N	5431338.791												
		El	3.278					CVD28GVRD2018							
417030	80H1271	E	491071.141	0.9996035	1.0000026	MARKER DESTROYED									
		N	5433122.055												
		El	3.290			CVD28GVRD2018									
115840	80H1272	E	490459.368	0.9996037	1.0000026	785998	88H4178	TERR	0 33 15	618.074	618.320				
		N	5433458.085					25247	80H1273	TERR	298 24 10	438.199	438.372		
		El	3.243					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
25247	80H1273	E	490073.917	0.9996038	1.0000026	115840	80H1272	TERR	118 24 10	438.199	438.372		
		N	5433666.521					985655	83H6495	TERR	306 27 56	394.496	394.653
		El	3.263					CVD28GVRD2018					
832469	80H1274	E	489421.082	0.9996040	1.0000026	985655	83H6495	TERR	121 33 38	393.827	393.983		
		N	5434107.113					989624	80H1275	TERR	298 49 21	762.371	762.673
		El	3.200					CVD28GVRD2018					
989624	80H1275	E	488753.156	0.9996041	1.0000026	855890	6855	GPS	1 32 50	2288.850	2289.756		
		N	5434474.652					869792	NO MARKING	GPS	5 2 50	5810.712	5813.019
		El	3.057					394437	77H4671	GPS	12 59 6	5629.697	5631.926
								460527	6851	GPS	17 45 37	2685.213	2686.276
								234419	6901	GPS	37 11 20	2620.124	2621.162
								838037	02H2423	GPS	47 26 12	18684.585	18691.997
								177238	88H4212	GPS	50 59 1	19219.245	19226.878
								737197	84H0431	GPS	53 49 33	7036.613	7039.403
								703199	6846	GPS	81 54 31	4286.325	4288.024
								832469	80H1274	TERR	118 49 21	762.371	762.673
								782433	87H3160	GPS	136 36 41	6891.595	6894.355
								647321	77C010	GPS	152 24 25	5884.338	5886.671
								394825	81	GPS	186 19 8	4955.086	4957.047
								554618	88H4273	TERR	333 42 59	527.085	527.294
								406991	77C032	GPS	335 11 35	3965.195	3966.764
		535518	555	GPS	356 6 28	16644.907	16651.491						
537381	80H1277	E	488646.460	0.9996042	1.0000026	MARKER DESTROYED							
		N	5435022.055										
		El	3.189			CVD28GVRD2018							
212407	80H1278	E	489365.052	0.9996040	1.0000026	431460	80H1279	TERR	79 11 58	453.305	453.485		
		N	5435185.245					411124	6857	TERR	343 1 56	920.379	920.743
		El	3.188					CVD28GVRD2018					
431460	80H1279	E	489810.327	0.9996041	1.0000028	402412	88H4215	TERR	65 21 2	355.176	355.317		
		N	5435270.191					212407	80H1278	TERR	259 11 58	453.305	453.485
		El	1.536					CVD28GVRD2018					
511071	80H1284	E	505943.105	0.9996003	0.9999999	799270	9352	TERR	61 11 16	111.091	111.135		
		N	5442297.333					898106	79H9876	TERR	195 1 0	143.488	143.545
		El	19.927					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
236174	80H1285	E	496114.612	0.9996030	1.0000028	744615	80H1345	TERR	67 45 39	256.176	256.277		
		N	5439949.088					TERR	94 44 21			524.445	524.653
		El	1.436					CVD28GVRD2018					
458471	80H1286	E	504906.045	0.9995993	0.9999990	MARKER DESTROYED							
		N	5445471.718										
		El	25.928			CVD28GVRD2018							
626564	80H1287	E	497146.417	0.9996030	1.0000029	977868	92H0568	TERR	97 32 47	129.879	129.931		
		N	5428401.235					TERR	174 51 25			419.310	419.477
		El	1.317					CVD28GVRD2018					
61739	80H1288	E	503887.165	0.9996026	1.0000024	MARKER DESTROYED							
		N	5444536.744										
		El	4.062			CVD28GVRD2018							
252312	80H1289	E	494008.962	0.9996032	1.0000028	MARKER DESTROYED							
		N	5437481.469										
		El	1.977			CVD28GVRD2018							
27631	80H1290	E	493848.239	0.9996033	1.0000028	995605	6809	TERR	38 43 20	91.941	91.977		
		N	5437667.953					TERR	316 1 38			107.612	107.655
		El	1.739					CVD28GVRD2018					
966663	80H1291	E	493519.213	0.9996035	1.0000030	681700	9320	TERR	179 15 40	165.719	165.784		
		N	5436763.775					TERR	266 5 12			161.652	161.716
		El	.804					CVD28GVRD2018					
892109	80H1292	E	494106.518	0.9996030	1.0000026	MARKER ISOLATED							
		N	5438256.894										
		El	3.045			CVD28GVRD2018							
43802	80H1295	E	495229.808	0.9996032	1.0000029	173062	92H0589	TERR	0 8 13	204.848	204.929		
		N	5437622.092					TERR	90 26 57			121.451	121.498
		El	1.238					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
460840	80H1297	E	495372.153	0.9996029	1.0000026	943175	88H4176	TERR	138 28 27	827.368	827.697		
		N	5440032.093			144501	84H0373	TERR	226 57 20	120.563	120.610		
		El	3.045			CVD28GVRD2018							
106641	80H1298	E	495749.212	0.9996028	1.0000026	865956	80H1299	TERR	26 2 56	850.559	850.897		
		N	5440637.040										
		El	3.088			CVD28GVRD2018							
865956	80H1299	E	496122.724	0.9996027	1.0000025	839639	80H1300	TERR	37 11 56	455.976	456.157		
		N	5441401.199			106641	80H1298	TERR	206 2 56	850.559	850.897		
		El	3.249			CVD28GVRD2018							
839639	80H1300	E	496398.400	0.9996027	1.0000025	274696	78H8518	GPS	2 27 52	4772.096	4773.992		
		N	5441764.403			49908	02H2413	GPS	6 1 32	2009.878	2010.677		
		El	3.324			CVD28GVRD2018		243790	86H2446	TERR	48 26 40	506.747	506.949
						898734	NO MARKING	GPS	62 55 14	15495.780	15502.054		
						675850	84H0394	GPS	63 47 8	3300.002	3301.314		
						252569	92H0596	GPS	96 38 7	9064.871	9068.482		
						607093	5893	GPS	109 30 47	12311.868	12316.759		
						995365	6910	GPS	113 36 39	9107.191	9110.810		
						531079	6902	GPS	141 4 42	5530.615	5532.813		
						528505	92H0579	GPS	175 23 22	2882.265	2883.410		
						991802	88H4194	GPS	177 35 22	5234.649	5236.728		
						549881	80H1344	TERR	180 37 8	695.182	695.458		
						703199	6846	GPS	206 57 50	7501.959	7504.937		
						546150	84H0346	GPS	207 23 38	5546.190	5548.393		
						737197	84H0431	GPS	212 4 7	3701.207	3702.677		
						865956	80H1299	TERR	217 11 56	455.976	456.157		
						80101	02H2443	GPS	253 58 57	3458.285	3459.658		
						869792	NO MARKING	GPS	258 6 50	7290.341	7293.241		
						51441	02H2453	GPS	274 4 15	3026.204	3027.406		
						918169	14H2752	GPS	290 55 52	1495.161	1495.755		
		174268	V-2982	GPS	318 37 24	15296.258	15302.331						
		619213	94H1624	GPS	320 57 36	4876.798	4878.735						
		237198	V-3426	GPS	331 59 41	18091.616	18098.806						
		832238	02H2457	GPS	334 26 29	3324.146	3325.467						
859470	80H1301	E	497445.342	0.9996030	1.0000029	167072	6803	TERR	0 28 5	573.798	574.026		
		N	5439897.208			682492	92H0571	TERR	270 36 23	808.123	808.445		
		El	1.089			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
855452	80H1302	E	497498.692	0.9996026	1.0000025	468819	6804	TERR	180 15 51	793.220	793.536		
		N	5442513.393					243790	86H2446	TERR	240 12 28	830.906	831.237
		El	3.544					CVD28GVRD2018					
424499	80H1308	E	504755.447	0.9996031	1.0000028	535740	6911	TERR	0 14 42	606.306	606.547		
		N	5436864.136					970434	6913	TERR	179 42 17	660.401	660.663
		El	1.655					CVD28GVRD2018					
997031	80H1309	E	503133.387	0.9996030	1.0000029	105122	88H4200	TERR	179 46 36	687.670	687.943		
		N	5436523.935					269191	88H4201	TERR	359 53 13	522.783	522.990
		El	.949					CVD28GVRD2018					
308171	80H1310	E	499874.488	0.9996028	1.0000028	MARKER DESTROYED							
		N	5436602.308										
		El	1.747			CVD28GVRD2018							
246082	80H1312	E	498859.391	0.9996029	1.0000029	441519	88H4198	TERR	90 22 8	407.272	407.434		
		N	5436613.144					73643	88H4197	TERR	270 10 40	620.883	621.130
		El	1.401					CVD28GVRD2018					
736926	80H1314	E	499915.995	0.9996025	1.0000025	556043	80H1315	TERR	51 28 5	395.443	395.600		
		N	5443780.910					552760	84H0391	TERR	229 28 42	128.497	128.549
		El	3.529					CVD28GVRD2018					
556043	80H1315	E	500225.335	0.9996025	1.0000025	112987	80H1316	TERR	63 57 1	339.782	339.917		
		N	5444027.251					736926	80H1314	TERR	231 28 5	395.443	395.600
		El	3.546					CVD28GVRD2018					
112987	80H1316	E	500530.600	0.9996025	1.0000025	944306	80H1317	TERR	69 46 10	395.972	396.129		
		N	5444176.466					556043	80H1315	TERR	243 57 1	339.782	339.917
		El	3.592					CVD28GVRD2018					
944306	80H1317	E	500902.144	0.9996025	1.0000025	477596	80H1318	TERR	70 49 53	475.436	475.625		
		N	5444313.392					112987	80H1316	TERR	249 46 10	395.972	396.129
		El	3.670					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
477596	80H1318	E	501351.220	0.9996025	1.0000025	13037	80H1319	TERR	73 42 48	453.366	453.546				
		N	5444469.502					944306	80H1317	TERR	250 49 53	475.436	475.625		
		El	3.687					CVD28GVRD2018							
13037	80H1319	E	501786.392	0.9996025	1.0000025	910687	92H0557	TERR	16 20 48	861.880	862.222				
		N	5444596.646					195156	80H1320	TERR	80 25 33	408.420	408.582		
		El	3.697					CVD28GVRD2018		477596	80H1318	TERR	253 42 48	453.366	453.546
195156	80H1320	E	502189.123	0.9996026	1.0000026	838037	02H2423	GPS	7 34 45	2470.008	2470.989				
		N	5444664.577					177238	88H4212	GPS	38 5 33	2426.113	2427.079		
		El	3.019					CVD28GVRD2018		841734	6966	GPS	77 57 5	4548.969	4550.809
										732727	87H3188	TERR	93 58 52	214.904	214.989
										815746	84H9508	GPS	106 7 37	3202.893	3204.174
										675850	84H0394	GPS	242 59 35	3176.532	3177.795
										13037	80H1319	TERR	260 25 33	408.420	408.582
										829762	02H2412	GPS	269 27 32	3139.051	3140.299
										274696	78H8518	GPS	288 29 14	5889.455	5891.795
										47092	02H2454	GPS	324 41 59	5404.860	5407.008
780379	80H1321	E	502788.866	0.9996025	1.0000024	MARKER DESTROYED									
		N	5444532.010												
		El	3.786			CVD28GVRD2018									
929323	80H1322	E	503037.823	0.9996025	1.0000024	252932	80H1325	TERR	103 21 12	398.000	398.158				
		N	5444500.277												
		El	3.966					CVD28GVRD2018							
252932	80H1325	E	503425.063	0.9996025	1.0000024	583807	80H1326	TERR	78 36 28	179.036	179.108				
		N	5444408.357					929323	80H1322	TERR	283 21 12	398.000	398.158		
		El	4.062					CVD28GVRD2018							
583807	80H1326	E	503600.572	0.9996026	1.0000024	252932	80H1325	TERR	258 36 28	179.036	179.108				
		N	5444443.721												
		El	3.805					CVD28GVRD2018							
559419	80H1327	E	499729.233	0.9996025	1.0000025	MARKER DESTROYED									
		N	5443591.272												
		El	3.301			CVD28GVRD2018									

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
781567	80H1328	E	504274.259	0.9996023	1.0000021		MARKER DESTROYED				
		N	5444847.240								
		El	5.745	CVD28GVRD2018							
304998	80H1329	E	504650.861	0.9996006	1.0000004		MARKER DESTROYED				
		N	5445287.599								
		El	16.876	CVD28GVRD2018							
756890	80H1330	E	504737.248	0.9996007	1.0000004		MARKER ISOLATED				
		N	5445321.459								
		El	16.657	CVD28GVRD2018							
250423	80H1331	E	505231.773	0.9995986	0.9999983		MARKER ISOLATED				
		N	5445799.115								
		El	30.223	CVD28GVRD2018							
539650	80H1332	E	505486.112	0.9995975	0.9999971		MARKER DESTROYED				
		N	5445872.568								
		El	37.767	CVD28GVRD2018							
826677	80H1333	E	505934.713	0.9995966	0.9999962	937177	80H1334	TERR	52 56 16	122.836	122.887
		N	5445920.815								
		El	43.428	CVD28GVRD2018							
937177	80H1334	E	506032.734	0.9995952	0.9999947	370767	82H5510	TERR	29 53 21	96.735	96.774
		N	5445994.846			984492	79H9847	TERR	128 21 39	201.499	201.581
		El	52.848	CVD28GVRD2018		826677	80H1333	TERR	232 56 16	122.836	122.887
901645	80H1335	E	506188.456	0.9995925	0.9999920	577890	79H9913	TERR	217 59 26	113.522	113.568
		N	5445717.241								
		El	70.369	CVD28GVRD2018							
600775	80H1336	E	506783.222	0.9995880	0.9999875	554402	92H0572	TERR	0 11 33	198.659	198.741
		N	5444600.114			883462	79H9880	TERR	88 10 7	99.033	99.073
		El	99.227	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
504571	80H1337	E	506782.945	0.9995886	0.9999881		MARKER DESTROYED				
		N	5444381.206								
		El	95.341	CVD28GVRD2018							
907782	80H1338	E	505582.582	0.9995970	0.9999967	916619	79H9857	TERR	85 21 50	96.267	96.306
		N	5443512.458			677567	87H2621	TERR	150 44 15	211.321	211.406
		El	40.643	CVD28GVRD2018		453779	78H8582	TERR	336 32 25	58.814	58.838
36517	80H1339	E	506981.476	0.9995912	0.9999906	406025	6927	TERR	0 36 6	190.721	190.799
		N	5443373.216			746990	6925	TERR	180 38 4	337.002	337.139
		El	79.520	CVD28GVRD2018		585976	82H5448	TERR	268 28 35	399.336	399.499
377028	80H1340	E	507054.456	0.9995892	0.9999886	181982	80H1341	TERR	175 0 22	135.886	135.942
		N	5441079.688			278101	9341	TERR	343 47 4	203.412	203.496
		El	92.282	CVD28GVRD2018							
181982	80H1341	E	507066.285	0.9995900	0.9999894	377028	80H1340	TERR	355 0 22	135.886	135.942
		N	5440944.318								
		El	87.316	CVD28GVRD2018							
585950	80H1342	E	506702.229	0.9995928	0.9999922	230300	80H1343	TERR	1 19 5	214.957	215.044
		N	5446773.955			429092	6948	TERR	94 14 48	91.732	91.769
		El	68.676	CVD28GVRD2018		183418	82H5616	TERR	307 22 22	100.185	100.226
230300	80H1343	E	506707.173	0.9995935	0.9999929	585950	80H1342	TERR	181 19 5	214.957	215.044
		N	5446988.855			294066	78H8572	TERR	270 15 24	71.669	71.698
		El	64.210	CVD28GVRD2018							
549881	80H1344	E	496390.892	0.9996030	1.0000029	839639	80H1300	TERR	0 37 8	695.182	695.458
		N	5441069.262			857276	6806	TERR	96 51 39	256.240	256.341
		El	1.292	CVD28GVRD2018		744615	80H1345	TERR	182 11 30	1023.967	1024.374
744615	80H1345	E	496351.731	0.9996029	1.0000027	549881	80H1344	TERR	2 11 30	1023.967	1024.374
		N	5440046.044			943175	88H4176	TERR	214 14 21	766.140	766.445
		El	2.296	CVD28GVRD2018		236174	80H1285	TERR	247 45 39	256.176	256.277

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
949073	80H1346	E	488447.368	0.9996045	1.0000029	941930	6852	TERR	121 45 41	854.387	854.725		
		N	5437727.868					974378	88H4213	TERR	284 27 16	580.110	580.339
		El	1.372					CVD28GVRD2018					
882969	80H1347	E	507891.506	0.9995923	0.9999915	161182	78H8591	TERR	219 50 50	116.303	116.349		
		N	5441637.746					206920	87H3497	TERR	331 38 5	158.595	158.659
		El	73.615					CVD28GVRD2018					
345975	80H1348	E	506379.538	0.9995906	0.9999901	MARKER DESTROYED							
		N	5445483.786										
		El	82.448			CVD28GVRD2018							
49585	80H1349	E	493792.148	0.9995936	0.9999931	137448	6975	TERR	89 27 2	483.237	483.433		
		N	5427948.680					251918	6868	TERR	271 37 35	328.342	328.476
		El	63.876					CVD28GVRD2018					
849349	82H5376	E	507803.589	0.9995942	0.9999935	425348	82H5377	TERR	271 59 50	207.395	207.479		
		N	5439930.776										
		El	61.084					CVD28GVRD2018					
425348	82H5377	E	507596.320	0.9995950	0.9999943	849349	82H5376	TERR	91 59 50	207.395	207.479		
		N	5439938.004					136739	82H5378	TERR	316 19 43	89.136	89.171
		El	55.744					CVD28GVRD2018					
136739	82H5378	E	507534.770	0.9995950	0.9999943	425348	82H5377	TERR	136 19 43	89.136	89.171		
		N	5440002.477										
		El	56.122					CVD28GVRD2018					
976886	82H5379	E	507529.281	0.9995944	0.9999937	599100	82H5381	TERR	90 9 35	197.979	198.059		
		N	5440185.787										
		El	59.534					CVD28GVRD2018					
599100	82H5381	E	507727.259	0.9995937	0.9999930	17145	82H5382	TERR	28 5 53	159.395	159.459		
		N	5440185.235					297903	82H5467	TERR	181 7 34	124.372	124.423
		El	64.168					CVD28GVRD2018		976886	82H5379	TERR	270 9 35

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
17145	82H5382	E	507802.331	0.9995934	0.9999927	599100	82H5381	TERR	208 5 53	159.395	159.459					
		N	5440325.844					843292				82H5383	TERR	347 3 17	157.694	157.758
		El	66.285					CVD28GVRD2018								
843292	82H5383	E	507767.004	0.9995932	0.9999925	292227	79H9919	TERR	5 4 40	152.945	153.007					
		N	5440479.530					17145				82H5382	TERR	167 3 17	157.694	157.758
		El	67.444					CVD28GVRD2018				242362	79H9917	TERR	253 54 23	158.716
212654	82H5384	E	507787.508	0.9995917	0.9999910	MARKER DESTROYED										
		N	5440742.336													
		El	77.086			CVD28GVRD2018										
385088	82H5385	E	507589.609	0.9995919	0.9999912	150680	82H5386	TERR	0 10 37	259.570	259.676					
		N	5440727.527					81836				92H0592	TERR	86 13 25	197.458	197.538
		El	75.715					CVD28GVRD2018				169375	82H5393	TERR	275 13 19	198.263
150680	82H5386	E	507590.410	0.9995909	0.9999902	385088	82H5385	TERR	180 10 37	259.570	259.676					
		N	5440987.096					301721				84H9467	TERR	267 29 28	92.859	92.897
		El	82.117					CVD28GVRD2018				32516	82H5387	TERR	359 20 6	221.999
32516	82H5387	E	507587.833	0.9995905	0.9999898	150680	82H5386	TERR	179 20 6	221.999	222.090					
		N	5441209.080													
		El	84.751					CVD28GVRD2018								
734731	82H5388	E	507657.531	0.9995903	0.9999896	MARKER DESTROYED										
		N	5441267.479													
		El	85.598			CVD28GVRD2018										
488692	82H5389	E	507837.050	0.9995901	0.9999894	860387	82H5390	TERR	91 39 58	155.634	155.698					
		N	5441267.794					363069				82H5391	TERR	356 50 7	144.802	144.861
		El	87.102					CVD28GVRD2018								
860387	82H5390	E	507992.618	0.9995894	0.9999886	518555	79H9915	TERR	180 54 10	227.579	227.673					
		N	5441263.269					488692				82H5389	TERR	271 39 58	155.634	155.698
		El	92.088					CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
363069	82H5391	E	507829.056	0.9995903	0.9999895	488692	82H5389	TERR	176 50 7	144.802	144.861					
		N	5441412.375					161182				78H8591	TERR	354 55 52	136.613	136.670
		El	86.328					CVD28GVRD2018								
810853	82H5392	E	499245.428	0.9996027	1.0000027	423475	82H5433	TERR	207 47 37	187.390	187.464					
		N	5443044.791													
		El	2.236					CVD28GVRD2018								
169375	82H5393	E	507392.169	0.9995913	0.9999906	385088	82H5385	TERR	95 13 19	198.263	198.343					
		N	5440745.572					151597				82H5394	TERR	271 45 53	196.677	196.758
		El	79.162					CVD28GVRD2018								
151597	82H5394	E	507195.585	0.9995916	0.9999909	169375	82H5393	TERR	91 45 53	196.677	196.758					
		N	5440751.629					329508				84H9469	TERR	357 58 38	232.045	232.139
		El	77.396					CVD28GVRD2018								
692715	82H5395	E	506915.656	0.9995911	0.9999905	386284	82H5396	TERR	318 29 25	106.377	106.420					
		N	5440963.848													
		El	80.236					CVD28GVRD2018								
386284	82H5396	E	506845.155	0.9995914	0.9999908	692715	82H5395	TERR	138 29 25	106.377	106.420					
		N	5441043.508					304527				82H5397	TERR	348 21 21	254.913	255.018
		El	78.296					CVD28GVRD2018								
304527	82H5397	E	506793.705	0.9995912	0.9999906	278101	9341	TERR	95 5 25	204.756	204.839					
		N	5441293.175					386284				82H5396	TERR	168 21 21	254.913	255.018
		El	79.364					CVD28GVRD2018								
509489	82H5398	E	506191.745	0.9995948	0.9999943	491159	82H5625	TERR	348 26 8	169.309	169.377					
		N	5446269.910													
		El	55.412					CVD28GVRD2018								
947432	82H5399	E	506463.341	0.9995962	0.9999957	959890	78H8564	TERR	151 21 23	129.853	129.904					
		N	5440956.836					307629				84H9459	TERR	238 19 6	113.473	113.519
		El	47.058					CVD28GVRD2018				114728	82H5400	TERR	334 45 54	123.695

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
114728	82H5400	E	506410.606	0.9995961	0.9999956	947432	82H5399	TERR	154 45 54	123.695	123.745
		N	5441068.726								
		El	47.319	CVD28GVRD2018							
664540	82H5401	E	506606.358	0.9995940	0.9999934	205203	78H8550	TERR	4 15 20	138.213	138.270
		N	5441309.337			523746	9334	TERR	182 20 52	132.988	133.042
		El	61.298	CVD28GVRD2018							
761924	82H5402	E	506658.089	0.9995934	0.9999928	496281	78H8562	TERR	14 18 6	231.742	231.836
		N	5441596.003			225896	82H5403	TERR	109 50 26	184.423	184.499
		El	65.050	CVD28GVRD2018							
225896	82H5403	E	506831.565	0.9995931	0.9999926	80929	82H5405	TERR	59 38 15	89.240	89.276
		N	5441533.409			761924	82H5402	TERR	289 50 26	184.423	184.499
		El	66.798	CVD28GVRD2018							
515189	82H5404	E	506818.916	0.9995935	0.9999929	308429	90H6222	GPS	3 32 41	2804.620	2805.769
		N	5441624.860			420521	92H0871	GPS	20 15 43	3428.179	3429.582
		El	64.766	CVD28GVRD2018		298497	79H9835	TERR	28 7 8	159.496	159.561
						182428	92H0872	GPS	35 36 46	2025.962	2026.791
						80929	82H5405	TERR	117 20 10	100.919	100.960
						102970	92H0875	GPS	126 28 18	1490.075	1490.683
						55384	6202	GPS	186 11 26	4055.783	4057.414
80929	82H5405	E	506908.565	0.9995933	0.9999927	225896	82H5403	TERR	239 38 15	89.240	89.276
		N	5441578.517			515189	82H5404	TERR	297 20 10	100.919	100.960
		El	65.902	CVD28GVRD2018							
668707	82H5406	E	506474.839	0.9995940	0.9999935	779769	82H5407	TERR	36 10 30	126.241	126.292
		N	5441863.778								
		El	60.779	CVD28GVRD2018							
779769	82H5407	E	506549.353	0.9995946	0.9999941	668707	82H5406	TERR	216 10 30	126.241	126.292
		N	5441965.682								
		El	57.066	CVD28GVRD2018							
446682	82H5408	E	506682.589	0.9995939	0.9999933	331603	82H5436	TERR	1 56 48	196.743	196.823
		N	5442338.687			361725	9299	TERR	89 12 6	292.633	292.752
		El	61.979	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
303396	82H5409	E	507328.925	0.9995921	0.9999914	115501	6971	TERR	91 57 35	132.355	132.410		
		N	5442362.430					669762	82H5410	TERR	180 8 31	152.172	152.233
		El	74.166					CVD28GVRD2018					
669762	82H5410	E	507328.548	0.9995916	0.9999909	303396	82H5409	TERR	0 8 31	152.172	152.233		
		N	5442210.259					814624	82H5414	TERR	136 24 16	152.901	152.964
		El	77.372					CVD28GVRD2018					
877084	82H5411	E	507288.348	0.9995917	0.9999910	579888	82H5412	TERR	139 1 34	141.095	141.153		
		N	5442146.674										
		El	76.807					CVD28GVRD2018					
579888	82H5412	E	507380.866	0.9995911	0.9999904	814624	82H5414	TERR	41 48 52	79.669	79.702		
		N	5442040.146					877084	82H5411	TERR	319 1 34	141.095	141.153
		El	80.624					CVD28GVRD2018					
639864	82H5413	E	505765.410	0.9995991	0.9999987	852020	79H9851	TERR	156 27 11	461.833	462.018		
		N	5443181.873					677567	87H2621	TERR	331 27 33	166.460	166.527
		El	27.538					CVD28GVRD2018					
814624	82H5414	E	507433.983	0.9995908	0.9999901	579888	82H5412	TERR	221 48 52	79.669	79.702		
		N	5442099.524					669762	82H5410	TERR	316 24 16	152.901	152.964
		El	82.390					CVD28GVRD2018					
562405	82H5415	E	507588.647	0.9995908	0.9999900	600858	82H5416	TERR	61 19 53	88.962	88.999		
		N	5441981.201										
		El	82.870					CVD28GVRD2018					
600858	82H5416	E	507666.703	0.9995911	0.9999904	219683	82H5417	TERR	0 25 12	244.543	244.642		
		N	5442023.880					562405	82H5415	TERR	241 19 53	88.962	88.999
		El	80.506					CVD28GVRD2018					
219683	82H5417	E	507668.496	0.9995916	0.9999909	600858	82H5416	TERR	180 25 12	244.543	244.642		
		N	5442268.416					794677	82H5418	TERR	268 59 6	79.710	79.743
		El	77.375					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
794677	82H5418	E	507588.799	0.9995915	0.9999908	219683	82H5417	TERR	88 59 6	79.710	79.743
		N	5442267.004								
		El	78.070	CVD28GVRD2018							
254318	82H5419	E	507764.282	0.9995917	0.9999910	870584	82H5420	TERR	181 53 21	328.038	328.172
		N	5442281.193			819516	79H9837	TERR	351 59 9	89.937	89.974
		El	76.925	CVD28GVRD2018							
870584	82H5420	E	507753.468	0.9995916	0.9999909	254318	82H5419	TERR	1 53 21	328.038	328.172
		N	5441953.333			353490	82H5421	TERR	92 45 60	233.341	233.436
		El	77.397	CVD28GVRD2018		588889	79H9870	TERR	180 14 18	88.694	88.730
353490	82H5421	E	507986.537	0.9995923	0.9999916	870584	82H5420	TERR	272 45 60	233.341	233.436
		N	5441942.070								
		El	73.211	CVD28GVRD2018							
386177	82H5422	E	507587.186	0.9995917	0.9999910	934851	82H5423	TERR	90 2 36	217.529	217.619
		N	5442456.738			749184	82H5426	TERR	359 48 50	166.019	166.086
		El	76.742	CVD28GVRD2018							
934851	82H5423	E	507804.715	0.9995914	0.9999907	386177	82H5422	TERR	270 2 36	217.529	217.619
		N	5442456.573			276543	82H5424	TERR	359 53 37	162.042	162.109
		El	78.911	CVD28GVRD2018							
276543	82H5424	E	507804.414	0.9995909	0.9999902	934851	82H5423	TERR	179 53 37	162.042	162.109
		N	5442618.615			521435	82H5425	TERR	273 40 5	98.222	98.263
		El	82.080	CVD28GVRD2018							
521435	82H5425	E	507706.393	0.9995910	0.9999902	276543	82H5424	TERR	93 40 5	98.222	98.263
		N	5442624.899			749184	82H5426	TERR	268 58 29	119.765	119.814
		El	81.649	CVD28GVRD2018							
749184	82H5426	E	507586.647	0.9995916	0.9999909	521435	82H5425	TERR	88 58 29	119.765	119.814
		N	5442622.756			386177	82H5422	TERR	179 48 50	166.019	166.086
		El	77.626	CVD28GVRD2018		663385	82H5445	TERR	268 25 60	391.901	392.060

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
192179	82H5427	E	507539.700	0.9995915	0.9999908	120519	82H5429	TERR	18 43 1	170.591	170.661				
		N	5442747.722					820399	9350			TERR	269 47 7	358.398	358.544
		El	78.191					CVD28GVRD2018							
177774	82H5428	E	499032.116	0.9996027	1.0000027	423475	82H5433	TERR	78 45 49	128.395	128.446				
		N	5442854.001					64196	82H5461			TERR	182 45 45	320.816	320.943
		El	2.387					CVD28GVRD2018				134981	84H0393	TERR	354 42 4
120519	82H5429	E	507594.441	0.9995905	0.9999898	192179	82H5427	TERR	198 43 1	170.591	170.661				
		N	5442909.291					245324	82H5430			TERR	274 4 4	215.087	215.175
		El	84.263					CVD28GVRD2018				430116	79H9903	TERR	358 25 3
245324	82H5430	E	507379.896	0.9995915	0.9999908	590133	6924	TERR	2 39 42	116.047	116.095				
		N	5442924.549					120519	82H5429			TERR	94 4 4	215.087	215.175
		El	77.760					CVD28GVRD2018							
3061	82H5431	E	507753.644	0.9995905	0.9999897	MARKER ISOLATED									
		N	5442794.609												
		El	84.821	CVD28GVRD2018											
643510	82H5432	E	507887.714	0.9995905	0.9999897	MARKER DESTROYED									
		N	5442787.109												
		El	84.963	CVD28GVRD2018											
423475	82H5433	E	499158.050	0.9996027	1.0000027	810853	82H5392	TERR	27 47 37	187.390	187.464				
		N	5442879.020					177774	82H5428			TERR	258 45 49	128.395	128.446
		El	2.405					CVD28GVRD2018							
811851	82H5434	E	499631.360	0.9996027	1.0000027	MARKER ISOLATED									
		N	5442923.721												
		El	2.260	CVD28GVRD2018											
331603	82H5436	E	506689.272	0.9995938	0.9999933	446682	82H5408	TERR	181 56 48	196.743	196.823				
		N	5442535.316					789206	82H5437			TERR	353 15 2	119.459	119.507
		El	62.199					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
789206	82H5437	E	506675.232	0.9995938	0.9999933	331603	82H5436	TERR	173 15 2	119.459	119.507		
		N	5442653.947					497545	82H5438	TERR	344 26 19	125.336	125.387
		El	62.312					CVD28GVRD2018					
497545	82H5438	E	506641.608	0.9995940	0.9999934	56705	82H5442	TERR	2 23 1	175.744	175.815		
		N	5442774.689					887349	82H5439	TERR	90 43 21	99.206	99.247
		El	61.308					CVD28GVRD2018		789206	82H5437	TERR	164 26 19
887349	82H5439	E	506740.806	0.9995937	0.9999931	439596	82H5440	TERR	0 40 59	95.059	95.097		
		N	5442773.438					497545	82H5438	TERR	270 43 21	99.206	99.247
		El	63.325					CVD28GVRD2018					
439596	82H5440	E	506741.939	0.9995936	0.9999931	887349	82H5439	TERR	180 40 59	95.059	95.097		
		N	5442868.490										
		El	63.644					CVD28GVRD2018					
744680	82H5441	E	506971.772	0.9995930	0.9999924		MARKER DESTROYED						
		N	5442858.015										
		El	67.657	CVD28GVRD2018									
56705	82H5442	E	506648.917	0.9995937	0.9999932	497545	82H5438	TERR	182 23 1	175.744	175.815		
		N	5442950.281										
		El	62.792					CVD28GVRD2018					
437947	82H5443	E	506727.909	0.9995934	0.9999928	234930	82H5444	TERR	81 16 13	109.814	109.859		
		N	5443030.787										
		El	65.259					CVD28GVRD2018					
234930	82H5444	E	506836.451	0.9995931	0.9999926	746990	6925	TERR	94 32 24	141.739	141.797		
		N	5443047.454					437947	82H5443	TERR	261 16 13	109.814	109.859
		El	66.754					CVD28GVRD2018		74914	82H5447	TERR	357 46 42
663385	82H5445	E	507194.893	0.9995927	0.9999921	749184	82H5426	TERR	88 25 60	391.901	392.060		
		N	5442612.041					302257	9298	TERR	181 48 37	266.449	266.558
		El	69.721					CVD28GVRD2018		820399	9350	TERR	354 13 27

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
449660	82H5446	E	499297.308	0.9996027	1.0000027		MARKER DESTROYED				
		N	5442642.580								
		El	2.498	CVD28GVRD2018							
74914	82H5447	E	506827.653	0.9995925	0.9999919	234930	82H5444	TERR	177 46 42	226.940	227.032
		N	5443274.223								
		El	71.095	CVD28GVRD2018							
585976	82H5448	E	506582.281	0.9995924	0.9999919	398735	82H5449	TERR	25 10 38	278.470	278.583
		N	5443362.599			36517	80H1339	TERR	88 28 35	399.336	399.499
		El	71.218	CVD28GVRD2018		401224	78H8574	TERR	270 50 34	202.456	202.539
398735	82H5449	E	506700.747	0.9995909	0.9999903	724542	82H5450	TERR	17 42 45	144.977	145.036
		N	5443614.613			585976	82H5448	TERR	205 10 38	278.470	278.583
		El	80.974	CVD28GVRD2018		183046	82H5480	TERR	274 10 51	167.342	167.411
724542	82H5450	E	506744.855	0.9995905	0.9999899	398735	82H5449	TERR	197 42 45	144.977	145.036
		N	5443752.717								
		El	83.715	CVD28GVRD2018							
94920	82H5451	E	506660.721	0.9995903	0.9999898	671800	82H5454	TERR	90 54 23	228.328	228.421
		N	5443884.701			792564	82H5452	TERR	348 5 2	92.870	92.908
		El	84.628	CVD28GVRD2018							
792564	82H5452	E	506641.545	0.9995902	0.9999896	515841	82H5453	TERR	89 36 2	139.980	140.037
		N	5443975.570			94920	82H5451	TERR	168 5 2	92.870	92.908
		El	85.484	CVD28GVRD2018		516666	82H5485	TERR	280 17 20	96.925	96.965
515841	82H5453	E	506781.522	0.9995896	0.9999890	966812	82H5492	TERR	0 25 6	203.681	203.765
		N	5443976.546			143115	6928	TERR	88 18 1	206.374	206.459
		El	89.499	CVD28GVRD2018		792564	82H5452	TERR	269 36 2	139.980	140.037
671800	82H5454	E	506889.020	0.9995894	0.9999888	94920	82H5451	TERR	270 54 23	228.328	228.421
		N	5443881.089								
		El	90.929	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
846774	82H5455	E	506980.835	0.9995892	0.9999886		MARKER DESTROYED				
		N	5443797.144								
		El	91.747	CVD28GVRD2018							
127126	82H5456	E	507100.712	0.9995901	0.9999894	683136	82H5457	TERR	181 2 5	78.798	78.831
		N	5443564.017			406025	6927	TERR	269 57 20	117.233	117.281
		El	86.708	CVD28GVRD2018							
683136	82H5457	E	507099.289	0.9995903	0.9999897	127126	82H5456	TERR	1 2 5	78.798	78.831
		N	5443485.232								
		El	85.174	CVD28GVRD2018							
981266	82H5458	E	507192.637	0.9995889	0.9999882	750083	9324	TERR	0 12 32	150.769	150.831
		N	5443843.127								
		El	94.418	CVD28GVRD2018							
497933	82H5459	E	507180.349	0.9995909	0.9999902	182378	82H5460	TERR	95 22 31	199.602	199.683
		N	5443252.935								
		El	81.721	CVD28GVRD2018							
182378	82H5460	E	507379.073	0.9995901	0.9999894	30908	6926	TERR	1 34 38	279.697	279.812
		N	5443234.237			590133	6924	TERR	178 9 50	193.866	193.944
		El	86.722	CVD28GVRD2018		497933	82H5459	TERR	275 22 31	199.602	199.683
64196	82H5461	E	499016.654	0.9996027	1.0000027	177774	82H5428	TERR	2 45 45	320.816	320.943
		N	5442533.558			715060	9332	TERR	252 46 38	210.820	210.904
		El	2.159	CVD28GVRD2018							
535203	82H5463	E	507390.540	0.9995884	0.9999878	842682	82H5465	TERR	92 19 9	193.959	194.038
		N	5443879.859			30908	6926	TERR	180 35 24	366.050	366.201
		El	97.326	CVD28GVRD2018		242818	82H5464	TERR	354 22 16	91.115	91.153
242818	82H5464	E	507381.603	0.9995882	0.9999875	898734	NO MARKING	GPS	30 7 56	5605.373	5607.683
		N	5443970.535			632240	78H8551	TERR	85 31 41	210.517	210.603
		El	98.804	CVD28GVRD2018		6544	13H2686	GPS	165 30 21	2512.457	2513.489
						535203	82H5463	TERR	174 22 16	91.115	91.153
						750083	9324	TERR	277 4 3	189.859	189.937

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
842682	82H5465	E	507584.340	0.9995880	0.9999873	632240	78H8551	TERR	3 33 15	115.161	115.208		
		N	5443872.010					907907	82H5466	TERR	176 52 33	196.834	196.914
		El	100.310					CVD28GVRD2018	535203	82H5463	TERR	272 19 9	193.959
907907	82H5466	E	507595.067	0.9995884	0.9999877	423509	82H5475	TERR	91 15 1	150.008	150.070		
		N	5443675.469					993402	78H8552	TERR	179 16 6	167.018	167.087
		El	97.665					CVD28GVRD2018	842682	82H5465	TERR	356 52 33	196.834
297903	82H5467	E	507724.815	0.9995939	0.9999932	599100	82H5381	TERR	1 7 34	124.372	124.423		
		N	5440060.887										
		El	63.110					CVD28GVRD2018					
750919	82H5468	E	507675.141	0.9995885	0.9999878	186478	82H5473	TERR	79 49 1	214.639	214.727		
		N	5443459.845										
		El	97.244					CVD28GVRD2018					
969949	82H5469	E	507992.455	0.9995897	0.9999889	44099	6923	TERR	269 31 12	261.603	261.710		
		N	5443045.291										
		El	90.066					CVD28GVRD2018					
328245	82H5470	E	507884.852	0.9995895	0.9999888	MARKER DESTROYED							
		N	5443220.212										
		El	91.075			CVD28GVRD2018							
703363	82H5471	E	507887.414	0.9995893	0.9999885	186478	82H5473	TERR	359 31 33	122.643	122.694		
		N	5443375.153										
		El	92.607					CVD28GVRD2018					
777128	82H5472	E	506380.792	0.9995913	0.9999908	MARKER DESTROYED							
		N	5443514.670										
		El	78.154			CVD28GVRD2018							
186478	82H5473	E	507886.399	0.9995891	0.9999884	755884	82H5474	TERR	3 3 35	177.640	177.713		
		N	5443497.792					703363	82H5471	TERR	179 31 33	122.643	122.694
		El	93.558					CVD28GVRD2018	750919	82H5468	TERR	259 49 1	214.639

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
755884	82H5474	E	507895.881	0.9995887	0.9999879	186478	82H5473	TERR	183 3 35	177.640	177.713		
		N	5443675.179					423509	82H5475	TERR	268 52 2	150.872	150.933
		El	96.214					CVD28GVRD2018	625889	82H5476	TERR	357 20 34	100.153
423509	82H5475	E	507745.039	0.9995883	0.9999876	755884	82H5474	TERR	88 52 2	150.872	150.933		
		N	5443672.196					907907	82H5466	TERR	271 15 1	150.008	150.070
		El	98.417					CVD28GVRD2018					
625889	82H5476	E	507891.238	0.9995885	0.9999878	755884	82H5474	TERR	177 20 34	100.153	100.193		
		N	5443775.224										
		El	97.357					CVD28GVRD2018					
694133	82H5477	E	505891.669	0.9995915	0.9999911	190868	82H5487	TERR	89 59 33	77.431	77.462		
		N	5444379.220					253674	9323	TERR	272 13 9	306.995	307.121
		El	76.280					CVD28GVRD2018	575993	82H5509	TERR	359 12 56	200.078
797589	82H5478	E	506055.915	0.9995916	0.9999911	233916	78H8573	TERR	84 58 11	111.941	111.987		
		N	5443509.321					374967	84H9497	TERR	158 31 20	162.098	162.164
		El	76.085					CVD28GVRD2018	547976	79H9843	TERR	272 12 48	111.104
183046	82H5480	E	506533.850	0.9995911	0.9999905	398735	82H5449	TERR	94 10 51	167.342	167.411		
		N	5443626.813					577940	6932	TERR	263 57 48	159.733	159.798
		El	79.765					CVD28GVRD2018					
483966	82H5481	E	506381.880	0.9995907	0.9999902	577940	6932	TERR	185 2 45	78.191	78.222		
		N	5443687.903					64378	82H5482	TERR	270 53 44	207.073	207.158
		El	81.879					CVD28GVRD2018	74229	6933	TERR	359 13 57	296.572
64378	82H5482	E	506174.832	0.9995906	0.9999901	662296	82H5483	TERR	2 0 47	117.860	117.908		
		N	5443691.139					483966	82H5481	TERR	90 53 44	207.073	207.158
		El	82.428					CVD28GVRD2018					
662296	82H5483	E	506178.972	0.9995902	0.9999897	800979	82H5484	TERR	0 27 13	170.894	170.964		
		N	5443808.926					64378	82H5482	TERR	182 0 47	117.860	117.908
		El	84.801					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
800979	82H5484	E	506180.325	0.9995903	0.9999898	74229	6933	TERR	88 39 24	197.637	197.719		
		N	5443979.815					662296	82H5483	TERR	180 27 13	170.894	170.964
		El	84.289					CVD28GVRD2018	519405	9313	TERR	260 59 46	141.769
516666	82H5485	E	506546.179	0.9995905	0.9999900	792564	82H5452	TERR	100 17 20	96.925	96.965		
		N	5443992.882					74229	6933	TERR	267 7 50	168.482	168.551
		El	83.258					CVD28GVRD2018	394783	82H5490	TERR	356 41 53	190.720
891762	82H5486	E	498851.301	0.9996027	1.0000027	MARKER DESTROYED							
		N	5442053.176										
		El	2.277			CVD28GVRD2018							
190868	82H5487	E	505969.100	0.9995914	0.9999909	551606	82H5488	TERR	89 57 58	333.845	333.982		
		N	5444379.230					694133	82H5477	TERR	269 59 33	77.431	77.462
		El	77.228					CVD28GVRD2018					
551606	82H5488	E	506302.945	0.9995909	0.9999904	635789	6934	TERR	88 54 38	80.936	80.968		
		N	5444379.428					190868	82H5487	TERR	269 57 58	333.845	333.982
		El	80.738					CVD28GVRD2018					
11924	82H5489	E	506544.752	0.9995898	0.9999893	394783	82H5490	TERR	185 3 44	108.321	108.365		
		N	5444291.183										
		El	87.453					CVD28GVRD2018					
394783	82H5490	E	506535.194	0.9995902	0.9999896	11924	82H5489	TERR	5 3 44	108.321	108.365		
		N	5444183.285					33720	82H5491	TERR	85 47 29	79.277	79.309
		El	85.342					CVD28GVRD2018	516666	82H5485	TERR	176 41 53	190.720
33720	82H5491	E	506614.257	0.9995897	0.9999892	966812	82H5492	TERR	93 0 45	168.986	169.055		
		N	5444189.103					394783	82H5490	TERR	265 47 29	79.277	79.309
		El	88.146					CVD28GVRD2018					
966812	82H5492	E	506783.009	0.9995890	0.9999884	515841	82H5453	TERR	180 25 6	203.681	203.765		
		N	5444180.222					33720	82H5491	TERR	273 0 45	168.986	169.055
		El	93.020					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
879361	82H5493	E	507190.772	0.9995879	0.9999873		MARKER DESTROYED				
		N	5444167.410								
		El	100.532	CVD28GVRD2018							
297465	82H5494	E	507590.047	0.9995879	0.9999872	152140	82H5495	TERR	89 46 48	286.018	286.135
		N	5444475.773			924316	78H8580	TERR	188 37 57	96.837	96.877
		El	100.769	CVD28GVRD2018		868331	82H5497	TERR	359 29 38	149.751	149.812
152140	82H5495	E	507876.063	0.9995883	0.9999875	297465	82H5494	TERR	269 46 48	286.018	286.135
		N	5444476.871								
		El	98.970	CVD28GVRD2018							
681148	82H5496	E	508004.444	0.9995885	0.9999877	295287	78H8546	TERR	187 25 26	172.032	172.103
		N	5444568.309								
		El	97.551	CVD28GVRD2018							
868331	82H5497	E	507588.724	0.9995878	0.9999871	297465	82H5494	TERR	179 29 38	149.751	149.812
		N	5444625.518			477448	82H5499	TERR	271 23 34	237.901	238.000
		El	101.882	CVD28GVRD2018							
138206	82H5498	E	507528.915	0.9995878	0.9999871	301341	78H8553	TERR	359 49 53	98.614	98.655
		N	5444702.612								
		El	101.720	CVD28GVRD2018							
477448	82H5499	E	507350.893	0.9995874	0.9999868	868331	82H5497	TERR	91 23 34	237.901	238.000
		N	5444631.300								
		El	103.732	CVD28GVRD2018							
40162	82H5500	E	507289.486	0.9995874	0.9999867		MARKER ISOLATED				
		N	5444593.463								
		El	103.876	CVD28GVRD2018							
717223	82H5501	E	506574.468	0.9995890	0.9999884		MARKER DESTROYED				
		N	5444609.370								
		El	93.147	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
498758	82H5502	E	506396.249	0.9995904	0.9999899		MARKER DESTROYED				
		N	5444613.110								
		El	83.927	CVD28GVRD2018							
508218	82H5503	E	506308.385	0.9995908	0.9999903		MARKER DESTROYED				
		N	5444555.239								
		El	80.976	CVD28GVRD2018							
330373	82H5504	E	506235.580	0.9995914	0.9999909		MARKER ISOLATED				
		N	5444730.086								
		El	77.355	CVD28GVRD2018							
675777	82H5505	E	506091.791	0.9995915	0.9999910		MARKER ISOLATED				
		N	5444552.766								
		El	76.714	CVD28GVRD2018							
154484	82H5506	E	505969.427	0.9995915	0.9999910		MARKER DESTROYED				
		N	5444515.945								
		El	76.537	CVD28GVRD2018							
238279	82H5507	E	505981.444	0.9995920	0.9999915		MARKER DESTROYED				
		N	5444715.522								
		El	73.361	CVD28GVRD2018							
379552	82H5508	E	505902.984	0.9995919	0.9999915		MARKER DESTROYED				
		N	5444715.092								
		El	73.760	CVD28GVRD2018							
575993	82H5509	E	505888.930	0.9995917	0.9999912	694133	82H5477	TERR	179 12 56	200.078	200.159
		N	5444579.279								
		El	75.227	CVD28GVRD2018							
370767	82H5510	E	506080.939	0.9995946	0.9999941	937177	80H1334	TERR	209 53 21	96.735	96.774
		N	5446078.714								
		El	56.823	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
626283	82H5511	E	505589.456	0.9995929	0.9999925		MARKER DESTROYED				
		N	5445082.548								
		El	66.870	CVD28GVRD2018							
943431	82H5512	E	506062.116	0.9995920	0.9999915	785394	92H0583	TERR	87 22 12	318.247	318.378
		N	5444799.669			84293	9300	TERR	279 33 34	86.360	86.395
		El	73.250	CVD28GVRD2018		981936	82H5513	TERR	348 38 53	164.341	164.408
981936	82H5513	E	506029.768	0.9995922	0.9999918	996926	82H5514	TERR	89 43 3	152.517	152.578
		N	5444960.795			943431	82H5512	TERR	168 38 53	164.341	164.408
		El	71.717	CVD28GVRD2018							
996926	82H5514	E	506182.283	0.9995919	0.9999914	549873	82H5515	TERR	84 53 14	139.569	139.627
		N	5444961.547			981936	82H5513	TERR	269 43 3	152.517	152.578
		El	74.242	CVD28GVRD2018							
549873	82H5515	E	506321.297	0.9995906	0.9999901	443192	82H5516	TERR	87 58 9	73.709	73.740
		N	5444973.985			996926	82H5514	TERR	264 53 14	139.569	139.627
		El	82.271	CVD28GVRD2018							
443192	82H5516	E	506394.960	0.9995903	0.9999898	785394	92H0583	TERR	185 15 21	163.010	163.077
		N	5444976.597			549873	82H5515	TERR	267 58 9	73.709	73.740
		El	84.488	CVD28GVRD2018		698191	6936	TERR	358 32 30	233.088	233.183
256453	82H5517	E	506716.284	0.9995879	0.9999873	253872	82H5518	TERR	9 38 40	81.412	81.445
		N	5445038.508			754127	82H5519	TERR	91 42 14	195.025	195.106
		El	100.233	CVD28GVRD2018							
253872	82H5518	E	506729.923	0.9995880	0.9999874	256453	82H5517	TERR	189 38 40	81.412	81.445
		N	5445118.769								
		El	99.648	CVD28GVRD2018							
754127	82H5519	E	506911.223	0.9995871	0.9999865	256453	82H5517	TERR	271 42 14	195.025	195.106
		N	5445032.709								
		El	105.641	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
519082	82H5529	E	498852.361	0.9996027	1.0000027	715060	9332	TERR	345 58 23	152.960	153.020
		N	5442322.738								
		El	2.265	CVD28GVRD2018							
360123	82H5530	E	506637.832	0.9995884	0.9999879	698191	6936	TERR	269 56 28	248.804	248.906
		N	5445209.865			803932	82H5551	TERR	359 28 18	163.145	163.212
		El	96.607	CVD28GVRD2018							
426650	82H5531	E	505720.383	0.9995935	0.9999931	MARKER DESTROYED					
		N	5445278.587								
		El	63.044	CVD28GVRD2018							
252254	82H5532	E	505707.359	0.9995941	0.9999937	52712	82H5536	TERR	52 37 53	111.135	111.179
		N	5445450.824			57562	82H5533	TERR	319 47 23	190.993	191.071
		El	59.681	CVD28GVRD2018							
57562	82H5533	E	505584.055	0.9995952	0.9999949	252254	82H5532	TERR	139 47 23	190.993	191.071
		N	5445596.682								
		El	52.104	CVD28GVRD2018							
217828	82H5534	E	505633.425	0.9995973	0.9999969	790600	82H5535	TERR	140 49 3	156.945	157.009
		N	5445834.760								
		El	39.066	CVD28GVRD2018							
790600	82H5535	E	505732.582	0.9995953	0.9999949	217828	82H5534	TERR	320 49 3	156.945	157.009
		N	5445713.106								
		El	52.000	CVD28GVRD2018							
52712	82H5536	E	505795.683	0.9995942	0.9999937	252254	82H5532	TERR	232 37 53	111.135	111.179
		N	5445518.276								
		El	59.161	CVD28GVRD2018							
621888	82H5537	E	505508.483	0.9995944	0.9999941	831248	9327	TERR	226 19 15	178.610	178.682
		N	5445393.867			64469	82H5538	TERR	319 43 60	114.801	114.847
		El	57.192	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
64469	82H5538	E	505434.282	0.9995949	0.9999946	621888	82H5537	TERR	139 43 60	114.801	114.847		
		N	5445481.465					64923	82H5539	TERR	276 49 52	89.488	89.525
		El	53.887					CVD28GVRD2018					
64923	82H5539	E	505345.429	0.9995952	0.9999948	64469	82H5538	TERR	96 49 52	89.488	89.525		
		N	5445492.109					35063	82H5540	TERR	250 26 3	146.210	146.268
		El	52.339					CVD28GVRD2018					
35063	82H5540	E	505207.662	0.9995959	0.9999956	64923	82H5539	TERR	70 26 3	146.210	146.268		
		N	5445443.145					609024	82H5541	TERR	309 42 38	100.036	100.077
		El	47.390					CVD28GVRD2018					
609024	82H5541	E	505130.706	0.9995969	0.9999966	35063	82H5540	TERR	129 42 38	100.036	100.077		
		N	5445507.059										
		El	41.146					CVD28GVRD2018					
951384	82H5542	E	505014.075	0.9995978	0.9999974	MARKER ISOLATED							
		N	5445376.291										
		El	35.586			CVD28GVRD2018							
394627	82H5543	E	504644.739	0.9995987	0.9999985	27078	9362	TERR	42 2 50	225.116	225.207		
		N	5445035.937					587022	82H5544	TERR	141 34 10	149.193	149.253
		El	29.163					CVD28GVRD2018					
587022	82H5544	E	504737.472	0.9995980	0.9999977	394627	82H5543	TERR	321 34 10	149.193	149.253		
		N	5444919.065										
		El	33.750					CVD28GVRD2018					
539932	82H5545	E	505284.494	0.9995935	0.9999932	MARKER DESTROYED							
		N	5444793.460										
		El	62.857			CVD28GVRD2018							
863738	82H5546	E	506026.771	0.9995935	0.9999931	MARKER DESTROYED							
		N	5445436.883										
		El	63.341			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
513259	82H5547	E	506299.482	0.9995911	0.9999907	47969	79H9926	TERR	269 30 31	124.271	124.321
		N	5445289.189								
		El	78.895	CVD28GVRD2018							
951442	82H5548	E	506383.500	0.9995905	0.9999900	698191	6936	TERR	177 14 10	114.640	114.687
		N	5445324.116			857847	90H6236	TERR	358 37 18	131.859	131.914
		El	83.247	CVD28GVRD2018							
924787	82H5549	E	506383.073	0.9995906	0.9999901			MARKER DESTROYED			
		N	5445493.917								
		El	82.514	CVD28GVRD2018							
473496	82H5550	E	506301.801	0.9995914	0.9999909	225177	79H9928	TERR	271 5 16	187.249	187.326
		N	5445537.549								
		El	77.372	CVD28GVRD2018							
803932	82H5551	E	506636.328	0.9995884	0.9999879	360123	82H5530	TERR	179 28 18	163.145	163.212
		N	5445373.003								
		El	96.673	CVD28GVRD2018							
214338	82H5552	E	507143.188	0.9995866	0.9999860			MARKER DESTROYED			
		N	5445366.850								
		El	108.735	CVD28GVRD2018							
742775	82H5553	E	507814.955	0.9995881	0.9999873	834168	82H5554	TERR	264 39 59	138.089	138.146
		N	5445613.600								
		El	100.105	CVD28GVRD2018							
834168	82H5554	E	507677.464	0.9995879	0.9999872	115444	82H5555	TERR	0 53 59	250.756	250.859
		N	5445600.764			742775	82H5553	TERR	84 39 59	138.089	138.146
		El	101.067	CVD28GVRD2018		892414	6968	TERR	271 47 14	201.476	201.559
115444	82H5555	E	507681.401	0.9995881	0.9999874	672030	82H5556	TERR	94 34 57	110.946	110.992
		N	5445851.489			834168	82H5554	TERR	180 53 59	250.756	250.859
		El	99.604	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
672030	82H5556	E	507791.992	0.9995883	0.9999875	115444	82H5555	TERR	274 34 57	110.946	110.992
		N	5445842.625								
		El	98.757	CVD28GVRD2018							
457614	82H5557	E	507488.050	0.9995875	0.9999868		MARKER DESTROYED				
		N	5445840.608								
		El	103.361	CVD28GVRD2018							
416123	82H5558	E	507476.970	0.9995875	0.9999868	892414	6968	TERR	180 33 27	90.840	90.878
		N	5445697.884			727701	82H5559	TERR	271 59 10	247.791	247.893
		El	103.170	CVD28GVRD2018							
727701	82H5559	E	507229.328	0.9995872	0.9999866	416123	82H5558	TERR	91 59 10	247.791	247.893
		N	5445706.472			941450	82H5560	TERR	356 38 20	130.483	130.537
		El	104.933	CVD28GVRD2018							
941450	82H5560	E	507221.678	0.9995874	0.9999868	218735	82H5561	TERR	39 57 38	107.128	107.172
		N	5445836.731			727701	82H5559	TERR	176 38 20	130.483	130.537
		El	103.529	CVD28GVRD2018							
218735	82H5561	E	507290.482	0.9995878	0.9999871	161422	82H5562	TERR	3 11 49	84.887	84.922
		N	5445918.843			941450	82H5560	TERR	219 57 38	107.128	107.172
		El	101.476	CVD28GVRD2018							
161422	82H5562	E	507295.216	0.9995878	0.9999871	218735	82H5561	TERR	183 11 49	84.887	84.922
		N	5446003.598			757872	9345	TERR	275 54 49	151.422	151.485
		El	101.272	CVD28GVRD2018							
903153	82H5563	E	507035.524	0.9995872	0.9999866	291104	82H5564	TERR	2 9 47	196.025	196.105
		N	5445607.509			657387	90H6228	TERR	83 37 34	88.060	88.097
		El	104.895	CVD28GVRD2018		247221	6967	TERR	271 32 6	152.750	152.813
291104	82H5564	E	507042.923	0.9995873	0.9999867	903153	82H5563	TERR	182 9 47	196.025	196.105
		N	5445803.394			314765	82H5565	TERR	271 48 59	155.160	155.224
		El	103.893	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
314765	82H5565	E	506887.841	0.9995879	0.9999874	291104	82H5564	TERR	91 48 59	155.160	155.224		
		N	5445808.312					287359	82H5566	TERR	273 35 31	199.311	199.393
		El	99.929					CVD28GVRD2018					
287359	82H5566	E	506688.922	0.9995891	0.9999885	314765	82H5565	TERR	93 35 31	199.311	199.393		
		N	5445820.799					238402	82H5568	TERR	267 55 7	211.511	211.597
		El	92.512					CVD28GVRD2018					
109595	82H5567	E	506481.932	0.9995903	0.9999898	238402	82H5568	TERR	357 21 27	95.026	95.065		
		N	5445718.192										
		El	84.499					CVD28GVRD2018					
238402	82H5568	E	506477.551	0.9995905	0.9999899	287359	82H5566	TERR	87 55 7	211.511	211.597		
		N	5445813.117					109595	82H5567	TERR	177 21 27	95.026	95.065
		El	83.358					CVD28GVRD2018					
394981	82H5569	E	506383.590	0.9995910	0.9999905	610592	9361	TERR	0 8 21	114.509	114.557		
		N	5445901.203					381186	6937	TERR	179 0 52	285.886	286.003
		El	79.590					CVD28GVRD2018					
323105	82H5570	E	506272.125	0.9995921	0.9999916	984492	79H9847	TERR	239 59 2	93.999	94.037		
		N	5445916.815										
		El	72.751					CVD28GVRD2018					
612507	82H5571	E	506647.853	0.9995899	0.9999893	766170	82H5572	TERR	87 7 48	172.872	172.942		
		N	5446091.674										
		El	87.434					CVD28GVRD2018					
766170	82H5572	E	506820.508	0.9995890	0.9999884	612507	82H5571	TERR	267 7 48	172.872	172.942		
		N	5446100.330										
		El	93.024					CVD28GVRD2018					
491795	82H5574	E	507438.750	0.9995877	0.9999870	279323	82H5575	TERR	80 50 12	82.820	82.854		
		N	5446205.488										
		El	102.131					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
279323	82H5575	E	507520.513	0.9995878	0.9999871	826529	82H5576	TERR	108 51 45	163.514	163.582		
		N	5446218.677					491795	82H5574	TERR	260 50 12	82.820	82.854
		El	101.747					CVD28GVRD2018					
826529	82H5576	E	507675.246	0.9995882	0.9999875	691311	82H5580	TERR	122 58 18	88.135	88.171		
		N	5446165.813					284026	82H5577	TERR	211 36 58	99.505	99.545
		El	98.889					CVD28GVRD2018		279323	82H5575	TERR	288 51 45
284026	82H5577	E	507623.083	0.9995881	0.9999874	826529	82H5576	TERR	31 36 58	99.505	99.545		
		N	5446081.077					200667	82H5578	TERR	203 23 43	71.609	71.639
		El	99.845					CVD28GVRD2018					
200667	82H5578	E	507594.649	0.9995879	0.9999872	284026	82H5577	TERR	23 23 43	71.609	71.639		
		N	5446015.355					757112	82H5579	TERR	90 35 4	132.933	132.987
		El	100.896					CVD28GVRD2018		915694	6940	TERR	267 30 21
757112	82H5579	E	507727.575	0.9995883	0.9999875	200667	82H5578	TERR	270 35 4	132.933	132.987		
		N	5446013.999										
		El	98.708					CVD28GVRD2018					
691311	82H5580	E	507749.186	0.9995884	0.9999877	100701	82H5581	TERR	88 47 23	87.738	87.773		
		N	5446117.848					826529	82H5576	TERR	302 58 18	88.135	88.171
		El	97.884					CVD28GVRD2018					
100701	82H5581	E	507836.904	0.9995885	0.9999877	691311	82H5580	TERR	268 47 23	87.738	87.773		
		N	5446119.701										
		El	97.574					CVD28GVRD2018					
211177	82H5582	E	508008.873	0.9995876	0.9999868	MARKER ISOLATED							
		N	5446094.335										
		El	103.102			CVD28GVRD2018							
601658	82H5583	E	507858.645	0.9995887	0.9999879	MARKER DESTROYED							
		N	5446405.645										
		El	96.074			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
658120	82H5584	E	507869.522	0.9995889	0.9999881	747071	82H5591	TERR	272 25 32	157.906	157.970				
		N	5446513.791					82H5585				TERR	346 39 11	175.438	175.510
		El	94.976					CVD28GVRD2018							
902809	82H5585	E	507829.023	0.9995889	0.9999882	658120	82H5584	TERR	166 39 11	175.438	175.510				
		N	5446684.490					82H5586				TERR	347 52 32	171.166	171.237
		El	94.676					CVD28GVRD2018							
135525	82H5586	E	507793.072	0.9995891	0.9999883	902809	82H5585	TERR	167 52 32	171.166	171.237				
		N	5446851.838					82H5588				TERR	270 16 15	85.487	85.522
		El	93.506					CVD28GVRD2018				844993	82H5587	TERR	346 20 37
844993	82H5587	E	507744.985	0.9995895	0.9999888	135525	82H5586	TERR	166 20 37	203.673	203.756				
		N	5447049.753												
		El	90.690					CVD28GVRD2018							
352153	82H5588	E	507707.586	0.9995886	0.9999879	135525	82H5586	TERR	90 16 15	85.487	85.522				
		N	5446852.242					82H5589				TERR	178 5 22	115.268	115.315
		El	96.291					CVD28GVRD2018							
733287	82H5589	E	507711.429	0.9995886	0.9999878	904920	82H5590	TERR	180 18 15	70.467	70.496				
		N	5446737.038					82H5593				TERR	270 12 10	109.901	109.946
		El	96.707					CVD28GVRD2018				352153	82H5588	TERR	358 5 22
904920	82H5590	E	507711.055	0.9995884	0.9999877	733287	82H5589	TERR	0 18 15	70.467	70.496				
		N	5446666.572					82H5591				TERR	179 43 27	146.100	146.160
		El	97.783					CVD28GVRD2018							
747071	82H5591	E	507711.758	0.9995885	0.9999877	658120	82H5584	TERR	92 25 32	157.906	157.970				
		N	5446520.474					82H5590				TERR	359 43 27	146.100	146.160
		El	97.389					CVD28GVRD2018							
87429	82H5592	E	507600.297	0.9995876	0.9999869	121608	82H5593	TERR	0 24 43	171.346	171.416				
		N	5446566.085												
		El	102.736					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
121608	82H5593	E	507601.529	0.9995882	0.9999875	772178	78H8593	TERR	1 24 19	241.718	241.818		
		N	5446737.427					733287	82H5589	TERR	90 12 10	109.901	109.946
		El	98.827					CVD28GVRD2018	87429	82H5592	TERR	180 24 43	171.346
98079	82H5594	E	507527.205	0.9995890	0.9999883	103291	82H5595	TERR	183 16 14	204.510	204.595		
		N	5447040.404					574368	82H5602	TERR	273 14 42	176.568	176.641
		El	93.782					CVD28GVRD2018					
103291	82H5595	E	507515.538	0.9995886	0.9999879	98079	82H5594	TERR	3 16 14	204.510	204.595		
		N	5446836.227					643916	82H5600	TERR	265 26 32	204.577	204.662
		El	96.664					CVD28GVRD2018					
195818	82H5596	E	507509.829	0.9995882	0.9999875								
		N	5446732.109										
		El	98.971	CVD28GVRD2018			MARKER DESTROYED						
568139	82H5597	E	507404.044	0.9995885	0.9999878	871129	82H5598	TERR	182 42 43	237.969	238.067		
		N	5446737.301					826644	82H5599	TERR	273 23 48	109.268	109.312
		El	96.935					CVD28GVRD2018					
871129	82H5598	E	507392.785	0.9995880	0.9999874	568139	82H5597	TERR	2 42 43	237.969	238.067		
		N	5446499.599										
		El	99.800					CVD28GVRD2018					
826644	82H5599	E	507294.968	0.9995884	0.9999878	568139	82H5597	TERR	93 23 48	109.268	109.312		
		N	5446743.775										
		El	97.292					CVD28GVRD2018					
643916	82H5600	E	507311.608	0.9995888	0.9999882	103291	82H5595	TERR	85 26 32	204.577	204.662		
		N	5446819.970					410951	82H5601	TERR	349 6 2	193.108	193.187
		El	94.758					CVD28GVRD2018					
410951	82H5601	E	507275.094	0.9995890	0.9999884	643916	82H5600	TERR	169 6 2	193.108	193.187		
		N	5447009.594										
		El	93.488					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
574368	82H5602	E	507350.920	0.9995892	0.9999885	98079	82H5594	TERR	93 14 42	176.568	176.641
		N	5447050.399								
		El	92.610	CVD28GVRD2018							
666065	82H5603	E	507209.776	0.9995893	0.9999887	592675	6947	TERR	182 11 20	223.570	223.663
		N	5446993.080								
		El	91.374	CVD28GVRD2018							
352963	82H5604	E	507095.411	0.9995906	0.9999899	55947	82H5605	TERR	179 59 57	190.693	190.771
		N	5446960.281			865311	82H5615	TERR	269 50 32	301.577	301.700
		El	83.390	CVD28GVRD2018							
55947	82H5605	E	507095.414	0.9995900	0.9999894	592675	6947	TERR	89 57 14	105.823	105.866
		N	5446769.588			456905	82H5606	TERR	270 50 26	115.061	115.109
		El	86.929	CVD28GVRD2018		352963	82H5604	TERR	359 59 57	190.693	190.771
456905	82H5606	E	506980.365	0.9995911	0.9999905	55947	82H5605	TERR	90 50 26	115.061	115.109
		N	5446771.276			719781	82H5607	TERR	181 12 22	92.781	92.818
		El	79.741	CVD28GVRD2018		429092	6948	TERR	268 44 15	186.701	186.777
719781	82H5607	E	506978.412	0.9995908	0.9999902	456905	82H5606	TERR	1 12 22	92.781	92.818
		N	5446678.516			492447	82H5608	TERR	85 8 35	110.951	110.997
		El	81.977	CVD28GVRD2018							
492447	82H5608	E	507088.965	0.9995899	0.9999893	414458	82H5609	TERR	178 9 27	172.558	172.630
		N	5446687.910			719781	82H5607	TERR	265 8 35	110.951	110.997
		El	87.526	CVD28GVRD2018							
414458	82H5609	E	507094.513	0.9995893	0.9999887	1859	82H5610	TERR	266 11 36	132.958	133.012
		N	5446515.441			492447	82H5608	TERR	358 9 27	172.558	172.630
		El	91.187	CVD28GVRD2018							
1859	82H5610	E	506961.848	0.9995901	0.9999895	414458	82H5609	TERR	86 11 36	132.958	133.012
		N	5446506.614			889113	82H5611	TERR	276 55 18	131.056	131.110
		El	86.342	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
889113	82H5611	E	506831.747	0.9995911	0.9999905	1859	82H5610	TERR	96 55 18	131.056	131.110			
		N	5446522.408					721357	82H5613	TERR	266 56 51	87.415	87.451	
		El	79.798					CVD28GVRD2018						
695965	82H5612	E	506881.382	0.9995911	0.9999905	MARKER DESTROYED								
		N	5446673.414											
		El	79.654			CVD28GVRD2018								
721357	82H5613	E	506744.456	0.9995916	0.9999910	216044	82H5614	TERR	14 18 6	127.182	127.233			
		N	5446517.753					889113	82H5611	TERR	86 56 51	87.415	87.451	
		El	76.311					CVD28GVRD2018						
216044	82H5614	E	506775.873	0.9995918	0.9999912	429092	6948	TERR	8 2 47	127.424	127.476			
		N	5446640.993					721357	82H5613	TERR	194 18 6	127.182	127.233	
		El	75.328					CVD28GVRD2018						
865311	82H5615	E	506793.835	0.9995925	0.9999919	352963	82H5604	TERR	89 50 32	301.577	301.700			
		N	5446959.451					429092	6948	TERR	180 2 15	192.289	192.367	
		El	70.807					CVD28GVRD2018						
183418	82H5616	E	506622.612	0.9995938	0.9999933	585950	80H1342	TERR	127 22 22	100.185	100.226			
		N	5446834.767											
		El	61.947					CVD28GVRD2018						
879841	82H5617	E	506544.158	0.9995938	0.9999933	15578	82H5618	TERR	336 8 37	140.969	141.026			
		N	5446689.164											
		El	62.048					CVD28GVRD2018						
15578	82H5618	E	506487.144	0.9995949	0.9999944	668459	5373	GPS	52 33 34	895.868	896.232			
		N	5446818.089					770800	5296	GPS	77 4 10	1501.519	1502.131	
		El	55.221					CVD28GVRD2018	737213	92H0877	GPS	119 40 36	2423.718	2424.707
									420521	92H0871	GPS	142 27 59	2493.321	2494.339
		879841	82H5617					TERR	156 8 37	140.969	141.026			
		308429	90H6222					GPS	168 5 3	2446.696	2447.697			
44354	82H5619	E	506308.445	0.9995944	0.9999939	141572	83H6500	TERR	101 40 18	188.921	188.998			
		N	5446583.358											
		El	58.371					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
555789	82H5620	E	506141.161	0.9995978	0.9999974		MARKER DESTROYED				
		N	5446614.889								
		El	35.951	CVD28GVRD2018							
674077	82H5621	E	506119.792	0.9995993	0.9999989		MARKER DESTROYED				
		N	5446753.379								
		El	26.482	CVD28GVRD2018							
199844	82H5622	E	506172.761	0.9996013	1.0000008		MARKER DESTROYED				
		N	5446919.211								
		El	13.901	CVD28GVRD2018							
396143	82H5623	E	506268.066	0.9996000	0.9999995	7724	82H5624	TERR	108 15 48	77.649	77.680
		N	5446936.703								
		El	22.251	CVD28GVRD2018							
7724	82H5624	E	506341.803	0.9995981	0.9999976	396143	82H5623	TERR	288 15 48	77.649	77.680
		N	5446912.369								
		El	34.553	CVD28GVRD2018							
491159	82H5625	E	506157.804	0.9995960	0.9999955	509489	82H5398	TERR	168 26 8	169.309	169.377
		N	5446435.782			540765	87H3490	TERR	300 44 9	1106.344	1106.787
		El	47.686	CVD28GVRD2018							
985655	83H6495	E	489756.657	0.9996039	1.0000026	25247	80H1273	TERR	126 27 56	394.496	394.653
		N	5433900.985			832469	80H1274	TERR	301 33 38	393.827	393.983
		El	3.210	CVD28GVRD2018							
773929	83H6496	E	504760.987	0.9996028	1.0000025	895623	80H1253	TERR	66 20 3	660.679	660.942
		N	5436006.791			533059	80H1255	TERR	250 43 44	435.021	435.193
		El	3.411	CVD28GVRD2018		970434	6913	TERR	359 22 41	196.965	197.042
472092	83H6497	E	493214.770	0.9996035	1.0000029	741066	84H0412	TERR	358 37 2	119.958	120.006
		N	5436726.771								
		El	1.067	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
705764	83H6498	E	493224.673	0.9996035	1.0000030	258921	84H0413	TERR	84 56 20	127.378	127.427		
		N	5436923.317					741066	84H0412	TERR	189 28 56	77.684	77.715
		El	.593					CVD28GVRD2018	365783	84H0409	TERR	279 17 24	97.348
489443	83H6499	E	494407.796	0.9996033	1.0000029			MARKER DESTROYED					
		N	5436699.576										
		El	1.171					CVD28GVRD2018					
141572	83H6500	E	506493.460	0.9995931	0.9999926	174912	9357	TERR	192 56 51	435.025	435.202		
		N	5446545.139					44354	82H5619	TERR	281 40 18	188.921	188.998
		El	66.624					CVD28GVRD2018					
998294	83H6501	E	493060.276	0.9996035	1.0000029	701284	84H0403	TERR	188 9 53	117.161	117.207		
		N	5436879.853					981944	84H0400	TERR	269 52 55	91.767	91.804
		El	1.286					CVD28GVRD2018	338939	84H0405	TERR	357 59 19	211.191
434969	83H6502	E	493773.522	0.9996032	1.0000028	27631	80H1290	TERR	136 1 38	107.612	107.655		
		N	5437745.398										
		El	1.954					CVD28GVRD2018					
504175	83H6503	E	505668.206	0.9995937	0.9999933	327619	83H6504	TERR	3 37 39	223.741	223.832		
		N	5443664.549					916619	79H9857	TERR	175 54 23	144.679	144.738
		El	62.264					CVD28GVRD2018					
327619	83H6504	E	505682.362	0.9995921	0.9999917	682351	84H9500	TERR	96 58 52	137.178	137.234		
		N	5443887.842					504175	83H6503	TERR	183 37 39	223.741	223.832
		El	72.115					CVD28GVRD2018					
612895	83H6505	E	505838.359	0.9995988	0.9999984	694794	84H9466	TERR	50 49 22	144.653	144.710		
		N	5441302.747					405308	79H9884	TERR	348 28 43	139.425	139.482
		El	29.718					CVD28GVRD2018					
193771	83H6506	E	495224.782	0.9996031	1.0000028			MARKER DESTROYED					
		N	5437242.315										
		El	1.479					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
514711	83H6507	E	493136.739	0.9996035	1.0000030	288019	84H0414	TERR	94 18 12	182.652	182.724		
		N	5437093.558					365783	84H0409	TERR	183 0 51	154.740	154.802
		El	.710					CVD28GVRD2018					
735647	83H6508	E	494969.747	0.9996032	1.0000029	942359	84H0444	TERR	1 25 28	382.406	382.558		
		N	5436950.393					449355	79H9925	TERR	85 52 3	110.295	110.338
		El	.921					CVD28GVRD2018		23549	83H6509	TERR	273 2 33
23549	83H6509	E	494706.621	0.9996033	1.0000030	207381	87H3179	TERR	2 12 13	83.384	83.417		
		N	5436964.379					735647	83H6508	TERR	93 2 33	263.497	263.603
		El	.779					CVD28GVRD2018		674572	79H9922	TERR	177 49 28
368860	83H6510	E	495226.301	0.9996032	1.0000029	MARKER DESTROYED							
		N	5436806.282										
		El	1.155			CVD28GVRD2018							
630038	83H6511	E	505723.688	0.9995936	0.9999932	MARKER DESTROYED							
		N	5445321.375										
		El	62.760			CVD28GVRD2018							
633677	83H6512	E	493732.549	0.9996033	1.0000029	MARKER DESTROYED							
		N	5437571.721										
		El	1.412			CVD28GVRD2018							
938217	83H6513	E	506000.458	0.9995935	0.9999930	709030	83H6514	TERR	5 37 23	142.822	142.881		
		N	5443207.333					128561	84H9494	TERR	95 45 43	178.380	178.453
		El	63.841					CVD28GVRD2018					
709030	83H6514	E	506014.452	0.9995925	0.9999921	938217	83H6513	TERR	185 37 23	142.822	142.881		
		N	5443349.468										
		El	69.940					CVD28GVRD2018					
882670	83H6515	E	494170.403	0.9996033	1.0000029	MARKER DESTROYED							
		N	5438112.100										
		El	1.310			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
635458	83H6516	E	494996.344	0.9996032	1.0000029	941096	83H6517	TERR	1 37 49	265.127	265.233		
		N	5437765.836					53629	84H0441	TERR	180 33 24	287.186	287.300
		El	1.070					CVD28GVRD2018					
941096	83H6517	E	495003.887	0.9996032	1.0000029	247791	84H0438	TERR	89 51 5	243.899	243.995		
		N	5438030.856					635458	83H6516	TERR	181 37 49	265.127	265.233
		El	1.291					CVD28GVRD2018		13821	86H2439	TERR	268 25 48
397083	83H6518	E	495235.424	0.9996031	1.0000028	MARKER DESTROYED							
		N	5438327.590										
		El	1.548			CVD28GVRD2018							
712869	83H6519	E	506022.057	0.9995935	0.9999930	MARKER DESTROYED							
		N	5445438.857										
		El	63.816			CVD28GVRD2018							
822338	84H0336	E	496026.758	0.9996031	1.0000029	81497	79H9898	TERR	2 9 45	109.792	109.835		
		N	5437891.156					873067	90H6226	TERR	106 56 9	259.119	259.222
		El	1.021					CVD28GVRD2018		525048	84H0337	TERR	296 30 59
525048	84H0337	E	495837.337	0.9996031	1.0000029	822338	84H0336	TERR	116 30 59	211.689	211.774		
		N	5437985.665					455410	79H9897	TERR	358 29 11	88.436	88.471
		El	1.037					CVD28GVRD2018					
280420	84H0338	E	494283.822	0.9996034	1.0000030	300665	84H0345	TERR	7 7 45	234.237	234.330		
		N	5436464.364					396929	84H0388	TERR	195 49 7	343.007	343.143
		El	.720					CVD28GVRD2018					
474205	84H0339	E	495880.384	0.9996031	1.0000029	562710	79H9896	TERR	109 16 47	230.000	230.091		
		N	5437853.415					242446	79H9892	TERR	178 38 48	99.157	99.196
		El	.913					CVD28GVRD2018					
171314	84H0340	E	493641.318	0.9996035	1.0000030	470492	90H6227	TERR	2 13 47	357.427	357.568		
		N	5436926.195					13029	6844	TERR	90 22 48	326.914	327.044
		El	.704					CVD28GVRD2018		857128	6823	TERR	270 18 50

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
189241	84H0341	E	493794.068	0.9996034	1.0000029	925180	84H0342	TERR	89 15 47	177.497	177.566			
		N	5437273.235					470492	90H6227	TERR	274 10 2	139.212	139.267	
		El	1.097					CVD28GVRD2018	92247	86H2449	TERR	359 31 27	108.369	108.412
925180	84H0342	E	493971.550	0.9996033	1.0000029	275495	6845	TERR	90 44 58	181.545	181.617			
		N	5437275.518					13029	6844	TERR	180 32 31	351.507	351.647	
		El	1.105					CVD28GVRD2018	189241	84H0341	TERR	269 15 47	177.497	177.566
218024	84H0343	E	494098.821	0.9996033	1.0000029	805895	84H0344	TERR	86 8 5	119.637	119.685			
		N	5436919.745					13029	6844	TERR	271 52 41	130.666	130.718	
		El	1.067					CVD28GVRD2018						
805895	84H0344	E	494218.186	0.9996033	1.0000029	203596	92H0566	TERR	1 15 50	209.770	209.853			
		N	5436927.810					300665	84H0345	TERR	157 42 32	249.679	249.778	
		El	.960					CVD28GVRD2018	218024	84H0343	TERR	266 8 5	119.637	119.685
300665	84H0345	E	494312.892	0.9996033	1.0000029	617167	92H0580	TERR	88 5 20	94.761	94.798			
		N	5436696.790					280420	84H0338	TERR	187 7 45	234.237	234.330	
		El	1.338					CVD28GVRD2018	805895	84H0344	TERR	337 42 32	249.679	249.778
546150	84H0346	E	493846.563	0.9996034	1.0000030	297440	92H0972	GPS	2 41 27	11146.891	11151.321			
		N	5436840.141					714972	78H8458	GPS	12 17 18	12888.273	12893.387	
		El	.673					CVD28GVRD2018	737197	84H0431	GPS	18 10 9	1881.631	1882.378
									839639	80H1300	GPS	27 23 38	5546.190	5548.393
									528505	92H0579	GPS	53 36 41	3457.732	3459.104
									991802	88H4194	GPS	96 17 39	2788.828	2789.936
									378034	84H0421	TERR	182 30 37	170.411	170.478
									703199	6846	GPS	205 44 39	1956.368	1957.144
									869792	NO MARKING	GPS	306 45 29	5719.378	5721.652
									80101	02H2443	GPS	348 59 35	4044.416	4046.021
528885	84H0347	E	493983.120	0.9996034	1.0000030	261172	6955	TERR	87 25 8	229.300	229.391			
		N	5436668.661					378034	84H0421	TERR	270 29 26	144.026	144.083	
		El	.499					CVD28GVRD2018						
832295	84H0348	E	493912.412	0.9996034	1.0000029	553123	84H0349	TERR	91 10 34	241.983	242.079			
		N	5436555.522											
		El	.869					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
553123	84H0349	E	494154.344	0.9996034	1.0000029	832295	84H0348	TERR	271 10 34	241.983	242.079
		N	5436550.555								
		El	.921	CVD28GVRD2018							
839068	84H0350	E	493912.059	0.9996034	1.0000029		MARKER DESTROYED				
		N	5436459.876								
		El	.873	CVD28GVRD2018							
872606	84H0351	E	494168.720	0.9996033	1.0000029		MARKER ISOLATED				
		N	5436457.414								
		El	1.180	CVD28GVRD2018							
887745	84H0354	E	494979.553	0.9996029	1.0000026		MARKER DESTROYED				
		N	5439473.756								
		El	3.055	CVD28GVRD2018							
678698	84H0355	E	494327.573	0.9996033	1.0000029		MARKER DESTROYED				
		N	5434806.452								
		El	1.354	CVD28GVRD2018							
977447	84H0357	E	495435.733	0.9996032	1.0000029	774158	84H0359	TERR	102 3 38	154.543	154.605
		N	5437912.173			838532	84H0364	TERR	181 7 28	366.608	366.754
		El	1.017	CVD28GVRD2018							
2881	84H0358	E	495518.196	0.9996032	1.0000029	690594	84H0361	TERR	282 7 36	165.634	165.700
		N	5437988.905								
		El	.910	CVD28GVRD2018							
774158	84H0359	E	495586.865	0.9996032	1.0000029	608166	84H0365	TERR	180 7 19	157.050	157.113
		N	5437879.882			977447	84H0357	TERR	282 3 38	154.543	154.605
		El	.895	CVD28GVRD2018							
648964	84H0360	E	495358.084	0.9996032	1.0000029		MARKER DESTROYED				
		N	5438113.746								
		El	.898	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
690594	84H0361	E	495356.258	0.9996032	1.0000029	2881	84H0358	TERR	102 7 36	165.634	165.700		
		N	5438023.700					599589	84H0362	TERR	181 0 45	194.458	194.536
		El	.888					CVD28GVRD2018	247791	84H0438	TERR	274 6 26	108.752
						570655	92H0590	TERR	357 56 27	88.506	88.541		
599589	84H0362	E	495352.822	0.9996032	1.0000029	690594	84H0361	TERR	1 0 45	194.458	194.536		
		N	5437829.272					943449	84H0363	TERR	180 25 53	208.138	208.221
		El	1.036					CVD28GVRD2018	173062	92H0589	TERR	268 54 33	122.546
943449	84H0363	E	495351.255	0.9996032	1.0000029	599589	84H0362	TERR	0 25 53	208.138	208.221		
		N	5437621.140					16980	87H3181	TERR	180 22 51	146.887	146.946
		El	.884					CVD28GVRD2018	43802	80H1295	TERR	270 26 57	121.451
838532	84H0364	E	495428.538	0.9996032	1.0000029	977447	84H0357	TERR	1 7 28	366.608	366.754		
		N	5437545.636					294678	84H0434	TERR	87 34 11	234.153	234.246
		El	.978					CVD28GVRD2018					
608166	84H0365	E	495586.531	0.9996032	1.0000029	774158	84H0359	TERR	0 7 19	157.050	157.113		
		N	5437722.832					832550	84H0366	TERR	90 45 21	84.386	84.420
		El	.970					CVD28GVRD2018					
832550	84H0366	E	495670.910	0.9996032	1.0000030	106310	84H0367	TERR	0 3 27	449.897	450.075		
		N	5437721.719					6064	6815	TERR	88 11 13	80.920	80.951
		El	.737					CVD28GVRD2018	608166	84H0365	TERR	270 45 21	84.386
106310	84H0367	E	495671.362	0.9996031	1.0000029	679423	6814	TERR	119 24 37	92.675	92.712		
		N	5438171.616					832550	84H0366	TERR	180 3 27	449.897	450.075
		El	1.020					CVD28GVRD2018	693242	84H0368	TERR	298 39 59	100.651
693242	84H0368	E	495583.048	0.9996031	1.0000029	106310	84H0367	TERR	118 39 59	100.651	100.691		
		N	5438219.899					827758	84H0369	TERR	179 47 30	155.999	156.061
		El	1.315					CVD28GVRD2018	658849	6813	TERR	298 19 57	207.549
827758	84H0369	E	495583.615	0.9996031	1.0000029	570655	92H0590	TERR	281 49 14	235.532	235.626		
		N	5438063.901					693242	84H0368	TERR	359 47 30	155.999	156.061
		El	1.263					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
518118	84H0370	E	494757.670	0.9996033	1.0000029	663443	84H0442	TERR	178 16 21	317.041	317.168		
		N	5437796.796					99184	84H0371	TERR	330 24 37	129.761	129.812
		El	.941					CVD28GVRD2018					
99184	84H0371	E	494693.596	0.9996032	1.0000029	518118	84H0370	TERR	150 24 37	129.761	129.812		
		N	5437909.634										
		El	1.157					CVD28GVRD2018					
498345	84H0372	E	493319.884	0.9996035	1.0000029	358242	6822	TERR	90 2 24	204.424	204.504		
		N	5437481.954					279786	86H2440	TERR	180 28 13	98.545	98.584
		El	1.087					CVD28GVRD2018					
144501	84H0373	E	495284.043	0.9996029	1.0000026	460840	80H1297	TERR	46 57 20	120.563	120.610		
		N	5439949.801										
		El	2.766					CVD28GVRD2018					
784488	84H0374	E	492805.943	0.9996036	1.0000030	MARKER DESTROYED							
		N	5437110.900										
		El	.627			CVD28GVRD2018							
82651	84H0375	E	494322.695	0.9996032	1.0000028	6361	6839	TERR	180 0 38	310.799	310.922		
		N	5435383.762					67306	6840	TERR	343 58 20	331.585	331.716
		El	1.664					CVD28GVRD2018					
658856	84H0376	E	494986.697	0.9996031	1.0000028	737585	6835	TERR	91 29 32	381.944	382.095		
		N	5433446.820					960112	88H4188	TERR	180 30 56	778.024	778.333
		El	1.583					CVD28GVRD2018					
203349	84H0377	E	504403.625	0.9996021	1.0000019	MARKER DESTROYED							
		N	5444983.937										
		El	7.317			CVD28GVRD2018							
931402	84H0378	E	499885.685	0.9996027	1.0000027	MARKER ISOLATED							
		N	5443539.904										
		El	2.019			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
338335	84H0379	E	492762.763	0.9996036	1.0000029	851576	6825	TERR	64 36 57	334.423	334.556			
		N	5437198.442					200063	90H6225	TERR	155 8 38	95.142	95.180	
		El	.911					CVD28GVRD2018	208041	84H0389	TERR	244 14 34	144.209	144.267
15420	84H0380	E	493970.864	0.9996031	1.0000026	MARKER DESTROYED								
		N	5438076.902											
		El	2.771			CVD28GVRD2018								
221341	84H0381	E	499885.285	0.9996027	1.0000027	MARKER DESTROYED								
		N	5443307.316											
		El	1.870			CVD28GVRD2018								
157594	84H0382	E	497451.187	0.9996030	1.0000029	468819	6804	TERR	7 26 21	338.658	338.793			
		N	5441384.374					167072	6803	TERR	180 4 21	913.388	913.750	
		El	1.137					CVD28GVRD2018						
6551	84H0383	E	494032.322	0.9996033	1.0000029	MARKER DESTROYED								
		N	5437712.068											
		El	1.031			CVD28GVRD2018								
668822	84H0384	E	494986.859	0.9996022	1.0000018	268219	6977	TERR	180 27 23	626.443	626.694			
		N	5428583.316					557025	88H4211	TERR	183 25 9	299.465	299.584	
		El	8.013					CVD28GVRD2018	664607	9364	TERR	270 3 14	417.333	417.500
									723304	6983	TERR	359 20 9	400.564	400.723
569277	84H0385	E	492675.586	0.9996036	1.0000029	200063	90H6225	TERR	63 8 5	142.555	142.612			
		N	5437047.693					208041	84H0389	TERR	334 8 6	97.888	97.927	
		El	.841					CVD28GVRD2018						
820266	84H0386	E	499886.137	0.9996028	1.0000028	MARKER DESTROYED								
		N	5443038.140											
		El	1.580			CVD28GVRD2018								
801738	84H0387	E	494190.118	0.9996031	1.0000027	MARKER DESTROYED								
		N	5438403.819											
		El	2.342			CVD28GVRD2018								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
396929	84H0388	E	494190.320	0.9996033	1.0000029	280420	84H0338	TERR	15 49 7	343.007	343.143		
		N	5436134.347					67306	6840	TERR	174 36 1	433.815	433.987
		El	1.203					CVD28GVRD2018					
208041	84H0389	E	492632.882	0.9996036	1.0000029	338335	84H0379	TERR	64 14 34	144.209	144.267		
		N	5437135.775					569277	84H0385	TERR	154 8 6	97.888	97.927
		El	1.208					CVD28GVRD2018		145946	9310	TERR	241 8 60
113415	84H0390	E	498593.220	0.9996026	1.0000025	134981	84H0393	TERR	70 39 58	448.356	448.535		
		N	5442876.186										
		El	3.224					CVD28GVRD2018					
552760	84H0391	E	499818.317	0.9996025	1.0000025	736926	80H1314	TERR	49 28 42	128.497	128.549		
		N	5443697.421					75135	84H0392	TERR	215 30 4	298.707	298.825
		El	3.461					CVD28GVRD2018					
75135	84H0392	E	499644.852	0.9996026	1.0000026	552760	84H0391	TERR	35 30 4	298.707	298.825		
		N	5443454.243					675850	84H0394	TERR	230 55 25	368.239	368.386
		El	2.789					CVD28GVRD2018					
134981	84H0393	E	499016.291	0.9996026	1.0000026	675850	84H0394	TERR	60 2 42	395.531	395.688		
		N	5443024.625					177774	82H5428	TERR	174 42 4	171.356	171.424
		El	3.058					CVD28GVRD2018		113415	84H0390	TERR	250 39 58

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
675850	84H0394	E	499358.986	0.9996025	1.0000025	838037	02H2423	GPS	39 2 45	5009.871	5011.862	
		N	5443222.121			75135	84H0392	TERR	50 55 25	368.239	368.386	
		El	3.416			CVD28GVRD2018	898734	NO MARKING	GPS	62 41 12	12196.256	12201.194
							195156	80H1320	GPS	62 59 35	3176.532	3177.795
							252569	92H0596	GPS	112 30 53	6542.208	6544.814
							607093	5893	GPS	122 47 50	10283.387	10287.472
							995365	6910	GPS	133 28 38	7419.869	7422.817
							531079	6902	GPS	174 54 2	5783.457	5785.755
							394825	81	GPS	219 12 2	17643.270	17650.269
							134981	84H0393	TERR	240 2 42	395.531	395.688
							839639	80H1300	GPS	243 47 8	3300.002	3301.314
							394437	77H4671	GPS	250 45 5	9893.963	9897.891
							869792	NO MARKING	GPS	253 39 40	10519.440	10523.626
							51441	02H2453	GPS	258 15 26	6106.970	6109.396
							49908	02H2413	GPS	281 7 56	2802.329	2803.443
			436808	V-3235	GPS	318 52 17	16519.074	16525.665				
			274696	78H8518	GPS	320 13 27	4306.742	4308.454				
			829762	02H2412	GPS	347 40 18	1446.157	1446.733				
			47092	02H2454	GPS	357 7 59	5860.878	5863.208				
334540	84H0396	E	492484.036	0.9996036	1.0000029	859215	84H0397	TERR	115 22 32	217.819	217.905	
		N	5436985.933									
		El	1.286			CVD28GVRD2018						
859215	84H0397	E	492680.839	0.9996036	1.0000029	127100	84H0398	TERR	88 45 55	129.333	129.384	
		N	5436892.587			334540	84H0396	TERR	295 22 32	217.819	217.905	
		El	1.045			CVD28GVRD2018						
127100	84H0398	E	492810.142	0.9996035	1.0000029	235374	84H0399	TERR	5 26 16	129.572	129.623	
		N	5436895.374			981944	84H0400	TERR	95 39 55	159.144	159.208	
		El	1.065			CVD28GVRD2018	153247	84H0401	TERR	170 50 1	69.598	69.625
							859215	84H0397	TERR	268 45 55	129.333	129.384
235374	84H0399	E	492822.421	0.9996035	1.0000029	127100	84H0398	TERR	185 26 16	129.572	129.623	
		N	5437024.363									
		El	1.154			CVD28GVRD2018						
981944	84H0400	E	492968.509	0.9996035	1.0000029	998294	83H6501	TERR	89 52 55	91.767	91.804	
		N	5436879.664			127100	84H0398	TERR	275 39 55	159.144	159.208	
		El	1.021			CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
153247	84H0401	E	492821.229	0.9996036	1.0000029	770321	84H0402	TERR	114 27 49	110.923	110.968		
		N	5436826.665					127100	84H0398	TERR	350 50 1	69.598	69.625
		El	.907					CVD28GVRD2018					
770321	84H0402	E	492922.194	0.9996035	1.0000029	701284	84H0403	TERR	97 53 57	122.606	122.655		
		N	5436780.730					153247	84H0401	TERR	294 27 49	110.923	110.968
		El	.928					CVD28GVRD2018					
701284	84H0403	E	493043.637	0.9996035	1.0000029	998294	83H6501	TERR	8 9 53	117.161	117.207		
		N	5436763.880					770321	84H0402	TERR	277 53 57	122.606	122.655
		El	1.215					CVD28GVRD2018					
162248	84H0404	E	492893.785	0.9996035	1.0000029	338939	84H0405	TERR	92 3 1	159.181	159.244		
		N	5437096.609										
		El	.928					CVD28GVRD2018					
338939	84H0405	E	493052.864	0.9996035	1.0000029	738930	84H0406	TERR	6 33 53	158.995	159.058		
		N	5437090.914					998294	83H6501	TERR	177 59 19	211.191	211.275
		El	1.231					CVD28GVRD2018		162248	84H0404	TERR	272 3 1
738930	84H0406	E	493071.041	0.9996035	1.0000029	338939	84H0405	TERR	186 33 53	158.995	159.058		
		N	5437248.866					200063	90H6225	TERR	242 59 27	301.129	301.249
		El	1.191					CVD28GVRD2018		851576	6825	TERR	356 13 8
357657	84H0407	E	493145.455	0.9996035	1.0000029	485656	84H0408	TERR	3 3 28	229.547	229.638		
		N	5437161.594										
		El	1.196					CVD28GVRD2018					
485656	84H0408	E	493157.700	0.9996034	1.0000029	279786	86H2440	TERR	92 37 34	161.545	161.609		
		N	5437390.814					357657	84H0407	TERR	183 3 28	229.547	229.638
		El	1.395					CVD28GVRD2018					
365783	84H0409	E	493128.602	0.9996035	1.0000029	514711	83H6507	TERR	3 0 51	154.740	154.802		
		N	5436939.032					705764	83H6498	TERR	99 17 24	97.348	97.387
		El	.861					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
429548	84H0410	E	493122.976	0.9996035	1.0000029		MARKER DESTROYED				
		N	5436742.281								
		El	1.086	CVD28GVRD2018							
156117	84H0411	E	493357.938	0.9996035	1.0000029	966663	80H1291	TERR	86 5 12	161.652	161.716
		N	5436752.743								
		El	.871	CVD28GVRD2018							
741066	84H0412	E	493211.875	0.9996035	1.0000030	705764	83H6498	TERR	9 28 56	77.684	77.715
		N	5436846.694			472092	83H6497	TERR	178 37 2	119.958	120.006
		El	.756	CVD28GVRD2018							
258921	84H0413	E	493351.554	0.9996035	1.0000030	857128	6823	TERR	92 36 38	168.962	169.030
		N	5436934.554			705764	83H6498	TERR	264 56 20	127.378	127.427
		El	.677	CVD28GVRD2018							
288019	84H0414	E	493318.876	0.9996035	1.0000030	991950	6824	TERR	0 25 46	201.046	201.126
		N	5437079.852			514711	83H6507	TERR	274 18 12	182.652	182.724
		El	.613	CVD28GVRD2018							
205120	84H0415	E	493515.699	0.9996034	1.0000029	358242	6822	TERR	4 35 10	107.670	107.713
		N	5437374.486			279786	86H2440	TERR	272 35 57	196.827	196.904
		El	1.001	CVD28GVRD2018							
677278	84H0416	E	493659.836	0.9996034	1.0000029		MARKER DESTROYED				
		N	5437390.188								
		El	1.054	CVD28GVRD2018							
47175	84H0417	E	493972.731	0.9996033	1.0000028		MARKER DESTROYED				
		N	5437389.474								
		El	1.500	CVD28GVRD2018							
163139	84H0418	E	493798.732	0.9996033	1.0000029		MARKER DESTROYED				
		N	5437486.314								
		El	1.384	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
613786	84H0419	E	493681.092	0.9996033	1.0000028		MARKER DESTROYED				
		N	5437642.833								
		El	1.513	CVD28GVRD2018							
936823	84H0420	E	493632.804	0.9996033	1.0000028		MARKER DESTROYED				
		N	5437746.095								
		El	1.635	CVD28GVRD2018							
378034	84H0421	E	493839.099	0.9996034	1.0000029	546150	84H0346	TERR	2 30 37	170.411	170.478
		N	5436669.894			528885	84H0347	TERR	90 29 26	144.026	144.083
		El	.921	CVD28GVRD2018		546689	84H0422	TERR	272 58 45	243.147	243.243
546689	84H0422	E	493596.281	0.9996035	1.0000030	378034	84H0421	TERR	92 58 45	243.147	243.243
		N	5436682.531			842872	84H0423	TERR	180 50 15	171.452	171.521
		El	.679	CVD28GVRD2018							
842872	84H0423	E	493593.775	0.9996034	1.0000029	546689	84H0422	TERR	0 50 15	171.452	171.521
		N	5436511.097								
		El	.878	CVD28GVRD2018							
854869	84H0424	E	493644.722	0.9996035	1.0000030	617258	9321	TERR	266 17 37	132.047	132.100
		N	5436361.943								
		El	.690	CVD28GVRD2018							
711556	84H0425	E	494211.436	0.9996033	1.0000028		MARKER DESTROYED				
		N	5437148.062								
		El	1.503	CVD28GVRD2018							
148114	84H0426	E	494713.126	0.9996029	1.0000026		MARKER DESTROYED				
		N	5439050.799								
		El	3.213	CVD28GVRD2018							
840447	84H0427	E	494075.233	0.9996033	1.0000029	995605	6809	TERR	215 6 57	294.632	294.749
		N	5437980.690								
		El	1.249	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
787085	84H0428	E	494606.962	0.9996032	1.0000029	809087	90H6223	TERR	218 58 11	527.119	527.329
		N	5438653.445			899047	84H0429	TERR	319 51 37	106.034	106.075
		El	1.297	CVD28GVRD2018							
899047	84H0429	E	494538.607	0.9996032	1.0000029	751297	84H0430	TERR	44 59 1	189.590	189.665
		N	5438734.505			787085	84H0428	TERR	139 51 37	106.034	106.075
		El	1.217	CVD28GVRD2018		737197	84H0431	TERR	224 39 53	149.810	149.870
751297	84H0430	E	494672.629	0.9996032	1.0000029	899047	84H0429	TERR	224 59 1	189.590	189.665
		N	5438868.604								
		El	1.197	CVD28GVRD2018							
737197	84H0431	E	494433.297	0.9996033	1.0000029	839639	80H1300	GPS	32 4 7	3701.207	3702.677
		N	5438627.955			899047	84H0429	TERR	44 39 53	149.810	149.870
		El	1.225	CVD28GVRD2018		898734	NO MARKING	GPS	57 7 0	18769.465	18777.059
						909333	NO MARKING	GPS	70 57 51	41436.901	41453.424
						252569	92H0596	GPS	79 13 3	11166.403	11170.849
						528505	92H0579	GPS	83 9 36	2212.533	2213.411
						991802	88H4194	GPS	133 46 20	3026.300	3027.501
						546150	84H0346	GPS	198 10 9	1881.631	1882.378
						703199	6846	GPS	202 1 50	3829.619	3831.139
						983908	84H0432	TERR	209 42 10	141.070	141.125
						989624	80H1275	GPS	233 49 33	7036.613	7039.403
						234419	6901	GPS	243 14 11	4587.917	4589.737
						855890	6855	GPS	251 38 2	5919.887	5922.233
						406991	77C032	GPS	265 41 9	7364.657	7367.574
						394437	77H4671	GPS	286 47 35	4611.844	4613.673
						537563	77H4827	GPS	295 15 29	7545.178	7548.167
						258442	77H4686	GPS	315 21 11	7118.117	7120.938
						80101	02H2443	GPS	328 5 18	2570.735	2571.755
						247494	78H8494	GPS	349 58 9	10995.616	10999.978
						875864	NO MARKING	GPS	357 15 55	19509.530	19517.310
983908	84H0432	E	494363.397	0.9996033	1.0000029	737197	84H0431	TERR	29 42 10	141.070	141.125
		N	5438505.421								
		El	1.038	CVD28GVRD2018							
123406	84H0433	E	494108.280	0.9996032	1.0000028	MARKER DESTROYED					
		N	5437634.574								
		El	1.655	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
294678	84H0434	E	495662.480	0.9996031	1.0000028	838532	84H0364	TERR	267 34 11	234.153	234.246
		N	5437555.565								
		El	1.632	CVD28GVRD2018							
165399	84H0435	E	494928.818	0.9996031	1.0000028	623900	6812	TERR	91 31 16	249.634	249.733
		N	5438328.617			434100	86H2441	TERR	268 59 2	209.971	210.054
		El	1.637	CVD28GVRD2018							
829242	84H0436	E	495059.575	0.9996031	1.0000028	311324	84H0437	TERR	176 46 30	130.010	130.062
		N	5438244.233								
		El	1.799	CVD28GVRD2018							
311324	84H0437	E	495066.889	0.9996031	1.0000028	829242	84H0436	TERR	356 46 30	130.010	130.062
		N	5438114.429								
		El	1.484	CVD28GVRD2018							
247791	84H0438	E	495247.785	0.9996031	1.0000029	690594	84H0361	TERR	94 6 26	108.752	108.795
		N	5438031.489			173062	92H0589	TERR	184 53 11	205.296	205.377
		El	1.396	CVD28GVRD2018		941096	83H6517	TERR	269 51 5	243.899	243.995
						974980	92H0565	TERR	357 41 29	297.961	298.079
683276	84H0439	E	495229.754	0.9996031	1.0000028		MARKER DESTROYED				
		N	5437826.996								
		El	1.564	CVD28GVRD2018							
742825	84H0440	E	494465.021	0.9996033	1.0000029	500272	92H0594	TERR	180 20 52	526.043	526.251
		N	5438016.072			295600	86H2436	TERR	285 50 39	156.493	156.555
		El	1.257	CVD28GVRD2018							
53629	84H0441	E	494993.554	0.9996031	1.0000028	635458	83H6516	TERR	0 33 24	287.186	287.300
		N	5437478.664			121343	6819	TERR	87 41 42	240.936	241.032
		El	1.868	CVD28GVRD2018		663443	84H0442	TERR	270 18 46	226.329	226.419
663443	84H0442	E	494767.228	0.9996031	1.0000028	53629	84H0441	TERR	90 18 46	226.329	226.419
		N	5437479.899			500272	92H0594	TERR	271 54 6	305.568	305.690
		El	1.986	CVD28GVRD2018		518118	84H0370	TERR	358 16 21	317.041	317.168

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
514901	84H0443	E	494275.002	0.9996032	1.0000028		MARKER DESTROYED				
		N	5437499.839								
		El	1.926	CVD28GVRD2018							
942359	84H0444	E	494979.254	0.9996032	1.0000029	735647	83H6508	TERR	181 25 28	382.406	382.558
		N	5437332.681								
		El	1.086	CVD28GVRD2018							
680223	84H0445	E	494353.617	0.9996033	1.0000029	617167	92H0580	TERR	167 23 47	247.394	247.492
		N	5436941.382								
		El	.970	CVD28GVRD2018							
470815	84H0446	E	494517.000	0.9996033	1.0000029	674572	79H9922	TERR	92 20 1	196.107	196.185
		N	5436805.920			591024	92H0581	TERR	177 44 60	108.070	108.113
		El	.907	CVD28GVRD2018		469718	87H3178	TERR	319 43 28	95.639	95.677
815019	84H0447	E	494520.656	0.9996033	1.0000029		MARKER DESTROYED				
		N	5436698.283								
		El	.868	CVD28GVRD2018							
717611	84H0448	E	495095.998	0.9996032	1.0000029	479238	92H0582	TERR	269 55 39	197.645	197.724
		N	5436725.237								
		El	.985	CVD28GVRD2018							
142471	84H0449	E	495233.310	0.9996032	1.0000029		MARKER DESTROYED				
		N	5436946.180								
		El	1.121	CVD28GVRD2018							
551408	84H9449	E	495651.216	0.9996031	1.0000029		MARKER DESTROYED				
		N	5436888.077								
		El	1.171	CVD28GVRD2018							
52225	84H9450	E	507993.878	0.9995955	0.9999947		MARKER DESTROYED				
		N	5439384.530								
		El	53.204	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
36269	84H9451	E	507995.290	0.9995962	0.9999954	853168	84H9452	TERR	270 19 47	268.574	268.683
		N	5439161.826								
		El	48.665	CVD28GVRD2018							
853168	84H9452	E	507726.720	0.9995979	0.9999971	102970	92H0875	GPS	10 26 37	1602.297	1602.946
		N	5439163.371			898734	NO MARKING	GPS	14 20 35	9965.708	9969.764
		El	37.700	CVD28GVRD2018		275420	92H0907	GPS	72 25 13	1136.554	1137.014
						850214	92H0908	GPS	79 59 19	1936.233	1937.018
						36269	84H9451	TERR	90 19 47	268.574	268.683
						801928	92H0911	GPS	91 2 16	4594.998	4596.855
						864868	5640	GPS	125 12 23	2917.339	2918.506
						711085	84H9453	TERR	359 47 14	190.575	190.652
711085	84H9453	E	507726.012	0.9995968	0.9999961	853168	84H9452	TERR	179 47 14	190.575	190.652
		N	5439353.945								
		El	44.569	CVD28GVRD2018							
121558	84H9454	E	507990.037	0.9995937	0.9999929		MARKER ISOLATED				
		N	5440007.513								
		El	64.547	CVD28GVRD2018							
303891	84H9455	E	505840.915	0.9996006	1.0000002	130211	78H8560	TERR	85 3 40	188.845	188.920
		N	5440708.127								
		El	18.211	CVD28GVRD2018							
785618	84H9456	E	505935.069	0.9995986	0.9999981	382457	84H9465	TERR	50 37 26	99.031	99.071
		N	5441253.964			738864	84H9461	TERR	180 8 0	151.243	151.304
		El	31.399	CVD28GVRD2018							
363986	84H9457	E	506037.532	0.9995974	0.9999970	382457	84H9465	TERR	347 1 0	115.336	115.382
		N	5441204.403								
		El	38.719	CVD28GVRD2018							
959361	84H9458	E	506280.474	0.9995976	0.9999971	307629	84H9459	TERR	47 54 57	116.287	116.334
		N	5440819.302			295485	9333	TERR	275 32 33	127.912	127.963
		El	37.686	CVD28GVRD2018							
307629	84H9459	E	506366.778	0.9995972	0.9999967	947432	82H5399	TERR	58 19 6	113.473	113.519
		N	5440897.240			959361	84H9458	TERR	227 54 57	116.287	116.334
		El	40.427	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
251900	84H9460	E	505833.259	0.9995995	0.9999991		MARKER DESTROYED				
		N	5441093.996								
		El	25.141	CVD28GVRD2018							
738864	84H9461	E	505934.717	0.9995989	0.9999985	785618	84H9456	TERR	0 8 0	151.243	151.304
		N	5441102.721								
		El	28.895	CVD28GVRD2018							
741462	84H9462	E	506227.326	0.9995956	0.9999951	220558	84H9464	TERR	347 57 51	130.811	130.864
		N	5441236.033								
		El	50.821	CVD28GVRD2018							
747915	84H9463	E	506314.129	0.9995949	0.9999944	406413	78H8571	TERR	15 15 12	166.044	166.112
		N	5441369.490			220558	84H9464	TERR	267 13 44	114.214	114.260
		El	55.327	CVD28GVRD2018							
220558	84H9464	E	506200.049	0.9995960	0.9999955	747915	84H9463	TERR	87 13 44	114.214	114.260
		N	5441363.968			741462	84H9462	TERR	167 57 51	130.811	130.864
		El	47.823	CVD28GVRD2018		593293	9312	TERR	326 58 19	179.856	179.929
382457	84H9465	E	506011.620	0.9995978	0.9999974	363986	84H9457	TERR	167 1 0	115.336	115.382
		N	5441316.790			785618	84H9456	TERR	230 37 26	99.031	99.071
		El	36.023	CVD28GVRD2018		694794	84H9466	TERR	321 40 38	98.578	98.617
694794	84H9466	E	505950.493	0.9995983	0.9999978	593293	9312	TERR	51 28 33	193.681	193.758
		N	5441394.127			382457	84H9465	TERR	141 40 38	98.578	98.617
		El	33.179	CVD28GVRD2018		612895	83H6505	TERR	230 49 22	144.653	144.710
301721	84H9467	E	507497.640	0.9995904	0.9999897	40899	84H9472	TERR	2 18 49	228.218	228.312
		N	5440983.031			150680	82H5386	TERR	87 29 28	92.859	92.897
		El	85.190	CVD28GVRD2018		489286	84H9468	TERR	274 45 1	147.949	148.010
489286	84H9468	E	507350.199	0.9995899	0.9999892	301721	84H9467	TERR	94 45 1	147.949	148.010
		N	5440995.283			329508	84H9469	TERR	265 52 14	163.228	163.295
		El	88.369	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
329508	84H9469	E	507187.395	0.9995900	0.9999893	489286	84H9468	TERR	85 52 14	163.228	163.295				
		N	5440983.529					82H5394				TERR	177 58 38	232.045	232.139
		El	87.552					CVD28GVRD2018				398990	84H9470	TERR	336 37 50
398990	84H9470	E	507153.627	0.9995895	0.9999888	375675	84H9471	TERR	59 2 52	102.749	102.791				
		N	5441061.677					84H9469				TERR	156 37 50	85.132	85.167
		El	90.596					CVD28GVRD2018							
375675	84H9471	E	507241.744	0.9995897	0.9999890	760157	79H9929	TERR	51 48 54	141.415	141.473				
		N	5441114.523					84H9470				TERR	239 2 52	102.749	102.791
		El	89.529					CVD28GVRD2018							
40899	84H9472	E	507506.853	0.9995902	0.9999896	301721	84H9467	TERR	182 18 49	228.218	228.312				
		N	5441211.063					79H9929				TERR	266 36 39	154.224	154.287
		El	86.071					CVD28GVRD2018							
359125	84H9473	E	505970.741	0.9995992	0.9999988	382119	79H9862	TERR	256 30 53	85.928	85.963				
		N	5441772.919												
		El	27.152					CVD28GVRD2018							
623769	84H9474	E	506049.687	0.9995985	0.9999981			MARKER DESTROYED							
		N	5441808.374												
		El	31.642					CVD28GVRD2018							
147926	84H9475	E	506095.611	0.9995983	0.9999978	33647	84H9476	TERR	326 4 23	97.989	98.027				
		N	5441921.701												
		El	33.431					CVD28GVRD2018							
33647	84H9476	E	506040.920	0.9995991	0.9999986	147926	84H9475	TERR	146 4 23	97.989	98.027				
		N	5442003.007					79H9860				TERR	271 21 54	102.270	102.311
		El	28.153					CVD28GVRD2018							
378067	84H9477	E	506379.094	0.9995953	0.9999948	506907	84H9478	TERR	277 10 58	92.437	92.475				
		N	5442426.515					87H2622				TERR	357 6 27	240.048	240.145
		El	52.573					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
506907	84H9478	E	506287.382	0.9995964	0.9999959	456251	84H9479	TERR	4 17 3	140.272	140.329		
		N	5442438.073					378067	84H9477	TERR	97 10 58	92.437	92.475
		El	45.481					CVD28GVRD2018					
456251	84H9479	E	506297.861	0.9995959	0.9999954	506907	84H9478	TERR	184 17 3	140.272	140.329		
		N	5442577.953					609685	84H9480	TERR	244 10 11	218.376	218.464
		El	48.674					CVD28GVRD2018					
609685	84H9480	E	506101.303	0.9995983	0.9999979	456251	84H9479	TERR	64 10 11	218.376	218.464		
		N	5442482.805										
		El	32.959					CVD28GVRD2018					
540633	84H9481	E	506377.748	0.9995948	0.9999943								
		N	5442830.591										
		El	55.992	CVD28GVRD2018									
227637	84H9482	E	506287.889	0.9995953	0.9999948	825851	84H9483	TERR	0 5 23	83.769	83.803		
		N	5442761.739					790956	84H9484	TERR	237 38 15	154.668	154.730
		El	52.580					CVD28GVRD2018					
825851	84H9483	E	506288.020	0.9995948	0.9999943	565192	84H9486	TERR	1 17 20	195.240	195.319		
		N	5442845.508					227637	84H9482	TERR	180 5 23	83.769	83.803
		El	55.513					CVD28GVRD2018					
790956	84H9484	E	506157.244	0.9995968	0.9999964	227637	84H9482	TERR	57 38 15	154.668	154.730		
		N	5442678.949					417790	84H9485	TERR	317 52 35	81.529	81.562
		El	42.539					CVD28GVRD2018					
417790	84H9485	E	506102.560	0.9995967	0.9999963	701433	84H9488	TERR	2 49 24	211.725	211.811		
		N	5442739.419					790956	84H9484	TERR	137 52 35	81.529	81.562
		El	43.082					CVD28GVRD2018		74153	79H9840	TERR	261 9 44
565192	84H9486	E	506292.412	0.9995939	0.9999934	825851	84H9483	TERR	181 17 20	195.240	195.319		
		N	5443040.699										
		El	61.245					CVD28GVRD2018					

MARKER DESTROYED

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
20966	84H9487	E	506187.242	0.9995947	0.9999942	701433	84H9488	TERR	254 55 36	76.899	76.930
		N	5442970.885								
		El	56.405	CVD28GVRD2018							
701433	84H9488	E	506112.989	0.9995952	0.9999948	20966	84H9487	TERR	74 55 36	76.899	76.930
		N	5442950.887			417790	84H9485	TERR	182 49 24	211.725	211.811
		El	52.799	CVD28GVRD2018							
337394	84H9489	E	506177.838	0.9995938	0.9999933	128561	84H9494	TERR	0 4 31	75.259	75.290
		N	5443114.165			102921	84H9493	TERR	272 12 48	163.199	163.265
		El	62.204	CVD28GVRD2018							
668343	84H9490	E	506030.297	0.9995950	0.9999946	343368	84H9491	TERR	245 9 8	107.904	107.947
		N	5443045.511								
		El	54.090	CVD28GVRD2018							
343368	84H9491	E	505932.382	0.9995965	0.9999961	668343	84H9490	TERR	65 9 8	107.904	107.947
		N	5443000.169			731257	78H8589	TERR	160 1 59	162.187	162.252
		El	44.252	CVD28GVRD2018		694059	78H8576	TERR	332 7 18	177.518	177.590
561498	84H9492	E	505567.981	0.9995915	0.9999911	253674	9323	TERR	6 39 23	145.997	146.057
		N	5444246.095			591933	79H9916	TERR	180 58 2	274.051	274.163
		El	76.260	CVD28GVRD2018		457473	84H9510	TERR	242 5 25	114.068	114.114
102921	84H9493	E	506014.761	0.9995945	0.9999940	337394	84H9489	TERR	92 12 48	163.199	163.265
		N	5443120.468								
		El	57.360	CVD28GVRD2018							
128561	84H9494	E	506177.937	0.9995932	0.9999928	935932	84H9495	TERR	81 57 53	119.249	119.297
		N	5443189.424			337394	84H9489	TERR	180 4 31	75.259	75.290
		El	65.465	CVD28GVRD2018		938217	83H6513	TERR	275 45 43	178.380	178.453
935932	84H9495	E	506296.015	0.9995929	0.9999924	128561	84H9494	TERR	261 57 53	119.249	119.297
		N	5443206.093								
		El	67.714	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
979740	84H9496	E	506261.029	0.9995921	0.9999916	374967	84H9497	TERR	272 25 22	145.893	145.953
		N	5443352.312								
		El	73.045	CVD28GVRD2018							
374967	84H9497	E	506115.266	0.9995921	0.9999916	979740	84H9496	TERR	92 25 22	145.893	145.953
		N	5443358.479			797589	82H5478	TERR	338 31 20	162.098	162.164
		El	72.886	CVD28GVRD2018							
675256	84H9498	E	506007.844	0.9995910	0.9999906	565283	84H9501	TERR	0 37 49	290.504	290.623
		N	5443591.716			356634	84H9499	TERR	274 21 12	178.272	178.345
		El	79.505	CVD28GVRD2018							
356634	84H9499	E	505830.086	0.9995924	0.9999920	675256	84H9498	TERR	94 21 12	178.272	178.345
		N	5443605.248			682351	84H9500	TERR	357 30 37	266.172	266.282
		El	70.192	CVD28GVRD2018							
682351	84H9500	E	505818.523	0.9995913	0.9999909	565283	84H9501	TERR	86 43 12	192.832	192.911
		N	5443871.169			356634	84H9499	TERR	177 30 37	266.172	266.282
		El	77.454	CVD28GVRD2018		327619	83H6504	TERR	276 58 52	137.178	137.234
565283	84H9501	E	506011.039	0.9995903	0.9999899	675256	84H9498	TERR	180 37 49	290.504	290.623
		N	5443882.202			682351	84H9500	TERR	266 43 12	192.832	192.911
		El	83.998	CVD28GVRD2018							
791079	84H9502	E	505574.368	0.9995943	0.9999940	453779	78H8582	TERR	186 59 4	125.000	125.050
		N	5443690.482			733733	78H8577	TERR	359 52 7	126.996	127.048
		El	57.922	CVD28GVRD2018							
857524	84H9503	E	505472.518	0.9995973	0.9999969	453779	78H8582	TERR	117 31 22	97.708	97.748
		N	5443611.561			728170	84H9504	TERR	358 4 18	98.184	98.223
		El	38.912	CVD28GVRD2018							
728170	84H9504	E	505469.214	0.9995956	0.9999952	342345	84H9506	TERR	4 14 3	156.315	156.378
		N	5443709.689			857524	84H9503	TERR	178 4 18	98.184	98.223
		El	49.961	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
417048	84H9505	E	505369.225	0.9995976	0.9999972	815746	84H9508	TERR	305 55 13	127.493	127.543
		N	5443700.122								
		El	36.991	CVD28GVRD2018							
342345	84H9506	E	505480.755	0.9995933	0.9999929	728170	84H9504	TERR	184 14 3	156.315	156.378
		N	5443865.577								
		El	64.740	CVD28GVRD2018							
238337	84H9507	E	505325.963	0.9995956	0.9999953	748384	84H9509	TERR	307 14 14	139.958	140.014
		N	5443866.065								
		El	49.564	CVD28GVRD2018							
815746	84H9508	E	505265.977	0.9995983	0.9999979	447193	78H6975	GPS	4 14 37	12712.948	12718.097
		N	5443774.917			841734	6966	GPS	36 43 11	2294.530	2295.463
		El	32.436	CVD28GVRD2018		898734	NO MARKING	GPS	44 20 42	7052.467	7055.337
						904904	NO MARKING	GPS	103 27 1	20300.465	20308.542
						417048	84H9505	TERR	125 55 13	127.493	127.543
						901199	5620	GPS	134 5 54	8171.947	8175.206
						102970	92H0875	GPS	137 48 56	4096.958	4098.618
						799270	9352	GPS	151 27 38	1621.019	1621.669
						607093	5893	GPS	155 54 50	6706.912	6709.590
						252569	92H0596	GPS	177 26 34	3060.995	3062.221
						995365	6910	GPS	185 16 44	5682.261	5684.530
						869792	NO MARKING	GPS	257 37 15	16382.494	16389.050
						51649	77H4983	GPS	270 35 37	14010.685	14016.279
						195156	80H1320	GPS	286 7 37	3202.893	3204.174
						669101	78H8547	TERR	318 51 25	234.367	234.461
						838037	02H2423	GPS	320 30 23	4325.649	4327.378
						177238	88H4212	GPS	330 33 17	3214.255	3215.541
						137695	92H0576	GPS	353 39 27	3234.898	3236.191
748384	84H9509	E	505214.537	0.9995975	0.9999972	238337	84H9507	TERR	127 14 14	139.958	140.014
		N	5443950.756			669101	78H8547	TERR	270 21 55	102.762	102.803
		El	37.487	CVD28GVRD2018							
457473	84H9510	E	505467.181	0.9995920	0.9999916	561498	84H9492	TERR	62 5 25	114.068	114.114
		N	5444192.702								
		El	72.980	CVD28GVRD2018							
205658	84H9944	E	506971.087	0.9995931	0.9999925		MARKER DESTROYED				
		N	5442528.595								
		El	66.951	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218842	86H2435	E	495489.489	0.9996028	1.0000026		MARKER DESTROYED				
		N	5440210.166								
		El	3.078	CVD28GVRD2018							
295600	86H2436	E	494314.474	0.9996032	1.0000029	742825	84H0440	TERR	105 50 39	156.493	156.555
		N	5438058.798								
		El	1.424	CVD28GVRD2018							
832667	86H2437	E	491041.793	0.9996039	1.0000029	531830	6952	TERR	74 59 55	675.851	676.119
		N	5436687.178			568352	6951	TERR	232 29 21	158.450	158.513
		El	1.026	CVD28GVRD2018							
530063	86H2438	E	493522.787	0.9996034	1.0000029		MARKER DESTROYED				
		N	5437279.174								
		El	.979	CVD28GVRD2018							
13821	86H2439	E	494757.793	0.9996032	1.0000029	941096	83H6517	TERR	88 25 48	246.186	246.284
		N	5438024.111								
		El	1.138	CVD28GVRD2018							
279786	86H2440	E	493319.075	0.9996034	1.0000029	498345	84H0372	TERR	0 28 13	98.545	98.584
		N	5437383.412			205120	84H0415	TERR	92 35 57	196.827	196.904
		El	1.348	CVD28GVRD2018		991950	6824	TERR	179 16 9	102.528	102.569
						485656	84H0408	TERR	272 37 34	161.545	161.609
434100	86H2441	E	494718.880	0.9996032	1.0000029	842484	86H2447	TERR	41 19 16	342.818	342.954
		N	5438324.893			165399	84H0435	TERR	88 59 2	209.971	210.054
		El	1.259	CVD28GVRD2018							
944819	86H2442	E	494302.398	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438547.651								
		El	2.135	CVD28GVRD2018							
168005	86H2443	E	494487.187	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438773.334								
		El	2.315	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
892471	86H2444	E	494638.599	0.9996032	1.0000029	107953	86H2448	TERR	40 19 34	319.639	319.766
		N	5438444.850								
		El	1.246	CVD28GVRD2018							
454124	86H2445	E	494636.109	0.9996031	1.0000027		MARKER DESTROYED				
		N	5438919.116								
		El	2.303	CVD28GVRD2018							
243790	86H2446	E	496777.605	0.9996027	1.0000025	855452	80H1302	TERR	60 12 28	830.906	831.237
		N	5442100.552			839639	80H1300	TERR	228 26 40	506.747	506.949
		El	3.318	CVD28GVRD2018							
842484	86H2447	E	494945.235	0.9996031	1.0000028	623900	6812	TERR	138 9 33	349.485	349.623
		N	5438582.357			434100	86H2441	TERR	221 19 16	342.818	342.954
		El	1.541	CVD28GVRD2018		107953	86H2448	TERR	316 46 39	145.707	145.766
107953	86H2448	E	494845.450	0.9996032	1.0000028	842484	86H2447	TERR	136 46 39	145.707	145.766
		N	5438688.534			892471	86H2444	TERR	220 19 34	319.639	319.766
		El	1.490	CVD28GVRD2018							
92247	86H2449	E	493793.168	0.9996033	1.0000028	189241	84H0341	TERR	179 31 27	108.369	108.412
		N	5437381.600								
		El	1.467	CVD28GVRD2018							
971697	86H2450	E	494455.322	0.9996032	1.0000028	346551	86H2451	TERR	39 18 13	298.228	298.347
		N	5438127.910								
		El	1.443	CVD28GVRD2018							
346551	86H2451	E	494644.229	0.9996032	1.0000029	431395	87H3180	TERR	42 53 11	96.130	96.168
		N	5438358.679			971697	86H2450	TERR	219 18 13	298.228	298.347
		El	1.192	CVD28GVRD2018		225706	86H2453	TERR	310 5 55	129.259	129.310
476796	86H2452	E	494551.421	0.9996032	1.0000029		MARKER DESTROYED				
		N	5438127.185								
		El	1.251	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
225706	86H2453	E	494545.354	0.9996033	1.0000029	236406	86H2454	TERR	38 50 31	88.435	88.470		
		N	5438441.935					346551	86H2451	TERR	130 5 55	129.259	129.310
		El	1.123					CVD28GVRD2018					
236406	86H2454	E	494600.818	0.9996032	1.0000029	225706	86H2453	TERR	218 50 31	88.435	88.470		
		N	5438510.815										
		El	1.159					CVD28GVRD2018					
770529	8751	E	507993.962	0.9995897	0.9999889	MARKER ISOLATED							
		N	5447141.139										
		El	89.985			CVD28GVRD2018							
179564	8755	E	507985.419	0.9995876	0.9999868	564153	8754	TERR	3 34 2	364.278	364.428		
		N	5445857.421										
		El	103.547					CVD28GVRD2018					
9365	87H2618	E	497079.326	0.9996029	1.0000028	980920	87H3192	TERR	71 2 26	77.236	77.267		
		N	5428845.509					233106	87H2619	TERR	163 12 29	205.714	205.796
		El	1.804					CVD28GVRD2018					
233106	87H2619	E	497138.756	0.9996029	1.0000028	9365	87H2618	TERR	343 12 29	205.714	205.796		
		N	5428648.567										
		El	1.657					CVD28GVRD2018					
677567	87H2621	E	505685.878	0.9995983	0.9999979	639864	82H5413	TERR	151 27 33	166.460	166.527		
		N	5443328.104					907782	80H1338	TERR	330 44 15	211.321	211.406
		El	32.907					CVD28GVRD2018					
880914	87H2622	E	506366.981	0.9995950	0.9999945	378067	84H9477	TERR	177 6 27	240.048	240.145		
		N	5442666.257										
		El	54.258					CVD28GVRD2018					
809491	87H2623	E	505245.314	0.9995948	0.9999944	831248	9327	TERR	46 28 10	184.819	184.894		
		N	5445143.224					44818	79H9839	TERR	225 48 47	335.307	335.443
		El	54.889					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
862789	87H3144	E	495200.448	0.9996026	1.0000023	677724	87H3209	TERR	66 41 53	81.451	81.483				
		N	5429122.462					631929	87H3145			TERR	185 49 44	126.117	126.167
		El	5.262					CVD28GVRD2018							
631929	87H3145	E	495187.640	0.9996029	1.0000026	862789	87H3144	TERR	5 49 44	126.117	126.167				
		N	5428996.997					723304	6983			TERR	266 20 20	205.844	205.926
		El	3.042					CVD28GVRD2018							
833277	87H3146	E	493789.777	0.9995941	0.9999937	545046	87H3147	9376	TERR	87 0 30	271.344	271.454			
		N	5428152.169					629329	TERR	273 44 8	211.436	211.522			
		El	60.186					CVD28GVRD2018							
629329	87H3147	E	493578.790	0.9995939	0.9999934	833277	87H3146	TERR	93 44 8	211.436	211.522				
		N	5428165.944												
		El	61.800					CVD28GVRD2018							
790543	87H3148	E	493422.967	0.9995947	0.9999942	482935	87H3149	TERR	88 56 21	181.860	181.933				
		N	5428955.781					226464	6987			TERR	271 4 15	123.920	123.970
		El	56.775					CVD28GVRD2018							
482935	87H3149	E	493604.796	0.9995951	0.9999945	537621	87H3164	TERR	12 33 4	153.981	154.044				
		N	5428959.148					766196	6986			TERR	87 12 54	139.741	139.798
		El	54.573					CVD28GVRD2018				790543	87H3148	TERR	268 56 21
56499	87H3150	E	492741.110	0.9995953	0.9999947	273383	87H3151	TERR	1 8 59	182.407	182.480				
		N	5430053.425					351007	87H3156			TERR	155 12 5	182.536	182.610
		El	53.770					CVD28GVRD2018							
273383	87H3151	E	492744.770	0.9995946	0.9999939	329599	87H3152	TERR	52 43 17	98.317	98.357				
		N	5430235.795					56499	87H3150			TERR	181 8 59	182.407	182.480
		El	58.380					CVD28GVRD2018							
329599	87H3152	E	492823.001	0.9995944	0.9999938	186114	87H3153	TERR	94 25 51	168.113	168.181				
		N	5430295.345					273383	87H3151			TERR	232 43 17	98.317	98.357
		El	59.493					CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
186114	87H3153	E	492990.611	0.9995938	0.9999932	352500	87H3154	TERR	70 35 20	115.874	115.921	
		N	5430282.357					87H3152	TERR	274 25 51	168.113	168.181
		El	62.890					CVD28GVRD2018				
352500	87H3154	E	493099.899	0.9995956	0.9999950	437277	87H3155	TERR	80 9 50	179.138	179.211	
		N	5430320.867					87H3153	TERR	250 35 20	115.874	115.921
		El	51.399					CVD28GVRD2018				
437277	87H3155	E	493276.404	0.9995984	0.9999978	352500	87H3154	TERR	260 9 50	179.138	179.211	
		N	5430351.469									
		El	33.575					CVD28GVRD2018				
351007	87H3156	E	492817.671	0.9995954	0.9999947	56499	87H3150	TERR	335 12 5	182.536	182.610	
		N	5429887.721									
		El	53.442					CVD28GVRD2018				
305805	87H3157	E	492994.173	0.9995953	0.9999947	641498	87H3158	TERR	143 35 11	284.715	284.830	
		N	5429739.076									
		El	53.474					CVD28GVRD2018				
641498	87H3158	E	493163.183	0.9995955	0.9999949	315903	87H3159	TERR	88 59 33	122.164	122.213	
		N	5429509.951					87H3157	TERR	323 35 11	284.715	284.830
		El	52.444					CVD28GVRD2018				
315903	87H3159	E	493285.328	0.9995950	0.9999944	641498	87H3158	TERR	268 59 33	122.164	122.213	
		N	5429512.099									
		El	55.303					CVD28GVRD2018				
782433	87H3160	E	493487.283	0.9995952	0.9999947	49908	02H2413	GPS	12 19 8	14633.659	14639.528	
		N	5429466.447			528505	92H0579	GPS	18 26 28	9935.198	9939.182	
		El	53.825			CVD28GVRD2018	898734	NO MARKING	GPS	40 48 24	25566.855	25577.297
							446658	80H1267	GPS	46 9 1	5135.603	5137.664
							629147	6988	TERR	89 51 30	266.869	266.977
							430900	87H3190	GPS	113 12 47	3759.289	3760.796
							630830	87H3184	GPS	142 14 37	1904.976	1905.747
							647321	77C010	GPS	264 7 13	2019.199	2020.009
							394825	81	GPS	270 54 11	5280.142	5282.256
							989624	80H1275	GPS	316 36 41	6891.595	6894.355
							869792	NO MARKING	GPS	338 38 15	11592.882	11597.536

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
228106	87H3161	E	493701.609	0.9995996	0.9999991	866012 376608	6994 6995	TERR	92 40 22	216.572	216.658		
		N	5429926.250					TERR	237 34 33	192.790	192.867		
		El	25.578	CVD28GVRD2018									
961649	87H3162	E	493821.122	0.9995980	0.9999976	457317	87H3163	TERR	182 40 14	221.511	221.600		
		N	5429349.530										
		El	35.226	CVD28GVRD2018									
457317	87H3163	E	493810.801	0.9995958	0.9999953	961649 537621	87H3162 87H3164	TERR	2 40 14	221.511	221.600		
		N	5429128.260					TERR	263 46 41	173.565	173.636		
		El	49.841	CVD28GVRD2018									
537621	87H3164	E	493638.258	0.9995953	0.9999948	457317 482935	87H3163 87H3149	TERR	83 46 41	173.565	173.636		
		N	5429109.449					TERR	192 33 4	153.981	154.044		
		El	53.178	CVD28GVRD2018									
882027	87H3165	E	494249.315	0.9995991	0.9999987	MARKER ISOLATED							
		N	5430697.016										
		El	27.817	CVD28GVRD2018									
299321	87H3166	E	494372.453	0.9995992	0.9999988	MARKER DESTROYED							
		N	5430814.590										
		El	27.333	CVD28GVRD2018									
977785	87H3167	E	494379.469	0.9995997	0.9999993	932863	88H4272	TERR	105 11 47	111.446	111.491		
		N	5430573.413										
		El	23.982	CVD28GVRD2018									
124586	87H3168	E	494446.113	0.9995998	0.9999994	MARKER ISOLATED							
		N	5430952.090										
		El	23.406	CVD28GVRD2018									
313841	87H3169	E	494723.821	0.9996003	1.0000000	804278 234997	87H3170 87H3201	TERR	90 54 26	153.987	154.049		
		N	5430763.957					TERR	179 9 40	191.406	191.482		
		El	19.758	CVD28GVRD2018									

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804278	87H3170	E	494877.789	0.9996007	1.0000004	313841	87H3169	TERR	270 54 26	153.987	154.049
		N	5430761.519								
		El	17.407	CVD28GVRD2018							
18291	87H3171	E	495229.419	0.9996014	1.0000011	823708	87H3172	TERR	180 24 42	174.262	174.331
		N	5429857.110								
		El	12.571	CVD28GVRD2018							
823708	87H3172	E	495228.167	0.9996010	1.0000007	18291	87H3171	TERR	0 24 42	174.262	174.331
		N	5429682.853			637405	87H3173	TERR	268 54 9	193.609	193.685
		El	15.110	CVD28GVRD2018							
637405	87H3173	E	495034.594	0.9996012	1.0000009	823708	87H3172	TERR	88 54 9	193.609	193.685
		N	5429679.145								
		El	13.911	CVD28GVRD2018							
54726	87H3174	E	496068.295	0.9996030	1.0000028	859868	79H9887	TERR	4 42 4	112.544	112.589
		N	5436901.654			154088	87H3175	TERR	89 28 22	202.508	202.588
		El	1.682	CVD28GVRD2018		612762	79H9885	TERR	175 10 2	113.152	113.197
154088	87H3175	E	496270.794	0.9996030	1.0000028	689869	88H4210	TERR	0 27 10	334.285	334.418
		N	5436903.517			135376	88H4174	TERR	179 48 23	180.742	180.813
		El	1.611	CVD28GVRD2018		54726	87H3174	TERR	269 28 22	202.508	202.588
224287	87H3176	E	494898.870	0.9996033	1.0000030		MARKER DESTROYED				
		N	5436725.146								
		El	.803	CVD28GVRD2018							
970053	87H3177	E	494746.047	0.9996033	1.0000029	479238	92H0582	TERR	90 50 32	152.323	152.384
		N	5436727.226			675900	9316	TERR	257 25 16	102.656	102.696
		El	.972	CVD28GVRD2018							
469718	87H3178	E	494455.173	0.9996033	1.0000029	729699	6953	TERR	1 15 35	125.666	125.716
		N	5436878.887			470815	84H0446	TERR	139 43 28	95.639	95.677
		El	1.065	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
207381	87H3179	E	494709.827	0.9996033	1.0000030	63396	9339	TERR	0 27 57	193.602	193.679
		N	5437047.701			23549	83H6509	TERR	182 12 13	83.384	83.417
		El	.783	CVD28GVRD2018							
431395	87H3180	E	494709.650	0.9996032	1.0000029	346551	86H2451	TERR	222 53 11	96.130	96.168
		N	5438429.114								
		El	1.086	CVD28GVRD2018							
16980	87H3181	E	495350.279	0.9996030	1.0000028	943449	84H0363	TERR	0 22 51	146.887	146.946
		N	5437474.256			295709	87H3182	TERR	90 24 17	226.913	227.003
		El	1.934	CVD28GVRD2018		121343	6819	TERR	276 55 49	116.838	116.884
295709	87H3182	E	495577.186	0.9996030	1.0000028	16980	87H3181	TERR	270 24 17	226.913	227.003
		N	5437472.653								
		El	1.964	CVD28GVRD2018							
840215	87H3183	E	495662.686	0.9996030	1.0000028			MARKER DESTROYED			
		N	5437472.904								
		El	1.859	CVD28GVRD2018							
630830	87H3184	E	494653.707	0.9995952	0.9999948	446658	80H1267	GPS	26 36 44	5663.952	5666.224
		N	5427960.330			898734	NO MARKING	GPS	36 41 26	26011.691	26022.312
		El	52.948	CVD28GVRD2018	914127	80H1262	GPS	36 43 42	8334.226	8337.570	
					762716	80H1257	GPS	48 40 1	11288.477	11293.006	
		430900	87H3190	GPS	89 23 22	2288.662	2289.580				
		268219	6977	TERR	90 36 0	328.181	328.314				
		234179	6976	TERR	267 40 15	166.097	166.165				
		782433	87H3160	GPS	322 14 37	1904.976	1905.747				
869792	NO MARKING	GPS	336 20 36	13431.176	13436.568						
341875	87H3185	E	493984.566	0.9995951	0.9999947	211383	6980	TERR	94 13 4	186.305	186.380
		N	5428593.349			285627	87H3186	TERR	288 5 60	117.824	117.872
		El	53.908	CVD28GVRD2018							
285627	87H3186	E	493872.572	0.9995951	0.9999947	341875	87H3185	TERR	108 5 60	117.824	117.872
		N	5428629.954			159749	9368	TERR	315 40 46	127.764	127.816
		El	53.737	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
332759	87H3187	E	495154.376	0.9996019	1.0000016		MARKER DESTROYED				
		N	5430110.665								
		El	9.468	CVD28GVRD2018							
732727	87H3188	E	502403.508	0.9996026	1.0000025	195156	80H1320	TERR	273 58 52	214.904	214.989
		N	5444649.657								
		El	3.346	CVD28GVRD2018							
183806	87H3189	E	497184.005	0.9996029	1.0000028	430900	87H3190	TERR	270 15 40	241.769	241.865
		N	5427983.613			626564	80H1287	TERR	354 51 25	419.310	419.477
		El	2.013	CVD28GVRD2018							
430900	87H3190	E	496942.239	0.9996029	1.0000028	564781	92H0547	TERR	0 28 47	403.028	403.189
		N	5427984.715			446658	80H1267	GPS	2 49 28	5045.652	5047.657
		El	1.951	CVD28GVRD2018		531079	6902	GPS	17 11 5	9919.687	9923.626
						914127	80H1262	GPS	22 2 55	7180.477	7183.330
						898734	NO MARKING	GPS	32 27 44	24691.963	24701.948
						607093	5893	GPS	48 50 47	14690.100	14695.932
						942870	86H1263	GPS	77 40 44	14694.751	14700.687
						183806	87H3189	TERR	90 15 40	241.769	241.865
						630830	87H3184	GPS	269 23 22	2288.662	2289.580
						394825	81	GPS	280 9 29	8873.531	8877.051
						782433	87H3160	GPS	293 12 47	3759.289	3760.796
						869792	NO MARKING	GPS	327 58 52	14481.084	14486.842
						274696	78H8518	GPS	358 57 14	18550.461	18557.824
442301	87H3191	E	496944.545	0.9996030	1.0000028		MARKER DESTROYED				
		N	5428395.331								
		El	1.651	CVD28GVRD2018							
980920	87H3192	E	497152.372	0.9996029	1.0000028	248005	92H0569	TERR	163 3 6	317.232	317.358
		N	5428870.603			9365	87H2618	TERR	251 2 26	77.236	77.267
		El	1.996	CVD28GVRD2018							
948364	87H3193	E	497245.988	0.9996028	1.0000027		MARKER DESTROYED				
		N	5428570.523								
		El	2.338	CVD28GVRD2018							
640797	87H3194	E	497272.593	0.9996028	1.0000027		MARKER DESTROYED				
		N	5428386.359								
		El	2.370	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
581645	87H3195	E	495240.733	0.9996031	1.0000029		MARKER DESTROYED				
		N	5431283.533								
		El	1.478	CVD28GVRD2018							
464404	87H3196	E	495560.444	0.9996031	1.0000029	379990	92H0585	TERR	270 50 4	320.579	320.706
		N	5431278.977								
		El	1.265	CVD28GVRD2018							
928770	87H3197	E	494626.990	0.9996032	1.0000028	445353	87H3198	TERR	187 32 50	136.026	136.081
		N	5431389.079								
		El	1.763	CVD28GVRD2018							
445353	87H3198	E	494609.124	0.9996022	1.0000018	928770	87H3197	TERR	7 32 50	136.026	136.081
		N	5431254.231								
		El	8.078	CVD28GVRD2018							
723197	87H3199	E	494494.386	0.9996015	1.0000011		MARKER ISOLATED				
		N	5431194.897								
		El	12.819	CVD28GVRD2018							
824565	87H3200	E	494618.495	0.9996002	0.9999998	234997	87H3201	TERR	85 54 24	108.405	108.449
		N	5430564.834								
		El	21.044	CVD28GVRD2018							
234997	87H3201	E	494726.623	0.9995999	0.9999996	824565	87H3200	TERR	265 54 24	108.405	108.449
		N	5430572.572			313841	87H3169	TERR	359 9 40	191.406	191.482
		El	22.352	CVD28GVRD2018							
292086	87H3202	E	494483.486	0.9996003	0.9999999	932863	88H4272	TERR	1 7 59	178.619	178.690
		N	5430365.616			771220	9276	TERR	177 32 35	158.858	158.921
		El	20.202	CVD28GVRD2018							
308858	87H3203	E	494818.962	0.9996019	1.0000016		MARKER ISOLATED				
		N	5431010.426								
		El	9.624	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
381053	87H3204	E	494168.876	0.9996003	0.9999998		MARKER DESTROYED				
		N	5430197.390								
		El	20.735	CVD28GVRD2018							
504514	87H3205	E	494793.796	0.9996013	1.0000009		MARKER DESTROYED				
		N	5429426.056								
		El	13.924	CVD28GVRD2018							
356253	87H3206	E	494589.117	0.9996011	1.0000007	320531	87H3207	TERR	276 33 20	207.289	207.372
		N	5429450.852								
		El	15.172	CVD28GVRD2018							
320531	87H3207	E	494383.183	0.9996008	1.0000005	356253	87H3206	TERR	96 33 20	207.289	207.372
		N	5429474.517			460550	6990	TERR	268 8 24	209.990	210.073
		El	16.889	CVD28GVRD2018							
987883	87H3208	E	495292.696	0.9996016	1.0000013	677724	87H3209	TERR	188 23 44	119.453	119.501
		N	5429272.855								
		El	11.383	CVD28GVRD2018							
677724	87H3209	E	495275.255	0.9996023	1.0000021	987883	87H3208	TERR	8 23 44	119.453	119.501
		N	5429154.682			862789	87H3144	TERR	246 41 53	81.451	81.483
		El	6.696	CVD28GVRD2018							
179960	87H3481	E	505173.887	0.9996026	1.0000023	248187	87H3482	TERR	189 23 20	129.201	129.253
		N	5447706.727			214973	87H3485	TERR	238 33 14	434.813	434.987
		El	4.390	CVD28GVRD2018							
248187	87H3482	E	505152.810	0.9996027	1.0000023	179960	87H3481	TERR	9 23 20	129.201	129.253
		N	5447579.257			199406	87H3483	TERR	199 40 57	387.150	387.304
		El	4.194	CVD28GVRD2018							
199406	87H3483	E	505022.414	0.9996028	1.0000025	248187	87H3482	TERR	19 40 57	387.150	387.304
		N	5447214.727			137695	92H0576	TERR	206 51 33	251.886	251.986
		El	3.377	CVD28GVRD2018		147520	87H3484	TERR	290 34 31	71.429	71.458

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
147520	87H3484	E	504955.541	0.9996028	1.0000025	199406	87H3483	TERR	110 34 31	71.429	71.458		
		N	5447239.830					214973	87H3485	TERR	327 33 19	284.458	284.571
		El	3.280					CVD28GVRD2018					
214973	87H3485	E	504802.934	0.9996028	1.0000025	179960	87H3481	TERR	58 33 14	434.813	434.987		
		N	5447479.887					147520	87H3484	TERR	147 33 19	284.458	284.571
		El	3.432					CVD28GVRD2018		360859	87H3486	TERR	237 18 25
360859	87H3486	E	504577.547	0.9996028	1.0000026	214973	87H3485	TERR	57 18 25	267.815	267.922		
		N	5447335.230					462960	92H0577	TERR	147 47 21	237.350	237.444
		El	2.876					CVD28GVRD2018					
270140	87H3487	E	504704.071	0.9996028	1.0000026	MARKER DESTROYED							
		N	5447134.444										
		El	2.788			CVD28GVRD2018							
480343	87H3488	E	504908.601	0.9996029	1.0000026	MARKER DESTROYED							
		N	5446989.947										
		El	2.879			CVD28GVRD2018							
350017	87H3489	E	505127.467	0.9996027	1.0000024	MARKER DESTROYED							
		N	5446881.315										
		El	3.991			CVD28GVRD2018							
540765	87H3490	E	505206.864	0.9996027	1.0000024	491159	82H5625	TERR	120 44 9	1106.344	1106.787		
		N	5447001.211					123505	92H0575	TERR	213 31 24	143.846	143.904
		El	3.952					CVD28GVRD2018					
896043	87H3491	E	504773.482	0.9996027	1.0000024	137695	92H0576	TERR	27 28 14	292.937	293.053		
		N	5446730.107										
		El	3.690					CVD28GVRD2018					
11742	87H3492	E	504676.960	0.9996026	1.0000023	MARKER DESTROYED							
		N	5446466.636										
		El	4.323			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
738518	87H3493	E	504480.897	0.9996027	1.0000025		MARKER DESTROYED				
		N	5446406.909								
		El	3.515	CVD28GVRD2018							
420562	87H3494	E	504742.837	0.9996028	1.0000026	137695	92H0576	TERR	117 51 59	187.520	187.594
		N	5447077.664			462960	92H0577	TERR	325 39 20	68.728	68.755
		El	2.895	CVD28GVRD2018							
396838	87H3495	E	504376.658	0.9996026	1.0000024	462960	92H0577	TERR	53 33 25	406.993	407.155
		N	5446892.647			863753	87H3496	TERR	232 58 5	418.519	418.685
		El	3.895	CVD28GVRD2018							
863753	87H3496	E	504042.555	0.9996027	1.0000025	396838	87H3495	TERR	52 58 5	418.519	418.685
		N	5446640.589			177238	88H4212	TERR	259 25 14	362.854	362.999
		El	3.517	CVD28GVRD2018							
206920	87H3497	E	507816.159	0.9995922	0.9999915	882969	80H1347	TERR	151 38 5	158.595	158.659
		N	5441777.299			861062	79H9905	TERR	233 57 2	185.742	185.818
		El	73.856	CVD28GVRD2018		588889	79H9870	TERR	324 10 15	107.727	107.770
715631	87H3498	E	503826.094	0.9996026	1.0000024	595637	90H6221	TERR	137 35 30	431.067	431.239
		N	5446368.873								
		El	3.625	CVD28GVRD2018							
683672	87H3499	E	504117.149	0.9996026	1.0000024		MARKER DESTROYED				
		N	5446050.164								
		El	3.781	CVD28GVRD2018							
63081	87H3500	E	504052.127	0.9996026	1.0000024	595637	90H6221	TERR	23 15 1	163.856	163.921
		N	5445900.042			80333	87H3501	TERR	230 28 50	702.212	702.491
		El	3.658	CVD28GVRD2018							
80333	87H3501	E	503510.434	0.9996026	1.0000025	63081	87H3500	TERR	50 28 50	702.212	702.491
		N	5445453.197			843136	87H3502	TERR	258 39 26	142.955	143.012
		El	3.548	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
843136	87H3502	E	503370.271	0.9996026	1.0000025	80333	87H3501	TERR	78 39 26	142.955	143.012
		N	5445425.081								
		El	3.614	CVD28GVRD2018							
135376	88H4174	E	496271.405	0.9996030	1.0000029	154088	87H3175	TERR	359 48 23	180.742	180.813
		N	5436722.776								
		El	1.447	CVD28GVRD2018							
636811	88H4175	E	496414.544	0.9996030	1.0000029	323832	88H4216	TERR	92 55 26	199.427	199.506
		N	5436809.251								
		El	1.413	CVD28GVRD2018							
943175	88H4176	E	495920.663	0.9996020	1.0000018	744615	80H1345	TERR	34 14 21	766.140	766.445
		N	5439412.679			528505	92H0579	TERR	126 18 18	880.306	880.657
		El	7.936	CVD28GVRD2018		460840	80H1297	TERR	318 28 27	827.368	827.697
773176	88H4177	E	490469.127	0.9996040	1.0000029	213967	6850	TERR	0 50 22	554.873	555.093
		N	5435188.832			101428	6848	TERR	180 34 19	612.551	612.793
		El	1.268	CVD28GVRD2018							
785998	88H4178	E	490465.346	0.9996040	1.0000029	115840	80H1272	TERR	180 33 15	618.074	618.320
		N	5434076.130			101428	6848	TERR	359 43 57	500.188	500.385
		El	1.236	CVD28GVRD2018							
241000	88H4179	E	491282.567	0.9996038	1.0000029	773077	6828	TERR	92 29 54	711.045	711.326
		N	5434535.185			101428	6848	TERR	272 52 22	820.587	820.913
		El	1.253	CVD28GVRD2018							
873125	88H4180	E	491391.901	0.9996037	1.0000027		MARKER ISOLATED				
		N	5433347.988								
		El	2.135	CVD28GVRD2018							
827477	88H4181	E	491971.595	0.9996036	1.0000028		MARKER DESTROYED				
		N	5433964.018								
		El	1.817	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
284364	88H4182	E	492009.063	0.9996037	1.0000029	137364	6827	TERR	2 16 29	433.537	433.709						
		N	5435083.528									773077	6828	TERR	181 35 40	579.561	579.791
		El	1.126									CVD28GVRD2018					
215509	88H4183	E	492044.100	0.9996037	1.0000029	915090	6826	TERR	2 14 21	728.478	728.768						
		N	5436133.429									137364	6827	TERR	181 39 22	616.964	617.208
		El	1.058									CVD28GVRD2018					
710731	88H4184	E	493009.478	0.9996035	1.0000029	MARKER DESTROYED											
		N	5435560.043														
		El	1.235			CVD28GVRD2018											
929257	88H4185	E	493644.104	0.9996034	1.0000030	6361	6839	TERR	90 1 27	678.533	678.802						
		N	5435073.250									703199	6846	TERR	270 24 60	647.310	647.567
		El	.852									CVD28GVRD2018					
399188	88H4186	E	494381.604	0.9996032	1.0000028	MARKER DESTROYED											
		N	5433961.980														
		El	1.699			CVD28GVRD2018											
57968	88H4187	E	494177.876	0.9996033	1.0000029	MARKER DESTROYED											
		N	5432646.135														
		El	1.434			CVD28GVRD2018											
960112	88H4188	E	494979.698	0.9996031	1.0000028	658856	84H0376	TERR	0 30 56	778.024	778.333						
		N	5432668.828									150003	88H4189	TERR	179 54 26	651.515	651.774
		El	1.954									CVD28GVRD2018		153528	137000	TERR	266 23 53
150003	88H4189	E	494980.753	0.9996031	1.0000028	448001	80H1269	TERR	90 4 28	1304.445	1304.963						
		N	5432017.314									960112	88H4188	TERR	359 54 26	651.515	651.774
		El	1.908									CVD28GVRD2018					
784272	88H4190	E	495842.945	0.9996031	1.0000029	MARKER DESTROYED											
		N	5433430.835														
		El	1.494			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
685982	88H4191	E	496058.658	0.9996031	1.0000029		MARKER DESTROYED				
		N	5434792.809								
		El	1.395	CVD28GVRD2018							
641316	88H4192	E	496608.496	0.9996029	1.0000028		MARKER DESTROYED				
		N	5434048.140								
		El	2.077	CVD28GVRD2018							
667139	88H4193	E	496614.366	0.9996030	1.0000029	991802	88H4194	TERR	0 18 41	775.419	775.726
		N	5435758.980			671693	6894	TERR	180 0 35	707.553	707.834
		El	1.324	CVD28GVRD2018							
991802	88H4194	E	496618.580	0.9996030	1.0000029	528505	92H0579	GPS	0 16 47	2357.106	2358.042
		N	5436534.387			898734	NO MARKING	GPS	47 51 43	18309.303	18316.712
		El	1.316	CVD28GVRD2018		909333	NO MARKING	GPS	67 7 9	40144.312	40160.315
						531079	6902	GPS	74 5 54	3383.968	3385.311
						904904	NO MARKING	GPS	84 55 50	28502.551	28513.836
						172312	6905	GPS	98 4 39	4921.500	4923.454
						762716	80H1257	GPS	99 44 56	6606.870	6609.495
						914127	80H1262	GPS	122 6 20	3564.251	3565.668
						446658	80H1267	GPS	170 44 24	3556.495	3557.909
						667139	88H4193	TERR	180 18 41	775.419	775.726
						373472	NO MARKING	TERR	209 23 46	7286.700	7289.641
						703199	6846	GPS	248 5 36	3903.640	3905.189
						546150	84H0346	GPS	276 17 39	2788.828	2789.936
						869792	NO MARKING	GPS	296 53 3	8245.343	8248.622
						737197	84H0431	GPS	313 46 20	3026.300	3027.501
						80101	02H2443	GPS	320 20 40	5553.702	5555.907
						752949	88H4209	GPS	347 32 5	638.699	638.953
						297440	92H0972	GPS	348 52 47	11659.265	11663.901
						875864	NO MARKING	GPS	351 47 2	21804.689	21813.385
						839639	80H1300	GPS	357 35 22	5234.649	5236.728
						323832	88H4216	TERR	358 56 46	264.736	264.841
969857	88H4195	E	497414.348	0.9996029	1.0000028	428581	6896	TERR	90 12 23	815.475	815.799
		N	5435043.920			671693	6894	TERR	270 32 15	800.137	800.455
		El	1.957	CVD28GVRD2018							
741249	88H4196	E	498235.972	0.9996029	1.0000028	982868	6897	TERR	0 11 48	813.748	814.072
		N	5435518.808			428581	6896	TERR	180 44 16	477.867	478.057
		El	1.618	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
73643	88H4197	E	498238.511	0.9996028	1.0000028	352666	6898	TERR	0 18 10	856.407	856.747		
		N	5436615.069					246082	80H1312	TERR	90 10 40	620.883	621.130
		El	1.704					CVD28GVRD2018	982868	6897	TERR	179 56 53	282.518
441519	88H4198	E	499266.655	0.9996028	1.0000028	246082	80H1312	TERR	270 22 8	407.272	407.434		
		N	5436610.522										
		El	1.584					CVD28GVRD2018					
694943	88H4199	E	501497.111	0.9996029	1.0000028	172312	6905	TERR	180 24 30	821.625	821.951		
		N	5436664.467										
		El	1.456					CVD28GVRD2018					
105122	88H4200	E	503136.068	0.9996030	1.0000029	762716	80H1257	TERR	180 49 16	420.684	420.852		
		N	5435836.270					997031	80H1309	TERR	359 46 36	687.670	687.943
		El	1.173					CVD28GVRD2018					
269191	88H4201	E	503132.356	0.9996031	1.0000029	997031	80H1309	TERR	179 53 13	522.783	522.990		
		N	5437046.717					167627	6907	TERR	359 26 11	421.654	421.822
		El	.904					CVD28GVRD2018					
995951	88H4202	E	503935.091	0.9996030	1.0000028	535740	6911	TERR	90 9 56	822.951	823.279		
		N	5437472.812					167627	6907	TERR	269 40 60	806.894	807.215
		El	1.724					CVD28GVRD2018					
614107	88H4203	E	506378.562	0.9996031	1.0000026	491241	88H4204	TERR	284 3 47	836.585	836.916		
		N	5439471.487										
		El	2.769					CVD28GVRD2018					
491241	88H4204	E	505567.051	0.9996033	1.0000029	614107	88H4203	TERR	104 3 47	836.585	836.916		
		N	5439674.769										
		El	1.103					CVD28GVRD2018					
812883	88H4205	E	504749.869	0.9996032	1.0000029	MARKER DESTROYED							
		N	5439669.270										
		El	.764			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
464735	88H4206	E	504754.478	0.9996028	1.0000026		MARKER ISOLATED				
		N	5440718.837								
		El	3.050	CVD28GVRD2018							
881201	88H4207	E	505402.569	0.9996011	1.0000007		MARKER DESTROYED				
		N	5440716.979								
		El	14.948	CVD28GVRD2018							
655555	88H4208	E	494994.070	0.9996031	1.0000028		MARKER DESTROYED				
		N	5431373.482								
		El	2.090	CVD28GVRD2018							
752949	88H4209	E	496480.718	0.9996030	1.0000028	528505	92H0579	GPS	4 55 29	1739.858	1740.549
		N	5437158.030			684209	88H4217	TERR	101 55 29	143.654	143.711
		El	1.632	CVD28GVRD2018		914127	80H1262	GPS	128 34 30	4038.200	4039.805
						991802	88H4194	GPS	167 32 5	638.699	638.953
						689869	88H4210	TERR	291 2 48	222.099	222.187
689869	88H4210	E	496273.436	0.9996030	1.0000029	752949	88H4209	TERR	111 2 48	222.099	222.187
		N	5437237.792			154088	87H3175	TERR	180 27 10	334.285	334.418
		El	1.375	CVD28GVRD2018		973974	88H4222	TERR	357 53 56	247.646	247.744
557025	88H4211	E	494968.999	0.9995999	0.9999996	668822	84H0384	TERR	3 25 9	299.465	299.584
		N	5428284.384			268219	6977	TERR	177 44 58	327.744	327.876
		El	22.601	CVD28GVRD2018							
177238	88H4212	E	503685.869	0.9996021	1.0000019	898734	NO MARKING	GPS	70 58 34	6885.697	6888.486
		N	5446573.969			137695	92H0576	GPS	71 12 32	1291.586	1292.100
		El	7.120	CVD28GVRD2018		863753	87H3496	TERR	79 25 14	362.854	362.999
						841734	6966	GPS	108 0 42	3104.134	3105.390
						147819	91H9962	GPS	117 55 38	39974.490	39990.185
						815746	84H9508	GPS	150 33 17	3214.255	3215.541
						195156	80H1320	GPS	218 5 33	2426.113	2427.079
						394825	81	GPS	222 16 35	23008.640	23017.773
						989624	80H1275	GPS	230 59 1	19219.245	19226.878
						234419	6901	GPS	233 7 46	16686.397	16693.025
						171868	90H6233	TERR	234 12 6	148.937	148.996
						838037	02H2423	GPS	294 43 6	1289.077	1289.590
						875864	NO MARKING	GPS	318 34 36	15391.651	15397.803

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
974378	88H4213	E	487885.621	0.9996047	1.0000029	949073	80H1346	TERR	104 27 16	580.110	580.339				
		N	5437872.670					964197	6854			TERR	359 48 28	418.418	418.583
		El	1.056					CVD28GVRD2018							
818930	88H4214	E	489002.611	0.9996043	1.0000029	941930	6852	TERR	42 11 14	254.926	255.026				
		N	5437089.245					855890	6855			TERR	209 52 56	376.653	376.802
		El	1.344					CVD28GVRD2018							
402412	88H4215	E	490133.138	0.9996041	1.0000029	213967	6850	TERR	46 36 29	473.552	473.740				
		N	5435418.322					431460	80H1279			TERR	245 21 2	355.176	355.317
		El	1.258					CVD28GVRD2018							
323832	88H4216	E	496613.711	0.9996030	1.0000029	684209	88H4217	TERR	1 18 56	329.356	329.487				
		N	5436799.078					991802	88H4194			TERR	178 56 46	264.736	264.841
		El	1.426					CVD28GVRD2018				88H4175	TERR	272 55 26	199.427
684209	88H4217	E	496621.272	0.9996029	1.0000028	911214	88H4269	TERR	92 36 33	432.981	433.153				
		N	5437128.347					323832	88H4216			TERR	181 18 56	329.356	329.487
		El	1.756					CVD28GVRD2018				88H4209	TERR	281 55 29	143.654
7369	88H4218	E	505639.554	0.9996022	1.0000018	55384	6202	TERR	84 0 51	746.064	746.361				
		N	5437514.926					535740	6911			TERR	267 6 39	882.637	882.988
		El	8.287					CVD28GVRD2018							
587196	88H4219	E	497046.841	0.9996030	1.0000029	MARKER DESTROYED									
		N	5437482.274												
		El	1.387			CVD28GVRD2018									
402628	88H4220	E	496625.155	0.9996029	1.0000028	873067	90H6226	TERR	272 11 28	350.773	350.911				
		N	5437802.263					159855	6817			TERR	359 54 57	481.315	481.506
		El	1.793					CVD28GVRD2018							
75598	88H4221	E	496267.651	0.9996030	1.0000029	MARKER DESTROYED									
		N	5437810.005												
		El	1.335			CVD28GVRD2018									

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
973974	88H4222	E	496264.356	0.9996030	1.0000028	873067	90H6226	TERR	1 46 57	330.563	330.695		
		N	5437485.271					689869	88H4210	TERR	177 53 56	247.646	247.744
		El	1.517					CVD28GVRD2018	288688	92H0591	TERR	268 36 29	295.985
275511	88H4223	E	496625.440	0.9996030	1.0000028	MARKER DESTROYED							
		N	5437484.205										
		El	1.632			CVD28GVRD2018							
911214	88H4269	E	497053.804	0.9996029	1.0000028	684209	88H4217	TERR	272 36 33	432.981	433.153		
		N	5437108.636										
		El	1.582					CVD28GVRD2018					
699710	88H4270	E	495490.600	0.9996029	1.0000026	MARKER DESTROYED							
		N	5440209.866										
		El	2.939			CVD28GVRD2018							
932863	88H4272	E	494487.018	0.9995999	0.9999995	292086	87H3202	TERR	181 7 59	178.619	178.690		
		N	5430544.200					977785	87H3167	TERR	285 11 47	111.446	111.491
		El	22.681					CVD28GVRD2018	711721	9290	TERR	359 53 38	261.855
554618	88H4273	E	488519.756	0.9996042	1.0000026	989624	80H1275	TERR	153 42 59	527.085	527.294		
		N	5434947.244										
		El	3.043					CVD28GVRD2018					
308692	88H4274	E	494273.247	0.9996032	1.0000028	MARKER DESTROYED							
		N	5438250.173										
		El	1.609			CVD28GVRD2018							
820860	88H4275	E	506299.672	0.9996031	1.0000026	496018	80H1252	TERR	242 58 42	463.333	463.517		
		N	5436764.802										
		El	2.723					CVD28GVRD2018					
973446	89H5681	E	505737.640	0.9995928	0.9999924	MARKER ISOLATED							
		N	5445102.235										
		El	67.704			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
641829	89H5682	E	505728.718	0.9995936	0.9999932		MARKER DESTROYED				
		N	5445317.440								
		El	62.917	CVD28GVRD2018							
912345	89H5683	E	494263.298	0.9996032	1.0000028	500272	92H0594	TERR	93 19 38	198.865	198.945
		N	5437501.581								
		El	2.004	CVD28GVRD2018							
527945	89H5689	E	505462.766	0.9996028	1.0000024	531988	89H5690	TERR	39 20 40	470.848	471.036
		N	5448455.842								
		El	3.504	CVD28GVRD2018							
531988	89H5690	E	505761.275	0.9996028	1.0000024	104018	89H5537	TERR	14 40 59	679.488	679.757
		N	5448819.971			527945	89H5689	TERR	219 20 40	470.848	471.036
		El	3.746	CVD28GVRD2018							
595637	90H6221	E	504116.809	0.9996026	1.0000024	63081	87H3500	TERR	203 15 1	163.856	163.921
		N	5446050.591			715631	87H3498	TERR	317 35 30	431.067	431.239
		El	3.777	CVD28GVRD2018							
308429	90H6222	E	506992.321	0.9995870	0.9999864	821058	84H9889	GPS	4 24 10	13479.739	13485.330
		N	5444424.114			996132	73H0413	GPS	15 26 49	11404.787	11409.526
		El	105.883	1928 Canadian Vertical		985606	86H1304	GPS	54 13 6	7798.169	7801.387
						420521	92H0871	GPS	67 39 9	1096.152	1096.604
						546473	85H0764	GPS	73 38 43	28016.769	28028.151
						825034	3340	GPS	100 49 41	51271.956	51293.680
						182428	92H0872	GPS	138 51 59	1529.788	1530.419
						515189	82H5404	GPS	183 32 41	2804.620	2805.769
						258020	19713	GPS	263 1 42	21413.664	21422.328
						670653	432	GPS	309 53 12	11084.888	11089.464
						681239	677011	GPS	329 12 32	21852.685	21861.750
						15578	82H5618	GPS	348 5 3	2446.696	2447.697
						709113	90H6573	GPS	358 50 59	8562.730	8566.281
809087	90H6223	E	494275.451	0.9996033	1.0000029	787085	84H0428	TERR	38 58 11	527.119	527.329
		N	5438243.622								
		El	1.405	CVD28GVRD2018							
200063	90H6225	E	492802.755	0.9996035	1.0000029	738930	84H0406	TERR	62 59 27	301.129	301.249
		N	5437112.113			569277	84H0385	TERR	243 8 5	142.555	142.612
		El	1.162	CVD28GVRD2018		338335	84H0379	TERR	335 8 38	95.142	95.180

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
873067	90H6226	E	496274.639	0.9996030	1.0000028	402628	88H4220	TERR	92 11 28	350.773	350.911		
		N	5437815.674					973974	88H4222	TERR	181 46 57	330.563	330.695
		El	1.556					CVD28GVRD2018	822338	84H0336	TERR	286 56 9	259.119
470492	90H6227	E	493655.224	0.9996034	1.0000029	189241	84H0341	TERR	94 10 2	139.212	139.267		
		N	5437283.351					171314	84H0340	TERR	182 13 47	357.427	357.568
		El	.916					CVD28GVRD2018					
657387	90H6228	E	507123.040	0.9995870	0.9999864	757872	9345	TERR	3 4 14	402.492	402.658		
		N	5445617.285					944637	78H8588	TERR	91 6 26	103.392	103.435
		El	106.225					CVD28GVRD2018	903153	82H5563	TERR	263 37 34	88.060
99580	90H6229	E	494991.440	0.9996015	1.0000012								
		N	5430193.756										
		El	12.138										
313478	90H6230	E	495177.552	0.9996020	1.0000017	423608	90H6231	TERR	96 20 54	222.665	222.754		
		N	5430209.251										
		El	8.835					CVD28GVRD2018					
423608	90H6231	E	495398.852	0.9996031	1.0000028	155200	9280	TERR	89 14 17	324.888	325.016		
		N	5430184.630					706291	92H0549	TERR	158 0 29	181.956	182.028
		El	1.825					CVD28GVRD2018	313478	90H6230	TERR	276 20 54	222.665
171868	90H6233	E	503565.069	0.9996011	1.0000009	177238	88H4212	TERR	54 12 6	148.937	148.996		
		N	5446486.851					327882	90H6234	TERR	222 59 42	73.325	73.354
		El	13.357					CVD28GVRD2018					
327882	90H6234	E	503515.066	0.9996011	1.0000009	171868	90H6233	TERR	42 59 42	73.325	73.354		
		N	5446433.220					979955	92H0551	TERR	245 5 55	354.909	355.051
		El	13.199					CVD28GVRD2018	330811	90H6235	TERR	330 7 22	488.629
330811	90H6235	E	503271.658	0.9996011	1.0000009	327882	90H6234	TERR	150 7 22	488.629	488.824		
		N	5446856.907					536144	89H6011	TERR	327 9 54	373.691	373.840
		El	13.357					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
857847	90H6236	E	506380.328	0.9995906	0.9999901	381186	6937	TERR	2 56 13	159.632	159.697						
		N	5445455.937									951442	82H5548	TERR	178 37 18	131.859	131.914
		El	82.459									CVD28GVRD2018					
746446	9271	E	495783.380	0.9996029	1.0000027	72264	9272	TERR	259 41 2	116.246	116.292						
		N	5429551.758									155200	9280	TERR	354 39 1	639.980	640.234
		El	2.444									CVD28GVRD2018					
72264	9272	E	495669.013	0.9996032	1.0000030	746446	9271	TERR	79 41 2	116.246	116.292						
		N	5429530.941									266114	9273	TERR	262 21 26	318.969	319.096
		El	.803									CVD28GVRD2018		678409	92H0548	TERR	332 9 22
266114	9273	E	495352.878	0.9996032	1.0000029	72264	9272	TERR	82 21 26	318.969	319.096						
		N	5429488.519														
		El	1.219									CVD28GVRD2018					
252577	9274	E	495482.014	0.9996032	1.0000029	MARKER DESTROYED											
		N	5429900.613														
		El	1.195			CVD28GVRD2018											
865014	9275	E	495141.621	0.9996016	1.0000013	MARKER DESTROYED											
		N	5429931.938														
		El	11.461			CVD28GVRD2018											
771220	9276	E	494490.296	0.9996007	1.0000003	941419	6861	TERR	91 1 44	236.025	236.119						
		N	5430206.904									62919	6992	TERR	179 49 23	291.494	291.612
		El	17.929									CVD28GVRD2018		43026	92H0584	TERR	268 18 25
391540	9277	E	494978.698	0.9996011	1.0000008	292086	87H3202	TERR	357 32 35	158.858	158.921						
		N	5430621.857														
		El	14.812									CVD28GVRD2018					
701664	9278	E	495163.153	0.9996020	1.0000017	MARKER DESTROYED											
		N	5430203.987														
		El	9.005			CVD28GVRD2018											

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
280255	9279	E	495402.460	0.9996031	1.0000028		MARKER DESTROYED				
		N	5430199.289								
		El	1.679	CVD28GVRD2018							
155200	9280	E	495723.711	0.9996028	1.0000026	15834	9281	TERR	9 9 7	282.539	282.651
		N	5430188.950			746446	9271	TERR	174 39 1	639.980	640.234
		El	3.046	CVD28GVRD2018		423608	90H6231	TERR	269 14 17	324.888	325.016
15834	9281	E	495768.650	0.9996029	1.0000027	505057	9283	TERR	19 54 32	213.717	213.802
		N	5430467.892			155200	9280	TERR	189 9 7	282.539	282.651
		El	2.683	CVD28GVRD2018							
219253	9282	E	495442.294	0.9996029	1.0000027	254862	9285	TERR	0 40 37	327.363	327.492
		N	5430459.307								
		El	2.853	CVD28GVRD2018							
505057	9283	E	495841.426	0.9996029	1.0000027	15834	9281	TERR	199 54 32	213.717	213.802
		N	5430668.836			604595	9284	TERR	293 52 18	255.097	255.199
		El	2.577	CVD28GVRD2018							
604595	9284	E	495608.151	0.9996030	1.0000027	575068	9287	TERR	14 51 31	245.571	245.667
		N	5430772.071			505057	9283	TERR	113 52 18	255.097	255.199
		El	2.414	CVD28GVRD2018							
254862	9285	E	495446.161	0.9996030	1.0000028	221101	9288	TERR	1 3 32	225.507	225.596
		N	5430786.647			219253	9282	TERR	180 40 37	327.363	327.492
		El	2.204	CVD28GVRD2018							
645416	9286	E	495956.145	0.9996029	1.0000027		MARKER DESTROYED				
		N	5431004.517								
		El	2.272	CVD28GVRD2018							
575068	9287	E	495671.124	0.9996029	1.0000027	604595	9284	TERR	194 51 31	245.571	245.667
		N	5431009.430			221101	9288	TERR	270 41 48	220.812	220.900
		El	2.482	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
221101	9288	E	495450.328	0.9996030	1.0000028	575068	9287	TERR	90 41 48	220.812	220.900		
		N	5431012.115					254862	9285	TERR	181 3 32	225.507	225.596
		El	2.214					CVD28GVRD2018	310276	9289	TERR	270 28 48	262.467
310276	9289	E	495187.870	0.9996031	1.0000028	379990	92H0585	TERR	10 56 1	274.311	274.420		
		N	5431014.314					221101	9288	TERR	90 28 48	262.467	262.572
		El	1.771					CVD28GVRD2018					
711721	9290	E	494486.533	0.9995995	0.9999991	932863	88H4272	TERR	179 53 38	261.855	261.960		
		N	5430806.055										
		El	25.564					CVD28GVRD2018					
188722	9291	E	494493.353	0.9996003	0.9999999			MARKER DESTROYED					
		N	5431018.493										
		El	20.474					CVD28GVRD2018					
603712	9292	E	493715.968	0.9995943	0.9999938	864397	9367	TERR	356 58 5	153.855	153.918		
		N	5428528.766										
		El	59.292					CVD28GVRD2018					
777169	9293	E	495238.475	0.9996032	1.0000029			MARKER DESTROYED					
		N	5431277.617										
		El	1.254					CVD28GVRD2018					
131227	9294	E	495767.744	0.9996030	1.0000028			MARKER DESTROYED					
		N	5431312.675										
		El	2.169					CVD28GVRD2018					
981449	9295	E	496044.579	0.9996030	1.0000028			MARKER DESTROYED					
		N	5431308.341										
		El	1.992					CVD28GVRD2018					
44164	9296	E	507188.469	0.9995869	0.9999862			MARKER DESTROYED					
		N	5444781.926										
		El	107.042					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
425587	9297	E	505776.597	0.9995921	0.9999917	84293	9300	TERR	86 1 31	200.841	200.924					
		N	5444800.089					96834				79H9910	TERR	272 4 29	190.920	190.998
		El	72.459					CVD28GVRD2018								
302257	9298	E	507186.476	0.9995925	0.9999919	663385	82H5445	TERR	1 48 37	266.449	266.558					
		N	5442345.725					361725				9299	TERR	269 11 50	211.303	211.389
		El	71.052					CVD28GVRD2018								
361725	9299	E	506975.194	0.9995930	0.9999924	302257	9298	TERR	89 11 50	211.303	211.389					
		N	5442342.765					446682				82H5408	TERR	269 12 6	292.633	292.752
		El	68.028					CVD28GVRD2018								
564781	92H0547	E	496945.614	0.9996030	1.0000028	626564	80H1287	TERR	86 9 8	201.257	201.337					
		N	5428387.729					430900				87H3190	TERR	180 28 47	403.028	403.189
		El	1.660					CVD28GVRD2018				657890	6883	TERR	271 13 43	346.583
678409	92H0548	E	495483.721	0.9996031	1.0000029	72264	9272	TERR	152 9 22	396.716	396.874					
		N	5429881.726					706291				92H0549	TERR	352 53 34	135.227	135.281
		El	1.398					CVD28GVRD2018								
706291	92H0549	E	495466.990	0.9996031	1.0000029	678409	92H0548	TERR	172 53 34	135.227	135.281					
		N	5430015.914					423608				90H6231	TERR	338 0 29	181.956	182.028
		El	1.565					CVD28GVRD2018								
100925	92H0550	E	495142.145	0.9996016	1.0000013											
		N	5429931.948													
		El	11.472	CVD28GVRD2018												
979955	92H0551	E	503193.151	0.9996026	1.0000025	327882	90H6234	TERR	65 5 55	354.909	355.051					
		N	5446283.783					321166				92H0552	TERR	245 23 49	564.386	564.610
		El	3.572					CVD28GVRD2018								
321166	92H0552	E	502680.003	0.9996025	1.0000025	979955	92H0551	TERR	65 23 49	564.386	564.610					
		N	5446048.813					295808				92H0553	TERR	220 13 52	190.205	190.280
		El	3.597					CVD28GVRD2018								

MARKER ISOLATED

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
295808	92H0553	E	502557.155	0.9996026	1.0000025	321166	92H0552	TERR	40 13 52	190.205	190.280		
		N	5445903.602					269134	92H0563	TERR	142 19 2	222.511	222.600
		El	3.338					CVD28GVRD2018	390385	92H0554	TERR	227 4 32	109.359
390385	92H0554	E	502477.077	0.9996025	1.0000025	295808	92H0553	TERR	47 4 32	109.359	109.402		
		N	5445829.125					701508	92H0555	TERR	248 20 5	125.715	125.765
		El	3.560					CVD28GVRD2018					
701508	92H0555	E	502360.243	0.9996025	1.0000025	390385	92H0554	TERR	68 20 5	125.715	125.765		
		N	5445782.713					764258	92H0556	TERR	247 19 36	327.730	327.860
		El	3.577					CVD28GVRD2018					
764258	92H0556	E	502057.841	0.9996025	1.0000025	701508	92H0555	TERR	67 19 36	327.730	327.860		
		N	5445656.380					910687	92H0557	TERR	187 4 25	234.479	234.572
		El	3.475					CVD28GVRD2018					
910687	92H0557	E	502028.966	0.9996025	1.0000025	764258	92H0556	TERR	7 4 25	234.479	234.572		
		N	5445423.686					959106	92H0558	TERR	92 8 45	471.678	471.866
		El	3.647					CVD28GVRD2018	13037	80H1319	TERR	196 20 48	861.880
959106	92H0558	E	502500.313	0.9996026	1.0000025	972471	92H0559	TERR	63 9 29	211.178	211.262		
		N	5445406.024					910687	92H0557	TERR	272 8 45	471.678	471.866
		El	3.343					CVD28GVRD2018					
972471	92H0559	E	502688.738	0.9996025	1.0000024	959106	92H0558	TERR	243 9 29	211.178	211.262		
		N	5445501.377										
		El	3.698					CVD28GVRD2018					
169458	92H0560	E	502788.418	0.9996026	1.0000025			MARKER DESTROYED					
		N	5445505.780										
		El	3.491					CVD28GVRD2018					
82040	92H0561	E	503034.164	0.9996026	1.0000025			MARKER DESTROYED					
		N	5445474.588										
		El	3.361					CVD28GVRD2018					

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
248914	92H0562	E	502786.628	0.9996025	1.0000025	269134	92H0563	TERR	319 20 26	143.431	143.488
		N	5445618.699								
		El	3.640	CVD28GVRD2018							
269134	92H0563	E	502693.174	0.9996025	1.0000024	248914	92H0562	TERR	139 20 26	143.431	143.488
		N	5445727.505			295808	92H0553	TERR	322 19 2	222.511	222.600
		El	3.767	CVD28GVRD2018							
974980	92H0565	E	495235.782	0.9996032	1.0000029	658849	6813	TERR	93 45 27	164.935	165.000
		N	5438329.208			247791	84H0438	TERR	177 41 29	297.961	298.079
		El	1.278	CVD28GVRD2018		623900	6812	TERR	262 50 9	57.870	57.893
203596	92H0566	E	494222.813	0.9996032	1.0000028	805895	84H0344	TERR	181 15 50	209.770	209.853
		N	5437137.529			275495	6845	TERR	332 47 14	152.493	152.553
		El	1.732	CVD28GVRD2018							
824557	92H0567	E	495224.985	0.9996031	1.0000028	121343	6819	TERR	2 11 11	244.046	244.143
		N	5437244.486			656157	9303	TERR	93 41 57	165.914	165.979
		El	1.535	CVD28GVRD2018							
977868	92H0568	E	497275.171	0.9996028	1.0000027	626564	80H1287	TERR	277 32 47	129.879	129.931
		N	5428384.178			248005	92H0569	TERR	350 35 25	185.467	185.540
		El	2.353	CVD28GVRD2018							
248005	92H0569	E	497244.848	0.9996028	1.0000027	977868	92H0568	TERR	170 35 25	185.467	185.540
		N	5428567.149			980920	87H3192	TERR	343 3 6	317.232	317.358
		El	2.371	CVD28GVRD2018							
682492	92H0571	E	496637.264	0.9996030	1.0000029	857276	6806	TERR	0 24 23	1132.922	1133.372
		N	5439905.759			859470	80H1301	TERR	90 36 23	808.123	808.445
		El	1.314	CVD28GVRD2018		236174	80H1285	TERR	274 44 21	524.445	524.653
554402	92H0572	E	506783.889	0.9995876	0.9999870	7930	92H0574	TERR	92 15 34	405.217	405.385
		N	5444798.772			600775	80H1336	TERR	180 11 33	198.659	198.741
		El	101.937	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
809277	92H0573	E	507191.361	0.9995875	0.9999869		MARKER DESTROYED				
		N	5444391.073								
		El	102.877	CVD28GVRD2018							
7930	92H0574	E	507188.791	0.9995869	0.9999862	285221	82H5520	TERR	88 36 16	94.022	94.060
		N	5444782.797			554402	92H0572	TERR	272 15 34	405.217	405.385
		El	107.010	CVD28GVRD2018							
123505	92H0575	E	505127.421	0.9996027	1.0000024	540765	87H3490	TERR	33 31 24	143.846	143.904
		N	5446881.292			137695	92H0576	TERR	296 25 20	244.332	244.429
		El	3.921	CVD28GVRD2018							
137695	92H0576	E	504908.612	0.9996029	1.0000026	277665	89H6112	GPS	0 56 44	3210.672	3211.953
		N	5446990.015			199406	87H3483	TERR	26 51 33	251.886	251.986
		El	2.794	CVD28GVRD2018		21139	92H0904	GPS	45 6 46	3317.385	3318.702
						898734	NO MARKING	GPS	70 55 21	5594.124	5596.388
						770800	5296	GPS	86 54 46	3046.396	3047.627
						123505	92H0575	TERR	116 25 20	244.332	244.429
						841734	6966	GPS	128 30 26	2209.842	2210.735
						815746	84H9508	GPS	173 39 27	3234.898	3236.191
						896043	87H3491	TERR	207 28 14	292.937	293.053
						177238	88H4212	GPS	251 12 32	1291.586	1292.100
						838037	02H2423	GPS	272 56 29	2396.866	2397.818
						537829	02H2479	GPS	280 17 13	19916.379	19924.276
						420562	87H3494	TERR	297 51 59	187.520	187.594
						875864	NO MARKING	GPS	314 17 9	15933.330	15939.694
						32219	94H1708	GPS	322 10 5	2652.627	2653.681
						583880	89H6028	GPS	344 46 24	2057.203	2058.020
462960	92H0577	E	504704.063	0.9996029	1.0000026	420562	87H3494	TERR	145 39 20	68.728	68.755
		N	5447134.410			396838	87H3495	TERR	233 33 25	406.993	407.155
		El	2.731	CVD28GVRD2018		360859	87H3486	TERR	327 47 21	237.350	237.444
56663	92H0578	E	496611.868	0.9996029	1.0000028	235929	80H1268	TERR	179 51 49	444.148	444.325
		N	5433428.106								
		El	1.845	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
528505	92H0579	E	496630.082	0.9996029	1.0000028	995365	6910	GPS	95 27 16	8150.017	8153.254	
		N	5438891.465			147819	91H9962	GPS	104 36 8	43789.366	43806.574	
		El	1.713			CVD28GVRD2018	991802	88H4194	GPS	180 16 47	2357.106	2358.042
							159855	6817	TERR	180 31 52	607.914	608.155
							752949	88H4209	GPS	184 55 29	1739.858	1740.549
							782433	87H3160	GPS	198 26 28	9935.198	9939.182
							394825	81	GPS	222 2 13	12577.919	12582.906
							703199	6846	GPS	223 36 49	5267.211	5269.301
							546150	84H0346	GPS	233 36 41	3457.732	3459.104
							737197	84H0431	GPS	263 9 36	2212.533	2213.411
							869792	NO MARKING	GPS	280 32 48	7492.285	7495.265
							80101	02H2443	GPS	298 21 6	4040.351	4041.956
							943175	88H4176	TERR	306 18 18	880.306	880.657
			839639	80H1300	GPS	355 23 22	2882.265	2883.410				
			49908	02H2413	GPS	359 45 24	4871.755	4873.691				
617167	92H0580	E	494407.600	0.9996033	1.0000029	591024	92H0581	TERR	91 1 1	113.661	113.706	
		N	5436699.950			300665	84H0345	TERR	268 5 20	94.761	94.798	
		El	1.161			CVD28GVRD2018	680223	84H0445	TERR	347 23 47	247.394	247.492
591024	92H0581	E	494521.243	0.9996033	1.0000029	675900	9316	TERR	86 48 51	124.805	124.855	
		N	5436697.933			617167	92H0580	TERR	271 1 1	113.661	113.706	
		El	.891			CVD28GVRD2018	470815	84H0446	TERR	357 44 60	108.070	108.113
479238	92H0582	E	494898.353	0.9996033	1.0000030	717611	84H0448	TERR	89 55 39	197.645	197.724	
		N	5436724.987			970053	87H3177	TERR	270 50 32	152.323	152.384	
		El	.774			CVD28GVRD2018						
785394	92H0583	E	506380.028	0.9995905	0.9999900	443192	82H5516	TERR	5 15 21	163.010	163.077	
		N	5444814.272			943431	82H5512	TERR	267 22 12	318.247	318.378	
		El	82.859			CVD28GVRD2018						
43026	92H0584	E	494169.005	0.9996003	0.9999998	771220	9276	TERR	88 18 25	321.431	321.560	
		N	5430197.408			810275	6862	TERR	271 46 47	253.198	253.299	
		El	20.747			CVD28GVRD2018						
379990	92H0585	E	495239.899	0.9996031	1.0000029	464404	87H3196	TERR	90 50 4	320.579	320.706	
		N	5431283.646			310276	9289	TERR	190 56 1	274.311	274.420	
		El	1.465			CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
666016	92H0586	E	495848.140	0.9996019	1.0000016	229385	6893	TERR	90 17 9	765.309	765.613						
		N	5434793.468									133975	6836	TERR	270 51 27	473.856	474.045
		El	9.197									CVD28GVRD2018					
719377	92H0587	E	495650.483	0.9996031	1.0000029	MARKER DESTROYED											
		N	5436888.682														
		El	1.234			CVD28GVRD2018											
714733	92H0588	E	494107.182	0.9996033	1.0000028	MARKER DESTROYED											
		N	5437633.243														
		El	1.565			CVD28GVRD2018											
173062	92H0589	E	495230.298	0.9996031	1.0000028	247791	84H0438	TERR	4 53 11	205.296	205.377						
		N	5437826.939			599589	84H0362	TERR	88 54 33	122.546	122.595						
		El	1.575			CVD28GVRD2018		43802	80H1295	TERR	180 8 13	204.848	204.929				
570655	92H0590	E	495353.078	0.9996031	1.0000029	827758	84H0369	TERR	101 49 14	235.532	235.626						
		N	5438112.149			690594	84H0361	TERR	177 56 27	88.506	88.541						
		El	1.365			CVD28GVRD2018											
288688	92H0591	E	495968.458	0.9996029	1.0000027	973974	88H4222	TERR	88 36 29	295.985	296.103						
		N	5437478.081			671636	79H9932	TERR	180 55 16	465.499	465.684						
		El	2.109			CVD28GVRD2018											
81836	92H0592	E	507786.638	0.9995917	0.9999910	949743	79H9911	TERR	13 54 47	191.225	191.303						
		N	5440740.532			292227	79H9919	TERR	183 12 42	108.828	108.873						
		El	76.943			CVD28GVRD2018		385088	82H5385	TERR	266 13 25	197.458	197.538				
500272	92H0594	E	494461.828	0.9996032	1.0000028	742825	84H0440	TERR	0 20 52	526.043	526.251						
		N	5437490.039			663443	84H0442	TERR	91 54 6	305.568	305.690						
		El	1.892			CVD28GVRD2018		729699	6953	TERR	180 27 33	485.532	485.725				
						912345	89H5683	TERR	273 19 38	198.865	198.945						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
252569	92H0596	E	505402.553	0.9996011	1.0000007	841734	6966	GPS	14 9 28	5050.576	5052.623							
		N	5440716.970									799270	9352	GPS	21 19 34	1754.007	1754.709	
		El	14.920									CVD28GVRD2018	898734	NO MARKING	GPS	30 36 33	9413.085	9416.903
													102970	92H0875	GPS	89 30 52	2614.704	2615.760
													901199	5620	GPS	114 38 14	6306.150	6308.656
													607093	5893	GPS	139 41 11	4019.618	4021.218
													995365	6910	GPS	194 13 45	2682.511	2683.579
													531079	6902	GPS	239 30 47	6416.626	6419.181
													737197	84H0431	GPS	259 13 3	11166.403	11170.849
													869792	NO MARKING	GPS	268 23 17	16144.570	16151.009
													839639	80H1300	GPS	276 38 7	9064.871	9068.482
													675850	84H0394	GPS	292 30 53	6542.208	6544.814
													815746	84H9508	GPS	357 26 34	3060.995	3062.221
84293	9300	E	505976.955	0.9995921	0.9999917	943431	82H5512	TERR	99 33 34	86.360	86.395							
		N	5444814.011									425587	9297	TERR	266 1 31	200.841	200.924	
		El	72.523									CVD28GVRD2018						
6387	9301	E	505378.978	0.9995978	0.9999975	MARKER DESTROYED												
		N	5445828.737															
		El	35.242			CVD28GVRD2018												
759027	9302	E	493479.364	0.9996034	1.0000028	MARKER ISOLATED												
		N	5437646.797															
		El	1.457			CVD28GVRD2018												
656157	9303	E	495390.553	0.9996031	1.0000028	792465	9304	TERR	90 16 49	234.554	234.647							
		N	5437233.782									824557	92H0567	TERR	273 41 57	165.914	165.979	
		El	1.531									CVD28GVRD2018						
792465	9304	E	495625.104	0.9996031	1.0000029	656157	9303	TERR	270 16 49	234.554	234.647							
		N	5437232.635															
		El	1.405									CVD28GVRD2018						
240929	9305	E	493722.805	0.9996032	1.0000027	MARKER DESTROYED												
		N	5437799.245															
		El	2.139			CVD28GVRD2018												
863951	9306	E	495296.205	0.9996031	1.0000029	565390	79H9930	TERR	12 46 23	170.466	170.534							
		N	5436891.287															
		El	1.277									CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
241059	9307	E	507211.107	0.9995901	0.9999894		MARKER DESTROYED				
		N	5447134.938								
		El	86.667	CVD28GVRD2018							
866327	9308	E	492546.326	0.9996036	1.0000029		MARKER DESTROYED				
		N	5436990.639								
		El	1.215	CVD28GVRD2018							
145946	9310	E	492507.431	0.9996035	1.0000028	208041	84H0389	TERR	61 8 60	143.228	143.284
		N	5437066.665			915090	6826	TERR	244 43 36	480.898	481.090
		El	1.583	CVD28GVRD2018							
276444	9311	E	506343.292	0.9995958	0.9999953	117945	9335	TERR	83 19 27	141.833	141.890
		N	5441159.898			832220	9359	TERR	258 19 27	181.673	181.746
		El	49.438	CVD28GVRD2018							
593293	9312	E	506102.018	0.9995970	0.9999965	387852	79H9914	TERR	46 48 57	137.241	137.296
		N	5441514.760			220558	84H9464	TERR	146 58 19	179.856	179.929
		El	41.422	CVD28GVRD2018		694794	84H9466	TERR	231 28 33	193.681	193.758
519405	9313	E	506040.303	0.9995902	0.9999897	800979	82H5484	TERR	80 59 46	141.769	141.826
		N	5443957.628			732685	79H9873	TERR	268 37 59	224.791	224.883
		El	84.942	CVD28GVRD2018							
530535	9314	E	493658.971	0.9996033	1.0000028	358242	6822	TERR	266 51 30	134.866	134.920
		N	5437489.202								
		El	1.439	CVD28GVRD2018							
675900	9316	E	494645.855	0.9996033	1.0000029	970053	87H3177	TERR	77 25 16	102.656	102.696
		N	5436704.869			591024	92H0581	TERR	266 48 51	124.805	124.855
		El	1.092	CVD28GVRD2018							
211102	9319	E	506265.325	0.9995953	0.9999948	406413	78H8571	TERR	103 15 57	95.024	95.062
		N	5441551.490			387852	79H9914	TERR	312 7 32	85.262	85.296
		El	52.550	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
681700	9320	E	493521.350	0.9996035	1.0000029	617258	9321	TERR	181 57 58	244.807	244.904		
		N	5436598.070					966663	80H1291	TERR	359 15 40	165.719	165.784
		El	.886					CVD28GVRD2018					
617258	9321	E	493512.951	0.9996035	1.0000030	681700	9320	TERR	1 57 58	244.807	244.904		
		N	5436353.407					854869	84H0424	TERR	86 17 37	132.047	132.100
		El	.670					CVD28GVRD2018					
842971	9322	E	505006.452	0.9995968	0.9999965	28878	9366	TERR	260 46 26	92.971	93.009		
		N	5445176.738										
		El	41.400					CVD28GVRD2018					
253674	9323	E	505584.904	0.9995913	0.9999909	694133	82H5477	TERR	92 13 9	306.995	307.121		
		N	5444391.108					561498	84H9492	TERR	186 39 23	145.997	146.057
		El	77.159					CVD28GVRD2018					
750083	9324	E	507193.187	0.9995884	0.9999877	242818	82H5464	TERR	97 4 3	189.859	189.937		
		N	5443993.895					981266	82H5458	TERR	180 12 32	150.769	150.831
		El	97.681					CVD28GVRD2018		143115	6928	TERR	266 52 15
453712	9325	E	498617.553	0.9996027	1.0000027	715060	9332	TERR	66 16 59	215.974	216.061		
		N	5442384.268					34876	9340	TERR	251 19 34	338.945	339.080
		El	2.196					CVD28GVRD2018					
784355	9326	E	506784.490	0.9995876	0.9999871	MARKER DESTROYED							
		N	5444805.705										
		El	101.857			CVD28GVRD2018							
831248	9327	E	505379.309	0.9995944	0.9999940	621888	82H5537	TERR	46 19 15	178.610	178.682		
		N	5445270.516					809491	87H2623	TERR	226 28 10	184.819	184.894
		El	57.234					CVD28GVRD2018					
495606	9328	E	505119.183	0.9995962	0.9999958	MARKER DESTROYED							
		N	5445254.042										
		El	45.761			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
148502	9329	E	507189.873	0.9995875	0.9999869		MARKER DESTROYED				
		N	5444392.647								
		El	102.833	CVD28GVRD2018							
877886	9330	E	504905.585	0.9995992	0.9999990		MARKER DESTROYED				
		N	5445471.478								
		El	25.934	CVD28GVRD2018							
295196	9331	E	505244.316	0.9995948	0.9999944		MARKER DESTROYED				
		N	5445142.922								
		El	54.885	CVD28GVRD2018							
715060	9332	E	498815.287	0.9996027	1.0000027	64196	82H5461	TERR	72 46 38	210.820	210.904
		N	5442471.137			519082	82H5529	TERR	165 58 23	152.960	153.020
		El	2.251	CVD28GVRD2018		453712	9325	TERR	246 16 59	215.974	216.061
295485	9333	E	506153.160	0.9995987	0.9999982	959361	84H9458	TERR	95 32 33	127.912	127.963
		N	5440831.656								
		El	30.762	CVD28GVRD2018							
523746	9334	E	506600.910	0.9995943	0.9999937	664540	82H5401	TERR	2 20 52	132.988	133.042
		N	5441176.461			117945	9335	TERR	269 57 47	116.747	116.795
		El	59.409	CVD28GVRD2018							
117945	9335	E	506484.163	0.9995950	0.9999945	523746	9334	TERR	89 57 47	116.747	116.795
		N	5441176.386			291815	9336	TERR	159 12 2	169.843	169.912
		El	54.758	CVD28GVRD2018		276444	9311	TERR	263 19 27	141.833	141.890
291815	9336	E	506544.474	0.9995950	0.9999944	117945	9335	TERR	339 12 2	169.843	169.912
		N	5441017.612								
		El	54.943	CVD28GVRD2018							
676825	9337	E	506594.580	0.9995948	0.9999943		MARKER DESTROYED				
		N	5440909.744								
		El	55.819	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
546929	9338	E	506762.313	0.9995943	0.9999937		MARKER ISOLATED				
		N	5440842.300								
		El	59.435	CVD28GVRD2018							
63396	9339	E	494711.401	0.9996033	1.0000029	207381	87H3179	TERR	180 27 57	193.602	193.679
		N	5437241.297								
		El	1.023	CVD28GVRD2018							
34876	9340	E	498296.451	0.9996027	1.0000027	453712	9325	TERR	71 19 34	338.945	339.080
		N	5442275.744								
		El	2.227	CVD28GVRD2018							
278101	9341	E	506997.653	0.9995885	0.9999878	377028	80H1340	TERR	163 47 4	203.412	203.496
		N	5441275.008			304527	82H5397	TERR	275 5 25	204.756	204.839
		El	96.957	CVD28GVRD2018							
531749	9342	E	504863.846	0.9995973	0.9999970	6429	9347	TERR	91 26 34	262.411	262.517
		N	5444279.506			222471	9351	TERR	159 42 24	162.909	162.974
		El	38.180	CVD28GVRD2018							
153205	9343	E	507199.071	0.9995919	0.9999913		MARKER DESTROYED				
		N	5443046.237								
		El	74.872	CVD28GVRD2018							
722918	9344	E	507371.616	0.9995922	0.9999915	345025	79H9852	TERR	105 38 37	217.856	217.944
		N	5441482.792			445866	79H9869	TERR	303 38 53	165.551	165.619
		El	73.661	CVD28GVRD2018							
757872	9345	E	507144.600	0.9995876	0.9999870	622985	9348	TERR	21 25 26	151.781	151.843
		N	5446019.199			915694	6940	TERR	91 16 13	356.794	356.941
		El	102.252	CVD28GVRD2018		161422	82H5562	TERR	95 54 49	151.422	151.485
						657387	90H6228	TERR	183 4 14	402.492	402.658
						831511	78H8568	TERR	270 11 40	266.867	266.976
168344	9346	E	505457.861	0.9995925	0.9999922	591933	79H9916	TERR	79 17 15	107.365	107.409
		N	5443952.126			234559	79H9853	TERR	330 23 11	107.193	107.237
		El	69.271	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
6429	9347	E	505126.174	0.9995952	0.9999948	531749	9342	TERR	271 26 34	262.411	262.517
		N	5444272.899								
		El	52.209	CVD28GVRD2018							
622985	9348	E	507200.040	0.9995882	0.9999875	757872	9345	TERR	201 25 26	151.781	151.843
		N	5446160.492			958603	6946	TERR	359 21 29	259.747	259.854
		El	98.649	CVD28GVRD2018							
524801	9349	E	507194.442	0.9995899	0.9999892			MARKER DESTROYED			
		N	5443469.097								
		El	87.993	CVD28GVRD2018							
820399	9350	E	507181.305	0.9995926	0.9999919	192179	82H5427	TERR	89 47 7	358.398	358.544
		N	5442746.379			663385	82H5445	TERR	174 13 27	135.023	135.079
		El	70.818	CVD28GVRD2018							
222471	9351	E	504920.347	0.9995995	0.9999992	669101	78H8547	TERR	132 28 52	259.567	259.671
		N	5444126.709			531749	9342	TERR	339 42 24	162.909	162.974
		El	24.287	CVD28GVRD2018							
799270	9352	E	506040.443	0.9995989	0.9999985	841734	6966	GPS	10 22 29	3317.508	3318.856
		N	5442350.872			898734	NO MARKING	GPS	32 43 6	7687.258	7690.384
		El	29.164	CVD28GVRD2018		546390	5025	GPS	97 41 28	8554.351	8557.765
						686790	92H0898	GPS	122 31 56	9069.646	9073.257
						102970	92H0875	GPS	129 11 33	2550.520	2551.553
						607093	5893	GPS	157 19 49	5092.343	5094.375
						995365	6910	GPS	197 2 2	4428.385	4430.152
						252569	92H0596	GPS	201 19 34	1754.007	1754.709
						446658	80H1267	GPS	223 29 48	12856.947	12862.081
						511071	80H1284	TERR	241 11 16	111.091	111.135
						815746	84H9508	GPS	331 27 38	1621.019	1621.669
						598474	9353	TERR	340 26 12	94.042	94.079
598474	9353	E	506008.953	0.9995994	0.9999990	799270	9352	TERR	160 26 12	94.042	94.079
		N	5442439.485			487009	9354	TERR	329 23 26	115.259	115.306
		El	25.855	CVD28GVRD2018							
487009	9354	E	505950.265	0.9996014	1.0000010	598474	9353	TERR	149 23 26	115.259	115.306
		N	5442538.684			749515	79H9927	TERR	346 57 4	94.848	94.886
		El	13.022	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
646083	9355	E	506826.191	0.9995944	0.9999938		MARKER DESTROYED				
		N	5440739.889								
		El	59.097	CVD28GVRD2018							
864934	9356	E	506254.469	0.9995982	0.9999977	61390	78H8565	TERR	89 17 42	294.883	295.003
		N	5440728.487			130211	78H8560	TERR	268 57 27	225.447	225.538
		El	34.106	CVD28GVRD2018							
174912	9357	E	506395.988	0.9995918	0.9999913	141572	83H6500	TERR	12 56 51	435.025	435.202
		N	5446121.174			610592	9361	TERR	186 33 21	106.156	106.199
		El	74.998	CVD28GVRD2018							
832220	9359	E	506165.378	0.9995962	0.9999958	276444	9311	TERR	78 19 27	181.673	181.746
		N	5441123.132								
		El	46.467	CVD28GVRD2018							
246728	9360	E	506152.690	0.9995972	0.9999968		MARKER DESTROYED				
		N	5440968.979								
		El	40.036	CVD28GVRD2018							
610592	9361	E	506383.868	0.9995913	0.9999908	174912	9357	TERR	6 33 21	106.156	106.199
		N	5446015.712			994863	78H8575	TERR	88 24 20	199.650	199.731
		El	77.867	CVD28GVRD2018		394981	82H5569	TERR	180 8 21	114.509	114.557
27078	9362	E	504795.509	0.9995986	0.9999983	28878	9366	TERR	109 6 11	126.120	126.170
		N	5445203.107			394627	82H5543	TERR	222 2 50	225.116	225.207
		El	30.069	CVD28GVRD2018							
417063	9363	E	507124.646	0.9995867	0.9999861	861195	78H8549	TERR	270 19 30	285.373	285.490
		N	5445206.210								
		El	108.075	CVD28GVRD2018							
664607	9364	E	494569.526	0.9995972	0.9999969	668822	84H0384	TERR	90 3 14	417.333	417.500
		N	5428583.708			211383	6980	TERR	269 25 2	399.181	399.343
		El	39.690	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
283622	9365	E	507124.484	0.9995869	0.9999863		MARKER DESTROYED				
		N	5445039.014								
		El	106.566	CVD28GVRD2018							
28878	9366	E	504914.684	0.9995981	0.9999978	842971	9322	TERR	80 46 26	92.971	93.009
		N	5445161.832			27078	9362	TERR	289 6 11	126.120	126.170
		El	33.243	CVD28GVRD2018							
864397	9367	E	493707.830	0.9995948	0.9999943	159749	9368	TERR	62 42 1	84.937	84.971
		N	5428682.406			603712	9292	TERR	176 58 5	153.855	153.918
		El	56.251	CVD28GVRD2018							
159749	9368	E	493783.307	0.9995952	0.9999947	285627	87H3186	TERR	135 40 46	127.764	127.816
		N	5428721.362			864397	9367	TERR	242 42 1	84.937	84.971
		El	53.597	CVD28GVRD2018		901819	9371	TERR	346 55 47	158.102	158.166
263673	9369	E	493865.817	0.9995952	0.9999947		MARKER DESTROYED				
		N	5428625.053								
		El	53.684	CVD28GVRD2018							
660308	9370	E	494009.633	0.9995955	0.9999950	901819	9371	TERR	267 6 58	262.412	262.518
		N	5428888.570								
		El	51.417	CVD28GVRD2018							
901819	9371	E	493747.553	0.9995952	0.9999948	660308	9370	TERR	87 6 58	262.412	262.518
		N	5428875.368			159749	9368	TERR	166 55 47	158.102	158.166
		El	53.267	CVD28GVRD2018		766196	6986	TERR	357 59 19	90.626	90.663
657122	9372	E	493934.761	0.9995955	0.9999950	881680	6985	TERR	88 2 48	238.079	238.176
		N	5428964.003			766196	6986	TERR	270 34 56	190.399	190.476
		El	51.436	CVD28GVRD2018							
649814	9373	E	494369.851	0.9995949	0.9999945	971184	6978	TERR	91 40 31	214.378	214.464
		N	5428171.317			474676	6979	TERR	268 12 37	208.246	208.331
		El	55.038	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
163204	9374	E	493749.124	0.9995995	0.9999991	810275	6862	TERR	93 23 17	167.097	167.164						
		N	5430215.147									624478	6998	TERR	352 56 19	279.824	279.936
		El	25.721									CVD28GVRD2018					
673939	9375	E	494076.648	0.9995946	0.9999942	211383	6980	TERR	48 46 17	124.611	124.661						
		N	5428497.520									545046	9376	TERR	182 44 53	331.570	331.705
		El	56.940									CVD28GVRD2018					
545046	9376	E	494060.751	0.9995945	0.9999941	673939	9375	TERR	2 44 53	331.570	331.705						
		N	5428166.331									474676	6979	TERR	90 51 41	100.967	101.008
		El	57.556									CVD28GVRD2018		833277	87H3146	TERR	267 0 30
695932	9377	E	494970.342	0.9996027	1.0000023	MARKER DESTROYED											
		N	5431026.382														
		El	4.778			CVD28GVRD2018											
957605	9378	E	494969.720	0.9996011	1.0000007	MARKER DESTROYED											
		N	5430613.233														
		El	15.00			(APPROX. ONLY)											
403014	9379	E	494990.103	0.9996015	1.0000012	MARKER DESTROYED											
		N	5430190.704														
		El	12.346			CVD28GVRD2018											
386136	9380	E	494969.847	0.9996013	1.0000010	644187	6875	TERR	179 0 3	473.595	473.785						
		N	5429932.219														
		El	13.169									CVD28GVRD2018					

END OF REPORT