

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
57273	02H2415	E	493487.206	0.9996030	1.0000025		MARKER DESTROYED				
		N	5449330.266								
		El	3.336	CVD28GVRD2018							
80101	02H2443	E	493074.374	0.9996032	1.0000026	51441	02H2453	GPS	14 38 35	1208.317	1208.797
		N	5440810.157			88062	14H2736	GPS	67 33 7	9991.777	9995.747
		El	3.070	CVD28GVRD2018		839639	80H1300	GPS	73 58 57	3458.285	3459.658
						528505	92H0579	GPS	118 21 6	4040.351	4041.956
						991802	88H4194	GPS	140 20 40	5553.702	5555.907
						737197	84H0431	GPS	148 5 18	2570.735	2571.755
						546150	84H0346	GPS	168 59 35	4044.416	4046.021
						703199	6846	GPS	180 46 31	5732.726	5735.000
						647321	77C010	GPS	187 51 55	11660.258	11664.884
						394437	77H4671	GPS	254 27 43	3172.183	3173.441
						869792	NO MARKING	GPS	261 49 30	3849.114	3850.644
						537563	77H4827	GPS	280 44 51	5562.470	5564.674
						59121	02H2452	GPS	295 36 4	3377.472	3378.812
59121	02H2452	E	490028.486	0.9996040	1.0000028	51441	02H2453	GPS	94 57 5	3363.898	3365.232
		N	5442269.569			80101	02H2443	GPS	115 36 4	3377.472	3378.812
		El	1.563	CVD28GVRD2018		647321	77C010	GPS	173 38 22	13090.552	13095.739
						394437	77H4671	GPS	180 15 25	2309.201	2310.116
						869792	NO MARKING	GPS	200 50 44	2147.292	2148.144
						537563	77H4827	GPS	260 6 6	2455.559	2456.531
						528513	NFHC 5	GPS	331 22 57	13690.880	13696.334
51441	02H2453	E	493379.831	0.9996033	1.0000028	875864	NO MARKING	GPS	0 26 8	16136.505	16142.941
		N	5441979.228			832238	02H2457	GPS	29 38 41	3203.320	3204.593
		El	1.663	CVD28GVRD2018		274696	78H8518	GPS	35 18 5	5578.636	5580.851
						49908	02H2413	GPS	61 5 4	3689.511	3690.976
						898734	NO MARKING	GPS	67 52 3	18153.271	18160.617
						675850	84H0394	GPS	78 15 26	6106.970	6109.396
						839639	80H1300	GPS	94 4 15	3026.204	3027.406
						80101	02H2443	GPS	194 38 35	1208.317	1208.797
						394437	77H4671	GPS	239 0 49	3921.320	3922.875
						869792	NO MARKING	GPS	247 21 39	4459.038	4460.810
						537563	77H4827	GPS	268 41 31	5771.856	5774.143
						59121	02H2452	GPS	274 57 5	3363.898	3365.232
						436808	V-3235	GPS	340 21 5	14531.772	14537.562
						546226	83	GPS	352 8 18	8540.294	8543.682
						619213	94H1624	GPS	359 8 52	3573.412	3574.831

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
99127	144-696	E	490048.374	0.9996041	1.0000028	727784	82H5095	TERR	3 29 36	206.804	206.887	
		N	5446387.052			317214	77H4674	TERR	91 16 43	368.666	368.812	
		El	1.262			CVD28GVRD2018	8698	91H9830	TERR	178 45 33	401.414	401.573
							244103	77H4717	TERR	181 34 39	404.227	404.388
							194845	77H4628	TERR	269 24 47	267.785	267.890
							133777	77H4899	TERR	359 51 53	400.066	400.224
236976	152	E	490464.810	0.9996039	1.0000028	706945	77H4968	TERR	90 21 8	197.956	198.034	
		N	5447997.140			951376	77H4970	TERR	180 0 49	199.087	199.166	
		El	1.699			CVD28GVRD2018	725010	77H4934	TERR	270 26 5	225.753	225.841
704775	155	E	492144.228	0.9996026	1.0000018	780791	91H9833	TERR	270 43 19	461.141	461.323	
		N	5447990.136			911032	77H5829	TERR	313 1 25	896.750	897.106	
		El	7.649			CVD28GVRD2018						
581959	158	E	492518.671	0.9996034	1.0000027	384859	77H5828	TERR	180 0 5	504.580	504.780	
		N	5449317.909			976464	77H4977	TERR	289 9 22	395.413	395.569	
		El	1.901			CVD28GVRD2018	247494	78H8494	TERR	359 45 54	137.587	137.642

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
258020	19713	E	485736.977	0.9996050	1.0000025	174268	V-2982	GPS	2 45 37	11430.665	11435.189
		N	5441825.004			459552	83C213	GPS	3 39 45	73941.846	73971.674
		El	3.396	CVD28GVRD2018		186437	677013	TERR	7 54 31	24808.377	24818.697
						58081	02H2408	GPS	10 46 20	5678.038	5680.283
						462267	V-3433	GPS	12 40 29	16544.147	16550.699
						693028	79H1206	GPS	14 37 20	26604.747	26615.615
						496687	77H4891	GPS	19 14 3	4138.786	4140.422
						681239	677011	GPS	25 13 36	23624.522	23634.106
						921874	77C107	GPS	43 40 18	28263.206	28274.402
						415232		TERR	49 39 26	25902.715	25913.631
						670653	432	GPS	52 42 53	16024.733	16031.206
						821058	84H9889	GPS	54 15 46	27460.904	27472.059
						898734	NO MARKING	GPS	74 2 35	25438.691	25448.972
						985606	86H1304	GPS	75 27 1	28495.474	28506.999
						546473	85H0764	GPS	77 42 31	49267.770	49287.421
						308429	90H6222	GPS	83 1 42	21413.664	21422.328
						918169	14H2752	GPS	87 4 27	9277.019	9280.697
						537563	77H4827	GPS	89 18 46	1872.637	1873.377
						635201	897056	GPS	89 53 14	65142.944	65168.045
						929125	82H5827	GPS	90 42 44	56074.059	56096.483
						956441	77C048	GPS	92 4 39	86816.756	86849.143
						825034	3340	GPS	95 36 32	71958.929	71988.966
						328773	34	GPS	101 5 1	71861.956	71889.448
						967042	PIER 3	GPS	101 15 57	37502.228	37517.157
						55384	6202	GPS	101 35 8	21073.931	21082.293
						471508	19	GPS	105 19 56	52937.533	52958.375
						854612	88H3910	GPS	112 14 28	29364.888	29376.691
						132878	897058	GPS	113 22 5	34815.898	34829.695
						753483	5D	GPS	113 42 54	35078.606	35092.487
						869792	NO MARKING	GPS	113 53 13	3857.836	3859.365
						153528	137000	TERR	136 18 13	12704.528	12709.558
						126011	0	GPS	151 38 36	16063.821	16070.181
						406991	77C032	GPS	160 10 19	3987.436	3989.011
						432716	907001	GPS	194 51 33	84955.113	84987.839
						534933	927000	GPS	194 53 19	84938.137	84970.899
						198150		GPS	199 34 13	56603.871	56625.859
						977454	677014	TERR	344 24 53	15677.750	15684.068
						939132	128-1950	GPS	349 52 11	23528.615	23537.884
						326595	PIER 3	GPS	350 53 39	25076.876	25087.100
						721837	83C193	GPS	356 50 60	47917.164	47935.976
						373399		TERR	357 36 55	25260.534	25271.560
						30031	77H4885	GPS	357 45 10	4568.274	4570.079
						74427		GPS			
						20230		GPS			
						259598		GPS			
						753988		GPS			
						890558		GPS			
						600825		GPS			
						744664		GPS			

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
						324194		GPS			
972026	323	E 491694.684 N 5447346.657 El 1.883		0.9996036	1.0000027	366559 314732 945238	77H5806 88H4815 77H4943	TERR TERR TERR	0 18 40 179 11 56 269 47 59	321.742 188.465 764.476	321.869 188.541 764.779
956375	77H4501	E 488403.139 N 5441663.785 El 1.723		0.9996044	1.0000028	71654 996298 270132	77H4507 77H4595 77H4517	TERR TERR TERR	1 0 43 179 43 48 277 18 7	298.704 159.769 139.279	298.822 159.832 139.334
226456	77H4502	E 486567.184 N 5445365.119 El 1.006		0.9996051	1.0000029	657098 956722	77H4540 77H4599	TERR TERR	95 36 50 270 14 45	165.089 164.271	165.154 164.336
266536	77H4503	E 486666.190 N 5442437.244 El .931		0.9996051	1.0000029	795385 851444	77H4524 77H4535	TERR TERR	6 32 13 269 13 9	178.334 110.728	178.405 110.773
64774	77H4504	E 488039.236 N 5441646.958 El .876		0.9996047	1.0000029	616243 328914	77H4523 77H4577	TERR TERR	55 5 34 268 36 10	140.011 232.956	140.066 233.048
808634	77H4505	E 486032.068 N 5445126.393 El 1.174		0.9996052	1.0000029	472308	77H4596	TERR	95 27 31	144.894	144.951
862524	77H4506	E 486539.801 N 5442613.653 El 1.079		0.9996051	1.0000029	795385 388611	77H4524 77H4543	TERR TERR	89 42 3 289 24 53	146.693 82.520	146.751 82.553
71654	77H4507	E 488408.414 N 5441962.442 El 1.571		0.9996045	1.0000028	864777 956375	77H4805 77H4501	TERR TERR	0 3 33 181 0 43	346.332 298.704	346.469 298.822
890202	77H4508	E 487996.418 N 5441377.198 El 1.351		0.9996046	1.0000028	881656 761122	77H4814 77H4826	TERR TERR	92 16 25 270 24 56	411.858 392.369	412.021 392.525

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
313189	77H4509	E	486005.207	0.9996052	1.0000028		MARKER DESTROYED				
		N	5443141.937								
		El	1.622	CVD28GVRD2018							
197764	77H4510	E	486021.758	0.9996052	1.0000028	147850	77H4531	TERR	180 27 31	95.592	95.630
		N	5442962.569			840363	77H4569	TERR	271 45 48	160.226	160.289
		El	1.467	CVD28GVRD2018							
596312	77H4511	E	486158.737	0.9996052	1.0000029	183731	77H4807	TERR	88 17 28	162.809	162.874
		N	5444520.641			545970	77H4582	TERR	321 7 18	89.550	89.585
		El	1.059	CVD28GVRD2018							
509604	77H4512	E	486436.283	0.9996051	1.0000029	388611	77H4543	TERR	7 5 8	208.268	208.349
		N	5442434.406			851444	77H4535	TERR	89 21 40	119.196	119.243
		El	1.084	CVD28GVRD2018							
124164	77H4513	E	486955.772	0.9996049	1.0000028	762146	77H4574	TERR	89 57 42	281.772	281.883
		N	5443953.707			751800	77H4855	TERR	271 52 38	179.829	179.900
		El	1.675	CVD28GVRD2018							
253500	77H4514	E	486006.949	0.9996052	1.0000028	412189	77H4558	TERR	4 16 24	117.277	117.323
		N	5444504.860			614131	77H4581	TERR	231 45 47	127.373	127.424
		El	1.337	CVD28GVRD2018							
288134	77H4515	E	487865.514	0.9996046	1.0000028	662379	77H4538	TERR	169 47 5	100.203	100.243
		N	5444316.383			59170	77H4563	TERR	276 46 28	119.575	119.622
		El	1.354	CVD28GVRD2018							
468793	77H4516	E	487446.747	0.9996048	1.0000029	218933	77H4536	TERR	359 38 44	222.201	222.289
		N	5442472.478								
		El	.941	CVD28GVRD2018							
270132	77H4517	E	488264.990	0.9996046	1.0000029	956375	77H4501	TERR	97 18 7	139.279	139.334
		N	5441681.487			616243	77H4523	TERR	292 20 31	119.937	119.985
		El	.971	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
724716	77H4518	E	487085.353	0.9996049	1.0000028	570481	77H4552	TERR	90 34 17	237.669	237.763		
		N	5442331.934					492181	77H4858	TERR	271 48 29	313.315	313.438
		El	1.482					CVD28GVRD2018					
196303	77H4519	E	486446.640	0.9996051	1.0000029	991703	77H4819	TERR	94 3 44	324.172	324.301		
		N	5442725.978					388611	77H4543	TERR	169 45 44	86.269	86.303
		El	.991					CVD28GVRD2018		744425	77H4533	TERR	270 41 24
859025	77H4520	E	486232.903	0.9996051	1.0000028	393264	77H4549	TERR	90 11 22	299.262	299.380		
		N	5443954.730					578880	77H4841	TERR	271 13 31	398.338	398.495
		El	1.442					CVD28GVRD2018					
994806	77H4521	E	487060.625	0.9996049	1.0000028	MARKER DESTROYED							
		N	5441849.300										
		El	1.583			CVD28GVRD2018							
698365	77H4522	E	485941.604	0.9996052	1.0000028	483636	77H4553	TERR	124 36 15	195.588	195.665		
		N	5442625.779										
		El	1.494					CVD28GVRD2018					
616243	77H4523	E	488154.056	0.9996046	1.0000029	270132	77H4517	TERR	112 20 31	119.937	119.985		
		N	5441727.079					64774	77H4504	TERR	235 5 34	140.011	140.066
		El	.966					CVD28GVRD2018		104430	77H4546	TERR	351 18 52
795385	77H4524	E	486686.492	0.9996051	1.0000029	266536	77H4503	TERR	186 32 13	178.334	178.405		
		N	5442614.419					862524	77H4506	TERR	269 42 3	146.693	146.751
		El	.943					CVD28GVRD2018					
150771	77H4525	E	486250.745	0.9996052	1.0000029	744425	77H4533	TERR	10 59 9	197.398	197.477		
		N	5442534.103					483636	77H4553	TERR	262 32 25	149.418	149.477
		El	1.209					CVD28GVRD2018					
336149	77H4526	E	486563.490	0.9996051	1.0000029	MARKER DESTROYED							
		N	5443051.208										
		El	1.199			CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
79624	77H4527	E	486176.504	0.9996052	1.0000028	634105	77H4598	TERR	90 1 44	145.487	145.545		
		N	5444783.055					588319	77H4822	TERR	267 46 24	160.124	160.188
		El	1.249					CVD28GVRD2018	331967	77H4587	TERR	347 50 45	90.527
287763	77H4528	E	485806.063	0.9996053	1.0000028	614131	77H4581	TERR	44 4 39	144.962	145.019		
		N	5444321.886					93476	77H4537	TERR	178 26 15	187.662	187.736
		El	1.288					CVD28GVRD2018					
855635	77H4529	E	486422.884	0.9996052	1.0000029	956722	77H4599	TERR	353 14 45	169.787	169.854		
		N	5445197.215										
		El	.941					CVD28GVRD2018					
478099	77H4530	E	485934.524	0.9996052	1.0000028			MARKER DESTROYED					
		N	5442776.953										
		El	1.563					CVD28GVRD2018					
147850	77H4531	E	486020.993	0.9996052	1.0000028	197764	77H4510	TERR	0 27 31	95.592	95.630		
		N	5442866.980										
		El	1.494					CVD28GVRD2018					
22475	77H4532	E	486763.206	0.9996049	1.0000027	770453	83H6544	TERR	1 15 40	148.610	148.670		
		N	5443357.910					4200	77H4836	TERR	178 51 25	206.452	206.534
		El	2.014					CVD28GVRD2018					
744425	77H4533	E	486288.362	0.9996052	1.0000029	196303	77H4519	TERR	90 41 24	158.290	158.352		
		N	5442727.884					150771	77H4525	TERR	190 59 9	197.398	197.477
		El	1.249					CVD28GVRD2018					
614362	77H4534	E	485843.390	0.9996053	1.0000028			MARKER ISOLATED					
		N	5443155.491										
		El	1.475					CVD28GVRD2018					
851444	77H4535	E	486555.472	0.9996051	1.0000029	266536	77H4503	TERR	89 13 9	110.728	110.773		
		N	5442435.735					520742	77H4557	TERR	182 17 13	86.462	86.496
		El	.947					CVD28GVRD2018	509604	77H4512	TERR	269 21 40	119.196

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218933	77H4536	E	487445.372	0.9996048	1.0000029	468793	77H4516	TERR	179 38 44	222.201	222.289
		N	5442694.675								
		El	.943	CVD28GVRD2018							
93476	77H4537	E	485811.180	0.9996053	1.0000028	578880	77H4841	TERR	172 11 6	172.651	172.719
		N	5444134.294			287763	77H4528	TERR	358 26 15	187.662	187.736
		El	1.358	CVD28GVRD2018							
662379	77H4538	E	487883.285	0.9996046	1.0000028	288134	77H4515	TERR	349 47 5	100.203	100.243
		N	5444217.768								
		El	1.292	CVD28GVRD2018							
525931	77H4539	E	485986.340	0.9996052	1.0000028	40444	77H4541	TERR	179 6 57	189.857	189.932
		N	5444325.177			614131	77H4581	TERR	321 46 24	128.378	128.428
		El	1.358	CVD28GVRD2018							
657098	77H4540	E	486731.481	0.9996050	1.0000029	226456	77H4502	TERR	275 36 50	165.089	165.154
		N	5445348.969								
		El	1.108	CVD28GVRD2018							
40444	77H4541	E	485989.270	0.9996053	1.0000029	264002	77H4881	TERR	91 46 9	249.719	249.818
		N	5444135.343			525931	77H4539	TERR	359 6 57	189.857	189.932
		El	1.120	CVD28GVRD2018							
502351	77H4542	E	486564.114	0.9996051	1.0000029		MARKER DESTROYED				
		N	5441379.759								
		El	1.274	CVD28GVRD2018							
388611	77H4543	E	486461.973	0.9996051	1.0000029	862524	77H4506	TERR	109 24 53	82.520	82.553
		N	5442641.083			509604	77H4512	TERR	187 5 8	208.268	208.349
		El	1.063	CVD28GVRD2018		196303	77H4519	TERR	349 45 44	86.269	86.303
62240	77H4544	E	487347.537	0.9996048	1.0000028	770024	77H4597	TERR	1 41 45	219.131	219.218
		N	5444764.334			484477	77H4813	TERR	88 52 43	240.521	240.616
		El	1.538	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
941252	77H4545	E	487620.399	0.9996047	1.0000029	502286	78H8335	TERR	91 13 48	145.611	145.668			
		N	5441561.126					761122	77H4826	TERR	185 9 22	181.819	181.890	
		El	1.242					CVD28GVRD2018	537563	77H4827	TERR	357 48 57	286.542	286.656
104430	77H4546	E	488128.627	0.9996046	1.0000029	616243	77H4523	TERR	171 18 52	168.393	168.459			
		N	5441893.541					437954	77H4573	TERR	341 49 26	185.878	185.952	
		El	1.037					CVD28GVRD2018						
491076	77H4547	E	488221.737	0.9996046	1.0000029	830463	77H4588	TERR	265 9 21	153.575	153.635			
		N	5444679.252											
		El	.946					CVD28GVRD2018						
227132	77H4548	E	486003.976	0.9996051	1.0000027	435636	77H4810	TERR	1 47 46	187.754	187.828			
		N	5442157.233					208868	77H4897	TERR	91 29 15	341.895	342.031	
		El	2.152					CVD28GVRD2018	664508	88H4825	TERR	176 59 20	200.915	200.995
393264	77H4549	E	486532.163	0.9996050	1.0000028	652990	V-1292	GPS	29 33 43	9036.243	9039.862			
		N	5443953.741					751800	77H4855	TERR	88 37 27	243.947	244.044	
		El	1.553					CVD28GVRD2018	49908	02H2413	GPS	91 5 0	10079.024	10083.020
									869792	NO MARKING	GPS	143 29 21	4592.143	4593.963
									859025	77H4520	TERR	270 11 22	299.262	299.380
									538736	V-2980	GPS	356 47 17	8102.639	8105.840
254128	77H4550	E	486773.039	0.9996050	1.0000029	19794	77H4878	TERR	359 49 38	172.741	172.809			
		N	5441379.393					516302	77H4879	TERR	1 38 10	147.024	147.082	
		El	1.224					CVD28GVRD2018	77H4583	TERR	87 4 9	248.829	248.927	
343293	77H4551	E	487362.067	0.9996048	1.0000029	199471	77H4570	TERR	268 52 1	387.553	387.706			
		N	5443508.237											
		El	1.243					CVD28GVRD2018						
570481	77H4552	E	487323.010	0.9996048	1.0000028	701698	77H4816	TERR	88 35 55	287.126	287.240			
		N	5442329.564					724716	77H4518	TERR	270 34 17	237.669	237.763	
		El	1.741					CVD28GVRD2018						
483636	77H4553	E	486102.592	0.9996052	1.0000028	150771	77H4525	TERR	82 32 25	149.418	149.477			
		N	5442514.704					698365	77H4522	TERR	304 36 15	195.588	195.665	
		El	1.408					CVD28GVRD2018						

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
781161	77H4554	E	487387.104	0.9996048	1.0000029	761122	77H4826	TERR	92 15 17	217.123	217.209				
		N	5441388.585					516302	77H4583	TERR	270 33 12	365.579	365.724		
		El	1.179					CVD28GVRD2018							
994129	77H4555	E	487437.805	0.9996048	1.0000029	592741	77H4586	TERR	3 1 38	180.312	180.383				
		N	5442788.644												
		El	.997					CVD28GVRD2018							
964460	77H4556	E	487959.448	0.9996047	1.0000029	232488	77H4830	TERR	1 47 44	177.263	177.333				
		N	5444589.342					795344	77H4590	TERR	273 14 59	217.224	217.311		
		El	.932					CVD28GVRD2018							
520742	77H4557	E	486552.022	0.9996050	1.0000027	851444	77H4535	TERR	2 17 13	86.462	86.496				
		N	5442349.342					492181	77H4858	TERR	91 57 25	220.301	220.388		
		El	1.938					CVD28GVRD2018		647032	77H4820	TERR	177 30 40	202.255	202.334
										366245	77H4578	TERR	270 12 27	205.541	205.623
412189	77H4558	E	486015.688	0.9996052	1.0000028	588319	77H4822	TERR	0 18 2	155.025	155.086				
		N	5444621.811					545970	77H4582	TERR	109 54 44	92.363	92.399		
		El	1.264					CVD28GVRD2018		253500	77H4514	TERR	184 16 24	117.277	117.323
69864	77H4559	E	486786.369	0.9996048	1.0000027	441543	77H4889	TERR	178 35 60	372.536	372.684				
		N	5445148.709												
		El	2.233					CVD28GVRD2018							
351882	77H4560	E	486560.705	0.9996051	1.0000029	MARKER ISOLATED									
		N	5442806.514												
		El	.947			CVD28GVRD2018									
723742	77H4561	E	486487.382	0.9996051	1.0000028	441543	77H4889	TERR	91 19 42	308.172	308.294				
		N	5444783.428					634105	77H4598	TERR	269 50 44	165.392	165.456		
		El	1.282					CVD28GVRD2018		184622	77H4576	TERR	356 23 4	206.024	206.105
3178	77H4562	E	486221.673	0.9996052	1.0000029	956722	77H4599	TERR	88 4 55	181.344	181.415				
		N	5445359.754												
		El	1.071					CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
59170	77H4563	E	487746.774	0.9996047	1.0000028	117515	77H4837	TERR	2 40 53	89.027	89.061		
		N	5444330.488					288134	77H4515	TERR	96 46 28	119.575	119.622
		El	1.492					CVD28GVRD2018					
113902	77H4564	E	488067.594	0.9996046	1.0000029	830463	77H4588	TERR	0 35 12	109.096	109.139		
		N	5444557.193										
		El	1.084					CVD28GVRD2018					
395970	77H4565	E	485847.815	0.9996053	1.0000028	840363	77H4569	TERR	4 46 54	165.469	165.535		
		N	5442802.606										
		El	1.502					CVD28GVRD2018					
626515	77H4566	E	487471.651	0.9996047	1.0000028	537563	77H4827	TERR	92 55 31	138.008	138.062		
		N	5441854.503					680801	77H4585	TERR	268 40 27	164.607	164.673
		El	1.658					CVD28GVRD2018					
914812	77H4567	E	487353.635	0.9996048	1.0000029	770024	77H4597	TERR	179 50 35	141.268	141.323		
		N	5445124.636										
		El	1.000					CVD28GVRD2018					
874537	77H4568	E	486190.137	0.9996052	1.0000029	331967	77H4587	TERR	210 11 52	64.998	65.024		
		N	5444927.730					472308	77H4596	TERR	355 43 17	185.397	185.470
		El	1.205					CVD28GVRD2018					
840363	77H4569	E	485861.608	0.9996053	1.0000028	197764	77H4510	TERR	91 45 48	160.226	160.289		
		N	5442967.499					395970	77H4565	TERR	184 46 54	165.469	165.535
		El	1.277					CVD28GVRD2018					
199471	77H4570	E	486974.590	0.9996049	1.0000028	343293	77H4551	TERR	88 52 1	387.553	387.706		
		N	5443500.574					770453	83H6544	TERR	271 37 36	208.197	208.279
		El	1.422					CVD28GVRD2018					
839027	77H4571	E	487459.754	0.9996047	1.0000028	123752	77H4867	TERR	86 55 15	156.957	157.019		
		N	5443139.313					592741	77H4586	TERR	184 9 58	171.061	171.129
		El	1.669					CVD28GVRD2018		37200	77H4871	TERR	271 21 29

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
856708	77H4572	E	486961.250	0.9996050	1.0000029	350298	77H4877	TERR	86 19 50	177.022	177.092
		N	5444314.311								
		El	1.043	CVD28GVRD2018							
437954	77H4573	E	488070.644	0.9996047	1.0000029	889758	77H4593	TERR	37 30 59	181.916	181.989
		N	5442070.144			104430	77H4546	TERR	161 49 26	185.878	185.952
		El	.917	CVD28GVRD2018							
762146	77H4574	E	487237.544	0.9996048	1.0000028	632893	77H4834	TERR	88 27 2	382.315	382.466
		N	5443953.896			124164	77H4513	TERR	269 57 42	281.772	281.883
		El	1.623	CVD28GVRD2018							
198788	77H4575	E	487045.142	0.9996048	1.0000027	539973	77H4740	TERR	2 22 57	193.648	193.726
		N	5444766.990			441543	77H4889	TERR	272 7 55	249.844	249.943
		El	1.875	CVD28GVRD2018							
184622	77H4576	E	486474.390	0.9996051	1.0000029	723742	77H4561	TERR	176 23 4	206.024	206.105
		N	5444989.042								
		El	.986	CVD28GVRD2018							
328914	77H4577	E	487806.349	0.9996047	1.0000029	64774	77H4504	TERR	88 36 10	232.956	233.048
		N	5441641.278			502286	78H8335	TERR	205 51 50	92.548	92.586
		El	.957	CVD28GVRD2018							
366245	77H4578	E	486346.482	0.9996051	1.0000028	520742	77H4557	TERR	90 12 27	205.541	205.623
		N	5442350.086			208868	77H4897	TERR	180 12 22	201.730	201.810
		El	1.701	CVD28GVRD2018		435636	77H4810	TERR	269 6 59	336.661	336.794
473595	77H4579	E	486775.241	0.9996048	1.0000027	628669	77H4594	TERR	1 30 4	227.423	227.513
		N	5444199.745			751800	77H4855	TERR	179 48 34	240.148	240.243
		El	2.198	CVD28GVRD2018							
440099	77H4580	E	487154.252	0.9996048	1.0000028		MARKER DESTROYED				
		N	5444763.150								
		El	1.701	CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
614131	77H4581	E	485906.903	0.9996053	1.0000028	253500	77H4514	TERR	51 45 47	127.373	127.424		
		N	5444426.027					525931	77H4539	TERR	141 46 24	128.378	128.428
		El	1.296					CVD28GVRD2018	287763	77H4528	TERR	224 4 39	144.962
545970	77H4582	E	486102.529	0.9996052	1.0000029	596312	77H4511	TERR	141 7 18	89.550	89.585		
		N	5444590.354					412189	77H4558	TERR	289 54 44	92.363	92.399
		El	1.173					CVD28GVRD2018					
516302	77H4583	E	487021.542	0.9996049	1.0000029	781161	77H4554	TERR	90 33 12	365.579	365.724		
		N	5441392.116					254128	77H4550	TERR	267 4 9	248.829	248.927
		El	1.294					CVD28GVRD2018					
840702	77H4584	E	486003.661	0.9996051	1.0000027			MARKER DESTROYED					
		N	5441950.262										
		El	1.958					CVD28GVRD2018					
680801	77H4585	E	487307.088	0.9996048	1.0000028	626515	77H4566	TERR	88 40 27	164.607	164.673		
		N	5441850.694					449504	77H4873	TERR	173 6 37	254.500	254.600
		El	1.416					CVD28GVRD2018	290890	83H5916	TERR	269 40 10	246.459
592741	77H4586	E	487447.327	0.9996048	1.0000029	839027	77H4571	TERR	4 9 58	171.061	171.129		
		N	5442968.704					994129	77H4555	TERR	183 1 38	180.312	180.383
		El	.945					CVD28GVRD2018					
331967	77H4587	E	486157.444	0.9996052	1.0000029	874537	77H4568	TERR	30 11 52	64.998	65.024		
		N	5444871.553					79624	77H4527	TERR	167 50 45	90.527	90.562
		El	.985					CVD28GVRD2018					
830463	77H4588	E	488068.711	0.9996046	1.0000029	491076	77H4547	TERR	85 9 21	153.575	153.635		
		N	5444666.283					113902	77H4564	TERR	180 35 12	109.096	109.139
		El	.958					CVD28GVRD2018					
483206	77H4589	E	486766.479	0.9996049	1.0000027			MARKER DESTROYED					
		N	5443506.504										
		El	2.161					CVD28GVRD2018					

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
795344	77H4590	E	487742.573	0.9996047	1.0000029	964460	77H4556	TERR	93 14 59	217.224	217.311		
		N	5444601.656					117515	77H4837	TERR	177 22 18	182.431	182.503
		El	1.069					CVD28GVRD2018					
168054	77H4591	E	488238.649	0.9996045	1.0000028	864777	77H4805	TERR	88 33 20	170.177	170.244		
		N	5442304.484					889758	77H4593	TERR	212 26 0	106.690	106.732
		El	1.449					CVD28GVRD2018		102251	78H8449	TERR	271 58 15
81547	77H4592	E	486002.834	0.9996052	1.0000027	MARKER DESTROYED							
		N	5441740.936										
		El	1.943			CVD28GVRD2018							
889758	77H4593	E	488181.429	0.9996046	1.0000029	168054	77H4591	TERR	32 26 0	106.690	106.732		
		N	5442214.436					437954	77H4573	TERR	217 30 59	181.916	181.989
		El	.835					CVD28GVRD2018					
628669	77H4594	E	486781.199	0.9996049	1.0000027	441543	77H4889	TERR	2 20 26	349.486	349.624		
		N	5444427.090					473595	77H4579	TERR	181 30 4	227.423	227.513
		El	2.096					CVD28GVRD2018					
996298	77H4595	E	488403.892	0.9996044	1.0000028	199620	77H4947	TERR	90 9 29	813.755	814.078		
		N	5441504.018					881656	77H4814	TERR	178 22 32	143.218	143.275
		El	1.824					CVD28GVRD2018		956375	77H4501	TERR	359 43 48
472308	77H4596	E	486176.305	0.9996052	1.0000028	874537	77H4568	TERR	175 43 17	185.397	185.470		
		N	5445112.610					808634	77H4505	TERR	275 27 31	144.894	144.951
		El	1.288					CVD28GVRD2018					
770024	77H4597	E	487354.022	0.9996048	1.0000029	62240	77H4544	TERR	181 41 45	219.131	219.218		
		N	5444983.369					914812	77H4567	TERR	359 50 35	141.268	141.323
		El	1.045					CVD28GVRD2018					
634105	77H4598	E	486321.991	0.9996051	1.0000028	723742	77H4561	TERR	89 50 44	165.392	165.456		
		N	5444782.982					183731	77H4807	TERR	180 6 54	257.487	257.588
		El	1.541					CVD28GVRD2018		79624	77H4527	TERR	270 1 44

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
956722	77H4599	E	486402.915	0.9996052	1.0000029	226456	77H4502	TERR	90 14 45	164.271	164.336		
		N	5445365.824					855635	77H4529	TERR	173 14 45	169.787	169.854
		El	.960					CVD28GVRD2018	3178	77H4562	TERR	268 4 55	181.344
729079	77H4600	E	486766.222	0.9996049	1.0000027	751800	77H4855	TERR	2 8 40	262.398	262.501		
		N	5443697.384					770453	83H6544	TERR	179 55 24	190.900	190.976
		El	1.921					CVD28GVRD2018					
731612	77H4601	E	492142.676	0.9996035	1.0000028	976464	77H4977	TERR	0 13 26	634.227	634.479		
		N	5448813.438					384859	77H5828	TERR	90 0 60	375.982	376.131
		El	1.479					CVD28GVRD2018	156513	78H8475	TERR	269 42 41	331.425
910372	77H4602	E	490664.735	0.9996038	1.0000028	172668	78H8469	TERR	0 40 14	309.547	309.670		
		N	5448800.967					716340	77H5813	TERR	85 56 15	198.592	198.671
		El	1.718					CVD28GVRD2018	645291	77H5831	TERR	177 23 3	115.957
73973	77H4603	E	487607.185	0.9996047	1.0000028	307413	77H4638	TERR	0 30 33	383.958	384.109		
		N	5446382.268					63164	77H4614	TERR	90 15 20	400.412	400.570
		El	1.186					CVD28GVRD2018	625764	77H4625	TERR	270 7 45	357.357
373415	77H4604	E	490856.883	0.9996039	1.0000029	247478	92H0976	TERR	176 15 13	196.705	196.783		
		N	5445343.184					6320	77H4648	TERR	271 2 20	403.365	403.525
		El	.957					CVD28GVRD2018	605337	77H4651	TERR	359 34 28	207.423
188813	77H4605	E	488004.292	0.9996047	1.0000029								
		N	5445772.117										
		El	.870	CVD28GVRD2018									
128413	77H4606	E	492787.115	0.9996034	1.0000028	909119	78H8455	TERR	179 52 29	602.074	602.313		
		N	5449412.297					247494	78H8494	TERR	279 7 22	272.454	272.562
		El	1.360					CVD28GVRD2018					
938308	77H4607	E	487012.012	0.9996050	1.0000029	625764	77H4625	TERR	90 4 51	237.817	237.911		
		N	5446383.408					501999	77H4669	TERR	270 9 6	222.271	222.358
		El	.853					CVD28GVRD2018					

MARKER DESTROYED

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
13995	77H4608	E	489429.807	0.9996043	1.0000030	258442	77H4686	TERR	0 22 50	200.687	200.766			
		N	5443491.461					832394	77H4698	TERR	90 16 50	305.419	305.540	
		El	.539					CVD28GVRD2018	708826	77H4626	TERR	179 40 56	358.364	358.506
578021	77H4609	E	490451.200	0.9996040	1.0000029	957035	77H4984	TERR	92 38 49	180.260	180.332			
		N	5444289.483					206359	77H4919	TERR	267 16 52	156.795	156.857	
		El	.847					CVD28GVRD2018						
542068	77H4610	E	488215.147	0.9996045	1.0000028	124818	77H4875	TERR	81 27 19	205.267	205.348			
		N	5446774.742					992164	77H4654	TERR	264 2 34	203.351	203.431	
		El	1.249					CVD28GVRD2018						
931634	77H4611	E	487146.207	0.9996049	1.0000029	301515	77H4612	TERR	2 25 46	236.351	236.445			
		N	5446546.493											
		El	.990					CVD28GVRD2018						
301515	77H4612	E	487156.226	0.9996049	1.0000028	931634	77H4611	TERR	182 25 46	236.351	236.445			
		N	5446782.632					785469	77H4633	TERR	275 37 47	366.430	366.574	
		El	1.176					CVD28GVRD2018						
194001	77H4613	E	487428.611	0.9996048	1.0000028	980938	77H4893	TERR	179 58 17	211.877	211.961			
		N	5446685.530											
		El	1.215					CVD28GVRD2018						
63164	77H4614	E	488007.593	0.9996046	1.0000028	992164	77H4654	TERR	0 48 50	373.192	373.339			
		N	5446380.483					139659	77H4812	TERR	90 16 45	207.430	207.512	
		El	1.206					CVD28GVRD2018	73973	77H4603	TERR	270 15 20	400.412	400.570
66464	77H4615	E	491469.375	0.9996036	1.0000027	300756	77H4693	TERR	90 3 35	218.594	218.681			
		N	5445561.580					579235	77H4945	TERR	179 43 9	403.780	403.939	
		El	1.984					CVD28GVRD2018	971515	77H4937	TERR	270 4 43	205.649	205.731
641860	77H4616	E	490414.774	0.9996040	1.0000029	317214	77H4674	TERR	0 18 22	407.036	407.197			
		N	5445971.795					45146	77H4678	TERR	0 19 39	202.087	202.167	
		El	.865					CVD28GVRD2018	468371	77H4927	TERR	89 27 36	283.999	284.111
									647230	91H9829	TERR	92 7 30	266.563	266.668
									648501	77H4653	TERR	180 59 53	199.768	199.847
									462523	88H4814	TERR	268 7 2	150.153	150.213

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
971762	77H4617	E	490545.384	0.9996041	1.0000030	979302	77H4776	TERR	104 42 14	106.952	106.994		
		N	5442820.251					984401	77H4666	TERR	270 28 16	280.540	280.650
		El	.636					CVD28GVRD2018					
356147	77H4618	E	490828.744	0.9996039	1.0000029	568204	77H4677	TERR	89 45 46	553.220	553.440		
		N	5440688.831					231852	77H4808	TERR	270 13 46	804.133	804.451
		El	1.097					CVD28GVRD2018					
800250	77H4619	E	487100.673	0.9996049	1.0000029	542548	77H4664	TERR	180 3 60	196.158	196.236		
		N	5446111.868										
		El	1.108					CVD28GVRD2018					
462556	77H4620	E	491686.058	0.9996036	1.0000027	300756	77H4693	TERR	0 20 35	319.211	319.338		
		N	5445242.147					742114	77H4961	TERR	180 33 30	497.494	497.691
		El	2.075					CVD28GVRD2018					
540435	77H4621	E	491335.091	0.9996036	1.0000027	615542	77H4645	TERR	269 52 58	412.390	412.553		
		N	5446372.041										
		El	2.223					CVD28GVRD2018					
890962	77H4622	E	489218.554	0.9996044	1.0000029	867218	77H4685	TERR	0 17 41	166.586	166.652		
		N	5443785.614					103788	77H4667	TERR	180 23 44	328.405	328.535
		El	.648					CVD28GVRD2018		614156	77H4641	TERR	269 37 27
73981	77H4623	E	490043.489	0.9996040	1.0000028		MARKER DESTROYED						
403444	77H4624	E	487617.514	0.9996048	1.0000029	892307	77H4660	TERR	0 5 50	370.938	371.084		
		N	5444917.443					484477	77H4813	TERR	191 14 37	151.306	151.366
		El	.957					CVD28GVRD2018					
625764	77H4625	E	487249.829	0.9996049	1.0000029	73973	77H4603	TERR	90 7 45	357.357	357.499		
		N	5446383.073					938308	77H4607	TERR	270 4 51	237.817	237.911
		El	1.111					CVD28GVRD2018					

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
708826	77H4626	E	489431.794	0.9996043	1.0000029	252684	77H4787	TERR	91 52 39	425.083	425.252					
		N	5443133.103					513689	77H4636			TERR	271 6 19	218.651	218.737	
		El	.843					CVD28GVRD2018	13995			77H4608	TERR	359 40 56	358.364	358.506
906560	77H4627	E	490520.116	0.9996040	1.0000029			MARKER DESTROYED								
		N	5446580.664													
		El	.775					CVD28GVRD2018								
194845	77H4628	E	489780.603	0.9996041	1.0000029	282483	77H4783	TERR	2 19 15	209.418	209.500					
		N	5446384.309					99127	144-696			TERR	89 24 47	267.785	267.890	
		El	1.131					CVD28GVRD2018	545145			77H4692	TERR	269 56 8	548.546	548.764
590240	77H4629	E	490454.427	0.9996040	1.0000029	247478	92H0976	TERR	91 42 33	415.494	415.659					
		N	5445159.292					680744	77H4853			TERR	180 9 17	202.049	202.129	
		El	.892					CVD28GVRD2018	677286			77H4694	TERR	270 55 28	412.993	413.156
									6320			77H4648	TERR	359 44 51	191.208	191.284
264358	77H4630	E	491663.256	0.9996037	1.0000029	372896	77H4905	TERR	88 14 55	254.833	254.934					
		N	5442293.541					787226	77H4673			TERR	181 55 38	770.240	770.545	
		El	1.190					CVD28GVRD2018	482240			77H4637	TERR	271 37 16	260.324	260.428
913483	77H4631	E	489216.426	0.9996044	1.0000029	199620	77H4947	TERR	0 5 13	803.892	804.210					
		N	5440697.882					231852	77H4808			TERR	90 24 48	808.213	808.532	
		El	.833					CVD28GVRD2018	10272			77H4662	TERR	180 3 4	732.265	732.555
88336	77H4632	E	490026.227	0.9996040	1.0000028	698480	77H4650	TERR	0 34 44	818.307	818.632					
		N	5441489.533					231852	77H4808			TERR	180 6 56	797.483	797.798	
		El	1.511					CVD28GVRD2018	199620			77H4947	TERR	270 52 2	808.676	808.995
785469	77H4633	E	486791.564	0.9996050	1.0000028	301515	77H4612	TERR	95 37 47	366.430	366.574					
		N	5446818.579					501999	77H4669			TERR	180 14 25	434.587	434.758	
		El	1.266					CVD28GVRD2018	981688			77H4821	TERR	276 25 19	643.304	643.557
262147	77H4634	E	489802.207	0.9996042	1.0000030	570291	77H4681	TERR	90 9 52	231.380	231.471					
		N	5443950.195					505	77H4644			TERR	270 10 3	362.202	362.345	
		El	.611					CVD28GVRD2018								

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
640326	77H4635	E	490868.138	0.9996039	1.0000028	25098	77H4798	TERR	0 0 51	449.198	449.376		
		N	5442305.499					467886	77H4759	TERR	89 33 39	255.124	255.224
		El	1.431					CVD28GVRD2018	444323	77H4869	TERR	270 20 37	383.722
513689	77H4636	E	489213.184	0.9996043	1.0000029	103788	77H4667	TERR	0 33 21	319.911	320.037		
		N	5443137.321					708826	77H4626	TERR	91 6 19	218.651	218.737
		El	.918					CVD28GVRD2018	361303	77H4738	TERR	182 4 4	152.925
						491456	77H4646	TERR	270 13 58	371.154	371.301		
482240	77H4637	E	491403.036	0.9996038	1.0000029	264358	77H4630	TERR	91 37 16	260.324	260.428		
		N	5442300.905					467886	77H4759	TERR	271 20 27	279.859	279.969
		El	1.277					CVD28GVRD2018					
307413	77H4638	E	487610.597	0.9996047	1.0000028	992164	77H4654	TERR	91 47 25	402.494	402.653		
		N	5446766.211					73973	77H4603	TERR	180 30 33	383.958	384.109
		El	1.615					CVD28GVRD2018					
167460	77H4639	E	491313.099	0.9996037	1.0000027	122952	77H4652	TERR	90 12 47	377.079	377.229		
		N	5445884.932					922336	77H4676	TERR	270 13 53	392.451	392.607
		El	1.866					CVD28GVRD2018					
656629	77H4640	E	489223.255	0.9996043	1.0000029	396689	84H0141	TERR	90 54 5	294.767	294.883		
		N	5444759.636					504670	77H4856	TERR	180 15 54	405.238	405.399
		El	.916					CVD28GVRD2018	698266	84H0140	TERR	268 38 10	214.443
614156	77H4641	E	488809.124	0.9996044	1.0000029	890962	77H4622	TERR	89 37 27	409.439	409.601		
		N	5443782.929					699165	77H4882	TERR	270 32 28	403.926	404.086
		El	1.064					CVD28GVRD2018					
596742	77H4642	E	490039.304	0.9996041	1.0000029	677286	77H4694	TERR	0 37 30	200.220	200.299		
		N	5444965.747					680744	77H4853	TERR	91 10 30	414.664	414.828
		El	1.054					CVD28GVRD2018	549147	77H4665	TERR	180 38 37	205.993
846261	77H4643	E	489225.024	0.9996043	1.0000029	MARKER DESTROYED							
		N	5445553.894										
		El	.942			CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
505	77H4644	E	489440.007	0.9996043	1.0000030	262147	77H4634	TERR	90 10 3	362.202	362.345							
		N	5443951.254					867218				77H4685	TERR	270 14 43	220.598	220.685		
		El	.519					CVD28GVRD2018										
615542	77H4645	E	490922.702	0.9996038	1.0000028	275081	77H4915	TERR	0 13 7	406.993	407.154							
		N	5446371.198					540435				77H4621	TERR	89 52 58	412.390	412.553		
		El	1.593					CVD28GVRD2018				510347	77H4697	TERR	180 21 11	163.162	163.227	
												620757	83H5915	TERR	267 9 38	105.116	105.158	
491456	77H4646	E	488842.033	0.9996044	1.0000029	513689	77H4636	TERR	90 13 58	371.154	371.301							
		N	5443138.828					565846				77H4802	TERR	270 33 59	438.626	438.799		
		El	.976					CVD28GVRD2018										
412981	77H4647	E	488883.518	0.9996044	1.0000029	MARKER DESTROYED												
		N	5445276.117															
		El	.849			CVD28GVRD2018												
6320	77H4648	E	490453.584	0.9996040	1.0000029	373415	77H4604	TERR	91 2 20	403.365	403.525							
		N	5445350.498					590240				77H4629	TERR	179 44 51	191.208	191.284		
		El	.915					CVD28GVRD2018				449405	77H4687	TERR	358 46 55	200.036	200.115	
961003	77H4649	E	490241.903	0.9996041	1.0000030	MARKER DESTROYED												
		N	5446584.164															
		El	.441			CVD28GVRD2018												
698480	77H4650	E	490034.496	0.9996040	1.0000028	444323	77H4869	TERR	89 59 59	449.927	450.106							
		N	5442307.798					88336				77H4632	TERR	180 34 44	818.307	818.632		
		El	1.614					CVD28GVRD2018				95604	92H0963	TERR	270 55 57	407.400	407.560	
												905984	77H4763	TERR	357 42 2	204.048	204.129	
605337	77H4651	E	490855.342	0.9996039	1.0000029	373415	77H4604	TERR	179 34 28	207.423	207.505							
		N	5445550.601					449405				77H4687	TERR	269 59 3	406.010	406.171		
		El	1.007					CVD28GVRD2018										
122952	77H4652	E	491690.175	0.9996035	1.0000026	192955	77H4940	TERR	0 26 4	322.482	322.610							
		N	5445883.530					300756				77H4693	TERR	180 23 32	322.186	322.313		
		El	2.618					CVD28GVRD2018				167460	77H4639	TERR	270 12 47	377.079	377.229	

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
648501	77H4653	E	490411.294	0.9996041	1.0000030	641860	77H4616	TERR	0 59 53	199.768	199.847						
		N	5445772.057					110122				77H4925	TERR	267 52 57	149.588	149.647	
		El	.553					CVD28GVRD2018									
992164	77H4654	E	488012.894	0.9996046	1.0000029	542068	77H4610	TERR	84 2 34	203.351	203.431						
		N	5446753.637					63164				77H4614	TERR	180 48 50	373.192	373.339	
		El	1.103					CVD28GVRD2018				307413	77H4638	TERR	271 47 25	402.494	402.653
954362	77H4655	E	486003.838	0.9996052	1.0000028	981688	77H4821	TERR	16 25 55	524.816	525.024						
		N	5446387.153					501999				77H4669	TERR	90 13 49	785.910	786.220	
		El	1.349					CVD28GVRD2018				30031	77H4885	TERR	270 20 8	446.000	446.176
591644	77H4656	E	491701.828	0.9996037	1.0000028	568204	77H4677	TERR	220 35 30	491.603	491.798						
		N	5441064.428														
		El	1.393					CVD28GVRD2018									
224683	77H4657	E	488417.793	0.9996045	1.0000028	124818	77H4875	TERR	0 2 46	425.296	425.464						
		N	5446379.945					281006				77H4749	TERR	91 47 51	270.304	270.411	
		El	1.346					CVD28GVRD2018				567131	77H4670	TERR	180 1 37	610.111	610.352
												139659	77H4812	TERR	269 51 59	202.774	202.854
724492	77H4658	E	490865.866	0.9996039	1.0000029	36525	77H4784	TERR	1 45 34	317.721	317.847						
		N	5443119.885					782656				77H4680	TERR	90 49 39	246.407	246.504	
		El	1.235					CVD28GVRD2018				25098	77H4798	TERR	179 37 35	365.196	365.341
												119065	77H4735	TERR	269 32 14	469.113	469.299
846428	77H4659	E	491059.211	0.9996038	1.0000028	971515	77H4937	TERR	90 16 19	204.517	204.598						
		N	5445562.833														
		El	1.367					CVD28GVRD2018									
892307	77H4660	E	487618.144	0.9996048	1.0000029	403444	77H4624	TERR	180 5 50	370.938	371.084						
		N	5445288.380					968305				77H4746	TERR	346 43 43	184.040	184.113	
		El	.804					CVD28GVRD2018									
69062	77H4661	E	490866.006	0.9996039	1.0000029	MARKER DESTROYED											
		N	5444343.302														
		El	1.069	CVD28GVRD2018													

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
10272	77H4662	E	489215.773	0.9996043	1.0000029	913483	77H4631	TERR	0 3 4	732.265	732.555				
		N	5439965.617					394437	77H4671	TERR	90 22 23	802.372	802.689		
		El	1.055					CVD28GVRD2018							
260307	77H4663	E	488213.361	0.9996046	1.0000029	139659	77H4812	TERR	0 14 11	402.213	402.372				
		N	5445977.262												
		El	.986					CVD28GVRD2018							
542548	77H4664	E	487100.445	0.9996049	1.0000028	800250	77H4619	TERR	0 3 60	196.158	196.236				
		N	5445915.710					496687	77H4891	TERR	180 0 28	182.948	183.021		
		El	1.294					CVD28GVRD2018		460659	87H3143	TERR	270 57 43	317.777	317.903
549147	77H4665	E	490036.990	0.9996041	1.0000028	596742	77H4642	TERR	0 38 37	205.993	206.074				
		N	5444759.767					64329	77H4689	TERR	90 45 9	416.959	417.125		
		El	1.322					CVD28GVRD2018		98301	77H4731	TERR	182 49 16	206.593	206.675
										713917	84H0142	TERR	269 2 50	268.794	268.901
984401	77H4666	E	490264.854	0.9996041	1.0000029	734111	77H4797	TERR	1 47 38	294.366	294.483				
		N	5442822.558					971762	77H4617	TERR	90 28 16	280.540	280.650		
		El	.690					CVD28GVRD2018		260588	77H4799	TERR	276 0 46	241.580	241.676
103788	77H4667	E	489216.287	0.9996043	1.0000029	890962	77H4622	TERR	0 23 44	328.405	328.535				
		N	5443457.217					513689	77H4636	TERR	180 33 21	319.911	320.037		
		El	.859					CVD28GVRD2018		795443	77H4684	TERR	270 32 54	422.643	422.811
858696	77H4668	E	491671.015	0.9996038	1.0000029	132340	77H4691	TERR	0 56 18	347.971	348.109				
		N	5442758.978												
		El	.740					CVD28GVRD2018							
501999	77H4669	E	486789.742	0.9996050	1.0000028	785469	77H4633	TERR	0 14 25	434.587	434.758				
		N	5446383.996					938308	77H4607	TERR	90 9 6	222.271	222.358		
		El	1.234					CVD28GVRD2018		460659	87H3143	TERR	180 52 11	463.004	463.188
										954362	77H4655	TERR	270 13 49	785.910	786.220
567131	77H4670	E	488417.505	0.9996045	1.0000028	224683	77H4657	TERR	0 1 37	610.111	610.352				
		N	5445769.834					863407	77H4863	TERR	180 12 26	217.624	217.710		
		El	1.435					CVD28GVRD2018		202242	83H6181	TERR	270 20 47	419.595	419.760

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
394437	77H4671	E	490018.128	0.9996040	1.0000028	59121	02H2452	GPS	0 15 25	2309.201	2310.116	
		N	5439960.391			231852	77H4808	TERR	0 30 30	731.690	731.980	
		El	1.849			CVD28GVRD2018	51441	02H2453	GPS	59 0 49	3921.320	3922.875
							675850	84H0394	GPS	70 45 5	9893.963	9897.891
							80101	02H2443	GPS	74 27 43	3172.183	3173.441
							737197	84H0431	GPS	106 47 35	4611.844	4613.673
							703199	6846	GPS	148 36 48	5719.329	5721.596
							234419	6901	GPS	174 38 30	3413.338	3414.691
							989624	80H1275	GPS	192 59 6	5629.697	5631.926
							855890	6855	GPS	200 37 9	3416.586	3417.938
							406991	77C032	GPS	237 12 47	3483.596	3484.974
							10272	77H4662	TERR	270 22 23	802.372	802.689
							869792	NO MARKING	GPS	291 51 46	812.169	812.492
			537563	77H4827	GPS	308 4 38	3059.840	3061.051				
157172	77H4672	E	490410.560	0.9996040	1.0000029	786848	77H4998	TERR	90 11 11	405.745	405.906	
		N	5446781.576			226977	82H5094	TERR	176 34 1	193.011	193.088	
		El	.853			CVD28GVRD2018	133777	77H4899	TERR	270 52 27	363.173	363.318
787226	77H4673	E	491637.351	0.9996036	1.0000028	264358	77H4630	TERR	1 55 38	770.240	770.545	
		N	5441523.737									
		El	1.845			CVD28GVRD2018						
317214	77H4674	E	490416.948	0.9996040	1.0000029	226977	82H5094	TERR	1 24 35	210.150	210.233	
		N	5446378.825			620757	83H5915	TERR	91 50 3	400.972	401.131	
		El	.898			CVD28GVRD2018	641860	77H4616	TERR	180 18 22	407.036	407.197
							99127	144-696	TERR	271 16 43	368.666	368.812
57174	77H4675	E	490033.091	0.9996041	1.0000029	570291	77H4681	TERR	0 6 37	257.488	257.589	
		N	5443692.044			396721	77H4733	TERR	181 53 9	266.474	266.580	
		El	1.050			CVD28GVRD2018	520015	77H4690	TERR	269 47 52	296.790	296.908
922336	77H4676	E	490920.651	0.9996038	1.0000028	510347	77H4697	TERR	0 11 11	321.524	321.651	
		N	5445886.517			167460	77H4639	TERR	90 13 53	392.451	392.607	
		El	1.302			CVD28GVRD2018	962779	77H4988	TERR	337 4 39	92.935	92.972
568204	77H4677	E	491381.959	0.9996038	1.0000029	591644	77H4656	TERR	40 35 30	491.603	491.798	
		N	5440691.122			356147	77H4618	TERR	269 45 46	553.220	553.440	
		El	1.228			CVD28GVRD2018						

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
45146	77H4678	E	490415.929	0.9996041	1.0000029	641860	77H4616	TERR	180 19 39	202.087	202.167
		N	5446173.879								
		El	.584	CVD28GVRD2018							
46011	77H4679	E	491284.134	0.9996037	1.0000027	192955	77H4940	TERR	90 4 29	408.486	408.648
		N	5446206.536			510347	77H4697	TERR	270 14 15	362.440	362.583
		El	1.983	CVD28GVRD2018							
782656	77H4680	E	491112.247	0.9996039	1.0000029	724492	77H4658	TERR	270 49 39	246.407	246.504
		N	5443116.326								
		El	.818	CVD28GVRD2018							
570291	77H4681	E	490033.586	0.9996041	1.0000029	292078	77H4688	TERR	0 7 13	265.663	265.768
		N	5443949.531			57174	77H4675	TERR	180 6 37	257.488	257.589
		El	1.216	CVD28GVRD2018		262147	77H4634	TERR	270 9 52	231.380	231.471
374108	77H4682	E	489526.507	0.9996043	1.0000029	205229	77H4700	TERR	180 36 35	394.772	394.929
		N	5445469.573								
		El	.805	CVD28GVRD2018							
646695	77H4683	E	490754.612	0.9996040	1.0000029	493775	77H4699	TERR	269 39 28	149.671	149.730
		N	5446168.499								
		El	.657	CVD28GVRD2018							
795443	77H4684	E	488793.663	0.9996044	1.0000029	103788	77H4667	TERR	90 32 54	422.643	422.811
		N	5443461.261			726356	77H4854	TERR	270 31 1	389.470	389.623
		El	1.162	CVD28GVRD2018							
867218	77H4685	E	489219.411	0.9996043	1.0000029	504670	77H4856	TERR	0 16 50	402.209	402.368
		N	5443952.198			505	77H4644	TERR	90 14 43	220.598	220.685
		El	.799	CVD28GVRD2018		890962	77H4622	TERR	180 17 41	166.586	166.652
						611269	77H4781	TERR	271 30 36	404.752	404.911
258442	77H4686	E	489431.140	0.9996043	1.0000029	875864	NO MARKING	GPS	15 45 48	14986.738	14992.709
		N	5443692.144			297440	92H0972	GPS	49 4 12	6536.941	6539.536
		El	.844	CVD28GVRD2018		520015	77H4690	TERR	90 12 55	305.165	305.286
						737197	84H0431	GPS	135 21 11	7118.117	7120.938
						13995	77H4608	TERR	180 22 50	200.687	200.766
						869792	NO MARKING	GPS	182 47 3	3433.365	3434.727

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
449405	77H4687	E	490449.332	0.9996040	1.0000029	605337	77H4651	TERR	89 59 3	406.010	406.171			
		N	5445550.489					6320	77H4648	TERR	178 46 55	200.036	200.115	
		El	.777					CVD28GVRD2018	201236	77H4895	TERR	270 8 47	407.793	407.955
292078	77H4688	E	490034.144	0.9996041	1.0000029	728360	84H0143	TERR	3 15 46	136.391	136.445			
		N	5444215.193					570291	77H4681	TERR	180 7 13	265.663	265.768	
		El	1.234					CVD28GVRD2018						
64329	77H4689	E	490453.913	0.9996040	1.0000028	695973	77H4921	TERR	91 31 55	408.396	408.557			
		N	5444754.290					549147	77H4665	TERR	270 45 9	416.959	417.125	
		El	1.250					CVD28GVRD2018	680744	77H4853	TERR	359 59 27	202.954	203.035
520015	77H4690	E	489736.303	0.9996042	1.0000029	57174	77H4675	TERR	89 47 52	296.790	296.908			
		N	5443690.997					832394	77H4698	TERR	180 18 29	201.034	201.114	
		El	.705					CVD28GVRD2018	258442	77H4686	TERR	270 12 55	305.165	305.286
132340	77H4691	E	491676.714	0.9996037	1.0000029	706366	77H4986	TERR	1 8 11	263.232	263.336			
		N	5443106.902					973826	77H4935	TERR	90 22 9	361.957	362.100	
		El	1.058					CVD28GVRD2018	858696	77H4668	TERR	180 56 18	347.971	348.109
545145	77H4692	E	489232.057	0.9996043	1.0000029	194845	77H4628	TERR	89 56 8	548.546	548.764			
		N	5446383.691					798694	77H4775	TERR	183 47 30	134.145	134.198	
		El	1.166					CVD28GVRD2018	237628	77H4764	TERR	267 36 56	263.865	263.969
									637637	77H4709	TERR	359 32 5	353.201	353.340
300756	77H4693	E	491687.969	0.9996035	1.0000027	122952	77H4652	TERR	0 23 32	322.186	322.313			
		N	5445561.352					134221	77H5848	TERR	90 6 44	416.968	417.133	
		El	2.416					CVD28GVRD2018	462556	77H4620	TERR	180 20 35	319.211	319.338
									66464	77H4615	TERR	270 3 35	218.594	218.681
677286	77H4694	E	490041.488	0.9996041	1.0000029	590240	77H4629	TERR	90 55 28	412.993	413.156			
		N	5445165.955					596742	77H4642	TERR	180 37 30	200.220	200.299	
		El	1.130					CVD28GVRD2018						
209486	77H4695	E	490973.943	0.9996040	1.0000030	825455	77H4920	TERR	91 40 29	291.168	291.284			
		N	5443386.000					36525	77H4784	TERR	297 37 30	110.973	111.016	
		El	.461					CVD28GVRD2018						

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
573105	77H4696	E	491693.867	0.9996035	1.0000027		MARKER DESTROYED				
		N	5446370.004								
		El	2.150	CVD28GVRD2018							
510347	77H4697	E	490921.697	0.9996038	1.0000028	615542	77H4645	TERR	0 21 11	163.162	163.227
		N	5446208.039			46011	77H4679	TERR	90 14 15	362.440	362.583
		El	1.467	CVD28GVRD2018		922336	77H4676	TERR	180 11 11	321.524	321.651
832394	77H4698	E	489735.222	0.9996043	1.0000030	520015	77H4690	TERR	0 18 29	201.034	201.114
		N	5443489.966			13995	77H4608	TERR	270 16 50	305.419	305.540
		El	.458	CVD28GVRD2018							
493775	77H4699	E	490604.944	0.9996041	1.0000030	989384	77H5805	GPS	8 34 19	2466.465	2467.442
		N	5446167.605			247494	78H8494	GPS	30 11 40	3804.000	3805.508
		El	.440	CVD28GVRD2018		646695	77H4683	TERR	89 39 28	149.671	149.730
						889493	88H4817	GPS	148 40 24	1669.830	1670.491
						51649	77H4983	GPS	163 50 38	2339.954	2340.881
						951376	77H4970	GPS	355 5 9	1636.463	1637.111
205229	77H4700	E	489522.307	0.9996043	1.0000030	374108	77H4682	TERR	0 36 35	394.772	394.929
		N	5445074.823			396689	84H0141	TERR	180 46 27	319.853	319.980
		El	.507	CVD28GVRD2018							
401117	77H4701	E	488872.073	0.9996044	1.0000029	945915	77H4779	TERR	86 16 46	337.381	337.515
		N	5442778.990								
		El	1.021	CVD28GVRD2018							
444273	77H4702	E	488203.350	0.9996046	1.0000029		MARKER DESTROYED				
		N	5445544.342								
		El	.996	CVD28GVRD2018							
230110	77H4703	E	489032.211	0.9996044	1.0000029	230367	77H4748	TERR	351 46 24	102.677	102.717
		N	5442450.237								
		El	1.070	CVD28GVRD2018							
198283	77H4704	E	489767.450	0.9996042	1.0000029		MARKER DESTROYED				
		N	5444754.653								
		El	1.123	CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
242065	77H4705	E	488890.004	0.9996043	1.0000028	637637	77H4709	TERR	64 0 31	377.351	377.499		
		N	5446571.511					228346	77H4771	TERR	183 46 7	199.634	199.713
		El	1.459					CVD28GVRD2018					
230359	77H4706	E	489217.683	0.9996043	1.0000029	MARKER DESTROYED							
		N	5445364.233										
		El	.948			CVD28GVRD2018							
167429	77H4707	E	491486.986	0.9996038	1.0000029	670349	77H4755	TERR	269 3 50	179.533	179.604		
		N	5442866.025										
		El	1.015					CVD28GVRD2018					
176842	77H4708	E	487307.737	0.9996049	1.0000029	968305	77H4746	TERR	93 5 34	268.549	268.656		
		N	5445481.994					693648	77H4723	TERR	179 45 48	258.493	258.595
		El	.947					CVD28GVRD2018					
637637	77H4709	E	489229.189	0.9996042	1.0000028	545145	77H4692	TERR	179 32 5	353.201	353.340		
		N	5446736.880					242065	77H4705	TERR	244 0 31	377.351	377.499
		El	1.430					CVD28GVRD2018		330324	77H4792	TERR	323 58 48
324764	77H4710	E	489216.941	0.9996043	1.0000029	MARKER DESTROYED							
		N	5445242.308										
		El	.875			CVD28GVRD2018							
51391	77H4711	E	487039.052	0.9996049	1.0000029	539973	77H4740	TERR	175 56 13	199.567	199.646		
		N	5445159.536										
		El	.977					CVD28GVRD2018					
370288	77H4712	E	490027.005	0.9996041	1.0000029	MARKER DESTROYED							
		N	5444358.855										
		El	1.234			CVD28GVRD2018							
346825	77H4713	E	489437.001	0.9996042	1.0000028	155143	77H4754	TERR	16 47 47	341.648	341.783		
		N	5446585.904					282483	77H4783	TERR	88 45 18	352.165	352.304
		El	1.452					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
204214	77H4714	E	487526.202	0.9996048	1.0000029	388389	77H4737	TERR	13 58 24	71.048	71.075		
		N	5445878.523					355131	77H4768	TERR	213 11 16	102.526	102.566
		El	1.074					CVD28GVRD2018					
440727	77H4715	E	490036.232	0.9996041	1.0000028	244103	77H4717	TERR	0 17 16	201.937	202.016		
		N	5445781.044					110122	77H4925	TERR	93 40 53	226.042	226.132
		El	1.283					CVD28GVRD2018		201236	77H4895	TERR	178 40 31
297861	77H4716	E	488969.394	0.9996044	1.0000029	MARKER DESTROYED							
		N	5446251.808										
		El	.737			CVD28GVRD2018							
244103	77H4717	E	490037.246	0.9996041	1.0000029	99127	144-696	TERR	1 34 39	404.227	404.388		
		N	5445982.978			462523	88H4814	TERR	94 3 10	228.026	228.117		
		El	1.142			CVD28GVRD2018		440727	77H4715	TERR	180 17 16	201.937	202.016
744722	77H4718	E	489519.129	0.9996042	1.0000029	MARKER DESTROYED							
		N	5444754.383										
		El	1.127			CVD28GVRD2018							
850651	77H4719	E	487440.887	0.9996048	1.0000029	388389	77H4737	TERR	125 8 22	125.308	125.357		
		N	5446019.591			562736	77H4727	TERR	340 23 36	87.722	87.757		
		El	1.167			CVD28GVRD2018							
928937	77H4720	E	489215.988	0.9996043	1.0000029	MARKER DESTROYED							
		N	5445119.369										
		El	.964			CVD28GVRD2018							
559203	77H4721	E	488764.028	0.9996044	1.0000028	330324	77H4792	TERR	60 51 39	291.569	291.684		
		N	5446884.413			722256	77H4732	TERR	252 44 42	213.357	213.442		
		El	1.399			CVD28GVRD2018							
780460	77H4722	E	490233.108	0.9996041	1.0000029	699660	77H4785	TERR	123 0 3	84.987	85.020		
		N	5442518.783			905984	77H4763	TERR	268 2 0	206.921	207.003		
		El	1.038			CVD28GVRD2018		500116	77H4791	TERR	356 32 45	143.853	143.910

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
693648	77H4723	E	487308.805	0.9996049	1.0000029	176842	77H4708	TERR	359 45 48	258.493	258.595
		N	5445223.503								
		El	.997	CVD28GVRD2018							
599555	77H4724	E	488515.460	0.9996045	1.0000029	417956	77H4725	TERR	33 25 4	91.918	91.954
		N	5442544.226			183574	77H4862	TERR	263 39 27	108.661	108.705
		El	1.079	CVD28GVRD2018							
417956	77H4725	E	488566.083	0.9996045	1.0000029	859140	78H8336	TERR	91 10 14	124.686	124.735
		N	5442620.948			599555	77H4724	TERR	213 25 4	91.918	91.954
		El	1.012	CVD28GVRD2018							
301267	77H4726	E	488023.136	0.9996047	1.0000029	569178	77H4883	TERR	180 58 60	240.736	240.832
		N	5445126.047								
		El	.858	CVD28GVRD2018							
562736	77H4727	E	487411.451	0.9996048	1.0000029	850651	77H4719	TERR	160 23 36	87.722	87.757
		N	5446102.227								
		El	1.184	CVD28GVRD2018							
957175	77H4728	E	488003.487	0.9996047	1.0000029		MARKER DESTROYED				
		N	5445546.822								
		El	.970	CVD28GVRD2018							
467860	77H4729	E	488621.187	0.9996044	1.0000028	698266	84H0140	TERR	90 6 55	387.687	387.841
		N	5444755.312			978155	77H4829	TERR	271 57 8	211.105	211.188
		El	1.327	CVD28GVRD2018							
313452	77H4730	E	488818.569	0.9996044	1.0000029	486480	77H4786	TERR	86 53 50	189.626	189.701
		N	5442629.375								
		El	1.020	CVD28GVRD2018							
98301	77H4731	E	490026.822	0.9996041	1.0000028	549147	77H4665	TERR	2 49 16	206.593	206.675
		N	5444553.424			728360	84H0143	TERR	175 43 50	202.623	202.703
		El	1.375	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
722256	77H4732	E	488560.273	0.9996044	1.0000028	559203	77H4721	TERR	72 44 42	213.357	213.442					
		N	5446821.126					124818				77H4875	TERR	263 37 24	143.023	143.080
		El	1.338					CVD28GVRD2018								
396721	77H4733	E	490024.322	0.9996041	1.0000028	57174	77H4675	TERR	1 53 9	266.474	266.580					
		N	5443425.714					76620				77H4793	TERR	88 33 31	314.280	314.405
		El	1.303					CVD28GVRD2018				597161	77H4851	TERR	178 43 25	299.795
63461	77H4734	E	488665.733	0.9996045	1.0000029	760843	77H4772	TERR	86 21 29	164.717	164.782					
		N	5445654.106					631564				77H4774	TERR	311 12 48	125.382	125.431
		El	.998					CVD28GVRD2018								
119065	77H4735	E	490396.768	0.9996040	1.0000028	724492	77H4658	TERR	89 32 14	469.113	469.299					
		N	5443116.095					734111				77H4797	TERR	270 19 12	122.701	122.749
		El	1.344					CVD28GVRD2018								
971424	77H4736	E	489010.524	0.9996044	1.0000029	MARKER DESTROYED										
		N	5444754.529													
		El	1.088			CVD28GVRD2018										
388389	77H4737	E	487543.358	0.9996048	1.0000029	204214	77H4714	TERR	193 58 24	71.048	71.075					
		N	5445947.468					850651				77H4719	TERR	305 8 22	125.308	125.357
		El	1.073					CVD28GVRD2018								
361303	77H4738	E	489207.666	0.9996043	1.0000029	513689	77H4636	TERR	2 4 4	152.925	152.985					
		N	5442984.496					816223				78H8338	TERR	90 29 4	660.516	660.778
		El	.964					CVD28GVRD2018				945915	77H4779	TERR	179 39 50	183.617
349027	77H4739	E	489310.504	0.9996043	1.0000029	849208	77H4767	TERR	86 18 13	234.145	234.238					
		N	5444136.195													
		El	.930					CVD28GVRD2018								
539973	77H4740	E	487053.192	0.9996050	1.0000029	198788	77H4575	TERR	182 22 57	193.648	193.726					
		N	5444960.471					51391				77H4711	TERR	355 56 13	199.567	199.646
		El	.916					CVD28GVRD2018								

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
6247	77H4741	E	489220.568	0.9996043	1.0000029	798694	77H4775	TERR	0 29 29	305.237	305.358		
		N	5445944.614					208314	88H4823	TERR	176 51 47	391.133	391.287
		El	.937					CVD28GVRD2018	18051	77H4742	TERR	260 36 27	143.606
18051	77H4742	E	489078.887	0.9996043	1.0000029	6247	77H4741	TERR	80 36 27	143.606	143.663		
		N	5445921.178					760843	77H4772	TERR	224 6 41	357.400	357.541
		El	1.022					CVD28GVRD2018					
838730	77H4743	E	488728.703	0.9996045	1.0000029	730721	77H4747	TERR	269 13 29	312.920	313.044		
		N	5442885.835										
		El	.978					CVD28GVRD2018					
957951	77H4744	E	490878.653	0.9996039	1.0000029	693325	77H4951	TERR	0 11 37	307.853	307.975		
		N	5443630.960					36525	77H4784	TERR	180 53 52	193.528	193.604
		El	.942					CVD28GVRD2018					
77834	77H4745	E	489893.473	0.9996042	1.0000029	247593	77H4762	TERR	273 4 17	196.745	196.822		
		N	5442700.215										
		El	.798					CVD28GVRD2018					
968305	77H4746	E	487575.895	0.9996047	1.0000028	423145	77H4890	TERR	5 13 33	109.714	109.757		
		N	5445467.505					892307	77H4660	TERR	166 43 43	184.040	184.113
		El	1.247					CVD28GVRD2018	176842	77H4708	TERR	273 5 34	268.549
730721	77H4747	E	488415.812	0.9996044	1.0000028	838730	77H4743	TERR	89 13 29	312.920	313.044		
		N	5442881.601					210518	77H4818	TERR	184 20 8	131.938	131.989
		El	1.702					CVD28GVRD2018	565846	77H4802	TERR	357 17 21	261.855
230367	77H4748	E	489017.519	0.9996044	1.0000029	230110	77H4703	TERR	171 46 24	102.677	102.717		
		N	5442551.857					486480	77H4786	TERR	353 45 27	88.306	88.341
		El	1.072					CVD28GVRD2018					
281006	77H4749	E	488687.964	0.9996044	1.0000028	228346	77H4771	TERR	89 44 40	188.921	188.996		
		N	5446371.466					224683	77H4657	TERR	271 47 51	270.304	270.411
		El	1.304					CVD28GVRD2018					

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
188607	77H4750	E	490640.419	0.9996040	1.0000029	36525	77H4784	TERR	88 32 29	235.278	235.371				
		N	5443431.467					77H4793				TERR	270 24 30	301.924	302.043
		El	1.085					CVD28GVRD2018							
14290	77H4751	E	488556.602	0.9996045	1.0000029	577460	77H4795	TERR	3 50 57	198.894	198.973				
		N	5445833.569					77H4774				TERR	171 18 20	97.979	98.018
		El	1.132					CVD28GVRD2018							
642991	77H4752	E	488799.305	0.9996044	1.0000029	577460	77H4795	TERR	226 58 18	313.742	313.867				
		N	5446246.099												
		El	.982					CVD28GVRD2018							
666651	77H4753	E	489577.930	0.9996042	1.0000029	247593	77H4762	TERR	86 15 19	119.336	119.383				
		N	5442702.963												
		El	.944					CVD28GVRD2018							
155143	77H4754	E	489535.728	0.9996042	1.0000028	367151	88H4813	TERR	54 47 24	425.980	426.149				
		N	5446912.976					77H4713				TERR	196 47 47	341.648	341.783
		El	1.333					CVD28GVRD2018							
670349	77H4755	E	491307.477	0.9996038	1.0000029	167429	77H4707	TERR	89 3 50	179.533	179.604				
		N	5442863.092												
		El	.836					CVD28GVRD2018							
284786	77H4756	E	488675.969	0.9996044	1.0000028	MARKER DESTROYED									
		N	5442316.650												
		El	1.363			CVD28GVRD2018									
331181	77H4757	E	489906.272	0.9996041	1.0000028	MARKER DESTROYED									
		N	5447170.902												
		El	1.250			CVD28GVRD2018									
703488	77H4758	E	488941.071	0.9996043	1.0000028	MARKER DESTROYED									
		N	5442315.524												
		El	1.499			CVD28GVRD2018									

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
467886	77H4759	E	491123.254	0.9996038	1.0000029	482240	77H4637	TERR	91 20 27	279.859	279.969					
		N	5442307.454					640326				77H4635	TERR	269 33 39	255.124	255.224
		El	1.265					CVD28GVRD2018								
292797	77H4760	E	489627.330	0.9996041	1.0000028	MARKER DESTROYED										
		N	5442314.462													
		El	1.638			CVD28GVRD2018										
928317	77H4761	E	487249.206	0.9996049	1.0000029	355131	77H4768	TERR	122 49 43	262.854	262.958					
		N	5445935.222													
		El	1.025					CVD28GVRD2018								
247593	77H4762	E	489697.011	0.9996042	1.0000029	77834	77H4745	TERR	93 4 17	196.745	196.822					
		N	5442710.757					666651				77H4753	TERR	266 15 19	119.336	119.383
		El	.853					CVD28GVRD2018								
905984	77H4763	E	490026.309	0.9996039	1.0000027	780460	77H4722	TERR	88 2 0	206.921	207.003					
		N	5442511.682					698480				77H4650	TERR	177 42 2	204.048	204.129
		El	2.109					CVD28GVRD2018				274043	77H4777	TERR	359 41 38	164.692
237628	77H4764	E	488968.421	0.9996043	1.0000028	545145	77H4692	TERR	87 36 56	263.865	263.969					
		N	5446372.713					228346				77H4771	TERR	269 44 50	91.539	91.575
		El	1.389					CVD28GVRD2018								
849208	77H4767	E	489544.162	0.9996042	1.0000029	349027	77H4739	TERR	266 18 13	234.145	234.238					
		N	5444151.290													
		El	.955					CVD28GVRD2018								
355131	77H4768	E	487470.081	0.9996048	1.0000029	204214	77H4714	TERR	33 11 16	102.526	102.566					
		N	5445792.721					655902				77H4794	TERR	191 34 13	213.265	213.350
		El	.865					CVD28GVRD2018				928317	77H4761	TERR	302 49 43	262.854
226035	77H4769	E	491168.628	0.9996039	1.0000029	MARKER ISOLATED										
		N	5442688.089													
		El	.931			CVD28GVRD2018										

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
486696	77H4770	E	489614.749	0.9996042	1.0000029	173849	77H4800	TERR	91 28 8	236.780	236.874
		N	5444547.897								
		El	.822	CVD28GVRD2018							
228346	77H4771	E	488876.883	0.9996044	1.0000028	242065	77H4705	TERR	3 46 7	199.634	199.713
		N	5446372.309			237628	77H4764	TERR	89 44 50	91.539	91.575
		El	1.305	CVD28GVRD2018		281006	77H4749	TERR	269 44 40	188.921	188.996
760843	77H4772	E	488830.117	0.9996044	1.0000029	18051	77H4742	TERR	44 6 41	357.400	357.541
		N	5445664.569			816157	78H8339	TERR	178 32 48	119.986	120.033
		El	.805	CVD28GVRD2018		63461	77H4734	TERR	266 21 29	164.717	164.782
631564	77H4774	E	488571.413	0.9996045	1.0000029	63461	77H4734	TERR	131 12 48	125.382	125.431
		N	5445736.716			14290	77H4751	TERR	351 18 20	97.979	98.018
		El	1.088	CVD28GVRD2018							
798694	77H4775	E	489223.186	0.9996043	1.0000029	545145	77H4692	TERR	3 47 30	134.145	134.198
		N	5446249.840			6247	77H4741	TERR	180 29 29	305.237	305.358
		El	1.092	CVD28GVRD2018							
979302	77H4776	E	490648.833	0.9996040	1.0000029	25098	77H4798	TERR	99 55 43	222.751	222.840
		N	5442793.104			657767	77H4790	TERR	182 10 47	223.857	223.945
		El	.853	CVD28GVRD2018		971762	77H4617	TERR	284 42 14	106.952	106.994
274043	77H4777	E	490025.429	0.9996040	1.0000028	905984	77H4763	TERR	179 41 38	164.692	164.757
		N	5442676.372			260588	77H4799	TERR	359 43 27	171.494	171.563
		El	1.829	CVD28GVRD2018							
814897	77H4778	E	488690.149	0.9996045	1.0000029	859140	78H8336	TERR	0 13 26	152.041	152.101
		N	5442466.361			773853	92H0961	TERR	181 12 41	164.024	164.089
		El	.932	CVD28GVRD2018							
945915	77H4779	E	489208.743	0.9996043	1.0000029	807354	77H4931	TERR	178 34 11	489.987	490.180
		N	5442800.882			401117	77H4701	TERR	266 16 46	337.381	337.515
		El	1.025	CVD28GVRD2018		361303	77H4738	TERR	359 39 50	183.617	183.690

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
19109	77H4780	E	491328.036	0.9996038	1.0000029		MARKER ISOLATED				
		N	5443105.939								
		El	1.200	CVD28GVRD2018							
611269	77H4781	E	488814.800	0.9996044	1.0000029	867218	77H4685	TERR	91 30 36	404.752	404.911
		N	5443962.864			902031	77H4801	TERR	269 27 29	408.941	409.103
		El	1.236	CVD28GVRD2018							
439422	77H4782	E	487824.507	0.9996047	1.0000029	897215	77H4833	TERR	180 19 58	293.544	293.660
		N	5445179.919								
		El	.932	CVD28GVRD2018							
282483	77H4783	E	489789.083	0.9996041	1.0000028	194845	77H4628	TERR	182 19 15	209.418	209.500
		N	5446593.555			346825	77H4713	TERR	268 45 18	352.165	352.304
		El	1.434	CVD28GVRD2018							
36525	77H4784	E	490875.621	0.9996039	1.0000029	957951	77H4744	TERR	0 53 52	193.528	193.604
		N	5443437.456			209486	77H4695	TERR	117 37 30	110.973	111.016
		El	.917	CVD28GVRD2018		724492	77H4658	TERR	181 45 34	317.721	317.847
						188607	77H4750	TERR	268 32 29	235.278	235.371
699660	77H4785	E	490304.383	0.9996041	1.0000029	502161	77H4789	TERR	89 31 11	231.583	231.674
		N	5442472.495			780460	77H4722	TERR	303 0 3	84.987	85.020
		El	.920	CVD28GVRD2018							
486480	77H4786	E	489007.917	0.9996044	1.0000029	230367	77H4748	TERR	173 45 27	88.306	88.341
		N	5442639.639			313452	77H4730	TERR	266 53 50	189.626	189.701
		El	.964	CVD28GVRD2018							
252684	77H4787	E	489856.649	0.9996041	1.0000029	597161	77H4851	TERR	87 45 39	174.484	174.553
		N	5443119.176			816223	78H8338	TERR	175 18 33	140.735	140.792
		El	1.111	CVD28GVRD2018		708826	77H4626	TERR	271 52 39	425.083	425.252
456624	77H4788	E	491414.677	0.9996038	1.0000029		MARKER ISOLATED				
		N	5442676.509								
		El	.920	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
502161	77H4789	E	490535.958	0.9996040	1.0000029	657767	77H4790	TERR	47 41 47	141.107	141.163				
		N	5442474.436					77H4785				TERR	269 31 11	231.583	231.674
		El	.789					CVD28GVRD2018							
657767	77H4790	E	490640.319	0.9996040	1.0000029	979302	77H4776	TERR	2 10 47	223.857	223.945				
		N	5442569.409					77H4789				TERR	227 41 47	141.107	141.163
		El	.831					CVD28GVRD2018							
500116	77H4791	E	490224.441	0.9996041	1.0000029	780460	77H4722	TERR	176 32 45	143.853	143.910				
		N	5442662.375												
		El	.923					CVD28GVRD2018							
330324	77H4792	E	489018.696	0.9996043	1.0000028	637637	77H4709	TERR	143 58 48	357.941	358.082				
		N	5447026.387					77H4721				TERR	240 51 39	291.569	291.684
		El	1.559					CVD28GVRD2018							
76620	77H4793	E	490338.503	0.9996040	1.0000029	188607	77H4750	TERR	90 24 30	301.924	302.043				
		N	5443433.619					77H4733				TERR	268 33 31	314.280	314.405
		El	1.056					CVD28GVRD2018							
655902	77H4794	E	487427.307	0.9996048	1.0000029	355131	77H4768	TERR	11 34 13	213.265	213.350				
		N	5445583.790					77H4890				TERR	92 32 14	158.737	158.800
		El	1.157					CVD28GVRD2018				77H4815	TERR	268 59 15	307.567
577460	77H4795	E	488569.954	0.9996045	1.0000029	642991	77H4752	TERR	46 58 18	313.742	313.867				
		N	5446032.014					77H4751				TERR	183 50 57	198.894	198.973
		El	1.156					CVD28GVRD2018							
824854	77H4796	E	490822.570	0.9996039	1.0000029	MARKER ISOLATED									
		N	5443763.555												
		El	1.050			CVD28GVRD2018									
734111	77H4797	E	490274.069	0.9996041	1.0000029	119065	77H4735	TERR	90 19 12	122.701	122.749				
		N	5443116.780					77H4666				TERR	181 47 38	294.366	294.483
		El	.966					CVD28GVRD2018				77H4851	TERR	272 10 14	243.244

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
25098	77H4798	E	490868.248	0.9996039	1.0000029	640326	77H4635	TERR	180 0 51	449.198	449.376			
		N	5442754.697					979302	77H4776	TERR	279 55 43	222.751	222.840	
		El	.844					CVD28GVRD2018	724492	77H4658	TERR	359 37 35	365.196	365.341
260588	77H4799	E	490024.603	0.9996040	1.0000028	597161	77H4851	TERR	1 19 3	278.203	278.312			
		N	5442847.864					984401	77H4666	TERR	96 0 46	241.580	241.676	
		El	1.665					CVD28GVRD2018	274043	77H4777	TERR	179 43 27	171.494	171.563
173849	77H4800	E	489851.451	0.9996042	1.0000029	486696	77H4770	TERR	271 28 8	236.780	236.874			
		N	5444541.827											
		El	.755					CVD28GVRD2018						
902031	77H4801	E	488405.877	0.9996044	1.0000028	519777	77H4824	TERR	0 17 40	356.222	356.363			
		N	5443958.995					611269	77H4781	TERR	89 27 29	408.941	409.103	
		El	1.723					CVD28GVRD2018	699165	77H4882	TERR	180 13 12	172.253	172.321
									632893	77H4834	TERR	270 22 54	786.175	786.487
565846	77H4802	E	488403.428	0.9996044	1.0000028	726356	77H4854	TERR	0 8 21	321.612	321.739			
		N	5443143.163					491456	77H4646	TERR	90 33 59	438.626	438.799	
		El	1.621					CVD28GVRD2018	730721	77H4747	TERR	177 17 21	261.855	261.958
									128686	77H4832	TERR	270 19 16	344.302	344.439
429506	77H4803	E	486557.855	0.9996051	1.0000029	302380	77H4804	TERR	0 14 0	211.806	211.889			
		N	5441526.886					19794	77H4879	TERR	90 8 17	219.383	219.469	
		El	1.282					CVD28GVRD2018	549162	77H4838	TERR	270 13 7	213.982	214.066
302380	77H4804	E	486558.718	0.9996051	1.0000029	675603	77H4828	TERR	0 25 10	210.660	210.743			
		N	5441738.690					256552	77H4887	TERR	89 58 46	217.120	217.206	
		El	1.073					CVD28GVRD2018	429506	77H4803	TERR	180 14 0	211.806	211.889
									673384	77H4865	TERR	270 24 56	214.050	214.134
864777	77H4805	E	488408.772	0.9996044	1.0000028	773853	92H0961	TERR	91 19 9	277.983	278.093			
		N	5442308.774					71654	77H4507	TERR	180 3 33	346.332	346.469	
		El	1.835					CVD28GVRD2018	168054	77H4591	TERR	268 33 20	170.177	170.244
									183574	77H4862	TERR	359 39 53	223.452	223.540
117960	77H4806	E	489655.699	0.9996042	1.0000029		MARKER DESTROYED							
		N	5444353.227											
		El	.828	CVD28GVRD2018										

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
183731	77H4807	E	486321.474	0.9996052	1.0000029	634105	77H4598	TERR	0 6 54	257.487	257.588			
		N	5444525.496					304550	77H4840	TERR	90 2 1	281.904	282.016	
		El	.853					CVD28GVRD2018	596312	77H4511	TERR	268 17 28	162.809	162.874
231852	77H4808	E	490024.618	0.9996040	1.0000028	88336	77H4632	TERR	0 6 56	797.483	797.798			
		N	5440692.052					356147	77H4618	TERR	90 13 46	804.133	804.451	
		El	1.589					CVD28GVRD2018	394437	77H4671	TERR	180 30 30	731.690	731.980
									913483	77H4631	TERR	270 24 48	808.213	808.532
346130	77H4809	E	486345.159	0.9996052	1.0000029	208868	77H4897	TERR	0 10 21	198.307	198.385			
		N	5441950.051					675603	77H4828	TERR	90 11 18	215.102	215.187	
		El	1.132					CVD28GVRD2018	673384	77H4865	TERR	180 7 57	209.810	209.892
									664508	88H4825	TERR	271 8 2	330.694	330.825
435636	77H4810	E	486009.861	0.9996052	1.0000028	366245	77H4578	TERR	89 6 59	336.661	336.794			
		N	5442344.895					227132	77H4548	TERR	181 47 46	187.754	187.828	
		El	1.524					CVD28GVRD2018						
795161	77H4811	E	488889.066	0.9996044	1.0000029									
		N	5445012.245											
		El	.802	CVD28GVRD2018										
139659	77H4812	E	488215.020	0.9996045	1.0000028	224683	77H4657	TERR	89 51 59	202.774	202.854			
		N	5446379.472					260307	77H4663	TERR	180 14 11	402.213	402.372	
		El	1.274					CVD28GVRD2018	63164	77H4614	TERR	270 16 45	207.430	207.512
484477	77H4813	E	487588.012	0.9996047	1.0000028	403444	77H4624	TERR	11 14 37	151.306	151.366			
		N	5444769.041					232488	77H4830	TERR	90 23 0	376.998	377.148	
		El	1.233					CVD28GVRD2018	59972	77H4870	TERR	174 42 4	350.564	350.703
									62240	77H4544	TERR	268 52 43	240.521	240.616
881656	77H4814	E	488407.952	0.9996045	1.0000028	890202	77H4508	TERR	272 16 25	411.858	412.021			
		N	5441360.858					996298	77H4595	TERR	358 22 32	143.218	143.275	
		El	1.442					CVD28GVRD2018						
672113	77H4815	E	487119.788	0.9996049	1.0000029	655902	77H4794	TERR	88 59 15	307.567	307.688			
		N	5445578.355					84046	77H4844	TERR	269 25 37	331.331	331.462	
		El	1.114					CVD28GVRD2018	496687	77H4891	TERR	352 51 2	155.617	155.678

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
701698	77H4816	E	487610.050	0.9996047	1.0000028	646570	77H4817	TERR	0 4 41	337.456	337.590			
		N	5442336.586					102251	78H8449	TERR	93 18 41	447.285	447.461	
		El	1.370					CVD28GVRD2018	537563	77H4827	TERR	180 4 1	489.126	489.320
						570481	77H4552	TERR	268 35 55	287.126	287.240			
646570	77H4817	E	487610.510	0.9996048	1.0000029	701698	77H4816	TERR	180 4 41	337.456	337.590			
		N	5442674.042											
		El	1.021					CVD28GVRD2018						
210518	77H4818	E	488405.838	0.9996045	1.0000028	730721	77H4747	TERR	4 20 8	131.938	131.989			
		N	5442750.041					183574	77H4862	TERR	179 34 20	217.825	217.911	
		El	1.525					CVD28GVRD2018	47464	77H4900	TERR	270 10 4	346.820	346.956
991703	77H4819	E	486769.998	0.9996049	1.0000028	196303	77H4519	TERR	274 3 44	324.172	324.301			
		N	5442703.014					4200	77H4836	TERR	359 39 30	448.493	448.670	
		El	1.747					CVD28GVRD2018						
647032	77H4820	E	486560.805	0.9996051	1.0000029	649129	77H4849	TERR	90 8 4	212.506	212.590			
		N	5442147.278					675603	77H4828	TERR	180 9 28	197.935	198.013	
		El	1.124					CVD28GVRD2018	208868	77H4897	TERR	270 17 15	215.052	215.136
									520742	77H4557	TERR	357 30 40	202.255	202.334
588319	77H4822	E	486016.501	0.9996053	1.0000029	79624	77H4527	TERR	87 46 24	160.124	160.188			
		N	5444776.834					412189	77H4558	TERR	180 18 2	155.025	155.086	
		El	1.102					CVD28GVRD2018						
906826	77H4823	E	486340.561	0.9996052	1.0000029	752931	77H4850	TERR	180 7 20	168.690	168.757			
		N	5443516.917					236299	77H4894	TERR	270 20 8	331.204	331.334	
		El	.921					CVD28GVRD2018						
519777	77H4824	E	488407.707	0.9996045	1.0000028	978155	77H4829	TERR	0 19 12	447.299	447.476			
		N	5444315.212					902031	77H4801	TERR	180 17 40	356.222	356.363	
		El	1.511					CVD28GVRD2018						
355982	77H4825	E	486789.089	0.9996049	1.0000028		MARKER DESTROYED							
		N	5445915.964											
		El	1.823	CVD28GVRD2018										

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
761122	77H4826	E	487604.059	0.9996047	1.0000028	941252	77H4545	TERR	5 9 22	181.819	181.890	
		N	5441380.043			890202	77H4508	TERR	90 24 56	392.369	392.525	
		El	1.467			CVD28GVRD2018	781161	77H4554	TERR	272 15 17	217.123	217.209
							467324	77H4857	TERR	329 51 24	252.612	252.711
537563	77H4827	E	487609.479	0.9996048	1.0000029	701698	77H4816	TERR	0 4 1	489.126	489.320	
		N	5441847.460			875864	NO MARKING	GPS	19 54 46	17302.284	17309.173	
		El	1.048			CVD28GVRD2018	59121	02H2452	GPS	80 6 6	2455.559	2456.531
							51441	02H2453	GPS	88 41 31	5771.856	5774.143
							80101	02H2443	GPS	100 44 51	5562.470	5564.674
							737197	84H0431	GPS	115 15 29	7545.178	7548.167
							394437	77H4671	GPS	128 4 38	3059.840	3061.051
							869792	NO MARKING	GPS	133 45 27	2291.226	2292.134
							234419	6901	GPS	152 42 20	5947.698	5950.052
							941252	77H4545	TERR	177 48 57	286.542	286.656
							406991	77C032	GPS	187 50 45	3809.154	3810.659
							258020	19713	GPS	269 18 46	1872.637	1873.377
							626515	77H4566	TERR	272 55 31	138.008	138.062
							30031	77H4885	GPS	335 41 33	4984.148	4986.117
			537829	02H2479	GPS	345 12 30	8997.388	9000.942				
			58081	02H2408	GPS	351 41 32	5614.440	5616.659				
			496687	77H4891	GPS	352 32 8	3918.509	3920.058				
675603	77H4828	E	486560.260	0.9996051	1.0000029	647032	77H4820	TERR	0 9 28	197.935	198.013	
		N	5441949.344			274613	77H4892	TERR	89 55 16	214.404	214.489	
		El	1.217			CVD28GVRD2018	302380	77H4804	TERR	180 25 10	210.660	210.743
							346130	77H4809	TERR	270 11 18	215.102	215.187
978155	77H4829	E	488410.205	0.9996044	1.0000028	288340	77H4874	TERR	0 22 27	179.682	179.753	
		N	5444762.504			467860	77H4729	TERR	91 57 8	211.105	211.188	
		El	1.638			CVD28GVRD2018	519777	77H4824	TERR	180 19 12	447.299	447.476
							232488	77H4830	TERR	270 30 60	445.221	445.398
232488	77H4830	E	487965.002	0.9996047	1.0000029	978155	77H4829	TERR	90 30 60	445.221	445.398	
		N	5444766.518			964460	77H4556	TERR	181 47 44	177.263	177.333	
		El	.643			CVD28GVRD2018	484477	77H4813	TERR	270 23 0	376.998	377.148
427203	77H4831	E	490048.179	0.9996040	1.0000027	993964	77H4896	TERR	0 9 24	152.457	152.518	
		N	5447294.700			100081	88H4812	TERR	91 29 44	416.654	416.820	
		El	1.808			CVD28GVRD2018	854398	77H4965	TERR	172 13 52	116.433	116.479
128686	77H4832	E	488059.131	0.9996046	1.0000028	565846	77H4802	TERR	90 19 16	344.302	344.439	
		N	5443145.093			47464	77H4900	TERR	180 0 58	394.036	394.192	
		El	1.370			CVD28GVRD2018	167163	77H4846	TERR	270 22 2	207.423	207.506

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
897215	77H4833	E	487822.802	0.9996047	1.0000029	439422	77H4782	TERR	0 19 58	293.544	293.660				
		N	5444886.380					569178	77H4883	TERR	90 18 7	196.206	196.283		
		El	.987					CVD28GVRD2018							
632893	77H4834	E	487619.719	0.9996048	1.0000029	59972	77H4870	TERR	0 5 2	455.743	455.923				
		N	5443964.233					902031	77H4801	TERR	90 22 54	786.175	786.487		
		El	.975					CVD28GVRD2018		925693	77H4888	TERR	180 5 36	173.573	173.642
								762146	77H4574	TERR	268 27 2	382.315	382.466		
532325	77H4835	E	486592.469	0.9996051	1.0000029	574145	77H4866	TERR	180 24 10	428.285	428.454				
		N	5443779.535					904763	77H4847	TERR	270 9 45	489.296	489.489		
		El	1.110					CVD28GVRD2018							
4200	77H4836	E	486767.324	0.9996049	1.0000028	37200	77H4871	TERR	90 15 9	219.085	219.172				
		N	5443151.499					991703	77H4819	TERR	179 39 30	448.493	448.670		
		El	1.688					CVD28GVRD2018		22475	77H4532	TERR	358 51 25	206.452	206.534
117515	77H4837	E	487750.939	0.9996047	1.0000029	433730	77H4864	TERR	90 20 55	414.965	415.129				
		N	5444419.417					59170	77H4563	TERR	182 40 53	89.027	89.061		
		El	1.164					CVD28GVRD2018		59972	77H4870	TERR	270 14 42	130.553	130.605
								795344	77H4590	TERR	357 22 18	182.431	182.503		
549162	77H4838	E	486343.875	0.9996051	1.0000028	673384	77H4865	TERR	0 12 55	212.542	212.625				
		N	5441527.702					429506	77H4803	TERR	90 13 7	213.982	214.066		
		El	1.563					CVD28GVRD2018		686873	77H4884	TERR	270 13 25	342.150	342.286
530469	77H4839	E	488058.356	0.9996046	1.0000029										
		N	5442322.516												
		El	1.117	CVD28GVRD2018											
304550	77H4840	E	486603.378	0.9996051	1.0000029	183731	77H4807	TERR	270 2 1	281.904	282.016				
		N	5444525.330												
		El	1.135					CVD28GVRD2018							
578880	77H4841	E	485834.656	0.9996053	1.0000028	859025	77H4520	TERR	91 13 31	398.338	398.495				
		N	5443963.247					93476	77H4537	TERR	352 11 6	172.651	172.719		
		El	1.307					CVD28GVRD2018							

MARKER DESTROYED

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
766956	77H4842	E	488082.471	0.9996046	1.0000029	726356	77H4854	TERR	90 18 36	321.743	321.870				
		N	5443466.514					318923	77H4898	TERR	270 18 16	464.223	464.406		
		El	1.124					CVD28GVRD2018							
84046	77H4844	E	486788.474	0.9996049	1.0000028	672113	77H4815	TERR	89 25 37	331.331	331.462				
		N	5445575.041					129866	77H4859	TERR	269 30 45	534.275	534.486		
		El	1.570					CVD28GVRD2018		460659	87H3143	TERR	359 2 46	346.052	346.188
394809	77H4845	E	486532.171	0.9996051	1.0000029	476440	77H4878	TERR	180 7 48	233.018	233.110				
		N	5444359.498												
		El	1.004					CVD28GVRD2018							
167163	77H4846	E	487851.712	0.9996047	1.0000029	128686	77H4832	TERR	90 22 2	207.423	207.506				
		N	5443146.422					123752	77H4867	TERR	270 19 19	235.232	235.324		
		El	.976					CVD28GVRD2018							
904763	77H4847	E	486103.175	0.9996052	1.0000029	532325	77H4835	TERR	90 9 45	489.296	489.489				
		N	5443780.922					443762	77H4860	TERR	182 0 8	180.918	180.988		
		El	1.181					CVD28GVRD2018							
475806	77H4848	E	486362.629	0.9996052	1.0000029	807750	77H4872	TERR	180 53 27	240.807	240.902				
		N	5443150.351												
		El	.989					CVD28GVRD2018							
649129	77H4849	E	486773.310	0.9996050	1.0000028	274613	77H4892	TERR	179 36 23	197.145	197.223				
		N	5442146.779					647032	77H4820	TERR	270 8 4	212.506	212.590		
		El	1.439					CVD28GVRD2018		492181	77H4858	TERR	359 40 20	195.043	195.121
752931	77H4850	E	486340.201	0.9996052	1.0000029	906826	77H4823	TERR	0 7 20	168.690	168.757				
		N	5443348.227					574145	77H4866	TERR	89 18 9	249.277	249.375		
		El	1.051					CVD28GVRD2018							
597161	77H4851	E	490031.000	0.9996041	1.0000028	734111	77H4797	TERR	92 10 14	243.244	243.340				
		N	5443125.993					260588	77H4799	TERR	181 19 3	278.203	278.312		
		El	1.324					CVD28GVRD2018		252684	77H4787	TERR	267 45 39	174.484	174.553
								396721	77H4733	TERR	358 43 25	299.795	299.914		

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
440503	77H4852	E	490052.496	0.9996039	1.0000027	676734	77H5826	TERR	32 6 23	430.988	431.158				
		N	5447996.276					725010	77H4934			TERR	89 12 31	186.586	186.660
		El	1.899					CVD28GVRD2018	993964			77H4896	TERR	180 24 25	549.134
680744	77H4853	E	490453.881	0.9996041	1.0000030	590240	77H4629	TERR	0 9 17	202.049	202.129				
		N	5444957.244					302844	77H4922			TERR	91 1 24	406.605	406.766
		El	.581					CVD28GVRD2018	64329			77H4689	TERR	179 59 27	202.954
726356	77H4854	E	488404.209	0.9996044	1.0000028	699165	77H4882	TERR	0 10 45	321.971	322.098				
		N	5443464.774					795443	77H4684			TERR	90 31 1	389.470	389.623
		El	1.839					CVD28GVRD2018	565846			77H4802	TERR	180 8 21	321.612
751800	77H4855	E	486776.040	0.9996049	1.0000027	124164	77H4513	TERR	91 52 38	179.829	179.900				
		N	5443959.598					729079	77H4600			TERR	182 8 40	262.398	262.501
		El	1.878					CVD28GVRD2018	393264			77H4549	TERR	268 37 27	243.947
504670	77H4856	E	489221.380	0.9996044	1.0000029	656629	77H4640	TERR	0 15 54	405.238	405.399				
		N	5444354.402					867218	77H4685			TERR	180 16 50	402.209	402.368
		El	.683					CVD28GVRD2018							
467324	77H4857	E	487477.206	0.9996049	1.0000029	761122	77H4826	TERR	149 51 24	252.612	252.711				
		N	5441598.495					449504	77H4873			TERR	269 48 36	139.590	139.645
		El	.817					CVD28GVRD2018							
492181	77H4858	E	486772.194	0.9996050	1.0000028	724716	77H4518	TERR	91 48 29	313.315	313.438				
		N	5442341.819					649129	77H4849			TERR	179 40 20	195.043	195.121
		El	1.391					CVD28GVRD2018	520742			77H4557	TERR	271 57 25	220.301
129866	77H4859	E	486254.218	0.9996052	1.0000029	84046	77H4844	TERR	89 30 45	534.275	534.486				
		N	5445570.494												
		El	1.048					CVD28GVRD2018							
443762	77H4860	E	486096.854	0.9996052	1.0000028	904763	77H4847	TERR	2 0 8	180.918	180.988				
		N	5443600.115												
		El	1.394					CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
589846	77H4861	E	486174.904	0.9996052	1.0000029	799999	77H4868	TERR	180 14 22	197.921	198.000
		N	5443431.916								
		El	1.018	CVD28GVRD2018							
183574	77H4862	E	488407.464	0.9996045	1.0000028	599555	77H4724	TERR	83 39 27	108.661	108.705
		N	5442532.222			864777	77H4805	TERR	179 39 53	223.452	223.540
		El	1.474	CVD28GVRD2018		210518	77H4818	TERR	359 34 20	217.825	217.911
863407	77H4863	E	488416.718	0.9996045	1.0000028	567131	77H4670	TERR	0 12 26	217.624	217.710
		N	5445552.211			816157	78H8339	TERR	91 2 38	416.511	416.676
		El	1.417	CVD28GVRD2018		234062	83H6183	TERR	267 56 50	212.532	212.616
433730	77H4864	E	488165.896	0.9996046	1.0000029	117515	77H4837	TERR	270 20 55	414.965	415.129
		N	5444416.892								
		El	.739	CVD28GVRD2018							
673384	77H4865	E	486344.674	0.9996052	1.0000029	346130	77H4809	TERR	0 7 57	209.810	209.892
		N	5441740.242			302380	77H4804	TERR	90 24 56	214.050	214.134
		El	1.075	CVD28GVRD2018		549162	77H4838	TERR	180 12 55	212.542	212.625
						379743	88H4822	TERR	269 55 36	341.874	342.009
574145	77H4866	E	486589.459	0.9996051	1.0000029	532325	77H4835	TERR	0 24 10	428.285	428.454
		N	5443351.261			752931	77H4850	TERR	269 18 9	249.277	249.375
		El	1.070	CVD28GVRD2018							
123752	77H4867	E	487616.484	0.9996048	1.0000029	318923	77H4898	TERR	0 18 57	321.242	321.369
		N	5443147.744			167163	77H4846	TERR	90 19 19	235.232	235.324
		El	1.138	CVD28GVRD2018		839027	77H4571	TERR	266 55 15	156.957	157.019
799999	77H4868	E	486174.077	0.9996052	1.0000029	589846	77H4861	TERR	0 14 22	197.921	198.000
		N	5443233.997								
		El	1.187	CVD28GVRD2018							
444323	77H4869	E	490484.423	0.9996039	1.0000028	640326	77H4635	TERR	90 20 37	383.722	383.874
		N	5442307.800			698480	77H4650	TERR	269 59 59	449.927	450.106
		El	1.601	CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
59972	77H4870	E	487620.387	0.9996047	1.0000029	117515	77H4837	TERR	90 14 42	130.553	130.605		
		N	5444419.975					632893	77H4834	TERR	180 5 2	455.743	455.923
		El	1.200					CVD28GVRD2018	484477	77H4813	TERR	354 42 4	350.564
37200	77H4871	E	486986.407	0.9996049	1.0000029	839027	77H4571	TERR	91 21 29	473.480	473.666		
		N	5443150.534					4200	77H4836	TERR	270 15 9	219.085	219.172
		El	1.148					CVD28GVRD2018					
807750	77H4872	E	486358.885	0.9996051	1.0000028	475806	77H4848	TERR	0 53 27	240.807	240.902		
		N	5442909.573										
		El	1.335					CVD28GVRD2018					
449504	77H4873	E	487337.617	0.9996049	1.0000029	467324	77H4857	TERR	89 48 36	139.590	139.645		
		N	5441598.032					680801	77H4585	TERR	353 6 37	254.500	254.600
		El	.924					CVD28GVRD2018					
288340	77H4874	E	488411.378	0.9996044	1.0000028	978155	77H4829	TERR	180 22 27	179.682	179.753		
		N	5444942.182										
		El	1.744					CVD28GVRD2018					
124818	77H4875	E	488418.135	0.9996045	1.0000028	722256	77H4732	TERR	83 37 24	143.023	143.080		
		N	5446805.241					224683	77H4657	TERR	180 2 46	425.296	425.464
		El	1.185					CVD28GVRD2018	542068	77H4610	TERR	261 27 19	205.267
258962	77H4876	E	487963.838	0.9996046	1.0000028	699165	77H4882	TERR	90 15 1	441.382	441.557		
		N	5443788.672					925693	77H4888	TERR	270 19 51	344.408	344.544
		El	1.412					CVD28GVRD2018					
350298	77H4877	E	487137.909	0.9996050	1.0000030	124743	77H4880	TERR	0 37 50	180.848	180.919		
		N	5444325.640					856708	77H4572	TERR	266 19 50	177.022	177.092
		El	.591					CVD28GVRD2018					
476440	77H4878	E	486531.642	0.9996051	1.0000029	394809	77H4845	TERR	0 7 48	233.018	233.110		
		N	5444126.481					393264	77H4549	TERR	179 49 38	172.741	172.809
		El	.845					CVD28GVRD2018	264002	77H4881	TERR	270 13 32	292.774

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
19794	77H4879	E	486777.237	0.9996050	1.0000028	254128	77H4550	TERR	181 38 10	147.024	147.082	
		N	5441526.357			429506	77H4803	TERR	270 8 17	219.383	219.469	
		El	1.304	CVD28GVRD2018		256552	77H4887	TERR	359 37 22	212.416	212.500	
124743	77H4880	E	487139.899	0.9996049	1.0000029	350298	77H4877	TERR	180 37 50	180.848	180.919	
		N	5444506.477									
		El	.929	CVD28GVRD2018								
264002	77H4881	E	486238.870	0.9996052	1.0000029	476440	77H4878	TERR	90 13 32	292.774	292.889	
		N	5444127.634			40444	77H4541	TERR	271 46 9	249.719	249.818	
		El	.956	CVD28GVRD2018								
699165	77H4882	E	488405.216	0.9996045	1.0000028	902031	77H4801	TERR	0 13 12	172.253	172.321	
		N	5443786.743			614156	77H4641	TERR	90 32 28	403.926	404.086	
		El	1.547	CVD28GVRD2018			726356	77H4854	TERR	180 10 45	321.971	322.098
							258962	77H4876	TERR	270 15 1	441.382	441.557
569178	77H4883	E	488019.005	0.9996047	1.0000029	301267	77H4726	TERR	0 58 60	240.736	240.832	
		N	5444885.346			897215	77H4833	TERR	270 18 7	196.206	196.283	
		El	.858	CVD28GVRD2018								
686873	77H4884	E	486001.728	0.9996051	1.0000027	379743	88H4822	TERR	0 17 29	210.769	210.852	
		N	5441529.038			549162	77H4838	TERR	90 13 25	342.150	342.286	
		El	2.088	CVD28GVRD2018								

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
30031	77H4885	E	485557.846	0.9996054	1.0000029	538736	V-2980	GPS	5 15 29	5677.777	5680.019	
		N	5446389.765			174268	V-2982	GPS	6 4 39	6891.374	6894.100	
		El	1.106			CVD28GVRD2018	852939	02H2470	GPS	16 52 7	22075.694	22084.682
							69385	V-1280	GPS	22 22 34	8194.360	8197.645
							485912	126	GPS	26 3 44	6525.901	6528.500
							875864	NO MARKING	GPS	34 7 11	14163.497	14169.134
							611681	V-3719	GPS	36 10 40	13512.763	13518.113
							58081	02H2408	GPS	50 45 23	1601.621	1602.253
							898734	NO MARKING	GPS	84 22 13	24757.058	24767.059
							274696	78H8518	GPS	89 15 43	11046.669	11051.045
							954362	77H4655	TERR	90 20 8	446.000	446.176
							496687	77H4891	GPS	113 4 11	1676.660	1677.322
							531079	6902	GPS	121 57 5	16871.220	16877.903
							869792	NO MARKING	GPS	148 49 40	7160.841	7163.679
							537563	77H4827	GPS	155 41 33	4984.148	4986.117
							406991	77C032	GPS	169 33 50	8455.681	8459.020
							258020	19713	GPS	177 45 10	4568.274	4570.079
			558759	02H2407	GPS	309 34 20	6205.900	6208.346				
			654525	02H2489	GPS	325 48 24	25832.396	25842.841				
			521617	PP	GPS	339 6 58	11761.910	11766.621				
			632448	02H2492	GPS	339 23 32	29007.643	29019.116				
			528513	NFHC 5	GPS	345 12 1	8169.173	8172.422				
			326595	PIER 3	GPS	349 22 22	20548.537	20556.915				
			537829	02H2479	GPS	356 37 14	4164.150	4165.794				
775114	77H4886	E	488413.938	0.9996044	1.0000027		MARKER DESTROYED					
		N	5445276.919									
		El	1.884	CVD28GVRD2018								
256552	77H4887	E	486775.838	0.9996049	1.0000028	19794	77H4879	TERR	179 37 22	212.416	212.500	
		N	5441738.768			302380	77H4804	TERR	269 58 46	217.120	217.206	
		El	1.662			CVD28GVRD2018	274613	77H4892	TERR	359 40 52	210.874	210.957
925693	77H4888	E	487619.436	0.9996048	1.0000029	632893	77H4834	TERR	0 5 36	173.573	173.642	
		N	5443790.660			258962	77H4876	TERR	90 19 51	344.408	344.544	
		El	.998			CVD28GVRD2018	318923	77H4898	TERR	180 12 37	321.681	321.809
441543	77H4889	E	486795.471	0.9996049	1.0000028	198788	77H4575	TERR	92 7 55	249.844	249.943	
		N	5444776.284			628669	77H4594	TERR	182 20 26	349.486	349.624	
		El	1.513			CVD28GVRD2018	723742	77H4561	TERR	271 19 42	308.172	308.294
							69864	77H4559	TERR	358 35 60	372.536	372.684

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
423145	77H4890	E	487585.888	0.9996047	1.0000029	674408	83H6182	TERR	94 7 23	416.682	416.847			
		N	5445576.763					968305	77H4746	TERR	185 13 33	109.714	109.757	
		El	1.160					CVD28GVRD2018	655902	77H4794	TERR	272 32 14	158.737	158.800
496687	77H4891	E	487100.420	0.9996049	1.0000029	542548	77H4664	TERR	0 0 28	182.948	183.021			
		N	5445732.762					485912	126	GPS	11 29 4	6652.536	6655.186	
		El	1.128					CVD28GVRD2018	381285	V-3015	GPS	26 21 35	5150.521	5152.559
									875864	NO MARKING	GPS	27 20 24	13939.614	13945.165
									951376	77H4970	GPS	58 27 19	3947.687	3949.249
									714972	78H8458	GPS	68 41 47	10185.147	10189.184
									619213	94H1624	GPS	91 39 39	6228.885	6231.352
									829762	02H2412	GPS	95 14 57	12000.115	12004.875
									869792	NO MARKING	GPS	158 24 57	5882.416	5884.749
									537563	77H4827	GPS	172 32 8	3918.509	3920.058
									672113	77H4815	TERR	172 51 2	155.617	155.678
									406991	77C032	GPS	180 4 54	7658.807	7661.833
									258020	19713	GPS	199 14 3	4138.786	4140.422
			30031	77H4885	GPS	293 4 11	1676.660	1677.322						
			58081	02H2408	GPS	349 44 42	1697.335	1698.006						
274613	77H4892	E	486774.664	0.9996050	1.0000028	256552	77H4887	TERR	179 40 52	210.874	210.957			
		N	5441949.639					675603	77H4828	TERR	269 55 16	214.404	214.489	
		El	1.502					CVD28GVRD2018	649129	77H4849	TERR	359 36 23	197.145	197.223
980938	77H4893	E	487428.717	0.9996048	1.0000029	194001	77H4613	TERR	359 58 17	211.877	211.961			
		N	5446473.653											
		El	1.103					CVD28GVRD2018						
236299	77H4894	E	486009.363	0.9996052	1.0000028	906826	77H4823	TERR	90 20 8	331.204	331.334			
		N	5443518.857											
		El	1.323					CVD28GVRD2018						
201236	77H4895	E	490041.540	0.9996041	1.0000029	71977	91H9831	TERR	3 21 39	234.944	235.037			
		N	5445551.530					449405	77H4687	TERR	90 8 47	407.793	407.955	
		El	1.136					CVD28GVRD2018	347526	91H9832	TERR	267 0 45	254.048	254.149
									688226	88H4824	TERR	267 42 47	255.167	255.269
									440727	77H4715	TERR	358 40 31	229.575	229.666
993964	77H4896	E	490048.596	0.9996040	1.0000028	440503	77H4852	TERR	0 24 25	549.134	549.351			
		N	5447447.156					826453	77H4946	TERR	90 32 9	417.445	417.611	
		El	1.714					CVD28GVRD2018	427203	77H4831	TERR	180 9 24	152.457	152.518

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
208868	77H4897	E	486345.756	0.9996051	1.0000028	366245	77H4578	TERR	0 12 22	201.730	201.810					
		N	5442148.357					647032	77H4820			TERR	90 17 15	215.052	215.136	
		El	1.306					CVD28GVRD2018	346130			77H4809	TERR	180 10 21	198.307	198.385
						227132	77H4548	TERR	271 29 15	341.895	342.031					
318923	77H4898	E	487618.255	0.9996048	1.0000029	925693	77H4888	TERR	0 12 37	321.681	321.809					
		N	5443468.981					766956	77H4842			TERR	90 18 16	464.223	464.406	
		El	.870					CVD28GVRD2018	123752			77H4867	TERR	180 18 57	321.242	321.369
133777	77H4899	E	490047.429	0.9996040	1.0000028	854398	77H4965	TERR	2 24 26	392.565	392.721					
		N	5446787.117					157172	77H4672			TERR	90 52 27	363.173	363.318	
		El	1.290					CVD28GVRD2018	727784			82H5095	TERR	175 59 55	194.118	194.195
									99127			144-696	TERR	179 51 53	400.066	400.224
47464	77H4900	E	488059.020	0.9996047	1.0000029	128686	77H4832	TERR	0 0 58	394.036	394.192					
		N	5442751.057					210518	77H4818			TERR	90 10 4	346.820	346.956	
		El	.900					CVD28GVRD2018	102251			78H8449	TERR	180 18 59	440.315	440.488
123075	77H4901	E	491265.957	0.9996037	1.0000028	MARKER DESTROYED										
		N	5444548.442													
		El	1.639			CVD28GVRD2018										
446062	77H4902	E	492934.746	0.9996035	1.0000029	256461	77H4930	TERR	61 25 31	173.208	173.276					
		N	5442623.163													
		El	.892					CVD28GVRD2018								
962548	77H4903	E	490465.085	0.9996040	1.0000029	MARKER DESTROYED										
		N	5447289.836													
		El	.993			CVD28GVRD2018										
521385	77H4904	E	491680.010	0.9996038	1.0000029	382200	77H4914	TERR	357 26 44	169.214	169.281					
		N	5443743.716													
		El	.941					CVD28GVRD2018								
372896	77H4905	E	491917.970	0.9996037	1.0000029	563486	77H4962	TERR	90 18 5	272.799	272.907					
		N	5442301.330					264358	77H4630			TERR	268 14 55	254.833	254.934	
		El	1.221					CVD28GVRD2018	113993			77H4958	TERR	336 25 27	184.453	184.526

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
391128	77H4906	E	491266.809	0.9996037	1.0000028	686931	88H4818	TERR	179 4 31	415.373	415.538		
		N	5445154.002					247478	92H0976	TERR	268 58 31	397.137	397.294
		El	1.757					CVD28GVRD2018	971515	77H4937	TERR	359 34 1	407.872
236752	77H4907	E	492302.209	0.9996037	1.0000030	164889	77H4990	TERR	181 14 48	287.563	287.677		
		N	5442876.445										
		El	.526					CVD28GVRD2018					
404152	77H4908	E	490863.664	0.9996039	1.0000029	MARKER DESTROYED							
		N	5444547.353										
		El	.775			CVD28GVRD2018							
10967	77H4909	E	492483.970	0.9996036	1.0000029	766006	77H4926	TERR	15 16 41	223.779	223.867		
		N	5443285.951					197632	77H4959	TERR	163 27 41	192.550	192.627
		El	.848					CVD28GVRD2018	675728	77H4955	TERR	271 33 4	367.688
562694	77H4911	E	491938.319	0.9996037	1.0000029	589093	77H5802	TERR	0 54 41	306.978	307.100		
		N	5442596.672					164889	77H4990	TERR	91 14 13	357.717	357.859
		El	.805					CVD28GVRD2018					
792507	77H4912	E	492843.886	0.9996036	1.0000029	266825	77H4932	TERR	4 27 39	178.384	178.455		
		N	5442921.808					837518	77H4971	TERR	92 7 29	248.710	248.808
		El	.807					CVD28GVRD2018					
816553	77H4913	E	493090.628	0.9996034	1.0000028	799379	77H4976	TERR	95 4 35	175.191	175.261		
		N	5441279.953					860601	77H4929	TERR	311 36 48	137.975	138.029
		El	1.736					CVD28GVRD2018					
382200	77H4914	E	491672.468	0.9996038	1.0000029	550574	77H4916	TERR	0 34 58	412.367	412.531		
		N	5443912.762					521385	77H4904	TERR	177 26 44	169.214	169.281
		El	.793					CVD28GVRD2018	51649	77H4983	TERR	271 0 15	416.488
275081	77H4915	E	490924.254	0.9996038	1.0000028	698084	77H4939	TERR	0 43 59	390.549	390.704		
		N	5446778.188					615542	77H4645	TERR	180 13 7	406.993	407.154
		El	1.455					CVD28GVRD2018	786848	77H4998	TERR	271 5 53	107.971

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
550574	77H4916	E	491676.663	0.9996036	1.0000028	742114	77H4961	TERR	0 37 15	419.594	419.760						
		N	5444325.108					382200				77H4914	TERR	180 34 58	412.367	412.531	
		El	1.710					CVD28GVRD2018									
916668	77H4917	E	490931.085	0.9996038	1.0000028	332874	77H4964	TERR	0 20 5	325.128	325.256						
		N	5447668.510					542662				77H5814	TERR	89 59 9	407.543	407.705	
		El	1.412					CVD28GVRD2018				945238	77H4943	TERR	180 9 14	324.526	324.654
838706	77H4918	E	492996.264	0.9996034	1.0000028	922195	77H5820	TERR	91 49 6	283.309	283.422						
		N	5442295.623					745612				77H4952	TERR	270 16 10	274.998	275.107	
		El	1.580					CVD28GVRD2018									
206359	77H4919	E	490294.582	0.9996041	1.0000029	578021	77H4609	TERR	87 16 52	156.795	156.857						
		N	5444282.045														
		El	.734					CVD28GVRD2018									
825455	77H4920	E	491264.987	0.9996039	1.0000030	450387	77H4973	TERR	0 14 46	380.993	381.143						
		N	5443377.490					706366				77H4986	TERR	91 1 4	417.014	417.178	
		El	.411					CVD28GVRD2018				209486	77H4695	TERR	271 40 29	291.168	291.284
695973	77H4921	E	490862.163	0.9996039	1.0000029	686931	88H4818	TERR	90 39 11	411.376	411.539						
		N	5444743.372					479949				92H0975	TERR	181 37 13	189.317	189.392	
		El	1.039					CVD28GVRD2018				64329	77H4689	TERR	271 31 55	408.396	408.557
												302844	77H4922	TERR	359 31 1	206.618	206.699
302844	77H4922	E	490860.421	0.9996039	1.0000029	247478	92H0976	TERR	2 42 30	197.136	197.215						
		N	5444949.983					695973				77H4921	TERR	179 31 1	206.618	206.699	
		El	1.073					CVD28GVRD2018				680744	77H4853	TERR	271 1 24	406.605	406.766
668020	77H4923	E	493101.167	0.9996035	1.0000029	256461	77H4930	TERR	190 45 48	76.631	76.662						
		N	5442781.292					837518				77H4971	TERR	356 11 27	131.586	131.638	
		El	.964					CVD28GVRD2018									
383885	77H4924	E	490858.463	0.9996040	1.0000029	MARKER DESTROYED											
		N	5445153.061														
		El	.748			CVD28GVRD2018											

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
110122	77H4925	E	490261.808	0.9996040	1.0000029	648501	77H4653	TERR	87 52 57	149.588	149.647		
		N	5445766.530					440727	77H4715	TERR	273 40 53	226.042	226.132
		El	1.108					CVD28GVRD2018					
766006	77H4926	E	492542.936	0.9996036	1.0000029	294397	77H4969	TERR	89 35 21	300.933	301.053		
		N	5443501.821					10967	77H4909	TERR	195 16 41	223.779	223.867
		El	.863					CVD28GVRD2018					
468371	77H4927	E	490698.760	0.9996039	1.0000029	641860	77H4616	TERR	269 27 36	283.999	284.111		
		N	5445974.472										
		El	1.012					CVD28GVRD2018					
981951	77H4928	E	491350.417	0.9996038	1.0000029	445296	77H4966	TERR	113 25 4	150.657	150.717		
		N	5443768.481					450387	77H4973	TERR	263 11 35	84.388	84.421
		El	.848					CVD28GVRD2018					
860601	77H4929	E	492987.472	0.9996034	1.0000028	401190	77H5809	TERR	5 30 6	113.543	113.589		
		N	5441371.582					816553	77H4913	TERR	131 36 48	137.975	138.029
		El	1.899					CVD28GVRD2018					
256461	77H4930	E	493086.856	0.9996035	1.0000029	668020	77H4923	TERR	10 45 48	76.631	76.662		
		N	5442706.009					446062	77H4902	TERR	241 25 31	173.208	173.276
		El	.841					CVD28GVRD2018					
807354	77H4931	E	489220.973	0.9996043	1.0000028	95604	92H0963	TERR	89 31 24	406.191	406.353		
		N	5442311.048			199620	77H4947	TERR	180 14 8	809.282	809.603		
		El	1.322			CVD28GVRD2018	428284	92H0962	TERR	268 5 37	291.507	291.623	
							945915	77H4779	TERR	358 34 11	489.987	490.180	
266825	77H4932	E	492857.760	0.9996035	1.0000029	942409	92H0965	TERR	90 15 56	459.723	459.905		
		N	5443099.652			792507	77H4912	TERR	184 27 39	178.384	178.455		
		El	.875			CVD28GVRD2018		197632	77H4959	TERR	270 18 29	318.983	319.109
725010	77H4934	E	490239.064	0.9996039	1.0000028	236976	152	TERR	90 26 5	225.753	225.841		
		N	5447998.853			440503	77H4852	TERR	269 12 31	186.586	186.660		
		El	1.681			CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
973826	77H4935	E	492038.663	0.9996037	1.0000029	132340	77H4691	TERR	270 22 9	361.957	362.100
		N	5443104.570								
		El	.871	CVD28GVRD2018							
392357	77H4936	E	490933.459	0.9996037	1.0000027	332874	77H4964	TERR	180 7 33	216.312	216.397
		N	5448209.943								
		El	1.910	CVD28GVRD2018							
971515	77H4937	E	491263.726	0.9996037	1.0000028	66464	77H4615	TERR	90 4 43	205.649	205.731
		N	5445561.862			391128	77H4906	TERR	179 34 1	407.872	408.033
		El	1.697	CVD28GVRD2018		846428	77H4659	TERR	270 16 19	204.517	204.598
400416	77H4938	E	491703.916	0.9996037	1.0000028	439141	78H8462	TERR	0 15 38	487.043	487.236
		N	5448812.045			156513	78H8475	TERR	90 8 50	107.339	107.382
		El	1.200	CVD28GVRD2018		543504	77H5832	TERR	270 24 46	464.141	464.326
698084	77H4939	E	490929.250	0.9996038	1.0000028	945238	77H4943	TERR	0 18 53	175.283	175.352
		N	5447168.705			275081	77H4915	TERR	180 43 59	390.549	390.704
		El	1.406	CVD28GVRD2018		854398	77H4965	TERR	270 42 14	865.397	865.740
192955	77H4940	E	491692.620	0.9996035	1.0000027	122952	77H4652	TERR	180 26 4	322.482	322.610
		N	5446206.003			46011	77H4679	TERR	270 4 29	408.486	408.648
		El	2.357	CVD28GVRD2018		382044	89H5190	TERR	355 53 33	172.960	173.029
62422	77H4941	E	491266.518	0.9996039	1.0000029	51649	77H4983	TERR	182 42 48	221.265	221.353
		N	5444141.078			389437	92H0973	TERR	270 30 44	404.646	404.806
		El	.706	CVD28GVRD2018		253773	92H0977	TERR	359 8 38	400.873	401.031
415307	77H4942	E	490814.952	0.9996039	1.0000029		MARKER DESTROYED				
		N	5446576.812								
		El	.799	CVD28GVRD2018							
945238	77H4943	E	490930.213	0.9996038	1.0000028	916668	77H4917	TERR	0 9 14	324.526	324.654
		N	5447343.985			972026	323	TERR	89 47 59	764.476	764.779
		El	1.372	CVD28GVRD2018		698084	77H4939	TERR	180 18 53	175.283	175.352

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
501627	77H4944	E	490243.311	0.9996041	1.0000029	78188	77H4949	TERR	180 9 43	189.649	189.723
		N	5444657.885								
		El	.654	CVD28GVRD2018							
579235	77H4945	E	491471.354	0.9996037	1.0000028	889493	88H4817	TERR	179 45 26	416.599	416.765
		N	5445157.805			66464	77H4615	TERR	359 43 9	403.780	403.939
		El	1.747	CVD28GVRD2018							
826453	77H4946	E	490466.023	0.9996040	1.0000029	100081	88H4812	TERR	180 28 43	159.433	159.496
		N	5447443.252			993964	77H4896	TERR	270 32 9	417.445	417.611
		El	1.057	CVD28GVRD2018		951376	77H4970	TERR	359 47 48	354.803	354.944
199620	77H4947	E	489217.644	0.9996044	1.0000029	807354	77H4931	TERR	0 14 8	809.282	809.603
		N	5441501.773			88336	77H4632	TERR	90 52 2	808.676	808.995
		El	.840	CVD28GVRD2018		913483	77H4631	TERR	180 5 13	803.892	804.210
						996298	77H4595	TERR	270 9 29	813.755	814.078
78188	77H4949	E	490242.775	0.9996041	1.0000029	501627	77H4944	TERR	0 9 43	189.649	189.723
		N	5444468.237								
		El	.757	CVD28GVRD2018							
193722	77H4950	E	493127.843	0.9996035	1.0000029	560094	77H4994	TERR	359 49 33	214.355	214.440
		N	5443188.713								
		El	.919	CVD28GVRD2018							
693325	77H4951	E	490879.693	0.9996039	1.0000029	51649	77H4983	TERR	92 51 8	376.818	376.967
		N	5443938.811			957951	77H4744	TERR	180 11 37	307.853	307.975
		El	.764	CVD28GVRD2018		389437	92H0973	TERR	355 3 26	206.653	206.735
745612	77H4952	E	492721.269	0.9996035	1.0000029	838706	77H4918	TERR	90 16 10	274.998	275.107
		N	5442296.916			566372	77H5843	TERR	269 19 51	250.665	250.764
		El	1.238	CVD28GVRD2018							
40998	77H4953	E	492036.935	0.9996037	1.0000029	356535	77H4956	TERR	265 42 0	174.533	174.603
		N	5443567.054								
		El	.833	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
564856	77H4954	E	493151.579	0.9996035	1.0000029	114330	92H0966	TERR	91 17 40	160.544	160.607		
		N	5443495.818					294397	77H4969	TERR	271 31 9	307.826	307.948
		El	.873					CVD28GVRD2018					
675728	77H4955	E	492116.417	0.9996037	1.0000029	10967	77H4909	TERR	91 33 4	367.688	367.834		
		N	5443295.903										
		El	.886					CVD28GVRD2018					
356535	77H4956	E	491862.893	0.9996037	1.0000029	40998	77H4953	TERR	85 42 0	174.533	174.603		
		N	5443553.968					777995	77H4991	TERR	278 1 51	183.662	183.735
		El	.854					CVD28GVRD2018					
484345	77H4957	E	492842.177	0.9996036	1.0000029	MARKER ISOLATED							
		N	5443301.838										
		El	.759			CVD28GVRD2018							
113993	77H4958	E	491844.196	0.9996037	1.0000029	372896	77H4905	TERR	156 25 27	184.453	184.526		
		N	5442470.387										
		El	.854					CVD28GVRD2018					
197632	77H4959	E	492538.782	0.9996036	1.0000029	266825	77H4932	TERR	90 18 29	318.983	319.109		
		N	5443101.367					834739	77H5837	TERR	181 20 40	549.170	549.388
		El	.871					CVD28GVRD2018		10967	77H4909	TERR	343 27 41
591487	77H4960	E	491598.041	0.9996038	1.0000029	585216	77H4992	TERR	177 6 17	79.091	79.122		
		N	5443710.189					445296	77H4966	TERR	269 10 13	109.388	109.431
		El	.878					CVD28GVRD2018					
742114	77H4961	E	491681.210	0.9996036	1.0000028	462556	77H4620	TERR	0 33 30	497.494	497.691		
		N	5444744.677					160804	77H5811	TERR	89 53 34	416.227	416.391
		El	1.754					CVD28GVRD2018		550574	77H4916	TERR	180 37 15
563486	77H4962	E	492190.765	0.9996036	1.0000028	566372	77H5843	TERR	91 12 32	279.918	280.029		
		N	5442299.895					372896	77H4905	TERR	270 18 5	272.799	272.907
		El	1.325					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
165811	77H4963	E	491473.750	0.9996037	1.0000028		MARKER DESTROYED				
		N	5444743.881								
		El	1.711	CVD28GVRD2018							
332874	77H4964	E	490932.984	0.9996038	1.0000028	392357	77H4936	TERR	0 7 33	216.312	216.397
		N	5447993.632			698936	77H5818	TERR	90 17 4	323.937	324.065
		El	1.575	CVD28GVRD2018		916668	77H4917	TERR	180 20 5	325.128	325.256
						706945	77H4968	TERR	270 29 9	270.232	270.339
854398	77H4965	E	490063.918	0.9996039	1.0000027	698084	77H4939	TERR	90 42 14	865.397	865.740
		N	5447179.336			133777	77H4899	TERR	182 24 26	392.565	392.721
		El	2.042	CVD28GVRD2018		367151	88H4813	TERR	263 25 46	181.337	181.408
						427203	77H4831	TERR	352 13 52	116.433	116.479
445296	77H4966	E	491488.665	0.9996038	1.0000029	591487	77H4960	TERR	89 10 13	109.388	109.431
		N	5443708.605			981951	77H4928	TERR	293 25 4	150.657	150.717
		El	.972	CVD28GVRD2018							
157198	77H4967	E	490451.260	0.9996039	1.0000028		MARKER DESTROYED				
		N	5443937.474								
		El	1.422	CVD28GVRD2018							
706945	77H4968	E	490662.762	0.9996038	1.0000028	169573	77H5822	TERR	0 7 50	360.017	360.159
		N	5447995.923			332874	77H4964	TERR	90 29 9	270.232	270.339
		El	1.729	CVD28GVRD2018		236976	152	TERR	270 21 8	197.956	198.034
294397	77H4969	E	492843.861	0.9996036	1.0000030	564856	77H4954	TERR	91 31 9	307.826	307.948
		N	5443503.979			766006	77H4926	TERR	269 35 21	300.933	301.053
		El	.555	CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
951376	77H4970	E	490464.763	0.9996039	1.0000027	236976	152	TERR	0 0 49	199.087	199.166		
		N	5447798.053					875864	NO MARKING	16 24 22	10755.122	10759.411	
		El	1.793					989384	77H5805	32 7 60	954.716	955.095	
								546226	83	33 28 51	3166.637	3167.892	
								247494	78H8494	51 5 23	2638.813	2639.860	
								714972	78H8458	75 3 11	6339.329	6341.844	
								619213	94H1624	128 7 19	3637.894	3639.336	
								447235	78H8410	133 14 12	4416.651	4418.405	
								493775	77H4699	175 5 9	1636.463	1637.111	
								826453	77H4946	TERR 179 47 48	354.803	354.944	
								869792	NO MARKING	GPS 189 3 5	7630.236	7633.265	
								496687	77H4891	GPS 238 27 19	3947.687	3949.249	
								58081	02H2408	GPS 263 51 0	3687.745	3689.205	
								537829	02H2479	GPS 298 4 42	5839.689	5842.000	
								535518	555	GPS 319 7 29	4341.966	4343.685	
		540054	V-3299	GPS 326 14 8	10608.341	10612.608							
		381285	V-3015	GPS 337 5 29	2768.027	2769.124							
		535369	v-4100	GPS 357 51 3	9266.412	9270.100							
837518	77H4971	E	493092.425	0.9996035	1.0000029	668020	77H4923	TERR	176 11 27	131.586	131.638		
		N	5442912.587					792507	77H4912	TERR 272 7 29	248.710	248.808	
		El	.975					CVD28GVRD2018					
372805	77H4972	E	492697.782	0.9996035	1.0000029	834739	77H5837	TERR	271 20 4	171.933	172.001		
		N	5442548.344										
		El	1.055					CVD28GVRD2018					
450387	77H4973	E	491266.624	0.9996039	1.0000029	981951	77H4928	TERR	83 11 35	84.388	84.421		
		N	5443758.479					825455	77H4920	TERR 180 14 46	380.993	381.143	
		El	.836					CVD28GVRD2018	118844	77H4979	TERR 279 21 42	92.895	92.932
								51649	77H4983	TERR 356 15 14	161.928	161.992	
895573	77H4974	E	490749.058	0.9996039	1.0000029	MARKER ISOLATED							
		N	5444278.778										
		El	.962			CVD28GVRD2018							
819003	77H4975	E	490739.232	0.9996039	1.0000029	MARKER DESTROYED							
		N	5443933.982										
		El	1.093			CVD28GVRD2018							
799379	77H4976	E	493265.132	0.9996033	1.0000028	972406	77H5810	TERR	2 11 13	218.016	218.102		
		N	5441264.451					816553	77H4913	TERR 275 4 35	175.191	175.261	
		El	1.863					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
976464	77H4977	E	492145.153	0.9996036	1.0000028	581959	158	TERR	109 9 22	395.413	395.569		
		N	5449447.660					731612	77H4601	TERR	180 13 26	634.227	634.479
		El	1.223					CVD28GVRD2018	285098	78H8519	TERR	288 54 43	463.515
71258	77H4978	E	490814.282	0.9996039	1.0000029	MARKER DESTROYED							
		N	5446366.034										
		El	1.044			CVD28GVRD2018							
118844	77H4979	E	491174.966	0.9996039	1.0000029	450387	77H4973	TERR	99 21 42	92.895	92.932		
		N	5443773.590					917674	77H4989	TERR	244 6 49	112.090	112.134
		El	.860					CVD28GVRD2018					
56283	77H4980	E	490243.127	0.9996040	1.0000029	MARKER DESTROYED							
		N	5445980.486										
		El	1.128			CVD28GVRD2018							
333880	77H4982	E	490868.111	0.9996040	1.0000029	MARKER DESTROYED							
		N	5444141.106										
		El	.715			CVD28GVRD2018							
51649	77H4983	E	491256.044	0.9996038	1.0000029	62422	77H4941	TERR	2 42 48	221.265	221.353		
		N	5443920.061			875864	NO MARKING	GPS	8 59 34	14371.860	14377.590		
		El	1.001			CVD28GVRD2018	889493	88H4817	GPS	14 48 28	849.357	849.694	
		815746	84H9508			GPS	90 35 37	14010.685	14016.279				
		382200	77H4914			TERR	91 0 15	416.488	416.653				
		331918	6831			GPS	168 25 3	10684.334	10688.569				
		450387	77H4973			TERR	176 15 14	161.928	161.992				
		869792	NO MARKING			GPS	208 34 19	4164.383	4166.036				
		693325	77H4951			TERR	272 51 8	376.818	376.967				
		336099	OCM			GPS	324 21 10	3867.699	3869.232				
493775	77H4699	GPS	343 50 38	2339.954	2340.881								
957035	77H4984	E	490631.268	0.9996040	1.0000029	578021	77H4609	TERR	272 38 49	180.260	180.332		
		N	5444281.158										
		El	.918					CVD28GVRD2018					
654970	77H4985	E	490458.165	0.9996040	1.0000029	109009	77H4996	TERR	84 49 18	181.632	181.705		
		N	5443596.603										
		El	1.015					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
706366	77H4986	E	491681.935	0.9996037	1.0000029	132340	77H4691	TERR	181 8 11	263.232	263.336		
		N	5443370.082					825455	77H4920	TERR	271 1 4	417.014	417.178
		El	1.072					CVD28GVRD2018	777995	77H4991	TERR	359 45 11	209.547
569491	77H4987	E	490608.061	0.9996040	1.0000029	MARKER ISOLATED							
		N	5443935.563										
		El	1.119			CVD28GVRD2018							
962779	77H4988	E	490884.454	0.9996039	1.0000028	922336	77H4676	TERR	157 4 39	92.935	92.972		
		N	5445972.113					647230	91H9829	TERR	267 7 38	203.556	203.636
		El	1.201					CVD28GVRD2018					
917674	77H4989	E	491074.123	0.9996039	1.0000029	118844	77H4979	TERR	64 6 49	112.090	112.134		
		N	5443724.653					865741	77H4993	TERR	263 29 15	108.007	108.050
		El	.892					CVD28GVRD2018					
164889	77H4990	E	492295.953	0.9996037	1.0000030	236752	77H4907	TERR	1 14 48	287.563	287.677		
		N	5442588.950					834739	77H5837	TERR	99 2 40	232.838	232.930
		El	.570					CVD28GVRD2018	562694	77H4911	TERR	271 14 13	357.717
777995	77H4991	E	491681.032	0.9996037	1.0000029	356535	77H4956	TERR	98 1 51	183.662	183.735		
		N	5443579.627					706366	77H4986	TERR	179 45 11	209.547	209.631
		El	.964					CVD28GVRD2018					
585216	77H4992	E	491602.036	0.9996038	1.0000029	591487	77H4960	TERR	357 6 17	79.091	79.122		
		N	5443631.199										
		El	.849					CVD28GVRD2018					
865741	77H4993	E	490966.813	0.9996039	1.0000029	917674	77H4989	TERR	83 29 15	108.007	108.050		
		N	5443712.403										
		El	.852					CVD28GVRD2018					
560094	77H4994	E	493127.191	0.9996035	1.0000029	193722	77H4950	TERR	179 49 33	214.355	214.440		
		N	5443403.067										
		El	.731					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
129007	77H4995	E	490354.382	0.9996041	1.0000029	326561	77H4997	TERR	270 0 6	207.187	207.268
		N	5443685.342								
		El	.895	CVD28GVRD2018							
109009	77H4996	E	490639.056	0.9996040	1.0000029	654970	77H4985	TERR	264 49 18	181.632	181.705
		N	5443612.996								
		El	.932	CVD28GVRD2018							
326561	77H4997	E	490147.195	0.9996041	1.0000029	129007	77H4995	TERR	90 0 6	207.187	207.268
		N	5443685.348								
		El	.982	CVD28GVRD2018							
786848	77H4998	E	490816.303	0.9996038	1.0000028	275081	77H4915	TERR	91 5 53	107.971	108.013
		N	5446780.257			694117	82H5093	TERR	182 47 16	197.295	197.372
		El	1.579	CVD28GVRD2018		157172	77H4672	TERR	270 11 11	405.745	405.906
156844	77H4999	E	491269.266	0.9996037	1.0000028		MARKER DESTROYED				
		N	5444743.076								
		El	1.563	CVD28GVRD2018							
589093	77H5802	E	491943.202	0.9996038	1.0000030	562694	77H4911	TERR	180 54 41	306.978	307.100
		N	5442903.611								
		El	.562	CVD28GVRD2018							
217117	77H5803	E	493310.566	0.9996034	1.0000029		MARKER DESTROYED				
		N	5443097.677								
		El	1.064	CVD28GVRD2018							
861443	77H5804	E	493305.295	0.9996034	1.0000029		MARKER DESTROYED				
		N	5443501.155								
		El	1.141	CVD28GVRD2018							
989384	77H5805	E	490972.568	0.9996038	1.0000028	247494	78H8494	GPS	61 13 11	1763.364	1764.063
		N	5448606.519			509109	77H5819	TERR	90 39 26	186.678	186.752
		El	1.444	CVD28GVRD2018		908376	77H5836	TERR	180 8 25	201.933	202.012
						493775	77H4699	GPS	188 34 19	2466.465	2467.442
						951376	77H4970	GPS	212 7 60	954.716	955.095

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
366559	77H5806	E	491696.431	0.9996037	1.0000028	972026	323	TERR	180 18 40	321.742	321.869			
		N	5447668.394					542662	77H5814	TERR	270 2 5	357.803	357.944	
		El	1.336					CVD28GVRD2018						
669366	77H5808	E	493311.509	0.9996033	1.0000027	MARKER DESTROYED								
		N	5444737.828											
		El	2.075			CVD28GVRD2018								
401190	77H5809	E	492998.358	0.9996034	1.0000028	301069	78H8342	TERR	0 47 21	477.214	477.404			
		N	5441484.602					972406	77H5810	TERR	90 28 40	275.103	275.212	
		El	1.396					CVD28GVRD2018	860601	77H4929	TERR	185 30 6	113.543	113.589
									522144	77H5845	TERR	271 6 46	532.566	532.777
972406	77H5810	E	493273.451	0.9996033	1.0000028	922195	77H5820	TERR	0 25 33	804.347	804.667			
		N	5441482.308					799379	77H4976	TERR	182 11 13	218.016	218.102	
		El	1.708					CVD28GVRD2018		401190	77H5809	TERR	270 28 40	275.103
160804	77H5811	E	492097.436	0.9996035	1.0000028	424796	77H5839	TERR	90 12 4	414.016	414.180			
		N	5444745.456					742114	77H4961	TERR	269 53 34	416.227	416.391	
		El	1.797					CVD28GVRD2018						
852004	77H5812	E	491156.897	0.9996038	1.0000028	509109	77H5819	TERR	0 39 59	200.919	200.998			
		N	5448403.473					908376	77H5836	TERR	270 20 43	184.826	184.899	
		El	1.460					CVD28GVRD2018						
716340	77H5813	E	490862.828	0.9996038	1.0000028	543504	77H5832	TERR	89 56 47	376.959	377.108			
		N	5448815.036					910372	77H4602	TERR	265 56 15	198.592	198.671	
		El	1.480					CVD28GVRD2018						
542662	77H5814	E	491338.628	0.9996038	1.0000029	366559	77H5806	TERR	90 2 5	357.803	357.944			
		N	5447668.610					885228	91H9834	TERR	91 6 57	366.402	366.546	
		El	1.090					CVD28GVRD2018		916668	77H4917	TERR	269 59 9	407.543
660746	77H5816	E	492850.531	0.9996034	1.0000027	424796	77H5839	TERR	270 27 7	339.093	339.227			
		N	5444741.327											
		El	1.898					CVD28GVRD2018						

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
698936	77H5818	E	491256.917	0.9996037	1.0000028	780791	91H9833	TERR	89 28 22	426.225	426.395		
		N	5447992.024					332874	77H4964	TERR	270 17 4	323.937	324.065
		El	1.496					CVD28GVRD2018					
509109	77H5819	E	491159.234	0.9996038	1.0000028	911032	77H5829	TERR	90 24 57	329.412	329.542		
		N	5448604.378					852004	77H5812	TERR	180 39 59	200.919	200.998
		El	1.107					CVD28GVRD2018		989384	77H5805	TERR	270 39 26
922195	77H5820	E	493279.430	0.9996035	1.0000029	28159	92H0964	TERR	2 57 8	519.548	519.753		
		N	5442286.633					548057	78H8411	TERR	87 42 57	407.627	407.788
		El	.995					CVD28GVRD2018		972406	77H5810	TERR	180 25 33
321836	77H5821	E	490499.613	0.9996038	1.0000027	645291	77H5831	TERR	90 12 15	170.415	170.483		
		N	5448685.738					676734	77H5826	TERR	213 54 31	390.863	391.018
		El	1.960					CVD28GVRD2018					
169573	77H5822	E	490663.583	0.9996039	1.0000028	706945	77H4968	TERR	180 7 50	360.017	360.159		
		N	5448355.939										
		El	1.208					CVD28GVRD2018					
41491	77H5825	E	492838.270	0.9996033	1.0000027	176065	77H5841	TERR	270 12 37	326.732	326.862		
		N	5445559.007										
		El	2.298					CVD28GVRD2018					
676734	77H5826	E	490281.562	0.9996040	1.0000028	321836	77H5821	TERR	33 54 31	390.863	391.018		
		N	5448361.350					440503	77H4852	TERR	212 6 23	430.988	431.158
		El	1.151					CVD28GVRD2018					
384859	77H5828	E	492518.658	0.9996035	1.0000028	581959	158	TERR	0 0 5	504.580	504.780		
		N	5448813.329					909119	78H8455	TERR	90 39 34	269.791	269.898
		El	1.525					CVD28GVRD2018		417352	78H8542	TERR	180 4 55
911032	77H5829	E	491488.637	0.9996037	1.0000028	704775	155	TERR	133 1 25	896.750	897.106		
		N	5448601.987					509109	77H5819	TERR	270 24 57	329.412	329.542
		El	1.593					CVD28GVRD2018		543504	77H5832	TERR	310 36 53

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
762203	77H5830	E	493328.230	0.9996033	1.0000028		MARKER DESTROYED				
		N	5447731.480								
		El	1.611	CVD28GVRD2018							
645291	77H5831	E	490670.027	0.9996038	1.0000027	321836	77H5821	TERR	270 12 15	170.415	170.483
		N	5448685.131			910372	77H4602	TERR	357 23 3	115.957	116.003
		El	1.773	CVD28GVRD2018							
543504	77H5832	E	491239.787	0.9996037	1.0000028	35832	78H8446	TERR	0 20 53	165.614	165.679
		N	5448815.389			400416	77H4938	TERR	90 24 46	464.141	464.326
		El	1.414	CVD28GVRD2018		911032	77H5829	TERR	130 36 53	327.821	327.952
						716340	77H5813	TERR	269 56 47	376.959	377.108
130658	77H5834	E	493315.383	0.9996031	1.0000026		MARKER DESTROYED				
		N	5445554.073								
		El	2.829	CVD28GVRD2018							
71340	77H5835	E	491819.090	0.9996035	1.0000027	392860	78H8471	TERR	90 21 3	412.022	412.185
		N	5448565.934			156513	78H8475	TERR	358 10 28	245.960	246.056
		El	2.251	CVD28GVRD2018							
908376	77H5836	E	490972.074	0.9996038	1.0000028	989384	77H5805	TERR	0 8 25	201.933	202.012
		N	5448404.587			852004	77H5812	TERR	90 20 43	184.826	184.899
		El	1.328	CVD28GVRD2018							
834739	77H5837	E	492525.896	0.9996036	1.0000029	197632	77H4959	TERR	1 20 40	549.170	549.388
		N	5442552.348			372805	77H4972	TERR	91 20 4	171.933	172.001
		El	.765	CVD28GVRD2018		566372	77H5843	TERR	192 4 34	264.206	264.311
						164889	77H4990	TERR	279 2 40	232.838	232.930
735795	77H5838	E	493313.645	0.9996032	1.0000027		MARKER DESTROYED				
		N	5445118.855								
		El	2.308	CVD28GVRD2018							
424796	77H5839	E	492511.449	0.9996035	1.0000028	176065	77H5841	TERR	0 0 23	816.204	816.527
		N	5444744.002			660746	77H5816	TERR	90 27 7	339.093	339.227
		El	1.572	CVD28GVRD2018		160804	77H5811	TERR	270 12 4	414.016	414.180

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
176065	77H5841	E	492511.540	0.9996033	1.0000027	41491	77H5825	TERR	90 12 37	326.732	326.862		
		N	5445560.206					77H5839	TERR	180 0 23	816.204	816.527	
		El	2.461					CVD28GVRD2018	77H5848	TERR	270 2 47	406.604	406.765
566372	77H5843	E	492470.621	0.9996036	1.0000029	834739	77H5837	TERR	12 4 34	264.206	264.311		
		N	5442293.989					77H4952	TERR	89 19 51	250.665	250.764	
		El	1.080					CVD28GVRD2018	77H5845	TERR	180 20 21	799.059	799.375
									77H4962	TERR	271 12 32	279.918	280.029
522144	77H5845	E	492465.892	0.9996036	1.0000029	566372	77H5843	TERR	0 20 21	799.059	799.375		
		N	5441494.944					77H5809	TERR	91 6 46	532.566	532.777	
		El	1.024					CVD28GVRD2018					
727578	77H5847	E	493298.842	0.9996034	1.0000029			MARKER DESTROYED					
		N	5442798.873										
		El	1.233					CVD28GVRD2018					
134221	77H5848	E	492104.936	0.9996034	1.0000026	176065	77H5841	TERR	90 2 47	406.604	406.765		
		N	5445560.536					77H4693	TERR	270 6 44	416.968	417.133	
		El	2.491					CVD28GVRD2018					
502286	78H8335	E	487765.976	0.9996047	1.0000029	328914	77H4577	TERR	25 51 50	92.548	92.586		
		N	5441558.000					77H4545	TERR	271 13 48	145.611	145.668	
		El	1.092					1928 Canadian Vertical Datum					
859140	78H8336	E	488690.743	0.9996045	1.0000029	814897	77H4778	TERR	180 13 26	152.041	152.101		
		N	5442618.401					77H4725	TERR	271 10 14	124.686	124.735	
		El	.986					CVD28GVRD2018					
907303	78H8337	E	489215.314	0.9996043	1.0000029			MARKER DESTROYED					
		N	5444994.999										
		El	1.000					CVD28GVRD2018					
816223	78H8338	E	489868.158	0.9996042	1.0000029	361303	77H4738	TERR	270 29 4	660.516	660.778		
		N	5442978.912					77H4787	TERR	355 18 33	140.735	140.792	
		El	.935					CVD28GVRD2018					

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
816157	78H8339	E	488833.160	0.9996044	1.0000029	208314	88H4823	TERR	88 40 35	408.920	409.082			
		N	5445544.622					863407	77H4863	TERR	271 2 38	416.511	416.676	
		El	1.012					CVD28GVRD2018	760843	77H4772	TERR	358 32 48	119.986	120.033
507426	78H8340	E	489767.912	0.9996042	1.0000029	688226	88H4824	TERR	6 1 33	177.795	177.866			
		N	5445364.535					347526	91H9832	TERR	6 32 30	174.894	174.963	
		El	.847					CVD28GVRD2018	425967	78H8412	TERR	180 37 28	245.581	245.678
301069	78H8342	E	493004.930	0.9996034	1.0000028	401190	77H5809	TERR	180 47 21	477.214	477.404			
		N	5441961.771											
		El	1.614					CVD28GVRD2018						
834069	78H8343	E	492522.501	0.9996021	1.0000014	270421	78H8344	TERR	137 28 56	1691.886	1692.559			
		N	5447623.783											
		El	10.259					CVD28GVRD2018						
270421	78H8344	E	493665.912	0.9996023	1.0000018	847368	78H8476	TERR	90 28 49	473.572	473.760			
		N	5446376.751					447235	78H8410	TERR	179 24 36	1604.244	1604.883	
		El	8.043					CVD28GVRD2018	38711	78H8527	TERR	270 10 17	354.145	354.285
									834069	78H8343	TERR	317 28 56	1691.886	1692.559
447235	78H8410	E	493682.432	0.9996023	1.0000018	337618	92H0970	GPS	10 52 52	2459.708	2460.688			
		N	5444772.592					900837	14H2748	GPS	26 55 41	16428.861	16435.647	
		El	8.110					CVD28GVRD2018	446658	80H1267	GPS	163 22 22	12261.034	12265.908
									548057	78H8411	TERR	179 54 1	2469.716	2470.698
		869792	NO MARKING					GPS	224 24 41	6313.255	6315.767			
		36574	92H0968					GPS	262 51 46	363.253	363.397			
		951376	77H4970					GPS	313 14 12	4416.651	4418.405			
		247494	78H8494					GPS	346 2 15	4825.478	4827.395			
		270421	78H8344					TERR	359 24 36	1604.244	1604.883			
548057	78H8411	E	493686.733	0.9996024	1.0000019	922195	77H5820	TERR	267 42 57	407.627	407.788			
		N	5442302.880					447235	78H8410	TERR	359 54 1	2469.716	2470.698	
		El	7.570					CVD28GVRD2018						
425967	78H8412	E	489765.235	0.9996042	1.0000029	507426	78H8340	TERR	0 37 28	245.581	245.678			
		N	5445118.969					713917	84H0142	TERR	179 31 40	363.683	363.827	
		El	.913					CVD28GVRD2018						

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
35832	78H8446	E	491240.793	0.9996038	1.0000028	543504	77H5832	TERR	180 20 53	165.614	165.679	
		N	5448981.000			580050	78H8477	TERR	270 32 26	244.632	244.729	
		El	1.089			CVD28GVRD2018						
919464	78H8448	E	492910.602	0.9996035	1.0000029	275206	78H8489	TERR	21 35 59	105.961	106.003	
		N	5448209.120			297440	92H0972	GPS	99 7 29	1477.959	1478.547	
		El	.886			CVD28GVRD2018	66936	78H8466	TERR	175 23 1	125.656	125.705
							247494	78H8494	GPS	342 31 13	1306.715	1307.233
102251	78H8449	E	488056.588	0.9996046	1.0000028	47464	77H4900	TERR	0 18 59	440.315	440.488	
		N	5442310.749			168054	77H4591	TERR	91 58 15	182.169	182.241	
		El	1.517			CVD28GVRD2018	701698	77H4816	TERR	273 18 41	447.285	447.461
746966	78H8451	E	494146.617	0.9996032	1.0000028	MARKER DESTROYED						
		N	5447610.014									
		El	1.329			CVD28GVRD2018						
462283	78H8452	E	492954.237	0.9996035	1.0000029	275206	78H8489	TERR	181 11 8	223.705	223.794	
		N	5448531.297			565549	78H8545	TERR	270 25 23	389.853	390.007	
		El	.934			CVD28GVRD2018						
15677	78H8454	E	494964.633	0.9996030	1.0000027	823591	78H8510	TERR	89 59 16	472.551	472.738	
		N	5447992.273			862888	88H4816	TERR	181 46 17	351.296	351.435	
		El	1.993			CVD28GVRD2018	94839	82H5210	TERR	268 3 40	803.393	803.713
							297440	92H0972	TERR	268 18 42	595.032	595.269
							679696	78H8516	TERR	359 45 34	436.944	437.117
909119	78H8455	E	492788.431	0.9996035	1.0000028	756783	78H8501	TERR	90 28 41	545.071	545.287	
		N	5448810.224			384859	77H5828	TERR	270 39 34	269.791	269.898	
		El	1.274			CVD28GVRD2018	128413	77H4606	TERR	359 52 29	602.074	602.313
630145	78H8456	E	493329.552	0.9996034	1.0000028	MARKER DESTROYED						
		N	5447530.701									
		El	1.329			CVD28GVRD2018						
901314	78H8457	E	491304.857	0.9996037	1.0000027	13706	78H8468	TERR	5 44 4	212.988	213.072	
		N	5449348.186			555755	78H8463	TERR	242 56 44	219.678	219.765	
		El	1.870			CVD28GVRD2018						

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
714972	78H8458	E	496589.599	0.9996029	1.0000028	635334	78H8486	TERR	0 5 52	483.930	484.123					
		N	5449433.128					897322	V-2503			GPS	63 45 47	1911.079	1911.839	
		El	1.541					CVD28GVRD2018	47092			02H2454	GPS	98 12 51	2501.921	2502.915
									274696			78H8518	GPS	179 43 25	2901.077	2902.229
									154971			78H8491	TERR	180 11 1	599.389	599.627
									546150			84H0346	GPS	192 17 18	12888.273	12893.387
									703199			6846	GPS	194 3 5	14797.942	14803.813
									619213			94H1624	GPS	220 3 21	5070.289	5072.302
									496687			77H4891	GPS	248 41 47	10185.147	10189.184
									951376			77H4970	GPS	255 3 11	6339.329	6341.844
									870014			V-2593	GPS	335 36 29	2766.816	2767.935
			875864	NO MARKING	GPS	340 25 34	9214.653	9218.332								
			47209	v-4217	GPS	355 46 45	971.853	972.239								
739433	78H8459	E	494343.320	0.9996021	1.0000017	269365	78H8472	TERR	226 12 53	271.790	271.898					
		N	5448809.333					803635	78H8465			TERR	269 44 23	652.377	652.636	
		El	8.607					CVD28GVRD2018	193136			78H8543	TERR	357 28 40	464.105	464.289
835421	78H8460	E	493331.128	0.9996033	1.0000028	94839	82H5210	TERR	90 51 36	830.666	830.995					
		N	5447977.556					64816	92H0971			TERR	90 55 14	829.187	829.516	
		El	1.479					CVD28GVRD2018	429431			95H1981	TERR	182 40 40	238.607	238.701
347203	78H8461	E	494962.323	0.9996031	1.0000028		MARKER DESTROYED									
		N	5447597.039													
		El	1.497	CVD28GVRD2018												
439141	78H8462	E	491706.132	0.9996036	1.0000028	285098	78H8519	TERR	0 6 4	298.810	298.928					
		N	5449299.083					400416	77H4938			TERR	180 15 38	487.043	487.236	
		El	1.705					CVD28GVRD2018								
555755	78H8463	E	491109.217	0.9996037	1.0000028	901314	78H8457	TERR	62 56 44	219.678	219.765					
		N	5449248.268					633156	78H8492			TERR	239 43 17	286.512	286.625	
		El	1.526					CVD28GVRD2018								
803635	78H8465	E	493690.950	0.9996033	1.0000028	739433	78H8459	TERR	89 44 23	652.377	652.636					
		N	5448806.368					756783	78H8501			TERR	269 53 21	357.468	357.609	
		El	1.479					CVD28GVRD2018								
66936	78H8466	E	492920.715	0.9996035	1.0000029	919464	78H8448	TERR	355 23 1	125.656	125.705					
		N	5448083.872													
		El	.876					CVD28GVRD2018								

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
13706	78H8468	E	491326.138	0.9996037	1.0000028	948802	78H8496	TERR	75 42 3	133.252	133.305		
		N	5449560.108					901314	78H8457	TERR	185 44 4	212.988	213.072
		El	1.391					CVD28GVRD2018					
172668	78H8469	E	490668.357	0.9996039	1.0000028	633156	78H8492	TERR	91 58 47	193.549	193.625		
		N	5449110.493					910372	77H4602	TERR	180 40 14	309.547	309.670
		El	1.250					CVD28GVRD2018					
951178	78H8470	E	495773.087	0.9996028	1.0000026	571828	78H8513	TERR	100 50 20	266.504	266.609		
		N	5450019.680					125732	78H8497	TERR	268 15 54	277.125	277.236
		El	2.892					CVD28GVRD2018					
392860	78H8471	E	492231.104	0.9996036	1.0000029	417352	78H8542	TERR	90 24 49	287.201	287.315		
		N	5448563.412					71340	77H5835	TERR	270 21 3	412.022	412.185
		El	1.035					CVD28GVRD2018					
269365	78H8472	E	494147.104	0.9996033	1.0000029	739433	78H8459	TERR	46 12 53	271.790	271.898		
		N	5448621.266					75507	78H8483	TERR	179 47 32	358.674	358.817
		El	1.023					CVD28GVRD2018					
614248	78H8473	E	496604.398	0.9996029	1.0000028	612101	78H8529	TERR	269 52 12	465.816	466.001		
		N	5446340.855					274696	78H8518	TERR	359 45 37	191.232	191.308
		El	1.548					CVD28GVRD2018					
608349	78H8474	E	492873.407	0.9996034	1.0000028	MARKER ISOLATED							
		N	5447980.455										
		El	1.399			CVD28GVRD2018							
156513	78H8475	E	491811.255	0.9996036	1.0000027	731612	77H4601	TERR	89 42 41	331.425	331.557		
		N	5448811.769					71340	77H5835	TERR	178 10 28	245.960	246.056
		El	1.766					CVD28GVRD2018		400416	77H4938	TERR	270 8 50
847368	78H8476	E	494139.467	0.9996031	1.0000026	880492	92H0969	TERR	2 59 17	329.607	329.738		
		N	5446372.782					270421	78H8344	TERR	270 28 49	473.572	473.760
		El	2.505					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
580050	78H8477	E	490996.172	0.9996038	1.0000028	35832	78H8446	TERR	90 32 26	244.632	244.729
		N	5448983.308								
		El	1.215	CVD28GVRD2018							
399618	78H8478	E	492985.700	0.9996035	1.0000029	429431	95H1981	TERR	88 32 59	334.388	334.520
		N	5447730.747								
		El	.987	CVD28GVRD2018							
660241	78H8480	E	496594.695	0.9996029	1.0000027	282392	78H8499	TERR	179 36 13	481.484	481.675
		N	5447528.080			382739	78H8505	TERR	359 2 17	451.592	451.771
		El	1.855	CVD28GVRD2018							
993790	78H8482	E	494962.409	0.9996031	1.0000028	393876	78H8498	TERR	180 2 51	294.747	294.864
		N	5449091.185			197822	78H8508	TERR	358 54 2	480.582	480.772
		El	1.419	CVD28GVRD2018							
75507	78H8483	E	494148.405	0.9996033	1.0000029	94839	82H5210	TERR	177 26 28	297.801	297.919
		N	5448262.594			64816	92H0971	TERR	177 44 5	298.594	298.713
		El	.938	CVD28GVRD2018		269365	78H8472	TERR	359 47 32	358.674	358.817
589440	78H8484	E	496585.966	0.9996028	1.0000027	154971	78H8491	TERR	0 13 44	428.424	428.594
		N	5448405.321			382739	78H8505	TERR	179 50 44	425.715	425.884
		El	2.187	CVD28GVRD2018							
635334	78H8486	E	496590.426	0.9996028	1.0000026	714972	78H8458	TERR	180 5 52	483.930	484.123
		N	5449917.057			582122	78H8487	TERR	270 44 19	304.662	304.783
		El	2.458	CVD28GVRD2018							
582122	78H8487	E	496285.789	0.9996027	1.0000025	635334	78H8486	TERR	90 44 19	304.662	304.783
		N	5449920.985			571828	78H8513	TERR	280 57 21	255.612	255.713
		El	2.941	CVD28GVRD2018							
717769	78H8488	E	493332.462	0.9996033	1.0000028		MARKER DESTROYED				
		N	5448527.319								
		El	1.730	CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
275206	78H8489	E	492949.608	0.9996035	1.0000029	462283	78H8452	TERR	1 11 8	223.705	223.794
		N	5448307.640					TERR	201 35 59	105.961	106.003
		El	.887					CVD28GVRD2018			
154971	78H8491	E	496587.677	0.9996030	1.0000028	714972	78H8458	TERR	0 11 1	599.389	599.627
		N	5448833.742					TERR	180 13 44	428.424	428.594
		El	1.162					CVD28GVRD2018			
633156	78H8492	E	490861.790	0.9996039	1.0000028	555755	78H8463	TERR	59 43 17	286.512	286.625
		N	5449103.807					TERR	271 58 47	193.549	193.625
		El	1.219					CVD28GVRD2018			
247494	78H8494	E	492518.107	0.9996034	1.0000028	875864	NO MARKING	GPS	6 29 6	8715.541	8719.018
		N	5449455.495					GPS	41 36 53	8701.759	8705.254
		El	1.621					GPS	81 10 15	12774.819	12779.988
								GPS	92 3 50	17688.856	17696.014
								TERR	99 7 22	272.454	272.562
								GPS	128 38 51	2370.995	2371.937
								GPS	154 19 59	16437.357	16443.881
								GPS	162 31 13	1306.715	1307.233
								GPS	166 2 15	4825.478	4827.395
								GPS	169 58 9	10995.616	10999.978
								TERR	179 45 54	137.587	137.642
								GPS	199 29 29	9751.505	9755.378
								GPS	210 11 40	3804.000	3805.508
								GPS	231 5 23	2638.813	2639.860
								GPS	241 13 11	1763.364	1764.063
		GPS	322 31 31	10340.328	10344.426						
948802	78H8496	E	491455.262	0.9996037	1.0000028	285098	78H8519	TERR	88 53 22	251.445	251.545
		N	5449593.019					TERR	255 42 3	133.252	133.305
		El	1.519					CVD28GVRD2018			
125732	78H8497	E	495496.089	0.9996028	1.0000026	951178	78H8470	TERR	88 15 54	277.125	277.236
		N	5450011.290					TERR	254 57 34	574.801	575.028
		El	2.817					CVD28GVRD2018			
393876	78H8498	E	494962.165	0.9996031	1.0000028	993790	78H8482	TERR	0 2 51	294.747	294.864
		N	5448796.438					TERR	179 54 4	367.226	367.372
		El	1.341					CVD28GVRD2018			

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
282392	78H8499	E	496598.026	0.9996028	1.0000027	274696	78H8518	TERR	179 22 46	514.553	514.758					
		N	5447046.608					660241				78H8480	TERR	359 36 13	481.484	481.675
		El	2.022					CVD28GVRD2018								
29363	78H8500	E	493760.388	0.9996032	1.0000027	193136	78H8543	TERR	64 54 27	621.129	621.376					
		N	5449009.578													
		El	1.865					CVD28GVRD2018								
756783	78H8501	E	493333.483	0.9996033	1.0000027	803635	78H8465	TERR	89 53 21	357.468	357.609					
		N	5448805.676					909119				78H8455	TERR	270 28 41	545.071	545.287
		El	1.907					CVD28GVRD2018								
437202	78H8503	E	494958.246	0.9996032	1.0000029	781435	78H8512	TERR	179 52 22	394.794	394.951					
		N	5446761.882					436402				89H5327	TERR	359 13 50	486.376	486.569
		El	.966					CVD28GVRD2018								
260380	78H8504	E	494947.003	0.9996030	1.0000027	MARKER DESTROYED										
		N	5449866.238													
		El	2.165			CVD28GVRD2018										
382739	78H8505	E	496587.114	0.9996029	1.0000027	660241	78H8480	TERR	179 2 17	451.592	451.771					
		N	5447979.608					423020				78H8524	TERR	270 31 28	540.876	541.091
		El	1.945					CVD28GVRD2018				589440	78H8484	TERR	359 50 44	425.715
454207	78H8506	E	492512.837	0.9996035	1.0000028	MARKER DESTROYED										
		N	5447983.399													
		El	1.634			CVD28GVRD2018										
197822	78H8508	E	494953.187	0.9996031	1.0000027	993790	78H8482	TERR	178 54 2	480.582	480.772					
		N	5449571.678					217158				78H8537	TERR	244 9 34	326.650	326.780
		El	1.705					CVD28GVRD2018				292029	83H5917	TERR	357 35 36	290.705
823591	78H8510	E	495437.184	0.9996030	1.0000027	423020	78H8524	TERR	90 44 6	609.127	609.369					
		N	5447992.373					15677				78H8454	TERR	269 59 16	472.551	472.738
		El	2.005					CVD28GVRD2018								

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
129445	78H8511	E	495517.490	0.9996031	1.0000028	612101	78H8529	TERR	90 18 2	621.102	621.349		
		N	5446343.055					781435	78H8512	TERR	272 27 53	558.884	559.106
		El	1.291					CVD28GVRD2018					
781435	78H8512	E	494959.123	0.9996031	1.0000028	129445	78H8511	TERR	92 27 53	558.884	559.106		
		N	5446367.089					370924	78H8526	TERR	270 51 31	378.306	378.456
		El	1.642					CVD28GVRD2018		437202	78H8503	TERR	359 52 22
571828	78H8513	E	496034.836	0.9996027	1.0000026	582122	78H8487	TERR	100 57 21	255.612	255.713		
		N	5449969.564					951178	78H8470	TERR	280 50 20	266.504	266.609
		El	2.865					CVD28GVRD2018					
714204	78H8515	E	493334.517	0.9996033	1.0000028	MARKER DESTROYED							
		N	5449009.505										
		El	1.592			CVD28GVRD2018							
679696	78H8516	E	494962.799	0.9996031	1.0000028	15677	78H8454	TERR	179 45 34	436.944	437.117		
		N	5448429.213					393876	78H8498	TERR	359 54 4	367.226	367.372
		El	1.565					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
-----	-----		Metres	Combined	Ellipsoidal	-----	-----					
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING					
274696	78H8518	E	496603.598	0.9996029	1.0000028	897322	V-2503	GPS	24 24 44	4113.688	4115.324	
		N	5446532.085			47092	02H2454	GPS	44 4 9	3540.126	3541.532	
		El	1.642			CVD28GVRD2018	898734	NO MARKING	GPS	80 27 5	13782.849	13788.429
							770800	5296	GPS	86 51 45	11364.024	11368.615
							162537	5071	GPS	88 17 50	21145.901	21154.289
							195156	80H1320	GPS	108 29 14	5889.455	5891.795
							439760	5184	GPS	113 15 58	23036.499	23045.613
							829762	02H2412	GPS	127 47 27	3095.984	3097.215
							607093	5893	GPS	127 55 6	14450.125	14455.863
							675850	84H0394	GPS	140 13 27	4306.742	4308.454
							531079	6902	GPS	160 10 42	9641.775	9645.605
							914127	80H1262	GPS	165 41 13	12273.001	12277.877
							430900	87H3190	GPS	178 57 14	18550.461	18557.824
							614248	78H8473	TERR	179 45 37	191.232	191.308
							49908	02H2413	GPS	179 52 49	2768.915	2770.015
							839639	80H1300	GPS	182 27 52	4772.096	4773.992
							51441	02H2453	GPS	215 18 5	5578.636	5580.851
							832238	02H2457	GPS	222 49 28	2411.674	2412.630
							406991	77C032	GPS	228 21 45	12730.191	12735.236
							869792	NO MARKING	GPS	229 29 44	9652.345	9656.183
			619213	94H1624	GPS	253 21 9	3420.266	3421.624				
			30031	77H4885	GPS	269 15 43	11046.669	11051.045				
			521617	PP	GPS	305 26 37	18704.784	18712.303				
			69385	V-1280	GPS	313 10 6	10867.635	10872.005				
			611681	V-3719	GPS	344 5 11	11194.039	11198.484				
			870014	V-2593	GPS	347 57 21	5542.917	5545.159				
			47209	v-4217	GPS	358 44 3	3871.205	3872.744				
			282392	78H8499	TERR	359 22 46	514.553	514.758				
			714972	78H8458	GPS	359 43 25	2901.077	2902.229				
285098	78H8519	E	491706.660	0.9996036	1.0000028	976464	77H4977	TERR	108 54 43	463.515	463.698	
		N	5449597.892			439141	78H8462	TERR	180 6 4	298.810	298.928	
		El	1.416			CVD28GVRD2018	948802	78H8496	TERR	268 53 22	251.445	251.545
494567	78H8521	E	492539.393	0.9996033	1.0000026	322818	78H8536	TERR	90 17 55	348.749	348.888	
		N	5446362.004			256099	78H8532	TERR	270 17 12	392.716	392.872	
		El	2.957			CVD28GVRD2018						
357236	78H8522	E	494151.153	0.9996031	1.0000027		MARKER DESTROYED					
		N	5447975.826									
		El	2.199	CVD28GVRD2018								

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
430264	78H8523	E	493320.206	0.9996031	1.0000026		MARKER DESTROYED				
		N	5447088.177								
		El	2.728	CVD28GVRD2018							
423020	78H8524	E	496046.261	0.9996029	1.0000027	382739	78H8505	TERR	90 31 28	540.876	541.091
		N	5447984.558			823591	78H8510	TERR	270 44 6	609.127	609.369
		El	1.981	CVD28GVRD2018							
196444	78H8525	E	494141.274	0.9996033	1.0000028	973024	82H5209	TERR	1 31 20	393.922	394.078
		N	5447184.314								
		El	1.200	CVD28GVRD2018							
370924	78H8526	E	494580.860	0.9996031	1.0000027	781435	78H8512	TERR	90 51 31	378.306	378.456
		N	5446372.757								
		El	2.130	CVD28GVRD2018							
38711	78H8527	E	493311.769	0.9996032	1.0000026	270421	78H8344	TERR	90 10 17	354.145	354.285
		N	5446377.811			318972	94H1623	TERR	178 10 43	415.350	415.515
		El	2.556	CVD28GVRD2018		322818	78H8536	TERR	267 37 3	423.999	424.167
						639971	95H1984	TERR	356 56 4	450.704	450.883
612101	78H8529	E	496138.583	0.9996030	1.0000028	614248	78H8473	TERR	89 52 12	465.816	466.001
		N	5446339.797			129445	78H8511	TERR	270 18 2	621.102	621.349
		El	1.625	CVD28GVRD2018							
98376	78H8531	E	493316.812	0.9996031	1.0000026		MARKER DESTROYED				
		N	5445960.712								
		El	2.856	CVD28GVRD2018							
256099	78H8532	E	492146.682	0.9996034	1.0000027	494567	78H8521	TERR	90 17 12	392.716	392.872
		N	5446363.969								
		El	2.421	CVD28GVRD2018							
573147	78H8535	E	494960.143	0.9996031	1.0000028		MARKER DESTROYED				
		N	5447197.554								
		El	1.432	CVD28GVRD2018							

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
322818	78H8536	E	492888.137	0.9996032	1.0000026	38711	78H8527	TERR	87 37 3	423.999	424.167							
		N	5446360.186					78H8521				TERR	270 17 55	348.749	348.888			
		El	2.618					CVD28GVRD2018										
217158	78H8537	E	494659.198	0.9996032	1.0000028	197822	78H8508	TERR	64 9 34	326.650	326.780							
		N	5449429.302					78H8543				TERR	245 4 15	370.854	371.001			
		El	1.081					CVD28GVRD2018										
835058	78H8538	E	493337.386	0.9996033	1.0000028	MARKER DESTROYED												
		N	5449313.219															
		El	1.634			CVD28GVRD2018												
138230	78H8541	E	492870.167	0.9996035	1.0000029	730879	95H1982	TERR	90 16 59	462.747	462.930							
		N	5447532.654															
		El	.948					CVD28GVRD2018										
417352	78H8542	E	492518.297	0.9996035	1.0000028	384859	77H5828	TERR	0 4 55	251.990	252.089							
		N	5448561.339					78H8545				TERR	120 30 31	53.506	53.526			
		El	1.316					CVD28GVRD2018				392860	78H8471	TERR	270 24 49	287.201	287.315	
193136	78H8543	E	494322.897	0.9996032	1.0000028	217158	78H8537	TERR	65 4 15	370.854	371.001							
		N	5449272.988					78H8459				TERR	177 28 40	464.105	464.289			
		El	1.163					CVD28GVRD2018				29363	78H8500	TERR	244 54 27	621.129	621.376	
565549	78H8545	E	492564.395	0.9996035	1.0000029	462283	78H8452	TERR	90 25 23	389.853	390.007							
		N	5448534.176					78H8542				TERR	300 30 31	53.506	53.526			
		El	1.050					CVD28GVRD2018										
694117	82H5093	E	490806.707	0.9996039	1.0000028	786848	77H4998	TERR	2 47 16	197.295	197.372							
		N	5446583.196					83H5915				TERR	177 5 55	217.484	217.570			
		El	1.180					CVD28GVRD2018				226977	82H5094	TERR	270 51 5	384.632	384.784	
226977	82H5094	E	490422.118	0.9996040	1.0000029	694117	82H5093	TERR	90 51 5	384.632	384.784							
		N	5446588.911					77H4674				TERR	181 24 35	210.150	210.233			
		El	.844					CVD28GVRD2018				727784	82H5095	TERR	270 43 25	361.172	361.315	
													157172	77H4672	TERR	356 34 1	193.011	193.088

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
727784	82H5095	E	490060.975	0.9996040	1.0000028	226977	82H5094	TERR	90 43 25	361.172	361.315			
		N	5446593.472					99127	144-696	TERR	183 29 36	206.804	206.887	
		El	1.373					CVD28GVRD2018	133777	77H4899	TERR	355 59 55	194.118	194.195
973024	82H5209	E	494151.738	0.9996031	1.0000027	64816	92H0971	TERR	1 15 24	386.229	386.382			
		N	5447578.097					94839	82H5210	TERR	1 28 29	387.121	387.275	
		El	1.908					CVD28GVRD2018	337618	92H0970	TERR	180 43 54	390.052	390.207
									196444	78H8525	TERR	181 31 20	393.922	394.078
94839	82H5210	E	494161.700	0.9996031	1.0000026	15677	78H8454	TERR	88 3 40	803.393	803.713			
		N	5447965.090					973024	82H5209	TERR	181 28 29	387.121	387.275	
		El	2.485					CVD28GVRD2018	835421	78H8460	TERR	270 51 36	830.666	830.995
									75507	78H8483	TERR	357 26 28	297.801	297.919
620757	83H5915	E	490817.715	0.9996039	1.0000029	615542	77H4645	TERR	87 9 38	105.116	105.158			
		N	5446365.991					317214	77H4674	TERR	271 50 3	400.972	401.131	
		El	1.080					CVD28GVRD2018	694117	82H5093	TERR	357 5 55	217.484	217.570
290890	83H5916	E	487060.633	0.9996049	1.0000028	680801	77H4585	TERR	89 40 10	246.459	246.557			
		N	5441849.272											
		El	1.591					CVD28GVRD2018						
292029	83H5917	E	494940.980	0.9996028	1.0000025	125732	78H8497	TERR	74 57 34	574.801	575.028			
		N	5449862.127					197822	78H8508	TERR	177 35 36	290.705	290.820	
		El	3.213					CVD28GVRD2018						
793067	83H5918	E	489237.849	0.9996043	1.0000029			MARKER DESTROYED						
		N	5445542.153											
		El	1.084					CVD28GVRD2018						
202242	83H6181	E	487997.918	0.9996046	1.0000029	567131	77H4670	TERR	90 20 47	419.595	419.760			
		N	5445772.371					674408	83H6182	TERR	179 5 32	225.595	225.684	
		El	1.126					CVD28GVRD2018						
674408	83H6182	E	488001.492	0.9996047	1.0000029	234062	83H6183	TERR	90 37 23	202.842	202.923			
		N	5445546.804					423145	77H4890	TERR	274 7 23	416.682	416.847	
		El	.966					CVD28GVRD2018	202242	83H6181	TERR	359 5 32	225.595	225.684

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
234062	83H6183	E	488204.322	0.9996046	1.0000029	863407	77H4863	TERR	87 56 50	212.532	212.616		
		N	5445544.598					674408	83H6182	TERR	270 37 23	202.842	202.923
		El	.907					CVD28GVRD2018					
770453	83H6544	E	486766.477	0.9996049	1.0000027	199471	77H4570	TERR	91 37 36	208.197	208.279		
		N	5443506.484					22475	77H4532	TERR	181 15 40	148.610	148.670
		El	2.166					CVD28GVRD2018		729079	77H4600	TERR	359 55 24
698266	84H0140	E	489008.873	0.9996043	1.0000029	656629	77H4640	TERR	88 38 10	214.443	214.527		
		N	5444754.532					467860	77H4729	TERR	270 6 55	387.687	387.841
		El	1.184					CVD28GVRD2018					
396689	84H0141	E	489517.985	0.9996042	1.0000028	205229	77H4700	TERR	0 46 27	319.853	319.980		
		N	5444754.999					713917	84H0142	TERR	89 55 54	250.248	250.347
		El	1.297					CVD28GVRD2018		656629	77H4640	TERR	270 54 5
713917	84H0142	E	489768.233	0.9996041	1.0000028	549147	77H4665	TERR	89 2 50	268.794	268.901		
		N	5444755.298					396689	84H0141	TERR	269 55 54	250.248	250.347
		El	1.257					CVD28GVRD2018		425967	78H8412	TERR	359 31 40
728360	84H0143	E	490041.907	0.9996041	1.0000028	292078	77H4688	TERR	183 15 46	136.391	136.445		
		N	5444351.363					98301	77H4731	TERR	355 43 50	202.623	202.703
		El	1.280					CVD28GVRD2018					
460659	87H3143	E	486782.713	0.9996049	1.0000028	501999	77H4669	TERR	0 52 11	463.004	463.188		
		N	5445921.045					542548	77H4664	TERR	90 57 43	317.777	317.903
		El	1.786					CVD28GVRD2018		84046	77H4844	TERR	179 2 46
100081	88H4812	E	490464.691	0.9996039	1.0000028	826453	77H4946	TERR	0 28 43	159.433	159.496		
		N	5447283.825					427203	77H4831	TERR	271 29 44	416.654	416.820
		El	1.365					CVD28GVRD2018					
367151	88H4813	E	489883.772	0.9996041	1.0000028	854398	77H4965	TERR	83 25 46	181.337	181.408		
		N	5447158.586					155143	77H4754	TERR	234 47 24	425.980	426.149
		El	1.236					CVD28GVRD2018					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
462523	88H4814	E	490264.702	0.9996040	1.0000029	641860	77H4616	TERR	88 7 2	150.153	150.213			
		N	5445966.862					244103	77H4717	TERR	274 3 10	228.026	228.117	
		El	1.102					CVD28GVRD2018	8698	91H9830	TERR	275 11 34	208.491	208.574
314732	88H4815	E	491697.319	0.9996036	1.0000027	382044	89H5190	TERR	181 15 20	779.878	780.188			
		N	5447158.210					972026	323	TERR	359 11 56	188.465	188.541	
		El	1.849					CVD28GVRD2018						
862888	88H4816	E	494953.774	0.9996031	1.0000028	15677	78H8454	TERR	1 46 17	351.296	351.435			
		N	5447641.145					436402	89H5327	TERR	180 18 1	392.936	393.093	
		El	1.524					CVD28GVRD2018						
889493	88H4817	E	491473.119	0.9996036	1.0000027	742114	77H4961	TERR	89 2 44	208.120	208.203			
		N	5444741.210					36574	92H0968	GPS	90 25 34	1848.926	1849.659	
		El	1.879					CVD28GVRD2018	51649	77H4983	GPS	194 48 28	849.357	849.694
									686931	88H4818	TERR	269 16 29	199.623	199.702
									493775	77H4699	GPS	328 40 24	1669.830	1670.491
									579235	77H4945	TERR	359 45 26	416.599	416.765
686931	88H4818	E	491273.512	0.9996037	1.0000028	889493	88H4817	TERR	89 16 29	199.623	199.702			
		N	5444738.683					253773	92H0977	TERR	183 46 29	197.205	197.283	
		El	1.797					CVD28GVRD2018	695973	77H4921	TERR	270 39 11	411.376	411.539
									391128	77H4906	TERR	359 4 31	415.373	415.538
728121	88H4819	E	491259.641	0.9996036	1.0000027			MARKER DESTROYED						
		N	5444554.451											
		El	2.162	CVD28GVRD2018										
10678	88H4820	E	489217.661	0.9996043	1.0000029	208314	88H4823	TERR	7 13 12	193.432	193.508			
		N	5445362.169											
		El	.963					CVD28GVRD2018						
224436	88H4821	E	489232.660	0.9996043	1.0000029			MARKER DESTROYED						
		N	5445002.705											
		El	1.030	CVD28GVRD2018										
379743	88H4822	E	486002.800	0.9996052	1.0000028	664508	88H4825	TERR	3 5 50	217.108	217.194			
		N	5441739.804					673384	77H4865	TERR	89 55 36	341.874	342.009	
		El	1.906					CVD28GVRD2018	686873	77H4884	TERR	180 17 29	210.769	210.852

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
208314	88H4823	E	489241.971	0.9996042	1.0000028	688226	88H4824	TERR	91 20 16	544.754	544.969	
		N	5445554.067			347526	91H9832	TERR	91 39 20	546.094	546.311	
		El	1.490			CVD28GVRD2018	10678	88H4820	TERR	187 13 12	193.432	193.508
							816157	78H8339	TERR	268 40 35	408.920	409.082
				6247	77H4741	TERR	356 51 47	391.133	391.287			
688226	88H4824	E	489786.576	0.9996041	1.0000028	201236	77H4895	TERR	87 42 47	255.167	255.269	
		N	5445541.348			507426	78H8340	TERR	186 1 33	177.795	177.866	
		El	1.316			CVD28GVRD2018	208314	88H4823	TERR	271 20 16	544.754	544.969
664508	88H4825	E	486014.530	0.9996051	1.0000027	346130	77H4809	TERR	91 8 2	330.694	330.825	
		N	5441956.595			379743	88H4822	TERR	183 5 50	217.108	217.194	
		El	1.960			CVD28GVRD2018	227132	77H4548	TERR	356 59 20	200.915	200.995
382044	89H5190	E	491680.231	0.9996034	1.0000026	314732	88H4815	TERR	1 15 20	779.878	780.188	
		N	5446378.519			192955	77H4940	TERR	175 53 33	172.960	173.029	
		El	2.959			CVD28GVRD2018						
436402	89H5327	E	494951.715	0.9996031	1.0000028	862888	88H4816	TERR	0 18 1	392.936	393.093	
		N	5447248.214			437202	78H8503	TERR	179 13 50	486.376	486.569	
		El	1.512			CVD28GVRD2018						
989681	91H9828	E	491678.999	0.9996036	1.0000028		MARKER DESTROYED					
		N	5447349.876									
		El	1.597	CVD28GVRD2018								
647230	91H9829	E	490681.154	0.9996039	1.0000029	962779	77H4988	TERR	87 7 38	203.556	203.636	
		N	5445961.911			641860	77H4616	TERR	272 7 30	266.563	266.668	
		El	1.083			CVD28GVRD2018						
8698	91H9830	E	490057.067	0.9996041	1.0000029	462523	88H4814	TERR	95 11 34	208.491	208.574	
		N	5445985.732			71977	91H9831	TERR	180 30 12	199.670	199.749	
		El	.995			CVD28GVRD2018	99127	144-696	TERR	358 45 33	401.414	401.573
71977	91H9831	E	490055.313	0.9996041	1.0000028	8698	91H9830	TERR	0 30 12	199.670	199.749	
		N	5445786.070			201236	77H4895	TERR	183 21 39	234.944	235.037	
		El	1.211			CVD28GVRD2018						

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
347526	91H9832	E	489787.837	0.9996041	1.0000028	201236	77H4895	TERR	87 0 45	254.048	254.149		
		N	5445538.290					507426	78H8340	TERR	186 32 30	174.894	174.963
		El	1.223					CVD28GVRD2018	208314	88H4823	TERR	271 39 20	546.094
780791	91H9833	E	491683.124	0.9996036	1.0000027	704775	155	TERR	90 43 19	461.141	461.323		
		N	5447995.947					698936	77H5818	TERR	269 28 22	426.225	426.395
		El	2.019					CVD28GVRD2018					
885228	91H9834	E	491704.960	0.9996037	1.0000028	542662	77H5814	TERR	271 6 57	366.402	366.546		
		N	5447661.474										
		El	1.335					CVD28GVRD2018					
773853	92H0961	E	488686.681	0.9996044	1.0000028	814897	77H4778	TERR	1 12 41	164.024	164.089		
		N	5442302.374					428284	92H0962	TERR	90 14 29	242.948	243.045
		El	1.398					CVD28GVRD2018	864777	77H4805	TERR	271 19 9	277.983
428284	92H0962	E	488929.627	0.9996043	1.0000028	807354	77H4931	TERR	88 5 37	291.507	291.623		
		N	5442301.350					773853	92H0961	TERR	270 14 29	242.948	243.045
		El	1.592					CVD28GVRD2018					
95604	92H0963	E	489627.150	0.9996041	1.0000028	698480	77H4650	TERR	90 55 57	407.400	407.560		
		N	5442314.428					807354	77H4931	TERR	269 31 24	406.191	406.353
		El	1.795					CVD28GVRD2018					
28159	92H0964	E	493306.189	0.9996034	1.0000029	942409	92H0965	TERR	2 12 50	292.248	292.364		
		N	5442805.491					922195	77H5820	TERR	182 57 8	519.548	519.753
		El	1.154					CVD28GVRD2018					
942409	92H0965	E	493317.478	0.9996034	1.0000029	28159	92H0964	TERR	182 12 50	292.248	292.364		
		N	5443097.521					266825	77H4932	TERR	270 15 56	459.723	459.905
		El	1.125					CVD28GVRD2018	114330	92H0966	TERR	359 13 0	394.707
114330	92H0966	E	493312.082	0.9996034	1.0000028	942409	92H0965	TERR	179 13 0	394.707	394.863		
		N	5443492.191					564856	77H4954	TERR	271 17 40	160.544	160.607
		El	1.342					CVD28GVRD2018	724245	92H0967	TERR	358 17 58	572.124

Integrated Survey Area No:18 The Corporation of the Township of Richmond
 Order In Council No. 215/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
724245	92H0967	E	493295.103	0.9996034	1.0000028	36574	92H0968	TERR	2 19 16	663.941	664.204		
		N	5444064.063			114330	92H0966	TERR	178 17 58	572.124	572.351		
		El	1.263			CVD28GVRD2018							
36574	92H0968	E	493321.994	0.9996033	1.0000028	447235	78H8410	GPS	82 51 46	363.253	363.397		
		N	5444727.459			724245	92H0967	TERR	182 19 16	663.941	664.204		
		El	1.828			CVD28GVRD2018		889493	88H4817	GPS	270 25 34	1848.926	1849.659
						592287	94H1625	TERR	357 48 48	397.424	397.582		
880492	92H0969	E	494156.648	0.9996031	1.0000027	847368	78H8476	TERR	182 59 17	329.607	329.738		
		N	5446701.941			337618	92H0970	TERR	358 50 4	486.237	486.430		
		El	2.257			CVD28GVRD2018							
337618	92H0970	E	494146.757	0.9996019	1.0000015	973024	82H5209	TERR	0 43 54	390.052	390.207		
		N	5447188.077			297440	92H0972	GPS	15 50 1	817.690	818.015		
		El	9.777			CVD28GVRD2018		880492	92H0969	TERR	178 50 4	486.237	486.430
						447235	78H8410	GPS	190 52 52	2459.708	2460.688		
64816	92H0971	E	494160.208	0.9996031	1.0000026	297440	92H0972	TERR	87 7 49	209.914	209.998		
		N	5447964.233			973024	82H5209	TERR	181 15 24	386.229	386.382		
		El	2.452			CVD28GVRD2018		835421	78H8460	TERR	270 55 14	829.187	829.516
						75507	78H8483	TERR	357 44 5	298.594	298.713		
297440	92H0972	E	494369.859	0.9996018	1.0000014	15677	78H8454	TERR	88 18 42	595.032	595.269		
		N	5447974.742			991802	88H4194	GPS	168 52 47	11659.265	11663.901		
		El	10.392			CVD28GVRD2018		546150	84H0346	GPS	182 41 27	11146.891	11151.321
						337618	92H0970	GPS	195 50 1	817.690	818.015		
		258442	77H4686			GPS	229 4 12	6536.941	6539.536				
		64816	92H0971			TERR	267 7 49	209.914	209.998				
		919464	78H8448			GPS	279 7 29	1477.959	1478.547				
		247494	78H8494			GPS	308 38 51	2370.995	2371.937				
		875864	NO MARKING			GPS	355 6 40	10177.553	10181.622				
		389437	92H0973			E	490861.888	0.9996039	1.0000029	62422	77H4941	TERR	90 30 44
N	5444144.695			693325	77H4951	TERR	175 3 26			206.653	206.735		
El	1.047			CVD28GVRD2018		77909	92H0974			TERR	359 17 16	198.317	198.396
77909	92H0974	E	490859.423	0.9996039	1.0000029	389437	92H0973	TERR	179 17 16	198.317	198.396		
		N	5444342.997			479949	92H0975	TERR	359 17 27	211.150	211.234		
		El	1.165			CVD28GVRD2018							

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
479949	92H0975	E	490856.810	0.9996039	1.0000029	695973	77H4921	TERR	1 37 13	189.317	189.392			
		N	5444554.131					253773	92H0977	TERR	91 44 4	403.904	404.065	
		El	.956					CVD28GVRD2018	77909	92H0974	TERR	179 17 27	211.150	211.234
247478	92H0976	E	490869.736	0.9996039	1.0000029	391128	77H4906	TERR	88 58 31	397.137	397.294			
		N	5445146.899					302844	77H4922	TERR	182 42 30	197.136	197.215	
		El	1.120					CVD28GVRD2018	590240	77H4629	TERR	271 42 33	415.494	415.659
									373415	77H4604	TERR	356 15 13	196.705	196.783
253773	92H0977	E	491260.529	0.9996037	1.0000027	686931	88H4818	TERR	3 46 29	197.205	197.283			
		N	5444541.906					62422	77H4941	TERR	179 8 38	400.873	401.031	
		El	2.046					CVD28GVRD2018	479949	92H0975	TERR	271 44 4	403.904	404.065
318972	94H1623	E	493324.970	0.9996032	1.0000027	619213	94H1624	TERR	179 45 36	410.430	410.593			
		N	5445962.671					38711	78H8527	TERR	358 10 43	415.350	415.515	
		El	2.296					CVD28GVRD2018						
619213	94H1624	E	493326.689	0.9996032	1.0000027	714972	78H8458	GPS	40 3 21	5070.289	5072.302			
		N	5445552.245					274696	78H8518	GPS	73 21 9	3420.266	3421.624	
		El	2.339					CVD28GVRD2018	832238	02H2457	GPS	115 43 29	1817.722	1818.444
									49908	02H2413	GPS	118 35 25	3738.564	3740.050
		839639	80H1300					GPS	140 57 36	4876.798	4878.735			
		51441	02H2453					GPS	179 8 52	3573.412	3574.831			
		592287	94H1625					TERR	182 39 31	428.112	428.282			
		496687	77H4891					GPS	271 39 39	6228.885	6231.352			
		951376	77H4970					GPS	308 7 19	3637.894	3639.336			
		318972	94H1623					TERR	359 45 36	410.430	410.593			
592287	94H1625	E	493306.831	0.9996033	1.0000028	619213	94H1624	TERR	2 39 31	428.112	428.282			
		N	5445124.594					36574	92H0968	TERR	177 48 48	397.424	397.582	
		El	1.786					CVD28GVRD2018						
429431	95H1981	E	493319.981	0.9996033	1.0000028	835421	78H8460	TERR	2 40 40	238.607	238.701			
		N	5447739.210					730879	95H1982	TERR	176 27 29	209.241	209.324	
		El	1.501					CVD28GVRD2018	399618	78H8478	TERR	268 32 59	334.388	334.520
730879	95H1982	E	493332.908	0.9996033	1.0000028	281956	95H1983	TERR	180 44 47	296.802	296.920			
		N	5447530.369					138230	78H8541	TERR	270 16 59	462.747	462.930	
		El	1.618					CVD28GVRD2018	429431	95H1981	TERR	356 27 29	209.241	209.324

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
281956	95H1983	E	493329.041	0.9996032	1.0000027	730879	95H1982	TERR	0 44 47	296.802	296.920		
		N	5447233.592					639971	95H1984	TERR	185 49 23	407.826	407.988
		El	2.361					CVD28GVRD2018					
639971	95H1984	E	493287.665	0.9996021	1.0000016	281956	95H1983	TERR	5 49 23	407.826	407.988		
		N	5446827.870					38711	78H8527	TERR	176 56 4	450.704	450.883
		El	9.405					CVD28GVRD2018					
795310	969	E	491697.787	0.9996036	1.0000027			MARKER DESTROYED					
		N	5447987.829										
		El	1.859					1928 Canadian Vertical Datum					
994145	DOT 322	E	491694.075	0.9996035	1.0000027			MARKER DESTROYED					
		N	5447117.037										
		El	2.220					1928 Canadian Vertical Datum					

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
869792	NO MARKING	E	489264.372	0.9996021	1.0000007	381285	V-3015	GPS	0 41 54	10085.673	10089.677
		N	5440262.832			258442	77H4686	GPS	2 47 3	3433.365	3434.727
		El	14.878	CVD28GVRD2018		454694	V-3951	GPS	8 4 24	15020.740	15026.784
						218834	V-2240	GPS	8 5 53	13737.259	13742.815
						652990	V-1292	GPS	8 29 54	11679.083	11683.775
						951376	77H4970	GPS	9 3 5	7630.236	7633.265
						875864	NO MARKING	GPS	13 21 17	18348.597	18355.925
						611681	V-3719	GPS	14 4 20	17561.312	17568.288
						584086	V-1778	GPS	15 36 4	15581.294	15587.557
						546226	83	GPS	16 9 7	10594.623	10598.831
						197442	V-1856	GPS	17 45 6	14170.068	14175.789
						812271	V-1900	GPS	19 9 40	12580.333	12585.407
						247494	78H8494	GPS	19 29 29	9751.505	9755.378
						573055	02H2482	GPS	19 54 15	38430.551	38446.448
						59121	02H2452	GPS	20 50 44	2147.292	2148.144
						398255	V-612	GPS	24 40 58	11751.386	11756.073
						78576	V-1220	GPS	26 40 19	14898.004	14904.037
						870014	V-2593	GPS	27 52 23	13224.379	13229.732
						51649	77H4983	GPS	28 34 19	4164.383	4166.036
						395939	V-2635	GPS	34 50 24	14503.947	14509.832
						47209	v-4217	GPS	35 34 46	12466.991	12471.949
						610006	90H6709	GPS	40 32 57	23352.225	23361.858
						897322	V-2503	GPS	42 4 7	13491.270	13496.638
						785741		GPS	42 48 51	19164.186	19171.846
						447235	78H8410	GPS	44 24 41	6313.255	6315.767
						831958	NO MARKING	GPS	45 25 29	37681.715	37697.124
						183145	80H3149	GPS	46 36 18	26688.731	26699.568
						229781	94H1355	GPS	48 54 36	18759.844	18767.474
						274696	78H8518	GPS	49 29 44	9652.345	9656.183
						595017	89H6032	GPS	54 54 45	19403.217	19411.080
						698134	10H2607	GPS	63 52 16	24904.400	24914.298
						49908	02H2413	GPS	64 31 10	8136.438	8139.675
						200915	02H2433	GPS	65 10 40	54106.363	54128.222
						606558	5400	GPS	65 10 48	24119.991	24129.689
						829762	02H2412	GPS	65 55 33	10718.111	10722.377
						51441	02H2453	GPS	67 21 39	4459.038	4460.810
						524181	10H2595	GPS	67 32 42	18211.774	18219.019
						898734	NO MARKING	GPS	67 46 4	22612.169	22621.335
						387381	85H0645	GPS	68 48 31	39247.653	39263.149
						770800	5296	GPS	69 45 24	19916.426	19924.483
						756155	02H2445	GPS	70 23 28	35392.228	35406.246
						918169	14H2752	GPS	70 27 54	6087.969	6090.390
						325373	84H0055	GPS	72 3 38	43472.646	43489.814
						841734	6966	GPS	72 52 49	18178.980	18186.342
						675850	84H0394	GPS	73 39 40	10519.440	10523.626
						1511	02H2456	GPS	74 42 38	36282.344	36296.696
						909333	NO MARKING	GPS	75 0 3	45903.803	45922.155
						815746	84H9508	GPS	77 37 15	16382.494	16389.050
						839639	80H1300	GPS	78 6 50	7290.341	7293.241

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
					80101	02H2443	GPS	81 49 30	3849.114	3850.644
					973289	5157	GPS	83 23 19	31921.986	31934.629
					777771	NO MARKING	GPS	87 27 44	62755.515	62779.923
					546390	5025	GPS	87 51 40	25271.073	25281.135
					252569	92H0596	GPS	88 23 17	16144.570	16151.009
					306167	10H2568	GPS	89 5 43	28517.395	28528.749
					63446	5013	GPS	89 13 4	31712.133	31724.859
					827154	74H2689	GPS	89 18 32	41263.830	41280.151
					904904	NO MARKING	GPS	91 56 19	35765.734	35779.928
					349902	88H4730	GPS	93 17 32	47848.852	47867.951
					8979	75H2716	GPS	94 14 55	37703.528	37718.451
					447771	5169	GPS	95 3 39	31820.542	31833.146
					686790	92H0898	GPS	96 30 56	24581.371	24591.133
					693275	NO MARKING	GPS	97 44 7	33543.520	33556.906
					995365	6910	GPS	97 53 37	15626.887	15633.103
					607093	5893	GPS	97 55 55	18919.776	18927.302
					528505	92H0579	GPS	100 32 48	7492.285	7495.265
					321372	13H2681	GPS	100 55 22	32268.488	32281.288
					782151	80H2067	GPS	101 57 31	29337.500	29349.150
					941757	80H2577	GPS	102 42 43	42332.908	42349.834
					489179	5958	GPS	103 56 52	26032.065	26042.493
					147819	91H9962	GPS	104 0 36	51265.629	51285.829
					23978	78H2743	GPS	104 16 54	36022.039	36036.445
					531079	6902	GPS	104 47 30	10972.295	10976.659
					210369	84H0564	GPS	106 21 17	33025.148	33038.264
					878538	92H0857	GPS	108 6 52	29964.682	29976.667
					394437	77H4671	GPS	111 51 46	812.169	812.492
					942870	86H1263	GPS	112 32 4	23855.563	23865.214
					136531	92H0917	GPS	113 29 2	31070.822	31083.169
					991802	88H4194	GPS	116 53 3	8245.343	8248.622
					914127	80H1262	GPS	118 27 34	11799.263	11803.958
					546150	84H0346	GPS	126 45 29	5719.378	5721.652
					446658	80H1267	GPS	132 24 10	10734.365	10738.635
					703199	6846	GPS	144 15 4	6388.587	6391.126
					430900	87H3190	GPS	147 58 52	14481.084	14486.842
					331918	6831	GPS	148 43 15	7967.651	7970.818
					630830	87H3184	GPS	156 20 36	13431.176	13436.568
					782433	87H3160	GPS	158 38 15	11592.882	11597.536
					234419	6901	GPS	163 50 19	3853.136	3854.667
					647321	77C010	GPS	168 37 18	11223.835	11228.295
					460527	6851	GPS	174 33 25	3245.576	3246.865
					989624	80H1275	GPS	185 2 50	5810.712	5813.019
					394825	81	GPS	185 37 57	10765.139	10769.411
					855890	6855	GPS	187 19 0	3528.898	3530.300
					406991	77C032	GPS	224 48 58	3085.643	3086.867
					920009	No Marking	GPS	275 46 22	57948.966	57970.695
					258020	19713	GPS	293 53 13	3857.836	3859.365
					537563	77H4827	GPS	313 45 27	2291.226	2292.134
					393264	77H4549	GPS	323 29 21	4592.143	4593.963

Order In Council No. 215/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground	
-----	-----	Coordinates	-----	-----	-----	-----	Type	Bearing	Distance	Distance	
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres	
					654525	02H2489	GPS	326 27 44	32985.444	32998.828	
					30031	77H4885	GPS	328 49 40	7160.841	7163.679	
					521617	PP	GPS	335 13 34	18851.050	18858.628	
					632448	02H2492	GPS	337 18 23	36071.003	36085.318	
					528513	NFHC 5	GPS	337 33 22	15174.491	15180.550	
					496687	77H4891	GPS	338 24 57	5882.416	5884.749	
					537829	02H2479	GPS	338 58 43	11017.062	11021.428	
					453423	02H2465	GPS	340 30 3	29380.494	29392.254	
					58081	02H2408	GPS	340 56 44	7554.042	7557.038	
					540054	V-3299	GPS	343 58 50	17014.967	17021.822	
					326595	PIER 3	GPS	344 6 16	27369.549	27380.745	
					538736	V-2980	GPS	344 51 58	12204.083	12208.921	
					856963	14H2738	GPS	347 1 58	32308.466	32321.392	
					174268	V-2982	GPS	347 4 57	13316.580	13321.868	
					850610	V-2793	GPS	349 53 57	15553.734	15559.992	
					559500	02H2477	GPS	350 9 35	37980.297	37995.443	
					535518	555	GPS	351 22 28	10942.096	10946.436	
					485912	126	GPS	355 59 42	12018.620	12023.423	
					436808	V-3235	GPS	357 8 5	15421.304	15427.456	
					69385	V-1280	GPS	357 32 50	13716.859	13722.376	
					336099	OCM	GPS	357 47 25	6805.262	6807.963	
336099	OCM	E	489001.976	0.9996039	1.0000024	218834	V-2240	GPS	17 54 32	7146.339	7149.225
		N	5447063.033			51649	77H4983	GPS	144 21 10	3867.699	3869.232
		E1	3.741	CVD28GVRD2018		331918	6831	GPS	162 5 13	14303.092	14308.760
						869792	NO MARKING	GPS	177 47 25	6805.262	6807.963
						523704	02H2464	GPS	323 0 48	10884.965	10889.335

END OF REPORT