

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
306167	10H2568	E	517778.213	0.9996036	0.9999997	768556	02H2449	GPS	42 29 2	14388.134	14393.816	
		N	5440713.056			904904	NO MARKING	GPS	102 55 45	7419.527	7422.457	
		El	21.346			CVD28GVRD2018	162420	86H1293	GPS	116 17 25	836.879	837.210
							210369	84H0564	GPS	161 57 42	10253.494	10257.549
							548891	92H0829	GPS	180 39 51	1734.996	1735.681
							777862	92H0845	GPS	246 16 19	2042.372	2043.180
							869792	NO MARKING	GPS	269 5 43	28517.395	28528.749
							875864	NO MARKING	GPS	305 38 6	29868.847	29880.774
							898734	NO MARKING	GPS	316 54 29	11099.329	11103.817
							689091	13H2674	GPS	359 17 15	1448.130	1448.702
251454	10H2569	E	512880.174	0.9996020	0.9999999	98178	86H1262	GPS	29 41 48	3300.568	3301.877	
		N	5440702.635			361865	13H2678	GPS	90 2 40	1659.515	1660.173	
		El	19.784			CVD28GVRD2018	716605	13H2680	GPS	179 39 5	785.768	786.083
							103879	86H1274	GPS	315 3 55	1126.889	1127.340
							224899	10H2572	GPS	333 8 27	1805.714	1806.440
							898734	NO MARKING	GPS	341 41 45	8548.331	8551.794
232017	10H2570	E	509658.557	0.9995886	0.9999875	898734	NO MARKING	GPS	3 47 29	8119.783	8123.127	
		N	5440716.437			90316	80H2099	GPS	26 28 47	3603.044	3604.514	
		El	99.442			CVD28GVRD2018	850214	92H0908	GPS	181 10 53	1216.720	1217.218
							102970	92H0875	GPS	270 47 31	1641.551	1642.224
							6544	13H2686	GPS	296 29 48	1841.566	1842.322
409813	10H2571	E	511276.065	0.9995933	0.9999918	224899	10H2572	GPS	88 54 33	788.434	788.755	
		N	5442298.538			103879	86H1274	GPS	134 38 33	1135.885	1136.344	
		El	71.921			CVD28GVRD2018	898734	NO MARKING	GPS	350 35 23	6608.848	6611.554
							90316	80H2099	GPS	359 37 2	1642.992	1643.658
224899	10H2572	E	512064.356	0.9995937	0.9999919	98178	86H1262	GPS	62 51 50	2754.099	2755.202	
		N	5442313.549			251454	10H2569	GPS	153 8 27	1805.714	1806.440	
		El	71.175			CVD28GVRD2018	103879	86H1274	GPS	178 35 55	813.420	813.750
							409813	10H2571	GPS	268 54 33	788.434	788.755
							898734	NO MARKING	GPS	343 58 14	6768.041	6770.811
136820	10H2573	E	520166.338	0.9996036	0.9999986	377754	5680	GPS	42 20 41	2372.499	2373.436	
		N	5442202.379			904904	NO MARKING	GPS	123 2 4	5777.224	5779.505	
		El	28.076			CVD28GVRD2018	89649	5934	GPS	140 17 53	1259.962	1260.466
							17830	10H2578	GPS	308 44 17	1064.632	1065.052
629519	10H2574	E	519342.470	0.9996072	1.0000026	904904	NO MARKING	GPS	82 29 2	5716.281	5718.528	
		N	5438305.249			602961	86H1306	GPS	141 34 29	1295.362	1295.870	
		El	2.478			CVD28GVRD2018	548891	92H0829	GPS	293 0 44	1721.355	1722.033

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
799965	10H2575	E	509208.960	0.9995910	0.9999900	898734	NO MARKING	GPS	16 57 50	3381.171	3382.560		
		N	5445584.398			934539	8791	GPS	326 13 14	1443.063	1443.655		
		El	83.296			CVD28GVRD2018							
316281	10H2576	E	510424.330	0.9995935	0.9999922	597377	10H2582	GPS	64 40 7	1792.616	1793.345		
		N	5446365.242			934539	8791	GPS	281 43 14	2060.677	2061.519		
		El	69.095			CVD28GVRD2018		898734	NO MARKING	GPS	354 40 15	2463.856	2464.866
20453	10H2577	E	516112.768	0.9995940	0.9999908	409698	92H0842	GPS	53 23 11	1009.413	1009.820		
		N	5444988.376			821256	5189	GPS	120 13 49	1896.591	1897.356		
		El	77.914			CVD28GVRD2018		98178	86H1262	GPS	228 23 33	2136.475	2137.331
						898734	NO MARKING	GPS	302 54 49	7048.663	7051.548		
17830	10H2578	E	519335.908	0.9996074	1.0000028	969295	13H2676	GPS	11 16 58	2360.959	2361.887		
		N	5442868.583			377754	5680	GPS	65 52 50	2660.823	2661.870		
		El	1.492			CVD28GVRD2018		904904	NO MARKING	GPS	123 55 16	6837.404	6840.091
						136820	10H2573	GPS	128 44 17	1064.632	1065.052		
						89649	5934	GPS	135 0 19	2312.859	2313.779		
						608869	92H0926	GPS	180 20 47	2159.457	2160.307		
						162420	86H1293	GPS	197 43 27	2652.079	2653.125		
						898734	NO MARKING	GPS	303 3 42	10906.336	10910.726		
998500	10H2579	E	519353.462	0.9996073	1.0000027	334078	8640	GPS	48 27 1	2120.646	2121.484		
		N	5445574.895			564955	8799	GPS	66 44 8	3045.239	3046.438		
		El	1.556			CVD28GVRD2018		969295	13H2676	GPS	131 20 35	591.888	592.120
						904904	NO MARKING	GPS	139 3 59	8632.949	8636.341		
						821256	5189	GPS	226 6 17	2223.157	2224.039		
						943670	10H2581	GPS	271 38 6	931.808	932.174		
						898734	NO MARKING	GPS	289 30 11	9715.407	9719.317		
187641	10H2580	E	519352.341	0.9996036	0.9999990	334078	8640	GPS	69 22 26	1696.948	1697.621		
		N	5446383.676			564955	8799	GPS	81 59 12	2826.357	2827.475		
		El	25.141			CVD28GVRD2018		904904	NO MARKING	GPS	142 20 30	9259.818	9263.474
						693051	10H2599	GPS	356 38 58	758.029	758.332		
943670	10H2581	E	518422.033	0.9996066	1.0000024	998500	10H2579	GPS	91 38 6	931.808	932.174		
		N	5445601.480			821256	5189	GPS	203 9 19	1705.377	1706.054		
		El	3.851			CVD28GVRD2018		409698	92H0842	GPS	269 34 36	1499.074	1499.670
						898734	NO MARKING	GPS	291 21 28	8833.172	8836.731		
597377	10H2582	E	512044.583	0.9995933	0.9999915	481663	79H0008	GPS	78 51 34	2093.731	2094.585		
		N	5447132.218			316281	10H2576	GPS	244 40 7	1792.616	1793.345		
		El	73.294			CVD28GVRD2018		898734	NO MARKING	GPS	312 21 45	2502.504	2503.529

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
722686	10H2583	E	507973.507	0.9996034	1.0000026	379222	10H2587	GPS	29 53 2	1159.631	1160.091	
		N	5448631.223			898734	NO MARKING	GPS	85 11 1	2229.855	2230.756	
		El	2.431			CVD28GVRD2018	934539	8791	GPS	166 48 20	1897.467	1898.234
							21139	92H0904	GPS	314 24 28	1000.218	1000.615
				961417	10H2586	GPS	353 59 58	1493.910	1494.502			
542852	10H2584	E	516343.135	0.9995962	0.9999929	904904	NO MARKING	GPS	56 38 6	10376.761	10380.896	
		N	5433346.054			782151	80H2067	GPS	62 40 44	1825.716	1826.445	
		El	64.825			CVD28GVRD2018	901330	92H0919	GPS	193 12 10	842.231	842.572
							511907	92H0921	GPS	231 34 54	1306.509	1307.039
				465427	13H2672	GPS	317 16 6	2698.936	2700.015			
961417	10H2586	E	507817.335	0.9996030	1.0000023	50146	92H0903	GPS	42 0 26	776.101	776.409	
		N	5450116.947			898734	NO MARKING	GPS	118 38 6	2709.559	2710.655	
		El	4.504			CVD28GVRD2018	379222	10H2587	GPS	123 11 59	877.126	877.474
							722686	10H2583	GPS	173 59 58	1493.910	1494.502
				21139	92H0904	GPS	215 23 45	963.986	964.369			
379222	10H2587	E	508551.284	0.9996035	1.0000026	898734	NO MARKING	GPS	116 27 24	1836.543	1837.285	
		N	5449636.667			722686	10H2583	GPS	209 53 2	1159.631	1160.091	
		El	2.269			CVD28GVRD2018	961417	10H2586	GPS	303 11 59	877.126	877.474
571075	10H2588	E	508845.151	0.9996035	1.0000025	701342	10H2589	GPS	1 12 45	717.745	718.030	
		N	5450400.732			898734	NO MARKING	GPS	139 31 20	2080.152	2080.992	
		El	2.781			CVD28GVRD2018	50146	92H0903	GPS	299 56 46	586.768	587.002
701342	10H2589	E	508860.340	0.9996032	1.0000022	16725	92H0902	GPS	70 14 29	557.422	557.644	
		N	5451118.316			898734	NO MARKING	GPS	149 51 48	2659.326	2660.401	
		El	4.761			CVD28GVRD2018	571075	10H2588	GPS	181 12 45	717.745	718.030
50146	92H0903			GPS	230 57 24		674.189	674.456				
950618	10H2590	E	510048.627	0.9996037	1.0000025	309096	10H2591	GPS	0 28 48	481.223	481.414	
		N	5450956.864			898734	NO MARKING	GPS	176 4 16	2143.453	2144.319	
		El	3.056			CVD28GVRD2018	16725	92H0902	GPS	297 47 54	750.267	750.565
309096	10H2591	E	510052.659	0.9996035	1.0000023	698134	10H2607	GPS	97 31 37	1584.698	1585.326	
		N	5451438.070			898734	NO MARKING	GPS	176 52 45	2623.513	2624.573	
		El	4.555			CVD28GVRD2018	950618	10H2590	GPS	180 28 48	481.223	481.414
							16725	92H0902	GPS	258 52 27	680.504	680.774
948505	10H2592	E	507026.388	0.9996029	1.0000023	21139	92H0904	GPS	11 43 33	1144.454	1144.909	
		N	5448210.564			898734	NO MARKING	GPS	79 8 30	3226.874	3228.181	
		El	4.706			CVD28GVRD2018	524181	10H2595	GPS	223 11 49	1360.200	1360.740

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
193888	10H2593	E	519848.281	0.9996073	1.0000025	411447	5997	GPS	9 17 41	961.346	961.724	
		N	5449463.448			800326	5985	GPS	149 13 51	1285.980	1286.485	
		El	2.985			CVD28GVRD2018	589457	92H0860	GPS	171 58 7	696.333	696.606
							736215	5976	GPS	334 43 24	1420.718	1421.276
524181	10H2595	E	506095.322	0.9996030	1.0000026	21139	92H0904	GPS	28 51 6	2411.499	2412.457	
		N	5447218.969			948505	10H2592	GPS	43 11 49	1360.200	1360.740	
		El	2.892			CVD28GVRD2018	898734	NO MARKING	GPS	68 41 21	4401.102	4402.882
							394825	81	GPS	225 21 6	25142.946	25152.916
							869792	NO MARKING	GPS	247 32 42	18211.774	18219.019
							875864	NO MARKING	GPS	310 52 8	16652.595	16659.245
							510404	82H5017	GPS	322 45 28	8933.674	8937.241
56473	10H2596	E	517022.963	0.9996066	1.0000030	162420	86H1293	GPS	50 53 51	1940.113	1940.880	
		N	5439118.739			904904	NO MARKING	GPS	90 28 18	7986.945	7990.087	
		El	.278			CVD28GVRD2018	548891	92H0829	GPS	100 49 29	748.454	748.747
							100123	92H0913	GPS	268 45 46	2486.734	2487.716
							621482	13H2685	GPS	269 26 1	1632.126	1632.769
							777862	92H0845	GPS	304 43 37	1356.011	1356.545
							12765	10H2597	E	510378.494	0.9995970	0.9999957
N	5433775.622	904904	NO MARKING	GPS	70 9 58	15553.802			15559.997			
El	47.270	CVD28GVRD2018	879726	10H2605	GPS	95 43 27			2556.154	2557.185		
			417725	80H2072	GPS	153 22 20			1141.406	1141.869		
			53561	10H2606	GPS	198 32 27			2151.666	2152.537		
			557686	5495	GPS	293 25 5			1543.769	1544.386		
			450072	10H2598	E	517252.622			0.9996016	0.9999979		
N	5450229.288	898734			NO MARKING	GPS	258 41 41	7196.778			7199.695	
El	32.283	CVD28GVRD2018			715698	92H0905	GPS	274 21 27			2199.087	2199.974
					3996	92H0900	GPS	310 1 39			753.380	753.681
					693051	10H2599	E	519308.039			0.9995975	0.9999929
N	5447140.409	589457	92H0860	GPS			21 19 10	1753.535	1754.233			
El	64.102	CVD28GVRD2018	800326	5985			GPS	44 31 37	1708.572	1709.252		
			334078	8640			GPS	95 33 41	1640.196	1640.852		
			904904	NO MARKING			GPS	144 48 59	9895.194	9899.131		
			187641	10H2580	GPS	176 38 58	758.029	758.332				
904581	10H2600	E	516888.873	0.9996010	0.9999975	693051	10H2599	GPS	90 41 31	2419.342	2420.312	
		N	5447169.623			904904	NO MARKING	GPS	134 59 8	11481.587	11486.135	
		El	34.844			CVD28GVRD2018	409698	92H0842	GPS	178 45 43	1579.588	1580.221
							481663	79H0008	GPS	277 29 48	2814.067	2815.206
							898734	NO MARKING	GPS	283 50 19	6893.477	6896.274

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
698290	10H2601	E	516189.193	0.9995959	0.9999927	3996	92H0900	GPS	14 15 36	1975.224	1976.019		
		N	5448799.464			638197	5287	GPS	62 48 35	1740.930	1741.629		
		El	65.495			CVD28GVRD2018	481663	79H0008	GPS	238 51 55	2442.110	2443.105	
							898734	NO MARKING	GPS	270 10 53	5993.735	5996.181	
				715698	92H0905	GPS	324 43 58	1955.871	1956.665				
513077	10H2603	E	513659.795	0.9995898	0.9999875	360701	10H2604	GPS	89 36 8	832.276	832.617		
		N	5448738.357			481663	79H0008	GPS	159 55 39	1279.296	1279.820		
		El	98.917			CVD28GVRD2018	898734	NO MARKING	GPS	271 19 28	3465.233	3466.658	
							10835	5527	GPS	331 49 23	1947.182	1947.981	
				71563	86H1270	GPS	359 21 21	837.997	838.342				
360701	10H2604	E	514492.051	0.9995915	0.9999889	715698	92H0905	GPS	18 58 1	1747.091	1747.804		
		N	5448744.134			513077	10H2603	GPS	269 36 8	832.276	832.617		
		El	89.959			CVD28GVRD2018	898734	NO MARKING	GPS	270 59 27	4297.206	4298.969	
							71563	86H1270	GPS	314 40 28	1183.606	1184.090	
879726	10H2605	E	512921.902	0.9995967	0.9999946	767350	13H2687	GPS	53 13 55	1066.900	1067.328		
		N	5433520.670			904904	NO MARKING	GPS	65 24 27	13293.596	13298.892		
		El	53.800			CVD28GVRD2018	703223	677003	GPS	164 17 35	1438.963	1439.551	
							417725	80H2072	GPS	249 21 31	2171.218	2172.099	
								12765	10H2597	GPS	275 43 27	2556.154	2557.185
								4903	92H0897	GPS	300 7 34	2039.640	2040.456
53561	10H2606	E	509694.308	0.9995936	0.9999924	12765	10H2597	GPS	18 32 27	2151.666	2152.537		
		N	5431735.633			417725	80H2072	GPS	49 32 42	1571.468	1572.108		
		El	68.052			CVD28GVRD2018	904904	NO MARKING	GPS	64 27 45	16973.589	16980.379	
							940213	92H0920	GPS	89 21 25	1608.533	1609.191	
								851287	5476	GPS	180 50 30	792.530	792.853
								557686	5495	GPS	344 34 11	2752.766	2753.870
698134	10H2607	E	511623.702	0.9996040	1.0000024	290957	02H2441	GPS	58 14 27	7212.921	7215.770		
		N	5451230.488			248765	02H2466	GPS	59 24 30	4201.169	4202.849		
		El	3.670			CVD28GVRD2018	458042	5398	GPS	92 39 2	575.365	575.594	
							10835	5527	GPS	124 47 13	1359.632	1360.180	
								228619	5066	GPS	144 54 40	5006.680	5008.696
								898734	NO MARKING	GPS	210 37 50	2803.165	2804.297
								394825	81	GPS	227 12 12	31911.793	31924.432
								869792	NO MARKING	GPS	243 52 16	24904.400	24914.298
								21139	92H0904	GPS	246 28 60	4760.084	4761.972
								309096	10H2591	GPS	277 31 37	1584.698	1585.326
								875864	NO MARKING	GPS	290 48 12	19385.014	19392.750
				252106	14H2750	GPS	312 53 14	5293.405	5295.517				
				196881	80H3132	GPS	342 23 50	9041.891	9045.491				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
368530	10H2608	E	520956.098	0.9995998	0.9999944	377754	5680	GPS	20 52 48	2267.953	2268.853		
		N	5441836.895			752048	13H2683	GPS	71 0 29	1680.076	1680.751		
		El	55.168			CVD28GVRD2018	608562	92H0923	GPS	99 44 59	1640.130	1640.789	
							904904	NO MARKING	GPS	124 28 51	4917.460	4919.411	
				89649	5934	GPS	178 34 4	604.090	604.332				
252833	10H2609	E	521753.836	0.9995981	0.9999923	608562	92H0923	GPS	71 18 37	864.278	864.626		
		N	5441282.196			10702	93H1153	GPS	109 49 35	2378.834	2379.781		
		El	68.333			CVD28GVRD2018	904904	NO MARKING	GPS	124 23 57	3945.844	3947.413	
							266809	92H0922	GPS	126 43 47	905.688	906.051	
				89649	5934	GPS	266 24 10	784.185	784.500				
675207	10H2610	E	523201.793	0.9996083	1.0000016	904904	NO MARKING	GPS	168 9 38	8811.391	8814.849		
		N	5447676.909			695155	77C060	GPS	232 7 7	789.289	789.599		
		El	8.421			CVD28GVRD2018	288092	10H2611	GPS	263 45 42	660.865	661.124	
							898734	NO MARKING	GPS	275 0 57	13056.304	13061.554	
				459750	5992	GPS	311 40 57	835.183	835.509				
288092	10H2611	E	522544.841	0.9996076	1.0000014	459750	5992	GPS	3 1 49	628.086	628.333		
		N	5447605.098			675207	10H2610	GPS	83 45 42	660.865	661.124		
		El	10.044			CVD28GVRD2018	904904	NO MARKING	GPS	163 55 21	8900.230	8903.725	
							695155	77C060	GPS	175 17 42	414.230	414.392	
								564955	8799	GPS	205 26 54	916.321	916.681
								31682	10H2612	GPS	266 2 59	779.208	779.515
				898734	NO MARKING	GPS	275 36 41	12408.817	12413.811				
31682	10H2612	E	521767.484	0.9996073	1.0000015	288092	10H2611	GPS	86 2 59	779.208	779.515		
		N	5447551.419			564955	8799	GPS	153 37 40	863.612	863.952		
		El	9.627			CVD28GVRD2018	904904	NO MARKING	GPS	159 7 5	9095.888	9099.462	
							334078	8640	GPS	235 25 28	1004.361	1004.758	
								885384	10H2613	GPS	266 4 60	767.395	767.697
								898734	NO MARKING	GPS	276 14 55	11641.154	11645.840
				800326	5985	GPS	302 36 49	1497.428	1498.016				
885384	10H2613	E	521001.881	0.9996059	1.0000005	31682	10H2612	GPS	86 4 60	767.395	767.697		
		N	5447499.000			904904	NO MARKING	GPS	154 36 54	9348.664	9352.344		
		El	15.866			CVD28GVRD2018	334078	8640	GPS	186 45 44	521.173	521.379	
							898734	NO MARKING	GPS	276 57 41	10886.647	10891.036	
				800326	5985	GPS	330 1 31	992.198	992.588				
337592	10H2614	E	511685.758	0.9996042	1.0000025	801928	92H0911	GPS	17 39 26	2094.162	2095.002		
		N	5437084.653			686790	92H0898	GPS	79 0 19	2038.630	2039.437		
		El	3.671			CVD28GVRD2018	995597	77C056	GPS	132 36 48	1822.973	1823.695	
							4903	92H0897	GPS	191 44 30	2594.567	2595.595	
								557686	5495	GPS	225 18 1	3832.112	3833.630
								864868	5640	GPS	284 8 16	1624.544	1625.188
				898734	NO MARKING	GPS	352 45 43	11828.054	11832.831				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
465427	13H2672	E	514511.725	0.9996042	1.0000016	904904	NO MARKING	GPS	70 27 59	11139.015	11143.411	
		N	5435328.525			885012	92H0833	GPS	98 22 13	2458.457	2459.428	
		El	9.131			CVD28GVRD2018	30502	8601	GPS	101 36 6	5738.587	5740.850
							542852	10H2584	GPS	137 16 6	2698.936	2700.015
							767350	13H2687	GPS	212 9 36	1381.150	1381.700
							995597	77C056	GPS	289 22 17	1573.440	1574.062
							686790	92H0898	GPS	338 58 3	2298.038	2298.947
							898734	NO MARKING	GPS	342 15 27	14163.613	14169.333
570986	13H2673	E	516764.185	0.9996061	1.0000026	904904	NO MARKING	GPS	73 36 28	8594.813	8598.197	
		N	5436627.412			602961	86H1306	GPS	78 54 45	3447.699	3449.055	
		El	2.637			CVD28GVRD2018	885012	92H0833	GPS	173 48 21	1666.495	1667.151
							686790	92H0898	GPS	285 22 23	3191.405	3192.664
							621482	13H2685	GPS	330 58 41	2830.628	2831.744
							898734	NO MARKING	GPS	331 41 1	13848.074	13853.654
689091	13H2674	E	517760.208	0.9996063	1.0000025	904904	NO MARKING	GPS	113 12 24	7887.619	7890.722	
		N	5442161.074			306167	10H2568	GPS	179 17 15	1448.130	1448.702	
		El	3.477			CVD28GVRD2018	777862	92H0845	GPS	219 12 25	2929.355	2930.509
							278754	13H2675	GPS	264 49 17	1626.730	1627.371
							898734	NO MARKING	GPS	311 20 58	10076.985	10081.045
							821256	5189	GPS	359 43 54	1872.431	1873.174
278754	13H2675	E	516140.118	0.9996058	1.0000026	821256	5189	GPS	38 35 21	2583.349	2584.375	
		N	5442014.242			689091	13H2674	GPS	84 49 17	1626.730	1627.371	
		El	2.672			CVD28GVRD2018	904904	NO MARKING	GPS	108 27 46	9350.802	9354.484
							777862	92H0845	GPS	186 13 35	2135.626	2136.468
							98178	86H1262	GPS	313 45 3	2249.336	2250.225
							898734	NO MARKING	GPS	318 51 26	9035.256	9038.899
969295	13H2676	E	519797.832	0.9996073	1.0000025	564955	8799	GPS	55 53 31	2842.179	2843.298	
		N	5445183.913			377754	5680	GPS	121 58 55	2318.511	2319.422	
		El	3.374			CVD28GVRD2018	904904	NO MARKING	GPS	139 37 58	8046.823	8049.985
							17830	10H2578	GPS	191 16 58	2360.959	2361.887
							821256	5189	GPS	240 39 23	2347.598	2348.529
							898734	NO MARKING	GPS	290 43 55	10267.174	10271.307
							998500	10H2579	GPS	311 20 35	591.888	592.120
694950	13H2677	E	519341.673	0.9995969	0.9999923	589457	92H0860	GPS	29 34 32	1223.529	1224.016	
		N	5447709.834			800326	5985	GPS	60 52 51	1332.963	1333.494	
		El	68.350			CVD28GVRD2018	334078	8640	GPS	114 29 33	1756.938	1757.642
							904904	NO MARKING	GPS	146 47 9	10347.323	10351.443
							693051	10H2599	GPS	183 22 49	570.418	570.648
							898734	NO MARKING	GPS	276 54 40	9213.128	9216.884
							638197	5287	GPS	319 36 29	2475.151	2476.142

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
361865	13H2678	E	514539.688	0.9996046	1.0000020	777862	92H0845	GPS	120 37 10	1590.578	1591.205	
		N	5440701.347			316992	92H0912	GPS	206 58 60	1827.415	1828.144	
		El	6.275			CVD28GVRD2018	716605	13H2680	GPS	244 38 8	1831.264	1831.996
							251454	10H2569	GPS	270 2 40	1659.515	1660.173
							898734	NO MARKING	GPS	331 50 41	9206.487	9210.204
634667	13H2679	E	513337.563	0.9996037	1.0000016	896894	92H0901	GPS	95 13 40	1712.115	1712.793	
		N	5451299.001			715698	92H0905	GPS	117 39 29	1944.521	1945.303	
		El	8.916			CVD28GVRD2018	71563	86H1270	GPS	169 42 30	1750.870	1751.576
							10835	5527	GPS	215 16 36	1034.107	1034.524
							898734	NO MARKING	GPS	231 42 37	4003.221	4004.839
458042	5398	GPS	265 13 36	1143.077	1143.532							
716605	13H2680	E	512884.955	0.9995953	0.9999932	361865	13H2678	GPS	64 38 8	1831.264	1831.996	
		N	5439916.882			801928	92H0911	GPS	213 58 54	1009.058	1009.468	
		El	62.574			CVD28GVRD2018	569384	84H0585	GPS	242 35 35	1651.035	1651.707
							248641	92H0910	GPS	255 54 43	1670.432	1671.112
							103879	86H1274	GPS	333 10 34	1774.420	1775.137
898734	NO MARKING	GPS	343 11 19	9298.984	9302.782							
251454	10H2569	GPS	359 39 5	785.768	786.083							
321372	13H2681	E	520948.255	0.9996068	1.0000014	909333	NO MARKING	GPS	35 7 9	21999.585	22008.285	
		N	5434148.353			904904	NO MARKING	GPS	39 37 38	6367.896	6370.400	
		El	10.443			CVD28GVRD2018	336131	NO MARKING	GPS	85 15 35	1576.165	1576.790
							756601	13H2682	GPS	116 9 0	1755.559	1756.254
							23978	78H2743	GPS	130 40 45	4252.369	4254.055
		671651	5170			GPS	180 49 10	769.317	769.619			
		30502	8601			GPS	271 49 60	815.606	815.926			
		869792	NO MARKING			GPS	280 55 22	32268.488	32281.288			
		875864	NO MARKING			GPS	311 7 44	36437.390	36451.876			
898734	NO MARKING	GPS	323 45 35	18188.834	18196.157							
756601	13H2682	E	522524.121	0.9996021	0.9999959	904904	NO MARKING	GPS	23 38 24	6198.488	6200.940	
		N	5433374.638			469304	5109	GPS	160 39 4	2556.214	2557.230	
		El	45.646			CVD28GVRD2018	525667	92H0918	GPS	178 58 40	784.014	784.325
							321372	13H2681	GPS	296 9 0	1755.559	1756.254
							336131	NO MARKING	GPS	359 40 38	903.984	904.345
752048	13H2683	E	522544.717	0.9995960	0.9999898	904904	NO MARKING	GPS	143 29 46	4143.582	4145.234	
		N	5442383.653			608562	92H0923	GPS	178 4 2	824.975	825.309	
		El	84.434			CVD28GVRD2018	368530	10H2608	GPS	251 0 29	1680.076	1680.751
							377754	5680	GPS	333 36 19	1755.232	1755.932

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
286757	13H2684	E	518493.260	0.9996071	1.0000029	608869	92H0926	GPS	27 3 59	1823.194	1823.913	
		N	5439085.648			873646	80H2008	GPS	46 35 38	852.616	852.952	
		El	.707			CVD28GVRD2018	904904	NO MARKING	GPS	90 17 14	6516.459	6519.021
							813808	92H0914	GPS	93 4 38	858.003	858.340
							602961	86H1306	GPS	137 20 23	2441.186	2442.144
							548891	92H0829	GPS	261 40 59	742.975	743.267
621482	13H2685	E	515390.917	0.9996058	1.0000029	777862	92H0845	GPS	33 16 39	943.284	943.656	
		N	5439102.607			56473	10H2596	GPS	89 26 1	1632.126	1632.769	
		El	.667			CVD28GVRD2018	904904	NO MARKING	GPS	90 17 44	9618.848	9622.637
							570986	13H2673	GPS	150 58 41	2830.628	2831.744
							686790	92H0898	GPS	226 17 8	2357.447	2358.377
							100123	92H0913	GPS	267 28 54	854.934	855.271
6544	13H2686	E	508010.428	0.9995907	0.9999899	898734	NO MARKING	GPS	16 42 22	7601.236	7604.358	
		N	5441538.043			90316	80H2099	GPS	53 33 20	4045.909	4047.555	
		El	83.562			CVD28GVRD2018	232017	10H2570	GPS	116 29 48	1841.566	1842.322
							102970	92H0875	GPS	179 31 1	798.947	799.274
							242818	82H5464	GPS	345 30 21	2512.457	2513.489
767350	13H2687	E	513776.557	0.9995991	0.9999968	465427	13H2672	GPS	32 9 36	1381.150	1381.700	
		N	5434159.293			904904	NO MARKING	GPS	66 27 35	12252.762	12257.629	
		El	40.312			CVD28GVRD2018	879726	10H2605	GPS	233 13 55	1066.900	1067.328
							4903	92H0897	GPS	278 21 55	2646.947	2648.002
							995597	77C056	GPS	336 6 21	1849.648	1850.385
15610	13H2688	E	520983.216	0.9996020	0.9999966	652842	92H0925	GPS	0 35 43	793.998	794.315	
		N	5439080.897			904904	NO MARKING	GPS	90 23 51	4026.518	4028.111	
		El	41.273			CVD28GVRD2018	203257	92H0916	GPS	91 21 41	801.385	801.705
							447771	5169	GPS	180 47 16	1625.167	1625.809
							737981	92H0915	GPS	268 0 8	819.227	819.551
							873646	80H2008	GPS	287 31 27	1961.565	1962.341
929984	13H2689	E	522556.797	0.9996072	1.0000010	904904	NO MARKING	GPS	91 50 47	2454.114	2455.078	
		N	5439132.038			60269	79H9604	GPS	139 10 60	2201.658	2202.524	
		El	13.193			CVD28GVRD2018	203257	92H0916	GPS	264 48 30	775.604	775.911
							266809	92H0922	GPS	357 15 23	1610.366	1611.005
2949	13H2690	E	517712.212	0.9996049	1.0000011	395459	85H0635	GPS	58 17 37	11480.189	11484.702	
		N	5447177.009			909333	NO MARKING	GPS	72 38 48	16649.822	16656.428	
		El	12.325			CVD28GVRD2018	904904	NO MARKING	GPS	138 4 6	10920.275	10924.579
							898734	NO MARKING	GPS	282 19 6	7693.859	7696.965
							479550	14H2741	GPS	352 49 19	9974.774	9978.717

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
7286	13H2691	E	518377.422	0.9996067	1.0000026	909333	NO MARKING	GPS	45 52 16	21213.840	21222.233			
		N	5437372.384					GPS	75 46 50			6841.831	6844.522	
		El	2.959					CVD28GVRD2018	GPS			114 46 31	22718.676	22727.530
									GPS			271 32 37	10378.052	10382.154
									GPS			309 49 27	32388.729	32401.608
									GPS			313 10 17	14296.873	14302.620
									GPS			324 26 31	14069.699	14075.365
				610006	90H6709	GPS	325 58 27	24897.432	24907.643					
78519	2700	E	512806.650	0.9995889	0.9999869						MARKER DESTROYED			
		N	5449569.787											
		El	102.489									CVD28GVRD2018		
542100	2802	E	508005.313	0.9996011	1.0000003						MARKER ISOLATED			
		N	5448235.839											
		El	17.026									CVD28GVRD2018		
701318	2828	E	510989.042	0.9995978	0.9999963						MARKER DESTROYED			
		N	5445547.744											
		El	42.993									CVD28GVRD2018		
446542	2835	E	522567.850	0.9996076	1.0000014						MARKER DESTROYED			
		N	5447660.969											
		El	9.964									1928 Canadian Vertical Datum		
170050	2957	E	509630.089	0.9995906	0.9999894						MARKER DESTROYED			
		N	5447215.502											
		El	86.530									1928 Canadian Vertical Datum		
252452	2958	E	509641.183	0.9995910	0.9999898	580092	NO MARKING	TERR	119 9 26	777.602	777.923			
		N	5448382.310					TERR	179 33 54			414.559	414.729	
		El	83.899					CVD28GVRD2018	TERR			359 25 51	392.515	392.676
174219	2959	E	513296.931	0.9995890	0.9999868	669960		TERR	178 59 30	560.673	560.904			
		N	5449566.784					TERR	180 33 13			402.273	402.438	
		El	103.211					CVD28GVRD2018						
321687	2965	E	514484.362	0.9995912	0.9999886						MARKER DESTROYED			
		N	5446296.425											
		El	91.544									1928 Canadian Vertical Datum		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
364935	2966	E	514472.885	0.9995910	0.9999884		MARKER DESTROYED				
		N	5445688.831								
		El	93.202	1928 Canadian Vertical Datum							
110296	3124	E	515336.335	0.9995907	0.9999878	978940	8748	TERR	91 15 10	422.494	422.666
		N	5430933.463			838979	3123	TERR	179 54 22	605.202	605.449
		El	97.758	CVD28GVRD2018		759894	88H3864	TERR	179 56 37	404.263	404.428
						337246	NO MARKING	TERR	266 38 31	533.826	534.046
						753087	88H3858	TERR	267 43 15	210.591	210.678
						748798	8671	TERR	359 48 0	450.588	450.772
905091	3125	E	517754.658	0.9995901	0.9999862	249672	3126	TERR	0 9 17	252.332	252.435
		N	5432144.746								
		El	107.614	CVD28GVRD2018							
249672	3126	E	517755.340	0.9995898	0.9999859	905091	3125	TERR	180 9 17	252.332	252.435
		N	5432397.077			303578	5181	TERR	359 54 2	165.425	165.493
		El	109.724	CVD28GVRD2018							
156059	3127	E	509643.639	0.9995881	0.9999870		MARKER DESTROYED				
		N	5440375.123								
		El	102.377	CVD28GVRD2018							
899534	3128	E	509640.199	0.9995902	0.9999891		MARKER DESTROYED				
		N	5442348.065								
		El	89.013	CVD28GVRD2018							
765941	3129	E	516357.071	0.9996063	1.0000030		MARKER DESTROYED				
		N	5440703.207								
		El	.143	CVD28GVRD2018							
538439	3130	E	514522.374	0.9996048	1.0000022		MARKER DESTROYED				
		N	5440706.482								
		El	5.329	CVD28GVRD2018							
307710	3342	E	524079.352	0.9995878	0.9999807		MARKER DESTROYED				
		N	5428022.484								
		El	142.668	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
341438	3489	E	508229.584	0.9996034	1.0000026	373472	NO MARKING	TERR	256 39 5	15609.352	15615.653
		N	5433789.673			55384	6202	TERR	334 4 60	4228.292	4229.972
		El	3.132	CVD28GVRD2018							
860262	5002	E	509236.665	0.9995885	0.9999875		MARKER DESTROYED				
		N	5440711.739								
		El	99.422	CVD28GVRD2018							
879650	5003	E	509810.059	0.9995888	0.9999876	222943	79H0033	TERR	90 47 33	660.110	660.382
		N	5440704.039								
		El	98.360	CVD28GVRD2018							
622993	5004	E	510470.112	0.9995911	0.9999898		MARKER DESTROYED				
		N	5440694.903								
		El	84.596	CVD28GVRD2018							
60749	5005	E	512088.983	0.9996004	0.9999986		MARKER DESTROYED				
		N	5440707.593								
		El	28.598	CVD28GVRD2018							
615799	5006	E	512893.486	0.9996021	1.0000001		MARKER DESTROYED				
		N	5440713.412								
		El	18.895	CVD28GVRD2018							
335430	5007	E	513704.993	0.9996030	1.0000007		MARKER DESTROYED				
		N	5440715.739								
		El	14.893	CVD28GVRD2018							
301234	5008	E	515332.180	0.9996058	1.0000029		MARKER DESTROYED				
		N	5440700.462								
		El	.665	1928 Canadian Vertical Datum							
739995	5009	E	516969.864	0.9996023	0.9999988		MARKER DESTROYED				
		N	5440705.290								
		El	27.027	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
926493	5010	E	517763.682	0.9996036	0.9999998		MARKER DESTROYED				
		N	5440701.845								
		El	20.766	CVD28GVRD2018							
52407	5011	E	519329.391	0.9996053	1.0000007		MARKER DESTROYED				
		N	5440693.219								
		El	14.686	CVD28GVRD2018							
374066	5012	E	520317.241	0.9996000	0.9999949		MARKER DESTROYED				
		N	5440694.540								
		El	51.565	CVD28GVRD2018							
63446	5013	E	520973.550	0.9995976	0.9999922	973289	5157	GPS	0 0 33	3242.471	3243.759
		N	5440695.725			485250	93H1144	GPS	44 13 39	4597.883	4599.727
		El	69.028	CVD28GVRD2018		909333	NO MARKING	GPS	47 48 49	17046.240	17053.062
						793737	84H0030	GPS	53 40 13	13069.916	13075.069
						662908	88H0918	GPS	66 23 51	7023.260	7026.062
						10058	5014	TERR	87 59 18	665.355	665.623
						10702	93H1153	GPS	94 10 34	3026.147	3027.352
						210369	84H0564	GPS	180 7 11	9732.227	9736.105
						447771	5169	GPS	180 13 27	3239.866	3241.153
						782151	80H2067	GPS	204 47 48	7173.047	7175.906
						439760	5184	GPS	224 30 5	4575.040	4576.860
						869792	NO MARKING	GPS	269 13 4	31712.133	31724.859
						898734	NO MARKING	GPS	307 0 11	13496.120	13501.618
						89649	5934	TERR	359 44 56	537.274	537.491
10058	5014	E	521638.495	0.9995972	0.9999914	477539	5015	TERR	88 21 19	664.464	664.731
		N	5440719.080			63446	5013	TERR	267 59 18	665.355	665.623
		El	73.977	CVD28GVRD2018							
477539	5015	E	522302.685	0.9995985	0.9999924	10058	5014	TERR	268 21 19	664.464	664.731
		N	5440738.152								
		El	67.700	CVD28GVRD2018							
262550	5016	E	522551.946	0.9996005	0.9999943		MARKER DESTROYED				
		N	5440744.559								
		El	55.641	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
496794	5017	E	523352.220	0.9996050	0.9999983	55749	88H4579	TERR	90 34 28	217.402	217.488					
		N	5440742.376					799601				86H1303	TERR	270 9 35	254.875	254.976
		El	30.301					CVD28GVRD2018								
72579	5018	E	514523.483	0.9996021	0.9999995	MARKER DESTROYED										
		N	5440327.978													
		El	22.509			CVD28GVRD2018										
811638	5019	E	514524.374	0.9996004	0.9999978	MARKER DESTROYED										
		N	5439616.714													
		El	33.155			CVD28GVRD2018										
363853	5020	E	514521.919	0.9996036	1.0000010	MARKER DESTROYED										
		N	5439098.782													
		El	13.198			CVD28GVRD2018										
418616	5021	E	514519.036	0.9996055	1.0000029	MARKER DESTROYED										
		N	5438399.458													
		El	.945			CVD28GVRD2018										
625376	5022	E	514515.914	0.9996056	1.0000030	374504	5023	TERR	179 50 53	875.683	876.028					
		N	5437458.615			288423	5627	GPS				270 6 27	1188.169	1188.638		
		El	.284			CVD28GVRD2018		27888				5623	GPS	326 0 39	1069.297	1069.719
374504	5023	E	514518.237	0.9996056	1.0000030	780643	5024	TERR	179 47 24	810.690	811.010					
		N	5436582.935			47019	5629	GPS				269 57 5	1420.743	1421.304		
		El	.265			CVD28GVRD2018		288423				5627	GPS	306 24 23	1479.186	1479.770
780643	5024	E	514521.207	0.9996055	1.0000029	391003	79H0027	TERR	89 51 42	806.869	807.188					
		N	5435772.250			953570	5115	TERR				179 54 47	808.310	808.632		
		El	.923			CVD28GVRD2018		374504				5023	TERR	359 47 24	810.690	811.010

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
546390	5025	E	514517.838	0.9996032	1.0000006	699132	92H0836	GPS	20 59 57	2200.865	2201.742	
		N	5441206.020			745927	5271	GPS	24 20 9	3902.018	3903.585	
		El	15.297			CVD28GVRD2018	821256	5189	GPS	48 50 1	4295.430	4297.143
							834499	92H0883	GPS	94 18 12	3249.821	3251.110
							904904	NO MARKING	GPS	101 35 49	10710.437	10714.669
							162420	86H1293	GPS	102 9 8	4102.620	4104.247
							534685	5153	GPS	107 14 29	1686.328	1686.994
							24588	5078	GPS	112 10 21	3502.280	3503.670
							112839	92H0846	GPS	122 22 33	972.237	972.622
							535096	8606	GPS	136 4 54	6938.163	6940.902
							8094	84H0567	GPS	147 39 31	8991.639	8995.210
							885012	92H0833	GPS	158 44 21	6690.749	6693.395
							934976	92H0855	GPS	170 58 22	10391.886	10396.046
							686790	92H0898	GPS	192 32 58	3823.916	3825.430
							599530	5630	GPS	195 58 57	5709.544	5711.808
							563304	5622	GPS	204 9 32	3208.380	3209.650
							869792	NO MARKING	GPS	267 51 40	25271.073	25281.135
							799270	9352	GPS	277 41 28	8554.351	8557.765
							898734	NO MARKING	GPS	330 24 43	8753.957	8757.498
							418749	92H0839	GPS	337 19 47	2119.863	2120.708
			606558	5400	GPS	339 53 32	9777.587	9781.508				
			403428	92H0843	GPS	346 30 40	3662.769	3664.230				
			256230	5026	TERR	359 37 8	315.636	315.761				
			880229	5027	GPS	359 37 39	1129.527	1129.975				
			98178	86H1262	GPS	359 56 18	2363.690	2364.627				
256230	5026	E	514515.739	0.9996035	1.0000009	546390	5025	TERR	179 37 8	315.636	315.761	
		N	5441521.649			330688	5929	TERR	270 7 37	676.467	676.737	
		El	13.615			CVD28GVRD2018	880229	5027	TERR	359 37 51	813.891	814.213
							445981	81H4533	GPS	359 42 40	1115.530	1115.972
880229	5027	E	514510.494	0.9996046	1.0000020	546390	5025	GPS	179 37 39	1129.527	1129.975	
		N	5442335.523			256230	5026	TERR	179 37 51	813.891	814.213	
		El	6.413			CVD28GVRD2018	776989	5450	TERR	270 31 48	345.080	345.218
							433581	5429	TERR	359 37 38	1626.135	1626.780
							445981	81H4533	GPS	359 55 42	301.642	301.761
580142	5028	E	514502.155	0.9996049	1.0000023		MARKER DESTROYED					
		N	5443617.211									
		El	4.510	CVD28GVRD2018								
73189	5029	E	514487.010	0.9995984	0.9999958	433342	5860	TERR	90 9 10	542.682	542.901	
		N	5444361.751			898189	5030	TERR	358 54 43	403.319	403.482	
		El	45.875			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
898189	5030	E	514479.352	0.9995949	0.9999923	172833	5262	TERR	90 8 35	824.597	824.932			
		N	5444764.997					73189	5029	TERR	178 54 43	403.319	403.482	
		El	68.114					CVD28GVRD2018	642710	5856	TERR	269 46 32	263.299	263.406
843730	5031	E	514470.885	0.9995910	0.9999884	334821	5254	TERR	90 16 44	483.599	483.796			
		N	5445578.302					686204	5558	TERR	269 37 43	393.229	393.390	
		El	92.884					CVD28GVRD2018						
731232	5032	E	513678.063	0.9995945	0.9999922	117622	5554	TERR	0 19 48	405.204	405.368			
		N	5445573.128					686204	5558	TERR	89 37 25	399.610	399.772	
		El	68.734					CVD28GVRD2018	817379	5455	TERR	180 14 46	405.587	405.751
									406348	5556	TERR	270 9 25	404.539	404.703
906842	5033	E	512872.744	0.9995950	0.9999930	MARKER DESTROYED								
		N	5445575.490											
		El	63.765			CVD28GVRD2018								
341784	5034	E	512880.244	0.9995979	0.9999958	491977	80H2038	TERR	0 31 59	259.009	259.114			
		N	5444759.677					621250	5035	TERR	180 20 23	271.444	271.552	
		El	45.848					CVD28GVRD2018						
621250	5035	E	512878.635	0.9995982	0.9999962	341784	5034	TERR	0 20 23	271.444	271.552			
		N	5444488.238					271734	5887	TERR	89 55 14	263.111	263.217	
		El	43.589					CVD28GVRD2018						
752741	5036	E	512875.735	0.9996010	0.9999990	MARKER DESTROYED								
		N	5443949.870											
		El	25.853			CVD28GVRD2018								
223651	5037	E	512881.559	0.9995970	0.9999950	MARKER ISOLATED								
		N	5443143.731											
		El	51.485			CVD28GVRD2018								
478180	5038	E	512887.421	0.9995941	0.9999920	841528	8771	TERR	89 48 37	378.698	378.852			
		N	5442337.462					141077	8615	TERR	179 43 56	231.330	231.423	
		El	70.243					CVD28GVRD2018	782094	8770	TERR	269 9 13	287.351	287.468

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
431908	5039	E	512889.895	0.9995958	0.9999937	141077	8615	TERR	359 45 53	339.182	339.320
		N	5441766.956								
		El	59.247	CVD28GVRD2018							
130336	5040	E	512891.204	0.9995990	0.9999969	964403	5043	TERR	88 19 14	811.350	811.675
		N	5441499.523			368571	80H2020	TERR	179 50 29	384.781	384.935
		El	39.040	CVD28GVRD2018		719047	8747	TERR	270 0 29	403.941	404.103
505115	5041	E	512894.737	0.9995953	0.9999932			MARKER DESTROYED			
		N	5439903.848								
		El	62.571	CVD28GVRD2018							
155861	5042	E	513701.653	0.9995971	0.9999948	776989	5450	TERR	90 8 55	463.778	463.963
		N	5442339.918			848101	5451	TERR	269 52 24	202.944	203.026
		El	52.472	CVD28GVRD2018							
964403	5043	E	513702.205	0.9995996	0.9999973	330688	5929	TERR	90 3 50	137.069	137.124
		N	5441523.301			258251	8637	TERR	179 48 9	807.566	807.888
		El	36.745	CVD28GVRD2018		232918	80H2021	TERR	179 49 35	397.285	397.444
						130336	5040	TERR	268 19 14	811.350	811.675
55673	5044	E	509644.364	0.9995895	0.9999884	63222	5919	TERR	89 10 22	434.263	434.442
		N	5439892.971			320804	5920	TERR	269 55 18	197.913	197.994
		El	93.669	CVD28GVRD2018		251355	5045	TERR	359 55 10	307.505	307.631
251355	5045	E	509643.932	0.9995882	0.9999870	55673	5044	TERR	179 55 10	307.505	307.631
		N	5440200.476								
		El	102.331	CVD28GVRD2018							
725838	5046	E	509644.826	0.9995896	0.9999885	722397	5047	TERR	0 9 10	414.913	415.083
		N	5441121.401								
		El	92.982	CVD28GVRD2018							
722397	5047	E	509645.932	0.9995904	0.9999892	419705	8776	TERR	91 10 57	407.704	407.871
		N	5441536.312			725838	5046	TERR	180 9 10	414.913	415.083
		El	88.220	CVD28GVRD2018		60731	92H0873	GPS	296 22 35	1827.914	1828.662
						182428	92H0872	GPS	316 29 43	2392.879	2393.861
						6585	5843	TERR	359 36 13	428.901	429.077
						36509	92H0882	GPS	359 55 53	1618.801	1619.464

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
838334	5048	E	509634.364	0.9995907	0.9999896		MARKER DESTROYED				
		N	5443141.455								
		El	85.724	CVD28GVRD2018							
655696	5049	E	509628.322	0.9995918	0.9999906	304071	8792	TERR	88 42 55	401.628	401.792
		N	5443934.249			707570	5845	TERR	179 33 34	380.732	380.888
		El	79.188	CVD28GVRD2018		367391	5917	TERR	271 37 21	205.243	205.327
						640540	5138	TERR	271 37 22	811.255	811.588
63339	5050	E	509624.763	0.9995929	0.9999918	717728	5053	TERR	359 45 53	800.382	800.708
		N	5444735.737								
		El	71.639	CVD28GVRD2018							
991885	5052	E	519333.394	0.9996065	1.0000019		MARKER DESTROYED				
		N	5439882.790								
		El	6.901	1928 Canadian Vertical Datum							
717728	5053	E	509621.475	0.9995929	0.9999918	950477	80H2032	TERR	0 44 45	522.003	522.216
		N	5445536.112			878785	79H0026	TERR	87 52 58	393.982	394.143
		El	71.818	CVD28GVRD2018		801498	8720	TERR	89 19 15	810.424	810.754
						63339	5050	TERR	179 45 53	800.382	800.708
558841	5054	E	509620.548	0.9995914	0.9999902		MARKER DESTROYED				
		N	5446339.943								
		El	81.378	CVD28GVRD2018							
559104	5055	E	509628.354	0.9995905	0.9999894	602813	5056	TERR	1 7 59	808.010	808.340
		N	5447159.911			631804	5292	TERR	90 29 42	402.220	402.385
		El	86.815	CVD28GVRD2018		696856	5293	TERR	269 52 31	512.546	512.756
602813	5056	E	509644.330	0.9995923	0.9999911	171884	5907	TERR	90 9 33	220.002	220.091
		N	5447967.763			413872	5331	TERR	180 58 43	249.623	249.725
		El	75.590	CVD28GVRD2018		559104	5055	TERR	181 7 59	808.010	808.340
						362699	5305	TERR	270 41 50	327.690	327.824
						252452	2958	TERR	359 33 54	414.559	414.729
354316	5057	E	509637.283	0.9995905	0.9999894	765859	8733	TERR	0 11 51	406.330	406.496
		N	5448774.806			898908	80H2044	TERR	92 19 43	186.867	186.944
		El	86.888	CVD28GVRD2018		252452	2958	TERR	179 25 51	392.515	392.676
						744094	80H2043	TERR	273 45 45	155.528	155.592
						760454	5892	TERR	354 47 54	92.077	92.115

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
809137	5058	E	509646.726	0.9995944	0.9999933		MARKER DESTROYED				
		N	5449584.596								
		El	61.971	CVD28GVRD2018							
156380	5060	E	510455.728	0.9995932	0.9999918	471698	5151	TERR	0 23 21	362.194	362.341
		N	5449583.616			251272	5359	TERR	90 38 3	410.574	410.741
		El	71.062	CVD28GVRD2018		833772	5332	TERR	179 39 9	307.838	307.963
						977066	80H2046	TERR	270 3 30	303.922	304.047
468744	5061	E	511683.696	0.9995884	0.9999867	426031	5784	TERR	89 57 38	291.337	291.457
		N	5449574.304			952663	5362	TERR	180 29 27	153.389	153.452
		El	103.978	CVD28GVRD2018							
861658	5062	E	512085.576	0.9995883	0.9999865	857904	5063	TERR	90 22 38	412.250	412.420
		N	5449574.571			426031	5784	TERR	269 57 55	110.543	110.589
		El	104.959	CVD28GVRD2018		363382	5384	TERR	359 10 45	210.816	210.903
857904	5063	E	512497.817	0.9995879	0.9999860	861658	5062	TERR	270 22 38	412.250	412.420
		N	5449571.857								
		El	108.158	CVD28GVRD2018							
348656	5064	E	513658.929	0.9995902	0.9999879		MARKER DESTROYED				
		N	5449564.963								
		El	96.115	CVD28GVRD2018							
59246	5065	E	514118.788	0.9995914	0.9999890	252551	5282	TERR	89 45 10	201.874	201.956
		N	5449567.030			239426	5531	TERR	181 5 31	435.830	436.009
		El	89.314	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
228619	5066	E	514501.771	0.9995910	0.9999884	407239	79H0017	TERR	1 52 8	407.238	407.404
		N	5447133.713			715698	92H0905	GPS	9 42 26	3310.050	3311.403
	El	93.266	CVD28GVRD2018			3996	92H0900	GPS	31 16 3	4188.476	4190.171
						736470	5067	TERR	89 24 20	806.485	806.815
						162537	5071	GPS	89 31 38	3238.500	3239.803
						904904	NO MARKING	GPS	127 33 39	13255.702	13261.020
						98178	86H1262	GPS	179 46 57	3564.030	3565.463
						688044	5853	TERR	181 12 25	375.184	375.338
						611178	92H0885	GPS	257 27 24	3331.852	3333.208
						841734	6966	GPS	259 3 48	8009.361	8012.648
						426981	92H0886	GPS	269 39 21	3241.885	3243.205
						596494	5288	TERR	270 0 7	408.443	408.611
						898734	NO MARKING	GPS	291 22 0	4624.111	4626.010
						698134	10H2607	GPS	324 54 40	5006.680	5008.696
			71563	86H1270	GPS	340 46 60	2586.719	2587.779			
736470	5067	E	515308.213	0.9995928	0.9999899	480236	79H0014	TERR	0 40 51	421.455	421.626
		N	5447142.080			32243	5267	TERR	180 25 8	753.133	753.441
		El	83.553			CVD28GVRD2018	228619	5066	TERR	269 24 20	806.485
63867	5068	E	516120.052	0.9995962	0.9999930	605592	5819	TERR	0 58 5	211.237	211.323
		N	5447145.230			868422	5274	TERR	180 4 5	759.900	760.207
		El	63.932			CVD28GVRD2018					
717538	5069	E	516547.354	0.9995969	0.9999935						
		N	5447149.508								
		El	60.590			CVD28GVRD2018					
62133	5070	E	517187.600	0.9996043	1.0000007						
		N	5447155.781								
		El	14.707			CVD28GVRD2018					

MARKER DESTROYED

MARKER DESTROYED

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----					-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
162537	5071	E	517740.161	0.9996050	1.0000011	957910	5882	TERR	0 30 24	482.742	482.933
		N	5447160.440			3525	02H2432	GPS	48 56 17	5388.934	5391.054
		El	12.044	CVD28GVRD2018		459750	5992	GPS	77 30 27	4955.199	4957.149
						80176	5072	TERR	89 51 18	782.438	782.748
						334078	8640	GPS	93 12 4	3205.354	3206.624
						124644	90H6429	GPS	93 38 16	12291.820	12296.637
						830976	89H4979	GPS	128 22 42	15604.320	15610.491
						973289	5157	GPS	134 53 47	4565.196	4566.994
						904904	NO MARKING	GPS	138 7 10	10889.276	10893.568
						821256	5189	GPS	179 47 36	3126.976	3128.221
						439760	5184	GPS	179 50 35	9727.826	9731.661
						997130	5192	TERR	180 27 40	757.013	757.311
						98178	86H1262	GPS	221 55 38	4826.291	4828.199
						607093	5893	GPS	225 40 49	13609.588	13614.978
						274696	78H8518	GPS	268 17 50	21145.901	21154.289
						228619	5066	GPS	269 31 38	3238.500	3239.803
						426981	92H0886	GPS	269 35 29	6480.381	6482.976
						770800	5296	GPS	269 57 46	9789.576	9793.521
						898734	NO MARKING	GPS	282 23 39	7724.706	7727.824
						611681	V-3719	GPS	292 43 21	26242.613	26253.022
						610006	90H6709	GPS	309 12 36	17157.864	17164.920
						715698	92H0905	GPS	320 21 56	4201.795	4203.483
						3996	92H0900	GPS	343 19 27	3709.390	3710.865
						682930	02H2475	GPS	351 52 5	10100.314	10104.307
80176	5072	E	518522.596	0.9995995	0.9999953	932566	5862	TERR	179 28 36	343.428	343.566
		N	5447162.422			162537	5071	TERR	269 51 18	782.438	782.748
		El	48.931	CVD28GVRD2018							
823807	5073	E	519327.992	0.9995975	0.9999929			MARKER DESTROYED			
		N	5447163.989								
		El	64.356	CVD28GVRD2018							
718213	5074	E	520136.721	0.9996013	0.9999963	601328	8639	TERR	89 47 8	318.403	318.530
		N	5447168.640			968198	8614	TERR	269 25 53	474.737	474.928
		El	42.762	CVD28GVRD2018							
831990	5075	E	520939.693	0.9996042	0.9999988			MARKER DESTROYED			
		N	5447172.824								
		El	26.297	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
185298	5076	E	522152.684	0.9996063	1.0000003		MARKER DESTROYED				
		N	5447176.825								
		El	17.130	CVD28GVRD2018							
797241	5077	E	522572.729	0.9996071	1.0000008	879080	8800	TERR	89 52 40	576.276	576.502
		N	5447178.217								
		El	13.746	CVD28GVRD2018							
24588	5078	E	517761.128	0.9996031	0.9999992	714295	5080	TERR	90 3 32	773.765	774.072
		N	5439884.266			535096	8606	GPS	156 52 59	3996.946	3998.524
		El	24.593	CVD28GVRD2018		150128	5185	GPS	179 47 36	1628.343	1628.986
						693002	8602	TERR	179 48 47	272.919	273.026
						548891	92H0829	GPS	180 11 30	906.094	906.452
						777862	92H0845	GPS	270 12 54	1852.650	1853.383
						112839	92H0846	GPS	288 18 7	2551.237	2552.247
						546390	5025	GPS	292 10 21	3502.280	3503.670
						220467	80H2030	GPS	316 59 55	1121.633	1122.078
						834499	92H0883	GPS	359 51 37	1077.902	1078.330
537258	5079	E	517081.139	0.9996000	0.9999964		MARKER DESTROYED				
		N	5439887.223								
		El	42.231	CVD28GVRD2018							
714295	5080	E	518534.893	0.9996040	0.9999998	434712	8609	TERR	89 54 41	151.465	151.526
		N	5439883.469			410852	8608	TERR	180 11 33	204.747	204.828
		El	20.834	CVD28GVRD2018		24588	5078	TERR	270 3 32	773.765	774.072
570572	5081	E	520156.648	0.9996033	0.9999983	304451	5943	TERR	89 53 43	406.912	407.074
		N	5439880.926			288670	8611	TERR	179 54 51	233.399	233.492
		El	30.162	CVD28GVRD2018		42242	8610	TERR	269 58 39	109.177	109.220
						128694	5836	TERR	359 49 11	222.391	222.479
390070	5082	E	520972.391	0.9995987	0.9999933		MARKER DESTROYED				
		N	5439882.410								
		El	62.300	CVD28GVRD2018							
888537	5083	E	521770.771	0.9995987	0.9999928	579102	5936	TERR	89 56 36	222.627	222.716
		N	5439875.096			40378	5935	TERR	270 31 32	264.267	264.374
		El	64.948	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
179200	5084	E	522536.546	0.9996049	0.9999986	834671	5941	TERR	1 0 55	685.031	685.303		
		N	5439875.849					36707	5764	TERR	90 17 30	424.555	424.722
		El	27.974					CVD28GVRD2018	111096	5939	TERR	179 33 8	391.319
						579102	5936	TERR	269 56 38	543.148	543.364		
677260	5085	E	523350.112	0.9996069	1.0000002	MARKER DESTROYED							
		N	5439870.932										
		El	17.988			CVD28GVRD2018							
631689	5086	E	513715.848	0.9996053	1.0000030	MARKER DESTROYED							
		N	5435775.439										
		El	.397			CVD28GVRD2018							
428094	5087	E	515591.445	0.9996055	1.0000025	MARKER DESTROYED							
		N	5435774.596										
		El	3.557			1928 Canadian Vertical Datum							
779223	5088	E	516133.928	0.9996062	1.0000030	327841	5089	TERR	88 42 1	809.194	809.513		
		N	5435775.481			718809	81H4539	GPS	115 23 51	1801.527	1802.236		
		El	.492			CVD28GVRD2018	166	5183	GPS	134 15 43	2273.864	2274.760	
							391003	79H0027	GPS	269 54 32	805.855	806.172	
327841	5089	E	516942.914	0.9996066	1.0000031	387258	5090	TERR	88 37 11	821.378	821.701		
		N	5435793.837			302992	5091	GPS	89 51 46	1587.842	1588.465		
		El	-.035			CVD28GVRD2018	718809	81H4539	GPS	134 1 27	1138.220	1138.667	
							166	5183	GPS	152 57 30	1802.428	1803.138	
							779223	5088	TERR	268 42 1	809.194	809.513	
							391003	79H0027	GPS	269 18 12	1614.959	1615.596	
387258	5090	E	517764.054	0.9996069	1.0000030	439760	5184	TERR	0 5 48	1619.029	1619.665		
		N	5435813.623			5702	5121	GPS	43 59 32	2268.801	2269.693		
		El	.385			CVD28GVRD2018	302992	5091	TERR	91 11 40	766.864	767.165	
							718809	81H4539	TERR	180 11 29	810.811	811.130	
							327841	5089	TERR	268 37 11	821.378	821.701	
302992	5091	E	518530.751	0.9996073	1.0000030	5702	5121	GPS	26 8 48	1836.126	1836.849		
		N	5435797.639			535096	8606	GPS	62 49 8	898.883	899.236		
		El	.052			CVD28GVRD2018	649830	5092	TERR	91 17 12	775.249	775.554	
							718809	81H4539	GPS	224 4 9	1106.222	1106.656	
							327841	5089	GPS	269 51 46	1587.842	1588.465	
							387258	5090	TERR	271 11 40	766.864	767.165	
							439760	5184	GPS	334 57 20	1804.689	1805.398	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
649830	5092	E	519305.804	0.9996076	1.0000030	5702	5121	GPS	1 10 19	1665.992	1666.646	
		N	5435780.230			535096	8606	TERR	3 17 4	428.728	428.896	
		El	.310			CVD28GVRD2018	602961	86H1306	GPS	29 8 0	1728.939	1729.618
							151852	5167	GPS	29 57 30	3330.635	3331.944
							1727	5866	GPS	69 11 54	1736.396	1737.078
							435560	86H1266	TERR	89 56 42	811.264	811.582
							38133	5095	GPS	116 3 28	1810.656	1811.366
							505818	8786	GPS	179 29 55	1603.528	1604.158
							885012	92H0833	GPS	251 4 45	2496.712	2497.696
							302992	5091	TERR	271 17 12	775.249	775.554
80671	5093	E	520120.239	0.9996078	1.0000028							
		N	5435785.015									
		El	1.343			1928 Canadian Vertical Datum						
852699	5094	E	520924.227	0.9996078	1.0000024							
		N	5435787.398									
		El	3.891			CVD28GVRD2018						
38133	5095	E	520932.408	0.9996076	1.0000022	614040	5875	GPS	62 24 20	1789.676	1790.383	
		N	5434984.847			905570	5874	GPS	89 28 53	1594.313	1594.944	
		El	5.317			CVD28GVRD2018	381954	5876	GPS	134 56 47	1133.652	1134.100
							505818	8786	GPS	243 23 2	1803.718	1804.427
							649830	5092	GPS	296 3 28	1810.656	1811.366
660175	5096	E	520934.769	0.9996069	1.0000015							
		N	5434183.166									
		El	10.035			CVD28GVRD2018						
101188	5098	E	522534.801	0.9996020	0.9999958	291302	88H4592	GPS	7 47 31	9894.016	9897.951	
		N	5434184.710			747543	5099	TERR	89 39 50	802.524	802.843	
		El	46.337			CVD28GVRD2018	482679	5118	GPS	232 50 52	4006.834	4008.446
							8094	84H0567	GPS	259 49 32	3258.006	3259.303
							381954	5876	TERR	269 56 53	800.029	800.348
							599530	5630	GPS	279 4 48	9710.733	9714.591
							98178	86H1262	GPS	319 29 10	12344.660	12349.557
							905570	5874	TERR	359 25 38	814.605	814.928
747543	5099	E	523337.311	0.9996024	0.9999957	458646	85H0956	TERR	89 40 47	402.946	403.107	
		N	5434189.416			101188	5098	TERR	269 39 50	802.524	802.843	
		El	46.913			CVD28GVRD2018	614032	86H2343	TERR	359 31 51	283.645	283.757

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
553032	5100	E	516140.285	0.9995961	0.9999929		MARKER DESTROYED				
		N	5430932.058								
		El	65.029	CVD28GVRD2018							
752626	5102	E	517753.371	0.9995997	0.9999959		MARKER DESTROYED				
		N	5430941.096								
		El	46.095	CVD28GVRD2018							
736702	5103	E	518548.332	0.9996016	0.9999973	409771	5752	TERR	89 16 36	372.197	372.345
		N	5430951.236			21188	5751	TERR	269 14 18	239.630	239.726
		El	36.671	CVD28GVRD2018							
362152	5104	E	519347.766	0.9996030	0.9999984	613935	84H0572	TERR	2 11 6	398.979	399.139
		N	5430961.813			325746	84H0563	TERR	92 23 45	164.251	164.315
		El	29.899	CVD28GVRD2018		335349	84H0573	TERR	180 4 11	812.540	812.862
						409771	5752	TERR	269 12 42	427.307	427.477
31393	5105	E	520155.618	0.9996054	1.0000004	210369	84H0564	TERR	89 57 5	797.603	797.918
		N	5430962.843			325746	84H0563	TERR	269 17 50	643.793	644.049
		El	17.000	CVD28GVRD2018							
567735	5106	E	520952.906	0.9996058	1.0000004		MARKER DESTROYED				
		N	5430964.452								
		El	17.209	CVD28GVRD2018							
742353	5107	E	521759.846	0.9996053	0.9999995	210369	84H0564	TERR	270 14 59	806.633	806.951
		N	5430960.003								
		El	22.897	CVD28GVRD2018							
409540	5108	E	522565.985	0.9996032	0.9999970	469304	5109	TERR	89 27 44	805.098	805.418
		N	5430955.249								
		El	38.844	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
-----	-----					-----	-----							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
469304	5109	E	523371.048	0.9996030	0.9999963	904904	NO MARKING	GPS	11 26 59	8254.440	8257.701			
		N	5430962.804					867044	5951	TERR	89 12 44	805.743	806.065	
		El	43.047					CVD28GVRD2018	811083	78H8366	TERR	89 21 24	302.595	302.715
									576363	8705	GPS	219 10 5	4161.674	4163.338
									409540	5108	TERR	269 27 44	805.098	805.418
									839837	5172	GPS	288 28 30	2555.303	2556.319
									525667	92H0918	GPS	332 54 12	1828.659	1829.386
442525	5110	E	514533.760	0.9995884	0.9999858	208850	5472	TERR	270 10 24	301.380	301.505			
		N	5430933.801											
		El	110.295					CVD28GVRD2018						
313379	5111	E	514530.162	0.9995882	0.9999856	968156	5745	TERR	89 57 52	803.383	803.713			
		N	5431738.490											
		El	111.813					CVD28GVRD2018						
918706	5112	E	514527.764	0.9995893	0.9999867	MARKER DESTROYED								
		N	5432546.349											
		El	104.338			CVD28GVRD2018								
927475	5113	E	514523.019	0.9995959	0.9999933	MARKER DESTROYED								
		N	5433349.768											
		El	62.598			CVD28GVRD2018								
191999	5114	E	514523.042	0.9995995	0.9999969	157834	5734	TERR	89 57 53	325.705	325.835			
		N	5434156.964					953570	5115	TERR	359 57 25	806.977	807.300	
		El	39.330					CVD28GVRD2018						
953570	5115	E	514522.435	0.9996008	0.9999982	391003	79H0027	GPS	44 50 10	1142.616	1143.071			
		N	5434963.941					191999	5114	TERR	179 57 25	806.977	807.300	
		El	31.225					CVD28GVRD2018	193425	5632	GPS	270 7 52	1430.176	1430.744
									780643	5024	TERR	359 54 47	808.310	808.632
364653	5116	E	519350.068	0.9996059	1.0000013	MARKER DESTROYED								
		N	5428534.525											
		El	11.476			1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
482679	5118	E	519341.219	0.9995942	0.9999896	101188	5098	GPS	52 50 52	4006.834	4008.446	
		N	5431764.843			283887	8617	TERR	89 48 10	407.955	408.121	
		El	85.800			CVD28GVRD2018	699488	84H0571	TERR	178 51 43	236.367	236.463
							426056	5749	TERR	269 32 2	791.516	791.838
							436204	5809	GPS	320 8 4	2466.771	2467.768
							8094	84H0567	GPS	359 35 25	1844.406	1845.147
					614552	84H0570	TERR	359 53 49	340.364	340.502		
799627	5119	E	519334.244	0.9995948	0.9999902	MARKER DESTROYED						
		N	5432568.562									
		El	82.284			1928 Canadian Vertical Datum						
5702	5121	E	519339.877	0.9996075	1.0000029	447771	5169	GPS	89 38 46	1621.023	1621.659	
		N	5437445.873			570713	5865	GPS	96 38 5	1612.358	1612.990	
		El	.690			CVD28GVRD2018	535096	8606	TERR	180 26 25	1237.656	1238.142
							649830	5092	GPS	181 10 19	1665.992	1666.646
							302992	5091	GPS	206 8 48	1836.126	1836.849
							387258	5090	GPS	223 59 32	2268.801	2269.693
					439760	5184	GPS	269 31 6	1573.146	1573.764		
66167	5122	E	519329.852	0.9996054	1.0000008	MARKER DESTROYED						
		N	5441359.506									
		El	14.152			1928 Canadian Vertical Datum						
876656	5123	E	519336.873	0.9996075	1.0000029	MARKER DESTROYED						
		N	5443948.139									
		El	.430			1928 Canadian Vertical Datum						
169318	5124	E	519333.862	0.9996073	1.0000028	MARKER DESTROYED						
		N	5445565.155									
		El	1.504			CVD28GVRD2018						
660712	5125	E	519330.914	0.9996035	0.9999989	MARKER DESTROYED						
		N	5446386.594									
		El	26.127			CVD28GVRD2018						
45328	5126	E	523141.016	0.9996006	0.9999940	60400	92H0827	TERR	230 45 54	188.142	188.217	
		N	5429475.137			699736	5127	TERR	258 12 13	570.500	570.727	
		El	57.950			CVD28GVRD2018	823492	5128	TERR	264 30 7	1378.993	1379.541

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----					-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
699736	5127	E	522582.565	0.9996052	0.9999990	45328	5126	TERR	78 12 13	570.500	570.727
		N	5429358.506			60400	92H0827	TERR	90 19 44	412.731	412.895
		El	26.267	CVD28GVRD2018		683342	5177	TERR	179 49 28	1611.182	1611.829
						769554	8709	TERR	268 54 39	350.918	351.056
823492	5128	E	521768.367	0.9996047	0.9999988	45328	5126	TERR	84 30 7	1378.993	1379.541
		N	5429343.015			769554	8709	TERR	88 54 34	463.427	463.610
		El	26.998	CVD28GVRD2018		591511	5176	TERR	179 32 31	1599.573	1600.214
						926840	5129	TERR	270 45 6	807.028	807.347
926840	5129	E	520961.408	0.9996063	1.0000010	306191	5173	TERR	0 17 30	798.859	799.174
		N	5429353.601			823492	5128	TERR	90 45 6	807.028	807.347
		El	13.581	CVD28GVRD2018		847178	5174	TERR	180 14 32	809.054	809.373
						530097	8707	TERR	269 48 44	325.750	325.879
856971	5130	E	520316.731	0.9996068	1.0000017						
		N	5429351.486								
		El	8.601	1928 Canadian Vertical Datum							
							MARKER DESTROYED				
482695	5131	E	518549.514	0.9996050	1.0000008	851600	84H0574	TERR	89 57 5	796.889	797.205
		N	5429334.456			29389	8708	TERR	269 48 55	801.945	802.261
		El	14.628	CVD28GVRD2018							
336701	5132	E	512055.147	0.9995974	0.9999957	552067	5551	TERR	0 1 17	412.292	412.459
		N	5445564.879			595660	5654	TERR	179 40 4	306.006	306.128
		El	46.908	CVD28GVRD2018							
362723	5133	E	510431.838	0.9995958	0.9999945						
		N	5445545.718								
		El	54.467	CVD28GVRD2018							
							MARKER DESTROYED				
980540	5134	E	508810.975	0.9995905	0.9999896						
		N	5445607.326								
		El	85.840	CVD28GVRD2018							
							MARKER DESTROYED				
920769	5135	E	508003.128	0.9995884	0.9999876						
		N	5445605.086								
		El	98.352	CVD28GVRD2018							
							MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
146878	5136	E	508003.553	0.9995888	0.9999880		MARKER DESTROYED				
		N	5444801.960								
		El	95.573	1928 Canadian Vertical Datum							
4481	5137	E	508005.691	0.9995886	0.9999878	246900	5602	TERR	91 29 44	407.405	407.573
		N	5443978.496			591271	6930	TERR	270 18 33	357.199	357.346
		El	96.943	CVD28GVRD2018							
640540	5138	E	508817.392	0.9995897	0.9999888	655696	5049	TERR	91 37 22	811.255	811.588
		N	5443957.224			367391	5917	TERR	91 37 23	606.012	606.260
		El	90.952	CVD28GVRD2018		829994	5599	TERR	179 55 17	412.716	412.885
						585604	5460	TERR	359 50 28	407.057	407.224
491233	5139	E	510441.854	0.9995936	0.9999922						
		N	5443937.481								
		El	68.738	CVD28GVRD2018							
755371	5140	E	510447.356	0.9995915	0.9999902						
		N	5443134.192								
		El	81.887	CVD28GVRD2018							
742700	5141	E	510452.876	0.9995917	0.9999903	718882	8728	TERR	91 24 25	604.261	604.508
		N	5442330.191			767905	81H4538	TERR	92 11 9	627.449	627.705
		El	81.156	CVD28GVRD2018		771287	8672	TERR	179 25 14	289.183	289.301
						476424	5225	TERR	271 19 55	406.477	406.643
						200071	5925	TERR	359 36 21	298.913	299.035
757542	5142	E	510461.085	0.9995920	0.9999907						
		N	5441517.575								
		El	78.956	CVD28GVRD2018							
961201	5143	E	510461.105	0.9995892	0.9999878	907592	5922	TERR	0 39 4	199.488	199.569
		N	5439904.759			63222	5919	TERR	269 10 24	382.563	382.720
		El	97.136	CVD28GVRD2018							
387241	5144	E	510457.393	0.9995906	0.9999892						
		N	5439506.841								
		El	88.103	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
538116	5145	E	510436.827	0.9995960	0.9999946		MARKER DESTROYED				
		N	5444742.458								
		El	53.403	CVD28GVRD2018							
875765	5146	E	510433.004	0.9995936	0.9999922		MARKER DESTROYED				
		N	5446356.062								
		El	68.684	CVD28GVRD2018							
441113	5147	E	510434.749	0.9995924	0.9999911	196311	5342	TERR	1 27 50	407.160	407.326
		N	5447153.010			907873	5291	TERR	90 20 20	395.898	396.059
		El	75.998	CVD28GVRD2018		543439	5341	TERR	180 13 1	398.723	398.885
						631804	5292	TERR	270 29 9	404.205	404.370
349084	5148	E	510455.642	0.9995894	0.9999880	705632	80H2057	TERR	91 42 27	248.840	248.942
		N	5447965.269			172049	5909	TERR	181 29 7	104.712	104.755
		El	95.632	CVD28GVRD2018		334409	5908	TERR	270 11 36	125.911	125.962
975870	5149	E	510457.764	0.9995896	0.9999882		MARKER DESTROYED				
		N	5448330.315								
		El	94.125	CVD28GVRD2018							
210450	5150	E	510460.131	0.9995905	0.9999891		MARKER DESTROYED				
		N	5448772.494								
		El	88.347	CVD28GVRD2018							
471698	5151	E	510458.188	0.9995942	0.9999929	42952	5152	TERR	0 24 59	274.640	274.752
		N	5449945.802			972984	5911	TERR	45 13 25	219.606	219.696
		El	64.603	CVD28GVRD2018		156380	5060	TERR	180 23 21	362.194	362.341
42952	5152	E	510460.184	0.9995958	0.9999945	471698	5151	TERR	180 24 59	274.640	274.752
		N	5450220.435			283275	80H2050	TERR	270 10 58	243.581	243.680
		El	54.278	CVD28GVRD2018							
534685	5153	E	516128.389	0.9996063	1.0000031	220467	80H2030	GPS	90 6 29	867.769	868.112
		N	5440706.193			546390	5025	GPS	287 14 29	1686.328	1686.994
		El	-.309	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
246314	5154	E	520970.064	0.9995989	0.9999935		MARKER DESTROYED				
		N	5441491.645								
		El	60.683	1928	Canadian Vertical Datum						
763870	5155	E	520972.586	0.9995997	0.9999943		MARKER DESTROYED				
		N	5442317.248								
		El	55.294	1928	Canadian Vertical Datum						
65292	5156	E	520974.233	0.9996040	0.9999986	354134	5686	TERR	88 31 18	432.820	432.992
		N	5443121.992			183087	5933	TERR	180 7 2	491.652	491.848
		El	28.399	CVD28GVRD2018		863621	5937	TERR	359 59 18	166.352	166.418
973289	5157	E	520974.069	0.9996081	1.0000027	3525	02H2432	GPS	6 59 32	6812.772	6815.441
		N	5443938.196			459750	5992	GPS	20 28 56	4583.897	4585.694
		El	1.841	CVD28GVRD2018		397893	5670	GPS	23 40 20	1259.646	1260.140
						909333	NO MARKING	GPS	56 59 28	15061.195	15067.144
						962043	5681	TERR	88 38 50	496.041	496.236
						377754	5680	GPS	88 42 58	790.556	790.867
						485250	93H1144	GPS	89 3 59	3206.978	3208.248
						662908	88H0918	GPS	93 49 36	6449.594	6452.132
						10702	93H1153	GPS	138 55 49	4593.158	4594.963
						904904	NO MARKING	GPS	140 26 27	6336.500	6338.987
						863621	5937	TERR	179 59 19	649.852	650.108
						63446	5013	GPS	180 0 33	3242.471	3243.759
						869792	NO MARKING	GPS	263 23 19	31921.986	31934.629
						430371	5668	TERR	270 22 1	560.433	560.652
						821256	5189	GPS	271 41 37	3224.039	3225.317
						898734	NO MARKING	GPS	294 21 35	11831.934	11836.692
						875864	NO MARKING	GPS	297 17 48	30914.032	30926.315
						162537	5071	GPS	314 53 47	4565.196	4566.994
						721050	5672	GPS	358 51 43	1660.856	1661.508
						87486	5669	GPS	358 54 12	596.704	596.939
						334078	8640	GPS	359 22 6	3043.442	3044.643
736207	5158	E	522559.418	0.9996071	1.0000008	170423	86H1299	TERR	89 9 2	475.496	475.683
		N	5445602.190			247189	5159	TERR	180 9 40	814.138	814.459
		El	13.827	CVD28GVRD2018		228734	5671	TERR	269 55 18	605.808	606.046
						923417	5673	TERR	359 40 48	388.443	388.596
247189	5159	E	522557.129	0.9996074	1.0000012	736207	5158	TERR	0 9 40	814.138	814.459
		N	5444788.055			565457	5160	TERR	180 12 10	814.444	814.765
		El	11.429	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
565457	5160	E	522554.247	0.9996036	0.9999974	247189	5159	TERR	0 12 10	814.444	814.765			
		N	5443973.616					520262	86H1301	TERR	89 24 8	328.037	328.167	
		El	35.973					CVD28GVRD2018	967398	5813	TERR	179 54 56	496.713	496.911
						377754	5680	TERR	268 42 56	790.019	790.331			
702829	5161	E	522555.448	0.9995985	0.9999923	774166	5816	TERR	179 56 24	458.056	458.241			
		N	5443166.244					960013	5685	TERR	268 12 56	687.007	687.283	
		El	68.429					CVD28GVRD2018	967398	5813	TERR	359 54 49	310.660	310.785
358705	5162	E	522555.894	0.9995961	0.9999898			MARKER DESTROYED						
		N	5442362.529											
		El	83.913					CVD28GVRD2018						
867507	5163	E	522553.216	0.9995964	0.9999902			MARKER DESTROYED						
		N	5441552.452											
		El	81.897					CVD28GVRD2018						
560334	5164	E	519353.448	0.9996070	1.0000024	933507	5827	TERR	89 49 32	330.979	331.109			
		N	5439472.133											
		El	3.936					CVD28GVRD2018						
410894	5165	E	522541.297	0.9996080	1.0000018	246934	5940	TERR	0 28 26	126.077	126.127			
		N	5438720.192					549501	5722	TERR	266 41 48	804.380	804.696	
		El	8.106					CVD28GVRD2018						
49338	5166	E	522538.242	0.9996088	1.0000025			MARKER DESTROYED						
		N	5438325.892											
		El	3.224					CVD28GVRD2018						
151852	5167	E	520969.029	0.9996062	1.0000007	291302	88H4592	GPS	28 38 53	6063.848	6066.248			
		N	5438665.851					549501	5722	TERR	89 24 18	769.267	769.571	
		El	14.538					CVD28GVRD2018	24430	5725	GPS	126 49 56	2017.187	2017.981
									614040	5875	GPS	151 29 6	3245.740	3247.025
									447771	5169	GPS	180 23 11	1209.995	1210.470
									649830	5092	GPS	209 57 30	3330.635	3331.944
									602961	86H1306	GPS	210 50 56	1602.068	1602.697
									535096	8606	GPS	213 41 40	2953.810	2954.973
									548891	92H0829	GPS	275 33 20	3226.084	3227.355

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
30320	5168 E		520966.998	0.9996075	1.0000021		MARKER DESTROYED				
	N		5438268.850								
	El		6.239	CVD28GVRD2018							
447771	5169 E		520960.869	0.9996080	1.0000026	63446	5013	GPS	0 13 27	3239.866	3241.153
	N		5437455.884			151852	5167	GPS	0 23 11	1209.995	1210.470
	El		2.591	CVD28GVRD2018		15610	13H2688	GPS	0 47 16	1625.167	1625.809
						203257	92H0916	GPS	27 8 52	1804.801	1805.516
						909333	NO MARKING	GPS	40 43 24	19379.535	19387.188
						10702	93H1153	GPS	45 6 26	4278.195	4279.876
						287078	79H0136	GPS	62 39 13	7185.632	7188.441
						904904	NO MARKING	GPS	68 28 21	4352.380	4354.089
						60269	79H9604	GPS	89 48 45	3035.041	3036.234
						8979	75H2716	GPS	89 51 58	5903.442	5905.753
						24430	5725	GPS	89 58 29	1622.704	1623.341
						210369	84H0564	GPS	180 4 3	6492.370	6494.923
						570713	5865	TERR	185 39 12	197.259	197.335
						782151	80H2067	GPS	222 28 37	4436.127	4437.872
						439760	5184	GPS	269 34 60	3194.167	3195.421
						5702	5121	GPS	269 38 46	1621.023	1621.659
						869792	NO MARKING	GPS	275 3 39	31820.542	31833.146
						875864	NO MARKING	GPS	306 57 27	34362.379	34376.025
						898734	NO MARKING	GPS	316 32 45	15652.517	15658.811
						737981	92H0915	GPS	333 29 17	1784.066	1784.767
671651	5170 E		520937.251	0.9996054	1.0000001	321372	13H2681	GPS	0 49 10	769.317	769.619
	N		5433379.115			904904	NO MARKING	GPS	35 40 7	6984.051	6986.802
	El		19.144	CVD28GVRD2018		839837	5172	GPS	179 38 12	1606.596	1607.234
						802926	5171	TERR	179 39 6	805.190	805.510
						976324	92H0924	GPS	206 4 31	5406.748	5408.885
						30502	8601	GPS	314 40 58	1131.045	1131.491
802926	5171 E		520942.146	0.9996016	0.9999962	217398	5878	TERR	89 51 45	798.867	799.186
	N		5432573.940			748251	5811	TERR	179 49 20	289.315	289.431
	El		43.525	CVD28GVRD2018		495333	8618	TERR	269 48 25	511.701	511.905
						671651	5170	TERR	359 39 6	805.190	805.510
839837	5172 E		520947.439	0.9996012	0.9999958	904904	NO MARKING	GPS	29 9 35	8337.024	8340.325
	N		5431772.551			525667	92H0918	GPS	62 46 48	1788.764	1789.477
	El		46.197	CVD28GVRD2018		469304	5109	GPS	108 28 30	2555.303	2556.319
						210369	84H0564	TERR	179 35 26	809.053	809.374
						976324	92H0924	GPS	216 17 38	4032.141	4033.743
						239038	8616	TERR	269 38 10	801.182	801.504
						748251	5811	TERR	359 30 29	512.094	512.298
						671651	5170	GPS	359 38 12	1606.596	1607.234

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
306191	5173	E	520965.474	0.9996061	1.0000007	926840	5129	TERR	180 17 30	798.859	799.174				
		N	5430152.450					210369	84H0564			TERR	359 8 4	811.162	811.481
		El	14.913					CVD28GVRD2018							
847178	5174	E	520957.989	0.9996062	1.0000008	926840	5129	TERR	0 14 32	809.054	809.373				
		N	5428544.554					576363	8705			TERR	194 55 29	836.503	836.836
		El	14.315					CVD28GVRD2018							
637249	5175	E	520929.371	0.9995973	0.9999919	591511	5176	TERR	89 19 39	851.844	852.189				
		N	5427733.495					576363	8705			TERR	270 51 5	186.845	186.920
		El	71.140					CVD28GVRD2018							
591511	5176	E	521781.156	0.9995940	0.9999882	637520	5676	GPS	0 24 19	18666.079	18673.570				
		N	5427743.493					672345	80H2329			GPS	58 48 53	20883.039	20891.374
		El	95.071					967877	79H0853			GPS	89 37 18	18555.364	18562.702
								637249	5175			TERR	269 19 39	851.844	852.189
								823492	5128			TERR	359 32 31	1599.573	1600.214
683342	5177	E	522587.504	0.9995924	0.9999861	97972	92H0828	TERR	90 4 55	568.221	568.453				
		N	5427747.332					639351	86H1278			GPS	269 42 22	4031.720	4033.339
		El	108.454					851600	84H0574			GPS	296 6 0	3609.134	3610.582
								878538	92H0857			GPS	303 26 38	5804.656	5807.002
								8094	84H0567			GPS	330 55 26	6707.138	6709.840
68924	5178	E	517748.581	0.9996042	1.0000003	29389	8708	TERR	180 12 41	273.074	273.182				
		N	5429604.943					483248	5179			TERR	359 57 35	529.434	529.644
		El	17.626					CVD28GVRD2018							
483248	5179	E	517748.209	0.9996045	1.0000006	48249	5754	TERR	0 15 1	1331.039	1331.572				
		N	5430134.377					68924	5178			TERR	179 57 35	529.434	529.644
		El	15.596					CVD28GVRD2018							
261222	5180	E	517753.994	0.9995921	0.9999882	426056	5749	TERR	89 32 36	795.760	796.085				
		N	5431752.062					48249	5754			TERR	179 59 41	286.659	286.776
		El	94.887					203588	5748			TERR	269 29 12	342.280	342.419
303578	5181	E	517755.053	0.9995900	0.9999861	89763	5810	TERR	0 15 4	531.594	531.812				
		N	5432562.502					77040	5739			TERR	89 47 16	394.369	394.530
		El	107.997					249672	3126			TERR	179 54 2	165.425	165.493
								352625	5740			TERR	269 17 15	317.356	317.485

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
478065	5182	E	517758.741	0.9995941	0.9999902	436204	5809	TERR	0 15 53	282.544	282.658				
		N	5433375.672					89763	5810	TERR	180 16 35	281.584	281.699		
		El	82.191					CVD28GVRD2018							
166	5183	E	517762.367	0.9996059	1.0000021	505818	8786	GPS	90 25 49	1557.510	1558.123				
		N	5434188.457					782151	80H2067	TERR	91 15 17	202.871	202.951		
		El	6.442					CVD28GVRD2018		8094	84H0567	GPS	110 18 12	1669.380	1670.041
								436204	5809	TERR	180 15 3	530.249	530.461		
								709527	8784	TERR	268 53 35	974.885	975.270		
								779223	5088	GPS	314 15 43	2273.864	2274.760		
								327841	5089	GPS	332 57 30	1802.428	1803.138		
								718809	81H4539	TERR	359 55 41	814.361	814.681		
439760	5184	E	517766.787	0.9996069	1.0000030	150128	5185	TERR	0 0 54	823.284	823.609				
		N	5437432.650					63446	5013	GPS	44 30 5	4575.040	4576.860		
		El	.186					CVD28GVRD2018		904904	NO MARKING	GPS	77 23 23	7421.881	7424.800
								5702	5121	GPS	89 31 6	1573.146	1573.764		
								447771	5169	GPS	89 34 60	3194.167	3195.421		
								830976	89H4979	GPS	89 48 47	12206.110	12210.927		
								968016	80H2360	GPS	90 1 25	21617.377	21625.894		
								147819	91H9962	GPS	114 16 50	23299.231	23308.309		
								636696	92H0688	GPS	125 58 1	16410.083	16416.575		
								210369	84H0564	GPS	153 46 37	7211.312	7214.152		
								302992	5091	GPS	154 57 20	1804.689	1805.398		
								782151	80H2067	GPS	176 30 19	3254.688	3255.970		
								387258	5090	TERR	180 5 48	1619.029	1619.665		
								4903	92H0897	GPS	246 23 37	7212.574	7215.422		
								686790	92H0898	GPS	270 34 23	4080.023	4081.631		
								607093	5893	GPS	271 17 12	9766.114	9769.972		
								901199	5620	GPS	275 38 40	6664.472	6667.101		
		274696	78H8518	GPS	293 15 58	23036.499	23045.613								
		868968	5729	GPS	304 18 30	1979.868	1980.647								
		770800	5296	GPS	314 43 20	13815.357	13820.910								
		162537	5071	GPS	359 50 35	9727.826	9731.661								
150128	5185	E	517767.001	0.9996069	1.0000030	439760	5184	TERR	180 0 54	823.284	823.609				
		N	5438255.934					868968	5729	GPS	280 8 41	1661.593	1662.246		
		El	.135					CVD28GVRD2018		541524	5714	GPS	296 41 22	1835.838	1836.561
								24588	5078	GPS	359 47 36	1628.343	1628.986		
573386	5186	E	517762.068	0.9996049	1.0000010		MARKER DESTROYED								
		N	5441106.193												
		El	12.768	CVD28GVRD2018											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
30619	5187	E	517760.607	0.9996069	1.0000030	642769	5702	GPS	296 23 29	1822.516	1823.236		
		N	5442332.323			15594	5188	TERR	359 41 30	1219.716	1220.198		
		El	-.037			CVD28GVRD2018							
15594	5188	E	517754.043	0.9996025	0.9999986	500009	5683	GPS	11 49 37	413.971	414.137		
		N	5443552.021			30619	5187	TERR	179 41 30	1219.716	1220.198		
		El	28.012			CVD28GVRD2018		433581	5429	GPS	277 10 27	3279.805	3281.109
						745927	5271	GPS	306 36 5	2028.206	2029.020		
						261545	8605	TERR	359 41 16	142.207	142.264		
						187831	5191	GPS	359 42 13	2036.480	2037.288		
821256	5189	E	517751.438	0.9995997	0.9999959	943670	10H2581	GPS	23 9 19	1705.377	1706.054		
		N	5444033.484			3525	02H2432	GPS	31 17 26	7801.597	7804.687		
		El	45.492			CVD28GVRD2018		998500	10H2579	GPS	46 6 17	2223.157	2224.039
						334078	8640	GPS	47 14 59	4342.894	4344.626		
						459750	5992	GPS	48 58 44	6397.361	6399.894		
						969295	13H2676	GPS	60 39 23	2347.598	2348.529		
						225243	91H9887	GPS	89 18 25	12797.863	12802.922		
						973289	5157	GPS	91 41 37	3224.039	3225.317		
						904904	NO MARKING	GPS	124 27 27	8802.668	8806.161		
						17830	10H2578	GPS	126 19 24	1966.606	1967.386		
						689091	13H2674	GPS	179 43 54	1872.431	1873.174		
						686790	92H0898	GPS	211 46 54	7717.111	7720.180		
						278754	13H2675	GPS	218 35 21	2583.349	2584.375		
						546390	5025	GPS	228 50 1	4295.430	4297.143		
						98178	86H1262	GPS	261 50 40	3269.202	3270.503		
						20453	10H2577	GPS	300 13 49	1896.591	1897.356		
						898734	NO MARKING	GPS	302 20 42	8943.616	8947.249		
						409698	92H0842	GPS	331 58 57	1763.607	1764.314		
		800540	5190	TERR	359 33 10	725.752	726.043						
		162537	5071	GPS	359 47 36	3126.976	3128.221						
800540	5190	E	517745.773	0.9996006	0.9999967	821256	5189	TERR	179 33 10	725.752	726.043		
		N	5444759.214										
		El	40.247			CVD28GVRD2018							
187831	5191	E	517743.508	0.9996050	1.0000012	958421	5682	GPS	154 19 44	1814.457	1815.173		
		N	5445588.474			500009	5683	GPS	176 39 13	1634.056	1634.705		
		El	11.746			CVD28GVRD2018		15594	5188	GPS	179 42 13	2036.480	2037.288
						745927	5271	GPS	242 55 9	1816.911	1817.638		
						997130	5192	TERR	359 20 11	815.033	815.354		
997130	5192	E	517734.068	0.9996061	1.0000022	162537	5071	TERR	0 27 40	757.013	757.311		
		N	5446403.452			187831	5191	TERR	179 20 11	815.033	815.354		
		El	4.943			CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
764720	5193	E	517747.442	0.9995991	0.9999953	137620	5707	TERR	90 29 33	300.973	301.094			
		N	5447984.064					957910	5882	TERR	180 30 23	340.914	341.050	
		El	49.278					CVD28GVRD2018	808923	5883	TERR	359 42 53	327.068	327.199
385690	5194	E	519338.203	0.9996070	1.0000024	MARKER DESTROYED								
		N	5448774.120											
		El	3.252			1928 Canadian Vertical Datum								
564344	5195	E	518168.056	0.9995993	0.9999952	429126	80H2051	TERR	90 18 14	627.869	628.119			
		N	5448781.532					417667	5196	TERR	270 31 2	424.619	424.790	
		El	49.364					CVD28GVRD2018						
417667	5196	E	517743.454	0.9995976	0.9999937	564344	5195	TERR	90 31 2	424.619	424.790			
		N	5448785.365					771212	5885	TERR	359 52 44	449.291	449.472	
		El	59.065					CVD28GVRD2018						
516013	5197	E	516949.442	0.9995959	0.9999924	456939	5198	TERR	270 11 24	1630.446	1631.107			
		N	5448771.186											
		El	67.582					CVD28GVRD2018						
456939	5198	E	515319.005	0.9995934	0.9999905	516013	5197	TERR	90 11 24	1630.446	1631.107			
		N	5448776.594					564237	79H0011	TERR	180 3 4	804.660	804.988	
		El	79.317					CVD28GVRD2018						
433193	5199	E	514508.259	0.9995915	0.9999889	MARKER DESTROYED								
		N	5448760.497											
		El	89.898			1928 Canadian Vertical Datum								
411462	5200	E	513667.387	0.9995899	0.9999876	MARKER DESTROYED								
		N	5448760.703											
		El	98.332			CVD28GVRD2018								
256123	5201	E	512888.982	0.9995884	0.9999864	46532	5794	TERR	0 18 8	271.920	272.032			
		N	5448762.188					276089	5825	TERR	90 5 36	407.897	408.064	
		El	106.074					CVD28GVRD2018	506469	80H2053	TERR	179 46 33	418.730	418.902
									242107	5774	TERR	272 5 29	200.979	201.062

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
498634	5202	E	512085.376	0.9995887	0.9999869	383653	5211	TERR	180 8 4	417.167	417.338
		N	5448754.631								
		El	102.591	CVD28GVRD2018							
173716	5203	E	512085.533	0.9995887	0.9999869						
		N	5449164.569								
		El	102.554	CVD28GVRD2018							
											MARKER DESTROYED
174094	5204	E	512947.488	0.9995893	0.9999873	192674	5205	TERR	90 8 17	304.594	304.719
		N	5449977.234			463976	5380	TERR	270 3 28	204.101	204.185
		El	100.233	CVD28GVRD2018							
192674	5205	E	513252.081	0.9995902	0.9999881	309013	5790	TERR	89 59 5	254.975	255.079
		N	5449976.500			174094	5204	TERR	270 8 17	304.594	304.719
		El	95.080	CVD28GVRD2018							
332049	5206	E	513652.516	0.9995918	0.9999895	309013	5790	TERR	270 4 38	145.460	145.520
		N	5449976.372			144808	5207	TERR	359 11 22	310.779	310.906
		El	85.824	CVD28GVRD2018							
144808	5207	E	513648.119	0.9995936	0.9999913	189563	5422	TERR	45 26 33	483.562	483.758
		N	5450287.120			332049	5206	TERR	179 11 22	310.779	310.906
		El	74.244	CVD28GVRD2018		623256	5789	TERR	269 51 36	185.473	185.548
						660191	5421	TERR	314 17 37	185.548	185.623
937961	5208	E	513247.230	0.9995909	0.9999888						
		N	5450285.264								
		El	90.701	CVD28GVRD2018							
											MARKER DESTROYED
429050	5209	E	512890.942	0.9995889	0.9999869	506220	5530	TERR	90 25 1	402.114	402.278
		N	5449167.456			46532	5794	TERR	180 13 34	133.353	133.408
		El	102.809	CVD28GVRD2018							
609750	5210	E	513664.413	0.9995894	0.9999871						
		N	5449162.386								
		El	101.296	CVD28GVRD2018							
											MARKER ISOLATED

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
383653	5211	E	512084.397	0.9995890	0.9999872	498634	5202	TERR	0 8 4	417.167	417.338		
		N	5448337.465					421834	5214	TERR	180 4 31	328.555	328.691
		El	100.961					CVD28GVRD2018	395590	5539	TERR	270 44 39	316.694
630764	5212	E	511423.142	0.9995925	0.9999909	395590	5539	TERR	90 44 52	344.617	344.758		
		N	5448346.075										
		El	77.429					CVD28GVRD2018					
749143	5213	E	511423.976	0.9995929	0.9999913	MARKER DESTROYED							
		N	5447956.558										
		El	74.482			CVD28GVRD2018							
421834	5214	E	512083.965	0.9995887	0.9999869	383653	5211	TERR	0 4 31	328.555	328.691		
		N	5448008.910					400374	5215	TERR	181 46 54	557.560	557.788
		El	102.610					CVD28GVRD2018					
400374	5215	E	512066.630	0.9995921	0.9999903	421834	5214	TERR	1 46 54	557.560	557.788		
		N	5447451.620										
		El	81.015					CVD28GVRD2018					
678854	5216	E	512055.900	0.9995933	0.9999915	MARKER DESTROYED							
		N	5447144.224										
		El	73.189			CVD28GVRD2018							
465351	5217	E	512055.340	0.9995946	0.9999928	827923	5542	TERR	0 3 28	302.691	302.814		
		N	5446378.354					552067	5551	TERR	180 0 21	401.183	401.346
		El	64.872					CVD28GVRD2018	403345	5543	TERR	269 32 55	353.277
968172	5218	E	512059.941	0.9995995	0.9999977	149674	5219	TERR	179 39 47	816.802	817.129		
		N	5444760.012					595660	5654	TERR	359 39 11	498.875	499.076
		El	33.808					CVD28GVRD2018					
149674	5219	E	512064.743	0.9996014	0.9999996	540047	8768	TERR	180 45 30	374.981	375.131		
		N	5443943.224					968172	5218	TERR	359 39 47	816.802	817.129
		El	21.718					CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
441865	5220	E	512070.325	0.9995945	0.9999927		MARKER DESTROYED				
		N	5443133.822								
		El	65.573	CVD28GVRD2018							
910364	5221	E	512073.224	0.9995934	0.9999916	703637	8769	TERR	359 36 42	215.319	215.406
		N	5442716.251								
		El	72.632	CVD28GVRD2018							
64444	5222	E	512076.040	0.9995937	0.9999919		MARKER DESTROYED				
		N	5442324.517								
		El	71.145	CVD28GVRD2018							
356204	5223	E	511467.528	0.9995936	0.9999920		MARKER DESTROYED				
		N	5442314.977								
		El	70.282	CVD28GVRD2018							
719229	5224	E	511057.312	0.9995927	0.9999912		MARKER DESTROYED				
		N	5442315.390								
		El	75.207	CVD28GVRD2018							
476424	5225	E	510046.509	0.9995910	0.9999898	742700	5141	TERR	91 19 55	406.477	406.643
		N	5442339.640			419705	8776	TERR	179 30 11	811.772	812.104
		El	84.439	CVD28GVRD2018		263079	80H2024	TERR	359 32 57	393.188	393.349
671719	5226	E	509230.106	0.9995904	0.9999893	13227	81H4521	TERR	90 25 26	410.109	410.277
		N	5442351.093			125260	5805	TERR	179 32 35	449.885	450.069
		El	87.367	CVD28GVRD2018		30064	5227	TERR	270 17 25	411.362	411.531
30064	5227	E	508818.749	0.9995909	0.9999899	364	5598	TERR	0 15 48	592.458	592.701
		N	5442353.177			671719	5226	TERR	90 17 25	411.362	411.531
		El	83.482	CVD28GVRD2018		999623	5806	TERR	179 17 30	449.319	449.503
						468280	5228	TERR	271 0 44	415.703	415.873
468280	5228	E	508403.111	0.9995914	0.9999905	30064	5227	TERR	91 0 44	415.703	415.873
		N	5442360.521								
		El	80.081	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
139907	5230	E	508000.328	0.9995989	0.9999981		MARKER DESTROYED				
		N	5438873.934								
		El	31.319	CVD28GVRD2018							
948729	5231	E	507998.997	0.9995960	0.9999952		MARKER ISOLATED				
		N	5439222.540								
		El	50.335	CVD28GVRD2018							
865204	5232	E	508004.006	0.9995932	0.9999925		MARKER DESTROYED				
		N	5440311.034								
		El	67.562	1928 Canadian Vertical Datum							
614743	5233	E	508008.917	0.9995896	0.9999888		MARKER DESTROYED				
		N	5441136.886								
		El	90.854	CVD28GVRD2018							
375345	5235	E	508007.168	0.9995899	0.9999891		MARKER DESTROYED				
		N	5442970.952								
		El	88.808	CVD28GVRD2018							
55608	5236	E	508006.975	0.9995895	0.9999887		MARKER DESTROYED				
		N	5443282.421								
		El	91.342	CVD28GVRD2018							
511238	5237	E	512082.866	0.9995926	0.9999908	260026	5238	TERR	270 42 54	430.118	430.293
		N	5439086.799								
		El	77.860	CVD28GVRD2018							
260026	5238	E	511652.782	0.9995912	0.9999896	511238	5237	TERR	90 42 54	430.118	430.293
		N	5439092.166			569384	84H0585	TERR	285 29 32	242.357	242.456
		El	85.996	CVD28GVRD2018							
251843	5239	E	511331.177	0.9995910	0.9999894		MARKER DESTROYED				
		N	5439172.605								
		El	87.109	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
223644	5240	E	510851.168	0.9995922	0.9999907	948950	5931	TERR	83 18 36	192.180	192.258		
		N	5439087.221					202929	5241	TERR	270 26 48	397.679	397.841
		El	78.665					CVD28GVRD2018					
202929	5241	E	510453.501	0.9995942	0.9999928	752527	5923	TERR	0 31 2	197.724	197.804		
		N	5439090.321					223644	5240	TERR	90 26 48	397.679	397.841
		El	65.360					CVD28GVRD2018		706184	5242	TERR	272 8 20
706184	5242	E	510046.792	0.9995950	0.9999937	202929	5241	TERR	92 8 20	406.993	407.157		
		N	5439105.510					514943	8648	TERR	253 47 52	107.136	107.179
		El	59.403					CVD28GVRD2018					
240697	5243	E	509848.148	0.9995950	0.9999939	514943	8648	TERR	89 37 47	95.765	95.804		
		N	5439074.997					368738	5589	TERR	271 26 44	202.602	202.684
		El	58.694					CVD28GVRD2018					
271528	5244	E	509400.042	0.9995937	0.9999926	368738	5589	TERR	89 1 23	245.605	245.704		
		N	5439075.921					121970	5614	TERR	268 33 24	242.274	242.372
		El	66.573					CVD28GVRD2018					
210088	5245	E	509021.808	0.9995947	0.9999937	121970	5614	TERR	89 57 53	136.037	136.092		
		N	5439069.735					351304	5246	TERR	255 40 4	515.473	515.683
		El	59.815					CVD28GVRD2018					
351304	5246	E	508522.378	0.9995969	0.9999960	210088	5245	TERR	75 40 4	515.473	515.683		
		N	5438942.133										
		El	44.875					CVD28GVRD2018					
439992	5247	E	509152.149	0.9995970	0.9999960	121970	5614	TERR	0 44 3	444.583	444.762		
		N	5438625.273					540484	5890	TERR	181 15 50	181.800	181.873
		El	45.160					CVD28GVRD2018					
531657	5248	E	509148.139	0.9995989	0.9999979	MARKER DESTROYED							
		N	5438443.517										
		El	32.781			1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
640250	5249	E	509008.723	0.9995986	0.9999976	540484	5890	TERR	90 25 43	139.420	139.476				
		N	5438444.560					763672	5250	TERR	270 30 33	380.202	380.355		
		El	35.090					CVD28GVRD2018							
763672	5250	E	508628.536	0.9995987	0.9999978	640250	5249	TERR	90 30 33	380.202	380.355				
		N	5438447.939					444810	5616	TERR	175 28 25	568.597	568.824		
		El	33.628					CVD28GVRD2018							
754051	5251	E	510943.291	0.9995918	0.9999904	MARKER DESTROYED									
		N	5448770.577												
		El	80.553			CVD28GVRD2018									
731893	5252	E	509139.088	0.9996037	1.0000027	754531	5253	TERR	179 52 50	296.694	296.811				
		N	5438236.682												
		El	2.539					CVD28GVRD2018							
754531	5253	E	509139.707	0.9996040	1.0000029	540484	5890	TERR	0 57 34	503.599	503.799				
		N	5437939.989					864868	5640	GPS	115 17 4	1073.563	1073.989		
		El	.729					CVD28GVRD2018		607093	5893	GPS	255 46 46	1172.500	1172.965
									444810	5616	TERR	262 48 14	470.001	470.187	
									731893	5252	TERR	359 52 50	296.694	296.811	
334821	5254	E	514954.478	0.9995909	0.9999881	104513	5255	TERR	90 8 29	342.203	342.343				
		N	5445575.949					843730	5031	TERR	270 16 44	483.599	483.796		
		El	94.776					CVD28GVRD2018							
104513	5255	E	515296.680	0.9995911	0.9999882	334482	5266	TERR	0 28 47	362.264	362.412				
		N	5445575.105					160952	5256	TERR	90 15 14	364.104	364.253		
		El	94.443					CVD28GVRD2018		304444	5261	TERR	179 28 51	406.013	406.178
									334821	5254	TERR	270 8 29	342.203	342.343	
160952	5256	E	515660.780	0.9995916	0.9999885	336230	5257	TERR	90 15 52	230.001	230.095				
		N	5445573.492					434282	5690	TERR	179 39 31	322.438	322.570		
		El	92.210					CVD28GVRD2018		104513	5255	TERR	270 15 14	364.104	364.253
336230	5257	E	515890.779	0.9995925	0.9999894	51482	5258	TERR	90 17 13	231.006	231.100				
		N	5445572.431					160952	5256	TERR	270 15 52	230.001	230.095		
		El	86.600					CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
51482	5258	E	516121.782	0.9995942	0.9999910	916502	5259	TERR	89 22 44	411.558	411.724		
		N	5445571.274					264689	5272	TERR	179 42 6	210.954	211.039
		El	76.530					CVD28GVRD2018	336230	5257	TERR	270 17 13	231.006
						685628	5273	TERR	359 48 40	411.550	411.718		
916502	5259	E	516533.316	0.9995967	0.9999934	510453	5691	TERR	180 27 7	833.160	833.496		
		N	5445575.736					51482	5258	TERR	269 22 44	411.558	411.724
		El	61.482					CVD28GVRD2018					
833038	5260	E	516932.799	0.9995988	0.9999953	MARKER DESTROYED							
		N	5445580.198										
		El	49.154			CVD28GVRD2018							
304444	5261	E	515300.358	0.9995913	0.9999885	172833	5262	TERR	179 29 38	406.185	406.351		
		N	5445169.109					104513	5255	TERR	359 28 51	406.013	406.178
		El	92.769					CVD28GVRD2018					
172833	5262	E	515303.946	0.9995927	0.9999899	765826	5859	TERR	90 6 39	539.858	540.078		
		N	5444762.940					898189	5030	TERR	270 8 35	824.597	824.932
		El	83.916					CVD28GVRD2018	304444	5261	TERR	359 29 38	406.185
727040	5263	E	515305.823	0.9995941	0.9999912	MARKER DESTROYED							
		N	5444359.581										
		El	75.417			CVD28GVRD2018							
948711	5264	E	515308.400	0.9995959	0.9999930	MARKER ISOLATED							
		N	5443957.981										
		El	64.019			CVD28GVRD2018							
334482	5266	E	515299.713	0.9995911	0.9999882	32243	5267	TERR	0 22 48	451.621	451.805		
		N	5445937.356					104513	5255	TERR	180 28 47	362.264	362.412
		El	94.517					CVD28GVRD2018					
32243	5267	E	515302.708	0.9995919	0.9999890	736470	5067	TERR	0 25 8	753.133	753.441		
		N	5446388.967					334482	5266	TERR	180 22 48	451.621	451.805
		El	89.086					CVD28GVRD2018	663989	5867	TERR	269 35 13	408.333

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
34199	5268	E	515318.201	0.9995930	0.9999901		MARKER DESTROYED				
		N	5447972.247								
		El	81.952	1928 Canadian Vertical Datum							
558726	5269	E	516127.977	0.9995968	0.9999936	7922	5694	TERR	89 58 29	814.704	815.033
		N	5443958.121								
		El	60.239	CVD28GVRD2018							
438507	5270	E	516126.874	0.9995955	0.9999923		MARKER DESTROYED				
		N	5444359.723								
		El	68.611	CVD28GVRD2018							
745927	5271	E	516125.795	0.9995945	0.9999913	409698	92H0842	GPS	43 52 38	1150.174	1150.638
		N	5444761.329			652255	92H0838	GPS	55 48 51	2906.346	2907.507
		El	74.959	CVD28GVRD2018		187831	5191	GPS	62 55 9	1816.911	1817.638
						500009	5683	GPS	115 8 43	1892.435	1893.197
						15594	5188	GPS	126 36 5	2028.206	2029.020
						162420	86H1293	GPS	151 27 56	5029.927	5031.943
						546390	5025	GPS	204 20 9	3902.018	3903.585
						418749	92H0839	GPS	236 35 46	2904.861	2906.031
						433581	5429	GPS	243 48 33	1811.909	1812.637
						124974	92H0844	GPS	256 7 36	3339.792	3341.136
						765826	5859	TERR	270 6 55	281.993	282.108
						403428	92H0843	GPS	270 8 58	2462.333	2463.327
						202697	NO MARKING	GPS	304 19 8	4535.355	4537.202
						950121	5281	GPS	343 56 43	5844.305	5846.680
						264689	5272	TERR	359 43 16	599.001	599.245
264689	5272	E	516122.880	0.9995939	0.9999907	745927	5271	TERR	179 43 16	599.001	599.245
		N	5445360.323			51482	5258	TERR	359 42 6	210.954	211.039
		El	78.304	CVD28GVRD2018							
685628	5273	E	516120.425	0.9995943	0.9999911	51482	5258	TERR	179 48 40	411.550	411.718
		N	5445982.822			868422	5274	TERR	359 49 7	402.511	402.674
		El	75.798	CVD28GVRD2018							
868422	5274	E	516119.151	0.9995951	0.9999919	63867	5068	TERR	0 4 5	759.900	760.207
		N	5446385.331			685628	5273	TERR	179 49 7	402.511	402.674
		El	71.034	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
558494	5275	E	516130.569	0.9995980	0.9999948	342766	5276	TERR	0 11 24	504.356	504.559				
		N	5447768.052					806836	79H0022	TERR	0 58 58	204.998	205.081		
		El	52.343					CVD28GVRD2018	605592	5819	TERR	180 58 1	411.674	411.839	
						260125	79H0021	TERR	180 59 24	210.991	211.075				
342766	5276	E	516132.242	0.9995983	0.9999951	806836	79H0022	TERR	179 38 50	299.391	299.512				
		N	5448272.405					558494	5275	TERR	180 11 24	504.356	504.559		
		El	50.380					CVD28GVRD2018	625020	5277	TERR	359 43 28	1095.205	1095.646	
625020	5277	E	516126.977	0.9995942	0.9999910	342766	5276	TERR	179 43 28	1095.205	1095.646				
		N	5449367.597					996579	5278	TERR	359 10 54	211.666	211.751		
		El	76.457					CVD28GVRD2018							
996579	5278	E	516123.954	0.9995940	0.9999908	625020	5277	TERR	179 10 54	211.666	211.751				
		N	5449579.241					254078	5888	TERR	359 42 26	402.913	403.078		
		El	77.508					CVD28GVRD2018							
516864	5279	E	516119.778	0.9995935	0.9999903	MARKER DESTROYED									
		N	5450386.061												
		El	80.712			CVD28GVRD2018									
158733	5280	E	515310.720	0.9995919	0.9999890	MARKER ISOLATED									
		N	5450390.229												
		El	88.886			CVD28GVRD2018									
950121	5281	E	514509.530	0.9995929	0.9999903	230904	92H0840	GPS	90 9 37	1616.798	1617.457				
		N	5450377.697					745927	5271	GPS	163 56 43	5844.305	5846.680		
		El	80.679					CVD28GVRD2018	58636	5879	TERR	179 56 42	447.313	447.495	
									202697	NO MARKING		GPS	214 50 27	3727.540	3729.061
									71563	86H1270	GPS	226 59 32	1174.898	1175.377	
			10835	5527	GPS	272 29 42	1770.868	1771.591							
252551	5282	E	514320.660	0.9995908	0.9999882	525980	5914	TERR	89 53 13	188.047	188.124				
		N	5449567.901					59246	5065	TERR	269 45 10	201.874	201.956		
		El	93.949					CVD28GVRD2018							
558783	5283	E	515314.941	0.9995929	0.9999900	MARKER DESTROYED									
		N	5449583.259												
		El	82.640			CVD28GVRD2018									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
417535	5284	E	516827.400	0.9995951	0.9999916		MARKER DESTROYED				
		N	5449586.270								
		El	72.229	CVD28GVRD2018							
366088	5285	E	517324.578	0.9995964	0.9999927		MARKER DESTROYED				
		N	5449591.883								
		El	65.727	CVD28GVRD2018							
819912	5286	E	517569.686	0.9995995	0.9999957		MARKER DESTROYED				
		N	5449593.227								
		El	46.470	1928 Canadian Vertical Datum							
638197	5287	E	517737.739	0.9996022	0.9999983	970699	10H2594	GPS	23 40 3	2291.577	2292.484
		N	5449594.978			736215	5976	GPS	52 31 11	1895.131	1895.881
		El	29.823	CVD28GVRD2018		411447	5997	GPS	70 10 3	2408.672	2409.624
						589457	92H0860	GPS	110 23 56	2355.548	2356.479
						694950	13H2677	GPS	139 36 29	2475.151	2476.142
						771212	5885	TERR	179 14 32	360.355	360.498
						698290	10H2601	GPS	242 48 35	1740.930	1741.629
						898734	NO MARKING	GPS	264 7 18	7582.120	7585.192
						450072	10H2598	GPS	322 35 29	798.554	798.872
596494	5288	E	514093.328	0.9995901	0.9999877	228619	5066	TERR	90 0 7	408.443	408.611
		N	5447133.727			54619	79H0032	TERR	180 9 18	371.811	371.964
		El	97.796	CVD28GVRD2018		80283	5289	TERR	269 57 59	408.445	408.613
80283	5289	E	513684.883	0.9995902	0.9999879	371245	79H0004	TERR	0 47 16	404.359	404.525
		N	5447133.488			596494	5288	TERR	89 57 59	408.445	408.613
		El	96.062	CVD28GVRD2018		365114	79H0020	TERR	180 59 33	387.941	388.100
						613166	84H0562	TERR	269 55 16	413.357	413.526
475897	5290	E	511600.445	0.9995934	0.9999918		MARKER DESTROYED				
		N	5447146.606								
		El	71.479	CVD28GVRD2018							
907873	5291	E	510830.640	0.9995936	0.9999922	757021	5338	TERR	0 34 56	492.275	492.475
		N	5447150.668			795302	8750	TERR	90 18 1	770.851	771.164
		El	69.169	CVD28GVRD2018		124982	80H2080	TERR	181 20 53	346.097	346.238
						441113	5147	TERR	270 20 20	395.898	396.059

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
631804	5292 E	510030.559	0.9995909	0.9999896	493262	5330	TERR	1 5 0	407.087	407.253	
		N 5447156.437			441113	5147	TERR	90 29 9	404.205	404.370	
		El 85.203	CVD28GVRD2018		559104	5055	TERR	270 29 42	402.220	402.385	
696856	5293 E	509115.809	0.9995899	0.9999889	559104	5055	TERR	89 52 31	512.546	512.756	
		N 5447158.795			949008	5294	TERR	269 56 25	314.020	314.149	
		El 90.236	CVD28GVRD2018								
949008	5294 E	508801.789	0.9995897	0.9999887	696856	5293	TERR	89 56 25	314.020	314.149	
		N 5447158.467			112961	8749	TERR	180 3 58	452.365	452.551	
		El 90.983	CVD28GVRD2018		862052	5507	TERR	269 42 19	392.848	393.010	
984617	5295 E	508207.065	0.9995895	0.9999887	862052	5507	TERR	89 41 59	201.884	201.967	
		N 5447155.389			770800	5296	TERR	269 42 32	256.481	256.586	
		El 91.250	CVD28GVRD2018		162214	5503	TERR	359 51 26	396.800	396.963	
770800	5296 E	507950.587	0.9995897	0.9999889	682930	02H2475	GPS	39 53 3	13038.653	13043.909	
		N 5447154.086			898734	NO MARKING	GPS	53 26 49	2794.581	2795.730	
		El 90.166	CVD28GVRD2018		971887		GPS	79 39 10	1711.909	1712.611	
					984617		5295	TERR	89 42 32	256.481	256.586
					162537		5071	GPS	89 57 46	9789.576	9793.521
					426981		92H0886	GPS	90 41 24	3309.598	3310.948
					124644		90H6429	GPS	92 0 31	22070.188	22079.012
					830976		89H4979	GPS	113 43 54	24056.449	24066.156
					904904		NO MARKING	GPS	115 24 9	18884.895	18892.487
					98178		86H1262	GPS	118 38 5	7479.519	7482.533
					636696		92H0688	GPS	129 58 5	30137.917	30150.101
					7286		13H2691	GPS	133 10 17	14296.873	14302.620
					90316		80H2099	GPS	134 6 20	4615.914	4617.795
					439760		5184	GPS	134 43 20	13815.357	13820.910
					737213		92H0877	GPS	157 18 18	1664.905	1665.589
					607093		5893	GPS	179 40 59	9502.273	9506.108
					841734		6966	GPS	220 26 44	2023.519	2024.350
					869792		NO MARKING	GPS	249 45 24	19916.426	19924.483
					15578		82H5618	GPS	257 4 10	1501.519	1502.131
					274696		78H8518	GPS	266 51 45	11364.024	11368.615
			137695		92H0576	GPS	266 54 46	3046.396	3047.627		
			32219		94H1708	GPS	292 28 9	5052.522	5054.563		
			611681		V-3719	GPS	305 7 46	17626.961	17634.082		
			875864		NO MARKING	GPS	307 11 10	18135.468	18142.832		
			277665		89H6112	GPS	315 32 34	4267.688	4269.418		
			610006		90H6709	GPS	342 6 8	11404.845	11409.621		
			21139		92H0904	GPS	342 22 33	2284.266	2285.189		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
531558	5297	E	507542.033	0.9995899	0.9999892		MARKER DESTROYED				
		N	5447152.238								
		El	88.363	CVD28GVRD2018							
10413	5298	E	507291.152	0.9995897	0.9999890		MARKER DESTROYED				
		N	5447151.565								
		El	89.263	CVD28GVRD2018							
823633	5299	E	506926.068	0.9995922	0.9999916		MARKER DESTROYED				
		N	5447150.414								
		El	72.995	CVD28GVRD2018							
337337	5300	E	506745.443	0.9995940	0.9999935	612846	78H8584	TERR	269 34 36	147.825	147.886
		N	5447149.903			737999	3517	TERR	308 22 39	3783.607	3785.137
		El	60.802	CVD28GVRD2018		282665	NO MARKING	TERR	337 43 19	1046.934	1047.355
						471789	5375	TERR	339 24 29	295.148	295.267
						837583	6014	TERR	341 34 0	3038.162	3039.390
453100	5301	E	508025.009	0.9995934	0.9999926		MARKER DESTROYED				
		N	5447758.094								
		El	66.029	CVD28GVRD2018							
487454	5302	E	508307.134	0.9995911	0.9999902	487082	5904	TERR	90 8 36	401.567	401.732
		N	5447758.200			528992	5800	TERR	270 9 31	99.989	100.030
		El	81.616	CVD28GVRD2018							
547521	5303	E	508832.733	0.9995917	0.9999908	408476	5304	TERR	93 59 41	475.125	475.319
		N	5447756.903			487082	5904	TERR	270 8 7	124.033	124.083
		El	78.044	CVD28GVRD2018							
408476	5304	E	509306.704	0.9995932	0.9999921	413872	5331	TERR	90 58 1	333.411	333.547
		N	5447723.803			547521	5303	TERR	273 59 41	475.125	475.319
		El	69.319	CVD28GVRD2018							
362699	5305	E	509316.664	0.9995932	0.9999921	602813	5056	TERR	90 41 50	327.690	327.824
		N	5447971.751			32128	5799	TERR	270 42 14	391.529	391.689
		El	69.366	CVD28GVRD2018		905240	5325	TERR	326 6 8	244.718	244.817

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
543934	5306	E	508709.040	0.9995932	0.9999923	32128	5799	TERR	87 15 7	216.374	216.461		
		N	5447966.186					487082	5904	TERR	180 5 36	208.990	209.076
		El	68.279					CVD28GVRD2018	156620	5307	TERR	269 30 57	301.075
156620	5307	E	508407.976	0.9995930	0.9999921	543934	5306	TERR	89 30 57	301.075	301.198		
		N	5447963.642					320226	80H2042	TERR	269 8 34	196.273	196.353
		El	69.420					CVD28GVRD2018					
546564	5308	E	508708.137	0.9995904	0.9999895	487082	5904	TERR	0 27 30	70.376	70.404		
		N	5447686.822					272195	5309	TERR	179 54 4	340.765	340.905
		El	86.320					CVD28GVRD2018					
272195	5309	E	508708.725	0.9995895	0.9999886	546564	5308	TERR	359 54 4	340.765	340.905		
		N	5447346.058										
		El	91.948					CVD28GVRD2018					
443200	5310	E	509226.088	0.9995904	0.9999894	971887	5778	TERR	89 50 31	408.570	408.737		
		N	5447460.437					557041	8658	TERR	89 50 32	201.084	201.165
		El	86.774					CVD28GVRD2018	877282	5311	TERR	181 32 0	603.195
877282	5311	E	509209.946	0.9995898	0.9999887	443200	5310	TERR	1 32 0	603.195	603.442		
		N	5446857.458										
		El	90.995					CVD28GVRD2018					
477299	5312	E	509208.882	0.9995904	0.9999893	MARKER DESTROYED							
		N	5446363.235										
		El	87.196			CVD28GVRD2018							
23184	5313	E	509218.734	0.9995911	0.9999900	MARKER DESTROYED							
		N	5445571.806										
		El	82.758			CVD28GVRD2018							
365262	5314	E	508800.408	0.9995901	0.9999891	112961	8749	TERR	0 9 15	319.500	319.631		
		N	5446386.603										
		El	88.522					CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
795211	5315	E	508403.931	0.9995885	0.9999876		MARKER DESTROYED				
		N	5446398.167								
		El	98.188	1928 Canadian Vertical Datum							
897520	5316	E	508055.713	0.9995877	0.9999869		MARKER ISOLATED				
		N	5446407.616								
		El	102.905	CVD28GVRD2018							
507210	5317	E	510049.547	0.9995908	0.9999896	334409	5908	TERR	90 11 37	280.187	280.302
		N	5447966.641			493262	5330	TERR	181 36 15	403.348	403.513
		El	85.533	CVD28GVRD2018		171884	5907	TERR	270 9 29	185.217	185.292
411769	5318	E	510059.418	0.9995901	0.9999889		MARKER DESTROYED				
		N	5448371.019								
		El	90.160	1928 Canadian Vertical Datum							
588848	5319	E	510101.290	0.9995898	0.9999885	898908	80H2044	TERR	268 41 23	277.367	277.480
		N	5448773.556								
		El	92.228	CVD28GVRD2018							
893420	5320	E	509832.398	0.9995896	0.9999884		MARKER DESTROYED				
		N	5448774.347								
		El	93.189	CVD28GVRD2018							
569707	5321	E	509491.819	0.9995901	0.9999890		MARKER DESTROYED				
		N	5448777.583								
		El	89.391	CVD28GVRD2018							
372045	5322	E	509191.874	0.9995925	0.9999915		MARKER DESTROYED				
		N	5448783.407								
		El	73.466	CVD28GVRD2018							
35451	5323	E	508892.737	0.9995992	0.9999982		MARKER DESTROYED				
		N	5448789.183								
		El	30.472	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
920447	5324	E	508681.638	0.9996031	1.0000022		MARKER DESTROYED				
		N	5448787.261								
		El	5.215	1928 Canadian Vertical Datum							
905240	5325	E	509180.182	0.9995930	0.9999920	982066	5326	TERR	44 27 50	264.520	264.628
		N	5448174.875			362699	5305	TERR	146 6 8	244.718	244.817
		El	70.417	CVD28GVRD2018							
982066	5326	E	509365.468	0.9995915	0.9999905	905240	5325	TERR	224 27 50	264.520	264.628
		N	5448363.661			65128	5327	TERR	271 36 54	382.734	382.890
		El	80.007	CVD28GVRD2018							
65128	5327	E	508982.886	0.9995930	0.9999920	982066	5326	TERR	91 36 54	382.734	382.890
		N	5448374.447								
		El	69.865	CVD28GVRD2018							
248195	5328	E	509177.885	0.9995920	0.9999910	730119	80H2082	TERR	1 22 40	215.495	215.583
		N	5448573.378			731224	5329	TERR	268 20 54	201.168	201.249
		El	76.526	CVD28GVRD2018							
731224	5329	E	508976.801	0.9995945	0.9999935	248195	5328	TERR	88 20 54	201.168	201.249
		N	5448567.580								
		El	60.662	CVD28GVRD2018							
493262	5330	E	510038.256	0.9995913	0.9999901	507210	5317	TERR	1 36 15	403.348	403.513
		N	5447563.451			631804	5292	TERR	181 5 0	407.087	407.253
		El	82.426	CVD28GVRD2018							
413872	5331	E	509640.067	0.9995929	0.9999918	602813	5056	TERR	0 58 43	249.623	249.725
		N	5447718.176			971887	5778	TERR	181 12 29	256.668	256.773
		El	71.400	CVD28GVRD2018		876623	8660	TERR	181 12 30	146.053	146.112
						408476	5304	TERR	270 58 1	333.411	333.547
833772	5332	E	510457.595	0.9995918	0.9999904	960021	5333	TERR	269 55 44	202.953	203.036
		N	5449275.784			156380	5060	TERR	359 39 9	307.838	307.963
		El	80.230	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
960021	5333	E	510254.642	0.9995908	0.9999895	833772	5332	TERR	89 55 44	202.953	203.036		
		N	5449275.532					889436	5334	TERR	269 46 1	392.524	392.685
		El	86.007					CVD28GVRD2018					
889436	5334	E	509862.121	0.9995908	0.9999896	346098	5335	TERR	0 11 15	202.886	202.969		
		N	5449273.936					960021	5333	TERR	89 46 1	392.524	392.685
		El	85.421					CVD28GVRD2018		529388	5777	TERR	179 53 56
346098	5335	E	509862.785	0.9995919	0.9999907	889436	5334	TERR	180 11 15	202.886	202.969		
		N	5449476.821					689893	5336	TERR	271 19 52	380.134	380.289
		El	78.128					CVD28GVRD2018					
689893	5336	E	509482.754	0.9995942	0.9999931	346098	5335	TERR	91 19 52	380.134	380.289		
		N	5449485.651					835322	5356	TERR	233 44 12	84.937	84.970
		El	63.371					CVD28GVRD2018					
259812	5337	E	509642.125	0.9995911	0.9999900				MARKER DESTROYED				
		N	5449180.950										
		El	82.927	1928 Canadian Vertical Datum									
757021	5338	E	510835.642	0.9995924	0.9999910	324863	8746	TERR	89 35 2	249.048	249.149		
		N	5447642.918					907873	5291	TERR	180 34 56	492.275	492.475
		El	76.577					CVD28GVRD2018					
486985	5339	E	510827.862	0.9995935	0.9999920			MARKER DESTROYED					
		N	5446802.429										
		El	69.876					CVD28GVRD2018					
79244	5340	E	510823.593	0.9995945	0.9999930			MARKER DESTROYED					
		N	5446364.216										
		El	63.726					CVD28GVRD2018					
543439	5341	E	510433.239	0.9995928	0.9999915	441113	5147	TERR	0 13 1	398.723	398.885		
		N	5446754.290										
		El	73.446					CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
196311	5342	E	510445.150	0.9995918	0.9999904	172049	5909	TERR	1 28 57	300.656	300.779					
		N	5447560.037					441113				5147	TERR	181 27 50	407.160	407.326
		El	80.281					CVD28GVRD2018								
487785	5343	E	510218.448	0.9995955	0.9999942	MARKER DESTROYED										
		N	5450221.233													
		El	56.163			CVD28GVRD2018										
492538	5344	E	509956.818	0.9995994	0.9999982	283275	80H2050	TERR	89 57 54	259.786	259.891					
		N	5450221.053					550178				5357	TERR	180 39 10	211.026	211.110
		El	30.295					CVD28GVRD2018				585505	5345	TERR	269 55 1	302.538
585505	5345	E	509654.280	0.9996037	1.0000026	492538	5344	TERR	89 55 1	302.538	302.659					
		N	5450220.614					490466				80H2049	TERR	182 4 28	233.325	233.418
		El	2.423					CVD28GVRD2018								
645499	5346	E	509646.274	0.9996034	1.0000023	MARKER DESTROYED										
		N	5449992.277													
		El	4.540			CVD28GVRD2018										
810440	5347	E	509038.263	0.9996037	1.0000027	490466	80H2049	TERR	89 51 32	607.573	607.814					
		N	5449985.945													
		El	1.961					CVD28GVRD2018								
687400	5348	E	509572.892	0.9995962	0.9999950	MARKER DESTROYED										
		N	5449653.578													
		El	50.758			CVD28GVRD2018										
32136	5349	E	509438.205	0.9995984	0.9999973	853838	5350	TERR	235 9 18	197.445	197.524					
		N	5449593.759													
		El	36.012					CVD28GVRD2018								
853838	5350	E	509276.162	0.9996002	0.9999992	32136	5349	TERR	55 9 18	197.445	197.524					
		N	5449480.947													
		El	24.380					CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
177758	5351	E	509046.647	0.9996034	1.0000024		MARKER DESTROYED				
		N	5449367.417								
		El	3.809	1928 Canadian Vertical Datum							
329631	5352	E	508835.821	0.9996036	1.0000026	580407	5501	TERR	0 49 11	152.519	152.579
		N	5449432.790								
		El	2.265	CVD28GVRD2018							
851055	5353	E	509096.835	0.9995978	0.9999968		MARKER DESTROYED				
		N	5449060.058								
		El	39.548	CVD28GVRD2018							
570283	5354	E	509097.910	0.9995952	0.9999942		MARKER ISOLATED				
		N	5448831.784								
		El	56.044	CVD28GVRD2018							
629824	5355	E	509408.745	0.9995922	0.9999911	835322	5356	TERR	0 47 16	401.787	401.951
		N	5449033.662			444885	5798	TERR	179 27 31	254.527	254.631
		El	75.582	CVD28GVRD2018		260794	5891	TERR	180 26 37	162.821	162.887
835322	5356	E	509414.269	0.9995943	0.9999932	689893	5336	TERR	53 44 12	84.937	84.970
		N	5449435.411			629824	5355	TERR	180 47 16	401.787	401.951
		El	62.347	CVD28GVRD2018							
550178	5357	E	509954.414	0.9995963	0.9999951	492538	5344	TERR	0 39 10	211.026	211.110
		N	5450010.041			252908	5358	TERR	180 27 18	212.016	212.102
		El	50.304	CVD28GVRD2018							
252908	5358	E	509952.730	0.9995936	0.9999923	550178	5357	TERR	0 27 18	212.016	212.102
		N	5449798.032								
		El	67.874	CVD28GVRD2018							
251272	5359	E	510866.277	0.9995926	0.9999911	428664	5770	TERR	90 41 58	341.707	341.846
		N	5449579.072			156380	5060	TERR	270 38 3	410.574	410.741
		El	75.578	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
418699	5360	E	510636.217	0.9995895	0.9999881	90910	8721	TERR	119 21 59	346.346	346.488
		N	5448248.801								
		El	94.991	CVD28GVRD2018							
767764	5361	E	511483.787	0.9995896	0.9999880	952663	5362	TERR	91 0 52	198.626	198.708
		N	5449424.438			593194	5363	TERR	180 19 33	445.829	446.012
		El	95.469	CVD28GVRD2018							
952663	5362	E	511682.382	0.9995880	0.9999863	468744	5061	TERR	0 29 27	153.389	153.452
		N	5449420.921			767764	5361	TERR	271 0 52	198.626	198.708
		El	106.295	CVD28GVRD2018							
593194	5363	E	511481.252	0.9995899	0.9999883	767764	5361	TERR	0 19 33	445.829	446.012
		N	5448978.616			830679	5821	TERR	165 22 21	171.776	171.846
		El	93.666	CVD28GVRD2018							
628859	5364	E	506297.320	0.9996025	1.0000021			MARKER DESTROYED			
		N	5447144.602								
		El	6.052	CVD28GVRD2018							
201426	5365	E	506764.275	0.9996005	0.9999999			MARKER DESTROYED			
		N	5447726.923								
		El	19.749	CVD28GVRD2018							
341479	5366	E	507316.579	0.9996022	1.0000016			MARKER DESTROYED			
		N	5448026.792								
		El	9.214	CVD28GVRD2018							
626549	5367	E	506971.880	0.9995998	0.9999992			MARKER ISOLATED			
		N	5447850.515								
		El	24.298	CVD28GVRD2018							
567859	5368	E	507477.144	0.9996017	1.0000010			MARKER DESTROYED			
		N	5448074.095								
		El	12.693	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
202176	5369	E	507663.683	0.9996015	1.0000008		MARKER DESTROYED				
		N	5448189.604								
		El	14.023	CVD28GVRD2018							
169292	5370	E	507200.942	0.9995908	0.9999901	668459	5373	TERR	358 47 51	118.799	118.848
		N	5447243.948								
		El	82.086	CVD28GVRD2018							
334953	5371	E	507192.411	0.9995944	0.9999938	23135	5372	TERR	288 24 15	183.424	183.498
		N	5447642.926								
		El	58.999	CVD28GVRD2018							
23135	5372	E	507018.369	0.9995963	0.9999957	334953	5371	TERR	108 24 15	183.424	183.498
		N	5447700.836								
		El	46.513	CVD28GVRD2018							
668459	5373	E	507198.449	0.9995920	0.9999913	985606	86H1304	GPS	75 9 55	6331.164	6333.761
		N	5447362.721			971887	5778	GPS	87 40 36	2438.211	2439.208
		El	74.366	CVD28GVRD2018		202697	NO MARKING	GPS	90 29 26	5181.727	5183.842
						737213	92H0877	GPS	141 21 52	2233.465	2234.379
						169292	5370	TERR	178 47 51	118.799	118.848
						15578	82H5618	GPS	232 33 34	895.868	896.232
						709121	5374	TERR	271 43 16	277.367	277.480
709121	5374	E	506921.207	0.9995939	0.9999933	668459	5373	TERR	91 43 16	277.367	277.480
		N	5447371.052								
		El	62.126	CVD28GVRD2018							
471789	5375	E	506641.637	0.9995991	0.9999985	637512	5901	TERR	45 1 25	58.182	58.206
		N	5447426.194			337337	5300	TERR	159 24 29	295.148	295.267
		El	28.523	CVD28GVRD2018							
70953	5376	E	507540.348	0.9995928	0.9999921		MARKER DESTROYED				
		N	5447466.468								
		El	69.456	CVD28GVRD2018							
893289	5377	E	508032.160	0.9996035	1.0000027		MARKER DESTROYED				
		N	5448649.375								
		El	2.049	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
163279	5378	E	508453.214	0.9996034	1.0000025		MARKER DESTROYED				
		N	5448653.709								
		El	3.011	1928	Canadian Vertical Datum						
715953	5379	E	508675.387	0.9996027	1.0000018		MARKER DESTROYED				
		N	5448655.521								
		El	7.590	1928	Canadian Vertical Datum						
463976	5380	E	512743.387	0.9995888	0.9999868	174094	5204	TERR	90 3 28	204.101	204.185
		N	5449977.440			259192	5381	TERR	270 19 54	151.014	151.076
		El	103.166	CVD28GVRD2018		10835	5527	TERR	359 38 4	477.354	477.549
259192	5381	E	512592.376	0.9995879	0.9999859	463976	5380	TERR	90 19 54	151.014	151.076
		N	5449978.314			640102	5899	TERR	179 11 12	196.176	196.257
		El	108.708	CVD28GVRD2018		660522	5382	TERR	270 23 9	427.541	427.717
660522	5382	E	512164.845	0.9995879	0.9999861	259192	5381	TERR	90 23 9	427.541	427.717
		N	5449981.194			947564	5385	TERR	270 24 9	84.981	85.016
		El	107.723	CVD28GVRD2018							
293126	5383	E	511969.187	0.9995886	0.9999868	947564	5385	TERR	90 24 55	110.682	110.727
		N	5449982.593			426031	5784	TERR	179 10 45	408.131	408.299
		El	103.001	CVD28GVRD2018							
363382	5384	E	512082.556	0.9995880	0.9999863	861658	5062	TERR	179 10 45	210.816	210.903
		N	5449785.365			947564	5385	TERR	359 12 55	196.444	196.525
		El	106.715	CVD28GVRD2018							
947564	5385	E	512079.866	0.9995882	0.9999864	660522	5382	TERR	90 24 9	84.981	85.016
		N	5449981.791			363382	5384	TERR	179 12 55	196.444	196.525
		El	105.451	CVD28GVRD2018		293126	5383	TERR	270 24 55	110.682	110.727
						590224	5386	TERR	318 35 18	219.185	219.275
590224	5386	E	511934.883	0.9995887	0.9999869	427567	5408	TERR	50 25 37	323.155	323.287
		N	5450146.174			947564	5385	TERR	138 35 18	219.185	219.275
		El	102.262	CVD28GVRD2018		559211	5387	TERR	230 42 35	240.042	240.140
						141382	5783	TERR	320 32 33	131.387	131.441

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
559211	5387	E	511749.103	0.9995893	0.9999876	590224	5386	TERR	50 42 35	240.042	240.140		
		N	5449994.168					521237	5529	TERR	230 34 42	281.095	281.210
		El	98.125					CVD28GVRD2018	971101	5388	TERR	316 45 28	246.355
971101	5388	E	511580.329	0.9995906	0.9999889	559211	5387	TERR	136 45 28	246.355	246.457		
		N	5450173.629					924167	5389	TERR	270 20 36	309.749	309.876
		El	89.619					CVD28GVRD2018					
924167	5389	E	511270.586	0.9995931	0.9999916	971101	5388	TERR	90 20 36	309.749	309.876		
		N	5450175.485					671156	5402	TERR	179 29 23	311.221	311.348
		El	72.881					CVD28GVRD2018	640409	5390	TERR	359 17 43	211.442
640409	5390	E	511267.985	0.9995938	0.9999923	48520	5391	TERR	90 25 29	233.239	233.335		
		N	5450386.911					924167	5389	TERR	179 17 43	211.442	211.528
		El	68.317					CVD28GVRD2018	606558	5400	TERR	270 22 28	111.556
48520	5391	E	511501.218	0.9995920	0.9999904	548032	5393	TERR	22 31 6	183.724	183.798		
		N	5450385.182					634055	5392	TERR	90 23 4	238.272	238.369
		El	80.154					CVD28GVRD2018	640409	5390	TERR	270 25 29	233.239
634055	5392	E	511739.485	0.9995910	0.9999893	141382	5783	TERR	140 32 43	176.093	176.165		
		N	5450383.583					48520	5391	TERR	270 23 4	238.272	238.369
		El	87.233					CVD28GVRD2018	548032	5393	TERR	315 34 33	239.877
548032	5393	E	511571.580	0.9995927	0.9999911	937219	5394	TERR	90 17 41	383.213	383.369		
		N	5450554.898					634055	5392	TERR	135 34 33	239.877	239.975
		El	75.753					CVD28GVRD2018	48520	5391	TERR	202 31 6	183.724
937219	5394	E	511954.788	0.9995904	0.9999886	660779	5395	TERR	90 25 51	239.560	239.659		
		N	5450552.926					548032	5393	TERR	270 17 41	383.213	383.369
		El	91.466					CVD28GVRD2018					
660779	5395	E	512194.341	0.9995897	0.9999878	283986	5396	TERR	0 19 58	163.162	163.229		
		N	5450551.125					937219	5394	TERR	270 25 51	239.560	239.659
		El	96.525					CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
283986	5396 E		512195.289	0.9995910	0.9999892	998559		TERR	0 23 25	275.996	276.108	
		N	5450714.284			660779	5395	TERR	180 19 58	163.162	163.229	
		El	88.022			CVD28GVRD2018						
998559	5397 E		512197.169	0.9995948	0.9999930	458042		TERR	0 20 38	213.611	213.697	
		N	5450990.274			283986	5396	TERR	180 23 25	275.996	276.108	
		El	63.726			CVD28GVRD2018						
458042	5398 E		512198.451	0.9995988	0.9999970	634667	13H2679	GPS	85 13 36	1143.077	1143.532	
		N	5451203.881			10835	5527	GPS	144 7 6	924.549	924.925	
		El	38.046			CVD28GVRD2018	998559	5397	TERR	180 20 38	213.611	213.697
							898734	NO MARKING	GPS	220 1 8	3114.828	3116.094
		698134	10H2607			GPS	272 39 2	575.365	575.594			
578682	5399 E		512335.454	0.9995984	0.9999965			MARKER DESTROYED				
	N		5451219.727									
	El		41.239	1928 Canadian Vertical Datum								
606558	5400 E		511156.431	0.9995949	0.9999933	357780	95H1994	GPS	13 17 54	2081.681	2082.515	
		N	5450387.640			277749	94H1655	GPS	28 38 1	5218.899	5221.024	
		El	61.566			CVD28GVRD2018	248765	02H2466	GPS	53 52 21	5055.922	5057.967
							10835	5527	GPS	87 34 21	1585.333	1585.979
		715698	92H0905			GPS	89 52 19	3903.471	3905.059			
		640409	5390			TERR	90 22 28	111.556	111.602			
		71563	86H1270			GPS	108 1 15	2622.599	2623.667			
		904904	NO MARKING			GPS	129 17 24	17899.331	17906.477			
		546390	5025			GPS	159 53 32	9777.587	9781.508			
		426981	92H0886			GPS	178 11 20	3275.044	3276.372			
		516153	5403			TERR	179 3 6	330.726	330.861			
		898734	NO MARKING			GPS	211 28 57	1840.048	1840.799			
		841734	6966			GPS	223 25 42	6572.944	6575.628			
		74286	92H0895			GPS	242 57 30	1715.207	1715.902			
		869792	NO MARKING			GPS	245 10 48	24119.991	24129.689			
21139	92H0904	GPS	254 49 59	4038.116	4039.737							
595017	89H6032	GPS	279 42 18	6102.216	6104.711							
859504	462	GPS	292 22 58	5856.442	5858.842							
875864	NO MARKING	GPS	293 38 25	19271.173	19278.951							
16725	92H0902	GPS	297 25 20	1995.732	1996.532							
2303	5401 E		510800.128	0.9995978	0.9999964			MARKER DESTROYED				
	N		5450390.176									
	El		42.223	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
671156	5402	E	511273.358	0.9995916	0.9999901	728048	8726	TERR	140 25 6	201.438	201.521						
		N	5449864.276									924167	5389	TERR	359 29 23	311.221	311.348
		El	82.293									CVD28GVRD2018					
516153	5403	E	511161.905	0.9995933	0.9999917	954966	5404	TERR	315 33 21	140.179	140.236						
		N	5450056.959									606558	5400	TERR	359 3 6	330.726	330.861
		El	71.633									CVD28GVRD2018					
954966	5404	E	511063.750	0.9995943	0.9999928	516153	5403	TERR	135 33 21	140.179	140.236						
		N	5450157.037									65771	5516	TERR	226 12 14	271.664	271.775
		El	64.866									CVD28GVRD2018					
28019	5405	E	510177.475	0.9995984	0.9999971	101741	5780	TERR	89 53 18	189.517	189.594						
		N	5450391.045														
		El	37.430									CVD28GVRD2018					
767293	5406	E	512742.794	0.9995932	0.9999912	146654	5782	TERR	230 34 3	174.126	174.197						
		N	5450811.600									59733	5409	TERR	335 45 41	302.095	302.217
		El	75.118									CVD28GVRD2018					
314948	5407	E	512467.058	0.9995898	0.9999878	146654	5782	TERR	50 34 13	182.866	182.941						
		N	5450584.857									427567	5408	TERR	230 33 55	366.522	366.673
		El	96.486									CVD28GVRD2018					
427567	5408	E	512183.975	0.9995886	0.9999868	314948	5407	TERR	50 33 55	366.522	366.673						
		N	5450352.043									590224	5386	TERR	230 25 37	323.155	323.287
		El	103.329									CVD28GVRD2018					
59733	5409	E	512618.773	0.9995963	0.9999943	230565	5410	TERR	4 9 56	90.381	90.418						
		N	5451087.064									767293	5406	TERR	155 45 41	302.095	302.217
		El	55.073									CVD28GVRD2018					
230565	5410	E	512625.338	0.9995979	0.9999959	59733	5409	TERR	184 9 56	90.381	90.418						
		N	5451177.206														
		El	45.061									CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
793422	5411	E	512771.595	0.9995992	0.9999972		MARKER DESTROYED				
		N	5451207.993								
		El	36.817	1928	Canadian Vertical Datum						
438994	5412	E	512959.674	0.9996026	1.0000006	371856	5414	TERR	63 11 36	177.136	177.206
		N	5451210.565								
		El	15.389	CVD28GVRD2018							
371856	5414	E	513117.774	0.9996037	1.0000016	438994	5412	TERR	243 11 36	177.136	177.206
		N	5451290.450								
		El	8.531	CVD28GVRD2018							
846154	5415	E	513299.973	0.9996036	1.0000014		MARKER DESTROYED				
		N	5451300.645								
		El	9.635	1928	Canadian Vertical Datum						
492314	5416	E	513463.146	0.9996024	1.0000002	791913	5417	TERR	150 18 29	159.352	159.415
		N	5451113.647								
		El	17.921	CVD28GVRD2018							
791913	5417	E	513542.079	0.9996012	0.9999990	86652	5418	TERR	173 55 28	175.431	175.502
		N	5450975.218			492314	5416	TERR	330 18 29	159.352	159.415
		El	25.357	CVD28GVRD2018							
86652	5418	E	513560.647	0.9995989	0.9999967	453951	5419	TERR	198 10 46	143.108	143.165
		N	5450800.772			791913	5417	TERR	353 55 28	175.431	175.502
		El	40.258	CVD28GVRD2018							
453951	5419	E	513515.998	0.9995966	0.9999944	86652	5418	TERR	18 10 46	143.108	143.165
		N	5450664.808								
		El	54.761	CVD28GVRD2018							
700625	5420	E	513434.049	0.9995948	0.9999925		MARKER DESTROYED				
		N	5450594.441								
		El	66.570	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
660191	5421	E	513515.309	0.9995936	0.9999914	144808	5207	TERR	134 17 37	185.548	185.623
		N	5450416.695								
		El	73.917	CVD28GVRD2018							
189563	5422	E	513992.679	0.9995964	0.9999940	849307	5423	TERR	204 34 56	291.904	292.022
		N	5450626.399			144808	5207	TERR	225 26 33	483.562	483.758
		El	57.430	CVD28GVRD2018							
849307	5423	E	513871.247	0.9995949	0.9999925	189563	5422	TERR	24 34 56	291.904	292.022
		N	5450360.952			244699	5424	TERR	125 7 31	120.040	120.088
		El	66.890	CVD28GVRD2018							
244699	5424	E	513969.427	0.9995940	0.9999916	849307	5423	TERR	305 7 31	120.040	120.088
		N	5450291.885								
		El	72.357	CVD28GVRD2018							
441451	5425	E	513874.649	0.9995936	0.9999912			MARKER DESTROYED			
		N	5450094.291								
		El	74.893	CVD28GVRD2018							
145284	5426	E	513922.685	0.9995923	0.9999900	911495	5427	TERR	91 3 57	431.753	431.928
		N	5449886.583								
		El	83.047	CVD28GVRD2018							
911495	5427	E	514354.363	0.9995910	0.9999885	145284	5426	TERR	271 3 57	431.753	431.928
		N	5449878.551								
		El	92.594	CVD28GVRD2018							
589374	5428	E	512871.698	0.9995913	0.9999892			MARKER DESTROYED			
		N	5447142.770								
		El	87.748	CVD28GVRD2018							
433581	5429	E	514499.915	0.9996030	1.0000005	745927	5271	GPS	63 48 33	1811.909	1812.637
		N	5443961.624			15594	5188	GPS	97 10 27	3279.805	3281.109
		El	16.294	CVD28GVRD2018		642769	5702	GPS	116 42 33	1822.595	1823.319
						98178	86H1262	GPS	177 45 8	392.217	392.372
						880229	5027	TERR	179 37 38	1626.135	1626.780

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
988014	5430	E	514504.917	0.9996052	1.0000026		MARKER DESTROYED				
		N	5443158.256								
		El	2.505	CVD28GVRD2018							
588079	5431	E	518533.809	0.9996045	1.0000003		MARKER ISOLATED				
		N	5440697.486								
		El	17.391	CVD28GVRD2018							
607465	5432	E	512096.851	0.9995992	0.9999974	591339	84H0596	TERR	0 41 3	332.363	332.495
		N	5434628.658			346668	5433	TERR	180 26 49	212.520	212.605
		El	36.005	CVD28GVRD2018							
346668	5433	E	512095.193	0.9995973	0.9999955	607465	5432	TERR	0 26 49	212.520	212.605
		N	5434416.145			28266	5434	TERR	180 1 33	249.131	249.232
		El	48.519	CVD28GVRD2018							
28266	5434	E	512095.081	0.9995970	0.9999952	346668	5433	TERR	0 1 33	249.131	249.232
		N	5434167.014			170829	5437	TERR	179 47 40	402.749	402.910
		El	49.988	CVD28GVRD2018							
857813	5435	E	510937.762	0.9995916	0.9999901		MARKER DESTROYED				
		N	5448076.784								
		El	82.226	CVD28GVRD2018							
791855	5436	E	510938.362	0.9995916	0.9999901		MARKER DESTROYED				
		N	5448333.933								
		El	82.265	CVD28GVRD2018							
170829	5437	E	512096.525	0.9995972	0.9999954	67421	5438	TERR	179 47 44	402.928	403.091
		N	5433764.268			28266	5434	TERR	359 47 40	402.749	402.910
		El	49.087	CVD28GVRD2018							
67421	5438	E	512097.963	0.9995953	0.9999935	665794	5498	TERR	270 11 59	808.742	809.071
		N	5433361.343			170829	5437	TERR	359 47 44	402.928	403.091
		El	61.063	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
702597	5439	E	512098.371	0.9995926	0.9999908		MARKER DESTROYED				
		N	5433197.127								
		El	78.201	CVD28GVRD2018							
269076	5440	E	508423.976	0.9995914	0.9999905	996116	8633	TERR	90 45 53	405.840	406.006
		N	5440722.339								
		El	79.874	CVD28GVRD2018							
165159	5441	E	508829.780	0.9995906	0.9999896		MARKER DESTROYED				
		N	5440716.923								
		El	85.515	CVD28GVRD2018							
215962	5442	E	508829.739	0.9995907	0.9999898		MARKER DESTROYED				
		N	5441128.511								
		El	84.678	CVD28GVRD2018							
768879	5443	E	508828.773	0.9995909	0.9999899	999623	5806	TERR	359 17 32	361.768	361.915
		N	5441542.152								
		El	83.498	CVD28GVRD2018							
505024	5444	E	508822.289	0.9995896	0.9999886	114371	8777	TERR	90 9 26	503.260	503.467
		N	5443143.539			364	5598	TERR	180 14 13	197.912	197.993
		El	91.960	CVD28GVRD2018		829994	5599	TERR	359 22 52	400.992	401.157
870386	5445	E	510053.503	0.9995909	0.9999897		MARKER DESTROYED				
		N	5441526.710								
		El	85.118	1928 Canadian Vertical Datum							
152694	5446	E	510862.626	0.9995935	0.9999921	582767	5927	TERR	91 17 52	202.102	202.184
		N	5441508.355			926089	5847	TERR	179 23 30	342.929	343.068
		El	70.059	CVD28GVRD2018							
298117	5447	E	510872.409	0.9995938	0.9999924	222943	79H0033	TERR	269 38 9	402.311	402.475
		N	5440697.466			926089	5847	TERR	359 14 53	468.019	468.209
		El	67.930	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
197129	5448	E	511677.610	0.9995963	0.9999946	111765	5928	TERR	89 54 40	187.994	188.070
		N	5441499.381								
		El	53.535	CVD28GVRD2018							
423731	5449	E	512082.844	0.9995972	0.9999954						
		N	5441499.648								
		El	48.533	1928 Canadian Vertical Datum							
776989	5450	E	514165.429	0.9996006	0.9999981	880229	5027	TERR	90 31 48	345.080	345.218
		N	5442338.715			155861	5042	TERR	270 8 55	463.778	463.963
		El	31.232	CVD28GVRD2018							
848101	5451	E	513498.710	0.9995954	0.9999931	155861	5042	TERR	89 52 24	202.944	203.026
		N	5442339.469			841528	8771	TERR	269 48 52	232.594	232.688
		El	63.147	CVD28GVRD2018							
646497	5452	E	513259.563	0.9995946	0.9999925						
		N	5442338.543								
		El	67.462	CVD28GVRD2018							
308981	5453	E	513693.814	0.9996001	0.9999978						
		N	5443154.145								
		El	33.019	1928 Canadian Vertical Datum							
94292	5454	E	513674.606	0.9995994	0.9999971						
		N	5444761.805								
		El	37.844	1928 Canadian Vertical Datum							
817379	5455	E	513676.320	0.9995966	0.9999943	731232	5032	TERR	0 14 46	405.587	405.751
		N	5445167.545								
		El	55.727	CVD28GVRD2018							
398610	5456	E	513302.242	0.9995984	0.9999962						
		N	5444760.187								
		El	43.302	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
524223	5457	E	511231.242	0.9995989	0.9999974		MARKER DESTROYED				
		N	5444749.453								
		El	35.935	CVD28GVRD2018							
654228	5458	E	510998.632	0.9995976	0.9999962		MARKER ISOLATED				
		N	5444747.685								
		El	43.735	CVD28GVRD2018							
494740	5459	E	508815.695	0.9995903	0.9999893	585604	5460	TERR	179 55 13	408.795	408.963
		N	5444773.074			25601	8762	TERR	272 2 44	239.431	239.528
		El	87.475	CVD28GVRD2018							
585604	5460	E	508816.264	0.9995899	0.9999890	950840	5461	TERR	91 39 55	651.634	651.901
		N	5444364.279			640540	5138	TERR	179 50 28	407.057	407.224
		El	89.502	CVD28GVRD2018		649145	8763	TERR	271 50 21	555.609	555.838
						494740	5459	TERR	359 55 13	408.795	408.963
950840	5461	E	509467.623	0.9995919	0.9999908	783019	92H0879	GPS	67 19 20	1034.745	1035.165
		N	5444345.341			36509	92H0882	GPS	171 34 16	1203.225	1203.717
		El	77.679	CVD28GVRD2018		585604	5460	TERR	271 39 55	651.634	651.901
						737213	92H0877	GPS	325 30 7	1544.327	1544.959
532192	5462	E	509627.338	0.9995921	0.9999909		MARKER DESTROYED				
		N	5444140.972								
		El	77.045	CVD28GVRD2018							
555227	5464	E	510841.102	0.9995943	0.9999928		MARKER DESTROYED				
		N	5443936.823								
		El	65.136	CVD28GVRD2018							
289595	5465	E	512099.663	0.9995910	0.9999892	801845	5466	TERR	179 47 19	272.593	272.704
		N	5432824.892								
		El	88.340	CVD28GVRD2018							
801845	5466	E	512100.669	0.9995908	0.9999890	445338	5871	TERR	90 5 40	809.448	809.780
		N	5432552.301			673970	5467	TERR	179 41 53	806.114	806.445
		El	89.850	CVD28GVRD2018		554550	5568	TERR	270 5 51	808.005	808.335
						289595	5465	TERR	359 47 19	272.593	272.704

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
-----	-----					-----	-----					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
673970	5467	E	512104.917	0.9995904	0.9999886	545905	5468	TERR	179 42 48	476.323	476.518	
		N	5431746.198			801845	5466	TERR	359 41 53	806.114	806.445	
		El	92.517			CVD28GVRD2018						
545905	5468	E	512107.301	0.9995910	0.9999892	502807	5469	TERR	179 42 45	332.122	332.257	
		N	5431269.881			673970	5467	TERR	359 42 48	476.323	476.518	
		El	88.361			CVD28GVRD2018						
502807	5469	E	512108.968	0.9995922	0.9999904	467191	5470	TERR	90 5 2	808.527	808.857	
		N	5430937.763			583997	88H3885	TERR	183 21 58	231.560	231.654	
		El	81.059			CVD28GVRD2018	236786	5473	TERR	270 2 3	404.823	404.989
							545905	5468	TERR	359 42 45	332.122	332.257
467191	5470	E	512917.494	0.9995915	0.9999895	390740	88H3874	TERR	88 40 15	283.693	283.809	
		N	5430936.579			471623	5471	TERR	90 2 23	809.748	810.079	
		El	86.859			CVD28GVRD2018	854612	88H3910	TERR	180 6 24	226.388	226.481
							502807	5469	TERR	270 5 2	808.527	808.857
							43158	88H3860	TERR	272 5 11	201.468	201.549
471623	5471	E	513727.242	0.9995904	0.9999881	513044	92H0852	GPS	0 19 8	815.868	816.204	
		N	5430936.019			629832	84H0578	GPS	56 17 12	1448.198	1448.792	
		El	95.940			CVD28GVRD2018	202903	86H1297	GPS	75 1 58	833.299	833.642
							208850	5472	TERR	90 8 53	505.141	505.348
							335265	88H3862	TERR	177 53 12	209.778	209.863
							467191	5470	TERR	270 2 23	809.748	810.079
							851287	5476	GPS	270 6 6	4044.580	4046.233
							390740	88H3874	TERR	270 46 39	526.180	526.395
			188508	92H0849	GPS	314 15 45	1145.523	1145.992				
208850	5472	E	514232.381	0.9995886	0.9999861	589564	86H1296	TERR	88 13 50	312.763	312.892	
		N	5430934.713			442525	5110	TERR	90 10 24	301.380	301.505	
		El	108.654			CVD28GVRD2018	489948	88H3859	TERR	179 50 11	394.140	394.301
							471623	5471	TERR	270 8 53	505.141	505.348
236786	5473	E	511704.145	0.9995912	0.9999896	502807	5469	TERR	90 2 3	404.823	404.989	
		N	5430938.004			730085	5474	TERR	270 3 21	404.785	404.950	
		El	86.370			CVD28GVRD2018						
730085	5474	E	511299.360	0.9995909	0.9999894	236786	5473	TERR	90 3 21	404.785	404.950	
		N	5430938.398			354274	88H3844	TERR	177 57 49	196.796	196.877	
		El	87.668			CVD28GVRD2018	510669	5661	TERR	180 7 20	450.531	450.715
							656637	5475	TERR	270 11 5	807.835	808.166
							942870	86H1263	TERR	359 44 19	182.019	182.093

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----		Metres	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING								
656637	5475	E	510491.529	0.9995910	0.9999896	730085	5474	TERR	90 11 5	807.835	808.166				
		N	5430941.002					851287	5476	TERR	270 9 18	808.864	809.195		
		El	85.906					CVD28GVRD2018							
851287	5476	E	509682.668	0.9995924	0.9999912	375337	5489	TERR	0 19 32	382.109	382.265				
		N	5430943.189					53561	10H2606	GPS	0 50 30	792.530	792.853		
		El	75.603					CVD28GVRD2018		904904	NO MARKING	GPS	62 6 57	17340.258	17347.204
								940213	92H0920	GPS	63 25 19	1811.501	1812.243		
								188508	92H0849	GPS	76 11 36	3320.140	3321.497		
								202903	86H1297	GPS	87 32 37	4854.062	4856.053		
								471623	5471	GPS	90 6 6	4044.580	4046.233		
								656637	5475	TERR	90 9 18	808.864	809.195		
								819185	5666	TERR	179 57 31	281.629	281.744		
								303743	92H0854	GPS	313 51 39	1091.452	1091.894		
		557686	5495	GPS	348 11 10	3520.559	3521.975								
641548	5477	E	509687.545	0.9995937	0.9999925	MARKER DESTROYED									
		N	5431747.587												
		El	67.556			CVD28GVRD2018									
553982	5478	E	509690.928	0.9995943	0.9999931	MARKER DESTROYED									
		N	5432552.265												
		El	63.663			CVD28GVRD2018									
273763	5479	E	509691.460	0.9995950	0.9999939	462184	5480	TERR	0 5 50	403.038	403.200				
		N	5432955.498					323808	80H2023	TERR	180 3 54	403.185	403.349		
		El	58.661					CVD28GVRD2018							
462184	5480	E	509692.143	0.9995968	0.9999956	451906	84H0605	TERR	80 2 31	210.481	210.566				
		N	5433358.535					273763	5479	TERR	180 5 50	403.038	403.200		
		El	47.656					CVD28GVRD2018		397364	5481	TERR	270 42 59	417.529	417.697
								165555	5492	TERR	282 11 46	387.666	387.822		
397364	5481	E	509274.647	0.9995994	0.9999983	462184	5480	TERR	90 42 59	417.529	417.697				
		N	5433363.756					660654	8631	TERR	180 47 49	287.051	287.166		
		El	30.263					CVD28GVRD2018							
179465	5482	E	509028.797	0.9995961	0.9999951	323808	80H2023	TERR	90 3 38	662.205	662.474				
		N	5432553.014					145326	5483	TERR	269 57 59	443.768	443.947		
		El	51.152					CVD28GVRD2018		459172	5485	TERR	270 2 58	143.995	144.053

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
145326	5483	E	508585.029	0.9995977	0.9999968	459172	5485	TERR	89 55 35	299.773	299.894						
		N	5432552.753									179465	5482	TERR	89 57 59	443.768	443.947
		El	40.401									CVD28GVRD2018					
776252	5484	E	508887.677	0.9995968	0.9999959	MARKER DESTROYED											
		N	5432820.128														
		El	46.029			CVD28GVRD2018											
459172	5485	E	508884.802	0.9995972	0.9999963	179465	5482	TERR	90 2 58	143.995	144.053						
		N	5432553.138									287474	5486	TERR	179 49 6	349.580	349.721
		El	43.472									CVD28GVRD2018		145326	5483	TERR	269 55 35
287474	5486	E	508885.911	0.9995973	0.9999963	324061	5490	TERR	90 50 8	803.891	804.215						
		N	5432203.560									459172	5485	TERR	359 49 6	349.580	349.721
		El	43.388									CVD28GVRD2018					
228056	5487	E	508887.815	0.9995980	0.9999970	MARKER DESTROYED											
		N	5431696.746														
		El	38.719			CVD28GVRD2018											
613695	5488	E	509111.316	0.9995982	0.9999972	965061	8713	TERR	91 6 58	280.558	280.672						
		N	5431336.475														
		El	37.512									CVD28GVRD2018					
375337	5489	E	509684.840	0.9995929	0.9999918	851287	5476	TERR	180 19 32	382.109	382.265						
		N	5431325.292									965061	8713	TERR	271 7 5	293.075	293.194
		El	72.160									CVD28GVRD2018					
324061	5490	E	509689.716	0.9995940	0.9999929	323808	80H2023	TERR	0 12 16	360.476	360.623						
		N	5432191.839									287474	5486	TERR	270 50 8	803.891	804.215
		El	65.288									CVD28GVRD2018					
685032	5491	E	509266.998	0.9995962	0.9999951	660654	8631	TERR	0 47 39	263.812	263.919						
		N	5432812.946														
		El	50.953									CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----					-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
165555	5492	E	509313.226	0.9996000	0.9999989	462184	5480	TERR	102 11 46	387.666	387.822
		N	5433440.432			187682	8744	TERR	280 38 53	233.116	233.210
		El	26.713	CVD28GVRD2018							
263103	5493	E	509079.323	0.9996030	1.0000020		MARKER DESTROYED				
		N	5433482.316								
		El	6.776	1928 Canadian Vertical Datum							
255232	5494	E	508592.496	0.9996037	1.0000028	557686	5495	TERR	44 20 51	528.450	528.659
		N	5434011.273								
		El	2.053	CVD28GVRD2018							
557686	5495	E	508961.887	0.9996038	1.0000028	898734	NO MARKING	GPS	4 53 11	14481.910	14487.761
		N	5434389.174			864868	5640	TERR	20 22 34	3298.686	3299.996
		El	1.805	CVD28GVRD2018		901199	5620	GPS	30 25 47	4289.871	4291.570
						337592	10H2614	GPS	45 18 1	3832.112	3833.630
						563304	5622	GPS	47 29 17	5755.856	5758.134
						251132	5637	GPS	47 38 26	2066.869	2067.688
						599530	5630	GPS	71 33 52	4199.376	4201.041
						904904	NO MARKING	GPS	73 47 42	16711.711	16718.312
						4903	92H0897	GPS	85 57 26	2201.362	2202.234
						904300	84H0601	GPS	94 34 8	1995.127	1995.921
						690016	92H0848	GPS	102 16 25	4886.834	4888.794
						12765	10H2597	GPS	113 25 5	1543.769	1544.386
						202903	86H1297	GPS	120 10 7	6443.092	6445.696
						455196	5873	GPS	125 12 59	8786.246	8789.720
						942870	86H1263	GPS	144 26 29	4018.045	4019.665
						53561	10H2606	GPS	164 34 11	2752.766	2753.870
						851287	5476	GPS	168 11 10	3520.559	3521.975
						303743	92H0854	GPS	181 24 34	2690.521	2691.595
						255232	5494	TERR	224 20 51	528.450	528.659
						394825	81	GPS	256 52 27	21310.867	21319.318
						762716	80H1257	GPS	279 58 56	5921.491	5923.841
						995365	6910	GPS	311 27 48	5629.585	5631.818
						607093	5893	GPS	343 37 30	3400.730	3402.078
						102970	92H0875	GPS	351 32 16	6419.842	6422.426
463604	5496	E	510485.886	0.9995945	0.9999932	626739	5497	TERR	89 32 7	400.582	400.744
		N	5433361.302			338822	8632	TERR	179 36 14	265.411	265.520
		El	63.354	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
626739	5497	E	510886.455	0.9995936	0.9999921	665794	5498	TERR	90 3 20	402.771	402.935		
		N	5433364.552					271718	80H2073	TERR	179 36 18	280.014	280.127
		El	69.929					CVD28GVRD2018	463604	5496	TERR	269 32 7	400.582
665794	5498	E	511289.226	0.9995935	0.9999920	67421	5438	TERR	90 11 59	808.742	809.071		
		N	5433364.161					341933	80H2069	TERR	179 41 40	194.339	194.418
		El	70.860					CVD28GVRD2018	626739	5497	TERR	270 3 20	402.771
519785	5500	E	512102.463	0.9996041	1.0000023			MARKER DESTROYED					
		N	5434952.053										
		El	5.134					CVD28GVRD2018					
580407	5501	E	508838.003	0.9996036	1.0000026	329631	5352	TERR	180 49 11	152.519	152.579		
		N	5449585.293										
		El	2.232					CVD28GVRD2018					
119438	5502	E	508451.179	0.9995975	0.9999966			MARKER ISOLATED					
		N	5448241.665										
		El	40.916					CVD28GVRD2018					
162214	5503	E	508206.077	0.9995912	0.9999904	984617	5295	TERR	179 51 26	396.800	396.963		
		N	5447552.188										
		El	80.341					CVD28GVRD2018					
704361	5504	E	507688.642	0.9995941	0.9999934	528992	5800	TERR	91 5 3	518.596	518.807		
		N	5447768.289					622860	8725	TERR	91 35 24	328.600	328.733
		El	61.170					CVD28GVRD2018					
95075	5505	E	511060.435	0.9995918	0.9999903			MARKER DESTROYED					
		N	5449268.793										
		El	80.805					1928 Canadian Vertical Datum					
862052	5507	E	508408.946	0.9995904	0.9999895	949008	5294	TERR	89 42 19	392.848	393.010		
		N	5447156.447					934539	8791	TERR	180 21 28	372.606	372.760
		El	86.211					CVD28GVRD2018	984617	5295	TERR	269 41 59	201.884

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
264119	5508	E	508406.616	0.9995889	0.9999881		MARKER DESTROYED				
		N	5446783.860								
		El	95.326	1928	Canadian Vertical Datum						
169847	5509	E	508801.278	0.9995891	0.9999881		MARKER DESTROYED				
		N	5446706.090								
		El	94.887	1928	Canadian Vertical Datum						
37739	5510	E	508261.206	0.9995880	0.9999872		MARKER DESTROYED				
		N	5446008.029								
		El	101.141	CVD28GVRD2018							
8813	5511	E	508806.526	0.9995903	0.9999894		MARKER DESTROYED				
		N	5446011.664								
		El	87.119	CVD28GVRD2018							
577387	5512	E	509213.567	0.9995909	0.9999898		MARKER DESTROYED				
		N	5445966.327								
		El	83.972	CVD28GVRD2018							
444083	5513	E	510831.166	0.9995961	0.9999946		MARKER DESTROYED				
		N	5445953.455								
		El	53.340	1928	Canadian Vertical Datum						
29140	5514	E	510832.592	0.9995972	0.9999958		MARKER DESTROYED				
		N	5445553.030								
		El	45.988	1928	Canadian Vertical Datum						
105155	5515	E	510655.190	0.9995964	0.9999950		MARKER DESTROYED				
		N	5450183.035								
		El	51.166	CVD28GVRD2018							
65771	5516	E	510867.661	0.9995946	0.9999931	954966	5404 TERR	46 12 14	271.664	271.775	
		N	5449969.020			933747	5517 TERR	130 45 12	304.336	304.459	
		El	62.834	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
933747	5517	E	511098.203	0.9995921	0.9999906	65771	5516	TERR	310 45 12	304.336	304.459
		N	5449770.348								
		El	79.239	CVD28GVRD2018							
521641	5518	E	511242.378	0.9995910	0.9999894						
		N	5449566.614								
		El	86.625	CVD28GVRD2018							
422048	5519	E	511284.029	0.9995913	0.9999898						
		N	5449170.522								
		El	84.378	CVD28GVRD2018							
126169	5521	E	511277.748	0.9995924	0.9999908						
		N	5448333.402								
		El	77.743	CVD28GVRD2018							
136622	5522	E	511247.743	0.9995926	0.9999911						
		N	5447969.777								
		El	76.093	CVD28GVRD2018							
633719	5523	E	512890.834	0.9995884	0.9999863						
		N	5448349.121								
		El	106.189	CVD28GVRD2018							
476275	5524	E	512892.632	0.9995891	0.9999871	202697	NO MARKING	GPS	218 51 57	816.966	817.301
		N	5447954.454			426981	92H0886	GPS	242 46 7	1836.203	1836.953
		El	101.577	CVD28GVRD2018		303420	8661	TERR	269 26 9	206.545	206.630
						85258	92H0892	GPS	270 8 26	1117.528	1117.987
						361485	5525	TERR	293 58 42	226.036	226.129
						187880	86H1271	GPS	325 1 47	715.165	715.459
						991117	8662	TERR	359 43 58	151.100	151.162
361485	5525	E	512686.103	0.9995884	0.9999864	336313	5526	TERR	0 7 18	236.800	236.897
		N	5448046.313			476275	5524	TERR	113 58 42	226.036	226.129
		El	105.646	CVD28GVRD2018		303420	8661	TERR	180 0 13	93.893	93.932
336313	5526	E	512686.606	0.9995879	0.9999859	795534	8666	TERR	0 10 46	69.268	69.297
		N	5448283.112			242107	5774	TERR	0 10 49	486.412	486.612
		El	108.905	CVD28GVRD2018		361485	5525	TERR	180 7 18	236.800	236.897

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
10835	5527	E	512740.341	0.9995900	0.9999880	634667	13H2679	GPS	35 16 36	1034.107	1034.524						
		N	5450454.784					950121	5281	GPS	92 29 42	1770.868	1771.591				
		El	95.472					CVD28GVRD2018	71563	86H1270	GPS	133 59 22	1264.869	1265.386			
									513077	10H2603	GPS	151 49 23	1947.182	1947.981			
									463976	5380	TERR	179 38 4	477.354	477.549			
									898734	NO MARKING	GPS	237 15 33	3025.537	3026.780			
									606558	5400	GPS	267 34 21	1585.333	1585.979			
									698134	10H2607	GPS	304 47 13	1359.632	1360.180			
			458042	5398	GPS	324 7 6	924.549	924.925									
681528	5528	E	512493.637	0.9995890	0.9999870	559211	5387	TERR	50 34 42	281.095	281.210						
		N	5449176.689									728048	8726	TERR	230 41 26	168.338	168.407
		El	101.721									1928 Canadian Vertical Datum					
521237	5529	E	511531.959	0.9995895	0.9999879	174219	2959	TERR	0 33 13	402.273	402.438						
		N	5449815.667									429050	5209	TERR	270 25 1	402.114	402.278
		El	96.307									CVD28GVRD2018					
506220	5530	E	513293.045	0.9995885	0.9999863	59246	5065	TERR	1 5 31	435.830	436.009						
		N	5449164.530									342428	5532	TERR	181 3 29	371.521	371.673
		El	106.375									CVD28GVRD2018					
239426	5531	E	514110.482	0.9995910	0.9999885	239426	5531	TERR	1 3 29	371.521	371.673						
		N	5449131.279									718296	79H0024	TERR	178 47 0	429.037	429.212
		El	92.059									CVD28GVRD2018	785238	5536	TERR	180 6 59	811.502
342428	5532	E	514103.621	0.9995908	0.9999883	364455	5535	TERR	180 24 35	485.117	485.316						
		N	5448759.821														
		El	93.520									CVD28GVRD2018					
390351	5534	E	513699.618	0.9995897	0.9999874	390351	5534	TERR	0 24 35	485.117	485.316						
		N	5448430.293									785238	5536	TERR	89 33 28	405.834	406.001
		El	99.251									CVD28GVRD2018	371245	79H0004	TERR	180 48 9	407.419
364455	5535	E	513696.149	0.9995894	0.9999871	390351	5534	TERR	0 24 35	485.117	485.316						
		N	5447945.188									785238	5536	TERR	89 33 28	405.834	406.001
		El	101.593									CVD28GVRD2018	371245	79H0004	TERR	180 48 9	407.419

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
785238	5536	E	514101.971	0.9995910	0.9999885	342428	5532	TERR	0 6 59	811.502	811.834		
		N	5447948.321					718296	79H0024	TERR	1 36 39	382.711	382.868
		El	92.187					CVD28GVRD2018	419374	79H0010	TERR	89 29 44	396.610
						364455	5535	TERR	269 33 28	405.834	406.001		
865857	5537	E	514507.770	0.9995915	0.9999890	MARKER DESTROYED							
		N	5447951.571										
		El	89.545			CVD28GVRD2018							
395590	5539	E	511767.730	0.9995901	0.9999883	383653	5211	TERR	90 44 39	316.694	316.823		
		N	5448341.578					630764	5212	TERR	270 44 52	344.617	344.758
		El	93.411					CVD28GVRD2018					
165712	5540	E	511696.989	0.9995913	0.9999897	MARKER DESTROYED							
		N	5447952.651										
		El	85.080			CVD28GVRD2018							
177865	5541	E	511685.575	0.9995927	0.9999910	MARKER ISOLATED							
		N	5447597.800										
		El	76.626			CVD28GVRD2018							
827923	5542	E	512055.645	0.9995935	0.9999917	465351	5217	TERR	180 3 28	302.691	302.814		
		N	5446681.045										
		El	71.896					CVD28GVRD2018					
403345	5543	E	511702.074	0.9995954	0.9999938	465351	5217	TERR	89 32 55	353.277	353.420		
		N	5446375.570					129593	78H8426	TERR	269 11 52	878.528	878.884
		El	58.978					CVD28GVRD2018					
820316	5544	E	511229.815	0.9995959	0.9999943	MARKER DESTROYED							
		N	5446371.820										
		El	55.524			CVD28GVRD2018							
450593	5545	E	511244.250	0.9995953	0.9999937	MARKER DESTROYED							
		N	5446886.781										
		El	59.145			CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance Metres		
27755	5546	E	511224.463	0.9995946	0.9999931		MARKER DESTROYED					
		N	5447148.623									
		El	63.229	CVD28GVRD2018								
473454	5547	E	511239.905	0.9995930	0.9999914		MARKER DESTROYED					
		N	5447538.258									
		El	73.804	1928 Canadian Vertical Datum								
711523	5548	E	511274.233	0.9995922	0.9999906		MARKER DESTROYED					
		N	5447817.911									
		El	78.991	CVD28GVRD2018								
160366	5549	E	511261.356	0.9995995	0.9999979		MARKER DESTROYED					
		N	5445560.632									
		El	32.445	CVD28GVRD2018								
850826	5550	E	511678.370	0.9995981	0.9999964		MARKER DESTROYED					
		N	5445562.860									
		El	42.213	CVD28GVRD2018								
552067	5551	E	512055.300	0.9995963	0.9999946	465351	5217	TERR	0 0 21	401.183	401.346	
		N	5445977.171			336701	5132	TERR	180 1 17	412.292	412.459	
		El	53.855	CVD28GVRD2018								
609503	5552	E	512873.163	0.9995928	0.9999908	704387	5559	TERR	0 4 46	490.642	490.842	
		N	5446383.907			472969	5553	TERR	90 0 35	809.694	810.023	
		El	77.968	CVD28GVRD2018		910646	80H2055	TERR	180 6 16	360.400	360.545	
472969	5553	E	513682.857	0.9995915	0.9999892	173922	8775	TERR	89 20 54	392.509	392.671	
		N	5446383.769			117622	5554	TERR	180 20 51	405.452	405.617	
		El	87.753	CVD28GVRD2018		609503	5552	TERR	270 0 35	809.694	810.023	
						365114	79H0020	TERR	359 15 24	361.866	362.015	
117622	5554	E	513680.397	0.9995929	0.9999906	472969	5553	TERR	0 20 51	405.452	405.617	
		N	5445978.325			731232	5032	TERR	180 19 48	405.204	405.368	
		El	79.419	CVD28GVRD2018		611517	5555	TERR	270 2 4	404.105	404.270	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
611517	5555	E	513276.292	0.9995932	0.9999910	117622	5554	TERR	90 2 4	404.105	404.270		
		N	5445978.568					406348	5556	TERR	180 23 31	404.342	404.506
		El	76.444					CVD28GVRD2018					
406348	5556	E	513273.526	0.9995947	0.9999926	611517	5555	TERR	0 23 31	404.342	404.506		
		N	5445574.236					731232	5032	TERR	90 9 25	404.539	404.703
		El	66.564					CVD28GVRD2018					
472845	5557	E	512504.607	0.9995957	0.9999937	MARKER DESTROYED							
		N	5445570.550										
		El	59.086			CVD28GVRD2018							
686204	5558	E	514077.664	0.9995931	0.9999907	843730	5031	TERR	89 37 43	393.229	393.390		
		N	5445575.754					731232	5032	TERR	269 37 25	399.610	399.772
		El	78.467					CVD28GVRD2018					
704387	5559	E	512873.844	0.9995917	0.9999897	609503	5552	TERR	180 4 46	490.642	490.842		
		N	5446874.548										
		El	84.827					CVD28GVRD2018					
98152	5560	E	514080.787	0.9995912	0.9999887	506832	5561	TERR	120 26 36	459.955	460.143		
		N	5446165.297										
		El	91.157					CVD28GVRD2018					
506832	5561	E	514477.329	0.9995912	0.9999887	98152	5560	TERR	300 26 36	459.955	460.143		
		N	5445932.245										
		El	91.510					CVD28GVRD2018					
219584	5562	E	514486.011	0.9995911	0.9999885	MARKER DESTROYED							
		N	5446383.768										
		El	92.470			1928 Canadian Vertical Datum							
563155	5563	E	514063.249	0.9995908	0.9999883	MARKER DESTROYED							
		N	5446383.530										
		El	93.433			1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
464313	5564	E	514493.800	0.9995909	0.9999883		MARKER DESTROYED				
		N	5446760.380								
		El	93.890	1928	Canadian Vertical Datum						
905513	5565	E	514092.329	0.9995904	0.9999880		MARKER DESTROYED				
		N	5446761.930								
		El	95.702	CVD28GVRD2018							
700542	5566	E	509944.565	0.9995921	0.9999908		MARKER DESTROYED				
		N	5449583.671								
		El	77.404	1928	Canadian Vertical Datum						
27854	5567	E	510491.380	0.9995907	0.9999894	891721	80H2071	TERR	89 59 3	400.504	400.668
		N	5432553.494			554550	5568	TERR	89 59 13	801.285	801.613
		El	87.568	CVD28GVRD2018		466326	8627	TERR	269 53 56	163.299	163.366
						946129	8628	TERR	359 37 23	300.964	301.087
554550	5568	E	511292.665	0.9995919	0.9999903	801845	5466	TERR	90 5 51	808.005	808.335
		N	5432553.675			27854	5567	TERR	269 59 13	801.285	801.613
		El	81.456	CVD28GVRD2018		891721	80H2071	TERR	269 59 24	400.781	400.945
						934836	80H2070	TERR	359 46 16	228.263	228.356
307439	5569	E	511279.662	0.9995949	0.9999933		MARKER DESTROYED				
		N	5440298.567								
		El	62.112	CVD28GVRD2018							
138198	5570	E	510811.543	0.9995911	0.9999896	230417	5571	TERR	269 42 5	346.082	346.224
		N	5440295.130								
		El	85.654	CVD28GVRD2018							
230417	5571	E	510465.466	0.9995897	0.9999883	222943	79H0033	TERR	0 39 43	401.609	401.773
		N	5440293.326			103879	86H1274	GPS	53 17 24	2019.264	2020.085
		El	93.857	CVD28GVRD2018		138198	5570	TERR	89 42 5	346.082	346.224
						907592	5922	TERR	180 38 4	189.104	189.182
						102970	92H0875	GPS	280 19 11	2488.559	2489.578
300533	5572	E	511233.243	0.9995994	0.9999979		MARKER DESTROYED				
		N	5445337.599								
		El	32.604	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
565663	5573	E	511256.800	0.9995978	0.9999963		MARKER DESTROYED				
		N	5444408.663								
		El	42.912	CVD28GVRD2018							
134056	5574	E	511244.422	0.9995956	0.9999941		MARKER DESTROYED				
		N	5443936.456								
		El	57.053	CVD28GVRD2018							
444281	5575	E	511252.549	0.9995934	0.9999918		MARKER DESTROYED				
		N	5443124.049								
		El	71.435	CVD28GVRD2018							
214163	5576	E	511255.414	0.9995931	0.9999915		MARKER DESTROYED				
		N	5442485.969								
		El	73.290	CVD28GVRD2018							
290742	5577	E	511257.278	0.9995937	0.9999921		MARKER DESTROYED				
		N	5442058.345								
		El	69.620	CVD28GVRD2018							
599746	5578	E	511263.280	0.9995950	0.9999935		MARKER DESTROYED				
		N	5441499.279								
		El	60.908	CVD28GVRD2018							
952044	5579	E	511281.934	0.9995966	0.9999950		MARKER DESTROYED				
		N	5440700.344								
		El	51.238	CVD28GVRD2018							
253955	5580	E	511277.988	0.9995910	0.9999894		MARKER DESTROYED				
		N	5439902.338								
		El	87.105	CVD28GVRD2018							
677310	5581	E	511660.157	0.9995929	0.9999913	318279	5603	TERR	89 57 33	600.997	601.241
		N	5439902.901			918441	5582	TERR	142 27 34	512.953	513.162
		El	75.232	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
918441	5582	E	511972.710	0.9995914	0.9999897	677310	5581	TERR	322 27 34	512.953	513.162
		N	5439496.169								
		El	85.330	CVD28GVRD2018							
715581	5583	E	511608.485	0.9995906	0.9999890						
		N	5439492.204								
		El	89.749	CVD28GVRD2018							
935726	5584	E	511831.065	0.9995910	0.9999892						
		N	5439372.147								
		El	88.078	CVD28GVRD2018							
781534	5585	E	512083.670	0.9995923	0.9999905						
		N	5439140.625								
		El	79.802	CVD28GVRD2018							
956136	5586	E	511273.329	0.9995904	0.9999889						
		N	5439487.815								
		El	90.372	CVD28GVRD2018							
113316	5587	E	510860.030	0.9995901	0.9999887						
		N	5439486.282								
		El	91.818	CVD28GVRD2018							
971945	5588	E	509645.155	0.9995918	0.9999907						
		N	5439476.059								
		El	78.892	CVD28GVRD2018							
368738	5589	E	509645.611	0.9995944	0.9999932	240697	5243	TERR	91 26 44	202.602	202.684
		N	5439080.108			271528	5244	TERR	269 1 23	245.605	245.704
		El	62.693	CVD28GVRD2018							
870972	5590	E	508920.801	0.9995924	0.9999914						
		N	5439495.858								
		El	74.336	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
644864	5591	E	508463.927	0.9995931	0.9999923	734822	5592	TERR	267 42 21	465.872	466.061
		N	5439497.140								
		El	68.830	CVD28GVRD2018							
734822	5592	E	507998.428	0.9995957	0.9999949	644864	5591	TERR	87 42 21	465.872	466.061
		N	5439478.491								
		El	51.955	CVD28GVRD2018							
635920	5593	E	507989.633	0.9995940	0.9999932						
		N	5439920.689								
		El	62.729	CVD28GVRD2018							
365684	5594	E	508921.948	0.9995910	0.9999900						
		N	5439892.594								
		El	83.169	CVD28GVRD2018							
955252	5595	E	509230.777	0.9995900	0.9999889						
		N	5439892.538								
		El	90.075	CVD28GVRD2018							
894600	5596	E	509232.283	0.9995887	0.9999876	811554	5597	TERR	0 24 59	255.057	255.161
		N	5440147.178								
		El	98.514	CVD28GVRD2018							
811554	5597	E	509234.137	0.9995882	0.9999871	379560	8634	TERR	0 28 5	309.522	309.649
		N	5440402.228			894600	5596	TERR	180 24 59	255.057	255.161
		El	101.534	CVD28GVRD2018							
364	5598	E	508821.471	0.9995899	0.9999890	505024	5444	TERR	0 14 13	197.912	197.993
		N	5442945.629			30064	5227	TERR	180 15 48	592.458	592.701
		El	89.806	CVD28GVRD2018							
829994	5599	E	508817.958	0.9995893	0.9999883	505024	5444	TERR	179 22 52	400.992	401.157
		N	5443544.508			385674	8774	TERR	270 16 13	201.909	201.992
		El	93.750	CVD28GVRD2018		640540	5138	TERR	359 55 17	412.716	412.885

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
459966	5600	E	508616.149	0.9995890	0.9999881		MARKER DESTROYED				
		N	5443549.848								
		El	95.143	1928 Canadian Vertical Datum							
230227	5601	E	508413.234	0.9995895	0.9999887	385674	8774	TERR	92 22 29	202.991	203.075
		N	5443553.871			246900	5602	TERR	359 57 42	413.991	414.162
		El	91.675	CVD28GVRD2018							
246900	5602	E	508412.957	0.9995890	0.9999881	230227	5601	TERR	179 57 42	413.991	414.162
		N	5443967.862			4481	5137	TERR	271 29 44	407.405	407.573
		El	95.267	CVD28GVRD2018							
318279	5603	E	512261.154	0.9995932	0.9999914	677310	5581	TERR	269 57 33	600.997	601.241
		N	5439903.329								
		El	74.335	CVD28GVRD2018							
995910	5604	E	513429.765	0.9995948	0.9999925	284133	5605	TERR	90 19 44	273.471	273.581
		N	5439901.433								
		El	66.935	CVD28GVRD2018							
284133	5605	E	513703.231	0.9995960	0.9999937	299800	5932	TERR	0 7 25	237.120	237.215
		N	5439899.863			995910	5604	TERR	270 19 44	273.471	273.581
		El	59.719	CVD28GVRD2018							
893651	5606	E	513923.283	0.9995966	0.9999942		MARKER DESTROYED				
		N	5439898.140								
		El	56.414	CVD28GVRD2018							
823179	5607	E	514284.008	0.9995987	0.9999962	712224	5608	TERR	90 23 2	242.482	242.580
		N	5439895.517								
		El	43.937	CVD28GVRD2018							
712224	5608	E	514526.485	0.9996011	0.9999985	474155	8742	TERR	180 21 15	306.283	306.405
		N	5439893.892			823179	5607	TERR	270 23 2	242.482	242.580
		El	29.207	CVD28GVRD2018		970038	8743	TERR	359 33 53	174.404	174.473

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
911222	5609	E	512893.788	0.9995934	0.9999914		MARKER ISOLATED				
		N	5439521.030								
		El	74.403	CVD28GVRD2018							
795427	5610	E	512893.059	0.9995936	0.9999915		MARKER DESTROYED				
		N	5439288.286								
		El	73.496	CVD28GVRD2018							
218396	5611	E	513699.417	0.9995976	0.9999953		MARKER DESTROYED				
		N	5439093.111								
		El	49.608	CVD28GVRD2018							
767319	5612	E	513440.260	0.9995962	0.9999940		MARKER DESTROYED				
		N	5439079.477								
		El	57.622	CVD28GVRD2018							
887273	5613	E	512627.121	0.9995945	0.9999925		MARKER DESTROYED				
		N	5439094.303								
		El	67.090	CVD28GVRD2018							
121970	5614	E	509157.845	0.9995942	0.9999932	271528	5244	TERR	88 33 24	242.274	242.372
		N	5439069.819			439992	5247	TERR	180 44 3	444.583	444.762
		El	62.996	CVD28GVRD2018		210088	5245	TERR	269 57 53	136.037	136.092
213322	5615	E	509135.028	0.9996037	1.0000027		MARKER DESTROYED				
		N	5437620.464								
		El	2.161	1928 Canadian Vertical Datum							
444810	5616	E	508673.408	0.9996039	1.0000029	754531	5253	TERR	82 48 14	470.001	470.187
		N	5437881.115			607093	5893	GPS	251 7 30	708.363	708.644
		El	.771	CVD28GVRD2018		763672	5250	TERR	355 28 25	568.597	568.824
194258	5617	E	508214.381	0.9996036	1.0000027		MARKER DESTROYED				
		N	5437838.779								
		El	2.121	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
8516	5618	E	509525.918	0.9996040	1.0000029		MARKER DESTROYED					
		N	5437951.982									
		El	1.014	CVD28GVRD2018								
229955	5619	E	510384.168	0.9996042	1.0000029		MARKER DESTROYED					
		N	5438020.605									
		El	.838	1928 Canadian Vertical Datum								
901199	5620	E	511134.627	0.9996045	1.0000030	418194	5621	TERR	84 43 10	1099.191	1099.625	
		N	5438088.119			563304	5622	GPS	84 44 29	2078.867	2079.689	
		El	.360	CVD28GVRD2018		904904		GPS	86 1 20	13908.517	13914.005	
						439760		NO MARKING	95 38 40	6664.472	6667.101	
						686790		5184	GPS	103 32 25	2625.309	2626.347
						288423		92H0898	GPS	105 57 42	2281.063	2281.965
						599530		5627	GPS	142 37 28	2983.547	2984.728
						4903		5630	GPS	179 37 33	3543.819	3545.222
						251132		92H0897	GPS	195 38 7	2394.949	2395.897
						557686		5637	GPS	195 38 7	2394.949	2395.897
						864868		5495	GPS	210 25 47	4289.871	4291.570
						607093		5640	GPS	239 21 38	1190.395	1190.868
						252569		5893	GPS	262 4 15	3161.720	3162.972
						102970		92H0596	GPS	294 38 14	6306.150	6308.656
						815746		92H0875	GPS	310 22 37	4092.238	4093.883
						898734		84H9508	GPS	314 5 54	8171.947	8175.206
								NO MARKING	GPS	354 59 53	10771.348	10775.697
418194	5621	E	512229.153	0.9996048	1.0000030	563304	5622	TERR	84 45 57	979.676	980.064	
		N	5438189.279			901199	5620	TERR	264 43 10	1099.191	1099.625	
		El	.508	CVD28GVRD2018								
563304	5622	E	513204.744	0.9996050	1.0000028	546390	5025	GPS	24 9 32	3208.380	3209.650	
		N	5438278.652			27888	5623	TERR	84 40 10	716.492	716.775	
		El	1.385	CVD28GVRD2018		288423	5627	TERR	171 26 47	827.006	827.332	
						599530	5630	GPS	185 46 25	2574.538	2575.557	
						557686	5495	GPS	227 29 17	5755.856	5758.134	
						864868	5640	GPS	255 33 11	3195.366	3196.633	
						901199	5620	GPS	264 44 29	2078.867	2079.689	
						418194	5621	TERR	264 45 57	979.676	980.064	
						355388	5930	GPS	338 48 39	862.940	863.284	
						425058	84H0587	TERR	341 32 26	509.337	509.539	
27888	5623	E	513918.137	0.9996054	1.0000030	625376	5022	GPS	146 0 39	1069.297	1069.719	
		N	5438345.214			563304	5622	TERR	264 40 10	716.492	716.775	
		El	.453	CVD28GVRD2018		355388	5930	GPS	305 44 50	1263.306	1263.810	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
247387	5624	E	513034.338	0.9996029	1.0000008		MARKER DESTROYED				
		N	5438741.689								
		El	14.301	1928 Canadian Vertical Datum							
574582	5625	E	512564.251	0.9995973	0.9999953	425058	84H0587	TERR	101 3 46	488.294	488.489
		N	5438855.480								
		El	49.372	CVD28GVRD2018							
202986	5626	E	512294.474	0.9995940	0.9999921		MARKER DESTROYED				
		N	5439081.466								
		El	69.903	CVD28GVRD2018							
288423	5627	E	513327.747	0.9996049	1.0000027	625376	5022	GPS	90 6 27	1188.169	1188.638
		N	5437460.845			374504	5023	GPS	126 24 23	1479.186	1479.770
		El	2.268	CVD28GVRD2018		599530	5630	GPS	192 21 25	1785.024	1785.730
						901199	5620	GPS	285 57 42	2281.063	2281.965
						563304	5622	TERR	351 26 47	827.006	827.332
138461	5628	E	513234.606	0.9996048	1.0000027		MARKER DESTROYED				
		N	5437082.683								
		El	2.408	CVD28GVRD2018							
47019	5629	E	513097.495	0.9996049	1.0000028	374504	5023	GPS	89 57 5	1420.743	1421.304
		N	5436581.728			599530	5630	TERR	189 57 18	877.770	878.117
		El	1.826	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
599530	5630	E	512945.751	0.9996038	1.0000017	563304	5622	GPS	5 46 25	2574.538	2575.557	
		N	5435717.174			47019	5629	TERR	9 57 18	877.770	878.117	
		El	8.450			CVD28GVRD2018	98178	86H1262	GPS	11 18 12	8007.858	8011.027
							288423	5627	GPS	12 21 25	1785.024	1785.730
							546390	5025	GPS	15 58 57	5709.544	5711.808
							777862	92H0845	GPS	35 22 2	5118.636	5120.659
							291302	88H4592	GPS	52 53 17	13706.603	13712.044
							101188	5098	GPS	99 4 48	9710.733	9714.591
							885012	92H0833	GPS	100 34 34	4067.340	4068.947
							35329	92H0835	GPS	103 27 13	3269.390	3270.683
							934976	92H0855	GPS	146 8 46	5748.998	5751.299
							690016	92H0848	GPS	161 30 51	2495.604	2496.605
							193425	5632	TERR	168 56 45	764.135	764.438
							774802	86H1307	GPS	181 36 1	1537.162	1537.774
							303743	92H0854	GPS	225 13 47	5704.809	5707.087
							904300	84H0601	GPS	233 18 10	2488.230	2489.221
							557686	5495	GPS	251 33 52	4199.376	4201.041
			126631	5631	TERR	278 34 57	834.871	835.201				
			864868	5640	TERR	301 53 31	3339.430	3340.755				
			41699	5639	TERR	315 39 9	1195.517	1195.991				
			901199	5620	GPS	322 37 28	2983.547	2984.728				
126631	5631	E	512120.229	0.9996047	1.0000029	599530	5630	TERR	98 34 57	834.871	835.201	
		N	5435841.764			41699	5639	TERR	359 12 13	730.413	730.701	
		El	1.230			CVD28GVRD2018						
193425	5632	E	513092.263	0.9996041	1.0000020	953570	5115	GPS	90 7 52	1430.176	1430.744	
		N	5434967.216			599530	5630	TERR	348 56 45	764.135	764.438	
		El	6.733			CVD28GVRD2018						
181883	5633	E	513769.698	0.9995992	0.9999968			MARKER DESTROYED				
		N	5434161.550									
		El	39.744			CVD28GVRD2018						
679126	5634	E	513314.261	0.9996007	0.9999985			MARKER DESTROYED				
		N	5434162.726									
		El	28.930			CVD28GVRD2018						
632687	5635	E	513043.335	0.9995990	0.9999969			MARKER DESTROYED				
		N	5434164.347									
		El	39.171			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
992867	5636	E	512909.027	0.9995998	0.9999977		MARKER DESTROYED				
		N	5434165.778								
		El	34.179	CVD28GVRD2018							
251132	5637	E	510489.162	0.9996043	1.0000030	901199	5620	GPS	15 38 7	2394.949	2395.897
		N	5435781.790			515205	5638	TERR	90 3 40	1015.906	1016.308
		El	.513	CVD28GVRD2018		557686	5495	GPS	227 38 26	2066.869	2067.688
						607093	5893	GPS	306 57 11	3110.925	3112.158
						864868	5640	TERR	347 26 16	1741.352	1742.043
515205	5638	E	511505.067	0.9996045	1.0000029	41699	5639	TERR	37 23 50	996.167	996.560
		N	5435780.707			251132	5637	TERR	270 3 40	1015.906	1016.308
		El	1.089	CVD28GVRD2018							
41699	5639	E	512110.076	0.9996046	1.0000028	599530	5630	TERR	135 39 9	1195.517	1195.991
		N	5436572.106			126631	5631	TERR	179 12 13	730.413	730.701
		El	1.598	CVD28GVRD2018		515205	5638	TERR	217 23 50	996.167	996.560
864868	5640	E	510110.420	0.9996026	1.0000014	898734		GPS	0 25 48	11337.312	11341.900
		N	5437481.455			86454	92H0909	GPS	10 15 57	2033.264	2034.085
		El	10.636	CVD28GVRD2018		801928	92H0911	GPS	54 7 30	2728.066	2729.162
						901199	5620	GPS	59 21 38	1190.395	1190.868
						563304	5622	GPS	75 33 11	3195.366	3196.633
						337592	10H2614	GPS	104 8 16	1624.544	1625.188
						599530	5630	TERR	121 53 31	3339.430	3340.755
						251132	5637	TERR	167 26 16	1741.352	1742.043
						557686	5495	TERR	200 22 34	3298.686	3299.996
						754531	5253	GPS	295 17 4	1073.563	1073.989
						853168	84H9452	GPS	305 12 23	2917.339	2918.506
						850214	92H0908	GPS	346 42 20	2074.104	2074.940
479956	5641	E	512961.261	0.9996032	1.0000011						
		N	5434864.586								
		El	12.598	CVD28GVRD2018							
317099	5642	E	512910.436	0.9996019	0.9999998	133249	5643	TERR	180 13 42	255.828	255.930
		N	5434662.314								
		El	20.821	CVD28GVRD2018							
133249	5643	E	512909.417	0.9996005	0.9999985	317099	5642	TERR	0 13 42	255.828	255.930
		N	5434406.488								
		El	29.367	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
298737	5644	E	512911.898	0.9995946	0.9999926		MARKER DESTROYED				
		N	5433358.504								
		El	67.149	CVD28GVRD2018							
581520	5645	E	513446.577	0.9995941	0.9999919		MARKER DESTROYED				
		N	5433356.511								
		El	71.455	CVD28GVRD2018							
397430	5646	E	513729.370	0.9995945	0.9999922		MARKER DESTROYED				
		N	5433355.475								
		El	69.628	1928 Canadian Vertical Datum							
761437	5647	E	514104.858	0.9995988	0.9999963		MARKER DESTROYED				
		N	5433750.171								
		El	43.166	1928 Canadian Vertical Datum							
646414	5648	E	514523.750	0.9995948	0.9999922		MARKER DESTROYED				
		N	5433240.923								
		El	69.613	CVD28GVRD2018							
996850	5649	E	513324.196	0.9995982	0.9999960		MARKER DESTROYED				
		N	5443149.465								
		El	44.522	1928 Canadian Vertical Datum							
828863	5650	E	512588.385	0.9995933	0.9999913		MARKER DESTROYED				
		N	5442332.786								
		El	74.533	1928 Canadian Vertical Datum							
902262	5651	E	512303.666	0.9995935	0.9999916		MARKER DESTROYED				
		N	5442328.169								
		El	72.856	1928 Canadian Vertical Datum							
555920	5652	E	512069.915	0.9995946	0.9999928		MARKER DESTROYED				
		N	5443187.526								
		El	65.152	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
763961	5653	E	512067.668	0.9995970	0.9999952		MARKER DESTROYED				
		N	5443528.313								
		El	49.863	CVD28GVRD2018							
595660	5654	E	512056.921	0.9995978	0.9999961	968172	5218	TERR	179 39 11	498.875	499.076
		N	5445258.878			336701	5132	TERR	359 40 4	306.006	306.128
		El	44.326	CVD28GVRD2018							
921759	5655	E	511295.438	0.9995899	0.9999883		MARKER DESTROYED				
		N	5431746.027								
		El	94.219	CVD28GVRD2018							
364588	5656	E	511127.035	0.9995890	0.9999875	258640	5657	TERR	270 5 13	635.656	635.917
		N	5431746.154								
		El	99.514	CVD28GVRD2018							
258640	5657	E	510491.380	0.9995896	0.9999882	364588	5656	TERR	90 5 13	635.656	635.917
		N	5431747.118			349613	5658	TERR	270 1 38	451.282	451.467
		El	95.018	CVD28GVRD2018							
349613	5658	E	510040.098	0.9995908	0.9999896	258640	5657	TERR	90 1 38	451.282	451.467
		N	5431747.332								
		El	86.164	CVD28GVRD2018							
907147	5659	E	514255.777	0.9995878	0.9999853		MARKER ISOLATED				
		N	5432547.226								
		El	113.672	CVD28GVRD2018							
326413	5660	E	513709.016	0.9995876	0.9999853		MARKER DESTROYED				
		N	5432548.620								
		El	113.445	CVD28GVRD2018							
510669	5661	E	511298.399	0.9995941	0.9999925	730085	5474	TERR	0 7 20	450.531	450.715
		N	5430487.868			354274	88H3844	TERR	1 47 41	253.983	254.086
		El	67.381	CVD28GVRD2018		225169	88H3884	TERR	86 59 26	314.858	314.987

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
538850	5662	E	510640.055	0.9995962	0.9999948		MARKER DESTROYED				
		N	5430453.920								
		El	53.099	CVD28GVRD2018							
597294	5663	E	510288.191	0.9995937	0.9999924		MARKER DESTROYED				
		N	5430438.742								
		El	68.104	CVD28GVRD2018							
169979	5664	E	510085.123	0.9995934	0.9999921	534867	5665	TERR	0 17 0	216.950	217.038
		N	5430441.196								
		El	69.998	CVD28GVRD2018							
534867	5665	E	510086.196	0.9995923	0.9999911	169979	5664	TERR	180 17 0	216.950	217.038
		N	5430658.143			819185	5666	TERR	270 29 7	403.339	403.503
		El	76.628	CVD28GVRD2018							
819185	5666	E	509682.872	0.9995935	0.9999924	534867	5665	TERR	90 29 7	403.339	403.503
		N	5430661.560			851287	5476	TERR	359 57 31	281.629	281.744
		El	68.390	CVD28GVRD2018							
736017	5667	E	519637.527	0.9996076	1.0000029	430371	5668	TERR	42 57 12	1139.008	1139.456
		N	5443108.133								
		El	.649	CVD28GVRD2018							
430371	5668	E	520413.648	0.9996080	1.0000029	87486	5669	TERR	42 47 36	808.120	808.436
		N	5443941.785			962043	5681	GPS	89 33 34	1056.355	1056.770
		El	.794	CVD28GVRD2018		973289	5157	TERR	90 22 1	560.433	560.652
						736017	5667	TERR	222 57 12	1139.008	1139.456
87486	5669	E	520962.648	0.9996080	1.0000026	397893	5670	TERR	42 52 25	760.122	760.420
		N	5444534.791			463638	5773	TERR	73 3 52	830.086	830.411
		El	2.420	CVD28GVRD2018		962043	5681	GPS	139 3 43	774.253	774.557
						973289	5157	GPS	178 54 12	596.704	596.939
						430371	5668	TERR	222 47 36	808.120	808.436
						721050	5672	TERR	358 50 19	1064.152	1064.569

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
397893	5670	E	521479.822	0.9996078	1.0000021	696088	5956	GPS	0 15 20	508.808	509.008	
		N	5445091.852			228734	5671	TERR	42 55 10	695.756	696.029	
		El	5.557			CVD28GVRD2018	463638	5773	GPS	138 42 19	419.609	419.773
							377754	5680	GPS	165 56 4	1171.055	1171.514
							973289	5157	GPS	203 40 20	1259.646	1260.140
							87486	5669	TERR	222 52 25	760.122	760.420
							721050	5672	GPS	313 15 15	739.704	739.995
228734	5671	E	521953.611	0.9996070	1.0000011	736207	5158	TERR	89 55 18	605.808	606.046	
		N	5445601.362			397893	5670	TERR	222 55 10	695.756	696.029	
		El	12.178			CVD28GVRD2018	696088	5956	TERR	269 54 51	471.521	471.706
721050	5672	E	520941.080	0.9996074	1.0000021	696088	5956	TERR	89 47 44	541.014	541.227	
		N	5445598.724			397893	5670	GPS	133 15 15	739.704	739.995	
		El	5.911			CVD28GVRD2018	463638	5773	GPS	135 13 36	1158.102	1158.556
							377754	5680	GPS	153 22 51	1837.592	1838.315
							962043	5681	GPS	162 12 55	1731.567	1732.247
							87486	5669	TERR	178 50 19	1064.152	1064.569
							973289	5157	GPS	178 51 43	1660.856	1661.508
							704247	5817	TERR	269 3 33	795.541	795.854
							409698	92H0842	GPS	269 52 53	4018.089	4019.684
							652255	92H0838	GPS	288 15 43	2538.981	2539.979
							133892	92H0837	GPS	333 2 31	2087.248	2088.075
			589457	92H0860	GPS	342 35 33	3327.622	3328.929				
			991125	8716	TERR	359 45 56	601.724	601.962				
923417	5673	E	522557.248	0.9996068	1.0000005	736207	5158	TERR	179 40 48	388.443	388.596	
		N	5445990.627			963793	8679	TERR	270 52 52	317.368	317.493	
		El	15.580			CVD28GVRD2018	469650	5674	TERR	359 39 10	644.606	644.859
469650	5674	E	522553.341	0.9996062	0.9999999	923417	5673	TERR	179 39 10	644.606	644.859	
		N	5446635.221			428466	5675	TERR	208 55 34	221.686	221.773	
		El	19.335			CVD28GVRD2018	723551	5942	TERR	359 45 57	373.947	374.095
428466	5675	E	522446.116	0.9996053	0.9999991	469650	5674	TERR	28 55 34	221.686	221.773	
		N	5446441.192			828640	8795	TERR	92 29 16	519.738	519.943	
		El	24.541			CVD28GVRD2018	637520	5676	TERR	266 33 16	533.872	534.083
637520	5676	E	521913.209	0.9996030	0.9999971	428466	5675	TERR	86 33 16	533.872	534.083	
		N	5446409.105			915256	82H5771	GPS	91 8 17	18102.893	18109.919	
		El	37.371			CVD28GVRD2018	672345	80H2329	GPS	113 53 1	19394.060	19401.714
							591511	5176	GPS	180 24 19	18666.079	18673.570
							306738	5677	TERR	269 51 57	972.830	973.217

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
306738	5677	E	520940.382	0.9996010	0.9999956	637520	5676	TERR	89 51 57	972.830	973.217			
		N	5446406.826					991125	8716	TERR	180 29 23	206.391	206.473	
		El	47.009					CVD28GVRD2018	717660	8642	TERR	269 3 49	293.940	294.058
						125963			359 58 7	105.796	105.839			
717660	5678	E	520646.481	0.9996010	0.9999957	306738	5677	TERR	89 3 49	293.940	294.058			
		N	5446402.023											
		El	46.351					CVD28GVRD2018						
300152	5679	E	519568.571	0.9996018	0.9999971			MARKER DESTROYED						
		N	5446388.608											
		El	37.442					1928 Canadian Vertical Datum						
377754	5680	E	521764.427	0.9996068	1.0000009	564955	8799	GPS	7 48 10	2848.147	2849.270			
		N	5443955.908					565457	5160	TERR	88 42 56	790.019	790.331	
		El	13.077					CVD28GVRD2018	291302	88H4592	GPS	89 8 47	2112.010	2112.846
									904904	NO MARKING	GPS	146 29 59	5879.641	5881.953
									752048	13H2683	GPS	153 36 19	1755.232	1755.932
									368530	10H2608	GPS	200 52 48	2267.953	2268.853
									136820	10H2573	GPS	222 20 41	2372.499	2373.436
									17830	10H2578	GPS	245 52 50	2660.823	2661.870
									973289	5157	GPS	268 42 58	790.556	790.867
									962043	5681	TERR	268 49 57	294.516	294.632
									969295	13H2676	GPS	301 58 55	2318.511	2319.422
									721050	5672	GPS	333 22 51	1837.592	1838.315
									397893	5670	GPS	345 56 4	1171.055	1171.514
			696088	5956	GPS	350 15 35	1668.804	1669.460						
			463638	5773	TERR	359 27 47	820.718	821.041						
962043	5681	E	521469.972	0.9996070	1.0000013	377754	5680	TERR	88 49 57	294.516	294.632			
		N	5443949.907					973289	5157	TERR	268 38 50	496.041	496.236	
		El	10.878					CVD28GVRD2018	430371	5668	GPS	269 33 34	1056.355	1056.770
									87486	5669	GPS	319 3 43	774.253	774.557
									721050	5672	GPS	342 12 55	1731.567	1732.247
958421	5682	E	518529.540	0.9996058	1.0000016	500009	5683	TERR	270 20 22	690.662	690.936			
		N	5443953.112					187831	5191	GPS	334 19 44	1814.457	1815.173	
		El	8.915					CVD28GVRD2018						
500009	5683	E	517838.890	0.9996006	0.9999967	958421	5682	TERR	90 20 22	690.662	690.936			
		N	5443957.204					15594	5188	GPS	191 49 37	413.971	414.137	
		El	40.176					CVD28GVRD2018	745927	5271	GPS	295 8 43	1892.435	1893.197
									187831	5191	GPS	356 39 13	1634.056	1634.705

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
685479	5684	E	519338.754	0.9996074	1.0000028		MARKER DESTROYED				
		N	5442872.760								
		El	1.109	1928 Canadian Vertical Datum							
960013	5685	E	521868.774	0.9995993	0.9999934	702829	5161	TERR	88 12 56	687.007	687.283
		N	5443144.852			354134	5686	TERR	268 32 59	462.013	462.198
		El	61.314	CVD28GVRD2018							
354134	5686	E	521406.909	0.9996009	0.9999952	960013	5685	TERR	88 32 59	462.013	462.198
		N	5443133.158			65292	5156	TERR	268 31 18	432.820	432.992
		El	49.578	CVD28GVRD2018							
746222	5687	E	521764.280	0.9995971	0.9999913	110551	8778	TERR	88 20 26	459.066	459.251
		N	5442339.974			337253	8790	TERR	268 19 9	389.358	389.514
		El	74.611	CVD28GVRD2018							
72272	5688	E	522223.026	0.9995961	0.9999900		MARKER DESTROYED				
		N	5442353.197								
		El	82.650	1928 Canadian Vertical Datum							
901827	5689	E	521763.219	0.9995982	0.9999923		MARKER DESTROYED				
		N	5441259.693								
		El	68.109	CVD28GVRD2018							
434282	5690	E	515662.701	0.9995916	0.9999886	510453	5691	TERR	120 28 31	1002.546	1002.953
		N	5445251.060			160952	5256	TERR	359 39 31	322.438	322.570
		El	91.873	CVD28GVRD2018							
510453	5691	E	516526.743	0.9995960	0.9999927	916502	5259	TERR	0 27 7	833.160	833.496
		N	5444742.602			814913	5692	TERR	122 11 3	482.964	483.159
		El	65.875	CVD28GVRD2018		434282	5690	TERR	300 28 31	1002.546	1002.953
814913	5692	E	516935.495	0.9995964	0.9999929	7922	5694	TERR	179 13 7	526.923	527.135
		N	5444485.355			510453	5691	TERR	302 11 3	482.964	483.159
		El	64.581	CVD28GVRD2018		235572	86H1260	TERR	359 16 58	278.136	278.249

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
958983	5693	E	517429.399	0.9995983	0.9999946		MARKER DESTROYED				
		N	5443957.914								
		El	53.739	1928 Canadian Vertical Datum							
7922	5694	E	516942.681	0.9995976	0.9999941	558726	5269	TERR	269 58 29	814.704	815.033
		N	5443958.481			814913	5692	TERR	359 13 7	526.923	527.135
		El	56.811	CVD28GVRD2018							
942219	5695	E	519991.267	0.9996067	1.0000018		MARKER DESTROYED				
		N	5442381.161								
		El	7.763	1928 Canadian Vertical Datum							
872655	5696	E	520163.182	0.9996037	0.9999987		MARKER DESTROYED				
		N	5442213.672								
		El	27.426	1928 Canadian Vertical Datum							
923268	5697	E	520427.083	0.9996012	0.9999961		MARKER DESTROYED				
		N	5442107.257								
		El	44.348	CVD28GVRD2018							
744896	5698	E	520700.390	0.9996003	0.9999951		MARKER DESTROYED				
		N	5441964.117								
		El	50.757	CVD28GVRD2018							
618637	5699	E	520970.438	0.9995998	0.9999944		MARKER DESTROYED				
		N	5441807.423								
		El	54.870	CVD28GVRD2018							
14035	5700	E	521468.240	0.9995984	0.9999927		MARKER DESTROYED				
		N	5441451.026								
		El	65.555	CVD28GVRD2018							
112219	5701	E	516128.351	0.9996003	0.9999971		MARKER DESTROYED				
		N	5443462.906								
		El	37.524	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
642769	5702	E	516128.038	0.9996036	1.0000004	30619	5187	GPS	116 23 29	1822.516	1823.236						
		N	5443142.436									445981	81H4533	GPS	252 39 24	1694.983	1695.654
		El	16.931									CVD28GVRD2018	98178	86H1262	GPS	284 50 20	1668.379
333807	5703	E	516127.771	0.9996062	1.0000030												
		N	5441479.045														
		El	.224									CVD28GVRD2018					
831867	5704	E	515317.452	0.9996057	1.0000029												
		N	5441522.364														
		El	1.015									1928 Canadian Vertical Datum					
846626	5705	E	515337.824	0.9996042	1.0000013	868968	5729	GPS	143 36 10	1337.358	1337.886						
		N	5439625.067									355388	5930	GPS	257 30 18	2504.304	2505.305
		El	10.956									CVD28GVRD2018					
726653	5706	E	515335.278	0.9996039	1.0000010												
		N	5439274.128														
		El	13.103									1928 Canadian Vertical Datum					
137620	5707	E	518048.404	0.9995981	0.9999941	796326	5708	TERR	91 34 8	367.939	368.087						
		N	5447981.477									764720	5193	TERR	270 29 33	300.973	301.094
		El	56.766									CVD28GVRD2018					
796326	5708	E	518416.205	0.9995972	0.9999930	78816	5854	TERR	89 18 51	282.743	282.857						
		N	5447971.404									137620	5707	TERR	271 34 8	367.939	368.087
		El	63.380									CVD28GVRD2018					
138164	5709	E	519353.079	0.9995992	0.9999946												
		N	5447968.611														
		El	53.285									CVD28GVRD2018					
948521	5710	E	519357.283	0.9995970	0.9999924												
		N	5447660.110														
		El	67.618									CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
873885	5711	E	519988.057	0.9996003	0.9999954		MARKER DESTROYED				
		N	5447457.514								
		El	48.347	1928	Canadian Vertical Datum						
304949	5712	E	520630.545	0.9996018	0.9999966		MARKER DESTROYED				
		N	5447201.917								
		El	40.663	1928	Canadian Vertical Datum						
310375	5713	E	515484.667	0.9996059	1.0000030		MARKER DESTROYED				
		N	5439076.918								
		El	.393	1928	Canadian Vertical Datum						
541524	5714	E	516126.764	0.9996062	1.0000030	150128	5185	GPS	116 41 22	1835.838	1836.561
		N	5439080.509			868968	5729	TERR	179 30 8	531.932	532.142
		El	.438	CVD28GVRD2018							
926378	5715	E	516954.249	0.9996064	1.0000029		MARKER DESTROYED				
		N	5439085.303								
		El	.907	CVD28GVRD2018							
65334	5716	E	517763.784	0.9996069	1.0000030		MARKER DESTROYED				
		N	5439062.130								
		El	.348	CVD28GVRD2018							
38406	5717	E	518532.675	0.9996071	1.0000029		MARKER DESTROYED				
		N	5439079.159								
		El	.652	CVD28GVRD2018							
575118	5718	E	518533.589	0.9996054	1.0000012	410852	8608	TERR	0 10 26	202.900	202.980
		N	5439475.824			296368	5829	TERR	90 14 40	249.205	249.304
		El	11.922	CVD28GVRD2018							
671859	5719	E	520157.115	0.9996063	1.0000013	921403	5950	TERR	90 15 43	274.124	274.233
		N	5439474.384			754838	5839	TERR	269 54 54	224.136	224.224
		El	11.225	CVD28GVRD2018		288670	8611	TERR	359 57 41	173.143	173.211

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
186056	5720	E	520157.025	0.9996071	1.0000021		MARKER DESTROYED				
		N	5439067.604								
		El	5.940	1928 Canadian Vertical Datum							
124800	5721	E	520969.713	0.9996021	0.9999967		MARKER DESTROYED				
		N	5439074.260								
		El	40.243	CVD28GVRD2018							
549501	5722	E	521738.254	0.9996035	0.9999977	410894	5165	TERR	86 41 48	804.380	804.696
		N	5438673.840			151852	5167	TERR	269 24 18	769.267	769.571
		El	33.742	CVD28GVRD2018							
993691	5724	E	523359.487	0.9996077	1.0000010	183020	87H2599	TERR	88 46 43	241.665	241.760
		N	5439105.356								
		El	12.947	CVD28GVRD2018							
24430	5725	E	522583.573	0.9996070	1.0000008	614040	5875	GPS	182 16 6	1644.043	1644.693
		N	5437456.598			447771	5169	GPS	269 58 29	1622.704	1623.341
		El	14.461	CVD28GVRD2018		151852	5167	GPS	306 49 56	2017.187	2017.981
889402	5726	E	522534.609	0.9996031	0.9999968		MARKER DESTROYED				
		N	5436216.925								
		El	39.499	1928 Canadian Vertical Datum							
868968	5729	E	516131.385	0.9996061	1.0000029	150128	5185	GPS	100 8 41	1661.593	1662.246
		N	5438548.597			439760	5184	GPS	124 18 30	1979.868	1980.647
		El	1.049	CVD28GVRD2018		846626	5705	GPS	323 36 10	1337.358	1337.886
						541524	5714	TERR	359 30 8	531.932	532.142
604199	5731	E	516787.641	0.9996041	1.0000006		MARKER DESTROYED				
		N	5434169.627								
		El	15.789	1928 Canadian Vertical Datum							
815589	5732	E	516133.582	0.9996042	1.0000010		MARKER DESTROYED				
		N	5434156.706								
		El	13.420	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
141119	5733	E	515381.534	0.9996015	0.9999986	157834	5734	TERR	270 2 49	532.787	533.001
		N	5434156.728								
		El	28.799	CVD28GVRD2018							
157834	5734	E	514848.747	0.9995992	0.9999965	141119	5733	TERR	90 2 49	532.787	533.001
		N	5434157.164			191999	5114	TERR	269 57 53	325.705	325.835
		El	42.161	CVD28GVRD2018							
7054	5735	E	516133.592	0.9995978	0.9999946			MARKER DESTROYED			
		N	5433349.702								
		El	54.106	CVD28GVRD2018							
934497	5736	E	516134.290	0.9995939	0.9999907			MARKER DESTROYED			
		N	5432542.447								
		El	79.252	CVD28GVRD2018							
259069	5737	E	515680.243	0.9995918	0.9999888			MARKER DESTROYED			
		N	5432548.606								
		El	91.027	CVD28GVRD2018							
120741	5738	E	518545.611	0.9995912	0.9999870			MARKER DESTROYED			
		N	5432565.501								
		El	102.489	1928 Canadian Vertical Datum							
77040	5739	E	518149.419	0.9995904	0.9999863	994244	80H2004	TERR	89 46 19	396.552	396.715
		N	5432563.962			303578	5181	TERR	269 47 16	394.369	394.530
		El	106.772	CVD28GVRD2018							
352625	5740	E	517437.722	0.9995897	0.9999859	303578	5181	TERR	89 17 15	317.356	317.485
		N	5432558.556			735381	5741	TERR	269 18 13	493.491	493.692
		El	109.381	CVD28GVRD2018							
735381	5741	E	516944.268	0.9995915	0.9999880	352625	5740	TERR	89 18 13	493.491	493.692
		N	5432552.558								
		El	96.206	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
972315	5742	E	515331.046	0.9995919	0.9999890		MARKER DESTROYED				
		N	5432544.355								
		El	89.835	CVD28GVRD2018							
671388	5743	E	514929.531	0.9995907	0.9999879		MARKER ISOLATED				
		N	5432545.269								
		El	96.670	CVD28GVRD2018							
275263	5744	E	515467.338	0.9995952	0.9999922		MARKER DESTROYED				
		N	5433349.785								
		El	69.059	CVD28GVRD2018							
968156	5745	E	515333.545	0.9995922	0.9999893	908939	5746	TERR	90 7 1	391.174	391.333
		N	5431738.990			825703	8670	TERR	179 48 11	211.063	211.150
		El	87.818	CVD28GVRD2018		313379	5111	TERR	269 57 52	803.383	803.713
908939	5746	E	515724.718	0.9995941	0.9999910	50617	5747	TERR	89 55 20	672.563	672.835
		N	5431738.192			787424	80H2013	TERR	89 55 51	412.603	412.771
		El	77.007	CVD28GVRD2018		968156	5745	TERR	270 7 1	391.174	391.333
50617	5747	E	516397.280	0.9995970	0.9999937	203588	5748	TERR	89 26 29	1014.496	1014.907
		N	5431739.104			787424	80H2013	TERR	269 54 32	259.959	260.064
		El	59.747	CVD28GVRD2018		908939	5746	TERR	269 55 20	672.563	672.835
203588	5748	E	517411.728	0.9995918	0.9999881	261222	5180	TERR	89 29 12	342.280	342.419
		N	5431748.996			50617	5747	TERR	269 26 29	1014.496	1014.907
		El	95.765	CVD28GVRD2018							
426056	5749	E	518549.729	0.9995931	0.9999889	482679	5118	TERR	89 32 2	791.516	791.838
		N	5431758.403			261222	5180	TERR	269 32 36	795.760	796.085
		El	90.654	CVD28GVRD2018							
814921	5750	E	516865.897	0.9995986	0.9999951		MARKER DESTROYED				
		N	5430931.401								
		El	51.190	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
21188	5751	E	518308.723	0.9996007	0.9999966	736702	5103	TERR	89 14 18	239.630	239.726
		N	5430948.050								
		El	41.203	CVD28GVRD2018							
409771	5752	E	518920.499	0.9996019	0.9999975	362152	5104	TERR	89 12 42	427.307	427.477
		N	5430955.934			736702	5103	TERR	269 16 36	372.197	372.345
		El	35.777	CVD28GVRD2018							
698159	5753	E	519542.266	0.9996023	0.9999976			MARKER DESTROYED			
		N	5430957.793								
		El	35.098	1928 Canadian Vertical Datum							
48249	5754	E	517754.020	0.9995940	0.9999901	483248	5179	TERR	180 15 1	1331.039	1331.572
		N	5431465.403			261222	5180	TERR	359 59 41	286.659	286.776
		El	82.851	CVD28GVRD2018							
695254	5756	E	516140.819	0.9995971	0.9999939	907279	5757	TERR	179 58 23	465.448	465.635
		N	5430528.976			112110	88H3908	TERR	270 5 8	401.165	401.328
		El	58.751	CVD28GVRD2018							
907279	5757	E	516141.038	0.9995981	0.9999949	878314	5870	TERR	180 2 18	339.900	340.036
		N	5430063.528			695254	5756	TERR	359 58 23	465.448	465.635
		El	52.181	CVD28GVRD2018							
983270	5759	E	516945.365	0.9996003	0.9999968	752493	80H2010	TERR	0 6 9	522.622	522.831
		N	5429726.164			251710	5760	TERR	179 52 59	193.210	193.288
		El	40.274	CVD28GVRD2018		878314	5870	TERR	269 49 10	804.559	804.881
251710	5760	E	516945.759	0.9996009	0.9999974	577171	5761	TERR	179 43 55	209.614	209.698
		N	5429532.954			983270	5759	TERR	359 52 59	193.210	193.288
		El	36.210	CVD28GVRD2018							
577171	5761	E	516946.740	0.9996031	0.9999995	301838	5762	TERR	89 44 36	366.966	367.112
		N	5429323.342			121954	80H2037	TERR	269 53 2	534.840	535.052
		El	22.687	CVD28GVRD2018		251710	5760	TERR	359 43 55	209.614	209.698

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres								
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING												
301838	5762	E	517313.702	0.9996026	0.9999989	29389	8708	TERR	89 5 27	433.926	434.098								
		N	5429324.986									577171	5761	TERR	269 44 36	366.966	367.112		
		El	26.536									CVD28GVRD2018							
753939	5763	E	516215.909	0.9995959	0.9999927	MARKER DESTROYED													
		N	5448835.445																
		El	65.627			CVD28GVRD2018													
36707	5764	E	522961.095	0.9996059	0.9999994	179200	5084	TERR	270 17 30	424.555	424.722								
		N	5439873.687																
		El	23.171									CVD28GVRD2018							
37549	5765	E	511098.878	0.9995916	0.9999901	MARKER DESTROYED													
		N	5447977.414																
		El	82.168			1928 Canadian Vertical Datum													
230987	5766	E	507244.283	0.9996021	1.0000015	MARKER ISOLATED													
		N	5447998.850																
		El	9.817			CVD28GVRD2018													
428664	5770	E	511207.958	0.9995912	0.9999897	251272	5359	TERR	270 41 58	341.707	341.846								
		N	5449574.901																
		El	84.984									CVD28GVRD2018							
463638	5773	E	521756.736	0.9996078	1.0000020	291302	88H4592	GPS	110 25 25	2261.637	2262.531								
		N	5444776.590									377754	5680	TERR	179 27 47	820.718	821.041		
		El	6.097									CVD28GVRD2018		87486	5669	TERR	253 3 52	830.086	830.411
														721050	5672	GPS	315 13 36	1158.102	1158.556
														397893	5670	GPS	318 42 19	419.609	419.773
														696088	5956	GPS	341 34 4	868.627	868.968
242107	5774	E	512688.137	0.9995889	0.9999869	256123	5201	TERR	92 5 29	200.979	201.062								
		N	5448769.522									336313	5526	TERR	180 10 49	486.412	486.612		
		El	102.360									CVD28GVRD2018		791830	8663	TERR	180 10 50	217.965	218.055
910315	5775	E	512286.312	0.9995882	0.9999863	MARKER DESTROYED													
		N	5448765.749																
		El	106.293			CVD28GVRD2018													

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
325126	5776	E	510467.592	0.9995980	0.9999966		MARKER DESTROYED					
		N	5450388.928									
		El	40.374	1928	Canadian Vertical Datum							
529388	5777	E	509862.275	0.9995904	0.9999892	889436	5334	TERR	359 53 56	87.307	87.343	
		N	5449186.629									
		El	87.896	CVD28GVRD2018								
971887	5778	E	509634.656	0.9995911	0.9999900	876623	8660	TERR	1 12 27	110.616	110.661	
		N	5447461.565			413872	5331	TERR	1 12 29	256.668	256.773	
		El	82.890	CVD28GVRD2018			985606	86H1304	GPS	67 33 2	3986.004	3987.640
						243121	92H0887	GPS	72 21 57	1692.562	1693.252	
						202697	NO MARKING	GPS	92 59 10	2749.063	2750.186	
						426981	92H0886	GPS	102 3 47	1661.988	1662.664	
						611178	92H0885	GPS	123 4 11	1926.936	1927.719	
						737213	92H0877	GPS	209 28 11	2117.440	2118.307	
						770800	5296	GPS	259 39 10	1711.909	1712.611	
						668459	5373	GPS	267 40 36	2438.211	2439.208	
						557041	8658	TERR	269 50 29	207.486	207.571	
						443200	5310	TERR	269 50 31	408.570	408.737	
954263	5779	E	510152.030	0.9995920	0.9999908		MARKER DESTROYED					
		N	5449583.973									
		El	77.925	1928	Canadian Vertical Datum							
101741	5780	E	510366.992	0.9995977	0.9999963	28019	5405	TERR	269 53 18	189.517	189.594	
		N	5450391.414									
		El	42.406	CVD28GVRD2018								
927319	5781	E	511399.334	0.9995899	0.9999883		MARKER DESTROYED					
		N	5449706.519									
		El	93.421	1928	Canadian Vertical Datum							
146654	5782	E	512608.304	0.9995910	0.9999891	767293	5406	TERR	50 34 3	174.126	174.197	
		N	5450701.001			314948	5407	TERR	230 34 13	182.866	182.941	
		El	88.699	CVD28GVRD2018								
141382	5783	E	511851.386	0.9995893	0.9999876	590224	5386	TERR	140 32 33	131.387	131.441	
		N	5450247.617			634055	5392	TERR	320 32 43	176.093	176.165	
		El	98.256	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
426031	5784	E	511975.033	0.9995880	0.9999863	861658	5062	TERR	89 57 55	110.543	110.589					
		N	5449574.504					468744	5061	TERR	269 57 38	291.337	291.457			
		El	106.689					CVD28GVRD2018	293126	5383	TERR	359 10 45	408.131	408.299		
166033	5785	E	512571.532	0.9995983	0.9999964	MARKER DESTROYED										
		N	5451217.087													
		El	41.858			1928 Canadian Vertical Datum										
328260	5786	E	511270.641	0.9995935	0.9999919	MARKER DESTROYED										
		N	5447393.103													
		El	70.592			1928 Canadian Vertical Datum										
681049	5787	E	509656.565	0.9996036	1.0000025	MARKER DESTROYED										
		N	5450391.544													
		El	3.103			1928 Canadian Vertical Datum										
618835	5788	E	510865.953	0.9995920	0.9999905	MARKER DESTROYED										
		N	5449290.454													
		El	79.470			1928 Canadian Vertical Datum										
623256	5789	E	513462.647	0.9995922	0.9999899	144808	5207	TERR	89 51 36	185.473	185.548					
		N	5450286.667													
		El	83.212			CVD28GVRD2018										
309013	5790	E	513507.056	0.9995906	0.9999883	332049	5206	TERR	90 4 38	145.460	145.520					
		N	5449976.568			192674						5205	TERR	269 59 5	254.975	255.079
		El	93.544			CVD28GVRD2018										
60426	5791	E	510458.586	0.9995896	0.9999883	MARKER ISOLATED										
		N	5448510.256													
		El	93.924			CVD28GVRD2018										
458588	5792	E	513366.587	0.9995903	0.9999881	MARKER DESTROYED										
		N	5447137.136													
		El	95.296			1928 Canadian Vertical Datum										

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
243717	5793	E	512624.146	0.9995911	0.9999892		MARKER DESTROYED				
		N	5447144.504								
		El	88.133	1928	Canadian Vertical Datum						
46532	5794	E	512890.416	0.9995884	0.9999863	429050	5209	TERR	0 13 34	133.353	133.408
		N	5449034.104			256123	5201	TERR	180 18 8	271.920	272.032
		El	106.397	CVD28GVRD2018							
925917	5795	E	507196.293	0.9995929	0.9999923		MARKER DESTROYED				
		N	5447464.730								
		El	68.563	CVD28GVRD2018							
16931	5796	E	508838.699	0.9996036	1.0000027		MARKER DESTROYED				
		N	5449986.146								
		El	1.926	1928	Canadian Vertical Datum						
727271	5797	E	508209.229	0.9995939	0.9999930		MARKER DESTROYED				
		N	5447957.848								
		El	63.560	1928	Canadian Vertical Datum						
444885	5798	E	509411.150	0.9995910	0.9999899	744094	80H2043	TERR	85 16 23	71.182	71.212
		N	5448779.146			730119	80H2082	TERR	272 25 35	228.289	228.381
		El	83.220	CVD28GVRD2018		260794	5891	TERR	357 42 38	91.773	91.811
						629824	5355	TERR	359 27 31	254.527	254.631
32128	5799	E	508925.165	0.9995933	0.9999923	362699	5305	TERR	90 42 14	391.529	391.689
		N	5447976.560			543934	5306	TERR	267 15 7	216.374	216.461
		El	68.416	CVD28GVRD2018							
528992	5800	E	508207.145	0.9995921	0.9999912	320226	80H2042	TERR	1 17 51	202.281	202.363
		N	5447758.477			487454	5302	TERR	90 9 31	99.989	100.030
		El	75.118	CVD28GVRD2018		622860	8725	TERR	270 12 33	190.031	190.109
						704361	5504	TERR	271 5 3	518.596	518.807
676601	5801	E	508002.799	0.9995948	0.9999940		MARKER DESTROYED				
		N	5447923.553								
		El	57.131	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
502088	5802	E	518517.830	0.9996069	1.0000027		MARKER DESTROYED				
		N	5445577.124								
		El	1.800	CVD28GVRD2018							
652453	5803	E	510681.893	0.9995907	0.9999893		MARKER DESTROYED				
		N	5448771.611								
		El	87.395	1928 Canadian Vertical Datum							
423566	5804	E	511280.886	0.9995918	0.9999902		MARKER DESTROYED				
		N	5448754.177								
		El	81.552	1928 Canadian Vertical Datum							
125260	5805	E	509233.693	0.9995906	0.9999896	671719	5226	TERR	359 32 35	449.885	450.069
		N	5441901.222								
		El	85.757	CVD28GVRD2018							
999623	5806	E	508824.304	0.9995911	0.9999901	768879	5443	TERR	179 17 32	361.768	361.915
		N	5441903.892			30064	5227	TERR	359 17 30	449.319	449.503
		El	82.469	CVD28GVRD2018							
591560	5807	E	509236.533	0.9995904	0.9999894		MARKER DESTROYED				
		N	5441539.242								
		El	87.206	1928 Canadian Vertical Datum							
303545	5808	E	518529.548	0.9996064	1.0000022		MARKER DESTROYED				
		N	5446395.914								
		El	4.886	1928 Canadian Vertical Datum							
436204	5809	E	517760.046	0.9995975	0.9999936	166	5183	TERR	0 15 3	530.249	530.461
		N	5433658.213			505818	8786	GPS	71 36 38	1643.724	1644.377
		El	60.362	CVD28GVRD2018		8094	84H0567	GPS	91 47 25	1568.748	1569.375
						482679	5118	GPS	140 8 4	2466.771	2467.768
						478065	5182	TERR	180 15 53	282.544	282.658
89763	5810	E	517757.383	0.9995917	0.9999878	478065	5182	TERR	0 16 35	281.584	281.699
		N	5433094.091			303578	5181	TERR	180 15 4	531.594	531.812
		El	97.266	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
748251	5811	E	520943.043	0.9996007	0.9999953	839837	5172	TERR	179 30 29	512.094	512.298						
		N	5432284.626									802926	5171	TERR	359 49 20	289.315	289.431
		El	49.638									CVD28GVRD2018					
98509	5812	E	517272.930	0.9996012	0.9999975	MARKER DESTROYED											
		N	5445583.615														
		El	35.077			CVD28GVRD2018											
967398	5813	E	522554.980	0.9996000	0.9999937	702829	5161	TERR	179 54 49	310.660	310.785						
		N	5443476.904									565457	5160	TERR	359 54 56	496.713	496.911
		El	59.049									CVD28GVRD2018					
589952	5814	E	517761.296	0.9996068	1.0000029	MARKER DESTROYED											
		N	5435002.539														
		El	.930			1928 Canadian Vertical Datum											
493445	5815	E	519359.406	0.9996055	1.0000009	MARKER DESTROYED											
		N	5429341.941														
		El	13.701			1928 Canadian Vertical Datum											
774166	5816	E	522555.928	0.9995963	0.9999900	702829	5161	TERR	359 56 24	458.056	458.241						
		N	5442708.188														
		El	82.820									CVD28GVRD2018					
704247	5817	E	520145.646	0.9996078	1.0000028	721050	5672	TERR	89 3 33	795.541	795.854						
		N	5445585.660														
		El	1.378									CVD28GVRD2018					
120097	5818	E	515908.747	0.9995948	0.9999917	MARKER DESTROYED											
		N	5447144.412														
		El	71.841			CVD28GVRD2018											
605592	5819	E	516123.621	0.9995962	0.9999931	260125	79H0021	TERR	0 56 35	200.683	200.764						
		N	5447356.437									558494	5275	TERR	0 58 1	411.674	411.839
		El	63.380									CVD28GVRD2018					63867

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
843276	5820	E	520971.449	0.9995997	0.9999943		MARKER ISOLATED				
		N	5439337.576								
		El	55.677	CVD28GVRD2018							
830679	5821	E	511524.631	0.9995902	0.9999885	593194	5363	TERR	345 22 21	171.776	171.846
		N	5448812.408								
		El	92.264	CVD28GVRD2018							
745091	5822	E	519341.117	0.9996074	1.0000028		MARKER DESTROYED				
		N	5438259.242								
		El	1.402	1928 Canadian Vertical Datum							
26658	5823	E	520144.839	0.9996075	1.0000025		MARKER DESTROYED				
		N	5438250.638								
		El	3.063	1928 Canadian Vertical Datum							
831347	5824	E	520159.273	0.9996077	1.0000027		MARKER DESTROYED				
		N	5437284.470								
		El	2.277	1928 Canadian Vertical Datum							
276089	5825	E	513296.878	0.9995883	0.9999861	441758	8638	TERR	90 9 42	169.776	169.845
		N	5448761.523			256123	5201	TERR	270 5 36	407.897	408.064
		El	107.409	CVD28GVRD2018							
579557	5826	E	511684.666	0.9995993	0.9999977		MARKER DESTROYED				
		N	5440703.955								
		El	34.293	1928 Canadian Vertical Datum							
933507	5827	E	519684.425	0.9996069	1.0000021	754838	5839	TERR	89 47 25	248.556	248.654
		N	5439473.141			560334	5164	TERR	269 49 32	330.979	331.109
		El	5.863	CVD28GVRD2018		604330	5837	TERR	359 42 11	408.868	409.027
578344	5828	E	519114.206	0.9996072	1.0000027		MARKER DESTROYED				
		N	5439473.434								
		El	2.188	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
296368	5829	E	518782.792	0.9996063	1.0000019	575118	5718	TERR	270 14 40	249.205	249.304
		N	5439474.761								
		El	6.972	CVD28GVRD2018							
840116	5830	E	518874.527	0.9996060	1.0000017	873646	80H2008	TERR	90 3 29	238.159	238.253
		N	5439671.778			51466	5832	TERR	359 40 19	211.466	211.549
		El	8.780	CVD28GVRD2018							
279893	5831	E	519114.374	0.9996067	1.0000022		MARKER DESTROYED				
		N	5439671.421								
		El	5.389	1928 Canadian Vertical Datum							
51466	5832	E	518873.316	0.9996053	1.0000009	840116	5830	TERR	179 40 19	211.466	211.549
		N	5439883.240			434712	8609	TERR	270 8 31	186.959	187.032
		El	13.612	CVD28GVRD2018							
212456	5833	E	517762.680	0.9996053	1.0000014		MARKER DESTROYED				
		N	5439406.509								
		El	10.424	CVD28GVRD2018							
104992	5834	E	520154.289	0.9996024	0.9999974	738260	5835	TERR	179 50 48	223.870	223.959
		N	5440694.294								
		El	35.761	CVD28GVRD2018							
738260	5835	E	520154.888	0.9996019	0.9999969	128694	5836	TERR	179 50 4	367.111	367.257
		N	5440470.425			104992	5834	TERR	359 50 48	223.870	223.959
		El	38.882	CVD28GVRD2018							
128694	5836	E	520155.948	0.9996021	0.9999971	570572	5081	TERR	179 49 11	222.391	222.479
		N	5440103.316			738260	5835	TERR	359 50 4	367.111	367.257
		El	37.747	CVD28GVRD2018							
604330	5837	E	519682.305	0.9996066	1.0000019	784165	5838	TERR	90 7 50	248.238	248.335
		N	5439882.003			933507	5827	TERR	179 42 11	408.868	409.027
		El	7.348	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
784165	5838	E	519930.542	0.9996054	1.0000005	42242	8610	TERR	90 16 17	116.930	116.976		
		N	5439881.437					754838	5839	TERR	179 39 26	407.393	407.553
		El	15.858					CVD28GVRD2018	604330	5837	TERR	270 7 50	248.238
754838	5839	E	519932.979	0.9996068	1.0000019	671859	5719	TERR	89 54 54	224.136	224.224		
		N	5439474.051					933507	5827	TERR	269 47 25	248.556	248.654
		El	7.300					CVD28GVRD2018	784165	5838	TERR	359 39 26	407.393
722025	5840	E	520559.163	0.9996006	0.9999954	344507	5944	TERR	0 45 51	177.803	177.874		
		N	5439472.357					921403	5950	TERR	270 20 48	127.929	127.980
		El	48.547					CVD28GVRD2018					
516229	5842	E	509643.269	0.9995886	0.9999875	MARKER DESTROYED							
		N	5440706.245										
		El	99.228			1928 Canadian Vertical Datum							
6585	5843	E	509642.965	0.9995906	0.9999894	722397	5047	TERR	179 36 13	428.901	429.077		
		N	5441965.203					13227	81H4521	TERR	359 35 13	382.865	383.022
		El	86.664					CVD28GVRD2018					
785725	5844	E	509637.201	0.9995904	0.9999892	263079	80H2024	TERR	93 9 33	406.832	406.999		
		N	5442755.236					13227	81H4521	TERR	179 34 39	407.189	407.355
		El	88.041					CVD28GVRD2018					
707570	5845	E	509631.249	0.9995912	0.9999901	908012	80H2027	TERR	90 27 29	286.259	286.376		
		N	5443553.528					655696	5049	TERR	359 33 34	380.732	380.888
		El	82.435					CVD28GVRD2018					
595777	5846	E	510464.857	0.9995919	0.9999906	MARKER DESTROYED							
		N	5441162.752										
		El	79.507			1928 Canadian Vertical Datum							
926089	5847	E	510866.267	0.9995940	0.9999926	494252	80H2081	TERR	89 24 48	416.668	416.837		
		N	5441165.445					298117	5447	TERR	179 14 53	468.019	468.209
		El	66.784					CVD28GVRD2018	152694	5446	TERR	359 23 30	342.929

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
608554	5848	E	519931.423	0.9996073	1.0000025		MARKER DESTROYED				
		N	5448771.769								
		El	3.173	CVD28GVRD2018							
111716	5849	E	516131.655	0.9995957	0.9999925		MARKER DESTROYED				
		N	5448987.368								
		El	66.549	CVD28GVRD2018							
891895	5850	E	509420.260	0.9995909	0.9999898	367391	5917	TERR	0 24 60	398.985	399.148
		N	5443541.086			662049	5921	TERR	269 2 21	95.949	95.987
		El	84.607	CVD28GVRD2018							
512228	5851	E	519065.022	0.9995977	0.9999932		MARKER DESTROYED				
		N	5447971.323								
		El	62.278	CVD28GVRD2018							
370809	5852	E	514485.954	0.9995911	0.9999885	688044	5853	TERR	1 12 31	375.170	375.323
		N	5446383.526			663989	5867	TERR	89 38 58	408.440	408.607
		El	92.556	CVD28GVRD2018		173922	8775	TERR	270 39 24	410.640	410.808
688044	5853	E	514493.868	0.9995909	0.9999883	228619	5066	TERR	1 12 25	375.184	375.338
		N	5446758.612			370809	5852	TERR	181 12 31	375.170	375.323
		El	93.894	CVD28GVRD2018		54619	79H0032	TERR	270 28 18	401.559	401.723
78816	5854	E	518698.928	0.9995971	0.9999928	796326	5708	TERR	269 18 51	282.743	282.857
		N	5447974.788								
		El	65.051	CVD28GVRD2018							
5181	5855	E	513300.912	0.9995993	0.9999971		MARKER DESTROYED				
		N	5444488.825								
		El	37.518	1928 Canadian Vertical Datum							
642710	5856	E	514216.055	0.9995958	0.9999933	898189	5030	TERR	89 46 32	263.299	263.406
		N	5444763.966								
		El	61.771	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	Metres	Metres
422071	5857	E	513995.791	0.9996021	0.9999997		MARKER ISOLATED								
		N	5443155.674												
		El	21.260	CVD28GVRD2018											
956235	5858	E	515619.549	0.9995960	0.9999930		MARKER DESTROYED								
		N	5443957.924												
		El	63.767	1928 Canadian Vertical Datum											
765826	5859	E	515843.803	0.9995933	0.9999902	745927		5271	TERR	90	6	55	281.993	282.108	
		N	5444761.897			172833		5262	TERR	270	6	39	539.858	540.078	
		El	81.846	CVD28GVRD2018											
433342	5860	E	515029.690	0.9995951	0.9999923	73189		5029	TERR	270	9	10	542.682	542.901	
		N	5444360.305												
		El	68.430	CVD28GVRD2018											
929810	5861	E	515312.801	0.9995921	0.9999892		MARKER DESTROYED								
		N	5449995.362												
		El	87.987	1928 Canadian Vertical Datum											
932566	5862	E	518525.733	0.9996020	0.9999978	80176		5072	TERR	359	28	36	343.428	343.566	
		N	5446819.008												
		El	33.004	CVD28GVRD2018											
367185	5863	E	519329.799	0.9995999	0.9999953		MARKER DESTROYED								
		N	5446627.533												
		El	48.954	1928 Canadian Vertical Datum											
524116	5864	E	518277.125	0.9996066	1.0000025		MARKER DESTROYED								
		N	5446398.309												
		El	3.127	1928 Canadian Vertical Datum											
570713	5865	E	520941.437	0.9996081	1.0000027	447771		5169	TERR	5	39	12	197.259	197.335	
		N	5437259.585			133967		5955	TERR	180	49	26	667.440	667.702	
		El	1.852	CVD28GVRD2018		435560		86H1266	GPS	209	8	30	1692.858	1693.523	
						535096		8606	GPS	236	52	22	1923.758	1924.513	
						5702		5121	GPS	276	38	5	1612.358	1612.990	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
1727	5866	E	520929.015	0.9996077	1.0000023	133967	5955	TERR	0 49 42	195.354	195.431							
		N	5436396.880									614040	5875	GPS	110 8 36	1693.049	1693.718	
		El	4.784									CVD28GVRD2018	435560	86H1266	GPS	232 49 10	1019.095	1019.495
						649830	5092	GPS	249 11 54	1736.396	1737.078							
663989	5867	E	514894.386	0.9995915	0.9999887	32243	5267	TERR	89 35 13	408.333	408.500							
		N	5446386.024									370809	5852	TERR	269 38 58	408.440	408.607	
		El	90.965									CVD28GVRD2018						
161687	5868	E	510681.894	0.9995907	0.9999893													
		N	5448771.611															
		El	87.490									1928 Canadian Vertical Datum						
926154	5869	E	514815.752	0.9995912	0.9999885													
		N	5448766.601															
		El	92.580									1928 Canadian Vertical Datum						
878314	5870	E	516140.810	0.9996004	0.9999972	907279	5757	TERR	0 2 18	339.900	340.036							
		N	5429723.628									983270	5759	TERR	89 49 10	804.559	804.881	
		El	37.277									CVD28GVRD2018	323683	5872	TERR	180 6 19	200.255	200.335
													360545	WR88008	TERR	269 58 1	200.818	200.898
445338	5871	E	512910.116	0.9995900	0.9999880	510149	5945	TERR	0 4 28	253.118	253.223							
		N	5432550.965									237164	8711	TERR	90 10 5	517.224	517.437	
		El	96.370									CVD28GVRD2018	801845	5466	TERR	270 5 40	809.448	809.780
323683	5872	E	516140.442	0.9996028	0.9999996	878314	5870	TERR	0 6 19	200.255	200.335							
		N	5429523.373									455196	5873	TERR	180 6 16	200.926	201.006	
		El	22.245									CVD28GVRD2018	896845	WR88007	TERR	269 54 7	200.742	200.822

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----					-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
455196	5873	E	516140.076	0.9996058	1.0000026	323683	5872	TERR	0 6 16	200.926	201.006
		N	5429322.447			782151	80H2067	GPS	20 34 37	5192.868	5194.916
		El	3.026			904904	NO MARKING	GPS	42 20 59	13166.329	13171.512
						878538	92H0857	GPS	44 38 37	2282.452	2283.359
						121954	80H2037	TERR	90 2 23	271.825	271.932
						976324	92H0924	GPS	108 16 60	2549.321	2550.328
						576363	8705	GPS	109 0 57	4868.130	4870.070
						136531	92H0917	GPS	131 37 34	2169.376	2170.232
						49395	89H5100	TERR	268 9 10	201.462	201.541
						394825	81	GPS	270 27 58	27933.203	27944.263
						557686	5495	GPS	305 12 59	8786.246	8789.720
						202903	86H1297	GPS	318 40 45	2435.056	2436.038
						898734	NO MARKING	GPS	343 2 34	20382.154	20390.364
		787424	80H2013	GPS	359 56 5	2416.245	2417.209				
905570	5874	E	522526.656	0.9996022	0.9999959	947986	90H6435	TERR	90 2 8	806.229	806.549
		N	5434999.274			101188	5098	TERR	179 25 38	814.605	814.928
		El	45.472			381954	5876	GPS	224 9 57	1136.563	1137.015
						38133	5095	GPS	269 28 53	1594.313	1594.944
						614040	5875	TERR	359 25 36	814.610	814.934
614040	5875	E	522518.506	0.9996027	0.9999964	24430	5725	GPS	2 16 6	1644.043	1644.693
		N	5435813.843			904904	NO MARKING	GPS	37 33 47	4086.280	4087.895
		El	42.209			60269	79H9604	GPS	41 48 25	2216.233	2217.110
						905570	5874	TERR	179 25 36	814.610	814.934
						336131	NO MARKING	GPS	179 58 50	1535.235	1535.846
						38133	5095	GPS	242 24 20	1789.676	1790.383
						1727	5866	GPS	290 8 36	1693.049	1693.718
						133967	5955	GPS	296 7 52	1767.307	1768.006
						602961	86H1306	GPS	301 54 50	2793.181	2794.284
						151852	5167	GPS	331 29 6	3245.740	3247.025
		203257	92H0916	GPS	347 15 50	3329.946	3331.272				
381954	5876	E	521734.772	0.9996017	0.9999959	905570	5874	GPS	44 9 57	1136.563	1137.015
		N	5434183.986			101188	5098	TERR	89 56 53	800.029	800.348
		El	45.356			38133	5095	GPS	314 56 47	1133.652	1134.100
270116	5877	E	522550.861	0.9996024	0.9999961	MARKER DESTROYED					
		N	5432577.715								
		El	44.305								
217398	5878	E	521741.011	0.9996020	0.9999962	802926	5171	TERR	269 51 45	798.867	799.186
		N	5432575.856								
		El	43.964								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
58636	5879	E	514509.960	0.9995911	0.9999885	525980	5914	TERR	180 11 54	362.114	362.262					
		N	5449930.384					950121				5281	TERR	359 56 42	447.313	447.495
		El	92.200					CVD28GVRD2018								
966879	5880	E	509856.395	0.9995906	0.9999894	MARKER DESTROYED										
		N	5448371.668													
		El	86.935			1928 Canadian Vertical Datum										
465450	5881	E	514495.493	0.9995932	0.9999906	525980	5914	TERR	1 38 42	460.278	460.465					
		N	5449108.184													
		El	79.128					CVD28GVRD2018								
957910	5882	E	517744.429	0.9996008	0.9999969	764720	5193	TERR	0 30 23	340.914	341.050					
		N	5447643.163					162537				5071	TERR	180 30 24	482.742	482.933
		El	38.574										CVD28GVRD2018			
808923	5883	E	517745.813	0.9995979	0.9999940	764720	5193	TERR	179 42 53	327.068	327.199					
		N	5448311.128													
		El	57.305					CVD28GVRD2018								
745687	5884	E	517744.377	0.9995974	0.9999935	MARKER DESTROYED										
		N	5448595.213													
		El	60.488			1928 Canadian Vertical Datum										
771212	5885	E	517742.504	0.9995991	0.9999952	417667	5196	TERR	179 52 44	449.291	449.472					
		N	5449234.655					638197				5287	TERR	359 14 32	360.355	360.498
		El	49.354										CVD28GVRD2018			
469866	5886	E	517141.635	0.9995957	0.9999921	MARKER DESTROYED										
		N	5448774.598													
		El	69.208			1928 Canadian Vertical Datum										
271734	5887	E	513141.746	0.9995985	0.9999964	621250	5035	TERR	269 55 14	263.111	263.217					
		N	5444488.603													
		El	42.183					CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
254078	5888	E	516121.896	0.9995935	0.9999903	996579	5278	TERR	179 42 26	402.913	403.078
		N	5449982.149								
		El	80.812	CVD28GVRD2018							
679076	5889	E	515053.321	0.9995920	0.9999892						
		N	5450386.274								
		El	87.712	1928 Canadian Vertical Datum							
540484	5890	E	509148.139	0.9995988	0.9999978	439992	5247	TERR	1 15 50	181.800	181.873
		N	5438443.517			754531	5253	TERR	180 57 34	503.599	503.799
		El	33.707	CVD28GVRD2018		640250	5249	TERR	270 25 43	139.420	139.476
260794	5891	E	509407.484	0.9995913	0.9999902	629824	5355	TERR	0 26 37	162.821	162.887
		N	5448870.846			444885	5798	TERR	177 42 38	91.773	91.811
		El	81.302	1928 Canadian Vertical Datum							
760454	5892	E	509628.935	0.9995906	0.9999895	765859	8733	TERR	1 46 29	314.781	314.910
		N	5448866.504			354316	5057	TERR	174 47 54	92.077	92.115
		El	86.207	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
607093	5893	E	508003.136	0.9996034	1.0000026	102970	92H0875	GPS	0 15 37	3087.198	3088.441	
		N	5437651.958			898734	NO MARKING	GPS	11 6 28	11379.671	11384.272	
		El	2.739			CVD28GVRD2018	162537	5071	GPS	45 40 49	13609.588	13614.978
							909333	NO MARKING	GPS	60 29 19	29417.779	29429.480
							444810	5616	GPS	71 7 30	708.363	708.644
							754531	5253	GPS	75 46 46	1172.500	1172.965
							901199	5620	GPS	82 4 15	3161.720	3162.972
							904904	NO MARKING	GPS	85 17 26	17064.112	17070.856
							439760	5184	GPS	91 17 12	9766.114	9769.972
							7286	13H2691	GPS	91 32 37	10378.052	10382.154
							147819	91H9962	GPS	107 32 33	32513.981	32526.723
							251132	5637	GPS	126 57 11	3110.925	3112.158
							942870	86H1263	GPS	153 13 39	7315.783	7318.734
							557686	5495	GPS	163 37 30	3400.730	3402.078
							430900	87H3190	GPS	228 50 47	14690.100	14695.932
							762716	80H1257	GPS	245 20 56	5361.738	5363.867
							970434	6913	GPS	245 56 40	3552.847	3554.257
							394825	81	GPS	247 44 26	21389.309	21397.793
							55384	6202	TERR	267 54 29	1622.667	1623.312
							531079	6902	GPS	268 39 30	8132.312	8135.541
							869792	NO MARKING	GPS	277 55 55	18919.776	18927.302
							995365	6910	GPS	278 6 52	3292.909	3294.216
							839639	80H1300	GPS	289 30 47	12311.868	12316.759
			675850	84H0394	GPS	302 47 50	10283.387	10287.472				
			274696	78H8518	GPS	307 55 6	14450.125	14455.863				
			252569	92H0596	GPS	319 41 11	4019.618	4021.218				
			611681	V-3719	GPS	323 37 41	24398.340	24408.020				
			875864	NO MARKING	GPS	324 40 41	25080.190	25090.194				
			815746	84H9508	GPS	335 54 50	6706.912	6709.590				
			799270	9352	GPS	337 19 49	5092.343	5094.375				
			770800	5296	GPS	359 40 59	9502.273	9506.108				
254102	5895	E	512045.265	0.9995934	0.9999916		MARKER DESTROYED					
		N	5446888.831									
		El	72.481	CVD28GVRD2018								
214346	5896	E	511925.201	0.9995941	0.9999924	886200	5897	TERR	270 15 27	72.559	72.588	
		N	5446889.374									
		El	67.912	CVD28GVRD2018								
886200	5897	E	511852.643	0.9995943	0.9999926	214346	5896	TERR	90 15 27	72.559	72.588	
		N	5446889.700									
		El	66.549	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
502419	5898	E	512494.732	0.9995879	0.9999860	640102	5899	TERR	90 25 49	100.432	100.473
		N	5449782.912								
		El	108.457	CVD28GVRD2018							
640102	5899	E	512595.161	0.9995878	0.9999858	502419	5898	TERR	270 25 49	100.432	100.473
		N	5449782.158			259192	5381	TERR	359 11 12	196.176	196.257
		El	109.399	CVD28GVRD2018							
312827	5900	E	512285.628	0.9995885	0.9999866	255802	8652	TERR	180 7 3	248.313	248.415
		N	5448398.277								
		El	104.555	CVD28GVRD2018							
637512	5901	E	506682.795	0.9995988	0.9999982	471789	5375	TERR	225 1 25	58.182	58.206
		N	5447467.318								
		El	30.508	CVD28GVRD2018							
240374	5902	E	506389.841	0.9996026	1.0000021						
		N	5447256.700								
		El	6.071	CVD28GVRD2018							
849828	5903	E	506891.565	0.9995951	0.9999945						
		N	5447467.847								
		El	54.312	1928 Canadian Vertical Datum							
487082	5904	E	508708.700	0.9995911	0.9999902	543934	5306	TERR	0 5 36	208.990	209.076
		N	5447757.196			547521	5303	TERR	90 8 7	124.033	124.083
		El	81.823	CVD28GVRD2018		546564	5308	TERR	180 27 30	70.376	70.404
						487454	5302	TERR	270 8 36	401.567	401.732
746610	5905	E	510342.318	0.9995895	0.9999881	57349	5906	TERR	300 31 34	299.251	299.374
		N	5448361.814								
		El	94.799	CVD28GVRD2018							
57349	5906	E	510084.544	0.9995900	0.9999887	746610	5905	TERR	120 31 34	299.251	299.374
		N	5448513.813								
		El	91.175	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
171884	5907	E	509864.331	0.9995911	0.9999899	507210	5317	TERR	90 9 29	185.217	185.292		
		N	5447967.152					602813	5056	TERR	270 9 33	220.002	220.091
		El	83.378					CVD28GVRD2018					
334409	5908	E	510329.732	0.9995885	0.9999872	349084	5148	TERR	90 11 36	125.911	125.962		
		N	5447965.694					507210	5317	TERR	270 11 37	280.187	280.302
		El	100.695					CVD28GVRD2018					
172049	5909	E	510452.928	0.9995895	0.9999882	349084	5148	TERR	1 29 7	104.712	104.755		
		N	5447860.592					196311	5342	TERR	181 28 57	300.656	300.779
		El	94.534					CVD28GVRD2018					
214445	5910	E	511081.142	0.9995916	0.9999901				MARKER DESTROYED				
		N	5447644.845										
		El	82.000	1928 Canadian Vertical Datum									
972984	5911	E	510614.078	0.9995957	0.9999943	471698	5151	TERR	225 13 25	219.606	219.696		
		N	5450100.480										
		El	55.340					CVD28GVRD2018					
656884	5912	E	511251.909	0.9995925	0.9999909					MARKER DESTROYED			
		N	5447646.191										
		El	77.00			(NOT INTEGRATED)							
304394	5913	E	508051.723	0.9995874	0.9999866					MARKER DESTROYED			
		N	5446007.127										
		El	104.955			CVD28GVRD2018							
525980	5914	E	514508.707	0.9995914	0.9999888	58636	5879	TERR	0 11 54	362.114	362.262		
		N	5449568.272			465450	5881	TERR	181 38 42	460.278	460.465		
		El	90.311			CVD28GVRD2018		252551	5282	TERR	269 53 13	188.047	188.124
557603	5915	E	509041.867	0.9995906	0.9999896					MARKER ISOLATED			
		N	5445976.230										
		El	85.338			CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
450528	5916	E	510544.866	0.9995956	0.9999942		MARKER DESTROYED				
		N	5445547.687								
		El	56.254	1928	Canadian Vertical Datum						
367391	5917	E	509423.161	0.9995912	0.9999901	655696	5049	TERR	91 37 21	205.243	205.327
		N	5443940.060			891895	5850	TERR	180 24 60	398.985	399.148
		El	82.265	CVD28GVRD2018		640540	5138	TERR	271 37 23	606.012	606.260
109769	5918	E	511473.382	0.9995896	0.9999880		MARKER DESTROYED				
		N	5449571.464								
		El	95.580	1928	Canadian Vertical Datum						
63222	5919	E	510078.582	0.9995892	0.9999879	961201	5143	TERR	89 10 24	382.563	382.720
		N	5439899.240			55673	5044	TERR	269 10 22	434.263	434.442
		El	96.607	CVD28GVRD2018							
320804	5920	E	509446.451	0.9995894	0.9999883	55673	5044	TERR	89 55 18	197.913	197.994
		N	5439892.700								
		El	94.130	CVD28GVRD2018							
662049	5921	E	509324.325	0.9995902	0.9999891	891895	5850	TERR	89 2 21	95.949	95.987
		N	5443539.477			114371	8777	TERR	179 49 26	397.322	397.485
		El	88.822	CVD28GVRD2018							
907592	5922	E	510463.372	0.9995892	0.9999879	230417	5571	TERR	0 38 4	189.104	189.182
		N	5440104.234			961201	5143	TERR	180 39 4	199.488	199.569
		El	96.910	CVD28GVRD2018							
752527	5923	E	510455.286	0.9995921	0.9999907	202929	5241	TERR	180 31 2	197.724	197.804
		N	5439288.037								
		El	78.682	CVD28GVRD2018							
48595	5924	E	509327.061	0.9995896	0.9999885		MARKER DESTROYED				
		N	5443142.165								
		El	92.766	1928	Canadian Vertical Datum						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
200071	5925	E	510450.820	0.9995913	0.9999900	742700	5141	TERR	179 36 21	298.913	299.035
		N	5442629.097								
		El	83.225	CVD28GVRD2018							
393223	5926	E	510443.778	0.9995925	0.9999912						
		N	5443656.843								
		El	75.438	CVD28GVRD2018							
											MARKER ISOLATED
582767	5927	E	511064.676	0.9995940	0.9999925	152694	5446	TERR	271 17 52	202.102	202.184
		N	5441503.778								
		El	67.418	CVD28GVRD2018							
111765	5928	E	511865.604	0.9995963	0.9999946	197129	5448	TERR	269 54 40	187.994	188.070
		N	5441499.673								
		El	54.024	CVD28GVRD2018							
330688	5929	E	513839.274	0.9995995	0.9999972	256230	5026	TERR	90 7 37	676.467	676.737
		N	5441523.148			964403	5043	TERR	270 3 50	137.069	137.124
		El	37.368	CVD28GVRD2018							
355388	5930	E	512892.835	0.9995959	0.9999939	846626	5705	GPS	77 30 18	2504.304	2505.305
		N	5439083.250			27888	5623	GPS	125 44 50	1263.306	1263.810
		El	58.622	CVD28GVRD2018		563304	5622	GPS	158 48 39	862.940	863.284
948950	5931	E	511042.039	0.9995920	0.9999905	223644	5240	TERR	263 18 36	192.180	192.258
		N	5439109.609								
		El	80.369	CVD28GVRD2018							
299800	5932	E	513703.742	0.9995971	0.9999948	258251	8637	TERR	0 7 24	578.759	578.991
		N	5440136.982			284133	5605	TERR	180 7 25	237.120	237.215
		El	52.546	CVD28GVRD2018							
183087	5933	E	520973.226	0.9996012	0.9999958	65292	5156	TERR	0 7 2	491.652	491.848
		N	5442630.341			614602	8779	TERR	180 7 52	312.694	312.819
		El	45.821	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
89649	5934	E	520971.196	0.9995976	0.9999922	608562	92H0923	GPS	78 29 16	1634.220	1634.878					
		N	5441232.994					252833	10H2609			GPS	86 24 10	784.185	784.500	
		El	68.740					CVD28GVRD2018	266809			92H0922	GPS	108 4 43	1586.859	1587.495
									904904			NO MARKING	GPS	118 21 39	4589.282	4591.107
									63446			5013	TERR	179 44 56	537.274	537.491
									17830			10H2578	GPS	315 0 19	2312.859	2313.779
									136820			10H2573	GPS	320 17 53	1259.962	1260.466
			368530	10H2608	GPS	358 34 4	604.090	604.332								
40378	5935	E	521506.515	0.9995983	0.9999926	888537	5083	TERR	90 31 32	264.267	264.374					
		N	5439877.520													
		El	66.364					CVD28GVRD2018								
579102	5936	E	521993.398	0.9995999	0.9999939	179200	5084	TERR	89 56 38	543.148	543.364					
		N	5439875.316					888537	5083			TERR	269 56 36	222.627	222.716	
		El	57.886					CVD28GVRD2018								
863621	5937	E	520974.199	0.9996044	0.9999990	65292	5156	TERR	179 59 18	166.352	166.418					
		N	5443288.344					973289	5157			TERR	359 59 19	649.852	650.108	
		El	25.331					CVD28GVRD2018								
839787	5938	E	522544.732	0.9996072	1.0000010											
		N	5439126.769													
		El	13.103	1928 Canadian Vertical Datum												
111096	5939	E	522539.605	0.9996056	0.9999993	179200	5084	TERR	359 33 8	391.319	391.474					
		N	5439484.542													
		El	23.429					CVD28GVRD2018								
246934	5940	E	522542.340	0.9996074	1.0000012	410894	5165	TERR	180 28 26	126.077	126.127					
		N	5438846.265													
		El	11.918					CVD28GVRD2018								
834671	5941	E	522548.684	0.9996006	0.9999944	179200	5084	TERR	181 0 55	685.031	685.303					
		N	5440560.772													
		El	55.177					CVD28GVRD2018								
723551	5942	E	522551.812	0.9996061	0.9999998	469650	5674	TERR	179 45 57	373.947	374.095					
		N	5447009.165													
		El	20.199					CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
304451	5943	E	520563.559	0.9995996	0.9999944	344507	5944	TERR	180 30 4	231.534	231.626				
		N	5439881.669					570572	5081	TERR	269 53 43	406.912	407.074		
		El	54.895					CVD28GVRD2018							
344507	5944	E	520561.534	0.9995997	0.9999945	304451	5943	TERR	0 30 4	231.534	231.626				
		N	5439650.144					652842	92H0925	GPS	62 24 21	485.114	485.308		
		El	54.264					CVD28GVRD2018		904904	NO MARKING	GPS	97 38 47	4488.010	4489.791
								15610	13H2688	GPS	143 28 12	708.419	708.702		
								722025	5840	TERR	180 45 51	177.803	177.874		
								737981	92H0915	GPS	213 35 28	717.648	717.932		
								873646	80H2008	GPS	270 50 45	1449.006	1449.581		
510149	5945	E	512910.445	0.9995904	0.9999883	445338	5871	TERR	180 4 28	253.118	253.223				
		N	5432804.083												
		El	94.204					CVD28GVRD2018							
310003	5946	E	519395.625	0.9996056	1.0000010	576363	8705	TERR	115 1 32	1486.472	1487.065				
		N	5428365.079					709840	84H0576	TERR	343 7 11	178.114	178.184		
		El	13.217					CVD28GVRD2018							
210963	5947	E	519348.368	0.9996058	1.0000012	MARKER DESTROYED									
		N	5440310.438												
		El	11.507			CVD28GVRD2018									
450908	5948	E	519346.316	0.9996053	1.0000007	MARKER DESTROYED									
		N	5440906.935												
		El	14.50			(APPROX. ONLY)									
655407	5949	E	509841.575	0.9995906	0.9999894	MARKER DESTROYED									
		N	5442346.392												
		El	86.80			(APPROX. ONLY)									
921403	5950	E	520431.236	0.9996018	0.9999967	722025	5840	TERR	90 20 48	127.929	127.980				
		N	5439473.131					671859	5719	TERR	270 15 43	274.124	274.233		
		El	40.417					CVD28GVRD2018							
723387	5953	E	524185.821	0.9996036	0.9999964	MARKER DESTROYED									
		N	5437098.521												
		El	42.065			1928 Canadian Vertical Datum									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
175885	5954	E	524185.019	0.9996071	0.9999999		MARKER DESTROYED				
		N	5440737.666								
		El	19.632	1928	Canadian Vertical Datum						
133967	5955	E	520931.839	0.9996077	1.0000023	570713	5865	TERR	0 49 26	667.440	667.702
		N	5436592.214			614040	5875	GPS	116 7 52	1767.307	1768.006
		El	4.796	CVD28GVRD2018		1727	5866	TERR	180 49 42	195.354	195.431
						435560	86H1266	GPS	225 7 32	1149.741	1150.192
						535096	8606	GPS	256 31 3	1646.857	1647.504
696088	5956	E	521482.091	0.9996069	1.0000012	228734	5671	TERR	89 54 51	471.521	471.706
		N	5445600.655			291302	88H4592	GPS	123 58 27	2886.945	2888.087
		El	11.331	CVD28GVRD2018		463638	5773	GPS	161 34 4	868.627	868.968
						377754	5680	GPS	170 15 35	1668.804	1669.460
						397893	5670	GPS	180 15 20	508.808	509.008
						721050	5672	TERR	269 47 44	541.014	541.227
						266148	NO MARKING	GPS	309 13 14	2822.195	2823.319
489179	5958	E	514528.907	0.9995983	0.9999957		MARKER DESTROYED				
		N	5433988.147								
		El	47.039	CVD28GVRD2018							
723262	5972	E	519859.093	0.9996072	1.0000023	411447	5997	TERR	8 38 43	960.998	961.376
		N	5449462.093			792697	5995	TERR	151 10 14	659.079	659.338
		El	3.962	1928	Canadian Vertical Datum						
736215	5976	E	519241.647	0.9996070	1.0000024	411447	5997	TERR	113 47 44	832.688	833.015
		N	5450748.140			193888	10H2593	GPS	154 43 24	1420.718	1421.276
		El	3.492	CVD28GVRD2018		638197	5287	GPS	232 31 11	1895.131	1895.881
						898734	NO MARKING	GPS	257 57 30	9249.687	9253.412
						3996	92H0900	GPS	269 14 2	2566.144	2567.163
						970699	10H2594	GPS	328 18 8	1111.467	1111.905
						446229	NO MARKING	TERR	356 47 10	777.754	778.061
792697	5995	E	520176.904	0.9996073	1.0000023	125146	5999	TERR	176 24 23	771.623	771.926
		N	5448884.701			723262	5972	TERR	331 10 14	659.079	659.338
		El	4.300	1928	Canadian Vertical Datum						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----					-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
703223	677003	E	513311.451	0.9995862	0.9999840	851105	29701	TERR	35 14 45	40356.613	40376.907
		N	5432135.439			904904	NO MARKING	GPS	59 24 10	13590.431	13595.916
		El	121.609	CVD28GVRD2018		511907	92H0921	GPS	78 46 6	2047.249	2048.091
						202903	86H1297	GPS	128 52 31	1568.139	1568.787
						417725	80H2072	GPS	284 21 31	2499.462	2500.490
						931295	19724	TERR	305 34 39	19389.635	19397.504
						932632	13701	TERR	306 45 22	9657.549	9661.464
						334839	2967	TERR	334 34 56	14311.316	14317.236
						879726	10H2605	GPS	344 17 35	1438.963	1439.551
						400028	NO MARKING	TERR	345 50 48	27218.546	27230.421
						669960	677004	TERR	359 59 3	16870.760	16877.754
20040	6939	E	507990.374	0.9995876	0.9999868		MARKER DESTROYED				
		N	5446006.882								
		El	103.507	1928 Canadian Vertical Datum							
935809	6944	E	507993.847	0.9995880	0.9999872		MARKER DESTROYED				
		N	5446412.075								
		El	100.547	1928 Canadian Vertical Datum							
71787	6963	E	507993.189	0.9995896	0.9999888		MARKER DESTROYED				
		N	5443046.083								
		El	90.823	CVD28GVRD2018							
342816	6964	E	507986.634	0.9995885	0.9999877		MARKER DESTROYED				
		N	5444389.993								
		El	97.506	1928 Canadian Vertical Datum							
58917	6965	E	507987.983	0.9995889	0.9999881		MARKER DESTROYED				
		N	5445202.203								
		El	94.896	1928 Canadian Vertical Datum							
995597	77C056	E	513027.359	0.9996049	1.0000028	904904	NO MARKING	GPS	75 2 10	12402.876	12407.767
		N	5435850.417			465427	13H2672	GPS	109 22 17	1573.440	1574.062
		El	1.838	CVD28GVRD2018		767350	13H2687	GPS	156 6 21	1849.648	1850.385
						4903	92H0897	GPS	235 3 47	2280.593	2281.496
						337592	10H2614	GPS	312 36 48	1822.973	1823.695
						898734	NO MARKING	GPS	347 40 53	13273.633	13278.989

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
417246	78H8616	E	520148.105	0.9996070	1.0000020		MARKER DESTROYED				
		N	5439082.044								
		El	6.261	1928 Canadian Vertical Datum							
512145	79H0001	E	523150.043	0.9996081	1.0000015		MARKER DESTROYED				
		N	5447699.944								
		El	9.093	CVD28GVRD2018							
480608	79H0002	E	514835.847	0.9995913	0.9999886		MARKER DESTROYED				
		N	5448755.840								
		El	91.901	CVD28GVRD2018							
157701	79H0003	E	514495.159	0.9995915	0.9999889		MARKER DESTROYED				
		N	5448746.512								
		El	89.867	CVD28GVRD2018							
371245	79H0004	E	513690.443	0.9995898	0.9999875	364455	5535	TERR	0 48 9	407.419	407.586
		N	5447537.809			481663	79H0008	TERR	90 8 47	408.417	408.584
		El	98.812	CVD28GVRD2018		80283	5289	TERR	180 47 16	404.359	404.525
702118	79H0005	E	513677.404	0.9995898	0.9999875		MARKER DESTROYED				
		N	5448749.111								
		El	98.547	CVD28GVRD2018							
880559	79H0007	E	514494.850	0.9995915	0.9999889		MARKER DESTROYED				
		N	5448465.845								
		El	89.865	CVD28GVRD2018							
481663	79H0008	E	514098.859	0.9995903	0.9999878	698290	10H2601	GPS	58 51 55	2442.110	2443.105
		N	5447536.766			407239	79H0017	TERR	89 27 14	416.213	416.384
		El	96.864	CVD28GVRD2018		904581	10H2600	GPS	97 29 48	2814.067	2815.206
						597377	10H2582	GPS	258 51 34	2093.731	2094.585
						371245	79H0004	TERR	270 8 47	408.417	408.584
						898734	NO MARKING	GPS	288 10 40	4108.408	4110.096
						513077	10H2603	GPS	339 55 39	1279.296	1279.820
399659	79H0009	E	514912.892	0.9995919	0.9999892	564237	79H0011	TERR	88 4 34	405.625	405.790
		N	5447958.317			419374	79H0010	TERR	269 6 2	414.377	414.545
		El	87.907	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
419374	79H0010	E	514498.566	0.9995915	0.9999890	399659	79H0009	TERR	89 6 2	414.377	414.545			
		N	5447951.813					407239	79H0017	TERR	177 42 12	411.410	411.578	
		El	89.504					CVD28GVRD2018	785238	5536	TERR	269 29 44	396.610	396.773
						172262	79H0018	TERR	359 56 34	284.568	284.684			
564237	79H0011	E	515318.288	0.9995930	0.9999901	456939	5198	TERR	0 3 4	804.660	804.988			
		N	5447971.934					784959	79H0012	TERR	89 55 41	597.567	597.809	
		El	82.083					CVD28GVRD2018	480236	79H0014	TERR	180 42 39	408.460	408.627
						399659	79H0009	TERR	268 4 34	405.625	405.790			
784959	79H0012	E	515915.854	0.9995960	0.9999929	806836	79H0022	TERR	89 54 42	218.231	218.319			
		N	5447972.684					564237	79H0011	TERR	269 55 41	597.567	597.809	
		El	64.625					CVD28GVRD2018						
274217	79H0013	E	515899.044	0.9995955	0.9999924	260125	79H0021	TERR	89 50 51	227.881	227.973			
		N	5447556.487					480236	79H0014	TERR	270 41 11	585.866	586.104	
		El	67.778					CVD28GVRD2018						
480236	79H0014	E	515313.220	0.9995929	0.9999900	564237	79H0011	TERR	0 42 39	408.460	408.627			
		N	5447563.505					274217	79H0013	TERR	90 41 11	585.866	586.104	
		El	82.967					CVD28GVRD2018	736470	5067	TERR	180 40 51	421.455	421.626
									742841	79H0016	TERR	269 22 0	404.129	404.294
414532	79H0015	E	514905.162	0.9995917	0.9999890	MARKER DESTROYED								
		N	5447138.235											
		El	89.262			CVD28GVRD2018								
742841	79H0016	E	514909.116	0.9995917	0.9999889	480236	79H0014	TERR	89 22 0	404.129	404.294			
		N	5447559.038											
		El	89.626					CVD28GVRD2018						
407239	79H0017	E	514515.053	0.9995912	0.9999886	228619	5066	TERR	181 52 8	407.238	407.404			
		N	5447540.734					481663	79H0008	TERR	269 27 14	416.213	416.384	
		El	91.806					CVD28GVRD2018	419374	79H0010	TERR	357 42 12	411.410	411.578
172262	79H0018	E	514498.282	0.9995914	0.9999888	419374	79H0010	TERR	179 56 34	284.568	284.684			
		N	5448236.381											
		El	90.590					CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
530386	79H0019	E	516142.784	0.9995966	0.9999934		MARKER DESTROYED				
		N	5448768.790								
		El	60.986	CVD28GVRD2018							
365114	79H0020	E	513678.163	0.9995907	0.9999884	80283	5289	TERR	0 59 33	387.941	388.100
		N	5446745.605			54619	79H0032	TERR	87 44 40	414.481	414.651
		El	93.440	CVD28GVRD2018		472969	5553	TERR	179 15 24	361.866	362.015
260125	79H0021	E	516126.924	0.9995972	0.9999940	558494	5275	TERR	0 59 24	210.991	211.075
		N	5447557.093			605592	5819	TERR	180 56 35	200.683	200.764
		El	57.355	CVD28GVRD2018		274217	79H0013	TERR	269 50 51	227.881	227.973
806836	79H0022	E	516134.085	0.9995981	0.9999949	558494	5275	TERR	180 58 58	204.998	205.081
		N	5447973.020			784959	79H0012	TERR	269 54 42	218.231	218.319
		El	51.744	CVD28GVRD2018		342766	5276	TERR	359 38 50	299.391	299.512
727362	79H0023	E	514905.086	0.9995918	0.9999891		MARKER DESTROYED				
		N	5448454.089								
		El	88.532	CVD28GVRD2018							
718296	79H0024	E	514112.730	0.9995910	0.9999885	785238	5536	TERR	181 36 39	382.711	382.868
		N	5448330.881			342428	5532	TERR	358 47 0	429.037	429.212
		El	92.138	CVD28GVRD2018							
757286	79H0025	E	513299.430	0.9996026	1.0000005	258251	8637	TERR	89 49 45	405.561	405.723
		N	5440714.531								
		El	16.437	CVD28GVRD2018							
878785	79H0026	E	510015.188	0.9995942	0.9999930	801498	8720	TERR	90 40 50	416.683	416.852
		N	5445550.668			717728	5053	TERR	267 52 58	393.982	394.143
		El	63.890	CVD28GVRD2018							
391003	79H0027	E	515328.074	0.9996058	1.0000029	327841	5089	GPS	89 18 12	1614.959	1615.596
		N	5435774.199			779223	5088	GPS	89 54 32	805.855	806.172
		El	1.083	CVD28GVRD2018		953570	5115	GPS	224 50 10	1142.616	1143.071
						780643	5024	TERR	269 51 42	806.869	807.188

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
554584	79H0028	E	510422.994	0.9995947	0.9999933	801498	8720	TERR	178 42 15	391.287	391.445
		N	5445936.905			939983	80H2036	TERR	280 46 24	149.292	149.353
		El	61.817	CVD28GVRD2018							
179721	79H0029	E	511261.127	0.9995944	0.9999929						
		N	5447158.215								
		El	64.536	1928 Canadian Vertical Datum							
902486	79H0030	E	511262.380	0.9995924	0.9999908						
		N	5447646.708								
		El	77.650	1928 Canadian Vertical Datum							
784074	79H0031	E	510852.367	0.9995922	0.9999908						
		N	5443132.450								
		El	78.222	CVD28GVRD2018							
54619	79H0032	E	514092.323	0.9995904	0.9999880	596494	5288	TERR	0 9 18	371.811	371.964
		N	5446761.917			688044	5853	TERR	90 28 18	401.559	401.723
		El	95.902	CVD28GVRD2018		365114	79H0020	TERR	267 44 40	414.481	414.651
222943	79H0033	E	510470.106	0.9995910	0.9999897	298117	5447	TERR	89 38 9	402.311	402.475
		N	5440694.908			230417	5571	TERR	180 39 43	401.609	401.773
		El	85.262	CVD28GVRD2018		879650	5003	TERR	270 47 33	660.110	660.382
374363	79H0034	E	518552.530	0.9996047	1.0000004						
		N	5428104.492								
		El	16.952	CVD28GVRD2018							
409300	79H0035	E	511264.163	0.9995962	0.9999946						
		N	5440575.875								
		El	53.892	CVD28GVRD2018							
395418	80H2002	E	519785.200	0.9996059	1.0000011	867986	8739	TERR	89 9 1	521.983	522.189
		N	5429343.844			851600	84H0574	TERR	268 51 46	438.883	439.056
		El	12.513	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
994244	80H2004	E	518545.968	0.9995912	0.9999870	556571	84H0569	TERR	89 47 8	788.384	788.704				
		N	5432565.540					77040	5739	TERR	269 46 19	396.552	396.715		
		El	102.840					CVD28GVRD2018							
339176	80H2005	E	520139.665	0.9995979	0.9999929	495333	8618	TERR	89 49 4	290.785	290.902				
		N	5432571.292					308353	80H2006	TERR	269 47 55	494.683	494.882		
		El	65.038					CVD28GVRD2018							
308353	80H2006	E	519644.985	0.9995957	0.9999910	339176	80H2005	TERR	89 47 55	494.683	494.882				
		N	5432569.553					556571	84H0569	TERR	269 48 14	310.641	310.767		
		El	77.081					CVD28GVRD2018							
664797	80H2007	E	519107.937	0.9996070	1.0000025	MARKER DESTROYED									
		N	5439474.452												
		El	3.104			CVD28GVRD2018									
873646	80H2008	E	519112.686	0.9996066	1.0000022	608869	92H0926	GPS	11 27 1	1058.699	1059.117				
		N	5439671.537					344507	5944	GPS	90 50 45	1449.006	1449.581		
		El	5.575					CVD28GVRD2018		904904	NO MARKING	GPS	95 59 18	5929.305	5931.637
									15610	13H2688	GPS	107 31 27	1961.565	1962.341	
									737981	92H0915	GPS	120 29 8	1220.530	1221.009	
									602961	86H1306	GPS	156 30 36	2596.254	2597.273	
									813808	92H0914	GPS	159 24 55	675.046	675.311	
									286757	13H2684	GPS	226 35 38	852.616	852.952	
									840116	5830	TERR	270 3 29	238.159	238.253	
83378	80H2009	E	518543.331	0.9996041	0.9999999	MARKER DESTROYED									
		N	5440147.710												
		El	20.037			CVD28GVRD2018									
752493	80H2010	E	516946.299	0.9996004	0.9999968	983270	5759	TERR	180 6 9	522.622	522.831				
		N	5430248.785												
		El	39.809					CVD28GVRD2018							
883579	80H2011	E	516708.230	0.9995999	0.9999965	MARKER DESTROYED									
		N	5430532.240												
		El	42.299			CVD28GVRD2018									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
745232	80H2012	E	516140.326	0.9995960	0.9999928		MARKER DESTROYED				
		N	5431227.091								
		El	65.337	CVD28GVRD2018							
787424	80H2013	E	516137.321	0.9995960	0.9999928	782151	80H2067	GPS	36 46 41	3052.985	3054.203
		N	5431738.690			904904	NO MARKING	GPS	50 29 53	11498.552	11503.136
		El	65.632	CVD28GVRD2018		50617	5747	TERR	89 54 32	259.959	260.064
						576363	8705	GPS	130 59 38	6101.431	6103.892
						976324	92H0924	GPS	143 0 2	4026.842	4028.452
						455196	5873	GPS	179 56 5	2416.245	2417.209
						202903	86H1297	GPS	249 53 50	1709.180	1709.878
						908939	5746	TERR	269 55 51	412.603	412.771
						511907	92H0921	GPS	314 12 26	1140.908	1141.372
753780	80H2015	E	512963.376	0.9996033	1.0000012		MARKER DESTROYED				
		N	5434870.953								
		El	11.874	CVD28GVRD2018							
67587	80H2017	E	512492.642	0.9995940	0.9999921		MARKER DESTROYED				
		N	5439903.438								
		El	70.053	CVD28GVRD2018							
10207	80H2018	E	512490.476	0.9996013	0.9999994	368571	80H2020	TERR	89 51 4	401.794	401.955
		N	5441113.699			719047	8747	TERR	359 31 23	385.893	386.048
		El	23.306	CVD28GVRD2018							
366054	80H2019	E	512491.388	0.9996012	0.9999993		MARKER DESTROYED				
		N	5440710.504								
		El	23.916	CVD28GVRD2018							
368571	80H2020	E	512892.269	0.9996019	0.9999999	10207	80H2018	TERR	269 51 4	401.794	401.955
		N	5441114.744			130336	5040	TERR	359 50 29	384.781	384.935
		El	20.239	CVD28GVRD2018							
232918	80H2021	E	513703.408	0.9996026	1.0000003	258251	8637	TERR	179 46 45	410.281	410.443
		N	5441126.018			964403	5043	TERR	359 49 35	397.285	397.444
		El	17.474	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
236547	80H2022	E	514110.282	0.9996036	1.0000011	258251	8637	TERR	270 31 45	405.310	405.471
		N	5440711.997								
		El	12.102	CVD28GVRD2018							
323808	80H2023	E	509691.002	0.9995942	0.9999931	273763	5479	TERR	0 3 54	403.185	403.349
		N	5432552.313			942771	8626	TERR	89 56 36	289.623	289.741
		El	64.046	CVD28GVRD2018		324061	5490	TERR	180 12 16	360.476	360.623
						179465	5482	TERR	270 3 38	662.205	662.474
263079	80H2024	E	510043.415	0.9995909	0.9999897	476424	5225	TERR	179 32 57	393.188	393.349
		N	5442732.816			785725	5844	TERR	273 9 33	406.832	406.999
		El	85.324	CVD28GVRD2018							
960997	80H2025	E	509982.419	0.9995909	0.9999897			MARKER DESTROYED			
		N	5443147.423								
		El	85.260	CVD28GVRD2018							
559146	80H2026	E	509990.282	0.9995910	0.9999898	908012	80H2027	TERR	336 47 26	184.685	184.760
		N	5443381.502								
		El	84.609	CVD28GVRD2018							
908012	80H2027	E	509917.499	0.9995911	0.9999899	559146	80H2026	TERR	156 47 26	184.685	184.760
		N	5443551.240			707570	5845	TERR	270 27 29	286.259	286.376
		El	83.552	CVD28GVRD2018							
62307	80H2028	E	510850.584	0.9995933	0.9999919	469395	80H2087	TERR	90 19 41	416.055	416.224
		N	5443630.237								
		El	70.955	CVD28GVRD2018							
579029	80H2029	E	508415.621	0.9995898	0.9999889			MARKER DESTROYED			
		N	5443267.836								
		El	89.991	CVD28GVRD2018							
220467	80H2030	E	516996.156	0.9996025	0.9999989	24588	5078	GPS	136 59 55	1121.633	1122.078
		N	5440704.557			693002	8602	GPS	144 59 11	1334.785	1335.314
		El	26.121	CVD28GVRD2018		534685	5153	GPS	270 6 29	867.769	868.112

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
27789	80H2031	E	509394.472	0.9995915	0.9999904		MARKER DESTROYED				
		N	5445963.826								
		El	80.632	CVD28GVRD2018							
950477	80H2032	E	509628.271	0.9995919	0.9999907	717728	5053	TERR	180 44 45	522.003	522.216
		N	5446058.071								
		El	78.259	CVD28GVRD2018							
820803	80H2033	E	511269.937	0.9995949	0.9999934		MARKER DESTROYED				
		N	5450557.317								
		El	61.283	CVD28GVRD2018							
188375	80H2034	E	510035.872	0.9995942	0.9999929	870287	80H2035	TERR	36 35 0	140.649	140.707
		N	5445809.287								
		El	64.282	CVD28GVRD2018							
870287	80H2035	E	510119.698	0.9995943	0.9999931	939983	80H2036	TERR	74 47 27	162.320	162.387
		N	5445922.227			188375	80H2034	TERR	216 35 0	140.649	140.707
		El	63.489	CVD28GVRD2018							
939983	80H2036	E	510276.333	0.9995945	0.9999932	554584	79H0028	TERR	100 46 24	149.292	149.353
		N	5445964.811			870287	80H2035	TERR	254 47 27	162.320	162.387
		El	62.707	CVD28GVRD2018							
121954	80H2037	E	516411.901	0.9996043	1.0000010	577171	5761	TERR	89 53 2	534.840	535.052
		N	5429322.259			455196	5873	TERR	270 2 23	271.825	271.932
		El	13.477	CVD28GVRD2018							
491977	80H2038	E	512882.654	0.9995973	0.9999953	891424	80H2039	TERR	90 51 59	378.434	378.587
		N	5445018.675			341784	5034	TERR	180 31 59	259.009	259.114
		El	49.397	CVD28GVRD2018							
891424	80H2039	E	513261.045	0.9995973	0.9999952	491977	80H2038	TERR	270 51 59	378.434	378.587
		N	5445012.953								
		El	50.024	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
771477	80H2040	E	506499.186	0.9996017	1.0000012		MARKER DESTROYED				
		N	5447395.348								
		El	11.393	CVD28GVRD2018							
3087	80H2041	E	518802.772	0.9996046	1.0000002		MARKER DESTROYED				
		N	5440143.100								
		El	17.830	CVD28GVRD2018							
320226	80H2042	E	508211.725	0.9995938	0.9999930	156620	5307	TERR	89 8 34	196.273	196.353
		N	5447960.706			528992	5800	TERR	181 17 51	202.281	202.363
		El	63.762	CVD28GVRD2018							
744094	80H2043	E	509482.090	0.9995901	0.9999890	354316	5057	TERR	93 45 45	155.528	155.592
		N	5448785.012			444885	5798	TERR	265 16 23	71.182	71.212
		El	89.242	CVD28GVRD2018							
898908	80H2044	E	509823.996	0.9995895	0.9999883	588848	5319	TERR	88 41 23	277.367	277.480
		N	5448767.213			354316	5057	TERR	272 19 43	186.867	186.944
		El	93.667	CVD28GVRD2018							
800813	80H2045	E	510865.958	0.9995919	0.9999904		MARKER DESTROYED				
		N	5449290.410								
		El	80.014	CVD28GVRD2018							
977066	80H2046	E	510151.806	0.9995921	0.9999908	156380	5060	TERR	90 3 30	303.922	304.047
		N	5449583.925			554980	80H2047	TERR	270 3 47	151.449	151.510
		El	77.767	CVD28GVRD2018							
554980	80H2047	E	510000.357	0.9995919	0.9999906	977066	80H2046	TERR	90 3 47	151.449	151.510
		N	5449584.092								
		El	78.861	CVD28GVRD2018							
378109	80H2048	E	509574.285	0.9995961	0.9999950		MARKER DESTROYED				
		N	5449652.118								
		El	51.123	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
490466	80H2049	E	509645.834	0.9996033	1.0000021	585505	5345	TERR	2 4 28	233.325	233.418						
		N	5449987.442									810440	5347	TERR	269 51 32	607.573	607.814
		El	5.447									CVD28GVRD2018					
283275	80H2050	E	510216.604	0.9995954	0.9999941	42952	5152	TERR	90 10 58	243.581	243.680						
		N	5450221.212									492538	5344	TERR	269 57 54	259.786	259.891
		El	56.455									CVD28GVRD2018					
429126	80H2051	E	518795.916	0.9996040	0.9999997	564344	5195	TERR	270 18 14	627.869	628.119						
		N	5448778.201														
		El	20.912									CVD28GVRD2018					
305961	80H2052	E	522551.947	0.9996005	0.9999942	MARKER DESTROYED											
		N	5440744.449														
		El	56.106			CVD28GVRD2018											
506469	80H2053	E	512890.621	0.9995883	0.9999863	991117	8662	TERR	179 41 8	237.913	238.010						
		N	5448343.461									795534	8666	TERR	272 30 21	203.993	204.077
		El	106.618									CVD28GVRD2018					
376822	80H2054	E	511765.491	0.9995939	0.9999922	718882	8728	TERR	270 18 8	708.546	708.834						
		N	5442311.614														
		El	68.820									CVD28GVRD2018					
910646	80H2055	E	512872.506	0.9995936	0.9999916	609503	5552	TERR	0 6 16	360.400	360.545						
		N	5446023.508														
		El	72.758									CVD28GVRD2018					
780841	80H2056	E	510483.911	0.9995979	0.9999966	MARKER DESTROYED											
		N	5450392.470														
		El	40.860			CVD28GVRD2018											
705632	80H2057	E	510704.371	0.9995902	0.9999888	218446	80H2058	TERR	106 36 18	119.763	119.812						
		N	5447957.854									349084	5148	TERR	271 42 27	248.840	248.942
		El	90.859									CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218446	80H2058	E	510819.140	0.9995913	0.9999899	705632	80H2057	TERR	286 36 18	119.763	119.812
		N	5447923.629								
		El	83.580	CVD28GVRD2018							
965343	80H2059	E	515484.116	0.9996058	1.0000029		MARKER DESTROYED				
		N	5439078.644								
		El	1.013	CVD28GVRD2018							
184614	80H2060	E	519350.812	0.9996073	1.0000027		MARKER DESTROYED				
		N	5438259.300								
		El	1.997	CVD28GVRD2018							
682518	80H2061	E	519345.231	0.9996071	1.0000025		MARKER DESTROYED				
		N	5439059.569								
		El	3.308	CVD28GVRD2018							
585794	80H2062	E	519340.534	0.9996070	1.0000024		MARKER DESTROYED				
		N	5439287.974								
		El	3.971	1928 Canadian Vertical Datum							
17376	80H2063	E	519681.368	0.9996073	1.0000026		MARKER DESTROYED				
		N	5439060.002								
		El	2.861	1928 Canadian Vertical Datum							
713990	80H2064	E	519349.469	0.9996061	1.0000015		MARKER DESTROYED				
		N	5440135.318								
		El	9.735	CVD28GVRD2018							
929760	80H2065	E	519356.098	0.9996070	1.0000024		MARKER DESTROYED				
		N	5448772.964								
		El	3.658	CVD28GVRD2018							
657478	80H2066	E	519355.490	0.9996021	0.9999975		MARKER DESTROYED				
		N	5448270.479								
		El	34.791	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
271718	80H2073	E	510888.386	0.9995917	0.9999902	417725	80H2072	TERR	179 42 28	329.271	329.406		
		N	5433084.545					626739	5497	TERR	359 36 18	280.014	280.127
		El	81.979					CVD28GVRD2018					
974519	80H2074	E	520160.942	0.9996036	0.9999986	MARKER DESTROYED							
		N	5442212.569										
		El	28.256			CVD28GVRD2018							
717587	80H2075	E	519991.931	0.9996066	1.0000017	MARKER DESTROYED							
		N	5442380.388										
		El	8.131			CVD28GVRD2018							
289983	80H2077	E	520631.583	0.9996019	0.9999967	MARKER DESTROYED							
		N	5447335.084										
		El	39.975			1928 Canadian Vertical Datum							
205153	80H2079	E	520631.381	0.9996066	1.0000014	MARKER ISOLATED							
		N	5447824.847										
		El	10.272			CVD28GVRD2018							
124982	80H2080	E	510822.497	0.9995935	0.9999920	907873	5291	TERR	1 20 53	346.097	346.238		
		N	5446804.667			129593	78H8426	TERR	179 51 10	441.401	441.580		
		El	70.107			CVD28GVRD2018							
494252	80H2081	E	511282.913	0.9995959	0.9999943	926089	5847	TERR	269 24 48	416.668	416.837		
		N	5441169.712										
		El	55.662			CVD28GVRD2018							
730119	80H2082	E	509183.066	0.9995927	0.9999917	444885	5798	TERR	92 25 35	228.289	228.381		
		N	5448788.811			248195	5328	TERR	181 22 40	215.495	215.583		
		El	72.235			CVD28GVRD2018							
163642	80H2083	E	511279.130	0.9995943	0.9999928	MARKER DESTROYED							
		N	5441761.374										
		El	65.570			1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
321810	80H2084	E	511277.375	0.9995937	0.9999921	767905	81H4538	TERR	324 7 2	336.968	337.104
		N	5442033.243								
		El	69.803	CVD28GVRD2018							
274720	80H2085	E	511273.017	0.9995930	0.9999915		MARKER DESTROYED				
		N	5442718.214								
		El	73.745	CVD28GVRD2018							
469395	80H2087	E	511266.632	0.9995946	0.9999930	62307	80H2028	TERR	270 19 41	416.055	416.224
		N	5443627.855			90316	80H2099	TERR	359 43 4	313.642	313.768
		El	63.929	CVD28GVRD2018							
743781	80H2088	E	511262.233	0.9995977	0.9999961	90316	80H2099	TERR	179 37 49	442.321	442.500
		N	5444383.805								
		El	44.117	CVD28GVRD2018							
790915	80H2089	E	511259.936	0.9995988	0.9999973		MARKER DESTROYED				
		N	5444749.745								
		El	36.695	1928 Canadian Vertical Datum							
158402	80H2090	E	511258.038	0.9995994	0.9999978		MARKER ISOLATED				
		N	5445042.742								
		El	33.281	CVD28GVRD2018							
965483	80H2091	E	511252.769	0.9995981	0.9999965	639708	80H2092	TERR	359 37 49	296.943	297.062
		N	5445871.386								
		El	41.310	CVD28GVRD2018							
639708	80H2092	E	511250.853	0.9995966	0.9999951	965483	80H2091	TERR	179 37 49	296.943	297.062
		N	5446168.323			403493	8681	TERR	269 8 36	250.511	250.612
		El	50.707	CVD28GVRD2018							
916049	80H2093	E	511247.309	0.9995954	0.9999938	359679	80H2094	TERR	0 40 49	199.776	199.856
		N	5446703.156								
		El	58.723	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
359679	80H2094	E	511249.681	0.9995952	0.9999936	916049	80H2093	TERR	180 40 49	199.776	199.856
		N	5446902.918								
		El	59.802	CVD28GVRD2018							
270306	80H2095	E	511268.354	0.9995934	0.9999919		MARKER ISOLATED				
		N	5447406.523								
		El	70.975	CVD28GVRD2018							
611343	80H2096	E	511285.933	0.9995965	0.9999949		MARKER DESTROYED				
		N	5440707.080								
		El	51.879	CVD28GVRD2018							
355719	80H2097	E	511280.740	0.9995950	0.9999934		MARKER DESTROYED				
		N	5441504.492								
		El	61.457	1928 Canadian Vertical Datum							
963355	80H2098	E	511275.622	0.9995933	0.9999917		MARKER DESTROYED				
		N	5442322.798								
		El	72.212	CVD28GVRD2018							
90316	80H2099	E	511265.087	0.9995956	0.9999940	98178	86H1262	GPS	96 31 32	3271.407	3272.715
		N	5443941.493			904904	NO MARKING	GPS	109 34 44	14588.019	14593.840
		El	57.396	CVD28GVRD2018		409813	10H2571	GPS	179 37 2	1642.992	1643.658
						469395	80H2087	TERR	179 43 4	313.642	313.768
						232017	10H2570	GPS	206 28 47	3603.044	3604.514
						102970	92H0875	GPS	225 24 17	4561.160	4563.015
						6544	13H2686	GPS	233 33 20	4045.909	4047.555
						841734	6966	GPS	289 52 26	4920.243	4922.250
						897322	V-2503	GPS	296 3 11	14427.284	14433.074
						770800	5296	GPS	314 6 20	4615.914	4617.795
						898734	NO MARKING	GPS	347 37 48	4992.868	4994.907
						743781	80H2088	TERR	359 37 49	442.321	442.500
						426981	92H0886	GPS	359 54 26	3172.743	3174.028
568600	80H2100	E	511254.782	0.9995993	0.9999978		MARKER DESTROYED				
		N	5445566.990								
		El	33.263	1928 Canadian Vertical Datum							
971655	80H2101	E	511249.530	0.9995958	0.9999942		MARKER DESTROYED				
		N	5446377.018								
		El	56.161	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
55731	80H2554	E	519342.602	0.9996069	1.0000023		MARKER DESTROYED				
		N	5439675.042								
		El	4.851	CVD28GVRD2018							
612630	80H2555	E	519335.876	0.9996069	1.0000024		MARKER DESTROYED				
		N	5439567.133								
		El	4.300	CVD28GVRD2018							
755405	80H2556	E	510839.960	0.9995921	0.9999906		MARKER DESTROYED				
		N	5447759.855								
		El	78.920	CVD28GVRD2018							
397133	80H5351	E	509046.377	0.9996035	1.0000025	74286	92H0895	GPS	67 33 54	630.047	630.300
		N	5449367.392			74526	92H0891	GPS	112 13 16	1536.325	1536.944
		El	3.100	CVD28GVRD2018		533091	92H0894	GPS	342 5 17	673.858	674.125
13227	81H4521	E	509640.204	0.9995902	0.9999891	6585	5843	TERR	179 35 13	382.865	383.022
		N	5442348.058			671719	5226	TERR	270 25 26	410.109	410.277
		El	88.887	CVD28GVRD2018		785725	5844	TERR	359 34 39	407.189	407.355
494153	81H4522	E	521772.232	0.9996075	1.0000017		MARKER DESTROYED				
		N	5447593.363								
		El	8.122	CVD28GVRD2018							
421693	81H4523	E	522151.983	0.9996077	1.0000017		MARKER DESTROYED				
		N	5447592.255								
		El	8.087	CVD28GVRD2018							
356303	81H4524	E	520630.460	0.9996018	0.9999966	601328	8639	TERR	259 3 23	178.586	178.656
		N	5447203.735								
		El	40.889	CVD28GVRD2018							
877126	81H4525	E	520728.664	0.9996023	0.9999970		MARKER DESTROYED				
		N	5447169.019								
		El	38.216	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
508689	81H4526	E	520939.699	0.9996041	0.9999988	813428	81H4527	TERR	89 47 50	366.052	366.197	
		N	5447172.801					TERR	179 45 21	191.350	191.425	
		El	26.845					CVD28GVRD2018				
813428	81H4527	E	521305.749	0.9996058	1.0000002	860155	81H4528	TERR	89 49 16	462.421	462.603	
		N	5447174.096					TERR	269 47 50	366.052	366.197	
		El	17.739					CVD28GVRD2018				
860155	81H4528	E	521768.168	0.9996060	1.0000002	138370	81H4529	TERR	89 48 36	384.511	384.663	
		N	5447175.539					TERR	269 49 16	462.421	462.603	
		El	17.824					CVD28GVRD2018				
138370	81H4529	E	522152.677	0.9996063	1.0000002	564955	8799	TERR	180 13 35	399.132	399.289	
		N	5447176.814					TERR	269 48 36	384.511	384.663	
		El	17.509					CVD28GVRD2018				
938688	81H4530	E	522558.266	0.9996070	1.0000007	MARKER DESTROYED						
		N	5447178.165									
		El	14.362			CVD28GVRD2018						
227074	81H4531	E	511526.900	0.9995957	0.9999941	MARKER DESTROYED						
		N	5441499.955									
		El	57.006			1928 Canadian Vertical Datum						
118497	81H4532	E	514509.611	0.9996051	1.0000025	MARKER DESTROYED						
		N	5443158.305									
		El	3.377			CVD28GVRD2018						
445981	81H4533	E	514510.117	0.9996043	1.0000017	98178	86H1262	GPS	0 19 6	932.558	932.927	
		N	5442637.165					GPS	72 39 24	1694.983	1695.654	
		El	8.129					CVD28GVRD2018	GPS	179 42 40	1115.530	1115.972
									GPS	179 55 42	301.642	301.761
395616	81H4534	E	511270.409	0.9995933	0.9999918	MARKER DESTROYED						
		N	5443126.585									
		El	71.750			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
769455	81H4545	E	522563.878	0.9996076	1.0000014		MARKER DESTROYED				
		N	5447654.087								
		El	10.188	CVD28GVRD2018							
670414	84H0557	E	512071.062	0.9995932	0.9999914		MARKER DESTROYED				
		N	5447130.799								
		El	73.789	CVD28GVRD2018							
693440	84H0558	E	512232.198	0.9995922	0.9999904	842724	84H0559	TERR	116 52 46	200.865	200.946
		N	5447132.584								
		El	80.436	CVD28GVRD2018							
842724	84H0559	E	512411.361	0.9995918	0.9999899	238113	84H0560	TERR	59 49 40	208.366	208.452
		N	5447041.770			693440	84H0558	TERR	296 52 46	200.865	200.946
		El	83.447	CVD28GVRD2018							
238113	84H0560	E	512591.497	0.9995911	0.9999892	982645	84H0561	TERR	87 47 29	266.455	266.564
		N	5447146.495			842724	84H0559	TERR	239 49 40	208.366	208.452
		El	88.199	CVD28GVRD2018							
982645	84H0561	E	512857.754	0.9995913	0.9999893	613166	84H0562	TERR	93 17 54	414.459	414.628
		N	5447156.764			238113	84H0560	TERR	267 47 29	266.455	266.564
		El	87.416	CVD28GVRD2018							
613166	84H0562	E	513271.526	0.9995905	0.9999883	80283	5289	TERR	89 55 16	413.357	413.526
		N	5447132.919			982645	84H0561	TERR	273 17 54	414.459	414.628
		El	93.772	CVD28GVRD2018							
325746	84H0563	E	519511.873	0.9996024	0.9999977	31393	5105	TERR	89 17 50	643.793	644.049
		N	5430954.947			362152	5104	TERR	272 23 45	164.251	164.315
		El	34.150	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
210369	84H0564	E	520953.221	0.9996057	1.0000003	447771	5169	GPS	0 4 3	6492.370	6494.923	
		N	5430963.519			63446	5013	GPS	0 7 11	9732.227	9736.105	
		El	17.423			CVD28GVRD2018	909333	NO MARKING	GPS	30 51 3	24670.214	24679.980
							23978	78H2743	GPS	82 41 24	3246.295	3247.584
							742353	5107	TERR	90 14 59	806.633	806.951
							127415	92H0635	GPS	130 13 59	4956.813	4958.810
							306191	5173	TERR	179 8 4	811.162	811.481
							576363	8705	GPS	183 44 6	3234.117	3235.406
							878538	92H0857	GPS	269 41 39	3209.322	3210.597
							31393	5105	TERR	269 57 5	797.603	797.918
							869792	NO MARKING	GPS	286 21 17	33025.148	33038.264
							782151	80H2067	GPS	317 8 40	4393.169	4394.902
							898734	NO MARKING	GPS	328 55 51	20845.319	20853.720
							439760	5184	GPS	333 46 37	7211.312	7214.152
			306167	10H2568	GPS	341 57 42	10253.494	10257.549				
			839837	5172	TERR	359 35 26	809.053	809.374				
457515	84H0565	E	513031.144	0.9995888	0.9999867	MARKER DESTROYED						
		N	5447932.002									
		El	103.873			CVD28GVRD2018						
127811	84H0566	E	512284.668	0.9995888	0.9999869	255802	8652	TERR	0 7 59	194.017	194.096	
		N	5447955.949			303420	8661	TERR	90 30 13	401.445	401.609	
		El	102.403			CVD28GVRD2018						
8094	84H0567	E	519328.028	0.9996025	0.9999979	535096	8606	GPS	0 3 6	2599.053	2600.079	
		N	5433609.202			101188	5098	GPS	79 49 32	3258.006	3259.303	
		El	32.867			CVD28GVRD2018	683342	5177	GPS	150 55 26	6707.138	6709.840
							298760	84H0568	TERR	178 8 25	639.247	639.503
							482679	5118	GPS	179 35 25	1844.406	1845.147
							851600	84H0574	GPS	179 45 13	4274.108	4275.801
							436204	5809	GPS	271 47 25	1568.748	1569.375
							166	5183	GPS	290 18 12	1669.380	1670.041
							885012	92H0833	GPS	299 43 45	2745.387	2746.474
							546390	5025	GPS	327 39 31	8991.639	8995.210
			505818	8786	TERR	359 10 22	567.620	567.844				
298760	84H0568	E	519348.772	0.9995966	0.9999920	556571	84H0569	TERR	182 3 22	402.061	402.223	
		N	5432970.292			8094	84H0567	TERR	358 8 25	639.247	639.503	
		El	70.407			CVD28GVRD2018						
556571	84H0569	E	519334.346	0.9995948	0.9999902	298760	84H0568	TERR	2 3 22	402.061	402.223	
		N	5432568.490			308353	80H2006	TERR	89 48 14	310.641	310.767	
		El	82.228			CVD28GVRD2018	614552	84H0570	TERR	179 13 33	463.326	463.514
							994244	80H2004	TERR	269 47 8	788.384	788.704

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
614552	84H0570	E	519340.606	0.9995934	0.9999888	482679	5118	TERR	179 53 49	340.364	340.502		
		N	5432105.206					556571	84H0569	TERR	359 13 33	463.326	463.514
		El	91.214					CVD28GVRD2018					
699488	84H0571	E	519345.914	0.9995952	0.9999906	613935	84H0572	TERR	174 12 4	168.885	168.953		
		N	5431528.523					482679	5118	TERR	358 51 43	236.367	236.463
		El	79.585					CVD28GVRD2018					
613935	84H0572	E	519362.978	0.9995972	0.9999926	362152	5104	TERR	182 11 6	398.979	399.139		
		N	5431360.502					699488	84H0571	TERR	354 12 4	168.885	168.953
		El	66.706					CVD28GVRD2018					
335349	84H0573	E	519346.776	0.9996054	1.0000008	362152	5104	TERR	0 4 11	812.540	812.862		
		N	5430149.274					899617	86H1269	TERR	177 13 33	358.024	358.165
		El	14.343					CVD28GVRD2018					
851600	84H0574	E	519346.403	0.9996055	1.0000009	899617	86H1269	TERR	2 13 14	456.879	457.059		
		N	5429335.134					395418	80H2002	TERR	88 51 46	438.883	439.056
		El	13.749					683342	5177	GPS	116 6 0	3609.134	3610.582
		142646	84H0575					TERR	179 39 37	362.238	362.381		
		639351	86H1278					GPS	206 10 26	1792.266	1792.974		
		482695	5131					TERR	269 57 5	796.889	797.205		
		878538	92H0857					GPS	315 9 25	2272.448	2273.351		
8094	84H0567	GPS	359 45 13	4274.108	4275.801								
142646	84H0575	E	519348.550	0.9996059	1.0000013	709840	84H0576	TERR	180 36 30	437.408	437.581		
		N	5428972.902					851600	84H0574	TERR	359 39 37	362.238	362.381
		El	11.080					CVD28GVRD2018					
709840	84H0576	E	519343.905	0.9996058	1.0000012	142646	84H0575	TERR	0 36 30	437.408	437.581		
		N	5428535.519					310003	5946	TERR	163 7 11	178.114	178.184
		El	11.753					CVD28GVRD2018					
594044	84H0577	E	519367.630	0.9996050	1.0000004		MARKER DESTROYED						
		N	5428108.015										
		El	17.236	CVD28GVRD2018									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
629832	84H0578	E	514931.888	0.9995900	0.9999873	885012	92H0833	GPS	31 54 51	3806.149	3807.679					
		N	5431739.826					202903	86H1297			GPS	214 10 27	711.433	711.725	
		El	100.656					CVD28GVRD2018	471623			5471	GPS	236 17 12	1448.198	1448.792
									513044			92H0852	GPS	270 34 31	1200.166	1200.659
									982553			92H0850	GPS	332 18 58	899.446	899.815
210229	84H0579	E	511055.827	0.9995917	0.9999902	MARKER ISOLATED										
		N	5449251.053													
		El	81.289			CVD28GVRD2018										
474007	84H0581	E	512294.362	0.9995939	0.9999920	MARKER DESTROYED										
		N	5439080.053													
		El	70.195			CVD28GVRD2018										
42234	84H0582	E	511980.368	0.9995916	0.9999898	MARKER DESTROYED										
		N	5439211.207													
		El	84.420			CVD28GVRD2018										
954636	84H0583	E	511750.756	0.9995907	0.9999890	MARKER DESTROYED										
		N	5439438.616													
		El	89.720			CVD28GVRD2018										
95851	84H0584	E	511615.842	0.9995905	0.9999889	MARKER DESTROYED										
		N	5439493.305													
		El	90.348			CVD28GVRD2018										
569384	84H0585	E	511419.231	0.9995909	0.9999893	716605	13H2680	GPS	62 35 35	1651.035	1651.707					
		N	5439156.901			801928	92H0911	GPS	94 51 53			904.993	905.362			
		El	88.003			CVD28GVRD2018	260026	5238	TERR			105 29 32	242.357	242.456		
							86454	92H0909	GPS			288 57 59	1000.782	1001.192		
							248641	92H0910	GPS			336 23 21	385.660	385.817		
							898734	NO MARKING	GPS			352 46 53	9738.739	9742.738		
956805	84H0586	E	511268.541	0.9995914	0.9999898	MARKER DESTROYED										
		N	5439165.330													
		El	84.312			CVD28GVRD2018										
425058	84H0587	E	513043.471	0.9996024	1.0000003	563304	5622	TERR	161 32 26	509.337	509.539					
		N	5438761.783			574582	5625	TERR	281 3 46			488.294	488.489			
		El	17.337			CVD28GVRD2018										

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
553453	84H0588	E	516946.024	0.9995955	0.9999920		MARKER DESTROYED				
		N	5433362.687								
		El	70.878	CVD28GVRD2018							
756221	84H0589	E	516945.196	0.9995923	0.9999887		MARKER DESTROYED				
		N	5432957.579								
		El	91.460	CVD28GVRD2018							
423236	84H0590	E	516945.566	0.9995935	0.9999900		MARKER DESTROYED				
		N	5433160.285								
		El	83.455	CVD28GVRD2018							
861823	84H0591	E	512641.190	0.9995945	0.9999925		MARKER DESTROYED				
		N	5439094.412								
		El	67.043	CVD28GVRD2018							
315747	84H0592	E	512800.915	0.9996041	1.0000021		MARKER DESTROYED				
		N	5434978.939								
		El	6.464	CVD28GVRD2018							
626952	84H0593	E	512578.482	0.9996034	1.0000015		MARKER DESTROYED				
		N	5434928.375								
		El	10.084	CVD28GVRD2018							
67538	84H0594	E	512407.868	0.9996031	1.0000012	507798	84H0595	TERR	269 56 24	131.757	131.809
		N	5434978.586								
		El	11.742	CVD28GVRD2018							
507798	84H0595	E	512276.111	0.9996030	1.0000011	67538	84H0594	TERR	89 56 24	131.757	131.809
		N	5434978.448			591339	84H0596	TERR	264 18 53	176.159	176.229
		El	12.494	CVD28GVRD2018							
591339	84H0596	E	512100.819	0.9996040	1.0000022	507798	84H0595	TERR	84 18 53	176.159	176.229
		N	5434960.997			607465	5432	TERR	180 41 3	332.363	332.495
		El	5.452	CVD28GVRD2018		162628	84H0597	TERR	250 15 52	155.387	155.448

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
162628	84H0597	E	511954.559	0.9996044	1.0000026	591339	84H0596	TERR	70 15 52	155.387	155.448				
		N	5434908.526					225409	84H0598	TERR	224 49 29	360.587	360.731		
		El	2.832					CVD28GVRD2018							
225409	84H0598	E	511700.366	0.9996036	1.0000019	162628	84H0597	TERR	44 49 29	360.587	360.731				
		N	5434652.774					362442	84H0599	TERR	262 11 7	177.826	177.896		
		El	7.426					CVD28GVRD2018							
362442	84H0599	E	511524.192	0.9996034	1.0000018	225409	84H0598	TERR	82 11 7	177.826	177.896				
		N	5434628.595					747535	84H0600	TERR	243 17 2	507.441	507.642		
		El	8.345					CVD28GVRD2018							
747535	84H0600	E	511070.923	0.9996032	1.0000017	362442	84H0599	TERR	63 17 2	507.441	507.642				
		N	5434400.464					904300	84H0601	TERR	215 14 20	208.409	208.493		
		El	8.975					CVD28GVRD2018							
904300	84H0601	E	510950.674	0.9996004	0.9999989	747535	84H0600	TERR	35 14 20	208.409	208.493				
		N	5434230.245					599530	5630	GPS	53 18 10	2488.230	2489.221		
		El	26.353					CVD28GVRD2018		299271	84H0606	TERR	212 56 20	418.254	418.421
										557686	5495	GPS	274 34 8	1995.127	1995.921
34314	84H0602	E	510302.905	0.9995969	0.9999956	MARKER DESTROYED									
		N	5433743.939												
		El	47.529			CVD28GVRD2018									
854299	84H0603	E	510156.715	0.9995960	0.9999947	MARKER DESTROYED									
		N	5433647.717												
		El	53.509			CVD28GVRD2018									
225888	84H0604	E	510039.876	0.9995962	0.9999949	451906	84H0605	TERR	223 43 23	203.166	203.248				
		N	5433541.759												
		El	52.052					CVD28GVRD2018							
451906	84H0605	E	509899.453	0.9995958	0.9999946	225888	84H0604	TERR	43 43 23	203.166	203.248				
		N	5433394.933					462184	5480	TERR	260 2 31	210.481	210.566		
		El	54.196					CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
299271	84H0606	E	510723.251	0.9995981	0.9999967	904300	84H0601	TERR	32 56 20	418.254	418.421
		N	5433879.225								
		El	40.574	CVD28GVRD2018							
30502	8601	E	520133.067	0.9996073	1.0000023	904904	NO MARKING	GPS	44 59 19	6897.894	6900.604
		N	5434174.446			321372	13H2681	GPS	91 49 60	815.606	815.926
		El	4.539	CVD28GVRD2018		671651	5170	GPS	134 40 58	1131.045	1131.491
						360990	8785	TERR	270 1 19	1029.887	1030.292
						505818	8786	TERR	270 9 48	813.237	813.557
						465427	13H2672	GPS	281 36 6	5738.587	5740.850
						885012	92H0833	GPS	284 1 5	3286.962	3288.256
693002	8602	E	517762.019	0.9996035	0.9999996	220467	80H2030	GPS	324 59 11	1334.785	1335.314
		N	5439611.349			24588	5078	TERR	359 48 47	272.919	273.026
		El	21.924	CVD28GVRD2018							
56119	8603	E	517763.859	0.9996037	0.9999998			MARKER DESTROYED			
		N	5440902.742								
		El	20.287	CVD28GVRD2018							
9688	8604	E	517744.538	0.9996024	0.9999985			MARKER DESTROYED			
		N	5445212.785								
		El	28.386	CVD28GVRD2018							
261545	8605	E	517753.268	0.9996009	0.9999970	15594	5188	TERR	179 41 16	142.207	142.264
		N	5443694.226								
		El	38.063	CVD28GVRD2018							
535096	8606	E	519330.367	0.9996075	1.0000029	5702	5121	TERR	0 26 25	1237.656	1238.142
		N	5436208.254			151852	5167	GPS	33 41 40	2953.810	2954.973
		El	.648	CVD28GVRD2018		602961	86H1306	GPS	37 3 24	1356.052	1356.585
						570713	5865	GPS	56 52 22	1923.758	1924.513
						133967	5955	GPS	76 31 3	1646.857	1647.504
						435560	86H1266	GPS	118 30 20	895.230	895.581
						8094	84H0567	GPS	180 3 6	2599.053	2600.079
						649830	5092	TERR	183 17 4	428.728	428.896
						885012	92H0833	GPS	242 35 17	2688.206	2689.263
						302992	5091	GPS	242 49 8	898.883	899.236
						546390	5025	GPS	316 4 54	6938.163	6940.902
						24588	5078	GPS	336 52 59	3996.946	3998.524

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
243840	8607	E	519344.784	0.9996075	1.0000029		MARKER DESTROYED				
		N	5441905.064								
		El	.929	CVD28GVRD2018							
410852	8608	E	518534.205	0.9996042	1.0000000	714295	5080	TERR	0 11 33	204.747	204.828
		N	5439678.723			575118	5718	TERR	180 10 26	202.900	202.980
		El	19.609	CVD28GVRD2018							
434712	8609	E	518686.358	0.9996043	1.0000000	51466	5832	TERR	90 8 31	186.959	187.032
		N	5439883.703			714295	5080	TERR	269 54 41	151.465	151.526
		El	19.449	CVD28GVRD2018							
42242	8610	E	520047.471	0.9996038	0.9999989	570572	5081	TERR	89 58 39	109.177	109.220
		N	5439880.883			784165	5838	TERR	270 16 17	116.930	116.976
		El	26.341	CVD28GVRD2018							
288670	8611	E	520156.998	0.9996047	0.9999997	671859	5719	TERR	179 57 41	173.143	173.211
		N	5439647.527			570572	5081	TERR	359 54 51	233.399	233.492
		El	21.095	CVD28GVRD2018							
579649	8613	E	519363.094	0.9996061	1.0000015		MARKER DESTROYED				
		N	5428917.331								
		El	10.119	1928 Canadian Vertical Datum							
968198	8614	E	519662.007	0.9995984	0.9999936	718213	5074	TERR	89 25 53	474.737	474.928
		N	5447163.928								
		El	59.554	CVD28GVRD2018							
141077	8615	E	512888.502	0.9995944	0.9999923	431908	5039	TERR	179 45 53	339.182	339.320
		N	5442106.135			478180	5038	TERR	359 43 56	231.330	231.423
		El	68.219	CVD28GVRD2018							
239038	8616	E	520146.273	0.9995954	0.9999904	839837	5172	TERR	89 38 10	801.182	801.504
		N	5431767.464			283887	8617	TERR	269 49 28	397.103	397.264
		El	80.647	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
283887	8617	E	519749.172	0.9995943	0.9999895	239038	8616	TERR	89 49 28	397.103	397.264					
		N	5431766.247					482679				5118	TERR	269 48 10	407.955	408.121
		El	86.539					CVD28GVRD2018								
495333	8618	E	520430.448	0.9995987	0.9999936	802926	5171	TERR	89 48 25	511.701	511.905					
		N	5432572.217					339176				80H2005	TERR	269 49 4	290.785	290.902
		El	60.285					CVD28GVRD2018								
669879	8619	E	516457.260	0.9996041	1.0000008			MARKER DESTROYED								
		N	5429322.795													
		El	14.865					1928 Canadian Vertical Datum								
578005	8620	E	514719.279	0.9995897	0.9999871			MARKER DESTROYED								
		N	5432545.828													
		El	102.156					CVD28GVRD2018								
908822	8621	E	514910.454	0.9995959	0.9999931			MARKER ISOLATED								
		N	5433349.822													
		El	63.330					CVD28GVRD2018								
371377	8622	E	516134.164	0.9995938	0.9999906			MARKER DESTROYED								
		N	5432744.482													
		El	79.315					CVD28GVRD2018								
393991	8623	E	516133.836	0.9995953	0.9999921			MARKER DESTROYED								
		N	5433115.315													
		El	70.259					CVD28GVRD2018								
497115	8624	E	514526.453	0.9995907	0.9999881			MARKER ISOLATED								
		N	5432772.848													
		El	95.250					CVD28GVRD2018								
319350	8625	E	511298.442	0.9995900	0.9999884			MARKER DESTROYED								
		N	5431120.767													
		El	93.708					1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
942771	8626	E	509980.625	0.9995916	0.9999904	466326	8627	TERR	89 53 60	347.457	347.598		
		N	5432552.599					323808	80H2023	TERR	269 56 36	289.623	289.741
		El	80.969					CVD28GVRD2018					
466326	8627	E	510328.081	0.9995907	0.9999893	27854	5567	TERR	89 53 56	163.299	163.366		
		N	5432553.206					942771	8626	TERR	269 53 60	347.457	347.598
		El	87.650					CVD28GVRD2018					
946129	8628	E	510489.400	0.9995910	0.9999896	27854	5567	TERR	179 37 23	300.964	301.087		
		N	5432854.451					338822	8632	TERR	359 36 6	241.452	241.550
		El	85.953					CVD28GVRD2018					
275347	8629	E	508793.863	0.9996034	1.0000025	187682	8744	TERR	71 56 25	305.302	305.423		
		N	5433388.860										
		El	3.820					CVD28GVRD2018					
642561	8630	E	508415.628	0.9995898	0.9999889	MARKER DESTROYED							
		N	5443268.087										
		El	90.00			(APPROX. ONLY)							
660654	8631	E	509270.655	0.9995970	0.9999960	397364	5481	TERR	0 47 49	287.051	287.166		
		N	5433076.733					685032	5491	TERR	180 47 39	263.812	263.919
		El	45.374					CVD28GVRD2018					
338822	8632	E	510487.721	0.9995922	0.9999909	946129	8628	TERR	179 36 6	241.452	241.550		
		N	5433095.897					463604	5496	TERR	359 36 14	265.411	265.520
		El	77.957					CVD28GVRD2018					
996116	8633	E	508829.780	0.9995906	0.9999896	269076	5440	TERR	270 45 53	405.840	406.006		
		N	5440716.923										
		El	85.792					CVD28GVRD2018					
379560	8634	E	509236.665	0.9995885	0.9999874	811554	5597	TERR	180 28 5	309.522	309.649		
		N	5440711.740										
		El	99.565					CVD28GVRD2018					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
426569	8635	E	509643.269	0.9995886	0.9999875		MARKER DESTROYED				
		N	5440706.246								
		El	99.194	1928 Canadian Vertical Datum							
183814	8636	E	512893.484	0.9996021	1.0000000		MARKER DESTROYED				
		N	5440713.416								
		El	19.305	CVD28GVRD2018							
258251	8637	E	513704.989	0.9996031	1.0000008	236547	80H2022	TERR	90 31 45	405.310	405.471
		N	5440715.740			299800	5932	TERR	180 7 24	578.759	578.991
		El	14.363	CVD28GVRD2018		757286	79H0025	TERR	269 49 45	405.561	405.723
						232918	80H2021	TERR	359 46 45	410.281	410.443
						964403	5043	TERR	359 48 9	807.566	807.888
441758	8638	E	513466.653	0.9995886	0.9999864	276089	5825	TERR	270 9 42	169.776	169.845
		N	5448761.044								
		El	105.995	CVD28GVRD2018							
601328	8639	E	520455.122	0.9996018	0.9999966	356303	81H4524	TERR	79 3 23	178.586	178.656
		N	5447169.832			718213	5074	TERR	269 47 8	318.403	318.530
		El	40.382	CVD28GVRD2018							
334078	8640	E	520940.514	0.9996028	0.9999974	885384	10H2613	GPS	6 45 44	521.173	521.379
		N	5446981.453			3525	02H2432	GPS	13 3 48	3817.645	3819.151
		El	35.264	CVD28GVRD2018		1511	02H2456	GPS	49 23 8	4376.255	4377.980
						459750	5992	GPS	52 37 30	2060.615	2061.428
						31682	10H2612	GPS	55 25 28	1004.361	1004.758
						909333	NO MARKING	GPS	67 49 29	13675.189	13680.628
						12260	92H0958	GPS	85 25 34	6509.791	6512.353
						564955	8799	GPS	99 33 16	1227.616	1228.102
						485250	93H1144	GPS	132 42 38	4409.579	4411.337
						904904	NO MARKING	GPS	152 49 55	8911.711	8915.232
						973289	5157	GPS	179 22 6	3043.442	3044.643
						181149	8641	TERR	180 10 31	178.182	178.252
						821256	5189	GPS	227 14 59	4342.894	4344.626
						998500	10H2579	GPS	228 27 1	2120.646	2121.484
						187641	10H2580	GPS	249 22 26	1696.948	1697.621
						162537	5071	GPS	273 12 4	3205.354	3206.624
						693051	10H2599	GPS	275 33 41	1640.196	1640.852
						898734	NO MARKING	GPS	279 42 6	10900.924	10905.336
						694950	13H2677	GPS	294 29 33	1756.938	1757.642
						508689	81H4526	TERR	359 45 21	191.350	191.425

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
181149	8641	E	520939.969	0.9996016	0.9999962	334078	8640	TERR	0 10 31	178.182	178.252					
		N	5446803.272					125963				8642	TERR	179 55 48	290.650	290.766
		El	43.295					CVD28GVRD2018								
125963	8642	E	520940.324	0.9996008	0.9999954	306738	5677	TERR	179 58 7	105.796	105.839					
		N	5446512.622					181149				8641	TERR	359 55 48	290.650	290.766
		El	48.474										CVD28GVRD2018			
650366	8643	E	517745.580	0.9996000	0.9999961			MARKER DESTROYED								
		N	5443954.156													
		El	43.870					CVD28GVRD2018								
833962	8644	E	515917.892	0.9996061	1.0000030			MARKER DESTROYED								
		N	5440702.513													
		El	.227					1928 Canadian Vertical Datum								
369710	8645	E	523555.162	0.9996073	1.0000005			MARKER DESTROYED								
		N	5439867.936													
		El	16.148					1928 Canadian Vertical Datum								
258095	8646	E	512085.859	0.9996004	0.9999986			MARKER DESTROYED								
		N	5441110.300													
		El	28.20					(APPROX. ONLY)								
945790	8647	E	515032.725	0.9996043	1.0000015			MARKER DESTROYED								
		N	5439077.596													
		El	9.750					CVD28GVRD2018								
514943	8648	E	509943.911	0.9995951	0.9999939	706184	5242	TERR	73 47 52	107.136	107.179					
		N	5439075.616					240697				5243	TERR	269 37 47	95.765	95.804
		El	58.397										CVD28GVRD2018			
231829	8649	E	518451.027	0.9996066	1.0000024	360990	8785	TERR	89 57 44	652.153	652.409					
		N	5434174.410					782151				80H2067	TERR	271 7 57	485.933	486.125
		El	4.327										CVD28GVRD2018			

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
66423	8650	E	519103.179	0.9996066	1.0000021		MARKER DESTROYED				
		N	5434174.847								
		El	6.078	1928	Canadian Vertical Datum						
67355	8651	E	512207.474	0.9995885	0.9999867		MARKER DESTROYED				
		N	5448397.514								
		El	104.00	(APPROX. ONLY)							
255802	8652	E	512285.119	0.9995884	0.9999865	312827	5900	TERR	0 7 3	248.313	248.415
		N	5448149.965			127811	84H0566	TERR	180 7 59	194.017	194.096
		El	104.884	CVD28GVRD2018							
288902	8653	E	512094.518	0.9995885	0.9999867		MARKER DESTROYED				
		N	5448555.601								
		El	103.739	1928	Canadian Vertical Datum						
512293	8654	E	512276.475	0.9995883	0.9999864	601260	8676	TERR	0 7 23	79.549	79.582
		N	5448557.400								
		El	105.778	CVD28GVRD2018							
543975	8655	E	512591.344	0.9995883	0.9999863		MARKER DESTROYED				
		N	5449559.038								
		El	106.354	1928	Canadian Vertical Datum						
552786	8656	E	512590.567	0.9995889	0.9999869		MARKER DESTROYED				
		N	5449375.919								
		El	102.340	1928	Canadian Vertical Datum						
269605	8657	E	512589.713	0.9995890	0.9999871		MARKER DESTROYED				
		N	5449175.418								
		El	101.565	1928	Canadian Vertical Datum						
557041	8658	E	509427.171	0.9995912	0.9999902	212019	8659	TERR	1 49 32	104.694	104.737
		N	5447460.991			971887	5778	TERR	89 50 29	207.486	207.571
		El	81.953	CVD28GVRD2018		443200	5310	TERR	269 50 32	201.084	201.165

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
212019	8659	E	509430.506	0.9995921	0.9999910	876623	8660	TERR	88 11 25	206.584	206.668		
		N	5447565.632					557041	8658	TERR	181 49 32	104.694	104.737
		El	76.594					CVD28GVRD2018					
876623	8660	E	509636.987	0.9995921	0.9999910	413872	5331	TERR	1 12 30	146.053	146.112		
		N	5447572.156					971887	5778	TERR	181 12 27	110.616	110.661
		El	76.571					CVD28GVRD2018		212019	8659	TERR	268 11 25
303420	8661	E	512686.097	0.9995889	0.9999869	361485	5525	TERR	0 0 13	93.893	93.932		
		N	5447952.420					476275	5524	TERR	89 26 9	206.545	206.630
		El	102.686					CVD28GVRD2018		127811	84H0566	TERR	270 30 13
991117	8662	E	512891.927	0.9995888	0.9999868	476275	5524	TERR	179 43 58	151.100	151.162		
		N	5448105.552					506469	80H2053	TERR	359 41 8	237.913	238.010
		El	103.389					CVD28GVRD2018					
791830	8663	E	512687.450	0.9995884	0.9999864	242107	5774	TERR	0 10 50	217.965	218.055		
		N	5448551.558					795534	8666	TERR	180 10 49	199.179	199.261
		El	105.669					CVD28GVRD2018					
370189	8664	E	512486.890	0.9995885	0.9999866	MARKER DESTROYED							
		N	5448549.557										
		El	104.663			CVD28GVRD2018							
369207	8665	E	512486.134	0.9995885	0.9999866	MARKER ISOLATED							
		N	5448351.080										
		El	104.738			CVD28GVRD2018							
795534	8666	E	512686.823	0.9995880	0.9999861	791830	8663	TERR	0 10 49	199.179	199.261		
		N	5448352.380					506469	80H2053	TERR	92 30 21	203.993	204.077
		El	108.010					CVD28GVRD2018		336313	5526	TERR	180 10 46
985622	8667	E	514933.615	0.9995898	0.9999871	MARKER DESTROYED							
		N	5431528.396										
		El	102.177			1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
88120	8668	E	514934.230	0.9995893	0.9999866	748798	8671	TERR	90 3 8	400.533	400.698
		N	5431384.413								
		El	105.482	CVD28GVRD2018							
424937	8669	E	515126.473	0.9995907	0.9999879						
		N	5431528.172								
		El	96.818	CVD28GVRD2018							
825703	8670	E	515334.270	0.9995917	0.9999888	748798	8671	TERR	179 48 13	143.881	143.940
		N	5431527.928			968156	5745	TERR	359 48 11	211.063	211.150
		El	91.099	CVD28GVRD2018							
748798	8671	E	515334.763	0.9995911	0.9999882	110296	3124	TERR	179 48 0	450.588	450.772
		N	5431384.048			88120	8668	TERR	270 3 8	400.533	400.698
		El	94.738	CVD28GVRD2018		825703	8670	TERR	359 48 13	143.881	143.940
771287	8672	E	510455.800	0.9995918	0.9999904	469163	8673	TERR	276 12 58	183.260	183.335
		N	5442041.023			742700	5141	TERR	359 25 14	289.183	289.301
		El	80.469	CVD28GVRD2018							
469163	8673	E	510273.617	0.9995914	0.9999901	771287	8672	TERR	96 12 58	183.260	183.335
		N	5442060.866								
		El	82.465	CVD28GVRD2018							
178939	8675	E	512094.663	0.9995883	0.9999865						
		N	5448635.097								
		El	105.00	(APPROX. ONLY)							
601260	8676	E	512276.646	0.9995883	0.9999864	512293	8654	TERR	180 7 23	79.549	79.582
		N	5448636.949								
		El	105.531	CVD28GVRD2018							
429118	8677	E	512925.070	0.9995904	0.9999884	695593	8678	TERR	90 0 57	199.873	199.954
		N	5431228.953								
		El	93.802	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
695593	8678	E	513124.943	0.9995904	0.9999883	429118	8677	TERR	270 0 57	199.873	199.954
		N	5431228.898								
		El	94.203	CVD28GVRD2018							
963793	8679	E	522239.918	0.9996067	1.0000007	923417	5673	TERR	90 52 52	317.368	317.493
		N	5445995.508								
		El	14.781	CVD28GVRD2018							
310383	8680	E	511233.214	0.9995967	0.9999952			MARKER DESTROYED			
		N	5446169.205								
		El	50.048	1928 Canadian Vertical Datum							
403493	8681	E	511000.370	0.9995963	0.9999948	639708	80H2092	TERR	89 8 36	250.511	250.612
		N	5446164.577			179374	81H4543	TERR	268 43 59	169.928	169.997
		El	52.026	CVD28GVRD2018							
459545	8682	E	510835.723	0.9995963	0.9999948			MARKER DESTROYED			
		N	5446161.309								
		El	52.00	(APPROX. ONLY)							
444638	8683	E	519336.886	0.9996074	1.0000028			MARKER DESTROYED			
		N	5443948.168								
		El	1.196	CVD28GVRD2018							
463257	8684	E	519334.591	0.9996073	1.0000027			MARKER DESTROYED			
		N	5445049.496								
		El	1.604	CVD28GVRD2018							
364265	8685	E	519330.907	0.9996037	0.9999991			MARKER DESTROYED			
		N	5446386.612								
		El	24.907	CVD28GVRD2018							
554097	8686	E	519333.805	0.9996073	1.0000027			MARKER DESTROYED			
		N	5445565.196								
		El	1.990	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
178905	8687	E	519327.244	0.9996006	0.9999960		MARKER DESTROYED				
		N	5446586.504								
		El	44.627	CVD28GVRD2018							
286039	8688	E	519328.502	0.9995992	0.9999946		MARKER DESTROYED				
		N	5446761.851								
		El	53.611	CVD28GVRD2018							
838763	8689	E	519327.623	0.9995974	0.9999928		MARKER DESTROYED				
		N	5447157.669								
		El	65.163	1928 Canadian Vertical Datum							
109918	86H1258	E	510481.986	0.9995972	0.9999959		MARKER DESTROYED				
		N	5433794.878								
		El	46.105	CVD28GVRD2018							
428540	86H1259	E	516932.270	0.9995971	0.9999936	235572	86H1260	TERR	180 2 10	409.211	409.376
		N	5445172.680								
		El	59.926	CVD28GVRD2018							
235572	86H1260	E	516932.013	0.9995963	0.9999927	428540	86H1259	TERR	0 2 10	409.211	409.376
		N	5444763.469			814913	5692	TERR	179 16 58	278.136	278.249
		El	65.513	CVD28GVRD2018							
125351	86H1261	E	517747.741	0.9996000	0.9999961		MARKER DESTROYED				
		N	5444521.175								
		El	43.771	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
98178	86H1262	E	514515.299	0.9996048	1.0000022	715698	92H0905	GPS	4 33 40	6848.349	6851.100	
		N	5443569.709			3996	92H0900	GPS	16 49 33	7463.639	7466.608	
		El	5.290			CVD28GVRD2018	752220	02H2448	GPS	37 57 29	10987.246	10991.572
							162537	5071	GPS	41 55 38	4826.291	4828.199
							20453	10H2577	GPS	48 23 33	2136.475	2137.331
							821256	5189	GPS	81 50 40	3269.202	3270.503
							642769	5702	GPS	104 50 20	1668.379	1669.040
							904904	NO MARKING	GPS	113 17 13	11425.063	11429.568
							278754	13H2675	GPS	133 45 3	2249.336	2250.225
							101188	5098	GPS	139 29 10	12344.660	12349.557
							546390	5025	GPS	179 56 18	2363.690	2364.627
							445981	81H4533	GPS	180 19 6	932.558	932.927
							686790	92H0898	GPS	187 44 16	6152.265	6154.696
							599530	5630	GPS	191 18 12	8007.858	8011.027
							251454	10H2569	GPS	209 41 48	3300.568	3301.877
							224899	10H2572	GPS	242 51 50	2754.099	2755.202
							90316	80H2099	GPS	276 31 32	3271.407	3272.715
							841734	6966	GPS	284 32 57	8138.392	8141.675
							770800	5296	GPS	298 38 5	7479.519	7482.533
							426981	92H0886	GPS	317 26 6	4812.585	4814.512
			898734	NO MARKING	GPS	320 32 42	6797.796	6800.541				
			433581	5429	GPS	357 45 8	392.217	392.372				
			228619	5066	GPS	359 46 57	3564.030	3565.463				
942870	86H1263	E	511298.530	0.9995900	0.9999884	909333	NO MARKING	GPS	46 41 46	30651.160	30663.546	
		N	5431120.415			202903	86H1297	GPS	89 27 14	3233.887	3235.217	
		El	93.836			CVD28GVRD2018	147819	91H9962	GPS	96 43 41	27898.626	27909.744
							136531	92H0917	GPS	116 37 4	7229.345	7232.257
							730085	5474	TERR	179 44 19	182.019	182.093
							430900	87H3190	GPS	257 40 44	14694.751	14700.687
							394825	81	GPS	266 6 30	23144.096	23153.437
							869792	NO MARKING	GPS	292 32 4	23855.563	23865.214
							762716	80H1257	GPS	297 44 12	9228.927	9232.654
							531079	6902	GPS	299 1 49	13067.195	13072.472
							995365	6910	GPS	316 51 50	9587.555	9591.424
							557686	5495	GPS	324 26 29	4018.045	4019.665
							875864	NO MARKING	GPS	326 36 20	32332.976	32346.084
							607093	5893	GPS	333 13 39	7315.783	7318.734
							898734	NO MARKING	GPS	356 26 1	17732.374	17739.659
							4903	92H0897	GPS	357 38 45	3426.853	3428.235
							475228	86H1264	TERR	358 6 42	230.238	230.332
475228	86H1264	E	511290.943	0.9995898	0.9999882	942870	86H1263	TERR	178 6 42	230.238	230.332	
		N	5431350.528									
		El	94.967			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
435560	86H1266	E	520117.068	0.9996078	1.0000028	570713	5865	GPS	29 8 30	1692.858	1693.523	
		N	5435781.010			133967	5955	GPS	45 7 32	1149.741	1150.192	
		El	1.399			CVD28GVRD2018	1727	5866	GPS	52 49 10	1019.095	1019.495
							649830	5092	TERR	269 56 42	811.264	811.582
				535096	8606	GPS	298 30 20	895.230	895.581			
444034	86H1267	E	506547.821	0.9996015	1.0000009	MARKER DESTROYED						
		N	5447445.778									
		El	13.220			CVD28GVRD2018						
899617	86H1269	E	519364.105	0.9996055	1.0000008	851600	84H0574	TERR	182 13 14	456.879	457.059	
		N	5429791.670			335349	84H0573	TERR	357 13 33	358.024	358.165	
		El	14.262			CVD28GVRD2018						
71563	86H1270	E	513650.374	0.9995901	0.9999878	896894	92H0901	GPS	41 37 28	2095.880	2096.724	
		N	5449576.301			950121	5281	GPS	46 59 32	1174.898	1175.377	
		El	96.662			CVD28GVRD2018	360701	10H2604	GPS	134 40 28	1183.606	1184.090
							228619	5066	GPS	160 46 60	2586.719	2587.779
							513077	10H2603	GPS	179 21 21	837.997	838.342
							985606	86H1304	GPS	209 14 38	679.162	679.442
							898734	NO MARKING	GPS	257 37 40	3537.030	3538.483
							606558	5400	GPS	288 1 15	2622.599	2623.667
							10835	5527	GPS	313 59 22	1264.869	1265.386
							634667	13H2679	GPS	349 42 30	1750.870	1751.576
187880	86H1271	E	512482.734	0.9995884	0.9999865	985606	86H1304	GPS	62 3 56	946.085	946.475	
		N	5448540.495			476275	5524	GPS	145 1 47	715.165	715.459	
		El	105.164			CVD28GVRD2018	85258	92H0892	GPS	230 30 4	917.048	917.423
							572487	92H0889	GPS	281 23 35	1225.626	1226.129
951137	86H1273	E	511280.758	0.9995950	0.9999934	MARKER DESTROYED						
		N	5441506.811									
		El	61.463			CVD28GVRD2018						
103879	86H1274	E	512084.251	0.9995971	0.9999954	251454	10H2569	GPS	135 3 55	1126.889	1127.340	
		N	5441500.372			716605	13H2680	GPS	153 10 34	1774.420	1775.137	
		El	48.989			CVD28GVRD2018	230417	5571	GPS	233 17 24	2019.264	2020.085
							409813	10H2571	GPS	314 38 33	1135.885	1136.344
							898734	NO MARKING	GPS	345 31 41	7557.887	7560.967
							224899	10H2572	GPS	358 35 55	813.420	813.750
72918	86H1275	E	519663.251	0.9996037	0.9999989	55822	86H1276	TERR	89 26 4	791.882	792.197	
		N	5427726.648			864827	86H1277	TERR	269 40 40	319.230	319.356	
		El	26.441			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
55822	86H1276	E	520455.094	0.9995990	0.9999939	576363	8705	TERR	89 38 23	287.459	287.574				
		N	5427734.463					72918	86H1275	TERR	269 26 4	791.882	792.197		
		El	58.855					CVD28GVRD2018							
864827	86H1277	E	519344.026	0.9996046	1.0000000	72918	86H1275	TERR	89 40 40	319.230	319.356				
		N	5427724.853					639351	86H1278	TERR	270 7 50	788.191	788.503		
		El	19.695					CVD28GVRD2018							
639351	86H1278	E	518555.837	0.9996044	1.0000002	976324	92H0924	GPS	0 20 60	796.050	796.364				
		N	5427726.649					851600	84H0574	GPS	26 10 26	1792.266	1792.974		
		El	18.366					CVD28GVRD2018		904904	NO MARKING	GPS	29 40 29	13035.993	13041.132
									683342	5177	GPS	89 42 22	4031.720	4033.339	
									576363	8705	GPS	89 44 52	2186.731	2187.603	
									864827	86H1277	TERR	90 7 50	788.191	788.503	
									397588	86H1284	TERR	268 45 26	259.992	260.095	
									136531	92H0917	GPS	281 1 35	809.102	809.422	
									202903	86H1297	GPS	310 24 8	5283.642	5285.776	
									934976	92H0855	GPS	323 11 1	4017.438	4019.045	
									878538	92H0857	GPS	345 50 50	3320.527	3321.849	
170100	86H1279	E	517909.863	0.9996049	1.0000010	397588	86H1284	TERR	89 58 31	386.043	386.196				
		N	5427720.843												
		El	13.616					CVD28GVRD2018							
361808	86H1280	E	517775.530	0.9996047	1.0000008	MARKER DESTROYED									
		N	5427899.452												
		El	14.401			CVD28GVRD2018									
758011	86H1281	E	517749.670	0.9996044	1.0000005	766543	86H1282	TERR	356 54 39	358.215	358.357				
		N	5428304.962												
		El	16.530					CVD28GVRD2018							
766543	86H1282	E	517730.366	0.9996045	1.0000006	29389	8708	TERR	1 28 22	669.436	669.700				
		N	5428662.656					758011	86H1281	TERR	176 54 39	358.215	358.357		
		El	15.886					CVD28GVRD2018							
998187	86H1283	E	518294.243	0.9996045	1.0000004	397588	86H1284	TERR	179 52 55	807.318	807.636				
		N	5428528.326												
		El	17.334					CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----		Metres	Combined	Ellipsoidal	-----	-----						
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING						
397588	86H1284	E	518295.906	0.9996045	1.0000004	639351	86H1278	TERR	88 45 26	259.992	260.095		
		N	5427721.010					170100	86H1279	TERR	269 58 31	386.043	386.196
		El	17.074					CVD28GVRD2018	998187	86H1283	TERR	359 52 55	807.318
1545	86H1285	E	518548.382	0.9996046	1.0000004	MARKER DESTROYED							
		N	5428528.301										
		El	17.441			CVD28GVRD2018							
413609	86H1288	E	520165.158	0.9996070	1.0000021	MARKER DESTROYED							
		N	5439056.155										
		El	6.227			CVD28GVRD2018							
162420	86H1293	E	518528.527	0.9996036	0.9999994	17830	10H2578	GPS	17 43 27	2652.079	2653.125		
		N	5440342.388			608869	92H0926	GPS	65 12 54	874.919	875.266		
		El	22.953			904904	NO MARKING	GPS	101 15 7	6608.130	6610.740		
		548891	92H0829			GPS	209 27 19	1566.726	1567.345				
		56473	10H2596			GPS	230 53 51	1940.113	1940.880				
		546390	5025			GPS	282 9 8	4102.620	4104.247				
		306167	10H2568			GPS	296 17 25	836.879	837.210				
		202697	NO MARKING			GPS	318 36 27	9298.850	9302.593				
		745927	5271			GPS	331 27 56	5029.927	5031.943				
		202903	86H1297			E	514532.270	0.9995880	0.9999854	511907	92H0921	GPS	29 38 59
N	5431151.233			629832	84H0578	GPS	34 10 27			711.433	711.725		
El	113.084			782151	80H2067	GPS	48 32 29			4580.688	4582.535		
901330	92H0919			GPS	49 39 12	2123.622	2124.491						
904904	NO MARKING			GPS	52 58 39	13122.983	13128.268						
787424	80H2013			GPS	69 53 50	1709.180	1709.878						
878538	92H0857			GPS	93 38 58	3218.201	3219.509						
934976	92H0855			GPS	97 20 50	1629.489	1630.154						
639351	86H1278			GPS	130 24 8	5283.642	5285.776						
455196	5873			GPS	138 40 45	2435.056	2436.038						
471623	5471			GPS	255 1 58	833.299	833.642						
851287	5476			GPS	267 32 37	4854.062	4856.053						
942870	86H1263			GPS	269 27 14	3233.887	3235.217						
940213	92H0920			GPS	280 34 0	3285.242	3286.592						
762716	80H1257			GPS	290 30 20	12173.575	12178.504						
557686	5495			GPS	300 10 7	6443.092	6445.696						
995365	6910			GPS	305 26 3	12014.346	12019.207						
513044	92H0852	GPS	306 52 57	1000.774	1001.187								
703223	677003	GPS	308 52 31	1568.139	1568.787								
4903	92H0897	GPS	315 9 28	4785.464	4787.398								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
170423	86H1299	E	523034.862	0.9996069	1.0000004	736207	5158	TERR	269 9 2	475.496	475.683
		N	5445609.240								
		El	16.405	CVD28GVRD2018							
520262	86H1301	E	522882.266	0.9996015	0.9999950	394726	86H1302	TERR	89 23 44	187.781	187.856
		N	5443977.039			565457	5160	TERR	269 24 8	328.037	328.167
		El	50.662	CVD28GVRD2018							
394726	86H1302	E	523070.037	0.9996008	0.9999942	800912	88H4590	TERR	89 22 31	307.781	307.903
		N	5443979.020			520262	86H1301	TERR	269 23 44	187.781	187.856
		El	55.762	CVD28GVRD2018							
799601	86H1303	E	523097.346	0.9996032	0.9999967	496794	5017	TERR	90 9 35	254.875	254.976
		N	5440743.086								
		El	40.531	CVD28GVRD2018							
985606	86H1304	E	513318.585	0.9995878	0.9999856	71563	86H1270	GPS	29 14 38	679.162	679.442
		N	5448983.699			546473	85H0764	GPS	80 47 60	20824.735	20833.181
		El	110.684	CVD28GVRD2018		929125	82H5827	GPS	105 24 59	29551.400	29563.399
						854612	88H3910	GPS	181 15 31	18277.919	18285.405
						308429	90H6222	GPS	234 13 6	7798.169	7801.387
						187880	86H1271	GPS	242 3 56	946.085	946.475
						971887	5778	GPS	247 33 2	3986.004	3987.640
						668459	5373	GPS	255 9 55	6331.164	6333.761
						258020	19713	GPS	255 27 1	28495.474	28506.999
						572487	92H0889	GPS	264 21 46	2047.226	2048.066
						709113	90H6573	GPS	301 37 26	7631.353	7634.515
						681239	677011	GPS	309 3 41	22554.420	22563.775
						821058	84H9889	GPS	329 12 39	10337.359	10341.644
						996132	73H0413	GPS	332 55 27	7225.056	7228.056

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
602961	86H1306	E	520147.530	0.9996079	1.0000029	737981	92H0915	GPS	0 33 5	1761.982	1762.674	
		N	5437290.438			151852	5167	GPS	30 50 56	1602.068	1602.697	
		El	.842			CVD28GVRD2018	904904	NO MARKING	GPS	70 4 27	5171.712	5173.743
							614040	5875	GPS	121 54 50	2793.181	2794.284
							336131	NO MARKING	GPS	141 46 60	3833.422	3834.938
							649830	5092	GPS	209 8 0	1728.939	1729.618
							535096	8606	GPS	217 3 24	1356.052	1356.585
							885012	92H0833	GPS	234 5 25	3955.260	3956.816
							570986	13H2673	GPS	258 54 45	3447.699	3449.055
							548891	92H0829	GPS	305 14 6	2925.379	2926.529
							286757	13H2684	GPS	317 20 23	2441.186	2442.144
							629519	10H2574	GPS	321 34 29	1295.362	1295.870
			813808	92H0914	GPS	335 29 24	1922.380	1923.135				
			873646	80H2008	GPS	336 30 36	2596.254	2597.273				
774802	86H1307	E	512902.826	0.9995998	0.9999977	599530	5630	GPS	1 36 1	1537.162	1537.774	
		N	5434180.612			777862	92H0845	GPS	27 45 33	6453.294	6455.857	
		El	33.980			CVD28GVRD2018	35329	92H0835	GPS	76 27 45	3314.690	3316.008
							885012	92H0833	GPS	78 56 18	4117.668	4119.305
215277	8701	E	522550.410	0.9996070	1.0000007	MARKER DESTROYED						
		N	5447178.235									
		El	14.170			1928 Canadian Vertical Datum						
553016	8702	E	511227.916	0.9995977	0.9999961	MARKER DESTROYED						
		N	5445908.104									
		El	44.00			(APPROX. ONLY)						
576363	8705	E	520742.547	0.9995977	0.9999924	210369	84H0564	GPS	3 44 6	3234.117	3235.406	
		N	5427736.271			847178	5174	TERR	14 55 29	836.503	836.836	
		El	68.047			CVD28GVRD2018	904904	NO MARKING	GPS	20 39 34	12094.452	12099.261
							909333	NO MARKING	GPS	27 47 16	27588.270	27599.297
							469304	5109	GPS	39 10 5	4161.674	4163.338
							23978	78H2743	GPS	43 18 4	5002.064	5004.070
							127415	92H0635	GPS	89 37 55	3994.909	3996.535
							637249	5175	TERR	90 51 5	186.845	186.920
							55822	86H1276	TERR	269 38 23	287.459	287.574
							639351	86H1278	GPS	269 44 52	2186.731	2187.603
							455196	5873	GPS	289 0 57	4868.130	4870.070
							976324	92H0924	GPS	289 49 15	2319.247	2320.172
							310003	5946	TERR	295 1 32	1486.472	1487.065
							787424	80H2013	GPS	310 59 38	6101.431	6103.892
							878538	92H0857	GPS	316 57 4	4392.776	4394.539
			898734	NO MARKING	GPS	333 25 19	23573.261	23582.854				
			782151	80H2067	GPS	336 41 46	7020.479	7023.276				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
431148	8706	E	523166.098	0.9995905	0.9999839		MARKER DESTROYED				
		N	5427743.817								
		El	122.246	1928 Canadian Vertical Datum							
530097	8707	E	520635.660	0.9996064	1.0000012	926840	5129	TERR	89 48 44	325.750	325.879
		N	5429352.534			867986	8739	TERR	269 50 5	328.535	328.664
		El	12.163	CVD28GVRD2018							
29389	8708	E	517747.573	0.9996050	1.0000011	68924	5178	TERR	0 12 41	273.074	273.182
		N	5429331.871			482695	5131	TERR	89 48 55	801.945	802.261
		El	12.725	CVD28GVRD2018		766543	86H1282	TERR	181 28 22	669.436	669.700
						301838	5762	TERR	269 5 27	433.926	434.098
769554	8709	E	522231.710	0.9996053	0.9999992	699736	5127	TERR	88 54 39	350.918	351.056
		N	5429351.836			823492	5128	TERR	268 54 34	463.427	463.610
		El	24.477	CVD28GVRD2018							
403634	8710	E	514317.048	0.9995963	0.9999938						
		N	5433492.195								
		El	59.400	CVD28GVRD2018							
237164	8711	E	513427.338	0.9995879	0.9999857	445338	5871	TERR	270 10 5	517.224	517.437
		N	5432549.447								
		El	110.852	CVD28GVRD2018							
678631	8712	E	512911.420	0.9995920	0.9999899						
		N	5433063.967								
		El	83.916	CVD28GVRD2018							
965061	8713	E	509391.821	0.9995952	0.9999942	375337	5489	TERR	91 7 5	293.075	293.194
		N	5431331.010			613695	5488	TERR	271 6 58	280.558	280.672
		El	57.048	CVD28GVRD2018							
650879	8714	E	509044.442	0.9995902	0.9999892						
		N	5441536.804								
		El	88.118	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
679654	8715	E	519335.374	0.9996074	1.0000028		MARKER DESTROYED				
		N	5444754.924								
		El	1.20	(APPROX. ONLY)							
991125	8716	E	520938.618	0.9996025	0.9999971	306738	5677	TERR	0 29 23	206.391	206.473
		N	5446200.443			721050	5672	TERR	179 45 56	601.724	601.962
		El	37.642	CVD28GVRD2018							
986059	8717	E	510940.290	0.9995913	0.9999898						
		N	5448506.070								
		El	84.257	CVD28GVRD2018							
389668	8718	E	511059.335	0.9995921	0.9999905						
		N	5448937.468								
		El	79.323	1928 Canadian Vertical Datum							
969840	8719	E	509864.735	0.9995901	0.9999889						
		N	5448674.737								
		El	90.181	CVD28GVRD2018							
801498	8720	E	510431.842	0.9995956	0.9999943	717728	5053	TERR	269 19 15	810.424	810.754
		N	5445545.718			878785	79H0026	TERR	270 40 50	416.683	416.852
		El	55.698	CVD28GVRD2018		554584	79H0028	TERR	358 42 15	391.287	391.445
90910	8721	E	510938.058	0.9995915	0.9999900	418699	5360	TERR	299 21 59	346.346	346.488
		N	5448078.955								
		El	82.758	CVD28GVRD2018							
3319	8722	E	511116.559	0.9995917	0.9999901						
		N	5447968.951								
		El	81.922	1928 Canadian Vertical Datum							
303784	8723	E	511308.693	0.9995919	0.9999904						
		N	5447774.223								
		El	80.509	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
43976	8724	E	509828.087	0.9995902	0.9999890		MARKER DESTROYED				
		N	5442343.949								
		El	89.342	1928 Canadian Vertical Datum							
622860	8725	E	508017.115	0.9995934	0.9999927	528992	5800	TERR	90 12 33	190.031	190.109
		N	5447759.171			704361	5504	TERR	271 35 24	328.600	328.733
		El	66.003	CVD28GVRD2018							
728048	8726	E	511401.710	0.9995900	0.9999884	521237	5529	TERR	50 41 26	168.338	168.407
		N	5449709.024			671156	5402	TERR	320 25 6	201.438	201.521
		El	92.718	CVD28GVRD2018							
354084	8727	E	510441.991	0.9995936	0.9999922						
		N	5443937.475								
		El	68.927	CVD28GVRD2018							
718882	8728	E	511056.955	0.9995927	0.9999912	376822	80H2054	TERR	90 18 8	708.546	708.834
		N	5442315.353			742700	5141	TERR	271 24 25	604.261	604.508
		El	75.546	CVD28GVRD2018							
781955	8729	E	507456.441	0.9996018	1.0000011						
		N	5448063.006								
		El	12.296	CVD28GVRD2018							
157628	8730	E	508453.297	0.9996035	1.0000026						
		N	5448652.010								
		El	2.303	CVD28GVRD2018							
199000	8731	E	508675.392	0.9996027	1.0000018						
		N	5448655.653								
		El	7.808	CVD28GVRD2018							
516260	8732	E	508678.322	0.9996031	1.0000022						
		N	5448787.110								
		El	5.247	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
765859	8733	E	509638.683	0.9995911	0.9999900	354316	5057	TERR	180 11 51	406.330	406.496						
		N	5449181.134									760454	5892	TERR	181 46 29	314.781	314.910
		El	83.058									CVD28GVRD2018					
661769	8734	E	510467.495	0.9995895	0.9999882	MARKER DESTROYED											
		N	5448338.728														
		El	94.471			CVD28GVRD2018											
667816	8735	E	511242.959	0.9995909	0.9999894	MARKER DESTROYED											
		N	5449563.809														
		El	86.671			1928 Canadian Vertical Datum											
294413	8736	E	510528.807	0.9995955	0.9999941	MARKER DESTROYED											
		N	5445540.429														
		El	56.799			CVD28GVRD2018											
851592	8737	E	510893.840	0.9995974	0.9999960	MARKER DESTROYED											
		N	5445547.037														
		El	44.892			CVD28GVRD2018											
172767	8738	E	510998.874	0.9995978	0.9999963	MARKER DESTROYED											
		N	5445548.711														
		El	42.971			CVD28GVRD2018											
867986	8739	E	520307.126	0.9996067	1.0000016	530097	8707	TERR	89 50 5	328.535	328.664						
		N	5429351.586									395418	80H2002	TERR	269 9 1	521.983	522.189
		El	9.442									CVD28GVRD2018					
512814	8740	E	514522.356	0.9996047	1.0000021	MARKER DESTROYED											
		N	5440706.480														
		El	6.061			CVD28GVRD2018											
20347	8741	E	514523.442	0.9996021	0.9999995	MARKER DESTROYED											
		N	5440344.229														
		El	22.366			1928 Canadian Vertical Datum											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
474155	8742	E	514524.592	0.9996005	0.9999979	712224	5608	TERR	0 21 15	306.283	306.405
		N	5439587.615								
		El	32.940	CVD28GVRD2018							
970038	8743	E	514525.160	0.9996012	0.9999986	712224	5608	TERR	179 33 53	174.404	174.473
		N	5440068.291								
		El	28.385	CVD28GVRD2018							
187682	8744	E	509084.124	0.9996030	1.0000020	165555	5492	TERR	100 38 53	233.116	233.210
		N	5433483.506			275347	8629	TERR	251 56 25	305.302	305.423
		El	6.964	CVD28GVRD2018							
807040	8745	E	511249.379	0.9995925	0.9999909						
		N	5447646.302								
		El	77.049	1928 Canadian Vertical Datum							
324863	8746	E	511084.683	0.9995916	0.9999901	757021	5338	TERR	269 35 2	249.048	249.149
		N	5447644.727								
		El	82.079	CVD28GVRD2018							
719047	8747	E	512487.263	0.9995990	0.9999971	130336	5040	TERR	90 0 29	403.941	404.103
		N	5441499.579			10207	80H2018	TERR	179 31 23	385.893	386.048
		El	37.806	CVD28GVRD2018							
112961	8749	E	508801.267	0.9995891	0.9999882	949008	5294	TERR	0 3 58	452.365	452.551
		N	5446706.102			365262	5314	TERR	180 9 15	319.500	319.631
		El	94.738	CVD28GVRD2018							
795302	8750	E	511601.480	0.9995936	0.9999920	907873	5291	TERR	270 18 1	770.851	771.164
		N	5447146.627								
		El	70.353	CVD28GVRD2018							
947507	8752	E	508014.488	0.9995885	0.9999878						
		N	5446683.398								
		El	97.309	CVD28GVRD2018							

MARKER DESTROYED

MARKER DESTROYED

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
956912	8753	E	508011.003	0.9995880	0.9999872		MARKER DESTROYED				
		N	5446421.897								
		El	100.869	CVD28GVRD2018							
564153	8754	E	508008.084	0.9995878	0.9999870	179564	8755	TERR	183 34 2	364.278	364.428
		N	5446220.993								
		El	102.048	CVD28GVRD2018							
340158	8756	E	508004.997	0.9995883	0.9999876		MARKER DESTROYED				
		N	5445593.482								
		El	98.633	CVD28GVRD2018							
133926	8757	E	508005.670	0.9995889	0.9999882	99242	8761	TERR	88 34 1	576.745	576.983
		N	5445193.754								
		El	94.794	CVD28GVRD2018							
665091	8758	E	507980.756	0.9995887	0.9999879		MARKER DESTROYED				
		N	5444809.333								
		El	96.321	CVD28GVRD2018							
347971	8759	E	508006.812	0.9995885	0.9999877		MARKER DESTROYED				
		N	5444380.695								
		El	97.438	CVD28GVRD2018							
21162	8760	E	507983.021	0.9995885	0.9999877		MARKER DESTROYED				
		N	5444212.171								
		El	97.870	CVD28GVRD2018							
99242	8761	E	508582.235	0.9995895	0.9999886	25601	8762	TERR	180 46 53	426.598	426.773
		N	5445208.178			133926	8757	TERR	268 34 1	576.745	576.983
		El	92.038	CVD28GVRD2018							
25601	8762	E	508576.417	0.9995896	0.9999886	99242	8761	TERR	0 46 53	426.598	426.773
		N	5444781.620			494740	5459	TERR	92 2 44	239.431	239.528
		El	91.692	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
649145	8763	E	508260.941	0.9995888	0.9999880	585604	5460	TERR	91 50 21	555.609	555.838
		N	5444382.110								
		El	95.809	CVD28GVRD2018							
323477	8764	E	512065.260	0.9995937	0.9999919		MARKER DESTROYED				
		N	5442333.993								
		El	71.125	CVD28GVRD2018							
583112	8765	E	511755.601	0.9995939	0.9999922		MARKER DESTROYED				
		N	5442307.704								
		El	68.961	1928 Canadian Vertical Datum							
610113	8766	E	512278.848	0.9995934	0.9999915		MARKER DESTROYED				
		N	5442320.430								
		El	73.525	CVD28GVRD2018							
986430	8767	E	512078.453	0.9995947	0.9999929		MARKER DESTROYED				
		N	5443197.095								
		El	64.685	1928 Canadian Vertical Datum							
540047	8768	E	512059.781	0.9995973	0.9999955	149674	5219	TERR	0 45 30	374.981	375.131
		N	5443568.276								
		El	47.656	CVD28GVRD2018							
703637	8769	E	512071.765	0.9995938	0.9999920	910364	5221	TERR	179 36 42	215.319	215.406
		N	5442931.565								
		El	70.233	CVD28GVRD2018							
782094	8770	E	512600.101	0.9995933	0.9999914	478180	5038	TERR	89 9 13	287.351	287.468
		N	5442333.217								
		El	74.385	CVD28GVRD2018							
841528	8771	E	513266.117	0.9995946	0.9999925	848101	5451	TERR	89 48 52	232.594	232.688
		N	5442338.716			478180	5038	TERR	269 48 37	378.698	378.852
		El	67.390	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
657221	8772	E	509627.961	0.9995913	0.9999902		MARKER DESTROYED				
		N	5446341.913								
		El	81.804	CVD28GVRD2018							
999904	8773	E	510848.827	0.9995943	0.9999928		MARKER DESTROYED				
		N	5443945.743								
		El	65.180	CVD28GVRD2018							
385674	8774	E	508616.051	0.9995890	0.9999880	829994	5599	TERR	90 16 13	201.909	201.992
		N	5443545.460			230227	5601	TERR	272 22 29	202.991	203.075
		El	95.603	CVD28GVRD2018							
173922	8775	E	514075.341	0.9995908	0.9999883	370809	5852	TERR	90 39 24	410.640	410.808
		N	5446388.233			472969	5553	TERR	269 20 54	392.509	392.671
		El	93.653	CVD28GVRD2018							
419705	8776	E	510053.549	0.9995909	0.9999897	722397	5047	TERR	271 10 57	407.704	407.871
		N	5441527.899			476424	5225	TERR	359 30 11	811.772	812.104
		El	85.249	CVD28GVRD2018							
114371	8777	E	509325.547	0.9995895	0.9999885	505024	5444	TERR	270 9 26	503.260	503.467
		N	5443142.157			662049	5921	TERR	359 49 26	397.322	397.485
		El	92.834	CVD28GVRD2018							
110551	8778	E	522223.153	0.9995961	0.9999901	746222	5687	TERR	268 20 26	459.066	459.251
		N	5442353.269								
		El	82.598	CVD28GVRD2018							
614602	8779	E	520972.510	0.9995997	0.9999943	183087	5933	TERR	0 7 52	312.694	312.819
		N	5442317.648			337253	8790	TERR	88 26 54	402.728	402.889
		El	55.374	CVD28GVRD2018							
311779	8780	E	519333.392	0.9996065	1.0000019			MARKER DESTROYED			
		N	5439882.790								
		El	7.063	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
182469	8781	E	519346.572	0.9996051	1.0000005		MARKER DESTROYED				
		N	5440882.397								
		El	15.866	CVD28GVRD2018							
770339	8782	E	519335.305	0.9996054	1.0000008		MARKER DESTROYED				
		N	5441359.852								
		El	14.024	CVD28GVRD2018							
46581	8783	E	511684.672	0.9995993	0.9999976		MARKER ISOLATED				
		N	5440703.955								
		El	34.401	CVD28GVRD2018							
709527	8784	E	516787.664	0.9996041	1.0000007	166	5183	TERR	88 53 35	974.885	975.270
		N	5434169.624								
		El	15.189	CVD28GVRD2018							
360990	8785	E	519103.180	0.9996067	1.0000022	505818	8786	TERR	89 29 28	216.662	216.747
		N	5434174.839			30502	8601	TERR	90 1 19	1029.887	1030.292
		El	5.599	CVD28GVRD2018		231829	8649	TERR	269 57 44	652.153	652.409
505818	8786	E	519319.833	0.9996072	1.0000026	38133	5095	GPS	63 23 2	1803.718	1804.427
		N	5434176.763			30502	8601	TERR	90 9 48	813.237	813.557
		El	2.926	CVD28GVRD2018		8094	84H0567	TERR	179 10 22	567.620	567.844
						436204	5809	GPS	251 36 38	1643.724	1644.377
						360990	8785	TERR	269 29 28	216.662	216.747
						166	5183	GPS	270 25 49	1557.510	1558.123
						649830	5092	GPS	359 29 55	1603.528	1604.158
19034	8787	E	523067.637	0.9995967	0.9999901		MARKER DESTROYED				
		N	5442359.616								
		El	82.111	CVD28GVRD2018							
813758	8788	E	522554.557	0.9995963	0.9999900		MARKER ISOLATED				
		N	5441957.961								
		El	82.900	CVD28GVRD2018							
321992	8789	E	523065.099	0.9995970	0.9999905		MARKER DESTROYED				
		N	5441955.547								
		El	79.813	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
337253	8790	E	521375.090	0.9995982	0.9999925	746222	5687	TERR	88 19 9	389.358	389.514						
		N	5442328.553					614602	8779			TERR	268 26 54	402.728	402.889		
		El	66.725					CVD28GVRD2018									
934539	8791	E	508406.619	0.9995889	0.9999881	862052	5507	TERR	0 21 28	372.606	372.760						
		N	5446783.848					898734	NO MARKING			GPS	41 19 22	2709.179	2710.294		
		El	95.353					CVD28GVRD2018				316281	10H2576	GPS	101 43 14	2060.677	2061.519
												799965	10H2575	GPS	146 13 14	1443.063	1443.655
												543827	8794	TERR	178 45 36	195.336	195.415
				722686	10H2583	GPS	346 48 20	1897.467	1898.234								
304071	8792	E	510029.849	0.9995923	0.9999911	655696	5049	TERR	268 42 55	401.628	401.792						
		N	5443943.254														
		El	76.194					CVD28GVRD2018									
578278	8793	E	510606.338	0.9995933	0.9999919	129593	78H8426	TERR	90 28 28	217.301	217.390						
		N	5446365.067														
		El	70.897					CVD28GVRD2018									
543827	8794	E	508410.846	0.9995882	0.9999874	934539	8791	TERR	358 45 36	195.336	195.415						
		N	5446588.558														
		El	99.865					CVD28GVRD2018									
828640	8795	E	522965.364	0.9996069	1.0000005	91116	88H4611	TERR	90 7 18	446.897	447.073						
		N	5446418.632					428466	5675			TERR	272 29 16	519.738	519.943		
		El	15.977					CVD28GVRD2018				579870	8797	TERR	359 13 37	386.017	386.170
283507	8796	E	523160.244	0.9996071	1.0000006	579870	8797	TERR	272 53 26	200.344	200.423						
		N	5446794.511					879080	8800			TERR	358 19 39	385.100	385.252		
		El	15.372					CVD28GVRD2018									
579870	8797	E	522960.155	0.9996067	1.0000002	283507	8796	TERR	92 53 26	200.344	200.423						
		N	5446804.614					828640	8795			TERR	179 13 37	386.017	386.170		
		El	17.355					CVD28GVRD2018									
138255	8798	E	522566.913	0.9996060	0.9999997		MARKER DESTROYED										
		N	5446784.091														
		El	20.747	1928 Canadian Vertical Datum													

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
564955	8799	E	522151.100	0.9996057	0.9999997	138370	81H4529	TERR	0 13 35	399.132	399.289	
		N	5446777.685			288092	10H2611	GPS	25 26 54	916.321	916.681	
		El	20.751			CVD28GVRD2018	695155	77C060	GPS	45 53 38	595.667	595.901
							904904	NO MARKING	GPS	159 41 35	8236.652	8239.895
							377754	5680	GPS	187 48 10	2848.147	2849.270
							969295	13H2676	GPS	235 53 31	2842.179	2843.298
							998500	10H2579	GPS	246 44 8	3045.239	3046.438
							187641	10H2580	GPS	261 59 12	2826.357	2827.475
							334078	8640	GPS	279 33 16	1227.616	1228.102
							31682	10H2612	GPS	333 37 40	863.612	863.952
879080	8800	E	523149.004	0.9996072	1.0000006	567420	77H2729	TERR	89 51 10	210.568	210.650	
		N	5447179.447			283507	8796	TERR	178 19 39	385.100	385.252	
		El	15.139			CVD28GVRD2018	797241	5077	TERR	269 52 40	576.276	576.502
60400	92H0827	E	522995.289	0.9996034	0.9999969	45328	5126	TERR	50 45 54	188.142	188.217	
		N	5429356.137			699736	5127	TERR	270 19 44	412.731	412.895	
		El	39.133			CVD28GVRD2018						
97972	92H0828	E	523155.724	0.9995906	0.9999840	105593	92H0782	TERR	90 0 1	238.516	238.614	
		N	5427746.518			683342	5177	TERR	270 4 55	568.221	568.453	
		El	121.533			CVD28GVRD2018						
548891	92H0829	E	517758.099	0.9996068	1.0000030	24588	5078	GPS	0 11 30	906.094	906.452	
		N	5438978.177			306167	10H2568	GPS	0 39 51	1734.996	1735.681	
		El	.408			CVD28GVRD2018	162420	86H1293	GPS	29 27 19	1566.726	1567.345
							608869	92H0926	GPS	42 6 45	2333.406	2334.326
							286757	13H2684	GPS	81 40 59	742.975	743.267
							904904	NO MARKING	GPS	89 24 33	7251.924	7254.776
							151852	5167	GPS	95 33 20	3226.084	3227.355
							629519	10H2574	GPS	113 0 44	1721.355	1722.033
							602961	86H1306	GPS	125 14 6	2925.379	2926.529
							56473	10H2596	GPS	280 49 29	748.454	748.747
440628	92H0830	E	520964.000	0.9996021	0.9999967							
		N	5439055.340									
		El	40.261			CVD28GVRD2018						
916528	92H0831	E	521768.394	0.9996012	0.9999954							
		N	5439065.039									
		El	48.462			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
744789	92H0832	E	522530.112	0.9996071	1.0000009		MARKER DESTROYED				
		N	5439128.216								
		El	13.772	CVD28GVRD2018							
885012	92H0833	E	516943.994	0.9996058	1.0000023	602961	86H1306	GPS	54 5 25	3955.260	3956.816
		N	5434970.646			535096	8606	GPS	62 35 17	2688.206	2689.263
		El	4.770	CVD28GVRD2018		904904	NO MARKING	GPS	63 9 16	9039.910	9043.470
						649830	5092	GPS	71 4 45	2496.712	2497.696
						30502	8601	GPS	104 1 5	3286.962	3288.256
						8094	84H0567	GPS	119 43 45	2745.387	2746.474
						782151	80H2067	GPS	127 36 26	1289.041	1289.550
						934976	92H0855	GPS	191 10 26	4105.621	4107.260
						629832	84H0578	GPS	211 54 51	3806.149	3807.679
						982553	92H0850	GPS	224 56 55	3439.597	3440.981
						774802	86H1307	GPS	258 56 18	4117.668	4119.305
						35329	92H0835	GPS	269 0 41	818.692	819.015
						465427	13H2672	GPS	278 22 13	2458.457	2459.428
						599530	5630	GPS	280 34 34	4067.340	4068.947
						686790	92H0898	GPS	307 32 24	4107.591	4109.212
						898734	NO MARKING	GPS	334 1 6	15404.673	15410.882
						546390	5025	GPS	338 44 21	6690.749	6693.395
						570986	13H2673	GPS	353 48 21	1666.495	1667.151
244517	92H0834	E	516126.070	0.9996042	1.0000010		MARKER DESTROYED				
		N	5434170.569								
		El	13.451	CVD28GVRD2018							
35329	92H0835	E	516125.424	0.9996055	1.0000023	885012	92H0833	GPS	89 0 41	818.692	819.015
		N	5434956.521			774802	86H1307	GPS	256 27 45	3314.690	3316.008
		El	5.001	CVD28GVRD2018		599530	5630	GPS	283 27 13	3269.390	3270.683
						777862	92H0845	GPS	357 28 58	4939.459	4941.406
699132	92H0836	E	515306.530	0.9996002	0.9999973	112839	92H0846	GPS	179 16 44	2575.503	2576.527
		N	5443260.715			546390	5025	GPS	200 59 57	2200.865	2201.742
		El	36.622	CVD28GVRD2018		124974	92H0844	GPS	286 6 33	2522.133	2523.140
133892	92H0837	E	519994.847	0.9996004	0.9999954	721050	5672	GPS	153 2 31	2087.248	2088.075
		N	5447459.167			266148	NO MARKING	GPS	263 57 24	703.070	703.353
		El	48.067	CVD28GVRD2018		245928	92H0861	GPS	334 16 57	1464.452	1465.033
						589457	92H0860	GPS	357 51 13	1315.701	1316.223
652255	92H0838	E	518529.979	0.9996064	1.0000022	721050	5672	GPS	108 15 43	2538.981	2539.979
		N	5446394.346			745927	5271	GPS	235 48 51	2906.346	2907.507
		El	5.037	CVD28GVRD2018		409698	92H0842	GPS	243 25 19	1796.860	1797.574
						403428	92H0843	GPS	251 31 5	5131.152	5133.191

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
418749	92H0839	E	513700.784	0.9996003	0.9999980	745927	5271	GPS	56 35 46	2904.861	2906.031	
		N	5443162.098			546390	5025	GPS	157 19 47	2119.863	2120.708	
		El	32.266			CVD28GVRD2018	124974	92H0844	GPS	314 19 45	1142.612	1143.068
							403428	92H0843	GPS	358 40 7	1606.088	1606.730
230904	92H0840	E	516126.322	0.9995935	0.9999903	245928	92H0861	GPS	116 15 13	3604.919	3606.360	
		N	5450373.178			266148	NO MARKING	GPS	133 18 47	4355.823	4357.587	
		El	80.945			CVD28GVRD2018	950121	5281	GPS	270 9 37	1616.798	1617.457
177907	92H0841	E	516927.615	0.9995953	0.9999918	MARKER DESTROYED						
409698	92H0842	E	516923.000	0.9995987	0.9999952	652255	92H0838	GPS	63 25 19	1796.860	1797.574	
						943670	10H2581	GPS	89 34 36	1499.074	1499.670	
						721050	5672	GPS	89 52 53	4018.089	4019.684	
						821256	5189	GPS	151 58 57	1763.607	1764.314	
						745927	5271	GPS	223 52 38	1150.174	1150.638	
						20453	10H2577	GPS	233 23 11	1009.413	1009.820	
						403428	92H0843	GPS	255 50 7	3361.740	3363.089	
						898734	NO MARKING	GPS	295 37 59	7461.882	7464.918	
904581	10H2600	GPS	358 45 43	1579.588	1580.221							
403428	92H0843	E	513663.470	0.9995993	0.9999970	652255	92H0838	GPS	71 31 5	5131.152	5133.191	
						409698	92H0842	GPS	75 50 7	3361.740	3363.089	
						745927	5271	GPS	90 8 58	2462.333	2463.327	
						546390	5025	GPS	166 30 40	3662.769	3664.230	
						418749	92H0839	GPS	178 40 7	1606.088	1606.730	
						124974	92H0844	GPS	224 1 8	1122.528	1122.977	
						404020	92H0878	GPS	269 9 60	2403.369	2404.333	
124974	92H0844	E	512883.430	0.9996009	0.9999988	403428	92H0843	GPS	44 1 8	1122.528	1122.977	
						745927	5271	GPS	76 7 36	3339.792	3341.136	
						699132	92H0836	GPS	106 6 33	2522.133	2523.140	
						418749	92H0839	GPS	134 19 45	1142.612	1143.068	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
777862	92H0845	E	515908.491	0.9996060	1.0000029	278754	13H2675	GPS	6 13 35	2135.626	2136.468	
		N	5439891.214			689091	13H2674	GPS	39 12 25	2929.355	2930.509	
		El	.786			CVD28GVRD2018	306167	10H2568	GPS	66 16 19	2042.372	2043.180
							24588	5078	GPS	90 12 54	1852.650	1853.383
							904904	NO MARKING	GPS	95 15 44	9139.667	9143.265
							548891	92H0829	GPS	116 16 22	2062.689	2063.501
							56473	10H2596	GPS	124 43 37	1356.011	1356.545
							35329	92H0835	GPS	177 28 58	4939.459	4941.406
							774802	86H1307	GPS	207 45 33	6453.294	6455.857
							621482	13H2685	GPS	213 16 39	943.284	943.656
							599530	5630	GPS	215 22 2	5118.636	5120.659
							686790	92H0898	GPS	222 34 41	3283.396	3284.691
							100123	92H0913	GPS	238 56 21	1601.272	1601.905
							316992	92H0912	GPS	249 34 43	2345.358	2346.292
							361865	13H2678	GPS	300 37 10	1590.578	1591.205
			112839	92H0846	GPS	324 21 16	977.312	977.698				
			898734	NO MARKING	GPS	327 22 58	10598.769	10603.041				
112839	92H0846	E	515338.945	0.9996058	1.0000029	24588	5078	GPS	108 18 7	2551.237	2552.247	
		N	5440685.416			548891	92H0829	GPS	125 12 41	2960.907	2962.073	
		El	.820			CVD28GVRD2018	777862	92H0845	GPS	144 21 16	977.312	977.698
							546390	5025	GPS	302 22 33	972.237	972.622
							699132	92H0836	GPS	359 16 44	2575.503	2576.527
82891	92H0847	E	519342.146	0.9996074	1.0000028	MARKER DESTROYED						
		N	5445554.041									
		El	1.491	CVD28GVRD2018								
690016	92H0848	E	513737.027	0.9995944	0.9999921	982553	92H0850	GPS	136 20 2	1125.321	1125.780	
		N	5433350.336			639534	92H0856	GPS	180 19 43	810.146	810.478	
		El	69.968			CVD28GVRD2018	303743	92H0854	GPS	251 10 15	5115.053	5117.119
							557686	5495	GPS	282 16 25	4886.834	4888.794
							599530	5630	GPS	341 30 51	2495.604	2496.605
188508	92H0849	E	512906.876	0.9995903	0.9999883	639534	92H0856	GPS	45 43 56	1152.801	1153.275	
		N	5431735.533			982553	92H0850	GPS	63 30 53	1795.584	1796.321	
		El	94.487			CVD28GVRD2018	513044	92H0852	GPS	88 51 55	825.069	825.408
							471623	5471	GPS	134 15 45	1145.523	1145.992
							851287	5476	GPS	256 11 36	3320.140	3321.497
982553	92H0850	E	514514.011	0.9995892	0.9999866	885012	92H0833	GPS	44 56 55	3439.597	3440.981	
		N	5432536.307			629832	84H0578	GPS	152 18 58	899.446	899.815	
		El	105.203			CVD28GVRD2018	513044	92H0852	GPS	224 55 10	1107.798	1108.253
							188508	92H0849	GPS	243 30 53	1795.584	1796.321
							639534	92H0856	GPS	270 17 8	781.641	781.963
			690016	92H0848	GPS	316 20 2	1125.321	1125.780				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
848895	92H0851	E	514514.121	0.9995945	0.9999919		MARKER DESTROYED				
		N	5433199.174								
		El	71.546	CVD28GVRD2018							
513044	92H0852	E	513731.783	0.9995884	0.9999861	639534	92H0856	GPS	0 2 36	788.329	788.653
		N	5431751.874			982553	92H0850	GPS	44 55 10	1107.798	1108.253
		El	108.412	CVD28GVRD2018		629832	84H0578	GPS	90 34 31	1200.166	1200.659
						202903	86H1297	GPS	126 52 57	1000.774	1001.187
						471623	5471	GPS	180 19 8	815.868	816.204
						188508	92H0849	GPS	268 51 55	825.069	825.408
827410	92H0853	E	509696.730	0.9995936	0.9999924		MARKER DESTROYED				
		N	5431737.299								
		El	67.961	CVD28GVRD2018							
303743	92H0854	E	508895.705	0.9995979	0.9999970	557686	5495	GPS	1 24 34	2690.521	2691.595
		N	5431699.467			599530	5630	GPS	45 13 47	5704.809	5707.087
		El	39.106	CVD28GVRD2018		690016	92H0848	GPS	71 10 15	5115.053	5117.119
						851287	5476	GPS	133 51 39	1091.452	1091.894
934976	92H0855	E	516148.380	0.9995960	0.9999928	885012	92H0833	GPS	11 10 26	4105.621	4107.260
		N	5430942.852			878538	92H0857	GPS	89 52 23	1595.569	1596.211
		El	65.333	CVD28GVRD2018		639351	86H1278	GPS	143 11 1	4017.438	4019.045
						202903	86H1297	GPS	277 20 50	1629.489	1630.154
						599530	5630	GPS	326 8 46	5748.998	5751.299
						546390	5025	GPS	350 58 22	10391.886	10396.046
639534	92H0856	E	513732.380	0.9995876	0.9999853	690016	92H0848	GPS	0 19 43	810.146	810.478
		N	5432540.203			982553	92H0850	GPS	90 17 8	781.641	781.963
		El	113.353	CVD28GVRD2018		513044	92H0852	GPS	180 2 36	788.329	788.653
						188508	92H0849	GPS	225 43 56	1152.801	1153.275
878538	92H0857	E	517743.945	0.9995997	0.9999959	782151	80H2067	GPS	3 54 33	3245.176	3246.465
		N	5430946.390			904904	NO MARKING	GPS	41 52 8	10886.089	10890.408
		El	46.025	CVD28GVRD2018		23978	78H2743	GPS	86 10 19	6443.562	6446.140
						210369	84H0564	GPS	89 41 39	3209.322	3210.597
						127415	92H0635	GPS	114 28 56	7684.324	7687.445
						683342	5177	GPS	123 26 38	5804.656	5807.002
						851600	84H0574	GPS	135 9 25	2272.448	2273.351
						576363	8705	GPS	136 57 4	4392.776	4394.539
						639351	86H1278	GPS	165 50 50	3320.527	3321.849
						455196	5873	GPS	224 38 37	2282.452	2283.359
						934976	92H0855	GPS	269 52 23	1595.569	1596.211
						202903	86H1297	GPS	273 38 58	3218.201	3219.509
						869792	NO MARKING	GPS	288 6 52	29964.682	29976.667
						898734	NO MARKING	GPS	337 6 10	19400.764	19408.641

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
680090	92H0858	E	519356.860	0.9996052	1.0000006		MARKER DESTROYED				
		N	5440704.330								
		El	15.405	CVD28GVRD2018							
869081	92H0859	E	522550.751	0.9996004	0.9999942		MARKER DESTROYED				
		N	5440744.897								
		El	56.471	CVD28GVRD2018							
589457	92H0860	E	519945.569	0.9996073	1.0000024	800326	5985	GPS	126 32 32	697.761	698.035
		N	5448773.945			721050	5672	GPS	162 35 33	3327.622	3328.929
		El	3.554	CVD28GVRD2018		133892	92H0837	GPS	177 51 13	1315.701	1316.223
						693051	10H2599	GPS	201 19 10	1753.535	1754.233
						266148	NO MARKING	GPS	205 4 38	1533.334	1533.944
						694950	13H2677	GPS	209 34 32	1223.529	1224.016
						898734	NO MARKING	GPS	270 15 41	9750.183	9754.107
						245928	92H0861	GPS	270 27 3	586.213	586.444
						638197	5287	GPS	290 23 56	2355.548	2356.479
						193888	10H2593	GPS	351 58 7	696.333	696.606
245928	92H0861	E	519359.374	0.9996070	1.0000024	589457	92H0860	GPS	90 27 3	586.213	586.444
		N	5448778.558			133892	92H0837	GPS	154 16 57	1464.452	1465.033
		El	3.883	CVD28GVRD2018		266148	NO MARKING	GPS	182 37 1	1394.867	1395.422
						230904	92H0840	GPS	296 15 13	3604.919	3606.360
562272	92H0862	E	522561.967	0.9995961	0.9999898		MARKER DESTROYED				
		N	5442355.752								
		El	84.008	CVD28GVRD2018							
677138	92H0863	E	511269.242	0.9995908	0.9999893		MARKER DESTROYED				
		N	5439895.374								
		El	87.976	CVD28GVRD2018							
803254	92H0864	E	511260.819	0.9995965	0.9999949		MARKER DESTROYED				
		N	5440711.674								
		El	51.887	CVD28GVRD2018							
817650	92H0865	E	509635.857	0.9995916	0.9999904		MARKER DESTROYED				
		N	5439510.560								
		El	80.476	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
585919	92H0866	E	509655.701	0.9995886	0.9999874		MARKER DESTROYED				
		N	5440695.710								
		El	99.543	CVD28GVRD2018							
808014	92H0867	E	512063.234	0.9995945	0.9999927		MARKER DESTROYED				
		N	5443136.642								
		El	66.053	CVD28GVRD2018							
118687	92H0868	E	511254.858	0.9995993	0.9999978		MARKER DESTROYED				
		N	5445572.584								
		El	33.339	CVD28GVRD2018							
26484	92H0869	E	512065.058	0.9995937	0.9999919		MARKER DESTROYED				
		N	5442314.625								
		El	71.148	CVD28GVRD2018							
402313	92H0870	E	512860.039	0.9995950	0.9999930		MARKER DESTROYED				
		N	5445564.364								
		El	63.860	CVD28GVRD2018							
420521	92H0871	E	508006.145	0.9995887	0.9999880	182428	92H0872	GPS	180 16 27	1569.006	1569.651
		N	5444840.898			515189	82H5404	GPS	200 15 43	3428.179	3429.582
		El	96.099	CVD28GVRD2018		308429	90H6222	GPS	247 39 9	1096.152	1096.604
						15578	82H5618	GPS	322 27 59	2493.321	2494.339
182428	92H0872	E	507998.640	0.9995893	0.9999885	420521	92H0871	GPS	0 16 27	1569.006	1569.651
		N	5443271.910			36509	92H0882	GPS	94 3 38	1649.493	1650.170
		El	92.476	CVD28GVRD2018		722397	5047	GPS	136 29 43	2392.879	2393.861
						60731	92H0873	GPS	179 23 60	923.569	923.947
						515189	82H5404	GPS	215 36 46	2025.962	2026.791
						308429	90H6222	GPS	318 51 59	1529.788	1530.419
60731	92H0873	E	508008.313	0.9995915	0.9999907	36509	92H0882	GPS	63 44 51	1823.800	1824.546
		N	5442348.392			722397	5047	GPS	116 22 35	1827.914	1828.662
		El	78.791	CVD28GVRD2018		182428	92H0872	GPS	359 23 60	923.569	923.947
466987	92H0874	E	508000.233	0.9995907	0.9999899		MARKER DESTROYED				
		N	5441533.955								
		El	83.959	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
102970	92H0875	E	508017.163	0.9995914	0.9999906	898734	NO MARKING	GPS	15 5 21	8367.830	8371.264	
		N	5440739.124			90316	80H2099	GPS	45 24 17	4561.160	4563.015	
		El	79.137			CVD28GVRD2018	232017	10H2570	GPS	90 47 31	1641.551	1642.224
							230417	5571	GPS	100 19 11	2488.559	2489.578
							901199	5620	GPS	130 22 37	4092.238	4093.883
							275420	92H0907	GPS	147 14 27	1465.570	1466.168
							557686	5495	GPS	171 32 16	6419.842	6422.426
							607093	5893	GPS	180 15 37	3087.198	3088.441
							853168	84H9452	GPS	190 26 37	1602.297	1602.946
							995365	6910	GPS	231 18 22	4194.721	4196.410
							252569	92H0596	GPS	269 30 52	2614.704	2615.760
							515189	82H5404	GPS	306 28 18	1490.075	1490.683
							799270	9352	GPS	309 11 33	2550.520	2551.553
							815746	84H9508	GPS	317 48 56	4096.958	4098.618
			406223	94H1459	GPS	349 54 28	14544.694	14550.568				
			6544	13H2686	GPS	359 31 1	798.947	799.274				
279778	92H0876	E	508005.471	0.9995883	0.9999875	MARKER DESTROYED						
		N	5445614.205									
		El	99.176			CVD28GVRD2018						
737213	92H0877	E	508592.949	0.9995896	0.9999886	971887	5778	GPS	29 28 11	2117.440	2118.307	
		N	5445618.091			611178	92H0885	GPS	73 23 54	2772.049	2773.178	
		El	91.648			CVD28GVRD2018	783019	92H0879	GPS	115 31 52	2027.393	2028.218
							950840	5461	GPS	145 30 7	1544.327	1544.959
							15578	82H5618	GPS	299 40 36	2423.718	2424.707
							668459	5373	GPS	321 21 52	2233.465	2234.379
404020	92H0878	E	511260.355	0.9995988	0.9999972	403428	92H0843	GPS	89 9 60	2403.369	2404.333	
		N	5444732.794			783019	92H0879	GPS	270 47 8	838.064	838.401	
		El	36.906			CVD28GVRD2018						
783019	92H0879	E	510422.370	0.9995959	0.9999946	404020	92H0878	GPS	90 47 8	838.064	838.401	
		N	5444744.283			36509	92H0882	GPS	206 5 44	1769.558	1770.278	
		El	53.990			CVD28GVRD2018	950840	5461	GPS	247 19 20	1034.745	1035.165
							737213	92H0877	GPS	295 31 52	2027.393	2028.218
148999	92H0881	E	510454.175	0.9995915	0.9999902	MARKER DESTROYED						
		N	5443147.850									
		El	81.871			CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
36509	92H0882	E	509643.993	0.9995907	0.9999896	783019	92H0879	GPS	26 5 44	1769.558	1770.278	
		N	5443155.112			722397	5047	GPS	179 55 53	1618.801	1619.464	
		El	85.865			CVD28GVRD2018	60731	92H0873	GPS	243 44 51	1823.800	1824.546
							182428	92H0872	GPS	274 3 38	1649.493	1650.170
				950840	5461	GPS	351 34 16	1203.225	1203.717			
834499	92H0883	E	517758.497	0.9996040	1.0000001	24588	5078	GPS	179 51 37	1077.902	1078.330	
		N	5440962.165			546390	5025	GPS	274 18 12	3249.821	3251.110	
		El	18.661			CVD28GVRD2018						
443911	92H0884	E	517772.198	0.9996035	0.9999996	MARKER DESTROYED						
		N	5440690.948									
		El	21.612			CVD28GVRD2018						
611178	92H0885	E	511249.442	0.9995957	0.9999941	426981	92H0886	GPS	0 51 17	704.196	704.481	
		N	5446410.114			202697	NO MARKING	GPS	51 13 22	1450.181	1450.770	
		El	56.583			CVD28GVRD2018	228619	5066	GPS	77 27 24	3331.852	3333.208
							737213	92H0877	GPS	253 23 54	2772.049	2773.178
							971887	5778	GPS	303 4 11	1926.936	1927.719
426981	92H0886	E	511259.945	0.9995946	0.9999931	85258	92H0892	GPS	31 25 50	987.915	988.319	
		N	5447114.232			715698	92H0905	GPS	49 10 54	5021.158	5023.201	
		El	63.327			CVD28GVRD2018	3996	92H0900	GPS	56 23 24	6502.910	6505.531
							476275	5524	GPS	62 46 7	1836.203	1836.953
							162537	5071	GPS	89 35 29	6480.381	6482.976
							228619	5066	GPS	89 39 21	3241.885	3243.205
							98178	86H1262	GPS	137 26 6	4812.585	4814.512
							90316	80H2099	GPS	179 54 26	3172.743	3174.028
							611178	92H0885	GPS	180 51 17	704.196	704.481
							841734	6966	GPS	252 1 9	4859.398	4861.383
							770800	5296	GPS	270 41 24	3309.598	3310.948
							971887	5778	GPS	282 3 47	1661.988	1662.664
							897322	V-2503	GPS	283 43 21	13336.845	13342.204
							12591	384	GPS	287 52 21	10684.492	10688.791
							21139	92H0904	GPS	298 59 26	4574.105	4575.941
							595017	89H6032	GPS	305 6 45	7479.490	7482.548
							859504	462	GPS	314 55 15	7793.905	7797.098
							898734	NO MARKING	GPS	328 0 40	2009.333	2010.155
							16725	92H0902	GPS	335 54 17	4592.701	4594.543
							606558	5400	GPS	358 11 20	3275.044	3276.372
243121	92H0887	GPS	359 10 60	860.163	860.513							
243121	92H0887	E	511247.684	0.9995926	0.9999911	572487	92H0889	GPS	2 22 43	808.995	809.326	
		N	5447974.308			426981	92H0886	GPS	179 10 60	860.163	860.513	
		El	76.062			CVD28GVRD2018	971887	5778	GPS	252 21 57	1692.562	1693.252
							74526	92H0891	GPS	316 11 16	1125.361	1125.821

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
823898	92H0888	E	511278.127	0.9995923	0.9999908		MARKER DESTROYED				
		N	5448358.715								
		El	77.934	CVD28GVRD2018							
572487	92H0889	E	511281.259	0.9995918	0.9999902	985606	86H1304	GPS	84 21 46	2047.226	2048.066
		N	5448782.606			187880	86H1271	GPS	101 23 35	1225.626	1226.129
		El	81.461	CVD28GVRD2018		243121	92H0887	GPS	182 22 43	808.995	809.326
						74526	92H0891	GPS	270 15 59	812.666	812.998
95539	92H0890	E	511284.084	0.9995913	0.9999897		MARKER DESTROYED				
		N	5449180.057								
		El	84.537	CVD28GVRD2018							
74526	92H0891	E	510468.602	0.9995905	0.9999891	572487	92H0889	GPS	90 15 59	812.666	812.998
		N	5448786.384			243121	92H0887	GPS	136 11 16	1125.361	1125.821
		El	88.544	CVD28GVRD2018		397133	80H5351	GPS	292 13 16	1536.325	1536.944
						533091	92H0894	GPS	306 52 20	2036.901	2037.722
85258	92H0892	E	511775.107	0.9995904	0.9999887	187880	86H1271	GPS	50 30 4	917.048	917.423
		N	5447957.194			476275	5524	GPS	90 8 26	1117.528	1117.987
		El	91.361	CVD28GVRD2018		202697	NO MARKING	GPS	136 33 51	879.772	880.133
						426981	92H0886	GPS	211 25 50	987.915	988.319
888164	92H0893	E	509646.892	0.9996036	1.0000025		MARKER DESTROYED				
		N	5450365.336								
		El	3.074	CVD28GVRD2018							
533091	92H0894	E	508839.130	0.9996035	1.0000025	74286	92H0895	GPS	116 54 33	885.483	885.838
		N	5450008.589			74526	92H0891	GPS	126 52 20	2036.901	2037.722
		El	2.972	CVD28GVRD2018		397133	80H5351	GPS	162 5 17	673.858	674.125
74286	92H0895	E	509628.738	0.9995949	0.9999937	606558	5400	GPS	62 57 30	1715.207	1715.902
		N	5449607.840			397133	80H5351	GPS	247 33 54	630.047	630.300
		El	59.156	CVD28GVRD2018		533091	92H0894	GPS	296 54 33	885.483	885.838
346346	92H0896	E	508003.627	0.9996034	1.0000026		MARKER DESTROYED				
		N	5448659.727								
		El	2.667	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
4903	92H0897	E	511157.771	0.9996038	1.0000023	337592	10H2614	GPS	11 44 30	2594.567	2595.595	
		N	5434544.376			686790	92H0898	GPS	40 48 35	3869.933	3871.465	
		El	5.233			CVD28GVRD2018	995597	77C056	GPS	55 3 47	2280.593	2281.496
							439760	5184	GPS	66 23 37	7212.574	7215.422
							904904	NO MARKING	GPS	71 58 14	14567.142	14572.895
							767350	13H2687	GPS	98 21 55	2646.947	2648.002
							879726	10H2605	GPS	120 7 34	2039.640	2040.456
							202903	86H1297	GPS	135 9 28	4785.464	4787.398
							942870	86H1263	GPS	177 38 45	3426.853	3428.235
							12765	10H2597	GPS	225 23 22	1094.649	1095.086
							557686	5495	GPS	265 57 26	2201.362	2202.234
							762716	80H1257	GPS	276 11 39	8074.871	8078.077
							995365	6910	GPS	299 6 51	7342.253	7345.166
							898734	NO MARKING	GPS	356 8 36	14306.471	14312.252
			901199	5620	GPS	359 37 33	3543.819	3545.222				
686790	92H0898	E	513686.968	0.9996051	1.0000028	316992	92H0912	GPS	0 50 39	1599.578	1600.215	
		N	5437473.462			98178	86H1262	GPS	7 44 16	6152.265	6154.696	
		El	1.320			CVD28GVRD2018	546390	5025	GPS	12 32 58	3823.916	3825.430
							100123	92H0913	GPS	28 6 2	1804.261	1804.975
							821256	5189	GPS	31 46 54	7717.111	7720.180
							777862	92H0845	GPS	42 34 41	3283.396	3284.691
							621482	13H2685	GPS	46 17 8	2357.447	2358.377
							904904	NO MARKING	GPS	82 3 31	11432.309	11436.815
							439760	5184	GPS	90 34 23	4080.023	4081.631
							570986	13H2673	GPS	105 22 23	3191.405	3192.664
							885012	92H0833	GPS	127 32 24	4107.591	4109.212
							465427	13H2672	GPS	158 58 3	2298.038	2298.947
							4903	92H0897	GPS	220 48 35	3869.933	3871.465
							337592	10H2614	GPS	259 0 19	2038.630	2039.437
							869792	NO MARKING	GPS	276 30 56	24581.371	24591.133
							901199	5620	GPS	283 32 25	2625.309	2626.347
							799270	9352	GPS	302 31 56	9069.646	9073.257
			801928	92H0911	GPS	319 37 44	2108.893	2109.738				
			898734	NO MARKING	GPS	342 53 38	11870.094	11874.883				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
3996	92H0900	E	516675.732	0.9995999	0.9999964	290957	02H2441	GPS	14 4 7	4446.550	4448.315
		N	5450713.828			685651	02H2480	GPS	14 39 11	7149.445	7152.284
		El	41.643			104380	02H2447	GPS	31 29 42	2711.744	2712.820
						758508	02H2485	GPS	39 38 34	5364.234	5366.361
						970699	10H2594	GPS	63 41 21	2210.957	2211.835
						752220	02H2448	GPS	71 43 6	4842.050	4843.969
						91694	98SG042	GPS	79 43 32	7852.389	7855.495
						736215	5976	GPS	89 14 2	2566.144	2567.163
						3525	02H2432	GPS	90 9 4	5127.697	5129.728
						450072	10H2598	GPS	130 1 39	753.380	753.681
						162537	5071	GPS	163 19 27	3709.390	3710.865
						698290	10H2601	GPS	194 15 36	1975.224	1976.019
						98178	86H1262	GPS	196 49 33	7463.639	7466.608
						228619	5066	GPS	211 16 3	4188.476	4190.171
						426981	92H0886	GPS	236 23 24	6502.910	6505.531
		898734	NO MARKING	GPS	253 41 48	6751.743	6754.485				
		715698	92H0905	GPS	258 53 6	1646.730	1647.395				
		896894	92H0901	GPS	284 43 25	1688.624	1689.296				
		286567	02H2455	GPS	351 53 8	4735.807	4737.700				
896894	92H0901	E	515042.556	0.9996050	1.0000022	3996	92H0900	GPS	104 43 25	1688.624	1689.296
		N	5451142.999			715698	92H0905	GPS	178 40 12	746.830	747.131
		El	4.903			71563	86H1270	GPS	221 37 28	2095.880	2096.724
						898734	NO MARKING	GPS	244 22 43	5375.649	5377.819
						634667	13H2679	GPS	275 13 40	1712.115	1712.793
16725	92H0902	E	509384.944	0.9996034	1.0000024	99259	73H0436	GPS	17 38 5	3306.230	3307.553
		N	5451306.758			684761	73H0250	GPS	34 49 49	4363.942	4365.712
		El	3.844			357780	95H1994	GPS	63 48 41	2507.755	2508.749
						309096	10H2591	GPS	78 52 27	680.504	680.774
						909333	NO MARKING	GPS	88 1 21	24233.682	24243.324
						606558	5400	GPS	117 25 20	1995.732	1996.532
						950618	10H2590	GPS	117 47 54	750.267	750.565
						426981	92H0886	GPS	155 54 17	4592.701	4594.543
						898734	NO MARKING	GPS	161 57 27	2616.996	2618.054
						21139	92H0904	GPS	227 5 57	2902.213	2903.365
						701342	10H2589	GPS	250 14 29	557.422	557.644
						595017	89H6032	GPS	271 28 44	4244.814	4246.531
						859504	462	GPS	289 47 17	3872.395	3873.965
						875864	NO MARKING	GPS	293 12 14	17280.288	17287.188
						449306	89H5585	GPS	312 1 59	2471.986	2472.978
		114751	73H1127	GPS	319 42 39	13859.278	13864.801				
		613281	90H6710	GPS	336 16 6	7128.360	7131.352				
50146	92H0903	E	508336.719	0.9996031	1.0000023	701342	10H2589	GPS	50 57 24	674.189	674.456
		N	5450693.638			571075	10H2588	GPS	119 56 46	586.768	587.002
		El	4.387			898734	NO MARKING	GPS	135 15 7	2640.333	2641.401
						961417	10H2586	GPS	222 0 26	776.101	776.409

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
21139	92H0904	E	507258.973	0.9996029	1.0000023	961417	10H2586	GPS	35 23 45	963.986	964.369
		N	5449331.135			16725	92H0902	GPS	47 5 57	2902.213	2903.365
		El	4.610			698134	10H2607	GPS	66 28 60	4760.084	4761.972
						606558	5400	GPS	74 49 59	4038.116	4039.737
						898734	NO MARKING	GPS	99 54 12	2980.934	2982.140
						426981	92H0886	GPS	118 59 26	4574.105	4575.941
						722686	10H2583	GPS	134 24 28	1000.218	1000.615
						770800	5296	GPS	162 22 33	2284.266	2285.189
						948505	10H2592	GPS	191 43 33	1144.454	1144.909
						524181	10H2595	GPS	208 51 6	2411.499	2412.457
						137695	92H0576	GPS	225 6 46	3317.385	3318.702
						32219	94H1708	GPS	266 27 37	3984.949	3986.532
						277665	89H6112	GPS	290 43 19	2456.274	2457.254
						595017	89H6032	GPS	314 33 37	2971.783	2972.986
		859504	462	GPS	335 12 45	3620.129	3621.597				
		371617	90H6702	GPS	338 53 24	10733.568	10737.887				
715698	92H0905	E	515059.892	0.9995920	0.9999892	248765	02H2466	GPS	3 28 14	2977.614	2978.822
		N	5450396.370			686659	02H2444	GPS	28 8 24	6606.803	6609.452
		El	88.069			290957	02H2441	GPS	30 12 54	5358.649	5360.797
						3996	92H0900	GPS	78 53 6	1646.730	1647.395
						450072	10H2598	GPS	94 21 27	2199.087	2199.974
						162537	5071	GPS	140 21 56	4201.795	4203.483
						698290	10H2601	GPS	144 43 58	1955.871	1956.665
						98178	86H1262	GPS	184 33 40	6848.349	6851.100
						228619	5066	GPS	189 42 26	3310.050	3311.403
						360701	10H2604	GPS	198 58 1	1747.091	1747.804
						426981	92H0886	GPS	229 10 54	5021.158	5023.201
						898734	NO MARKING	GPS	252 1 40	5113.928	5116.026
						606558	5400	GPS	269 52 19	3903.471	3905.059
						634667	13H2679	GPS	297 39 29	1944.521	1945.303
		357780	95H1994	GPS	300 29 54	3974.528	3976.127				
		277749	94H1655	GPS	342 56 44	4782.198	4784.152				
		896894	92H0901	GPS	358 40 12	746.830	747.131				
275420	92H0907	E	508810.194	0.9995925	0.9999915	898734	NO MARKING	GPS	8 27 42	9414.280	9418.138
		N	5439506.648			850214	92H0908	GPS	90 27 52	823.303	823.639
		El	73.697			853168	84H9452	GPS	252 25 13	1136.554	1137.014
						102970	92H0875	GPS	327 14 27	1465.570	1466.168
850214	92H0908	E	509633.470	0.9995917	0.9999906	232017	10H2570	GPS	1 10 53	1216.720	1217.218
		N	5439499.976			898734	NO MARKING	GPS	3 27 5	9335.405	9339.234
		El	79.608			86454	92H0909	GPS	91 12 56	839.501	839.844
						864868	5640	GPS	166 42 20	2074.104	2074.940
						853168	84H9452	GPS	259 59 19	1936.233	1937.018
		275420	92H0907	GPS	270 27 52	823.303	823.639				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
86454	92H0909	E	510472.782	0.9995905	0.9999892	248641	92H0910	GPS	87 58 3	792.482	792.807	
		N	5439482.169			569384	84H0585	GPS	108 57 59	1000.782	1001.192	
		El	88.420			CVD28GVRD2018	864868	5640	GPS	190 15 57	2033.264	2034.085
							850214	92H0908	GPS	271 12 56	839.501	839.844
							898734	NO MARKING	GPS	358 17 56	9340.396	9344.233
248641	92H0910	E	511264.765	0.9995904	0.9999888	716605	13H2680	GPS	75 54 43	1670.432	1671.112	
		N	5439510.276			569384	84H0585	GPS	156 23 21	385.660	385.817	
		El	90.693			CVD28GVRD2018	86454	92H0909	GPS	267 58 3	792.482	792.807
							898734	NO MARKING	GPS	353 26 49	9369.387	9373.237
801928	92H0911	E	512320.964	0.9995940	0.9999921	716605	13H2680	GPS	33 58 54	1009.058	1009.468	
		N	5439080.155			316992	92H0912	GPS	90 18 2	1389.590	1390.153	
		El	69.813			CVD28GVRD2018	100123	92H0913	GPS	90 23 27	2215.897	2216.787
							686790	92H0898	GPS	139 37 44	2108.893	2109.738
							337592	10H2614	GPS	197 39 26	2094.162	2095.002
							864868	5640	GPS	234 7 30	2728.066	2729.162
							853168	84H9452	GPS	271 2 16	4594.998	4596.855
							569384	84H0585	GPS	274 51 53	904.993	905.362
							898734	NO MARKING	GPS	347 41 16	9967.547	9971.625
316992	92H0912	E	513710.535	0.9995976	0.9999953	361865	13H2678	GPS	26 58 60	1827.415	1828.144	
		N	5439072.866			777862	92H0845	GPS	69 34 43	2345.358	2346.292	
		El	49.518			CVD28GVRD2018	100123	92H0913	GPS	90 32 33	826.311	826.641
							686790	92H0898	GPS	180 50 39	1599.578	1600.215
							801928	92H0911	GPS	270 18 2	1389.590	1390.153
							898734	NO MARKING	GPS	340 9 60	10360.112	10364.332
100123	92H0913	E	514536.809	0.9996035	1.0000009	777862	92H0845	GPS	58 56 21	1601.272	1601.905	
		N	5439065.042			621482	13H2685	GPS	87 28 54	854.934	855.271	
		El	13.805			CVD28GVRD2018	56473	10H2596	GPS	88 45 46	2486.734	2487.716
							904904	NO MARKING	GPS	90 3 58	10472.835	10476.972
							686790	92H0898	GPS	208 6 2	1804.261	1804.975
							801928	92H0911	GPS	270 23 27	2215.897	2216.787
							316992	92H0912	GPS	270 32 33	826.311	826.641
							898734	NO MARKING	GPS	336 0 21	10675.954	10680.271
813808	92H0914	E	519350.026	0.9996071	1.0000025	737981	92H0915	GPS	89 6 12	814.561	814.881	
		N	5439039.590			904904	NO MARKING	GPS	89 51 52	5659.627	5661.852	
		El	3.440			CVD28GVRD2018	602961	86H1306	GPS	155 29 24	1922.380	1923.135
							286757	13H2684	GPS	273 4 38	858.003	858.340
							873646	80H2008	GPS	339 24 55	675.046	675.311

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
737981	92H0915	E	520164.487	0.9996071	1.0000021	344507	5944	GPS	33 35 28	717.648	717.932		
		N	5439052.338			15610	13H2688	GPS	88 0 8	819.227	819.551		
		El	6.094			CVD28GVRD2018	904904	NO MARKING	GPS	89 59 33	4845.150	4847.055	
							447771		GPS	153 29 17	1784.066	1784.767	
							602961		GPS	180 33 5	1761.982	1762.674	
							813808		GPS	269 6 12	814.561	814.881	
							873646		GPS	300 29 8	1220.530	1221.009	
203257	92H0916	E	521784.375	0.9996014	0.9999955	266809	92H0922	GPS	22 29 60	1817.013	1817.738		
		N	5439061.856			929984	13H2689	GPS	84 48 30	775.604	775.911		
		El	47.872			CVD28GVRD2018	904904	NO MARKING	GPS	90 9 28	3225.274	3226.552	
							60269		GPS	125 49 4	2727.299	2728.381	
							614040		GPS	167 15 50	3329.946	3331.272	
							447771		GPS	207 8 52	1804.801	1805.516	
							15610		GPS	271 21 41	801.385	801.705	
136531	92H0917	E	517761.672	0.9996048	1.0000009	904904	NO MARKING	GPS	32 58 30	13316.794	13322.043		
		N	5427881.400			976324	92H0924	GPS	51 15 0	1024.544	1024.949		
		El	14.015			CVD28GVRD2018	147819		GPS	90 4 47	21243.376	21251.677	
							639351		GPS	101 1 35	809.102	809.422	
							394825		GPS	273 13 51	29600.923	29612.661	
							869792		NO MARKING	GPS	293 29 2	31070.822	31083.169
							942870		GPS	296 37 4	7229.345	7232.257	
525667	92H0918	E	522538.108	0.9996026	0.9999964	904904	NO MARKING	GPS	20 55 47	6918.726	6921.460		
		N	5432590.749			469304	5109	GPS	152 54 12	1828.659	1829.386		
		El	42.732			CVD28GVRD2018	839837		GPS	242 46 48	1788.764	1789.477	
							756601		GPS	358 58 40	784.014	784.325	
901330	92H0919	E	516150.773	0.9995938	0.9999906	542852	10H2584	GPS	13 12 10	842.231	842.572		
		N	5432526.085			904904	NO MARKING	GPS	53 37 7	11003.623	11008.021		
		El	79.506			CVD28GVRD2018	202903		GPS	229 39 12	2123.622	2124.491	
							511907		GPS	270 33 32	831.322	831.661	
940213	92H0920	E	511302.740	0.9995899	0.9999883	904904	NO MARKING	GPS	61 57 49	15529.282	15535.522		
		N	5431753.685			202903	86H1297	GPS	100 34 0	3285.242	3286.592		
		El	94.270			CVD28GVRD2018	851287		GPS	243 25 19	1811.501	1812.243	
							53561		GPS	269 21 25	1608.533	1609.191	
							417725		GPS	337 36 27	1083.277	1083.721	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
511907	92H0921	E	515319.491	0.9995919	0.9999890	542852	10H2584	GPS	51 34 54	1306.509	1307.039	
		N	5432534.193			904904	NO MARKING	GPS	56 4 13	11678.758	11683.438	
		E1	89.948			CVD28GVRD2018	782151	80H2067	GPS	58 3 10	3117.953	3119.204
							901330	92H0919	GPS	90 33 32	831.322	831.661
							787424	80H2013	GPS	134 12 26	1140.908	1141.372
							202903	86H1297	GPS	209 38 59	1591.319	1591.972
							703223	677003	GPS	258 46 6	2047.249	2048.091
266809	92H0922	E	522479.714	0.9995999	0.9999937	10702	93H1153	GPS	99 56 55	1535.031	1535.641	
		N	5440740.558			904904	NO MARKING	GPS	123 42 19	3041.128	3042.335	
		E1	59.334			CVD28GVRD2018	60269	79H9604	GPS	155 9 22	3608.703	3610.136
							929984	13H2689	GPS	177 15 23	1610.366	1611.005
							203257	92H0916	GPS	202 29 60	1817.013	1817.738
							89649	5934	GPS	288 4 43	1586.859	1587.495
							252833	10H2609	GPS	306 43 47	905.688	906.051
608562	92H0923	E	522572.539	0.9995964	0.9999902	10702	93H1153	GPS	127 22 8	1785.639	1786.351	
		N	5441559.147			904904	NO MARKING	GPS	135 48 2	3495.764	3497.157	
		E1	82.002			CVD28GVRD2018	252833	10H2609	GPS	251 18 37	864.278	864.626
							89649	5934	GPS	258 29 16	1634.220	1634.878
							368530	10H2608	GPS	279 44 59	1640.130	1640.789
							752048	13H2683	GPS	358 4 2	824.975	825.309
976324	92H0924	E	518560.699	0.9996046	1.0000004	671651	5170	GPS	26 4 31	5406.748	5408.885	
		N	5428522.684			904904	NO MARKING	GPS	31 29 3	12348.107	12352.975	
		E1	17.370			CVD28GVRD2018	839837	5172	GPS	36 17 38	4032.141	4033.743
							576363	8705	GPS	109 49 15	2319.247	2320.172
							639351	86H1278	GPS	180 20 60	796.050	796.364
							136531	92H0917	GPS	231 15 0	1024.544	1024.949
							455196	5873	GPS	288 16 60	2549.321	2550.328
			787424	80H2013	GPS	323 0 2	4026.842	4028.452				
652842	92H0925	E	520991.466	0.9995986	0.9999932	904904	NO MARKING	GPS	101 33 36	4101.364	4102.994	
		N	5439874.852			203257	92H0916	GPS	135 42 60	1135.635	1136.089	
		E1	62.816			CVD28GVRD2018	15610	13H2688	GPS	180 35 43	793.998	794.315
							344507	5944	GPS	242 24 21	485.114	485.308
608869	92H0926	E	519322.856	0.9996052	1.0000006	17830	10H2578	GPS	0 20 47	2159.457	2160.307	
		N	5440709.165			904904	NO MARKING	GPS	106 14 15	5923.045	5925.379	
		E1	15.423			CVD28GVRD2018	873646	80H2008	GPS	191 27 1	1058.699	1059.117
							286757	13H2684	GPS	207 3 59	1823.194	1823.913
							548891	92H0829	GPS	222 6 45	2333.406	2334.326
							162420	86H1293	GPS	245 12 54	874.919	875.266

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
336131	NO MARKING	E	522519.029	0.9996017	0.9999955	904904	NO MARKING	GPS	27 32 58	5384.949	5387.079	
		N	5434278.608			777771	NO MARKING	GPS	73 25 26	30715.825	30727.680	
		El	48.304			CVD28GVRD2018	825034	3340	GPS	89 9 20	34836.148	34850.608
							756601	13H2682	GPS	179 40 38	903.984	904.345
							321372	13H2681	GPS	265 15 35	1576.165	1576.790
							939728	767004	GPS	274 38 4	22287.909	22296.788
							939132	128-1950	GPS	306 53 9	51161.250	51181.553
							326595	PIER 3	GPS	308 24 27	52003.652	52025.003
							602961	86H1306	GPS	321 46 60	3833.422	3834.938
							202697	NO MARKING	GPS	322 7 59	16517.721	16524.384
							266148	NO MARKING	GPS	346 10 60	13497.085	13502.493
							693275	NO MARKING	GPS	359 21 41	1469.403	1469.988
							614040	5875	GPS	359 58 50	1535.235	1535.846
693275	NO MARKING	E	522502.653	0.9996023	0.9999961	909333	NO MARKING	GPS	34 6 10	19800.110	19807.985	
		N	5435747.920			904904	NO MARKING	GPS	37 10 53	4148.293	4149.933	
		El	44.393			CVD28GVRD2018	70722	79H9535	GPS	47 35 33	4198.915	4200.569
							777771	NO MARKING	GPS	76 5 33	30345.252	30356.955
							825034	3340	GPS	91 34 16	34861.848	34876.309
							147819	91H9962	GPS	115 34 13	18294.150	18301.318
							336131	NO MARKING	GPS	179 21 41	1469.403	1469.988
							914127	80H1262	GPS	267 13 34	22891.729	22900.844
							939728	767004	GPS	270 51 20	22201.137	22209.974
							869792	NO MARKING	GPS	277 44 7	33543.520	33556.906
							939132	128-1950	GPS	305 33 28	50279.742	50299.686
							326595	PIER 3	GPS	307 7 39	51090.758	51111.723
							875864	NO MARKING	GPS	307 38 33	36623.873	36638.522
							898734	NO MARKING	GPS	316 43 23	17952.855	17960.125
							202697	NO MARKING	GPS	318 49 5	15373.460	15379.658
			266148	NO MARKING	GPS	344 35 35	12071.026	12075.860				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
898734	NO MARKING	E	510195.488	0.9995882	0.9999869	770610	84H9903	GPS	0 46 42	12153.403	12158.425
		N	5448818.448			821538	02H2490	GPS	1 9 6	14523.858	14529.904
		El	102.787	CVD28GVRD2018		99259	73H0436	GPS	1 56 26	5642.409	5644.709
						691782	14H2740	GPS	2 14 20	9653.038	9656.940
						223347	73H0371	GPS	3 36 55	8299.420	8302.875
						509430	80H3166	GPS	5 20 48	9328.669	9332.453
						669861	80H3162	GPS	12 30 25	10475.129	10479.369
						292540	83H6606	GPS	13 24 11	12152.633	12157.749
						573840	02H2484	GPS	13 42 55	29533.172	29545.816
						256636	73H0331	GPS	15 7 51	8371.674	8375.161
						684761	73H0250	GPS	15 29 10	6299.136	6301.738
						831958	NO MARKING	GPS	18 16 55	18842.213	18850.044
						298166	S23T39	GPS	18 48 12	15122.553	15129.045
						357780	95H1994	GPS	21 49 32	3872.644	3874.208
						323543	94H1583	GPS	22 14 5	13141.181	13146.639
						932020	95H1746	GPS	25 34 15	14631.391	14637.364
						117994	14H2746	GPS	29 3 28	13089.765	13095.080
						858704	82H5097	GPS	29 11 18	9054.975	9058.637
						277749	94H1655	GPS	29 22 34	7057.265	7060.161
						698134	10H2607	GPS	30 37 50	2803.165	2804.297
						606558	5400	GPS	31 28 57	1840.048	1840.799
						682930	02H2475	GPS	36 15 5	10342.787	10346.963
						479550	14H2741	GPS	37 13 8	10366.510	10370.696
						699272	14H2743	GPS	37 46 9	13318.107	13323.497
						458042	5398	GPS	40 1 8	3114.828	3116.094
						783449	14H2742	GPS	40 37 12	4640.652	4642.526
						157081	77H4131	GPS	41 20 27	15393.291	15399.525
						286567	02H2455	GPS	41 26 11	8781.968	8785.529
						685651	02H2480	GPS	43 14 48	12097.970	12102.845
						232108	02H2426	GPS	44 59 50	22136.639	22145.509
						142232	02H2462	GPS	45 37 3	13779.218	13784.761
						686659	02H2444	GPS	47 8 47	10885.867	10890.252
						634667	13H2679	GPS	51 42 37	4003.221	4004.839
						106443	02H2463	GPS	53 25 35	12420.395	12425.395
						149518	02H2459	GPS	54 11 7	19309.874	19317.614
						10835	5527	GPS	57 15 33	3025.537	3026.780
						104380	02H2447	GPS	61 57 1	8947.944	8951.550
						200915	02H2433	GPS	63 19 15	31533.853	31546.771
						896894	92H0901	GPS	64 22 43	5375.649	5377.819
						970699	10H2594	GPS	71 13 58	8937.324	8940.925
						715698	92H0905	GPS	72 1 40	5113.928	5116.026
						3996	92H0900	GPS	73 41 48	6751.743	6754.485
						603746	02H2446	GPS	73 45 4	26633.453	26644.396
						395459	85H0635	GPS	75 44 29	17832.867	17840.030
						325373	84H0055	GPS	76 41 8	20992.273	21000.684
						71563	86H1270	GPS	77 37 40	3537.030	3538.483
						736215	5976	GPS	77 57 30	9249.687	9253.412
						863944	85H0742	GPS	78 21 26	24145.465	24155.263
						450072	10H2598	GPS	78 41 41	7196.778	7199.695

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	-----				
GCM-NO	TABLET MARKING					TABLET MARKING				
					411447	5997	GPS	80 46 14	9936.701	9940.701
					3525	02H2432	GPS	80 47 29	11759.475	11764.202
					909333	NO MARKING	GPS	81 55 0	23643.612	23653.198
					956524	85H0699	GPS	83 21 42	25480.702	25491.013
					638197	5287	GPS	84 7 18	7582.120	7585.192
					1511	02H2456	GPS	85 53 10	14103.411	14109.075
					698290	10H2601	GPS	90 10 53	5993.735	5996.181
					589457	92H0860	GPS	90 15 41	9750.183	9754.107
					360701	10H2604	GPS	90 59 27	4297.206	4298.969
					513077	10H2603	GPS	91 19 28	3465.233	3466.658
					800326	5985	GPS	92 33 15	10320.929	10325.084
					459750	5992	GPS	92 42 36	12396.420	12401.404
					654848	88H1395	GPS	92 46 14	27380.011	27391.114
					168013	5988	GPS	93 31 26	11860.332	11865.101
					675207	10H2610	GPS	95 0 57	13056.304	13061.554
					288092	10H2611	GPS	95 36 41	12408.817	12413.811
					488098	93H1078	GPS	95 49 42	28326.096	28337.340
					31682	10H2612	GPS	96 14 55	11641.154	11645.840
					694950	13H2677	GPS	96 54 40	9213.128	9216.884
					885384	10H2613	GPS	96 57 41	10886.647	10891.036
					695155	77C060	GPS	97 28 53	12489.650	12494.679
					777771	NO MARKING	GPS	97 52 32	42160.506	42177.103
					575159	82H5753	GPS	98 28 10	30940.700	30952.947
					334078	8640	GPS	99 42 6	10900.924	10905.336
					693051	10H2599	GPS	100 26 2	9265.765	9269.540
					2949	13H2690	GPS	102 19 6	7693.859	7696.965
					162537	5071	GPS	102 23 39	7724.706	7727.824
					904581	10H2600	GPS	103 50 19	6893.477	6896.274
					481663	79H0008	GPS	108 10 40	4108.408	4110.096
					485250	93H1144	GPS	109 2 45	14795.050	14801.059
					998500	10H2579	GPS	109 30 11	9715.407	9719.317
					969295	13H2676	GPS	110 43 55	10267.174	10271.307
					968016	80H2360	GPS	111 19 29	31333.965	31346.612
					943670	10H2581	GPS	111 21 28	8833.172	8836.731
					228619	5066	GPS	111 22 0	4624.111	4626.010
					827154	74H2689	GPS	111 37 17	21868.413	21877.185
					973289	5157	GPS	114 21 35	11831.934	11836.692
					409698	92H0842	GPS	115 37 59	7461.882	7464.918
					322909	88H4721	GPS	116 36 6	32368.036	32381.099
					830976	89H4979	GPS	119 50 32	22800.752	22809.967
					10702	93H1153	GPS	121 9 47	16122.703	16129.201
					49007	84H9663	GPS	121 10 32	34244.772	34258.618
					821256	5189	GPS	122 20 42	8943.616	8947.249
					20453	10H2577	GPS	122 54 49	7048.663	7051.548
					17830	10H2578	GPS	123 3 42	10906.336	10910.726
					904904	NO MARKING	GPS	123 23 34	17743.268	17750.413
					18564	81H4256	GPS	123 26 22	32233.189	32246.204
					212746	81H4238	GPS	125 40 22	25069.050	25079.213
					147819	91H9962	GPS	126 2 45	35631.263	35645.482

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
					63446	5013	GPS	127 0 11	13496.120	13501.618
					854208	91H9966	GPS	128 23 21	33789.228	33802.738
					189860	79H0146	GPS	131 14 22	22885.604	22894.861
					689091	13H2674	GPS	131 20 58	10076.985	10081.045
					659102	92H0660	GPS	131 53 26	31459.248	31471.926
					597377	10H2582	GPS	132 21 45	2502.504	2503.529
					636696	92H0688	GPS	135 14 2	29611.507	29623.497
					392712	78H2744	GPS	135 59 3	24775.544	24785.630
					649012	88H4663	GPS	136 15 39	19570.776	19578.697
					447771	5169	GPS	136 32 45	15652.517	15658.811
					693275	NO MARKING	GPS	136 43 23	17952.855	17960.125
					306167	10H2568	GPS	136 54 29	11099.329	11103.817
					278754	13H2675	GPS	138 51 26	9035.256	9038.899
					227967	92H0776	GPS	140 25 59	27034.028	27045.002
					98178	86H1262	GPS	140 32 42	6797.796	6800.541
					321372	13H2681	GPS	143 45 35	18188.834	18196.157
					7286	13H2691	GPS	144 26 31	14069.699	14075.365
					777862	92H0845	GPS	147 22 58	10598.769	10603.041
					426981	92H0886	GPS	148 0 40	2009.333	2010.155
					210369	84H0564	GPS	148 55 51	20845.319	20853.720
					546390	5025	GPS	150 24 43	8753.957	8757.498
					570986	13H2673	GPS	151 41 1	13848.074	13853.654
					361865	13H2678	GPS	151 50 41	9206.487	9210.204
					621482	13H2685	GPS	151 51 54	11017.715	11022.157
					782151	80H2067	GPS	152 2 7	16569.094	16575.775
					576363	8705	GPS	153 25 19	23573.261	23582.854
					885012	92H0833	GPS	154 1 6	15404.673	15410.882
					100123	92H0913	GPS	156 0 21	10675.954	10680.271
					878538	92H0857	GPS	157 6 10	19400.764	19408.641
					136531	92H0917	GPS	160 7 53	22262.235	22271.215
					316992	92H0912	GPS	160 9 60	10360.112	10364.332
					251454	10H2569	GPS	161 41 45	8548.331	8551.794
					465427	13H2672	GPS	162 15 27	14163.613	14169.333
					686790	92H0898	GPS	162 53 38	11870.094	11874.883
					455196	5873	GPS	163 2 34	20382.154	20390.364
					716605	13H2680	GPS	163 11 19	9298.984	9302.782
					224899	10H2572	GPS	163 58 14	6768.041	6770.811
					103879	86H1274	GPS	165 31 41	7557.887	7560.967
					90316	80H2099	GPS	167 37 48	4992.868	4994.907
					995597	77C056	GPS	167 40 53	13273.633	13278.989
					801928	92H0911	GPS	167 41 16	9967.547	9971.625
					409813	10H2571	GPS	170 35 23	6608.848	6611.554
					337592	10H2614	GPS	172 45 43	11828.054	11832.831
					569384	84H0585	GPS	172 46 53	9738.739	9742.738
					248641	92H0910	GPS	173 26 49	9369.387	9373.237
					316281	10H2576	GPS	174 40 15	2463.856	2464.866
					901199	5620	GPS	174 59 53	10771.348	10775.697
					4903	92H0897	GPS	176 8 36	14306.471	14312.252
					942870	86H1263	GPS	176 26 1	17732.374	17739.659

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
					86454	92H0909	GPS	178 17 56	9340.396	9344.233
					864868	5640	GPS	180 25 48	11337.312	11341.900
					850214	92H0908	GPS	183 27 5	9335.405	9339.234
					232017	10H2570	GPS	183 47 29	8119.783	8123.127
					557686	5495	GPS	184 53 11	14481.910	14487.761
					275420	92H0907	GPS	188 27 42	9414.280	9418.138
					607093	5893	GPS	191 6 28	11379.671	11384.272
					853168	84H9452	GPS	194 20 35	9965.708	9969.764
					102970	92H0875	GPS	195 5 21	8367.830	8371.264
					6544	13H2686	GPS	196 42 22	7601.236	7604.358
					799965	10H2575	GPS	196 57 50	3381.171	3382.560
					995365	6910	GPS	206 59 52	12010.567	12015.424
					242818	82H5464	GPS	210 7 56	5605.373	5607.683
					252569	92H0596	GPS	210 36 33	9413.085	9416.903
					430900	87H3190	GPS	212 27 44	24691.963	24701.948
					799270	9352	GPS	212 43 6	7687.258	7690.384
					630830	87H3184	GPS	216 41 26	26011.691	26022.312
					446658	80H1267	GPS	219 28 2	20459.160	20467.439
					782433	87H3160	GPS	220 48 24	25566.855	25577.297
					934539	8791	GPS	221 19 22	2709.179	2710.294
					531079	6902	GPS	222 16 5	15347.041	15353.250
					647321	77C010	GPS	223 44 23	27071.509	27082.455
					815746	84H9508	GPS	224 20 42	7052.467	7055.337
					331918	6831	GPS	227 32 40	22762.563	22771.769
					991802	88H4194	GPS	227 51 43	18309.303	18316.712
					841734	6966	GPS	227 59 27	4787.917	4789.889
					394825	81	GPS	228 46 14	29236.012	29247.826
					770800	5296	GPS	233 26 49	2794.581	2795.730
					737197	84H0431	GPS	237 7 0	18769.465	18777.059
					88062	14H2736	GPS	242 0 7	8931.805	8935.421
					675850	84H0394	GPS	242 41 12	12196.256	12201.194
					839639	80H1300	GPS	242 55 14	15495.780	15502.054
					869792	NO MARKING	GPS	247 46 4	22612.169	22621.335
					51441	02H2453	GPS	247 52 3	18153.271	18160.617
					524181	10H2595	GPS	248 41 21	4401.102	4402.882
					829762	02H2412	GPS	249 25 33	11904.579	11909.401
					49908	02H2413	GPS	249 35 25	14496.136	14502.007
					137695	92H0576	GPS	250 55 21	5594.124	5596.388
					177238	88H4212	GPS	250 58 34	6885.697	6888.486
					258020	19713	GPS	254 2 35	25438.691	25448.972
					838037	02H2423	GPS	257 28 51	7867.649	7870.833
					948505	10H2592	GPS	259 8 30	3226.874	3228.181
					274696	78H8518	GPS	260 27 5	13782.849	13788.429
					30031	77H4885	GPS	264 22 13	24757.058	24767.059
					722686	10H2583	GPS	265 11 1	2229.855	2230.756
					47092	02H2454	GPS	271 19 26	11132.608	11137.116
					247494	78H8494	GPS	272 3 50	17688.856	17696.014
					32219	94H1708	GPS	272 12 31	6919.001	6921.801
					381285	V-3015	GPS	274 12 12	20864.339	20872.781

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	-----	-----	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
					546226	83	GPS	275 8 60	18056.716	18064.023
					47209	v-4217	GPS	276 36 20	13768.823	13774.399
					398255	V-612	GPS	277 32 38	16163.716	16170.283
					538736	V-2980	GPS	277 37 1	24332.025	24341.859
					652990	V-1292	GPS	278 51 52	19437.350	19445.306
					485912	126	GPS	278 57 46	22039.636	22048.613
					21139	92H0904	GPS	279 54 12	2980.934	2982.140
					870014	V-2593	GPS	281 59 55	15077.932	15084.146
					277665	89H6112	GPS	284 47 21	5413.221	5415.419
					293399	87H3273	GPS	286 7 55	11270.399	11275.067
					197442	V-1856	GPS	286 33 42	17329.754	17336.878
					78576	V-1220	GPS	288 28 6	15017.059	15023.250
					454694	V-3951	GPS	288 33 4	19853.186	19861.326
					104109	94H1482	GPS	289 11 49	7758.479	7761.678
					584086	V-1778	GPS	291 4 33	17940.892	17948.237
					556928	87H2638	GPS	293 15 18	9581.265	9585.227
					798777	V-1387	GPS	295 27 60	15871.065	15877.533
					379222	10H2587	GPS	296 27 24	1836.543	1837.285
					611681	V-3719	GPS	296 58 16	18694.444	18702.010
					595017	89H6032	GPS	297 12 16	5682.542	5684.883
					961417	10H2586	GPS	298 38 6	2709.559	2710.655
					229781	94H1355	GPS	299 3 33	7770.391	7773.606
					875864	NO MARKING	GPS	299 6 53	19107.257	19115.031
					510404	82H5017	GPS	300 6 26	10989.305	10993.775
					621854	v-4011	GPS	300 24 19	16579.907	16586.696
					325001	78H6944	GPS	300 58 37	13877.695	13883.376
					453423	02H2465	GPS	301 54 34	36210.016	36224.809
					326595	PIER 3	GPS	302 0 21	33522.913	33536.898
					41996	82H5025	GPS	303 24 27	12042.437	12047.333
					785741		GPS	304 50 7	9632.950	9636.868
					228882	14H2737	GPS	305 57 13	36109.647	36124.559
					611699	V-3684	GPS	307 57 58	17469.293	17476.417
					602029	77H6738	GPS	308 0 34	15090.809	15096.951
					770685	94H1407	GPS	308 47 30	7580.503	7583.593
					856963	14H2738	GPS	309 7 58	36330.480	36345.315
					689976	02H2425	GPS	310 37 60	27709.095	27721.030
					927004	77H6805	GPS	312 23 17	13554.125	13559.672
					901165	14H2747	GPS	312 45 11	15747.212	15753.716
					691592	94H1473	GPS	313 1 2	10843.233	10847.632
					50146	92H0903	GPS	315 15 7	2640.333	2641.401
					852939	02H2470	GPS	315 43 19	26114.737	26125.604
					559500	02H2477	GPS	316 28 10	39814.716	39830.925
					565432	77H6854	GPS	318 24 50	12082.707	12087.682
					473900	73H1355	GPS	318 52 28	22366.288	22375.761
					900837	14H2748	GPS	319 26 36	13953.978	13959.841
					571075	10H2588	GPS	319 31 20	2080.152	2080.992
					139790	85H0618	GPS	319 36 17	17387.945	17394.996
					245498	73H1232	GPS	320 1 17	19784.271	19792.469
					146290	73H1188	GPS	326 42 3	17899.726	17907.183

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2020-FEB-28

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates	-----	-----	-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
					371617	90H6702	GPS	327 7 39	12532.630	12537.766
					449306	89H5585	GPS	327 25 53	4916.588	4918.599
					610006	90H6709	GPS	327 57 48	10839.296	10843.843
					701342	10H2589	GPS	329 51 48	2659.326	2660.401
					905000	14H2720	GPS	329 54 51	13944.542	13950.186
					343202	76H3931	GPS	331 32 54	16335.490	16342.245
					479832	83H5930	GPS	334 5 16	14906.612	14912.667
					381111	90H6644	GPS	334 20 19	12100.307	12105.223
					613281	90H6710	GPS	337 47 43	9735.923	9740.083
					252106	14H2750	GPS	337 50 4	6494.450	6497.093
					921874	77C107	GPS	339 49 26	14328.866	14334.660
					674135	87001	GPS	339 51 10	19847.100	19856.633
					16725	92H0902	GPS	341 57 27	2616.996	2618.054
					365940	02H2422	GPS	342 34 37	15356.921	15363.199
					169128	73H0289	GPS	345 56 38	8033.702	8037.018
					365049	79H9652	GPS	345 56 46	11027.104	11031.586
					359497	02H2417	GPS	349 23 54	13056.169	13061.597
					318030	02H2418	GPS	352 25 24	14890.083	14896.151
					812123	02H2416	GPS	352 41 31	16043.796	16050.298
					196881	80H3132	GPS	353 14 48	11107.623	11112.133
					950618	10H2590	GPS	356 4 16	2143.453	2144.319
					309096	10H2591	GPS	356 52 45	2623.513	2624.573
					794750	14H2744	GPS	357 59 43	4281.786	4283.517
					675009	02H2467	GPS	358 15 6	20450.896	20459.127

END OF REPORT