

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
691782	14H2740	E	510572.587	0.9996033	1.0000019	756155	02H2445	GPS	117 43 35	13592.099	13597.463			
		N	5458464.117					GPS	182 14 20			9653.038	9656.940	
		El	6.488					CVD28GVRD2018	GPS			217 54 20	4602.092	4603.931
									GPS			239 49 30	12959.844	12965.114
					875864	NO MARKING	GPS	268 49 45	17073.668	17080.489				
137067	75H3766	E	507716.381	0.9995820	0.9999812	471268	75H3767	TERR	178 3 7	149.743	149.805			
		N	5458707.044											
		El	138.337					CVD28GVRD2018						
679159	80H1400	E	510066.024	0.9995996	0.9999983	MARKER DESTROYED								
		N	5458099.601											
		El	29.283			CVD28GVRD2018								
948158	80H2566	E	512418.378	0.9996008	0.9999989	286880	80H3245	TERR	182 51 28	176.521	176.591			
		N	5458183.837											
		El	25.196					CVD28GVRD2018						
597492	80H2567	E	512568.984	0.9996008	0.9999989	MARKER DESTROYED								
		N	5458333.939											
		El	25.642			CVD28GVRD2018								
821207	80H2568	E	512574.771	0.9996028	1.0000008	MARKER DESTROYED								
		N	5458679.689											
		El	13.097			CVD28GVRD2018								
497719	80H2569	E	512747.190	0.9996011	0.9999991	850396	82H5263	TERR	42 54 45	169.201	169.269			
		N	5458856.945					TERR	42 57 36			267.042	267.149	
		El	24.310					CVD28GVRD2018						
494641	80H2570	E	512929.176	0.9995997	0.9999977	497719	80H2569	TERR	222 57 36	267.042	267.149			
		N	5459052.374					TERR	223 2 32			97.841	97.880	
		El	33.264					CVD28GVRD2018						
40808	80H3125	E	511784.438	0.9996029	1.0000012	MARKER DESTROYED								
		N	5458461.481											
		El	10.758			CVD28GVRD2018								

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
993089	80H3126	E	508514.820	0.9995997	0.9999989	196881	80H3132	TERR	69 12 58	400.543	400.703				
		N	5459706.874					80H3225				TERR	265 47 56	238.455	238.550
		El	25.732					CVD28GVRD2018							
560128	80H3127	E	508740.267	0.9995860	0.9999851	840884	80H3156	TERR	90 31 28	382.931	383.089				
		N	5458779.517					80H3149				TERR	204 37 36	199.000	199.083
		El	113.685					CVD28GVRD2018							
644047	80H3128	E	508939.216	0.9995849	0.9999839	308825	80H3144	TERR	10 31 1	95.761	95.801				
		N	5458891.126												
		El	121.307					CVD28GVRD2018							
1206	80H3129	E	512258.975	0.9995975	0.9999956	491688	80H3153	TERR	358 21 55	182.487	182.560				
		N	5457981.611												
		El	46.531					CVD28GVRD2018							
332163	80H3130	E	510577.614	0.9996033	1.0000020	MARKER DESTROYED									
		N	5458468.005												
		El	6.004			CVD28GVRD2018									
937557	80H3131	E	510303.634	0.9996000	0.9999987	973230	80H3267	TERR	104 37 2	181.395	181.467				
		N	5460236.070					80H3268				TERR	318 41 15	196.685	196.764
		El	26.715					CVD28GVRD2018							
196881	80H3132	E	508889.298	0.9995998	0.9999988	770610	84H9903	GPS	52 40 39	1850.117	1850.871				
		N	5459849.004			795492	80H3208	TERR	102 17 58	316.882	317.009				
		El	25.843			CVD28GVRD2018	698134	10H2607	GPS	162 23 50	9041.891	9045.491			
							898734	NO MARKING	GPS	173 14 48	11107.623	11112.133			
		183145	80H3149			GPS	190 30 33	1271.719	1272.236						
		406223	94H1459			GPS	215 31 54	5886.288	5888.641						
		613281	90H6710			GPS	229 38 35	3114.305	3115.618						
		993089	80H3126			TERR	249 12 58	400.543	400.703						
		365049	79H9652			GPS	256 19 58	1411.558	1412.124						
		139790	85H0618			GPS	282 31 7	10204.810	10208.890						
31211	80H3133	E	510510.545	0.9995983	0.9999969	126714	80H3171	TERR	238 41 2	139.055	139.111				
		N	5457983.446												
		El	38.236					CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
915983	80H3134	E	512012.874	0.9996009	0.9999991	848408	80H3150	TERR	137 50 8	126.854	126.904				
		N	5459251.298					80H3183				TERR	120.748	120.796	
		El	24.046					CVD28GVRD2018							
242370	80H3135	E	511579.664	0.9996009	0.9999993	881904	82H5266	TERR	107 18 37	334.978	335.112				
		N	5459541.580					80H3136				TERR	316 12 26	179.482	179.555
		El	22.887									CVD28GVRD2018			
971200	80H3136	E	511455.453	0.9996000	0.9999984	242370	80H3135	TERR	136 12 26	179.482	179.555				
		N	5459671.139					80H3161				TERR	328 26 44	134.107	134.160
		El	28.536									CVD28GVRD2018			
935452	80H3137	E	509177.819	0.9995843	0.9999832	136515	80H3181	TERR	128 54 37	238.049	238.147				
		N	5459198.010												
		El	125.490					CVD28GVRD2018							
719252	80H3138	E	511243.819	0.9996036	1.0000020	790964	95H1979	TERR	268 51 38	339.316	339.451				
		N	5458466.180												
		El	5.665					CVD28GVRD2018							
273599	80H3139	E	512550.596	0.9995980	0.9999961	113555	80H3247	TERR	90 35 50	258.711	258.815				
		N	5458006.680					80H3245				TERR	270 20 52	141.022	141.078
		El	43.350									CVD28GVRD2018			
501502	80H3140	E	511538.186	0.9996031	1.0000015		MARKER DESTROYED								
293654	80H3141	E	508689.812	0.9995829	0.9999820	760199	80H3152	TERR	90 17 58	193.683	193.764				
		N	5457767.505					80H3142				TERR	357 42 6	219.519	219.611
		El	133.494									CVD28GVRD2018			
885731	80H3142	E	508681.009	0.9995823	0.9999814	293654	80H3141	TERR	177 42 6	219.519	219.611				
		N	5457986.847					80H3192				TERR	270 36 4	258.756	258.865
		El	137.173									80H3148			

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
264333	80H3143	E	511788.378	0.9996037	1.0000020		MARKER DESTROYED				
		N	5458659.222								
		El	5.841	CVD28GVRD2018							
308825	80H3144	E	508956.695	0.9995835	0.9999825	965962	80H3160	TERR	10 24 35	215.886	215.976
		N	5458985.278			164095	80H3200	TERR	90 17 2	108.162	108.208
		El	130.118	CVD28GVRD2018		644047	80H3128	TERR	190 31 1	95.761	95.801
369421	80H3145	E	509208.889	0.9995877	0.9999866	784512	80H3221	TERR	270 8 14	193.278	193.357
		N	5457755.590								
		El	103.785	CVD28GVRD2018							
413724	80H3146	E	509581.228	0.9995996	0.9999985	334664	80H3151	TERR	162 52 50	215.049	215.135
		N	5459446.596			977496	80H3214	TERR	322 20 44	206.096	206.178
		El	28.280	CVD28GVRD2018							
556530	80H3147	E	510564.122	0.9996023	1.0000009	569285	95H1978	TERR	90 31 49	162.521	162.585
		N	5458238.538			348615	A32	TERR	258 50 19	145.449	145.507
		El	12.633	CVD28GVRD2018		955260	95H1977	TERR	270 13 56	287.590	287.705
648204	80H3148	E	508673.196	0.9995827	0.9999818	975060	80H3195	TERR	1 5 30	127.755	127.808
		N	5458188.837			786491	80H3206	TERR	89 4 43	188.935	189.014
		El	134.683	CVD28GVRD2018		885731	80H3142	TERR	177 47 6	202.141	202.226
183145	80H3149	E	508657.343	0.9995861	0.9999852	196881	80H3132	GPS	10 30 33	1271.719	1272.236
		N	5458598.618			560128	80H3127	TERR	24 37 36	199.000	199.083
		El	112.834	CVD28GVRD2018		770610	84H9903	GPS	35 40 45	2920.261	2921.471
						692343	91H0428	GPS	68 44 39	4158.354	4160.087
						669861	80H3162	GPS	83 18 43	3832.716	3834.272
						509430	80H3166	GPS	101 33 9	2457.173	2458.173
						909333	NO MARKING	GPS	104 30 30	25768.579	25779.055
						256636	73H0331	GPS	114 31 27	4092.538	4094.247
						277749	94H1655	GPS	125 58 56	6178.963	6181.506
						223347	73H0371	GPS	125 59 28	2547.855	2548.919
						377705	80H3196	TERR	175 5 8	154.702	154.765
						169128	73H0289	GPS	191 44 32	2029.482	2030.322
						859504	462	GPS	205 59 34	6653.931	6656.686
						869792	NO MARKING	GPS	226 36 18	26688.731	26699.568
						613281	90H6710	GPS	250 18 34	2274.209	2275.183
						875864	NO MARKING	GPS	268 10 24	15162.566	15168.752
						365049	79H9652	GPS	308 49 3	1462.671	1463.267

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
848408	80H3150	E	512098.026	0.9996020	1.0000003	194530	80H3164	TERR	115 56 46	266.630	266.736			
		N	5459157.271					915983	80H3134	TERR	317 50 8	126.854	126.904	
		El	16.815					CVD28GVRD2018						
334664	80H3151	E	509644.531	0.9995997	0.9999986	861153	80H3268	TERR	24 51 5	1259.343	1259.847			
		N	5459241.075					982751	80H3169	TERR	175 8 52	306.182	306.305	
		El	27.511					CVD28GVRD2018	657684	80H3235	TERR	319 4 26	236.989	237.084
									413724	80H3146	TERR	342 52 50	215.049	215.135
760199	80H3152	E	508883.492	0.9995835	0.9999826	784512	80H3221	TERR	94 31 5	132.532	132.587			
		N	5457766.493					293654	80H3141	TERR	270 17 58	193.683	193.764	
		El	129.851					CVD28GVRD2018						
491688	80H3153	E	512253.769	0.9995997	0.9999978	1206	80H3129	TERR	178 21 55	182.487	182.560			
		N	5458164.024											
		El	32.407					CVD28GVRD2018						
289751	80H3154	E	511267.909	0.9996000	0.9999984	674556	80H3161	TERR	108 16 21	123.597	123.647			
		N	5459824.169											
		El	28.416					CVD28GVRD2018						
542571	80H3155	E	510929.598	0.9996005	0.9999990	221580	80H3222	TERR	110 10 2	205.780	205.862			
		N	5459920.841					466722	80H3157	TERR	285 57 42	252.947	253.049	
		El	24.492					CVD28GVRD2018						
840884	80H3156	E	509123.182	0.9995900	0.9999890	252882	80H3243	TERR	87 54 29	144.363	144.422			
		N	5458776.012					749812	80H3199	TERR	198 0 40	222.587	222.678	
		El	88.641					CVD28GVRD2018	560128	80H3127	TERR	270 31 28	382.931	383.089
466722	80H3157	E	510686.403	0.9996018	1.0000004	542571	80H3155	TERR	105 57 42	252.947	253.049			
		N	5459990.400					786707	80H3231	TERR	316 48 10	133.061	133.114	
		El	15.817					CVD28GVRD2018						
20321	80H3158	E	511626.919	0.9996013	0.9999996	87775	80H3223	TERR	269 34 31	371.607	371.755			
		N	5458103.304											
		El	20.790					CVD28GVRD2018						

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
775932	80H3159	E	510550.294	0.9995902	0.9999888	859363	80H3216	TERR	223 23 20	147.872	147.933
		N	5457782.995								
		El	90.048	CVD28GVRD2018							
965962	80H3160	E	508995.703	0.9995834	0.9999824	570069	84H9904	TERR	0 33 10	175.524	175.597
		N	5459197.611			308825	80H3144	TERR	190 24 35	215.886	215.976
		El	130.757	CVD28GVRD2018							
674556	80H3161	E	511385.274	0.9995994	0.9999978	971200	80H3136	TERR	148 26 44	134.107	134.160
		N	5459785.417			289751	80H3154	TERR	288 16 21	123.597	123.647
		El	32.667	CVD28GVRD2018							
669861	80H3162	E	512463.976	0.9996022	1.0000003	692343	91H0428	GPS	3 42 40	1063.399	1063.833
		N	5459044.996			292540	83H6606	GPS	18 58 33	1686.758	1687.456
		El	16.545	CVD28GVRD2018		831958	NO MARKING	GPS	25 25 0	8485.955	8489.425
						298166	S23T39	GPS	32 30 33	4848.678	4850.726
						932020	95H1746	GPS	53 42 31	5020.737	5022.752
						323543	94H1583	GPS	54 22 44	3326.589	3327.947
						456855	80H3275	TERR	66 14 7	111.186	111.230
						738484	93H1003	GPS	94 27 45	1973.238	1974.023
						909333	NO MARKING	GPS	108 4 52	22238.382	22247.240
						858704	82H5097	GPS	137 13 42	3162.343	3163.599
						256636	73H0331	GPS	182 13 26	2146.713	2147.592
						898734	NO MARKING	GPS	192 30 25	10475.129	10479.369
						223347	73H0371	GPS	221 55 11	2612.138	2613.207
						509430	80H3166	GPS	236 9 1	1684.810	1685.482
						169128	73H0289	GPS	240 1 44	4871.022	4872.999
						183145	80H3149	GPS	263 18 43	3832.716	3834.272
						194530	80H3164	TERR	268 0 39	126.271	126.321
						489690	02H2493	GPS	285 35 0	19590.993	19598.909
						770610	84H9903	GPS	312 28 31	2851.795	2852.954
						318030	02H2418	GPS	316 58 18	6201.696	6204.182
						298398	02H2414	GPS	339 57 37	6633.072	6635.770
208181	80H3163	E	508429.311	0.9995828	0.9999819	687939	80H3192	TERR	357 41 34	174.974	175.047
		N	5457814.730								
		El	133.913	CVD28GVRD2018							
194530	80H3164	E	512337.781	0.9996026	1.0000007	393017	84H9898	TERR	20 37 25	177.820	177.891
		N	5459040.613			478925	80H3281	TERR	23 34 44	425.550	425.720
		El	13.887	CVD28GVRD2018		669861	80H3162	TERR	88 0 39	126.271	126.321
						848408	80H3150	TERR	295 56 46	266.630	266.736

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
768598	80H3165	E	509871.090	0.9996023	1.0000011		MARKER DESTROYED				
		N	5458399.367								
		El	11.689	CVD28GVRD2018							
509430	80H3166	E	511064.738	0.9996006	0.9999991	56259	80H3173	TERR	0 1 41	129.008	129.060
		N	5458106.530			692343	91H0428	GPS	36 17 6	2480.678	2481.693
		El	24.054	CVD28GVRD2018		669861	80H3162	GPS	56 9 1	1684.810	1685.482
						87775	80H3223	TERR	91 47 51	190.678	190.754
						256636	73H0331	GPS	132 31 8	1785.400	1786.133
						491225	80H3168	TERR	180 31 54	109.359	109.402
						898734	NO MARKING	GPS	185 20 48	9328.669	9332.453
						223347	73H0371	GPS	198 59 21	1063.030	1063.466
						183145	80H3149	GPS	281 33 9	2457.173	2458.173
341313	80H3167	E	507989.694	0.9995832	0.9999824		MARKER DESTROYED				
		N	5457831.062								
		El	130.605	CVD28GVRD2018							
491225	80H3168	E	511063.723	0.9995992	0.9999977	509430	80H3166	TERR	0 31 54	109.359	109.402
		N	5457997.176								
		El	32.932	CVD28GVRD2018							
982751	80H3169	E	509670.430	0.9996002	0.9999991	259713	80H3212	TERR	176 34 17	250.976	251.077
		N	5458935.990			334664	80H3151	TERR	355 8 52	306.182	306.305
		El	24.416	CVD28GVRD2018							
357376	80H3170	E	508121.338	0.9995832	0.9999824	448308	80H3190	TERR	89 35 56	208.537	208.624
		N	5457990.215			821058	84H9889	TERR	216 45 54	157.457	157.523
		El	130.716	CVD28GVRD2018		340968	80H3178	TERR	272 58 31	196.597	196.679
126714	80H3171	E	510391.749	0.9995948	0.9999934	31211	80H3133	TERR	58 41 2	139.055	139.111
		N	5457911.171								
		El	60.381	CVD28GVRD2018							
266882	80H3172	E	508330.953	0.9995837	0.9999828	448308	80H3190	TERR	359 33 16	139.289	139.347
		N	5457852.390								
		El	128.038	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
56259	80H3173	E	511064.801	0.9996014	0.9999999	762500	80H3253	TERR	90 12 12	172.407	172.476		
		N	5458235.538					509430	80H3166	TERR	180 1 41	129.008	129.060
		El	18.989					CVD28GVRD2018	965277	95H2006	TERR	271 0 58	174.974
571844	80H3174	E	508997.389	0.9995848	0.9999838	MARKER DESTROYED							
		N	5459373.135										
		El	122.033			CVD28GVRD2018							
860809	80H3175	E	507799.402	0.9995820	0.9999813	550095	80H3177	TERR	358 17 35	217.039	217.130		
		N	5457784.536										
		El	138.048					CVD28GVRD2018					
603951	80H3176	E	507860.264	0.9995843	0.9999835	470625	80H3188	TERR	91 13 15	168.491	168.561		
		N	5457581.959										
		El	123.838					CVD28GVRD2018					
550095	80H3177	E	507792.937	0.9995817	0.9999810	340968	80H3178	TERR	90 27 35	132.073	132.128		
		N	5458001.479					860809	80H3175	TERR	178 17 35	217.039	217.130
		El	139.940					CVD28GVRD2018					
340968	80H3178	E	507925.006	0.9995819	0.9999812	357376	80H3170	TERR	92 58 31	196.597	196.679		
		N	5458000.419					550095	80H3177	TERR	270 27 35	132.073	132.128
		El	138.744					CVD28GVRD2018					
365882	80H3179	E	508497.016	0.9995838	0.9999829	MARKER ISOLATED							
		N	5457544.662										
		El	127.720			CVD28GVRD2018							
99002	80H3180	E	508699.527	0.9995837	0.9999828	MARKER DESTROYED							
		N	5457538.324										
		El	128.634			CVD28GVRD2018							
136515	80H3181	E	509363.052	0.9995884	0.9999873	6049	80H3241	TERR	6 52 16	215.862	215.951		
		N	5459048.491					726505	80H3242	TERR	179 24 40	148.786	148.847
		El	99.485					CVD28GVRD2018	935452	80H3137	TERR	308 54 37	238.049

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
795070	80H3182	E	508375.285	0.9995837	0.9999828	793323	80H3193	TERR	179 10 44	125.945	125.997
		N	5457714.051								
		El	128.141	CVD28GVRD2018							
640995	80H3183	E	511982.366	0.9995999	0.9999982	915983	80H3134	TERR	165 21 54	120.748	120.796
		N	5459368.128			881904	82H5266	TERR	311 40 12	110.974	111.018
		El	29.989	CVD28GVRD2018		605006	84H9901	TERR	359 30 16	549.959	550.182
376160	80H3184	E	509422.728	0.9995941	0.9999930	72231	80H3213	TERR	222 47 41	138.585	138.642
		N	5457929.969								
		El	63.294	CVD28GVRD2018							
391425	80H3185	E	507878.367	0.9995831	0.9999824	821058	84H9889	TERR	41 14 24	225.614	225.708
		N	5457694.425								
		El	131.121	CVD28GVRD2018							
769364	80H3186	E	508189.372	0.9995847	0.9999839	548487	80H3191	TERR	179 34 49	117.142	117.190
		N	5457703.410								
		El	121.274	CVD28GVRD2018							
177683	80H3187	E	508862.430	0.9995841	0.9999832		MARKER DESTROYED				
		N	5457567.889								
		El	126.028	CVD28GVRD2018							
470625	80H3188	E	508028.717	0.9995856	0.9999848	548487	80H3191	TERR	87 11 57	161.706	161.773
		N	5457578.369			603951	80H3176	TERR	271 13 15	168.491	168.561
		El	115.413	CVD28GVRD2018							
776542	80H3189	E	508954.663	0.9995844	0.9999834		MARKER DESTROYED				
		N	5457677.589								
		El	124.327	CVD28GVRD2018							
448308	80H3190	E	508329.870	0.9995834	0.9999825	687939	80H3192	TERR	91 18 36	92.421	92.460
		N	5457991.675			266882	80H3172	TERR	179 33 16	139.289	139.347
		El	129.896	CVD28GVRD2018		357376	80H3170	TERR	269 35 56	208.537	208.624

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
548487	80H3191	E	508190.230	0.9995852	0.9999844	793323	80H3193	TERR	89 26 0	186.869	186.947
		N	5457586.271			470625	80H3188	TERR	267 11 57	161.706	161.773
		El	118.220	CVD28GVRD2018		769364	80H3186	TERR	359 34 49	117.142	117.190
687939	80H3192	E	508422.267	0.9995826	0.9999817	885731	80H3142	TERR	90 36 4	258.756	258.865
		N	5457989.562			208181	80H3163	TERR	177 41 34	174.974	175.047
		El	135.471	CVD28GVRD2018		448308	80H3190	TERR	271 18 36	92.421	92.460
793323	80H3193	E	508377.090	0.9995843	0.9999834	548487	80H3191	TERR	269 26 0	186.869	186.947
		N	5457588.119			795070	80H3182	TERR	359 10 44	125.945	125.997
		El	124.227	CVD28GVRD2018							
227264	80H3194	E	509065.443	0.9995869	0.9999859		MARKER DESTROYED				
		N	5457863.155								
		El	108.789	CVD28GVRD2018							
975060	80H3195	E	508675.630	0.9995835	0.9999826	648204	80H3148	TERR	181 5 30	127.755	127.808
		N	5458316.569			377705	80H3196	TERR	357 44 47	128.015	128.069
		El	129.711	CVD28GVRD2018							
377705	80H3196	E	508670.596	0.9995852	0.9999843	723767	80H3197	TERR	88 56 18	143.338	143.397
		N	5458444.485			975060	80H3195	TERR	177 44 47	128.015	128.069
		El	119.003	CVD28GVRD2018		183145	80H3149	TERR	355 5 8	154.702	154.765
723767	80H3197	E	508813.909	0.9995864	0.9999854	419549	80H3198	TERR	86 45 38	231.955	232.051
		N	5458447.141			377705	80H3196	TERR	268 56 18	143.338	143.397
		El	111.646	CVD28GVRD2018							
419549	80H3198	E	509045.493	0.9995884	0.9999874	749812	80H3199	TERR	4 52 6	104.461	104.504
		N	5458460.249			137190	80H3207	TERR	174 13 48	193.679	193.760
		El	98.963	CVD28GVRD2018		723767	80H3197	TERR	266 45 38	231.955	232.051
749812	80H3199	E	509054.358	0.9995888	0.9999878	840884	80H3156	TERR	18 0 40	222.587	222.678
		N	5458564.333			419549	80H3198	TERR	184 52 6	104.461	104.504
		El	96.641	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
164095	80H3200	E	509064.856	0.9995830	0.9999820	525147	80H3201	TERR	89 49 28	173.643	173.715				
		N	5458984.742					80H3144				TERR	270 17 2	108.162	108.208
		El	133.525					CVD28GVRD2018							
525147	80H3201	E	509238.498	0.9995859	0.9999849	726505	80H3242	TERR	124 9 40	152.373	152.436				
		N	5458985.274					80H3200				TERR	269 49 28	173.643	173.715
		El	114.922					CVD28GVRD2018							
592824	80H3202	E	508887.348	0.9995831	0.9999821	888230	80H3203	TERR	353 58 39	118.780	118.829				
		N	5457953.780												
		El	132.928					CVD28GVRD2018							
888230	80H3203	E	508874.886	0.9995823	0.9999813	592824	80H3202	TERR	173 58 39	118.780	118.829				
		N	5458071.904					80H3206				TERR	353 55 12	120.650	120.700
		El	137.746					CVD28GVRD2018							
878959	80H3204	E	509503.595	0.9995986	0.9999975			MARKER ISOLATED							
		N	5458219.773												
		El	34.542					CVD28GVRD2018							
176636	80H3205	E	509286.228	0.9995925	0.9999914			MARKER DESTROYED							
		N	5458034.679												
		El	73.161					CVD28GVRD2018							
786491	80H3206	E	508862.107	0.9995828	0.9999819	888230	80H3203	TERR	173 55 12	120.650	120.700				
		N	5458191.875					80H3148				TERR	269 4 43	188.935	189.014
		El	134.220					CVD28GVRD2018							
137190	80H3207	E	509064.965	0.9995879	0.9999869	419549	80H3198	TERR	354 13 48	193.679	193.760				
		N	5458267.551												
		El	102.018					CVD28GVRD2018							
795492	80H3208	E	509198.907	0.9995989	0.9999979	977496	80H3214	TERR	123 48 44	308.616	308.740				
		N	5459781.501					80H3132				TERR	282 17 58	316.882	317.009
		El	31.814					CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
954750	80H3209	E	509358.011	0.9995947	0.9999936		MARKER ISOLATED				
		N	5458190.791								
		El	59.229	CVD28GVRD2018							
408229	80H3210	E	511848.968	0.9996002	0.9999985		MARKER ISOLATED				
		N	5458063.119								
		El	28.147	CVD28GVRD2018							
737239	80H3211	E	509691.372	0.9996018	1.0000006	259713	80H3212	TERR	358 49 45	290.296	290.411
		N	5458395.228								
		El	14.381	CVD28GVRD2018							
259713	80H3212	E	509685.440	0.9996006	0.9999994	737239	80H3211	TERR	178 49 45	290.296	290.411
		N	5458685.463			982751	80H3169	TERR	356 34 17	250.976	251.077
		El	22.169	CVD28GVRD2018							
72231	80H3213	E	509328.577	0.9995915	0.9999904	376160	80H3184	TERR	42 47 41	138.585	138.642
		N	5457828.276								
		El	79.661	CVD28GVRD2018							
977496	80H3214	E	509455.325	0.9995990	0.9999979	413724	80H3146	TERR	142 20 44	206.096	206.178
		N	5459609.764			795492	80H3208	TERR	303 48 44	308.616	308.740
		El	31.905	CVD28GVRD2018							
681890	80H3215	E	512005.554	0.9995959	0.9999941	822809	73H0075	TERR	177 14 10	86.705	86.740
		N	5457909.739								
		El	56.021	CVD28GVRD2018							
859363	80H3216	E	510448.714	0.9995875	0.9999862	775932	80H3159	TERR	43 23 20	147.872	147.933
		N	5457675.535								
		El	106.875	CVD28GVRD2018							
699694	80H3217	E	509360.642	0.9995942	0.9999932		MARKER DESTROYED				
		N	5458329.697								
		El	62.181	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
889469	80H3218	E	510904.515	0.9996018	1.0000004		MARKER DESTROYED				
		N	5458456.293								
		El	16.194	CVD28GVRD2018							
855676	80H3219	E	509699.299	0.9995994	0.9999982	974055	80H3229	TERR	88 39 53	224.410	224.500
		N	5458090.965								
		El	29.776	CVD28GVRD2018							
784512	80H3221	E	509015.612	0.9995854	0.9999844	369421	80H3145	TERR	90 8 14	193.278	193.357
		N	5457756.053			760199	80H3152	TERR	274 31 5	132.532	132.587
		El	117.932	CVD28GVRD2018							
221580	80H3222	E	511122.762	0.9996003	0.9999988	661249	98H2211	GPS	25 57 7	526.221	526.436
		N	5459849.896			970830	98H2212	GPS	57 15 51	473.878	474.071
		El	26.065	CVD28GVRD2018		711465	91H0435	GPS	72 55 16	621.809	622.062
						821058	84H9889	GPS	237 19 14	3677.857	3679.359
						542571	80H3155	TERR	290 10 2	205.780	205.862
						921874	77C107	GPS	292 23 29	6347.997	6350.527
						426742	98H2210	GPS	357 28 5	713.226	713.518
87775	80H3223	E	511255.322	0.9996018	1.0000003	20321	80H3158	TERR	89 34 31	371.607	371.755
		N	5458100.549			509430	80H3166	TERR	271 47 51	190.678	190.754
		El	16.897	CVD28GVRD2018		762500	80H3253	TERR	352 19 21	135.593	135.646
473165	80H3224	E	512219.113	0.9996035	1.0000017		MARKER DESTROYED				
		N	5458645.299								
		El	7.835	CVD28GVRD2018							
34488	80H3225	E	508277.006	0.9995993	0.9999984	993089	80H3126	TERR	85 47 56	238.455	238.550
		N	5459689.405			184994	80H3226	TERR	279 1 41	349.395	349.535
		El	28.356	CVD28GVRD2018							
184994	80H3226	E	507931.940	0.9995988	0.9999981	34488	80H3225	TERR	99 1 41	349.395	349.535
		N	5459744.232			253179	75H3758	TERR	256 22 43	262.491	262.597
		El	30.841	CVD28GVRD2018							
498204	80H3227	E	510165.194	0.9995977	0.9999965		MARKER DESTROYED				
		N	5458102.223								
		El	41.172	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
451526	80H3228	E	510419.782	0.9996012	0.9999999	348615	A32	TERR	0 58 20	96.766	96.804					
		N	5458113.631					422220				80H3230	TERR	266 39 54	167.827	167.895
		El	19.394					CVD28GVRD2018								
974055	80H3229	E	509923.648	0.9995988	0.9999976	855676	80H3219	TERR	268 39 53	224.410	224.500					
		N	5458096.194													
		El	34.054					CVD28GVRD2018								
422220	80H3230	E	510252.239	0.9995983	0.9999970	451526	80H3228	TERR	86 39 54	167.827	167.895					
		N	5458103.868													
		El	37.777					CVD28GVRD2018								
786707	80H3231	E	510595.321	0.9996012	0.9999998	466722	80H3157	TERR	136 48 10	133.061	133.114					
		N	5460087.402					973230				80H3267	TERR	311 31 58	155.179	155.240
		El	19.748					CVD28GVRD2018								
346775	80H3232	E	510724.315	0.9995998	0.9999984	MARKER DESTROYED										
		N	5458004.779													
		El	28.563			CVD28GVRD2018										
311613	80H3233	E	510908.600	0.9995992	0.9999978	MARKER DESTROYED										
		N	5457992.345													
		El	32.869			CVD28GVRD2018										
657684	80H3235	E	509489.283	0.9995967	0.9999955	334664	80H3151	TERR	139 4 26	236.989	237.084					
		N	5459420.133					869768				82H5265	TERR	169 3 28	206.773	206.857
		El	46.863					CVD28GVRD2018								
181495	80H3236	E	509067.500	0.9995885	0.9999875	MARKER ISOLATED										
		N	5458149.463													
		El	98.457			CVD28GVRD2018										
916940	80H3237	E	509000.576	0.9995868	0.9999858	584888	80H3238	TERR	71 2 50	102.239	102.281					
		N	5459507.891					570069				84H9904	TERR	181 21 6	134.802	134.857
		El	108.965					CVD28GVRD2018								

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
584888	80H3238	E	509097.272	0.9995882	0.9999872	342808	80H3239	TERR	114 48 14	79.902	79.935		
		N	5459541.097					916940	80H3237	TERR	251 2 50	102.239	102.281
		El	100.413					CVD28GVRD2018					
342808	80H3239	E	509169.803	0.9995888	0.9999878	758995	80H3240	TERR	142 21 51	153.412	153.474		
		N	5459507.577					584888	80H3238	TERR	294 48 14	79.902	79.935
		El	96.226					CVD28GVRD2018					
758995	80H3240	E	509263.482	0.9995886	0.9999875	6049	80H3241	TERR	134 30 51	175.850	175.922		
		N	5459386.089					342808	80H3239	TERR	322 21 51	153.412	153.474
		El	98.099					CVD28GVRD2018					
6049	80H3241	E	509388.877	0.9995902	0.9999891	136515	80H3181	TERR	186 52 16	215.862	215.951		
		N	5459262.803					758995	80H3240	TERR	314 30 51	175.850	175.922
		El	87.948					CVD28GVRD2018					
726505	80H3242	E	509364.581	0.9995884	0.9999874	922765	80H3260	TERR	18 4 24	2392.320	2393.304		
		N	5458899.713					525147	80H3201	TERR	304 9 40	152.373	152.436
		El	99.096					CVD28GVRD2018		136515	80H3181	TERR	359 24 40
252882	80H3243	E	509267.449	0.9995903	0.9999892	840884	80H3156	TERR	267 54 29	144.363	144.422		
		N	5458781.282										
		El	87.149					CVD28GVRD2018					
502898	80H3244	E	509499.438	0.9995990	0.9999979			MARKER DESTROYED					
		N	5458392.743										
		El	32.218					CVD28GVRD2018					
286880	80H3245	E	512409.577	0.9995998	0.9999979	948158	80H2566	TERR	2 51 28	176.521	176.591		
		N	5458007.536					273599	80H3139	TERR	90 20 52	141.022	141.078
		El	31.796					CVD28GVRD2018					
498873	80H3246	E	509503.363	0.9995968	0.9999956			MARKER DESTROYED					
		N	5458082.514										
		El	46.282					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
113555	80H3247	E	512809.293	0.9995997	0.9999977	273599	80H3139	TERR	270 35 50	258.711	258.815
		N	5458003.983								
		El	33.189	CVD28GVRD2018							
798850	80H3248	E	509679.481	0.9996004	0.9999992		MARKER DESTROYED				
		N	5458206.500								
		El	23.508	CVD28GVRD2018							
120840	80H3249	E	509881.071	0.9996006	0.9999994	91124	80H3250	TERR	88 44 43	169.057	169.125
		N	5458230.906								
		El	22.600	CVD28GVRD2018							
91124	80H3250	E	510050.087	0.9996008	0.9999995	418186	95H1980	TERR	89 13 39	120.301	120.349
		N	5458234.608			120840	80H3249	TERR	268 44 43	169.057	169.125
		El	21.524	CVD28GVRD2018							
395004	80H3251	E	510726.254	0.9996016	1.0000002		MARKER DESTROYED				
		N	5458237.506								
		El	17.308	CVD28GVRD2018							
762500	80H3253	E	511237.207	0.9996023	1.0000008	87775	80H3223	TERR	172 19 21	135.593	135.646
		N	5458234.926			56259	80H3173	TERR	270 12 12	172.407	172.476
		El	13.638	CVD28GVRD2018							
895755	80H3254	E	511625.166	0.9996017	1.0000000		MARKER DESTROYED				
		N	5458232.475								
		El	18.341	CVD28GVRD2018							
288159	80H3255	E	511850.213	0.9996013	0.9999995		MARKER DESTROYED				
		N	5458236.838								
		El	21.496	CVD28GVRD2018							
868463	80H3256	E	512023.721	0.9996014	0.9999997		MARKER DESTROYED				
		N	5458240.688								
		El	20.690	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
872366	80H3257	E	509929.572	0.9995949	0.9999937	245688	80H3258	TERR	126 18 7	83.650	83.683
		N	5461030.629								
		El	58.361	CVD28GVRD2018							
245688	80H3258	E	509996.986	0.9995940	0.9999928	203703	80H3259	TERR	159 20 39	173.789	173.859
		N	5460981.105			872366	80H3257	TERR	306 18 7	83.650	83.683
		El	64.358	CVD28GVRD2018							
203703	80H3259	E	510058.291	0.9995944	0.9999932	160655	80H3262	TERR	101 23 24	77.144	77.176
		N	5460818.488			245688	80H3258	TERR	339 20 39	173.789	173.859
		El	61.980	CVD28GVRD2018							
922765	80H3260	E	510106.757	0.9995890	0.9999878	485813	84H9886	TERR	55 46 2	91.566	91.604
		N	5461173.997			758169	80H3261	TERR	183 48 8	119.889	119.938
		El	96.263	CVD28GVRD2018		726505	80H3242	TERR	198 4 24	2392.320	2393.304
758169	80H3261	E	510098.807	0.9995905	0.9999893	922765	80H3260	TERR	3 48 8	119.889	119.938
		N	5461054.372			655027	84H9916	TERR	87 1 12	106.273	106.317
		El	86.781	CVD28GVRD2018		160655	80H3262	TERR	172 2 28	253.561	253.665
160655	80H3262	E	510133.916	0.9995932	0.9999920	433672	80H3263	TERR	173 4 15	100.298	100.339
		N	5460803.253			203703	80H3259	TERR	281 23 24	77.144	77.176
		El	69.633	CVD28GVRD2018		758169	80H3261	TERR	352 2 28	253.561	253.665
433672	80H3263	E	510146.016	0.9995946	0.9999933	265785	80H3264	TERR	264 38 29	84.806	84.840
		N	5460703.688			160655	80H3262	TERR	353 4 15	100.298	100.339
		El	61.100	CVD28GVRD2018							
265785	80H3264	E	510061.581	0.9995961	0.9999949	433672	80H3263	TERR	84 38 29	84.806	84.840
		N	5460695.768			371278	84H9905	TERR	167 15 7	46.564	46.582
		El	50.994	CVD28GVRD2018		226092	80H3265	TERR	308 32 23	156.554	156.617
226092	80H3265	E	509939.128	0.9995977	0.9999965	265785	80H3264	TERR	128 32 23	156.554	156.617
		N	5460793.310			360024	80H3266	TERR	290 26 14	124.085	124.134
		El	40.577	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
360024	80H3266	E	509822.854	0.9995992	0.9999980	426361	80H3271	TERR	0 14 49	159.844	159.908	
		N	5460836.638					80H3265	TERR	110 26 14	124.085	124.134
		El	31.198					CVD28GVRD2018	989814	80H3270	TERR	173 59 16
973230	80H3267	E	510479.158	0.9996013	1.0000000	317735	84H9895	TERR	44 18 1	72.040	72.068	
		N	5460190.293					80H3231	TERR	131 31 58	155.179	155.240
		El	18.470					CVD28GVRD2018	937557	80H3131	TERR	284 37 2
861153	80H3268	E	510173.789	0.9995993	0.9999980	937557	80H3131	TERR	138 41 15	196.685	196.764	
		N	5460383.804					80H3151	TERR	204 51 5	1259.343	1259.847
		El	30.991					CVD28GVRD2018	140244	80H3269	TERR	317 50 26
140244	80H3269	E	509940.095	0.9995998	0.9999985	861153	80H3268	TERR	137 50 26	348.175	348.315	
		N	5460641.899					80H3270	TERR	308 36 9	135.140	135.194
		El	27.631					CVD28GVRD2018	989814			
989814	80H3270	E	509834.484	0.9996006	0.9999994	140244	80H3269	TERR	128 36 9	135.140	135.194	
		N	5460726.215					80H3266	TERR	353 59 16	111.034	111.078
		El	21.935					CVD28GVRD2018				
426361	80H3271	E	509823.543	0.9995972	0.9999960	360024	80H3266	TERR	180 14 49	159.844	159.908	
		N	5460996.480									
		El	43.915					CVD28GVRD2018				
784991	80H3272	E	512500.730	0.9996033	1.0000014	MARKER DESTROYED						
		N	5458850.951									
		El	9.701			CVD28GVRD2018						
456855	80H3275	E	512565.734	0.9996020	1.0000001	669861	80H3162	TERR	246 14 7	111.186	111.230	
		N	5459089.802					80H3276	TERR	348 20 36	132.847	132.900
		El	18.046					CVD28GVRD2018				
271163	80H3276	E	512538.893	0.9996007	0.9999988	156315	80H3277	TERR	21 18 38	78.501	78.531	
		N	5459219.909					80H3275	TERR	168 20 36	132.847	132.900
		El	26.219					CVD28GVRD2018				

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
156315	80H3277	E	512567.422	0.9995997	0.9999978	579086	80H3278	TERR	91 3 14	120.315	120.364		
		N	5459293.042					271163	80H3276	TERR	201 18 38	78.501	78.531
		El	32.522					CVD28GVRD2018					
579086	80H3278	E	512687.717	0.9995989	0.9999969	702126	80H3279	TERR	58 20 1	80.117	80.149		
		N	5459290.829					156315	80H3277	TERR	271 3 14	120.315	120.364
		El	38.281					CVD28GVRD2018					
702126	80H3279	E	512755.906	0.9995979	0.9999959	839118	84H9915	TERR	3 24 27	86.493	86.528		
		N	5459332.888					579086	80H3278	TERR	238 20 1	80.117	80.149
		El	44.350					CVD28GVRD2018					
478925	80H3281	E	512508.006	0.9995950	0.9999930	839118	84H9915	TERR	92 34 51	253.298	253.400		
		N	5459430.634					194530	80H3164	TERR	203 34 44	425.550	425.720
		El	62.854					CVD28GVRD2018					
956821	80H3282	E	512433.304	0.9995928	0.9999909	530857	80H3283	TERR	62 41 22	118.403	118.451		
		N	5459523.094										
		El	76.312					CVD28GVRD2018					
530857	80H3283	E	512538.509	0.9995912	0.9999893	671503	80H3284	TERR	79 15 18	287.889	288.007		
		N	5459577.419					956821	80H3282	TERR	242 41 22	118.403	118.451
		El	86.878					CVD28GVRD2018					
671503	80H3284	E	512821.350	0.9995881	0.9999861	19489	80H3285	TERR	49 3 22	89.511	89.548		
		N	5459631.093					530857	80H3283	TERR	259 15 18	287.889	288.007
		El	107.314					CVD28GVRD2018					
19489	80H3285	E	512888.962	0.9995866	0.9999845	671503	80H3284	TERR	229 3 22	89.511	89.548		
		N	5459689.751					208173	80H3286	TERR	352 59 16	100.866	100.908
		El	116.978					CVD28GVRD2018					
208173	80H3286	E	512876.648	0.9995849	0.9999828	19489	80H3285	TERR	172 59 16	100.866	100.908		
		N	5459789.862					767947	80H3287	TERR	315 51 10	135.702	135.758
		El	127.845					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
767947	80H3287	E	512782.131	0.9995830	0.9999809	400291	84H9897	TERR	0 16 55	75.829	75.860					
		N	5459887.235					208173				80H3286	TERR	135 51 10	135.702	135.758
		El	139.896					CVD28GVRD2018								
850396	82H5263	E	512862.396	0.9996002	0.9999982	494641	80H2570	TERR	43 2 32	97.841	97.880					
		N	5458980.867					497719				80H2569	TERR	222 54 45	169.201	169.269
		El	29.863					CVD28GVRD2018								
400929	82H5264	E	510890.865	0.9996013	0.9999998	MARKER DESTROYED										
		N	5458238.136													
		El	19.673			CVD28GVRD2018										
869768	82H5265	E	509528.533	0.9995955	0.9999943	657684	80H3235	TERR	349 3 28	206.773	206.857					
		N	5459217.119													
		El	54.540					CVD28GVRD2018								
881904	82H5266	E	511899.470	0.9996004	0.9999987	640995	80H3183	TERR	131 40 12	110.974	111.018					
		N	5459441.908					242370				80H3135	TERR	287 18 37	334.978	335.112
		El	26.928					CVD28GVRD2018								
471995	84H9885	E	510342.336	0.9995957	0.9999944	544304	84H9919	TERR	139 34 44	98.086	98.127					
		N	5460363.427					592618				84H9899	TERR	319 41 54	155.394	155.456
		El	54.015					CVD28GVRD2018								
485813	84H9886	E	510182.460	0.9995873	0.9999861	910620	84H9908	TERR	107 35 18	107.407	107.451					
		N	5461225.508					922765				80H3260	TERR	235 46 2	91.566	91.604
		El	107.180					CVD28GVRD2018								
279620	84H9887	E	512957.685	0.9995832	0.9999811	124370	84H9892	TERR	257 23 54	88.908	88.945					
		N	5459917.585					262634				84H9894	TERR	342 14 13	88.973	89.010
		El	138.810					CVD28GVRD2018								
929174	84H9888	E	510290.690	0.9995864	0.9999851	6569	84H9910	TERR	40 8 19	85.818	85.855					
		N	5461045.764													
		El	113.237					CVD28GVRD2018								

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
821058	84H9889	E	508027.095	0.9995833	0.9999825	357376	80H3170	TERR	36 45 54	157.457	157.523
		N	5457864.077			221580	80H3222	GPS	57 19 14	3677.857	3679.359
		El	129.972			828079	84H9900	GPS	64 19 52	5485.674	5487.978
						257162	94H1683	GPS	101 24 37	5536.897	5539.219
						546473	85H0764	GPS	102 7 12	26437.642	26448.431
						825034	3340	GPS	115 4 6	54453.709	54476.852
						996132	73H0413	GPS	140 42 5	3162.283	3163.603
						985606	86H1304	GPS	149 12 39	10337.359	10341.644
						308429	90H6222	GPS	184 24 10	13479.739	13485.330
						709113	90H6573	GPS	193 53 30	5025.964	5028.058
						307751	94H1457	GPS	212 59 19	3051.742	3052.989
						391425	80H3185	TERR	221 14 24	225.614	225.708
						258020	19713	GPS	234 15 46	27460.904	27472.059
						670653	432	GPS	236 25 46	11450.205	11454.953
		681239	677011	GPS	293 34 20	13334.006	13339.567				
		921874	77C107	GPS	327 47 48	5204.662	5206.781				
821454	84H9891	E	510737.557	0.9995972	0.9999958	325423	84H9918	TERR	162 28 26	62.150	62.175
		N	5460210.148								
		El	45.057			CVD28GVRD2018					
124370	84H9892	E	512870.919	0.9995829	0.9999809	279620	84H9887	TERR	77 23 54	88.908	88.945
		N	5459898.188								
		El	140.211			CVD28GVRD2018					
796664	84H9893	E	512831.121	0.9995814	0.9999794	557850	84H9907	TERR	47 16 34	161.307	161.375
		N	5460028.257			262634	84H9894	TERR	104 37 26	102.749	102.792
		El	150.050			CVD28GVRD2018	400291	84H9897	TERR	216 42 47	81.326
262634	84H9894	E	512930.541	0.9995816	0.9999795	279620	84H9887	TERR	162 14 13	88.973	89.010
		N	5460002.316			796664	84H9893	TERR	284 37 26	102.749	102.792
		El	149.198			CVD28GVRD2018					
317735	84H9895	E	510529.472	0.9995996	0.9999983	973230	80H3267	TERR	224 18 1	72.040	72.068
		N	5460241.851			544304	84H9919	TERR	290 47 25	132.141	132.194
		El	29.451			CVD28GVRD2018					
859660	84H9896	E	512083.161	0.9995902	0.9999884	955716	84H9906	TERR	167 6 5	224.113	224.205
		N	5459868.529			605006	84H9901	TERR	295 8 29	116.598	116.645
		El	92.227			CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres																												
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																																
400291	84H9897	E	512782.504	0.9995821	0.9999801	796664	84H9893	TERR	36 42 47	81.326	81.360																												
		N	5459963.063					TERR	180 16 55			75.829	75.860																										
		El	145.186					CVD28GVRD2018																															
393017	84H9898	E	512400.414	0.9996003	0.9999984	194530	80H3164	TERR	200 37 25	177.820	177.891																												
		N	5459207.037					TERR	312 7 25			370.036	370.185																										
		El	28.352					CVD28GVRD2018																															
592618	84H9899	E	510241.825	0.9995958	0.9999945	471995	84H9885	TERR	139 41 54	155.394	155.456																												
		N	5460481.938					TERR	314 44 12			239.275	239.373																										
		El	53.248					CVD28GVRD2018																															
828079	84H9900	E	512971.405	0.9995772	0.9999751	797878	83H6622	GPS	39 24 1	925.173	925.568																												
		N	5460240.297					GPS	143 24 12			1454.163	1454.759																										
		El	177.228					TERR	191 59 12					104.886	104.929																								
								GPS	244 19 52							5485.674	5487.978																						
								GPS	284 48 35									421.327	421.506																				
605006	84H9901	E	511977.609	0.9995892	0.9999874	859660	84H9896	TERR	115 8 29	116.598	116.645																												
		N	5459918.066					TERR	179 30 16			549.959	550.182																										
		El	98.600					CVD28GVRD2018						TERR	303 26 56	139.893	139.950																						
557835	84H9902	E	510826.425	0.9995993	0.9999979	114868	84H9917	TERR	171 51 3	76.917	76.947																												
		N	5460073.095					TERR	255 19 39			83.109	83.142																										
		El	31.977					CVD28GVRD2018						TERR	317 57 17	104.749	104.791																						
770610	84H9903	E	510360.578	0.9995854	0.9999840	821538	02H2490	GPS	3 3 56	2372.036	2373.027																												
		N	5460970.730					TERR	43 42 47			66.520	66.547																										
		El	120.189					CVD28GVRD2018						GPS	65 19 42	5182.314	5184.547																						
								GPS	80 20 52					6238.511	6241.068																								
								GPS	89 51 36									4807.548	4809.552																				
								GPS	97 6 25											2672.410	2673.539																		
								GPS	102 12 19													14695.283	14701.203																
								GPS	132 28 31															2851.795	2852.954														
								NO MARKING	180 46 42																	12153.403	12158.425												
								GPS	215 40 45																			2920.261	2921.471										
								GPS	230 46 26																					4962.795	4964.923								
								GPS	232 40 39																							1850.117	1850.871						
								GPS	242 53 32																									3193.691	3194.994				
								GPS	284 51 27																											2655.938	2657.046		
								GPS	320 46 47																													3366.111	3367.488
								GPS	329 36 31																														
		GPS	357 44 41	4309.076	4310.865																																		

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
570069	84H9904	E	508997.396	0.9995848	0.9999838	916940	80H3237	TERR	1 21 6	134.802	134.857				
		N	5459373.127					80H3160				TERR	180 33 10	175.524	175.597
		El	121.998					CVD28GVRD2018							
371278	84H9905	E	510071.856	0.9995967	0.9999954	592618	84H9899	TERR	134 44 12	239.275	239.373				
		N	5460650.352					80H3264				TERR	347 15 7	46.564	46.582
		El	47.367					CVD28GVRD2018							
955716	84H9906	E	512133.189	0.9995925	0.9999907	608422	91H0467	TERR	90 54 58	100.270	100.310				
		N	5459650.071					84H9909				TERR	182 7 32	194.973	195.053
		El	77.888					CVD28GVRD2018				859660	84H9896	TERR	347 6 5
557850	84H9907	E	512949.622	0.9995791	0.9999771	828079	84H9900	TERR	11 59 12	104.886	104.929				
		N	5460137.698					84H9893				TERR	227 16 34	161.307	161.375
		El	164.677					CVD28GVRD2018							
910620	84H9908	E	510284.846	0.9995855	0.9999842	6569	84H9910	TERR	143 10 22	102.044	102.087				
		N	5461193.052					84H9886				TERR	287 35 18	107.407	107.451
		El	119.391					CVD28GVRD2018							
269431	84H9909	E	512125.958	0.9995949	0.9999931	955716	84H9906	TERR	2 7 32	194.973	195.053				
		N	5459455.232					84H9898				TERR	132 7 25	370.036	370.185
		El	62.267					CVD28GVRD2018							
6569	84H9910	E	510346.012	0.9995853	0.9999840	614651	84H9912	TERR	146 48 56	110.597	110.643				
		N	5461111.371					84H9888				TERR	220 8 19	85.818	85.855
		El	120.522					CVD28GVRD2018				910620	84H9908	TERR	323 10 22
226308	84H9911	E	510746.026	0.9996007	0.9999993	557835	84H9902	TERR	75 19 39	83.109	83.142				
		N	5460052.044												
		El	22.693					CVD28GVRD2018							
614651	84H9912	E	510406.546	0.9995850	0.9999836	770610	84H9903	TERR	223 42 47	66.520	66.547				
		N	5461018.811					84H9910				TERR	326 48 56	110.597	110.643
		El	122.693					CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
165043	84H9913	E	511833.864	0.9996036	1.0000019		MARKER ISOLATED				
		N	5458663.376								
		El	6.652	CVD28GVRD2018							
666354	84H9914	E	511669.859	0.9996029	1.0000012		MARKER DESTROYED				
		N	5458469.776								
		El	10.858	CVD28GVRD2018							
839118	84H9915	E	512761.047	0.9995969	0.9999949	702126	80H3279	TERR	183 24 27	86.493	86.528
		N	5459419.228			478925	80H3281	TERR	272 34 51	253.298	253.400
		El	50.862	CVD28GVRD2018							
655027	84H9916	E	510204.936	0.9995885	0.9999872	758169	80H3261	TERR	267 1 12	106.273	106.317
		N	5461059.897								
		El	99.998	CVD28GVRD2018							
114868	84H9917	E	510837.328	0.9996007	0.9999992	557835	84H9902	TERR	351 51 3	76.917	76.947
		N	5459996.955								
		El	23.416	CVD28GVRD2018							
325423	84H9918	E	510756.273	0.9995984	0.9999970	557835	84H9902	TERR	137 57 17	104.749	104.791
		N	5460150.883			821454	84H9891	TERR	342 28 26	62.150	62.175
		El	37.529	CVD28GVRD2018							
544304	84H9919	E	510405.935	0.9995972	0.9999959	317735	84H9895	TERR	110 47 25	132.141	132.194
		N	5460288.754			471995	84H9885	TERR	319 34 44	98.086	98.127
		El	44.559	CVD28GVRD2018							
692343	91H0428	E	512532.806	0.9995811	0.9999792	526905	91H0432	TERR	23 18 34	88.738	88.775
		N	5460106.165			801092	91H0466	TERR	172 23 23	69.204	69.232
		El	151.335	CVD28GVRD2018		669861	80H3162	GPS	183 42 40	1063.399	1063.833
						509430	80H3166	GPS	216 17 6	2480.678	2481.693
						183145	80H3149	GPS	248 44 39	4158.354	4160.087
						267732	91H0439	TERR	318 37 20	66.484	66.512

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
371260	91H0429	E	511983.989	0.9995801	0.9999783	779546	98H2214	GPS	22 8 33	289.462	289.584	
		N	5460352.244			158592	98H2215	GPS	40 21 22	517.479	517.699	
		El	156.911			CVD28GVRD2018	145862	91H0450	TERR	79 51 32	189.068	189.147
							602268	91H0454	GPS	90 25 12	580.101	580.345
							579177	91H0451	TERR	194 32 40	88.452	88.488
							711465	91H0435	GPS	219 50 51	416.450	416.623
							970830	98H2212	GPS	241 59 20	523.996	524.215
46557	91H0430	E	512308.617	0.9995851	0.9999833	578997	91H0461	TERR	181 24 18	69.574	69.602	
		N	5460064.565			761494	91H0437	TERR	333 38 25	144.980	145.040	
		El	125.089			CVD28GVRD2018						
526905	91H0432	E	512567.919	0.9995795	0.9999776	732461	91H0447	TERR	13 18 56	114.404	114.453	
		N	5460187.660			692343	91H0428	TERR	203 18 34	88.738	88.775	
		El	161.387			CVD28GVRD2018						
711465	91H0435	E	511717.150	0.9995870	0.9999853	546481	91H0436	TERR	34 31 14	131.586	131.641	
		N	5460032.514			371260	91H0429	GPS	39 50 51	416.450	416.623	
		El	112.316			CVD28GVRD2018	706812	98H2216	GPS	57 10 43	1017.706	1018.134
							602268	91H0454	GPS	69 34 11	903.774	904.152
							63651	91H0440	TERR	104 33 45	148.507	148.568
							221580	80H3222	GPS	252 55 16	621.809	622.062
							970830	98H2212	GPS	290 36 48	209.165	209.252
							426742	98H2210	GPS	310 15 10	820.093	820.434
546481	91H0436	E	511791.720	0.9995857	0.9999839	950238	91H0455	TERR	67 8 42	112.124	112.170	
		N	5460140.931			711465	91H0435	TERR	214 31 14	131.586	131.641	
		El	120.844			CVD28GVRD2018						
761494	91H0437	E	512244.245	0.9995827	0.9999809	46557	91H0430	TERR	153 38 25	144.980	145.040	
		N	5460194.471									
		El	140.346			CVD28GVRD2018						
267732	91H0439	E	512488.859	0.9995804	0.9999785	692343	91H0428	TERR	138 37 20	66.484	66.512	
		N	5460156.052			232231	91H0460	TERR	286 31 46	77.735	77.767	
		El	155.830			CVD28GVRD2018						

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
63651	91H0440	E	511860.886	0.9995880	0.9999863	605006	84H9901	TERR	123 26 56	139.893	139.950		
		N	5459995.174					711465	91H0435	TERR	284 33 45	148.507	148.568
		El	105.719					CVD28GVRD2018					
790261	91H0443	E	512318.775	0.9995783	0.9999764	370239	91H0452	TERR	95 27 11	160.875	160.944		
		N	5460354.730					145862	91H0450	TERR	281 42 21	151.830	151.893
		El	168.988					CVD28GVRD2018					
79509	91H0446	E	512203.774	0.9995813	0.9999795	328138	91H0463	TERR	113 25 59	120.343	120.394		
		N	5460284.218					579177	91H0451	TERR	265 50 33	242.637	242.738
		El	149.118					CVD28GVRD2018					
732461	91H0447	E	512594.268	0.9995775	0.9999755	526905	91H0432	TERR	193 18 56	114.404	114.453		
		N	5460298.988					602268	91H0454	TERR	328 21 38	57.559	57.584
		El	174.582					CVD28GVRD2018					
752865	91H0449	E	512290.532	0.9995910	0.9999892	225060	91H0462	TERR	2 8 56	88.724	88.761		
		N	5459698.857					608422	91H0467	TERR	228 33 56	76.144	76.175
		El	87.486					CVD28GVRD2018					
145862	91H0450	E	512170.103	0.9995789	0.9999771	790261	91H0443	TERR	101 42 21	151.830	151.893		
		N	5460385.534					371260	91H0429	TERR	259 51 32	189.068	189.147
		El	164.414					CVD28GVRD2018					
579177	91H0451	E	511961.776	0.9995817	0.9999799	371260	91H0429	TERR	14 32 40	88.452	88.488		
		N	5460266.627					79509	91H0446	TERR	85 50 33	242.637	242.738
		El	146.633					CVD28GVRD2018		950238	91H0455	TERR	219 5 24
370239	91H0452	E	512478.922	0.9995762	0.9999742	602268	91H0454	TERR	84 15 58	85.580	85.616		
		N	5460339.442					790261	91H0443	TERR	275 27 11	160.875	160.944
		El	182.735					CVD28GVRD2018					
602268	91H0454	E	512564.074	0.9995766	0.9999746	706812	98H2216	GPS	2 1 3	236.289	236.389		
		N	5460347.992			797878	83H6622	GPS	58 35 41	1165.280	1165.779		
		El	180.300			828079	84H9900	GPS	104 48 35	421.327	421.506		
						732461	91H0447	TERR	148 21 38	57.559	57.584		
						711465	91H0435	GPS	249 34 11	903.774	904.152		
						370239	91H0452	TERR	264 15 58	85.580	85.616		
						371260	91H0429	GPS	270 25 12	580.101	580.345		
						158592	98H2215	GPS	328 25 21	467.865	468.064		

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
950238	91H0455	E	511895.041	0.9995836	0.9999819	579177	91H0451	TERR	39 5 24	105.838	105.883		
		N	5460184.480					546481	91H0436	TERR	247 8 42	112.124	112.170
		El	133.853					CVD28GVRD2018					
582007	91H0456	E	512477.013	0.9995843	0.9999824	801092	91H0466	TERR	38 9 50	105.125	105.169		
		N	5459954.917					226886	91H0458	TERR	268 14 7	94.655	94.694
		El	130.961					CVD28GVRD2018					
614941	91H0457	E	512201.215	0.9995892	0.9999874	833111	91H0459	TERR	15 30 22	79.554	79.587		
		N	5459880.929					225060	91H0462	TERR	135 14 9	131.561	131.615
		El	99.004					CVD28GVRD2018					
226886	91H0458	E	512382.403	0.9995860	0.9999841	582007	91H0456	TERR	88 14 7	94.655	94.694		
		N	5459952.002					578997	91H0461	TERR	299 40 17	86.884	86.920
		El	119.885					CVD28GVRD2018					
833111	91H0459	E	512222.483	0.9995887	0.9999869	578997	91H0461	TERR	66 5 36	92.351	92.389		
		N	5459957.587					614941	91H0457	TERR	195 30 22	79.554	79.587
		El	102.206					CVD28GVRD2018					
232231	91H0460	E	512414.337	0.9995803	0.9999784	267732	91H0439	TERR	106 31 46	77.735	77.767		
		N	5460178.168					328138	91H0463	TERR	300 9 36	115.825	115.873
		El	156.082					CVD28GVRD2018					
578997	91H0461	E	512306.911	0.9995876	0.9999857	46557	91H0430	TERR	1 24 18	69.574	69.602		
		N	5459995.012					226886	91H0458	TERR	119 40 17	86.884	86.920
		El	109.599					CVD28GVRD2018		833111	91H0459	TERR	246 5 36
225060	91H0462	E	512293.859	0.9995903	0.9999884	752865	91H0449	TERR	182 8 56	88.724	88.761		
		N	5459787.519					614941	91H0457	TERR	315 14 9	131.561	131.615
		El	92.229					CVD28GVRD2018					
328138	91H0463	E	512314.192	0.9995811	0.9999793	232231	91H0460	TERR	120 9 36	115.825	115.873		
		N	5460236.360					79509	91H0446	TERR	293 25 59	120.343	120.394
		El	150.628					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
801092	91H0466	E	512541.971	0.9995824	0.9999804	582007	91H0456	TERR	218 9 50	105.125	105.169			
		N	5460037.571					692343	91H0428	TERR	352 23 23	69.204	69.232	
		El	143.167					CVD28GVRD2018						
608422	91H0467	E	512233.446	0.9995918	0.9999900	752865	91H0449	TERR	48 33 56	76.144	76.175			
		N	5459648.468					955716	84H9906	TERR	270 54 58	100.270	100.310	
		El	82.391					CVD28GVRD2018						
955260	95H1977	E	510276.534	0.9996022	1.0000009	556530	80H3147	TERR	90 13 56	287.590	287.705			
		N	5458239.704					418186	95H1980	TERR	268 7 32	106.214	106.256	
		El	13.065					CVD28GVRD2018						
569285	95H1978	E	510726.636	0.9996016	1.0000002	965277	95H2006	TERR	89 26 9	163.227	163.292			
		N	5458237.034					556530	80H3147	TERR	270 31 49	162.521	162.585	
		El	17.347					CVD28GVRD2018						
790964	95H1979	E	510904.570	0.9996019	1.0000004	719252	80H3138	TERR	88 51 38	339.316	339.451			
		N	5458459.433					965277	95H2006	TERR	183 48 47	221.282	221.370	
		El	16.001					CVD28GVRD2018						
418186	95H1980	E	510170.377	0.9996011	0.9999999	955260	95H1977	TERR	88 7 32	106.214	106.256			
		N	5458236.230					91124	80H3250	TERR	269 13 39	120.301	120.349	
		El	19.345					CVD28GVRD2018						
965277	95H2006	E	510889.855	0.9996013	0.9999998	790964	95H1979	TERR	3 48 47	221.282	221.370			
		N	5458238.641					56259	80H3173	TERR	91 0 58	174.974	175.043	
		El	19.644					CVD28GVRD2018		569285	95H1978	TERR	269 26 9	163.227
426742	98H2210	E	511091.254	0.9995806	0.9999791	779546	98H2214	GPS	86 41 26	1003.510	1003.933			
		N	5460562.426					371260	91H0429	GPS	103 14 54	917.144	917.529	
		El	151.695					CVD28GVRD2018	711465	91H0435	GPS	130 15 10	820.093	820.434
									661249	98H2211	GPS	132 26 19	354.730	354.878
									221580	80H3222	GPS	177 28 5	713.226	713.518
661249	98H2211	E	511353.045	0.9995823	0.9999807	779546	98H2214	GPS	68 6 46	797.531	797.867			
		N	5460323.054					554709	98H2213	GPS	87 29 21	347.498	347.643	
		El	141.284					CVD28GVRD2018	970830	98H2212	GPS	142 11 9	274.557	274.671
									221580	80H3222	GPS	205 57 7	526.221	526.436
									426742	98H2210	GPS	312 26 19	354.730	354.878

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
970830	98H2212	E	511521.376	0.9995861	0.9999844	554709	98H2213	GPS	37 36 41	293.024	293.145	
		N	5460106.153			371260	91H0429	GPS	61 59 20	523.996	524.215	
		El	117.619			CVD28GVRD2018	711465	91H0435	GPS	110 36 48	209.165	209.252
							221580	80H3222	GPS	237 15 51	473.878	474.071
661249	98H2211	GPS	322 11 9	274.557	274.671							
554709	98H2213	E	511700.209	0.9995814	0.9999797	371260	91H0429	GPS	87 10 56	284.124	284.243	
		N	5460338.277			711465	91H0435	GPS	176 49 43	306.232	306.359	
		El	147.619			CVD28GVRD2018	970830	98H2212	GPS	217 36 41	293.024	293.145
							661249	98H2211	GPS	267 29 21	347.498	347.643
779546	98H2214	E	512093.090	0.9995750	0.9999732	158592	98H2215	GPS	60 48 53	258.847	258.958	
		N	5460620.358			706812	98H2216	GPS	94 19 19	480.670	480.876	
		El	189.362			CVD28GVRD2018	371260	91H0429	GPS	202 8 33	289.462	289.584
							661249	98H2211	GPS	248 6 46	797.531	797.867
426742	98H2210	GPS	266 41 26	1003.510	1003.933							
158592	98H2215	E	512319.076	0.9995711	0.9999692	797878	83H6622	GPS	80 26 47	1257.001	1257.542	
		N	5460746.581			706812	98H2216	GPS	122 40 16	300.929	301.058	
		El	214.862			CVD28GVRD2018	602268	91H0454	GPS	148 25 21	467.865	468.064
							371260	91H0429	GPS	220 21 22	517.479	517.699
							779546	98H2214	GPS	240 48 53	258.847	258.958
921874	77C107	GPS	282 9 8	7227.644	7230.631							
706812	98H2216	E	512572.393	0.9995724	0.9999705	602268	91H0454	GPS	182 1 3	236.289	236.389	
		N	5460584.134			711465	91H0435	GPS	237 10 43	1017.706	1018.134	
		El	206.710			CVD28GVRD2018	779546	98H2214	GPS	274 19 19	480.670	480.876
							158592	98H2215	GPS	302 40 16	300.929	301.058
348615	A32	E	510421.424	0.9996023	1.0000009	556530	80H3147	TERR	78 50 19	145.449	145.507	
		N	5458210.383			451526	80H3228	TERR	180 58 20	96.766	96.804	
		El	12.508			CVD28GVRD2018						

END OF REPORT