

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
96909	02H2430	E	529050.784	0.9996129	1.0000025		MARKER DESTROYED				
		N	5456334.675								
		El	2.159	CVD28GVRD2018							
742122	02H2434	E	541231.835	0.9996005	0.9999797	84103	02H2436	GPS	168 56 58	2809.520	2810.612
		N	5449660.052			575159	82H5753	GPS	184 35 11	5415.923	5418.028
		El	147.889	CVD28GVRD2018		488098	93H1078	GPS	217 32 11	4688.727	4690.555
						419036	91H9913	GPS	230 38 58	6473.001	6475.530
						654848	88H1395	GPS	239 35 15	4276.813	4278.517
						882266	88H4358	GPS	241 40 42	3752.025	3753.533
						924191	88H1387	GPS	271 19 7	7115.605	7118.442
						909333	NO MARKING	GPS	288 1 53	8021.608	8024.807
						546473	85H0764	GPS	289 49 56	7820.218	7823.337
						956524	85H0699	GPS	290 10 28	6100.788	6103.215
						747386	02H2442	GPS	292 28 23	3474.352	3475.749
						597328	02H2437	GPS	336 51 48	4007.595	4009.236
						737478	02H2435	GPS	352 30 21	1619.728	1620.379
737478	02H2435	E	541020.584	0.9995959	0.9999752	742122	02H2434	GPS	172 30 21	1619.728	1620.379
		N	5451265.945			488098	93H1078	GPS	206 25 21	5944.928	5947.260
		El	176.179	CVD28GVRD2018		904904	NO MARKING	GPS	232 39 50	20137.208	20145.239
						747386	02H2442	GPS	264 42 28	3012.097	3013.315
						956524	85H0699	GPS	275 9 40	5537.682	5539.898
						909333	NO MARKING	GPS	276 44 41	7468.077	7471.073
						863944	85H0742	GPS	288 40 21	7575.142	7578.182
						597328	02H2437	GPS	326 44 50	2486.515	2487.538
84103	02H2436	E	541770.355	0.9996226	1.0000012	575159	82H5753	GPS	200 11 48	2814.192	2815.255
		N	5446902.626			488098	93H1078	GPS	254 12 9	3528.463	3529.800
		El	10.609	CVD28GVRD2018		419036	91H9913	GPS	256 20 42	5705.235	5707.401
						375980	91H9898	GPS	262 41 14	8125.114	8128.211
						12260	92H0958	GPS	272 23 16	14353.244	14358.753
						654848	88H1395	GPS	277 58 42	4268.171	4269.824
						924191	88H1387	GPS	290 53 38	8190.853	8194.028
						852269	02H2439	GPS	297 6 25	11364.869	11369.249
						909333	NO MARKING	GPS	302 41 21	9703.001	9706.763
						742122	02H2434	GPS	348 56 58	2809.520	2810.612

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
1263	02H2438	E	533074.458	0.9996103	0.9999969	909333	NO MARKING	GPS	6 42 42	4532.504	4534.289				
		N	5447641.606			546473	85H0764	GPS	9 43 45	4739.758	4741.625				
		El	38.539			CVD28GVRD2018	873612	88H1364	GPS	26 30 14	1856.977	1857.708			
							654848	88H1395	GPS	91 52 42	4471.442	4473.202			
							552638	88H1363	GPS	92 8 9	4048.551	4050.148			
							375980	91H9898	GPS	160 14 36	1884.089	1884.818			
							662908	88H0918	GPS	233 52 55	7013.053	7015.806			
							124644	90H6429	GPS	247 39 1	3316.367	3317.657			
							793737	84H0030	GPS	296 53 48	1762.142	1762.826			
							645424	2839	GPS	296 58 53	3909.907	3911.428			
							90274	97H2168	GPS	326 5 35	3128.178	3129.392			
							852269	02H2439	GPS	342 15 19	4661.222	4663.046			
		852269	02H2439			E	531653.834	0.9996071	0.9999948	546473	85H0764	GPS	84 2 6	2233.694	2234.578
N	5452081.067			909333	NO MARKING	GPS	88 10 47			1951.343	1952.114				
El	51.836			CVD28GVRD2018	84103	02H2436	GPS			117 6 25	11364.869	11369.249			
					654848	88H1395	GPS			127 54 23	7464.570	7467.521			
					1263	02H2438	GPS			162 15 19	4661.222	4663.046			
					90274	97H2168	GPS			189 58 56	1871.581	1872.310			
					439612	85H0717	GPS			251 13 56	1684.896	1685.558			
					325373	84H0055	GPS			326 45 17	1879.399	1880.133			
					156018	02H2428	GPS			332 5 31	9122.778	9126.342			
					771543	02H2440	GPS			355 12 25	2608.056	2609.086			
747386	02H2442			E	538021.327	0.9995955	0.9999778			597328	02H2437	GPS	34 45 34	2869.191	2870.373
				N	5450988.118					737478	02H2435	GPS	84 42 28	3012.097	3013.315
				El	159.892					CVD28GVRD2018	742122	02H2434	GPS	112 28 23	3474.352
					654848			88H1395	GPS	187 47 22	3525.612	3527.026			
					472852			91H0282	GPS	188 26 47	6946.019	6948.750			
					225243			91H9887	GPS	227 42 0	10103.614	10107.627			
					873612			88H1364	GPS	247 45 4	4449.445	4451.228			
					924191			88H1387	GPS	253 23 25	4073.168	4074.802			
					909333			NO MARKING	GPS	284 39 10	4565.626	4567.458			
					956524			85H0699	GPS	287 8 27	2632.921	2633.975			
		768556	02H2449	E	527495.736			0.9996069	0.9999976	909333	NO MARKING	GPS	82 21 41	6163.147	6165.585
				N	5451323.812					439612	85H0717	GPS	85 12 3	2571.804	2572.816
				El	33.754					CVD28GVRD2018	645424	2839	GPS	132 20 17	2833.376
					12260	92H0958	GPS			180 59 29	3823.796	3825.292			
					81091	02H2496	GPS			208 52 11	1688.219	1688.879			
					306167	10H2568	GPS			222 29 2	14388.134	14393.816			
					1511	02H2456	GPS			245 12 20	3561.485	3562.881			
					875864	NO MARKING	GPS			281 17 54	34665.042	34678.855			
					91694	98SG042	GPS			284 20 9	3192.953	3194.205			
					105700	02H2458	GPS			308 21 31	5028.676	5030.647			
					57851	85H0637	GPS			325 56 33	3769.140	3770.615			
					801852	02H2460	GPS			337 1 49	7103.342	7106.125			

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
1511	02H2456	E	524262.558	0.9996094	1.0000021	91694	98SG042	GPS	3 29 55	2288.417	2289.311	
		N	5449830.248			768556	02H2449	GPS	65 12 20	3561.485	3562.881	
		El	5.228			CVD28GVRD2018	439612	85H0717	GPS	73 34 25	6042.597	6044.967
							909333	NO MARKING	GPS	76 5 40	9623.677	9627.473
							81091	02H2496	GPS	89 38 27	2418.123	2419.066
							645424	2839	GPS	94 27 4	5343.685	5345.766
							12260	92H0958	GPS	126 20 18	3931.576	3933.110
							904904	NO MARKING	GPS	176 2 5	10803.140	10807.372
							485250	93H1144	GPS	180 48 14	5840.372	5842.681
							10702	93H1153	GPS	181 39 31	9358.808	9362.479
							459750	5992	GPS	226 30 39	2321.855	2322.763
							334078	8640	GPS	229 23 8	4376.255	4377.980
							869792	NO MARKING	GPS	254 42 38	36282.344	36296.696
							898734	NO MARKING	GPS	265 53 10	14103.411	14109.075
			875864	NO MARKING	GPS	285 4 28	31856.299	31868.946				
			3525	02H2432	GPS	289 29 2	2608.523	2609.544				
			752220	02H2448	GPS	308 47 23	3834.980	3836.481				
			756155	02H2445	GPS	324 19 28	2843.853	2844.966				
			104521	02H2450	GPS	330 55 21	5516.127	5518.286				
420984	3552	E	534691.389	0.9996031	0.9999883	394049	85H0726	TERR	88 53 8	705.331	705.610	
		N	5452063.968			389411	3555	TERR	160 40 56	2346.304	2347.280	
		El	92.964			CVD28GVRD2018	577841	85H0737	TERR	268 31 33	408.500	408.662
							524371	3553	TERR	268 38 41	809.704	810.025
524371	3553	E	533881.912	0.9996030	0.9999889	420984	3552	TERR	88 38 41	809.704	810.025	
		N	5452044.817			577841	85H0737	TERR	88 45 57	401.205	401.364	
		El	89.223			CVD28GVRD2018	389411	3555	TERR	144 9 24	2707.868	2708.993
							748541	85H0735	TERR	269 50 19	537.429	537.643
							546473	85H0764	TERR	358 37 2	268.456	268.563
113480	80H1234	E	527491.759	0.9996114	1.0000021	664375	85H0660	TERR	90 38 55	237.046	237.138	
		N	5454472.816			70607	85H0759	TERR	181 41 54	217.583	217.668	
		El	4.702			CVD28GVRD2018						
207746	80H1235	E	529037.693	0.9996120	1.0000016	221267	85H0721	TERR	90 28 17	769.171	769.469	
		N	5454461.776			571901	85H0634	TERR	181 5 27	463.107	463.287	
		El	7.814			CVD28GVRD2018	526269	85H0661	TERR	270 18 6	464.185	464.366
603167	80H1236	E	529067.069	0.9996127	1.0000023	837807	84H0047	TERR	79 2 55	1519.293	1519.894	
		N	5456098.527									
		El	3.347			CVD28GVRD2018						

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
925040	84H0001	E	530640.956	0.9996068	0.9999953	418137	88H4357	TERR	179 49 44	378.375	378.523						
		N	5451636.466					533018				84H0052	TERR	359 58 44	403.712	403.871	
		El	48.602					CVD28GVRD2018									
83774	84H0002	E	529572.416	0.9996107	0.9999999	607523	84H9991	TERR	0 42 41	243.321	243.415						
		N	5453077.484					36806				84H9981	TERR	180 32 41	363.134	363.277	
		El	18.870					CVD28GVRD2018									
6908	84H0003	E	529827.915	0.9996120	1.0000011	MARKER ISOLATED											
		N	5453166.377														
		El	11.587			CVD28GVRD2018											
602557	84H0004	E	532279.422	0.9996080	0.9999952	MARKER DESTROYED											
		N	5451179.892														
		El	48.969			CVD28GVRD2018											
198192	84H0005	E	529832.101	0.9996070	0.9999961	274142	84H9966	TERR	89 21 39	95.915	95.953						
		N	5452513.890					674192				84H9975	TERR	359 19 27	200.456	200.534	
		El	43.237					CVD28GVRD2018									
397752	84H0006	E	532290.133	0.9996142	1.0000014	850487	87H3391	TERR	90 0 24	795.174	795.482						
		N	5448394.431					754721				84H0057	TERR	178 33 34	455.049	455.224	
		El	9.738					CVD28GVRD2018									
729749	84H0007	E	524986.457	0.9996099	1.0000022	828251	85H0665	TERR	1 9 14	234.718	234.809						
		N	5453122.943					324541				84H9992	TERR	90 27 47	135.362	135.414	
		El	4.272					344853				84H9988	TERR	180 4 35	451.188	451.365	
164699	84H0008	E	530784.705	0.9996107	0.9999991	267492	84H9987	TERR	9 49 21	240.069	240.163						
		N	5450527.855														
		El	24.283					CVD28GVRD2018									
651240	84H0009	E	530830.522	0.9996082	0.9999966	955005	97H2160	GPS	129 16 26	1343.795	1344.320						
		N	5451140.792					90274				97H2168	GPS	151 4 46	1031.627	1032.028	
		El	40.382					CVD28GVRD2018				267492	84H9987	TERR	180 44 24	376.418	376.565
												507582	84H0033	GPS	192 57 14	1053.097	1053.507

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
275446	84H0010	E	529823.873	0.9996120	1.0000011		MARKER DESTROYED				
		N	5453660.332								
		El	11.252	CVD28GVRD2018							
741686	84H0011	E	532289.687	0.9996130	1.0000002		MARKER DESTROYED				
		N	5448821.200								
		El	17.504	CVD28GVRD2018							
240184	84H0012	E	529288.602	0.9996073	0.9999968	876193	84H9990	TERR	90 39 11	276.420	276.528
		N	5452251.715			599712	84H0103	TERR	269 58 2	269.588	269.694
		El	39.032	CVD28GVRD2018							
393611	84H0013	E	532293.229	0.9996117	0.9999989		MARKER DESTROYED				
		N	5450428.363								
		El	25.275	CVD28GVRD2018							
971671	84H0014	E	529036.275	0.9996118	1.0000014		MARKER DESTROYED				
		N	5453291.080								
		El	9.407	CVD28GVRD2018							
247296	84H0015	E	530921.923	0.9996075	0.9999957		MARKER DESTROYED				
		N	5451323.156								
		El	45.769	CVD28GVRD2018							
38232	84H0016	E	525453.853	0.9996082	1.0000002	364570	93H1034	TERR	0 33 28	302.488	302.607
		N	5452367.732			288969	88H4335	TERR	180 46 40	345.098	345.233
		El	17.240	CVD28GVRD2018							
200444	84H0017	E	525407.783	0.9996083	1.0000003	313445	84H0063	TERR	89 46 41	225.927	226.016
		N	5450897.550			206458	84H0022	TERR	269 36 42	274.970	275.078
		El	16.518	CVD28GVRD2018							
769984	84H0018	E	530609.446	0.9996117	1.0000002		MARKER DESTROYED				
		N	5454101.539								
		El	17.050	CVD28GVRD2018							

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
742460	84H0019	E	525642.848	0.9996085	1.0000004	318865	84H0049	TERR	182 7 43	147.425	147.483		
		N	5451767.339					848655	88H4326	TERR	280 0 22	382.773	382.923
		El	15.769					CVD28GVRD2018	292987	84H0044	TERR	359 44 13	263.672
675611	84H0020	E	530155.381	0.9996124	1.0000012	507582	84H0033	TERR	117 28 25	494.883	495.074		
		N	5450342.806					539304	84H0032	TERR	301 6 47	347.550	347.685
		El	10.731					CVD28GVRD2018					
62331	84H0021	E	524982.824	0.9996095	1.0000018	113704	84H0040	TERR	325 6 12	200.859	200.938		
		N	5450908.282										
		El	7.037					CVD28GVRD2018					
206458	84H0022	E	525132.819	0.9996089	1.0000011	200444	84H0017	TERR	89 36 42	274.970	275.078		
		N	5450895.687										
		El	11.411					CVD28GVRD2018					
296749	84H0024	E	524409.276	0.9996098	1.0000025	790097	84H0028	TERR	125 6 39	309.377	309.497		
		N	5451532.126										
		El	2.698					CVD28GVRD2018					
104604	84H0025	E	531446.386	0.9996072	0.9999950			MARKER DESTROYED					
		N	5452047.169										
		El	50.162					CVD28GVRD2018					
295188	84H0026	E	529563.770	0.9996069	0.9999961	188995	84H0097	TERR	2 47 35	173.341	173.408		
		N	5451876.129										
		El	43.033					CVD28GVRD2018					
790097	84H0028	E	524662.359	0.9996097	1.0000022	113704	84H0040	TERR	143 49 47	348.287	348.423		
		N	5451354.185					296749	84H0024	TERR	305 6 39	309.377	309.497
		El	4.386					CVD28GVRD2018					
340604	84H0029	E	525451.061	0.9996082	1.0000003			MARKER DESTROYED					
		N	5452028.095										
		El	16.818					CVD28GVRD2018					

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
793737	84H0030	E	531502.937	0.9996143	1.0000022	909333	NO MARKING	GPS	29 33 51	4258.751	4260.419	
		N	5448438.768			924191	88H1387	GPS	62 5 37	2959.303	2960.462	
		El	4.811			CVD28GVRD2018	1263	02H2438	GPS	116 53 48	1762.142	1762.826
							774182	82H5811	GPS	131 38 39	11629.713	11634.227
							683128	84H0048	TERR	132 47 45	678.188	678.449
							375980	91H9898	GPS	139 19 53	3388.758	3390.063
							904904	NO MARKING	GPS	214 40 35	11412.981	11417.425
							124644	90H6429	GPS	216 0 22	2544.311	2545.296
							63446	5013	GPS	233 40 13	13069.916	13075.069
							645424	2839	GPS	297 3 2	2147.768	2148.599
84053	84H0031	E	532252.250	0.9996070	0.9999942	272690	84H0037	TERR	270 46 26	590.190	590.422	
		N	5452039.448			716969	88H0618	TERR	359 3 21	472.106	472.292	
		El	55.463		CVD28GVRD2018							
539304	84H0032	E	529857.826	0.9996126	1.0000017	675611	84H0020	TERR	121 6 47	347.550	347.685	
		N	5450522.395			778167	84H0050	TERR	305 7 59	305.224	305.342	
		El	7.925			CVD28GVRD2018						
507582	84H0033	E	530594.452	0.9996132	1.0000017	651240	84H0009	GPS	12 57 14	1053.097	1053.507	
		N	5450114.496			239871	97H2159	GPS	62 26 25	1001.510	1001.900	
		El	7.898			CVD28GVRD2018	90274	97H2168	GPS	80 28 29	745.236	745.524
							86942	84H0051	TERR	158 31 13	501.387	501.580
							675611	84H0020	TERR	297 28 25	494.883	495.074
							86157	85H0745	TERR	339 11 50	444.361	444.534
664490	84H0034	E	530955.081	0.9996139	1.0000021	613091	84H0053	TERR	151 41 25	547.791	548.002	
		N	5449278.858			86942	84H0051	TERR	334 22 27	409.337	409.496	
		El	4.957			CVD28GVRD2018						
947911	84H0035	E	529204.146	0.9996123	1.0000018	890012	84H0056	TERR	0 47 35	359.451	359.591	
		N	5450932.417			778167	84H0050	TERR	120 6 56	467.115	467.297	
		El	6.860			CVD28GVRD2018	623462	85H0740	TERR	298 16 30	249.716	249.812
651844	84H0036	E	529211.321	0.9996073	0.9999968	203547	84H0106	TERR	1 8 2	110.465	110.508	
		N	5451545.563									
		El	38.853		CVD28GVRD2018							

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
272690	84H0037	E	531662.114	0.9996072	0.9999949	84053	84H0031	TERR	90 46 26	590.190	590.422					
		N	5452047.420					286252				85H0662	TERR	359 3 30	370.109	370.255
		El	50.745					CVD28GVRD2018								
35246	84H0038	E	530628.267	0.9996117	1.0000002	142141	84H0065	TERR	178 52 15	496.325	496.519					
		N	5453343.645					325373				84H0055	TERR	359 7 4	309.261	309.380
		El	17.257					CVD28GVRD2018								
522102	84H0039	E	531251.336	0.9996073	0.9999953	533018	84H0052	TERR	269 26 21	610.557	610.798					
		N	5452046.153													
		El	48.440					CVD28GVRD2018								
113704	84H0040	E	524867.913	0.9996095	1.0000019	62331	84H0021	TERR	145 6 12	200.859	200.938					
		N	5451073.024					790097				84H0028	TERR	323 49 47	348.287	348.423
		El	6.825					176974				88H4329	TERR	359 35 12	591.711	591.942
227330	84H0041	E	532293.684	0.9996110	0.9999982	MARKER DESTROYED										
		N	5449292.782													
		El	29.939			CVD28GVRD2018										
223396	84H0043	E	524928.346	0.9996084	1.0000008	848655	88H4326	TERR	95 56 47	339.377	339.510					
		N	5451869.006					176974				88H4329	TERR	197 34 28	214.288	214.372
		El	13.704					972588				93H1037	TERR	295 17 20	576.804	577.030
292987	84H0044	E	525641.638	0.9996088	1.0000008	283358	93H1035	TERR	89 31 6	614.378	614.618					
		N	5452031.008					742460				84H0019	TERR	179 44 13	263.672	263.776
		El	13.801					288969				88H4335	TERR	267 31 6	192.650	192.725
509232	84H0045	E	530511.055	0.9996053	0.9999938	837807	84H0047	TERR	8 24 40	325.681	325.812					
		N	5456064.978					340513				84H0091	TERR	176 25 30	487.727	487.920
		El	57.486					CVD28GVRD2018								
339325	84H0046	E	525456.244	0.9996086	1.0000006	MARKER DESTROYED										
		N	5452671.809													
		El	14.819			CVD28GVRD2018										

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
837807	84H0047	E	530558.694	0.9995980	0.9999866	509232	84H0045	TERR	188 24 40	325.681	325.812						
		N	5456387.156					603167				80H1236	TERR	259 2 55	1519.293	1519.894	
		El	103.934					CVD28GVRD2018									
683128	84H0048	E	532000.577	0.9996145	1.0000019	754721	84H0057	TERR	97 17 13	303.447	303.565						
		N	5447978.015					793737				84H0030	TERR	312 47 45	678.188	678.449	
		El	6.539					CVD28GVRD2018									
318865	84H0049	E	525637.372	0.9996084	1.0000004	742460	84H0019	TERR	2 7 43	147.425	147.483						
		N	5451620.016					842476				84H0058	TERR	180 20 27	382.427	382.576	
		El	16.328					CVD28GVRD2018									
778167	84H0050	E	529608.208	0.9996116	1.0000008	539304	84H0032	TERR	125 7 59	305.224	305.342						
		N	5450698.044					947911				84H0035	TERR	300 6 56	467.115	467.297	
		El	13.343					CVD28GVRD2018									
86942	84H0051	E	530778.046	0.9996137	1.0000021	664490	84H0034	TERR	154 22 27	409.337	409.496						
		N	5449647.932					507582				84H0033	TERR	338 31 13	501.387	501.580	
		El	5.197					CVD28GVRD2018									
533018	84H0052	E	530640.808	0.9996075	0.9999960	522102	84H0039	TERR	89 26 21	610.557	610.798						
		N	5452040.178					925040				84H0001	TERR	179 58 44	403.712	403.871	
		El	43.950					CVD28GVRD2018				780148	84H0054	TERR	269 28 15	411.542	411.703
												365213	84H0061	TERR	359 46 23	522.634	522.839
613091	84H0053	E	531214.864	0.9996142	1.0000022	793737	84H0030	TERR	141 9 47	459.368	459.545						
		N	5448796.585					664490				84H0034	TERR	331 41 25	547.791	548.002	
		El	4.648					CVD28GVRD2018									
780148	84H0054	E	530229.284	0.9996062	0.9999949	533018	84H0052	TERR	89 28 15	411.542	411.703						
		N	5452036.378					962613				84H0096	TERR	272 0 8	402.255	402.413	
		El	50.801					CVD28GVRD2018									

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
325373	84H0055	E	530623.505	0.9996115	1.0000000	771543	02H2440	GPS	38 20 31	1309.580	1310.095	
		N	5453652.869			909333	NO MARKING	GPS	116 51 50	3341.266	3342.580	
		El	18.359			CVD28GVRD2018	852269	02H2439	GPS	146 45 17	1879.399	1880.133
							35246	84H0038	TERR	179 7 4	309.261	309.380
							439612	85H0717	GPS	194 57 50	2188.087	2188.942
							904904	NO MARKING	GPS	201 1 57	15642.012	15648.123
							869792	NO MARKING	GPS	252 3 38	43472.646	43489.814
							898734	NO MARKING	GPS	256 41 8	20992.273	21000.684
							11825	84H9996	TERR	270 43 35	423.180	423.344
							875864	NO MARKING	GPS	276 51 17	37388.277	37403.099
890012	84H0056	E	529209.121	0.9996103	0.9999999	947911	84H0035	TERR	180 47 35	359.451	359.591	
		N	5451291.834									
		El	19.411			CVD28GVRD2018						
754721	84H0057	E	532301.573	0.9996138	1.0000010	683128	84H0048	TERR	277 17 13	303.447	303.565	
		N	5447939.526			397752	84H0006	TERR	358 33 34	455.049	455.224	
		El	12.105			CVD28GVRD2018						
842476	84H0058	E	525635.098	0.9996082	1.0000002	318865	84H0049	TERR	0 20 27	382.427	382.576	
		N	5451237.596			760785	88H0623	TERR	105 16 20	529.243	529.451	
		El	17.611			CVD28GVRD2018	313445	84H0063	TERR	180 14 5	339.174	339.307
217851	84H0059	E	524872.328	0.9996088	1.0000012		MARKER DESTROYED					
		N	5451670.223									
		El	11.154	CVD28GVRD2018								
496315	84H0060	E	530591.007	0.9996121	1.0000006	682120	84H0062	TERR	357 18 25	699.462	699.735	
		N	5454446.723									
		El	14.705			CVD28GVRD2018						
365213	84H0061	E	530638.739	0.9996085	0.9999970	533018	84H0052	TERR	179 46 23	522.634	522.839	
		N	5452562.808			142141	84H0065	TERR	359 51 40	284.609	284.720	
		El	37.652			CVD28GVRD2018						
682120	84H0062	E	530558.144	0.9996082	0.9999967	496315	84H0060	TERR	177 18 25	699.462	699.735	
		N	5455145.413			340513	84H0091	TERR	357 47 36	433.108	433.278	
		El	39.182			CVD28GVRD2018						

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
313445	84H0063	E	525633.708	0.9996081	1.0000000	842476	84H0058	TERR	0 14 5	339.174	339.307		
		N	5450898.425					895169	88H4332	TERR	179 33 47	280.168	280.278
		El	18.604					CVD28GVRD2018	138792	85H0639	TERR	180 1 27	280.589
						200444	84H0017	TERR	269 46 41	225.927	226.016		
705319	84H0064	E	524998.390	0.9996081	1.0000004	881615	88H1302	TERR	91 2 29	276.261	276.369		
		N	5452129.138					871467	88H4331	TERR	272 10 5	176.423	176.492
		El	15.947					CVD28GVRD2018	344853	84H9988	TERR	358 40 36	542.762
142141	84H0065	E	530638.049	0.9996097	0.9999982	172056	85H0631	TERR	89 48 4	374.978	375.124		
		N	5452847.416					365213	84H0061	TERR	179 51 40	284.609	284.720
		El	30.115					CVD28GVRD2018	35246	84H0038	TERR	358 52 15	496.325
261677	84H0067	E	528366.747	0.9996114	1.0000015	906552	84H0076	TERR	111 5 45	196.257	196.334		
		N	5451287.376					360750	84H0107	TERR	318 51 52	58.430	58.453
		El	9.013					CVD28GVRD2018					
373746	84H0073	E	541130.973	0.9995942	0.9999734	414045	88H1396	TERR	179 52 6	410.373	410.540		
		N	5451085.094										
		El	187.649					CVD28GVRD2018					
906552	84H0076	E	528549.851	0.9996119	1.0000019	261677	84H0067	TERR	291 5 45	196.257	196.334		
		N	5451216.737										
		El	6.689					CVD28GVRD2018					
252130	84H0078	E	528550.184	0.9996108	1.0000008	990432	84H0109	TERR	263 56 49	80.799	80.830		
		N	5451359.364										
		El	13.237					CVD28GVRD2018					
246868	84H0079	E	527954.455	0.9996075	0.9999979			MARKER DESTROYED					
		N	5452459.969										
		El	32.182					CVD28GVRD2018					
670208	84H0080	E	541130.819	0.9995953	0.9999745	141804	88H1358	TERR	0 55 27	404.249	404.412		
		N	5451268.680										
		El	180.841					CVD28GVRD2018					

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
986166	84H0081	E	540640.719	0.9996004	0.9999801	409953	85H0697	TERR	90 0 47	310.320	310.445		
		N	5449658.328					626358	88H1365	TERR	196 45 8	130.079	130.130
		El	145.068					CVD28GVRD2018	953190	88H1392	TERR	338 47 57	242.304
761239	84H0084	E	526656.840	0.9996066	0.9999979	843789	85H0741	TERR	90 47 32	151.389	151.448		
		N	5452362.779					213710	84H0087	TERR	269 17 11	152.167	152.226
		El	31.958					CVD28GVRD2018					
41954	84H0086	E	525292.002	0.9996082	1.0000004								
		N	5451828.593										
		El	16.333	CVD28GVRD2018									
213710	84H0087	E	526504.685	0.9996073	0.9999987	761239	84H0084	TERR	89 17 11	152.167	152.226		
		N	5452360.884					210815	85H0640	TERR	269 3 56	255.815	255.916
		El	26.933					CVD28GVRD2018					
340513	84H0091	E	530541.468	0.9996039	0.9999924	682120	84H0062	TERR	177 47 36	433.108	433.278		
		N	5455578.200					509232	84H0045	TERR	356 25 30	487.727	487.920
		El	66.514					CVD28GVRD2018					
775825	84H0092	E	529020.022	0.9996082	0.9999978	742205	84H9971	TERR	2 51 26	225.479	225.567		
		N	5452622.983										
		El	32.262					CVD28GVRD2018					
997205	84H0093	E	527951.578	0.9996081	0.9999985	294777	84H9997	TERR	90 39 6	287.681	287.793		
		N	5452853.784					102384	84H9993	TERR	270 0 19	474.414	474.600
		El	27.898					CVD28GVRD2018					
314716	84H0095	E	529009.806	0.9996073	0.9999970								
		N	5452031.229										
		El	37.852	CVD28GVRD2018									
962613	84H0096	E	529827.275	0.9996066	0.9999957	780148	84H0054	TERR	92 0 8	402.255	402.413		
		N	5452050.433					624148	88H4359	TERR	178 1 43	503.431	503.629
		El	46.118					CVD28GVRD2018	188995	84H0097	TERR	269 44 15	255.061

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
188995	84H0097	E	529572.217	0.9996070	0.9999962	962613	84H0096	TERR	89 44 15	255.061	255.161		
		N	5452049.264					295188	84H0026	TERR	182 47 35	173.341	173.408
		El	42.454					CVD28GVRD2018	876193	84H9990	TERR	357 55 38	199.431
406488	84H0100	E	531191.639	0.9996075	0.9999955	570804	88H4339	TERR	190 15 24	119.353	119.401		
		N	5451833.427										
		El	46.946					CVD28GVRD2018					
599712	84H0103	E	529019.014	0.9996074	0.9999971	892588	84H9969	TERR	1 56 32	193.853	193.929		
		N	5452251.561					240184	84H0012	TERR	89 58 2	269.588	269.694
		El	37.262					CVD28GVRD2018					
203547	84H0106	E	529213.507	0.9996072	0.9999967	871731	88H4328	TERR	86 44 23	337.721	337.853		
		N	5451656.006					651844	84H0036	TERR	181 8 2	110.465	110.508
		El	39.520					CVD28GVRD2018					
360750	84H0107	E	528328.309	0.9996112	1.0000013	261677	84H0067	TERR	138 51 52	58.430	58.453		
		N	5451331.383										
		El	9.967					CVD28GVRD2018					
990432	84H0109	E	528469.836	0.9996111	1.0000011	252130	84H0078	TERR	83 56 49	80.799	80.830		
		N	5451350.844										
		El	11.331					CVD28GVRD2018					
832816	84H0110	E	526803.496	0.9996067	0.9999979	958207	85H0663	TERR	0 43 32	470.440	470.624		
		N	5452851.415					164756	84H9977	TERR	89 53 59	283.460	283.572
		El	31.831					CVD28GVRD2018					
788570	84H0111	E	525274.325	0.9996095	1.0000016			MARKER DESTROYED					
		N	5450546.646										
		El	8.443					CVD28GVRD2018					
679860	84H0116	E	529925.613	0.9996068	0.9999958	274142	84H9966	TERR	0 58 4	141.919	141.975		
		N	5452373.061					29314	84H9994	TERR	89 22 28	298.226	298.343
		El	45.285					CVD28GVRD2018					

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
161596	84H9965	E	530648.258	0.9996092	0.9999977		MARKER DESTROYED				
		N	5450885.177								
		El	33.407	CVD28GVRD2018							
274142	84H9966	E	529928.010	0.9996073	0.9999963	679860	84H0116	TERR	180 58 4	141.919	141.975
		N	5452514.960			198192	84H0005	TERR	269 21 39	95.915	95.953
		El	41.979	CVD28GVRD2018							
187104	84H9967	E	529579.780	0.9996121	1.0000013	188458	84H9982	TERR	181 1 34	222.192	222.277
		N	5453658.048								
		El	9.782	CVD28GVRD2018							
163600	84H9968	E	526251.006	0.9996080	0.9999995		MARKER DESTROYED				
		N	5452675.315								
		El	21.536	CVD28GVRD2018							
892588	84H9969	E	529025.584	0.9996079	0.9999975	599712	84H0103	TERR	181 56 32	193.853	193.929
		N	5452445.303			842948	84H9986	TERR	270 24 57	407.617	407.776
		El	34.178	CVD28GVRD2018							
562553	84H9970	E	528713.883	0.9996100	0.9999999	742205	84H9971	TERR	90 15 53	317.382	317.506
		N	5452849.648			294777	84H9997	TERR	270 6 15	474.644	474.830
		El	18.961	CVD28GVRD2018							
742205	84H9971	E	529031.262	0.9996102	0.9999998	775825	84H0092	TERR	182 51 26	225.479	225.567
		N	5452848.182			562553	84H9970	TERR	270 15 53	317.382	317.506
		El	19.401	CVD28GVRD2018		814442	95H1867	TERR	359 56 57	402.791	402.948
453720	84H9972	E	532289.120	0.9996090	0.9999962		MARKER DESTROYED				
		N	5450721.365								
		El	42.751	CVD28GVRD2018							
632364	84H9973	E	525670.570	0.9996096	1.0000016	594390	84H9976	TERR	271 8 55	306.701	306.820
		N	5453149.708								
		El	8.634	CVD28GVRD2018							

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
4655	84H9974	E	532265.482	0.9996070	0.9999942		MARKER DESTROYED				
		N	5451639.217								
		El	55.192	CVD28GVRD2018							
674192	84H9975	E	529829.737	0.9996080	0.9999970	198192	84H0005	TERR	179 19 27	200.456	200.534
		N	5452714.332			36806	84H9981	TERR	270 0 27	260.773	260.875
		El	37.414	CVD28GVRD2018							
594390	84H9976	E	525363.931	0.9996096	1.0000017	632364	84H9973	TERR	91 8 55	306.701	306.820
		N	5453155.856								
		El	7.579	CVD28GVRD2018							
164756	84H9977	E	527086.956	0.9996067	0.9999977	102384	84H9993	TERR	89 43 7	390.213	390.366
		N	5452851.911			832816	84H0110	TERR	269 53 59	283.460	283.572
		El	33.384	CVD28GVRD2018							
783944	84H9978	E	526808.188	0.9996064	0.9999976		MARKER DESTROYED				
		N	5452681.898								
		El	33.937	CVD28GVRD2018							
930883	84H9979	E	529566.705	0.9996077	0.9999970	36806	84H9981	TERR	0 44 27	174.718	174.786
		N	5452539.663			876193	84H9990	TERR	180 20 5	291.104	291.218
		El	37.840	CVD28GVRD2018							
5330	84H9980	E	525854.636	0.9996086	1.0000003	364570	93H1034	TERR	270 17 48	397.843	397.999
		N	5452668.147								
		El	16.342	CVD28GVRD2018							
36806	84H9981	E	529568.964	0.9996082	0.9999975	83774	84H0002	TERR	0 32 41	363.134	363.277
		N	5452714.366			674192	84H9975	TERR	90 0 27	260.773	260.875
		El	34.465	CVD28GVRD2018		930883	84H9979	TERR	180 44 27	174.718	174.786
188458	84H9982	E	529575.801	0.9996121	1.0000014	187104	84H9967	TERR	1 1 34	222.192	222.277
		N	5453435.892			607523	84H9991	TERR	180 10 52	115.107	115.151
		El	9.608	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
388579	84H9983	E	525807.045	0.9996093	1.0000011	26153	84H9989	TERR	178 39 21	262.246	262.349
		N	5453105.998								
		El	11.303	CVD28GVRD2018							
749390	84H9984	E	530645.202	0.9996104	0.9999989		MARKER DESTROYED				
		N	5450669.825								
		El	25.519	CVD28GVRD2018							
41517	84H9985	E	530641.987	0.9996073	0.9999957		MARKER DESTROYED				
		N	5451258.127								
		El	45.555	1928 Canadian Vertical Datum							
842948	84H9986	E	528617.978	0.9996079	0.9999978	892588	84H9969	TERR	90 24 57	407.617	407.776
		N	5452448.261			464701	85H0626	TERR	270 39 24	334.200	334.332
		El	32.213	CVD28GVRD2018							
267492	84H9987	E	530825.660	0.9996097	0.9999980	651240	84H0009	TERR	0 44 24	376.418	376.565
		N	5450764.405			164699	84H0008	TERR	189 49 21	240.069	240.163
		El	31.064	CVD28GVRD2018							
344853	84H9988	E	524985.855	0.9996088	1.0000011	729749	84H0007	TERR	0 4 35	451.188	451.365
		N	5452671.755			364570	93H1034	TERR	90 11 18	470.946	471.130
		El	11.435	CVD28GVRD2018		705319	84H0064	TERR	178 40 36	542.762	542.974
26153	84H9989	E	525813.197	0.9996086	1.0000004	388579	84H9983	TERR	358 39 21	262.246	262.349
		N	5452843.824								
		El	15.853	CVD28GVRD2018							
876193	84H9990	E	529565.004	0.9996072	0.9999965	930883	84H9979	TERR	0 20 5	291.104	291.218
		N	5452248.564			188995	84H0097	TERR	177 55 38	199.431	199.510
		El	40.704	CVD28GVRD2018		240184	84H0012	TERR	270 39 11	276.420	276.528
607523	84H9991	E	529575.437	0.9996121	1.0000014	188458	84H9982	TERR	0 10 52	115.107	115.151
		N	5453320.786			83774	84H0002	TERR	180 42 41	243.321	243.415
		El	9.744	CVD28GVRD2018							

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
324541	84H9992	E	525121.815	0.9996099	1.0000022	729749	84H0007	TERR	270 27 47	135.362	135.414
		N	5453121.849								
		El	4.765	CVD28GVRD2018							
102384	84H9993	E	527477.164	0.9996071	0.9999978	997205	84H0093	TERR	90 0 19	474.414	474.600
		N	5452853.828			315051	85H0653	TERR	180 27 54	351.839	351.977
		El	32.268	CVD28GVRD2018		164756	84H9977	TERR	269 43 7	390.213	390.366
29314	84H9994	E	530223.821	0.9996075	0.9999963	679860	84H0116	TERR	269 22 28	298.226	298.343
		N	5452376.317								
		El	41.890	CVD28GVRD2018							
442517	84H9995	E	532295.166	0.9996132	1.0000004		MARKER DESTROYED				
		N	5449947.941								
		El	16.218	CVD28GVRD2018							
11825	84H9996	E	530200.359	0.9996118	1.0000006	325373	84H0055	TERR	90 43 35	423.180	423.344
		N	5453658.233								
		El	14.585	CVD28GVRD2018							
294777	84H9997	E	528239.240	0.9996083	0.9999985	562553	84H9970	TERR	90 6 15	474.644	474.830
		N	5452850.512			997205	84H0093	TERR	270 39 6	287.681	287.793
		El	27.958	CVD28GVRD2018							
318931	84H9998	E	532293.408	0.9996143	1.0000015	757260	88H1376	TERR	268 36 18	135.143	135.196
		N	5449746.216								
		El	8.775	CVD28GVRD2018							
359075	85H0624	E	525021.187	0.9996103	1.0000026	968867	88H0619	TERR	2 55 42	528.924	529.130
		N	5453916.877			828251	85H0665	TERR	183 4 15	560.068	560.287
		El	1.985	CVD28GVRD2018							
197475	85H0625	E	526148.759	0.9996081	0.9999997	224733	85H0738	TERR	90 33 20	235.913	236.005
		N	5451370.278			760785	88H0623	TERR	180 39 16	272.106	272.212
		El	20.465	CVD28GVRD2018							

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
464701	85H0626	E	528283.800	0.9996074	0.9999976	842948	84H9986	TERR	90 39 24	334.200	334.332
		N	5452452.091								
		El	33.972	CVD28GVRD2018							
719195	85H0627	E	535080.330	0.9996040	0.9999888	742064	85H0636	TERR	92 49 32	339.239	339.374
		N	5453101.931			312165	85H0644	TERR	182 39 46	209.585	209.669
		El	89.386	CVD28GVRD2018							
711747	85H0628	E	526282.888	0.9996111	1.0000026	474304	85H0652	TERR	359 12 20	353.644	353.782
		N	5454096.383								
		El	1.858	CVD28GVRD2018							
479733	85H0629	E	534690.232	0.9996036	0.9999888	340547	88H0620	TERR	359 56 5	325.867	325.996
		N	5452583.714								
		El	89.535	CVD28GVRD2018							
609818	85H0630	E	529966.805	0.9996071	0.9999961	866186	88H4351	TERR	2 4 47	187.881	187.955
		N	5451211.614			729970	88H4333	TERR	187 14 29	183.834	183.907
		El	43.416	CVD28GVRD2018							
172056	85H0631	E	531013.025	0.9996094	0.9999976	578757	85H0643	TERR	89 51 3	379.061	379.210
		N	5452848.717			142141	84H0065	TERR	269 48 4	374.978	375.124
		El	33.940	CVD28GVRD2018							
33191	85H0632	E	524895.969	0.9996100	1.0000024	149328	88H0617	TERR	144 10 18	185.528	185.600
		N	5450513.773								
		El	3.667	CVD28GVRD2018							
93203	85H0633	E	532346.909	0.9996068	0.9999939		MARKER ISOLATED				
		N	5452859.811								
		El	56.974	CVD28GVRD2018							
571901	85H0634	E	529028.877	0.9996122	1.0000019	207746	80H1235	TERR	1 5 27	463.107	463.287
		N	5453998.753			586529	95H1866	TERR	177 55 11	383.836	383.985
		El	6.534	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
395459	85H0635	E	527479.004	0.9996093	1.0000000	597328	02H2437	GPS	89 21 59	12178.881	12183.815					
		N	5453210.624					909333	NO MARKING			GPS	99 53 13	6217.528	6219.979	
		El	18.324					CVD28GVRD2018	124644			90H6429	GPS	159 41 15	7282.993	7285.830
									2949			13H2690	GPS	238 17 37	11480.189	11484.702
									898734			NO MARKING	GPS	255 44 29	17832.867	17840.030
					479550	14H2741	GPS	289 19 44	11671.036	11675.627						
742064	85H0636	E	535419.157	0.9996030	0.9999876	719195	85H0627	TERR	272 49 32	339.239	339.374					
		N	5453085.208													
		El	97.346					CVD28GVRD2018								
57851	85H0637	E	525384.931	0.9996106	1.0000026	149518	02H2459	GPS	4 43 45	5690.854	5693.070					
		N	5454446.458					156018	02H2428			GPS	19 20 12	6036.945	6039.293	
		El	1.640					CVD28GVRD2018	387381			85H0645	TERR	89 32 18	473.101	473.285
									439612			85H0717	GPS	121 53 10	5504.169	5506.324
									768556			02H2449	GPS	145 56 33	3769.140	3770.615
									91694			98SG042	GPS	202 51 2	2530.660	2531.648
									968867			88H0619	TERR	269 46 14	336.725	336.856
									105700			02H2458	GPS	269 56 21	1832.394	1833.109
									677393			02H2431	GPS	335 45 39	1774.777	1775.468
									801852			02H2460	GPS	349 2 58	3480.863	3482.220
595579	85H0638	E	525182.823	0.9996092	1.0000014		MARKER DESTROYED									
		N	5450710.808													
		El	9.485	CVD28GVRD2018												
138792	85H0639	E	525633.589	0.9996081	1.0000000	313445	84H0063	TERR	0 1 27	280.589	280.699					
		N	5450617.836					113514	85H0666			TERR	180 30 32	173.581	173.649	
		El	18.662					CVD28GVRD2018								
210815	85H0640	E	526248.904	0.9996081	0.9999996	213710	84H0087	TERR	89 3 56	255.815	255.916					
		N	5452356.712					283358	93H1035			TERR	178 43 58	320.617	320.743	
		El	20.897					CVD28GVRD2018								
592683	85H0641	E	531650.269	0.9996065	0.9999942	286252	85H0662	TERR	178 45 43	266.681	266.786					
		N	5452684.098													
		El	55.109	CVD28GVRD2018												
876011	85H0642	E	529038.387	0.9996117	1.0000014		MARKER DESTROYED									
		N	5453627.846													
		El	9.753	CVD28GVRD2018												

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
578757	85H0643	E	531392.085	0.9996091	0.9999970	172056	85H0631	TERR	269 51 3	379.061	379.210
		N	5452849.704								
		El	37.240	CVD28GVRD2018							
312165	85H0644	E	535070.593	0.9996041	0.9999890	719195	85H0627	TERR	2 39 46	209.585	209.669
		N	5452892.572			340547	88H0620	TERR	272 33 29	381.112	381.262
		El	88.246	CVD28GVRD2018							
387381	85H0645	E	525858.017	0.9996108	1.0000026	474304	85H0652	TERR	90 2 16	419.967	420.131
		N	5454450.269			909333	NO MARKING	GPS	106 35 11	8082.481	8085.663
		El	1.807	CVD28GVRD2018		904904	NO MARKING	GPS	183 9 14	15420.653	15426.682
						869792	NO MARKING	GPS	248 48 31	39247.653	39263.149
						57851	85H0637	TERR	269 32 18	473.101	473.285
						365049	79H9652	GPS	285 26 21	19026.910	19034.437
801332	85H0646	E	527980.508	0.9996117	1.0000021	526269	85H0661	TERR	90 22 7	593.018	593.248
		N	5454468.035			664375	85H0660	TERR	270 28 39	251.727	251.825
		El	5.195	CVD28GVRD2018							
463000	85H0647	E	526285.773	0.9996109	1.0000025		MARKER DESTROYED				
		N	5453651.129								
		El	2.859	CVD28GVRD2018							
957209	85H0648	E	528025.304	0.9996112	1.0000015	104273	88H1300	TERR	90 8 7	423.410	423.575
		N	5453660.049								
		El	8.753	CVD28GVRD2018							
63776	85H0649	E	526809.709	0.9996108	1.0000020		MARKER DESTROYED				
		N	5453655.307								
		El	5.838	CVD28GVRD2018							
928366	85H0650	E	529926.126	0.9996093	0.9999983		MARKER DESTROYED				
		N	5450866.715								
		El	29.621	CVD28GVRD2018							
268615	85H0651	E	532822.388	0.9996047	0.9999914		MARKER ISOLATED				
		N	5452862.843								
		El	73.007	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
474304	85H0652	E	526277.984	0.9996110	1.0000025	711747	85H0628	TERR	179 12 20	353.644	353.782		
		N	5454449.993					387381	85H0645	TERR	270 2 16	419.967	420.131
		El	2.215					CVD28GVRD2018					
315051	85H0653	E	527474.308	0.9996067	0.9999975	102384	84H9993	TERR	0 27 54	351.839	351.977		
		N	5452502.001										
		El	34.688					CVD28GVRD2018					
410258	85H0654	E	533048.921	0.9996033	0.9999899	936880	85H0656	TERR	178 55 36	443.704	443.880		
		N	5452868.244										
		El	82.951					CVD28GVRD2018					
541367	85H0655	E	534281.995	0.9996029	0.9999885	577841	85H0737	TERR	179 46 47	267.766	267.872		
		N	5452321.223					546473	85H0764	TERR	268 52 8	406.640	406.802
		El	91.719					CVD28GVRD2018					
936880	85H0656	E	533057.233	0.9996037	0.9999903	561084	85H0755	TERR	178 55 14	380.212	380.362		
		N	5452424.618					410258	85H0654	TERR	358 55 36	443.704	443.880
		El	80.229					CVD28GVRD2018					
725473	85H0658	E	526447.360	0.9996077	0.9999991	990770	85H0728	TERR	74 36 6	370.900	371.046		
		N	5451106.412										
		El	24.156					CVD28GVRD2018					
664375	85H0660	E	527728.790	0.9996116	1.0000021	801332	85H0646	TERR	90 28 39	251.727	251.825		
		N	5454470.133					113480	80H1234	TERR	270 38 55	237.046	237.138
		El	4.789					CVD28GVRD2018					
526269	85H0661	E	528573.514	0.9996122	1.0000022	207746	80H1235	TERR	90 18 6	464.185	464.366		
		N	5454464.219					801332	85H0646	TERR	270 22 7	593.018	593.248
		El	4.472					CVD28GVRD2018					
286252	85H0662	E	531656.031	0.9996061	0.9999938	272690	84H0037	TERR	179 3 30	370.109	370.255		
		N	5452417.479					592683	85H0641	TERR	358 45 43	266.681	266.786
		El	58.025					CVD28GVRD2018					

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
958207	85H0663	E	526809.453	0.9996099	1.0000011	832816	84H0110	TERR	180 43 32	470.440	470.624
		N	5453321.817								
		El	11.627	CVD28GVRD2018							
97469	85H0664	E	530234.927	0.9996060	0.9999947	570	85H0720	TERR	180 13 27	359.166	359.307
		N	5451888.474								
		El	51.939	CVD28GVRD2018							
828251	85H0665	E	524991.184	0.9996101	1.0000024	359075	85H0624	TERR	3 4 15	560.068	560.287
		N	5453357.613			729749	84H0007	TERR	181 9 14	234.718	234.809
		El	3.030	CVD28GVRD2018							
113514	85H0666	E	525632.047	0.9996086	1.0000005	138792	85H0639	TERR	0 30 32	173.581	173.649
		N	5450444.262								
		El	15.280	CVD28GVRD2018							
346494	85H0667	E	535761.088	0.9996035	0.9999878	362160	85H0684	TERR	273 33 12	586.419	586.652
		N	5450741.087								
		El	95.926	CVD28GVRD2018							
748160	85H0668	E	535028.345	0.9996036	0.9999885	362160	85H0684	TERR	93 20 56	147.703	147.762
		N	5450786.060			726984	85H0716	TERR	249 59 56	363.916	364.060
		El	91.807	CVD28GVRD2018							
918896	85H0669	E	539187.227	0.9995951	0.9999762	200162	85H0682	TERR	247 56 7	260.686	260.792
		N	5451593.300								
		El	169.717	CVD28GVRD2018							
778308	85H0670	E	539419.770	0.9995935	0.9999744	554824	85H0686	TERR	89 40 1	792.988	793.310
		N	5450457.061			904151	88H1274	TERR	269 52 3	701.653	701.938
		El	181.631	CVD28GVRD2018							
22491	85H0671	E	538560.529	0.9996036	0.9999854	218636	85H0714	TERR	88 57 12	173.551	173.619
		N	5447879.925								
		El	111.633	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
98863	85H0672	E	536103.027	0.9996040	0.9999879	704429	85H0688	TERR	90 35 42	326.934	327.064				
		N	5452075.297					85H0751				TERR	270 24 59	605.926	606.165
		El	94.993					1928 Canadian Vertical Datum							
934075	85H0673	E	538731.296	0.9996061	0.9999877	306142	95H2037	TERR	359 49 58	708.785	709.065				
		N	5448216.731												
		El	96.810					CVD28GVRD2018							
564021	85H0674	E	536662.776	0.9995992	0.9999827	741728	85H0691	TERR	88 50 31	352.893	353.034				
		N	5447627.075					85H0701				TERR	269 27 18	612.234	612.479
		El	128.611					CVD28GVRD2018							
644765	85H0675	E	537718.953	0.9995923	0.9999748	556001	85H0685	TERR	269 47 28	603.626	603.872				
		N	5448038.115												
		El	179.265					CVD28GVRD2018							
997577	85H0676	E	540331.916	0.9996072	0.9999872	209023	88H1379	TERR	2 34 47	172.636	172.704				
		N	5448746.890					85H0700				TERR	179 20 46	362.968	363.110
		El	99.982					CVD28GVRD2018							
147827	85H0677	E	534636.621	0.9996010	0.9999862	504589	85H0696	TERR	89 28 37	494.344	494.541				
		N	5448013.922					85H0713				TERR	270 14 44	732.680	732.972
		El	106.227					CVD28GVRD2018							
516633	85H0678	E	538724.240	0.9996005	0.9999820		MARKER DESTROYED								
		N	5449297.649												
		El	132.864	CVD28GVRD2018											
812479	85H0679	E	540470.308	0.9995954	0.9999753	554824	85H0686	TERR	269 38 55	257.568	257.672				
		N	5450463.249												
		El	175.862					CVD28GVRD2018							
510388	85H0680	E	533480.047	0.9996067	0.9999929	605535	85H0687	TERR	159 4 16	327.911	328.040				
		N	5448350.353												
		El	63.658					CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
827964	85H0681	E	535508.631	0.9996053	0.9999898		MARKER ISOLATED				
		N	5451213.297								
		El	83.107	CVD28GVRD2018							
200162	85H0682	E	538945.634	0.9995953	0.9999767	918896	85H0669	TERR	67 56 7	260.686	260.792
		N	5451495.372								
		El	166.819	CVD28GVRD2018							
625590	85H0683	E	538719.158	0.9995955	0.9999771		MARKER ISOLATED				
		N	5451271.083								
		El	164.403	CVD28GVRD2018							
362160	85H0684	E	535175.796	0.9996023	0.9999871	346494	85H0667	TERR	93 33 12	586.419	586.652
		N	5450777.432			748160	85H0668	TERR	273 20 56	147.703	147.762
		El	100.406	CVD28GVRD2018							
556001	85H0685	E	537115.331	0.9995927	0.9999758	644765	85H0675	TERR	89 47 28	603.626	603.872
		N	5448035.914			526558	88H1397	TERR	269 32 57	429.138	429.313
		El	172.975	CVD28GVRD2018							
554824	85H0686	E	540212.745	0.9995954	0.9999755	812479	85H0679	TERR	89 38 55	257.568	257.672
		N	5450461.669			778308	85H0670	TERR	269 40 1	792.988	793.310
		El	174.193	CVD28GVRD2018							
605535	85H0687	E	533597.179	0.9996058	0.9999919	510388	85H0680	TERR	339 4 16	327.911	328.040
		N	5448044.076								
		El	70.235	CVD28GVRD2018							
704429	85H0688	E	536429.943	0.9996007	0.9999844	724328	85H0689	TERR	91 31 51	730.139	730.432
		N	5452071.902			98863	85H0672	TERR	270 35 42	326.934	327.064
		El	117.439	CVD28GVRD2018							
724328	85H0689	E	537159.821	0.9995982	0.9999812	548099	87H3400	TERR	89 44 43	726.432	726.726
		N	5452052.397			704429	85H0688	TERR	271 31 51	730.139	730.432
		El	137.776	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
117655	85H0690	E	538720.070	0.9995951	0.9999767		MARKER DESTROYED				
		N	5450192.573								
		El	166.661	CVD28GVRD2018							
741728	85H0691	E	537015.597	0.9995997	0.9999829	564021	85H0674	TERR	268 50 31	352.893	353.034
		N	5447634.208								
		El	127.605	CVD28GVRD2018							
755249	85H0692	E	538724.435	0.9996028	0.9999844		MARKER DESTROYED				
		N	5448943.635								
		El	117.925	CVD28GVRD2018							
827113	85H0693	E	540735.833	0.9995961	0.9999757	533281	88H1368	TERR	30 40 26	315.974	316.101
		N	5450835.803			573949	85H0698	TERR	201 43 47	276.337	276.449
		El	172.875	CVD28GVRD2018							
310912	85H0694	E	538441.207	0.9996002	0.9999820		MARKER DESTROYED				
		N	5447879.000								
		El	132.946	CVD28GVRD2018							
275172	85H0695	E	538723.779	0.9995999	0.9999815		MARKER DESTROYED				
		N	5449453.829								
		El	136.208	CVD28GVRD2018							
504589	85H0696	E	535130.944	0.9995996	0.9999844	81489	88H1362	TERR	89 37 28	381.550	381.704
		N	5448018.436			147827	85H0677	TERR	269 28 37	494.344	494.541
		El	118.052	CVD28GVRD2018							
409953	85H0697	E	540951.039	0.9996000	0.9999794	810184	88H4347	TERR	89 23 10	185.846	185.920
		N	5449658.258			986166	84H0081	TERR	270 0 47	310.320	310.445
		El	149.509	CVD28GVRD2018							
573949	85H0698	E	540633.525	0.9995962	0.9999759	827113	85H0693	TERR	21 43 47	276.337	276.449
		N	5450579.102								
		El	172.001	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
956524	85H0699	E	535505.354	0.9996041	0.9999886	603746	02H2446	GPS	3 17 55	4514.086	4515.902				
		N	5451764.102					GPS	69 9 2			4442.697	4444.508		
		El	90.804					CVD28GVRD2018	GPS			95 9 40	5537.682	5539.898	
									GPS			107 8 27	2632.921	2633.975	
									GPS			110 10 28	6100.788	6103.215	
									NO MARKING			GPS	219 32 49	16484.324	16490.827
									NO MARKING			GPS	263 21 42	25480.702	25491.013
									NO MARKING			GPS	281 16 21	1938.560	1939.330
									85H0764			GPS	288 37 4	1719.925	1720.608
									02H2440			GPS	305 37 23	5006.282	5008.267
601120	85H0700	E	540336.059	0.9996086	0.9999886	467209	85H0712	TERR	179 12 53	442.248	442.420				
		N	5448383.946					TERR	359 20 46			362.968	363.110		
		El	90.733					CVD28GVRD2018							
785337	85H0701	E	536050.570	0.9995998	0.9999838	564021	85H0674	TERR	89 27 18	612.234	612.479				
		N	5447621.251					85H0711	TERR			270 4 40	171.440	171.509	
		El	121.611					CVD28GVRD2018							
563551	85H0702	E	533590.531	0.9996044	0.9999905	32607	88H1400	TERR	29 16 56	190.380	190.455				
		N	5448910.573												
		El	78.818					CVD28GVRD2018							
141465	85H0703	E	538715.139	0.9995929	0.9999744			MARKER DESTROYED							
		N	5450994.490												
		El	181.168					CVD28GVRD2018							
798710	85H0704	E	538818.979	0.9995919	0.9999734	684647	87H3387	TERR	90 18 54	376.841	376.994				
		N	5452059.284					87H3398	TERR			269 50 35	572.864	573.099	
		El	187.777					CVD28GVRD2018							
606772	85H0705	E	535116.738	0.9996005	0.9999853	2709	88H4338	TERR	92 23 36	414.708	414.874				
		N	5454090.488												
		El	111.603					CVD28GVRD2018							
426288	85H0706	E	534214.461	0.9996059	0.9999915	875880	88H1386	TERR	89 33 43	466.321	466.505				
		N	5450439.355					88H1389	TERR			180 26 59	393.749	393.905	
		El	72.534					CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
205773	85H0707	E	534115.505	0.9996023	0.9999880		MARKER DESTROYED				
		N	5449634.801								
		El	95.216	CVD28GVRD2018							
264283	85H0708	E	538726.128	0.9995994	0.9999810		MARKER DESTROYED				
		N	5449643.652								
		El	139.446	CVD28GVRD2018							
694240	85H0709	E	533513.606	0.9996054	0.9999916	168419	88H1391	TERR	198 27 9	225.172	225.260
		N	5448717.997								
		El	71.834	CVD28GVRD2018							
881938	85H0711	E	535879.130	0.9996007	0.9999848	785337	85H0701	TERR	90 4 40	171.440	171.509
		N	5447621.484			185256	88H1372	TERR	178 49 39	223.496	223.585
		El	115.172	CVD28GVRD2018		817106	88H1377	TERR	269 34 21	366.083	366.229
467209	85H0712	E	540342.120	0.9996113	0.9999913	858431	88H1406	TERR	175 35 58	240.306	240.399
		N	5447941.740			601120	85H0700	TERR	359 12 53	442.248	442.420
		El	73.526	CVD28GVRD2018							
406819	85H0713	E	533903.948	0.9996025	0.9999883	147827	85H0677	TERR	90 14 44	732.680	732.972
		N	5448017.063								
		El	92.947	CVD28GVRD2018							
218636	85H0714	E	538734.051	0.9996077	0.9999893	163253	88H1401	TERR	179 7 36	529.578	529.784
		N	5447883.095			22491	85H0671	TERR	268 57 12	173.551	173.619
		El	86.818	CVD28GVRD2018							
277137	85H0715	E	531089.985	0.9996075	0.9999956	570804	88H4339	TERR	44 50 4	114.036	114.081
		N	5451635.113								
		El	46.187	CVD28GVRD2018							
726984	85H0716	E	534686.378	0.9996035	0.9999887	748160	85H0668	TERR	69 59 56	363.916	364.060
		N	5450661.587			875880	88H1386	TERR	181 28 11	218.739	218.825
		El	90.608	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
439612	85H0717	E	530058.523	0.9996066	0.9999955	325373	84H0055	GPS	14 57 50	2188.087	2188.942	
		N	5451538.982			771543	02H2440	GPS	23 40 41	3429.752	3431.107	
		El	47.090			CVD28GVRD2018	852269	02H2439	GPS	71 13 56	1684.896	1685.558
							909333	NO MARKING	GPS	80 19 53	3596.757	3598.181
							570	85H0720	TERR	93 9 47	175.265	175.334
							393363	91H0295	GPS	157 3 19	8201.735	8204.970
							645424	2839	GPS	192 26 21	2174.502	2175.352
							12260	92H0958	GPS	213 3 49	4818.714	4820.601
							568881	88H4655	GPS	233 29 8	7304.774	7307.645
							81091	02H2496	GPS	243 22 20	3778.670	3780.149
							1511	02H2456	GPS	253 34 25	6042.597	6044.967
							768556	02H2449	GPS	265 12 3	2571.804	2572.816
			91694	98SG042	GPS	275 48 31	5685.509	5687.739				
			105700	02H2458	GPS	294 3 55	7125.304	7128.098				
			57851	85H0637	GPS	301 53 10	5504.169	5506.324				
966770	85H0718	E	532787.787	0.9996053	0.9999920		MARKER DESTROYED					
		N	5452044.247									
		El	69.070	CVD28GVRD2018								
671842	85H0719	E	534079.744	0.9996009	0.9999866	805697	88H1289	TERR	87 32 17	390.015	390.171	
		N	5453190.929			20156	85H0749	TERR	267 32 40	224.591	224.681	
		El	103.555			CVD28GVRD2018						
570	85H0720	E	530233.521	0.9996065	0.9999953	97469	85H0664	TERR	0 13 27	359.166	359.307	
		N	5451529.311			439612	85H0717	TERR	273 9 47	175.265	175.334	
		El	48.547			CVD28GVRD2018						
221267	85H0721	E	529806.838	0.9996121	1.0000012	207746	80H1235	TERR	270 28 17	769.171	769.469	
		N	5454455.448									
		El	10.766			CVD28GVRD2018						
411967	85H0722	E	526805.866	0.9996072	0.9999983	104976	85H0736	TERR	90 7 14	400.438	400.595	
		N	5451646.140			589606	85H0752	TERR	180 3 43	212.271	212.355	
		El	29.247			CVD28GVRD2018	586503	85H0761	TERR	274 37 45	544.783	544.997
418210	85H0723	E	526506.439	0.9996077	0.9999990	589606	85H0752	TERR	91 17 27	299.274	299.391	
		N	5451440.611			224733	85H0738	TERR	239 11 28	141.787	141.843	
		El	24.788			CVD28GVRD2018						

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
264291	85H0725	E	526155.057	0.9996081	0.9999997		MARKER DESTROYED				
		N	5451623.860								
		El	20.620	CVD28GVRD2018							
394049	85H0726	E	535396.586	0.9996044	0.9999890	555953	85H0751	TERR	88 51 14	100.551	100.591
		N	5452077.688			420984	3552	TERR	268 53 8	705.331	705.610
		El	88.228	CVD28GVRD2018							
797779	85H0727	E	529003.288	0.9996073	0.9999970	247007	85H0739	TERR	269 44 0	386.120	386.272
		N	5451831.389								
		El	37.869	CVD28GVRD2018							
990770	85H0728	E	526804.946	0.9996076	0.9999988	589606	85H0752	TERR	0 10 22	228.974	229.065
		N	5451204.896			151126	85H0762	TERR	74 33 22	294.135	294.250
		El	26.418	CVD28GVRD2018		725473	85H0658	TERR	254 36 6	370.900	371.046
814970	85H0729	E	528610.585	0.9996073	0.9999972	247007	85H0739	TERR	1 53 42	199.192	199.270
		N	5451630.509			979633	95H2040	TERR	270 16 23	223.654	223.742
		El	36.212	CVD28GVRD2018							
299842	85H0731	E	526807.977	0.9996069	0.9999981		MARKER DESTROYED				
		N	5452040.523								
		El	30.744	CVD28GVRD2018							
421636	85H0732	E	527470.664	0.9996068	0.9999975	531665	85H0733	TERR	89 26 39	730.211	730.499
		N	5452045.489			890756	85H0757	TERR	180 32 27	383.002	383.153
		El	34.291	CVD28GVRD2018							
531665	85H0733	E	528200.841	0.9996071	0.9999973	41467	85H0753	TERR	92 59 15	178.538	178.608
		N	5452052.573			421636	85H0732	TERR	269 26 39	730.211	730.499
		El	35.841	CVD28GVRD2018							
748541	85H0735	E	533344.485	0.9996034	0.9999898	524371	3553	TERR	89 50 19	537.429	537.643
		N	5452043.302			561084	85H0755	TERR	270 14 23	280.092	280.202
		El	83.556	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
104976	85H0736	E	527206.303	0.9996071	0.9999980	890756	85H0757	TERR	86 13 29	261.312	261.415		
		N	5451645.298					411967	85H0722	TERR	270 7 14	400.438	400.595
		El	31.545					CVD28GVRD2018					
577841	85H0737	E	534283.024	0.9996038	0.9999894	420984	3552	TERR	88 31 33	408.500	408.662		
		N	5452053.459					524371	3553	TERR	268 45 57	401.205	401.364
		El	85.947					CVD28GVRD2018		541367	85H0655	TERR	359 46 47
224733	85H0738	E	526384.661	0.9996078	0.9999992	418210	85H0723	TERR	59 11 28	141.787	141.843		
		N	5451367.991					197475	85H0625	TERR	270 33 20	235.913	236.005
		El	23.493					CVD28GVRD2018					
247007	85H0739	E	528617.172	0.9996072	0.9999971	797779	85H0727	TERR	89 44 0	386.120	386.272		
		N	5451829.592					814970	85H0729	TERR	181 53 42	199.192	199.270
		El	36.981					CVD28GVRD2018					
623462	85H0740	E	528984.225	0.9996113	1.0000010	947911	84H0035	TERR	118 16 30	249.716	249.812		
		N	5451050.708										
		El	12.461					CVD28GVRD2018					
843789	85H0741	E	526808.214	0.9996066	0.9999978	761239	84H0084	TERR	270 47 32	151.389	151.448		
		N	5452360.686										
		El	32.877					CVD28GVRD2018					
863944	85H0742	E	533844.165	0.9996017	0.9999876	603746	02H2446	GPS	36 40 28	3216.194	3217.492		
		N	5453691.184			510743	88H1263	TERR	53 40 30	943.092	943.469		
		El	97.185			CVD28GVRD2018	513820	88H4356	TERR	86 28 39	304.809	304.930	
							597328	02H2437	GPS	93 24 18	5823.256	5825.636	
		737478	02H2435			GPS	108 40 21	7575.142	7578.182				
		956524	85H0699			GPS	139 14 16	2544.247	2545.258				
		546473	85H0764			GPS	178 42 0	1378.344	1378.893				
		20156	85H0749			TERR	178 44 32	510.001	510.204				
		909333	NO MARKING			GPS	188 48 40	1566.625	1567.249				
		904904	NO MARKING			GPS	211 6 43	17097.549	17104.313				
		898734	NO MARKING			GPS	258 21 26	24145.465	24155.263				
		770685	94H1407			GPS	269 45 37	29557.405	29569.282				
		771543	02H2440			GPS	292 19 22	2603.356	2604.391				
179606	02H2461	GPS	317 54 39	11923.839	11928.536								

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
433631	85H0743	E	527463.642	0.9996069	0.9999977	890756	85H0757	TERR	0 33 42	347.535	347.672			
		N	5451314.986					558114	85H0750	TERR	85 15 1	451.202	451.378	
		El	33.511					CVD28GVRD2018	151126	85H0762	TERR	265 9 39	376.524	376.673
297796	85H0744	E	529029.581	0.9996072	0.9999968			MARKER DESTROYED						
		N	5451636.402											
		El	38.627					CVD28GVRD2018						
86157	85H0745	E	530436.637	0.9996109	0.9999996	507582	84H0033	TERR	159 11 50	444.361	444.534			
		N	5450529.889											
		El	21.317					CVD28GVRD2018						
20156	85H0749	E	533855.359	0.9996008	0.9999868	671842	85H0719	TERR	87 32 40	224.591	224.681			
		N	5453181.306					437632	85H0754	TERR	178 48 23	301.503	301.623	
		El	102.739					CVD28GVRD2018	863944	85H0742	TERR	358 44 32	510.001	510.204
558114	85H0750	E	527913.294	0.9996072	0.9999976	663310	85H0765	TERR	0 10 6	284.354	284.466			
		N	5451352.348					433631	85H0743	TERR	265 15 1	451.202	451.378	
		El	33.867					CVD28GVRD2018						
555953	85H0751	E	535497.117	0.9996044	0.9999889	528232	88H4337	TERR	0 47 48	522.830	523.036			
		N	5452079.699					98863	85H0672	TERR	90 24 59	605.926	606.165	
		El	88.689					CVD28GVRD2018	872341	88H1288	TERR	177 17 9	103.051	103.092
									394049	85H0726	TERR	268 51 14	100.551	100.591
589606	85H0752	E	526805.637	0.9996077	0.9999988	411967	85H0722	TERR	0 3 43	212.271	212.355			
		N	5451433.869					990770	85H0728	TERR	180 10 22	228.974	229.065	
		El	25.944					CVD28GVRD2018	418210	85H0723	TERR	271 17 27	299.274	299.391
41467	85H0753	E	528379.136	0.9996071	0.9999972	855502	85H0758	TERR	177 30 16	181.691	181.763			
		N	5452043.268					531665	85H0733	TERR	272 59 15	178.538	178.608	
		El	36.436					CVD28GVRD2018						
437632	85H0754	E	533861.639	0.9996009	0.9999868	546473	85H0764	TERR	178 36 20	566.841	567.067			
		N	5452879.868					20156	85H0749	TERR	358 48 23	301.503	301.623	
		El	102.264					CVD28GVRD2018						

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
561084	85H0755	E	533064.396	0.9996045	0.9999910	748541	85H0735	TERR	90 14 23	280.092	280.202							
		N	5452044.474					936880				85H0656	TERR	358 55 14	380.212	380.362		
		El	75.519					CVD28GVRD2018										
142729	85H0756	E	528809.043	0.9996073	0.9999971	MARKER DESTROYED												
		N	5452049.366															
		El	36.937			CVD28GVRD2018												
890756	85H0757	E	527467.048	0.9996069	0.9999977	421636	85H0732	TERR	0 32 27	383.002	383.153							
		N	5451662.504					663310				85H0765	TERR	93 18 11	447.825	448.001		
		El	33.534					CVD28GVRD2018				433631	85H0743	TERR	180 33 42	347.535	347.672	
												104976	85H0736	TERR	266 13 29	261.312	261.415	
855502	85H0758	E	528387.047	0.9996070	0.9999971	979633	95H2040	TERR	180 1 41	230.174	230.264							
		N	5451861.749					41467				85H0753	TERR	357 30 16	181.691	181.763		
		El	36.780					CVD28GVRD2018										
70607	85H0759	E	527485.311	0.9996114	1.0000021	113480	80H1234	TERR	1 41 54	217.583	217.668							
		N	5454255.329															
		El	4.999					CVD28GVRD2018										
509752	85H0760	E	528625.024	0.9996073	0.9999973	MARKER DESTROYED												
		N	5452032.855															
		El	36.009			CVD28GVRD2018												
586503	85H0761	E	526262.860	0.9996079	0.9999994	411967	85H0722	TERR	94 37 45	544.783	544.997							
		N	5451690.108					283358				93H1035	TERR	358 51 48	346.133	346.269		
		El	22.145					CVD28GVRD2018										
151126	85H0762	E	527088.460	0.9996072	0.9999982	433631	85H0743	TERR	85 9 39	376.524	376.673							
		N	5451283.222					990770				85H0728	TERR	254 33 22	294.135	294.250		
		El	29.932					CVD28GVRD2018										
663609	85H0763	E	527480.687	0.9996109	1.0000016	MARKER DESTROYED												
		N	5453663.196															
		El	8.104			CVD28GVRD2018												

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
546473	85H0764	E	533875.434	0.9996021	0.9999880	603746	02H2446	GPS	25 31 26	4385.513	4387.281	
		N	5452313.195			597328	02H2437	GPS	79 52 43	5873.108	5875.507	
		El	94.615			CVD28GVRD2018	541367	85H0655	TERR	88 52 8	406.640	406.802
							956524	85H0699	GPS	108 37 4	1719.925	1720.608
							742122	02H2434	GPS	109 49 56	7820.218	7823.337
							825034	3340	GPS	126 44 8	29293.555	29305.680
							654848	88H1395	GPS	142 43 5	6055.521	6057.929
							929125	82H5827	GPS	144 39 36	13711.823	13717.280
							524371	3553	TERR	178 37 2	268.456	268.563
							1263	02H2438	GPS	189 43 45	4739.758	4741.625
							967042	PIER 3	GPS	212 31 19	21127.861	21136.269
							854612	88H3910	GPS	224 7 56	30098.882	30111.004
							90274	97H2168	GPS	230 48 54	3284.724	3286.012
							909333	NO MARKING	GPS	237 54 1	320.191	320.319
							55384	6202	GPS	241 50 6	31186.629	31199.053
							308429	90H6222	GPS	253 38 43	28016.769	28028.151
							258020	19713	GPS	257 42 31	49267.770	49287.421
							985606	86H1304	GPS	260 47 60	20824.735	20833.181
							852269	02H2439	GPS	264 2 6	2233.694	2234.578
							249391	94H1671	GPS	281 17 28	19936.031	19944.029
			821058	84H9889	GPS	282 7 12	26437.642	26448.431				
			681239	677011	GPS	285 57 14	39594.785	39610.974				
			265314	75H3706	GPS	293 56 47	18066.260	18073.515				
			771543	02H2440	GPS	314 7 59	3398.980	3400.331				
			437632	85H0754	TERR	358 36 20	566.841	567.067				
			863944	85H0742	GPS	358 42 0	1378.344	1378.893				
663310	85H0765	E	527914.129	0.9996070	0.9999974	558114	85H0750	TERR	180 10 6	284.354	284.466	
		N	5451636.701			890756	85H0757	TERR	273 18 11	447.825	448.001	
		El	35.017			CVD28GVRD2018						
46359	85H0766	E	528393.615	0.9996069	0.9999970		MARKER DESTROYED					
		N	5451631.652									
		El	37.732	CVD28GVRD2018								
363697	87H3385	E	540263.415	0.9995924	0.9999724	738765	87H3399	TERR	89 40 1	477.951	478.146	
		N	5452055.810									
		El	193.753			CVD28GVRD2018						
684647	87H3387	E	539195.814	0.9995939	0.9999750	109306	88H4344	TERR	91 12 58	307.766	307.891	
		N	5452057.213			798710	85H0704	TERR	270 18 54	376.841	376.994	
		El	177.366			CVD28GVRD2018						

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
850487	87H3391	E	533085.307	0.9996111	0.9999977	397752	84H0006	TERR	270 0 24	795.174	795.482	
		N	5448394.338									
		El	33.371	1928 Canadian Vertical Datum								
84731	87H3394	E	530241.599	0.9996072	0.9999960	866186	88H4351	TERR	326 53 18	490.553	490.745	
		N	5450988.481									
		El	44.277	CVD28GVRD2018								
597112	87H3397	E	541410.516	0.9995951	0.9999741	738765	87H3399	TERR	269 41 31	669.168	669.440	
		N	5452062.186									
		El	183.388	CVD28GVRD2018								
182279	87H3398	E	538246.117	0.9995919	0.9999739	798710	85H0704	TERR	89 50 35	572.864	573.099	
		N	5452057.714			548099	87H3400	TERR	269 40 3	359.877	360.023	
		El	184.485	CVD28GVRD2018								
738765	87H3399	E	540741.358	0.9995914	0.9999710	597112	87H3397	TERR	89 41 31	669.168	669.440	
		N	5452058.588			363697	87H3385	TERR	269 40 1	477.951	478.146	
		El	202.681	CVD28GVRD2018								
548099	87H3400	E	537886.246	0.9995933	0.9999757	182279	87H3398	TERR	89 40 3	359.877	360.023	
		N	5452055.625			724328	85H0689	TERR	269 44 43	726.432	726.726	
		El	173.138	CVD28GVRD2018								
149328	88H0617	E	525004.569	0.9996096	1.0000019	33191	85H0632	TERR	324 10 18	185.528	185.600	
		N	5450363.352									
		El	6.525	CVD28GVRD2018								
716969	88H0618	E	532244.471	0.9996070	0.9999942	84053	84H0031	TERR	179 3 21	472.106	472.292	
		N	5452511.490									
		El	55.342	CVD28GVRD2018								
968867	88H0619	E	525048.209	0.9996103	1.0000026	57851	85H0637	TERR	89 46 14	336.725	336.856	
		N	5454445.110			359075	85H0624	TERR	182 55 42	528.924	529.130	
		El	2.006	CVD28GVRD2018								

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
340547	88H0620	E	534689.861	0.9996038	0.9999890	312165	85H0644	TERR	92 33 29	381.112	381.262					
		N	5452909.581					479733				85H0629	TERR	179 56 5	325.867	325.996
		El	88.074					CVD28GVRD2018								
634717	88H0621	E	529909.676	0.9996117	1.0000007	MARKER DESTROYED										
		N	5450717.948													
		El	14.149			CVD28GVRD2018										
662718	88H0622	E	529053.115	0.9996126	1.0000022	MARKER DESTROYED										
		N	5455287.089													
		El	4.017			CVD28GVRD2018										
760785	88H0623	E	526145.651	0.9996081	0.9999997	197475	85H0625	TERR	0 39 16	272.106	272.212					
		N	5451098.190					842476				84H0058	TERR	285 16 20	529.243	529.451
		El	20.575					CVD28GVRD2018								
485896	88H1259	E	534500.979	0.9996024	0.9999877	513820	88H4356	TERR	268 16 55	352.740	352.880					
		N	5453720.487													
		El	96.413					CVD28GVRD2018								
510743	88H1263	E	534603.987	0.9996011	0.9999864	863944	85H0742	TERR	233 40 30	943.092	943.469					
		N	5454249.837													
		El	104.669					CVD28GVRD2018								
795591	88H1264	E	532444.263	0.9996073	0.9999944	MARKER ISOLATED										
		N	5453068.156													
		El	54.232			CVD28GVRD2018										
904151	88H1274	E	538718.119	0.9995931	0.9999747	778308	85H0670	TERR	89 52 3	701.653	701.938					
		N	5450455.437					204941				95H2034	TERR	178 40 43	295.469	295.588
		El	179.422					CVD28GVRD2018								
872341	88H1288	E	535501.997	0.9996043	0.9999888	956524	85H0699	TERR	179 5 44	212.689	212.773					
		N	5451976.764					555953				85H0751	TERR	357 17 9	103.051	103.092
		El	89.372					CVD28GVRD2018								

Integrated Survey Area No:36 Corporation of the District of Maple Ridge
 Order in Council No. 1579/91
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2019-DEC-16

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
805697	88H1289	E	534469.399	0.9996031	0.9999885	671842	85H0719	TERR	267 32 17	390.015	390.171				
		N	5453207.683					88H1292				TERR	349 22 38	240.498	240.593
		El	91.806					CVD28GVRD2018							
856328	88H1292	E	534425.065	0.9996026	0.9999880	805697	88H1289	TERR	169 22 38	240.498	240.593				
		N	5453444.059												
		El	94.791					CVD28GVRD2018							
104273	88H1300	E	528448.713	0.9996117	1.0000018	957209	85H0648	TERR	270 8 7	423.410	423.575				
		N	5453659.049												
		El	7.008					CVD28GVRD2018							
881615	88H1302	E	525274.605	0.9996084	1.0000005	705319	84H0064	TERR	271 2 29	276.261	276.369				
		N	5452124.117												
		El	15.316					CVD28GVRD2018							
771733	88H1357	E	540487.511	0.9996058	0.9999857	209023	88H1379	TERR	214 28 42	261.130	261.233				
		N	5449134.611												
		El	109.409					CVD28GVRD2018							
141804	88H1358	E	541137.339	0.9995948	0.9999740	670208	84H0080	TERR	180 55 27	404.249	404.412				
		N	5451672.876												
		El	183.891					CVD28GVRD2018							
895805	88H1359	E	531553.036	0.9996142	1.0000020			MARKER DESTROYED							
		N	5450048.734												
		El	5.651					CVD28GVRD2018							
531525	88H1360	E	533910.282	0.9996047	0.9999905	873612	88H1364	TERR	181 14 10	330.484	330.615				
		N	5449633.828												
		El	78.845					CVD28GVRD2018							
520783	88H1361	E	541139.024	0.9995982	0.9999774	810184	88H4347	TERR	180 22 22	330.337	330.469				
		N	5449990.579					88H1373				TERR	359 12 58	188.483	188.559
		El	162.518					CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
81489	88H1362	E	535512.486	0.9995980	0.9999825	409029	88H1371	TERR	89 31 37	482.412	482.608			
		N	5448020.937					817106	88H1377	TERR	179 55 7	402.185	402.347	
		El	130.199					CVD28GVRD2018	504589	85H0696	TERR	269 37 28	381.550	381.704
									888644	88H1403	TERR	359 40 1	310.125	310.251
552638	88H1363	E	537120.197	0.9996013	0.9999844	882266	88H4358	GPS	64 17 45	897.552	897.912			
		N	5447490.727					654848	88H1395	TERR	89 24 60	423.322	423.491	
		El	117.962					CVD28GVRD2018	1263	02H2438	GPS	272 8 9	4048.551	4050.148
									924191	88H1387	GPS	307 51 10	3802.071	3803.585
873612	88H1364	E	533903.153	0.9996033	0.9999892	531525	88H1360	TERR	1 14 10	330.484	330.615			
		N	5449303.421					924191	88H1387	GPS	22 26 41	563.033	563.256	
		El	87.308					CVD28GVRD2018	747386	02H2442	GPS	67 45 4	4449.445	4451.228
									1263	02H2438	GPS	206 30 14	1856.977	1857.708
626358	88H1365	E	540603.226	0.9996016	0.9999814	986166	84H0081	TERR	16 45 8	130.079	130.130			
		N	5449533.770											
		El	136.934					CVD28GVRD2018						
512475	88H1367	E	532679.739	0.9996094	0.9999962			MARKER DESTROYED						
		N	5448822.418											
		El	42.407					1928 Canadian Vertical Datum						
533281	88H1368	E	540897.028	0.9995960	0.9999754	827113	85H0693	TERR	210 40 26	315.974	316.101			
		N	5451107.567											
		El	174.949					CVD28GVRD2018						
444919	88H1369	E	533036.308	0.9996088	0.9999954			MARKER ISOLATED						
		N	5448820.789											
		El	47.572					1928 Canadian Vertical Datum						
407221	88H1370	E	537724.312	0.9996158	0.9999983	823831	93H1033	TERR	163 14 40	135.454	135.505			
		N	5446868.533											
		El	29.100					CVD28GVRD2018						
409029	88H1371	E	535994.882	0.9995919	0.9999760	526558	88H1397	TERR	89 22 7	691.366	691.648			
		N	5448024.920					81489	88H1362	TERR	269 31 37	482.412	482.608	
		El	171.470					CVD28GVRD2018						

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
288571	88H1373	E	541136.445	0.9995976	0.9999768	520783	88H1361	TERR	179 12 58	188.483	188.559				
		N	5450179.044					88H1396				TERR	359 28 35	495.699	495.898
		El	166.136					CVD28GVRD2018							
39388	88H1374	E	540682.856	0.9996159	0.9999955	147983	88H1378	TERR	89 17 41	357.998	358.136				
		N	5447245.482					88H4364				TERR	269 32 36	127.945	127.994
		El	46.823					CVD28GVRD2018							
528810	88H1375	E	540450.050	0.9995975	0.9999774	54825	88H1399	TERR	31 39 52	196.284	196.363				
		N	5450037.446												
		El	162.589					CVD28GVRD2018							
757260	88H1376	E	532158.305	0.9996141	1.0000014	318931	84H9998	TERR	88 36 18	135.143	135.196				
		N	5449742.926												
		El	9.592					CVD28GVRD2018							
817106	88H1377	E	535513.057	0.9996025	0.9999870	881938	85H0711	TERR	89 34 21	366.083	366.229				
		N	5447618.752					88H1362				TERR	359 55 7	402.185	402.347
		El	101.667					CVD28GVRD2018							
147983	88H1378	E	541040.827	0.9996156	0.9999950	39388	88H1374	TERR	269 17 41	357.998	358.136				
		N	5447249.889												
		El	50.432					CVD28GVRD2018							
209023	88H1379	E	540339.686	0.9996068	0.9999868	771733	88H1357	TERR	34 28 42	261.130	261.233				
		N	5448919.351					85H0676				TERR	182 34 47	172.636	172.704
		El	102.203					CVD28GVRD2018							
254961	88H1381	E	536209.195	0.9995868	0.9999707	770008	88H1398	TERR	269 47 48	347.975	348.118				
		N	5448425.738												
		El	205.138					CVD28GVRD2018							
621409	88H1382	E	531495.307	0.9996140	1.0000019	955005	97H2160	GPS	67 33 56	406.229	406.386				
		N	5450135.104					97H2168				GPS	301 45 50	195.118	195.193
		El	6.583					CVD28GVRD2018				88H1393	TERR	323 12 38	100.145

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
279471	88H1383	E	541360.431	0.9996210	1.0000000	951038	88H1384	TERR	345 37 29	188.087	188.158
		N	5447004.586								
		El	18.391	CVD28GVRD2018							
951038	88H1384	E	541313.734	0.9996182	0.9999973	279471	88H1383	TERR	165 37 29	188.087	188.158
		N	5447186.784								
		El	35.618	CVD28GVRD2018							
341610	88H1385	E	531754.066	0.9996138	1.0000014		MARKER DESTROYED				
		N	5449928.155								
		El	9.620	CVD28GVRD2018							
875880	88H1386	E	534680.768	0.9996010	0.9999862	726984	85H0716	TERR	1 28 11	218.739	218.825
		N	5450442.920			426288	85H0706	TERR	269 33 43	466.321	466.505
		El	106.213	CVD28GVRD2018							
924191	88H1387	E	534118.114	0.9996025	0.9999882	747386	02H2442	GPS	73 23 25	4073.168	4074.802
		N	5449823.803			742122	02H2434	GPS	91 19 7	7115.605	7118.442
		El	93.523	CVD28GVRD2018		84103	02H2436	GPS	110 53 38	8190.853	8194.028
						552638	88H1363	GPS	127 51 10	3802.071	3803.585
						873612	88H1364	GPS	202 26 41	563.033	563.256
						287078	79H0136	GPS	216 45 57	11318.457	11322.912
						793737	84H0030	GPS	242 5 37	2959.303	2960.462
						909333	NO MARKING	GPS	347 30 21	2375.502	2376.446
140806	88H1388	E	531099.238	0.9996141	1.0000022		MARKER DESTROYED				
		N	5450125.913								
		El	4.600	CVD28GVRD2018							
128595	88H1389	E	534211.370	0.9996026	0.9999882	426288	85H0706	TERR	0 26 59	393.749	393.905
		N	5450045.618								
		El	93.350	CVD28GVRD2018							
261388	88H1390	E	540558.204	0.9996152	0.9999950	645077	88H4364	TERR	181 10 39	160.059	160.121
		N	5447404.487								
		El	49.996	CVD28GVRD2018							
168419	88H1391	E	533442.335	0.9996074	0.9999936	694240	85H0709	TERR	18 27 9	225.172	225.260
		N	5448504.402								
		El	59.179	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
953190	88H1392	E	540553.093	0.9995987	0.9999785	986166	84H0081	TERR	158 47 57	242.304	242.402
		N	5449884.233								
		El	155.388	CVD28GVRD2018							
170878	88H1393	E	531435.333	0.9996141	1.0000020	621409	88H1382	TERR	143 12 38	100.145	100.183
		N	5450215.304								
		El	6.034	CVD28GVRD2018							
998302	88H1394	E	531230.893	0.9996141	1.0000021		MARKER DESTROYED				
		N	5450149.161								
		El	5.109	CVD28GVRD2018							
654848	88H1395	E	537543.497	0.9996027	0.9999853	747386	02H2442	GPS	7 47 22	3525.612	3527.026
		N	5447495.037			882266	88H4358	GPS	45 2 2	544.766	544.984
		El	111.946	CVD28GVRD2018		742122	02H2434	GPS	59 35 15	4276.813	4278.517
						57182	88H4345	TERR	88 36 5	379.992	380.143
						84103	02H2436	GPS	97 58 42	4268.171	4269.824
						575159	82H5753	GPS	134 48 30	4588.328	4590.106
						488098	93H1078	GPS	151 49 48	1761.661	1762.346
						76323	88H1366	TERR	179 40 57	245.321	245.417
						419036	91H9913	GPS	214 11 1	2344.262	2345.175
						568881	88H4655	GPS	268 42 8	13359.307	13364.587
						552638	88H1363	TERR	269 24 60	423.322	423.491
						1263	02H2438	GPS	271 52 42	4471.442	4473.202
						898734	NO MARKING	GPS	272 46 14	27380.011	27391.114
						875864	NO MARKING	GPS	283 33 28	45303.424	45321.606
						90274	97H2168	GPS	293 48 57	6792.473	6795.135
						852269	02H2439	GPS	307 54 23	7464.570	7467.521
						909333	NO MARKING	GPS	319 43 4	6092.793	6095.215
						546473	85H0764	GPS	322 43 5	6055.521	6057.929
414045	88H1396	E	541131.916	0.9995975	0.9999767	288571	88H1373	TERR	179 28 35	495.699	495.898
		N	5450674.722			373746	84H0073	TERR	359 52 6	410.373	410.540
		El	166.699	CVD28GVRD2018							
526558	88H1397	E	536686.206	0.9995932	0.9999767	556001	85H0685	TERR	89 32 57	429.138	429.313
		N	5448032.538			409029	88H1371	TERR	269 22 7	691.366	691.648
		El	167.011	CVD28GVRD2018							
770008	88H1398	E	535861.222	0.9995881	0.9999723	254961	88H1381	TERR	89 47 48	347.975	348.118
		N	5448424.503								
		El	195.366	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
54825	88H1399	E	540553.088	0.9995965	0.9999763	528810	88H1375	TERR	211 39 52	196.284	196.363
		N	5450204.510								
		El	169.445	CVD28GVRD2018							
32607	88H1400	E	533683.648	0.9996035	0.9999896	563551	85H0702	TERR	209 16 56	190.380	190.455
		N	5449076.626								
		El	84.970	CVD28GVRD2018							
306506	88H1402	E	524417.638	0.9996095	1.0000022		MARKER DESTROYED				
		N	5452098.638								
		El	4.591	CVD28GVRD2018							
888644	88H1403	E	535510.683	0.9995925	0.9999770	81489	88H1362	TERR	179 40 1	310.125	310.251
		N	5448331.057								
		El	165.144	CVD28GVRD2018							
802876	88H1404	E	532028.441	0.9996143	1.0000017		MARKER DESTROYED				
		N	5449756.358								
		El	7.874	CVD28GVRD2018							
858431	88H1406	E	540360.558	0.9996134	0.9999934	467209	85H0712	TERR	355 35 58	240.306	240.399
		N	5447702.142								
		El	60.520	CVD28GVRD2018							
848655	88H4326	E	525265.897	0.9996082	1.0000003	742460	84H0019	TERR	100 0 22	382.773	382.923
		N	5451833.847			223396	84H0043	TERR	275 56 47	339.377	339.510
		El	16.459	CVD28GVRD2018							
871731	88H4328	E	529550.681	0.9996069	0.9999962	624148	88H4359	TERR	113 31 8	320.540	320.666
		N	5451675.212			203547	84H0106	TERR	266 44 23	337.721	337.853
		El	43.019	CVD28GVRD2018							
176974	88H4329	E	524863.643	0.9996087	1.0000011	223396	84H0043	TERR	17 34 28	214.288	214.372
		N	5451664.720			113704	84H0040	TERR	179 35 12	591.711	591.942
		El	11.384	CVD28GVRD2018							

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
871467	88H4331	E	524822.093	0.9996084	1.0000008	705319	84H0064	TERR	92 10 5	176.423	176.492					
		N	5452135.812					972588				93H1037	TERR	267 11 13	415.775	415.937
		El	13.344					CVD28GVRD2018								
895169	88H4332	E	525635.844	0.9996080	1.0000000	174540	88H4360	TERR	181 27 27	166.456	166.521					
		N	5450618.265					313445				84H0063	TERR	359 33 47	280.168	280.278
		El	18.940					CVD28GVRD2018								
729970	88H4333	E	529943.633	0.9996073	0.9999963	609818	85H0630	TERR	7 14 29	183.834	183.907					
		N	5451029.246					308114				93H1028	TERR	187 54 41	120.808	120.855
		El	42.132					CVD28GVRD2018								
288969	88H4335	E	525449.169	0.9996082	1.0000002	38232	84H0016	TERR	0 46 40	345.098	345.233					
		N	5452022.666					292987				84H0044	TERR	87 31 6	192.650	192.725
		El	17.322					CVD28GVRD2018								
528232	88H4337	E	535504.387	0.9996041	0.9999886	271080	88H4352	TERR	0 27 29	270.527	270.635					
		N	5452602.478					555953				85H0751	TERR	180 47 48	522.830	523.036
		El	90.583					CVD28GVRD2018								
2709	88H4338	E	535531.084	0.9996010	0.9999855	909655	88H4342	TERR	181 11 29	375.056	375.206					
		N	5454073.171					606772				85H0705	TERR	272 23 36	414.708	414.874
		El	110.457					CVD28GVRD2018								
570804	88H4339	E	531170.387	0.9996076	0.9999956	406488	84H0100	TERR	10 15 24	119.353	119.401					
		N	5451715.981					277137				85H0715	TERR	224 50 4	114.036	114.081
		El	46.230					CVD28GVRD2018								
14704	88H4340	E	538149.805	0.9995969	0.9999790	882266	88H4358	TERR	270 9 51	220.874	220.963					
		N	5447879.384													
		El	152.091					CVD28GVRD2018								
224485	88H4341	E	531661.401	0.9996143	1.0000019	MARKER DESTROYED										
		N	5449986.865													
		El	6.095			CVD28GVRD2018										

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
909655	88H4342	E	535523.286	0.9996025	0.9999870	2709	88H4338	TERR	1 11 29	375.056	375.206					
		N	5453698.196					806075				88H4349	TERR	181 0 6	364.433	364.577
		El	101.182					CVD28GVRD2018								
765404	88H4343	E	535508.255	0.9996044	0.9999889	MARKER DESTROYED										
		N	5451420.468													
		El	89.301			CVD28GVRD2018										
109306	88H4344	E	539503.511	0.9995943	0.9999752	684647	87H3387	TERR	271 12 58	307.766	307.891					
		N	5452050.681													
		El	176.441					CVD28GVRD2018								
57182	88H4345	E	537923.376	0.9996036	0.9999860	882266	88H4358	TERR	0 50 50	375.746	375.897					
		N	5447504.312					654848				88H1395	TERR	268 36 5	379.992	380.143
		El	107.918					CVD28GVRD2018								
324756	88H4346	E	533131.744	0.9996026	0.9999891	MARKER ISOLATED										
		N	5453077.350													
		El	87.598			CVD28GVRD2018										
810184	88H4347	E	541136.874	0.9996004	0.9999797	520783	88H1361	TERR	0 22 22	330.337	330.469					
		N	5449660.249					409953				85H0697	TERR	269 23 10	185.846	185.920
		El	147.905					CVD28GVRD2018								
806075	88H4349	E	535516.916	0.9996025	0.9999869	909655	88H4342	TERR	1 0 6	364.433	364.577					
		N	5453333.819					271080				88H4352	TERR	181 17 19	460.940	461.123
		El	101.374					CVD28GVRD2018								
968750	88H4350	E	529939.845	0.9996073	0.9999963	MARKER DESTROYED										
		N	5451034.343													
		El	41.938			CVD28GVRD2018										
866186	88H4351	E	529973.623	0.9996068	0.9999958	84731	87H3394	TERR	146 53 18	490.553	490.745					
		N	5451399.371					609818				85H0630	TERR	182 4 47	187.881	187.955
		El	45.499					CVD28GVRD2018					624148	88H4359	TERR	318 54 13

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
271080	88H4352	E	535506.550	0.9996037	0.9999882	806075	88H4349	TERR	1 17 19	460.940	461.123						
		N	5452872.996					528232	88H4337			TERR	180 27 29	270.527	270.635		
		El	93.184					CVD28GVRD2018									
513820	88H4356	E	534148.398	0.9996018	0.9999875	485896	88H1259	TERR	88 16 55	352.740	352.880						
		N	5453709.912					863944	85H0742			TERR	266 28 39	304.809	304.930		
		El	97.813					CVD28GVRD2018									
418137	88H4357	E	530642.086	0.9996074	0.9999958	925040	84H0001	TERR	359 49 44	378.375	378.523						
		N	5451258.093														
		El	45.091					CVD28GVRD2018									
882266	88H4358	E	537928.932	0.9995962	0.9999785	742122	02H2434	GPS	61 40 42	3752.025	3753.533						
		N	5447880.017					14704	88H4340			TERR	90 9 51	220.874	220.963		
		El	155.239					CVD28GVRD2018				57182	88H4345	TERR	180 50 50	375.746	375.897
												654848	88H1395	GPS	225 2 2	544.766	544.984
												552638	88H1363	GPS	244 17 45	897.552	897.912
624148	88H4359	E	529844.593	0.9996068	0.9999958	866186	88H4351	TERR	138 54 13	196.295	196.373						
		N	5451547.300					871731	88H4328			TERR	293 31 8	320.540	320.666		
		El	45.216					CVD28GVRD2018				962613	84H0096	TERR	358 1 43	503.431	503.629
174540	88H4360	E	525631.610	0.9996086	1.0000005	895169	88H4332	TERR	1 27 27	166.456	166.521						
		N	5450451.863														
		El	15.422					CVD28GVRD2018									
645077	88H4364	E	540554.915	0.9996166	0.9999964	261388	88H1390	TERR	1 10 39	160.059	160.121						
		N	5447244.462					39388	88H1374			TERR	89 32 36	127.945	127.994		
		El	41.439					CVD28GVRD2018				909325	85H0710	TERR	179 34 49	182.872	182.941
163345	93H1018	E	533592.350	0.9996115	0.9999976	223545	93H1019	TERR	123 45 32	393.825	393.978						
		N	5447298.434														
		El	33.645					CVD28GVRD2018									
223545	93H1019	E	533919.769	0.9996134	0.9999992	457960	93H1020	TERR	110 6 8	301.549	301.666						
		N	5447079.585					163345	93H1018			TERR	303 45 32	393.825	393.978		
		El	23.437					CVD28GVRD2018									

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
457960	93H1020	E	534202.948	0.9996139	0.9999995	327338	93H1021	TERR	86 14 47	242.321	242.414	
		N	5446975.944					93H1019	TERR	290 6 8	301.549	301.666
		El	21.414					CVD28GVRD2018				
327338	93H1021	E	534444.749	0.9996141	0.9999996	187534	93H1022	TERR	79 13 42	300.293	300.409	
		N	5446991.808					93H1020	TERR	266 14 47	242.321	242.414
		El	21.243					CVD28GVRD2018				
187534	93H1022	E	534739.751	0.9996154	1.0000005	244756	93H1023	TERR	93 51 21	248.059	248.154	
		N	5447047.931					93H1021	TERR	259 13 42	300.293	300.409
		El	15.127					CVD28GVRD2018				
244756	93H1023	E	534987.248	0.9996165	1.0000015	371518	93H1024	TERR	104 35 8	367.533	367.674	
		N	5447031.250					93H1022	TERR	273 51 21	248.059	248.154
		El	8.979					CVD28GVRD2018				
371518	93H1024	E	535342.936	0.9996165	1.0000012	703421	93H1025	TERR	97 57 3	337.141	337.270	
		N	5446938.696					93H1023	TERR	284 35 8	367.533	367.674
		El	11.041					CVD28GVRD2018				
703421	93H1025	E	535676.836	0.9996169	1.0000012	797670	93H1026	TERR	110 4 10	184.725	184.796	
		N	5446892.062					93H1024	TERR	277 57 3	337.141	337.270
		El	10.535					CVD28GVRD2018				
797670	93H1026	E	535850.344	0.9996164	1.0000006	918300	93H1027	TERR	111 22 20	174.323	174.390	
		N	5446828.672					93H1025	TERR	290 4 10	184.725	184.796
		El	14.699					CVD28GVRD2018				
918300	93H1027	E	536012.679	0.9996159	0.9999999	331942	93H1029	TERR	106 21 12	386.341	386.489	
		N	5446765.144					93H1026	TERR	291 22 20	174.323	174.390
		El	18.967					CVD28GVRD2018				
308114	93H1028	E	529927.005	0.9996088	0.9999978	729970	88H4333	TERR	7 54 41	120.808	120.855	
		N	5450909.588									
		El	32.261					CVD28GVRD2018				

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
331942	93H1029	E	536383.390	0.9996149	0.9999987	646950	93H1030	TERR	85 55 39	322.911	323.036		
		N	5446656.366					918300	93H1027	TERR	286 21 12	386.341	386.489
		El	27.051					CVD28GVRD2018					
646950	93H1030	E	536705.486	0.9996157	0.9999992	875567	93H1031	TERR	87 37 11	288.608	288.719		
		N	5446679.299					331942	93H1029	TERR	265 55 39	322.911	323.036
		El	23.794					CVD28GVRD2018					
875567	93H1031	E	536993.845	0.9996175	1.0000007	841494	93H1032	TERR	87 35 58	325.284	325.408		
		N	5446691.286					646950	93H1030	TERR	267 37 11	288.608	288.719
		El	14.032					CVD28GVRD2018					
841494	93H1032	E	537318.843	0.9996183	1.0000012	823831	93H1033	TERR	85 38 11	445.811	445.982		
		N	5446704.911					875567	93H1031	TERR	267 35 58	325.284	325.408
		El	10.542					CVD28GVRD2018					
823831	93H1033	E	537763.362	0.9996184	1.0000008	841494	93H1032	TERR	265 38 11	445.811	445.982		
		N	5446738.830					407221	88H1370	TERR	343 14 40	135.454	135.505
		El	13.041					CVD28GVRD2018					
364570	93H1034	E	525456.798	0.9996086	1.0000006	5330	84H9980	TERR	90 17 48	397.843	397.999		
		N	5452670.206					38232	84H0016	TERR	180 33 28	302.488	302.607
		El	14.810					CVD28GVRD2018		344853	84H9988	TERR	270 11 18
283358	93H1035	E	526255.994	0.9996082	0.9999997	586503	85H0761	TERR	178 51 48	346.133	346.269		
		N	5452036.173					292987	84H0044	TERR	269 31 6	614.378	614.618
		El	20.219					CVD28GVRD2018		210815	85H0640	TERR	358 43 58
972588	93H1037	E	524406.819	0.9996096	1.0000023	871467	88H4331	TERR	87 11 13	415.775	415.937		
		N	5452115.406					223396	84H0043	TERR	115 17 20	576.804	577.030
		El	4.220					CVD28GVRD2018					
586529	95H1866	E	529042.810	0.9996120	1.0000017	814442	95H1867	TERR	181 52 21	364.392	364.533		
		N	5453615.170					571901	85H0634	TERR	357 55 11	383.836	383.985
		El	7.837					CVD28GVRD2018					

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
814442	95H1867	E	529030.904	0.9996118	1.0000014	586529	95H1866	TERR	1 52 21	364.392	364.533					
		N	5453250.973					742205				84H9971	TERR	179 56 57	402.791	402.948
		El	9.281					CVD28GVRD2018								
204941	95H2034	E	538724.933	0.9995955	0.9999770	263228	95H2035	TERR	179 46 60	517.245	517.453					
		N	5450160.047					904151				88H1274	TERR	358 40 43	295.469	295.588
		El	164.658					CVD28GVRD2018								
263228	95H2035	E	538726.890	0.9995995	0.9999810	753863	95H2038	TERR	179 49 29	306.734	306.857					
		N	5449642.806					204941				95H2034	TERR	359 46 60	517.245	517.453
		El	139.107					CVD28GVRD2018								
271015	95H2036	E	538728.378	0.9996009	0.9999825	306142	95H2037	TERR	179 49 52	287.701	287.816					
		N	5449213.213					753863				95H2038	TERR	359 44 38	122.861	122.910
		El	130.016					CVD28GVRD2018								
306142	95H2037	E	538729.226	0.9996030	0.9999845	934075	85H0673	TERR	179 49 58	708.785	709.065					
		N	5448925.513					271015				95H2036	TERR	359 49 52	287.701	287.816
		El	116.830					CVD28GVRD2018								
753863	95H2038	E	538727.829	0.9996003	0.9999819	271015	95H2036	TERR	179 44 38	122.861	122.910					
		N	5449336.073					263228				95H2035	TERR	359 49 29	306.734	306.857
		El	133.721					CVD28GVRD2018								
981514	95H2039	E	538718.954	0.9995929	0.9999745											
		N	5450994.250					MARKER DESTROYED								
		El	181.010	CVD28GVRD2018												
979633	95H2040	E	528386.934	0.9996069	0.9999970	855502	85H0758	TERR	0 1 41	230.174	230.264					
		N	5451631.575					814970				85H0729	TERR	90 16 23	223.654	223.742
		El	37.870					CVD28GVRD2018								
267047	97H2155	E	531469.052	0.9996082	0.9999960	955005	97H2160	GPS	150 45 22	822.347	822.668					
		N	5451007.668					239871				97H2159	GPS	178 13 55	430.004	430.172
		El	43.786					CVD28GVRD2018								
						90274	97H2168	GPS	190 16 51	782.412	782.716					

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
239871	97H2159	E	531482.319	0.9996086	0.9999964	90274	97H2168	GPS	204 12 41	372.847	372.992
		N	5450577.869			507582	84H0033	GPS	242 26 25	1001.510	1001.900
		El	41.252	CVD28GVRD2018		267047	97H2155	GPS	358 13 55	430.004	430.172
955005	97H2160	E	531870.792	0.9996113	0.9999988	621409	88H1382	GPS	247 33 56	406.229	406.386
		N	5450290.131			90274	97H2168	GPS	264 28 50	543.901	544.111
		El	26.021	CVD28GVRD2018		651240	84H0009	GPS	309 16 26	1343.795	1344.320
						267047	97H2155	GPS	330 45 22	822.347	822.668
90274	97H2168	E	531329.413	0.9996140	1.0000019	852269	02H2439	GPS	9 58 56	1871.581	1872.310
		N	5450237.818			267047	97H2155	GPS	10 16 51	782.412	782.716
		El	6.167	CVD28GVRD2018		239871	97H2159	GPS	24 12 41	372.847	372.992
						909333	NO MARKING	GPS	50 3 8	2967.241	2968.404
						546473	85H0764	GPS	50 48 54	3284.724	3286.012
						955005	97H2160	GPS	84 28 50	543.901	544.111
						654848	88H1395	GPS	113 48 57	6792.473	6795.135
						621409	88H1382	GPS	121 45 50	195.118	195.193
						1263	02H2438	GPS	146 5 35	3128.178	3129.392
						375980	91H9898	GPS	151 24 13	4976.460	4978.378
						623520	91H9909	GPS	151 34 35	10786.693	10790.912
						793737	84H0030	GPS	174 29 26	1807.399	1808.097
						124644	90H6429	GPS	198 55 14	4077.604	4079.183
						645424	2839	GPS	244 41 47	1923.873	1924.618
						507582	84H0033	GPS	260 28 29	745.236	745.524
						784975	02H2406	GPS	307 35 13	10999.411	11003.691
				651240	84H0009	GPS	331 4 46	1031.627	1032.028		
91694	98SG042	E	524402.207	0.9996095	1.0000022	57851	85H0637	GPS	22 51 2	2530.660	2531.648
		N	5452114.400			909333	NO MARKING	GPS	89 49 18	9202.030	9205.658
		El	4.565	CVD28GVRD2018		439612	85H0717	GPS	95 48 31	5685.509	5687.739
						768556	02H2449	GPS	104 20 9	3192.953	3194.205
						904904	NO MARKING	GPS	177 20 14	13075.546	13080.667
						1511	02H2456	GPS	183 29 55	2288.417	2289.311
						3525	02H2432	GPS	241 26 52	2958.618	2959.775
						3996	92H0900	GPS	259 43 32	7852.389	7855.495
						756155	02H2445	GPS	270 49 42	1798.359	1799.063
						752220	02H2448	GPS	272 9 57	3131.061	3132.286
						286567	02H2455	GPS	291 23 15	9015.800	9019.360
						104521	02H2450	GPS	311 58 7	3793.409	3794.894
				105700	02H2458	GPS	339 57 57	2480.194	2481.163		

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
909333	NO MARKING	E	533604.192	0.9996023	0.9999884	863944	85H0742	GPS	8 48 40	1566.625	1567.249
		N	5452143.047			200915	02H2433	GPS	23 45 13	11836.697	11841.455
		El	92.043	CVD28GVRD2018		603746	02H2446	GPS	27 37 58	4659.086	4660.964
						546473	85H0764	GPS	57 54 1	320.191	320.319
						597328	02H2437	GPS	78 45 57	6171.193	6173.714
						737478	02H2435	GPS	96 44 41	7468.077	7471.073
						956524	85H0699	GPS	101 16 21	1938.560	1939.330
						747386	02H2442	GPS	104 39 10	4565.626	4567.458
						742122	02H2434	GPS	108 1 53	8021.608	8024.807
						777771	NO MARKING	GPS	116 22 34	20486.876	20494.765
						84103	02H2436	GPS	122 41 21	9703.001	9706.763
						575159	82H5753	GPS	137 36 33	10671.513	10675.651
						654848	88H1395	GPS	139 43 4	6092.793	6095.215
						488098	93H1078	GPS	142 25 33	7823.975	7827.018
						774182	82H5811	GPS	150 2 28	13195.357	13200.556
						968016	80H2360	GPS	158 33 40	15813.447	15819.703
						322909	88H4721	GPS	162 44 59	18657.731	18665.112
						49007	84H9663	GPS	164 22 4	21860.451	21869.113
						623520	91H9909	GPS	165 54 31	11745.038	11749.700
						349902	88H4730	GPS	166 48 12	15024.762	15030.719
						147819	91H9962	GPS	167 27 54	24884.337	24894.067
						924191	88H1387	GPS	167 30 21	2375.502	2376.446
						942268	14H2739	GPS	170 28 13	18407.264	18414.594
						854208	91H9966	GPS	172 47 19	24501.500	24511.102
						56689	75H2713	GPS	179 13 13	14253.180	14258.840
						145813	78H8380	GPS	179 16 57	18341.006	18348.341
						393363	91H0295	GPS	182 26 42	8164.329	8167.566
						1263	02H2438	GPS	186 42 42	4532.504	4534.289
						941757	80H2577	GPS	188 10 27	21412.998	21421.513
						212746	81H4238	GPS	189 37 37	18200.077	18207.316
						827154	74H2689	GPS	195 8 11	11791.614	11796.254
						392712	78H2744	GPS	196 19 38	22030.319	22039.122
						576363	8705	GPS	207 47 16	27588.270	27599.297
						793737	84H0030	GPS	209 33 51	4258.751	4260.419
						210369	84H0564	GPS	210 51 3	24670.214	24679.980
						124644	90H6429	GPS	211 58 21	6792.998	6795.667
						904904	NO MARKING	GPS	213 17 16	15659.389	15665.580
						693275	NO MARKING	GPS	214 6 10	19800.110	19807.985
						321372	13H2681	GPS	215 7 9	21999.585	22008.285
						447771	5169	GPS	220 43 24	19379.535	19387.188
						7286	13H2691	GPS	225 52 16	21213.840	21222.233
						489179	5958	GPS	226 24 58	26333.760	26344.290
						942870	86H1263	GPS	226 41 46	30651.160	30663.546
						63446	5013	GPS	227 48 49	17046.240	17053.062
						485250	93H1144	GPS	229 8 10	12460.679	12465.649
						90274	97H2168	GPS	230 3 8	2967.241	2968.404
						12260	92H0958	GPS	233 3 43	7725.176	7728.218
						645424	2839	GPS	235 48 15	4853.051	4854.958
						973289	5157	GPS	236 59 28	15061.195	15067.144

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
					607093	5893	GPS	240 29 19	29417.779	29429.480
					394825	81	GPS	243 32 27	50707.923	50728.128
					995365	6910	GPS	244 4 50	32088.845	32101.619
					531079	6902	GPS	246 28 44	36787.714	36802.373
					991802	88H4194	GPS	247 7 9	40144.312	40160.315
					334078	8640	GPS	247 49 29	13675.189	13680.628
					459750	5992	GPS	250 28 17	11699.139	11703.759
					737197	84H0431	GPS	250 57 51	41436.901	41453.424
					81091	02H2496	GPS	251 38 28	7294.850	7297.721
					2949	13H2690	GPS	252 38 48	16649.822	16656.428
					869792	NO MARKING	GPS	255 0 3	45903.803	45922.155
					1511	02H2456	GPS	256 5 40	9623.677	9627.473
					439612	85H0717	GPS	260 19 53	3596.757	3598.181
					838037	02H2423	GPS	260 48 34	31493.573	31506.125
					898734	NO MARKING	GPS	261 55 0	23643.612	23653.198
					768556	02H2449	GPS	262 21 41	6163.147	6165.585
					3525	02H2432	GPS	263 1 47	11888.648	11893.344
					16725	92H0902	GPS	268 1 21	24233.682	24243.324
					852269	02H2439	GPS	268 10 47	1951.343	1952.114
					91694	98SG042	GPS	269 49 18	9202.030	9205.658
					756155	02H2445	GPS	269 59 10	11000.156	11004.503
					752220	02H2448	GPS	270 25 0	12331.135	12336.007
					785741		GPS	273 58 42	31391.059	31403.635
					875864	NO MARKING	GPS	278 28 14	40543.982	40560.250
					395459	85H0635	GPS	279 53 13	6217.528	6219.979
					758508	02H2485	GPS	281 18 39	13773.602	13779.050
					104521	02H2450	GPS	281 47 2	12281.260	12286.111
					105700	02H2458	GPS	282 53 47	10311.765	10315.832
					183145	80H3149	GPS	284 30 30	25768.579	25779.055
					326595	PIER 3	GPS	285 34 9	53810.357	53832.536
					479550	14H2741	GPS	286 3 0	17833.524	17840.604
					387381	85H0645	GPS	286 35 11	8082.481	8085.663
					669861	80H3162	GPS	288 4 52	22238.382	22247.240
					738484	93H1003	GPS	289 23 27	20325.932	20334.027
					292540	83H6606	GPS	292 25 23	22275.982	22285.211
					784975	02H2406	GPS	293 36 34	11995.052	11999.790
					323543	94H1583	GPS	295 36 58	20445.650	20454.005
					559500	02H2477	GPS	296 40 43	56886.977	56909.852
					674135	87001	GPS	296 50 45	33898.078	33914.151
					325373	84H0055	GPS	296 51 50	3341.266	3342.580
					663799	14H2745	GPS	298 45 2	18108.342	18115.723
					932020	95H1746	GPS	300 0 43	19740.180	19748.106
					298166	S23T39	GPS	300 40 4	21548.125	21557.231
					117598	02H2429	GPS	300 52 6	12857.175	12862.252
					801852	02H2460	GPS	302 47 24	10563.702	10567.866
					831958	NO MARKING	GPS	309 46 35	22767.662	22776.973
					771543	02H2440	GPS	319 28 49	3337.304	3338.630
					573840	02H2484	GPS	327 6 22	30209.722	30222.455
					232108	02H2426	GPS	327 49 31	14566.070	14571.802

Order in Council No. 1579/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS	UTM Coordinates	Station Scale Factor	TO MARKER IDENTIFIERS	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
-----	-----		-----			Metres	Metres
GCM-NO	TABLET MARKING	Combined Ellipsoidal	GCM-NO	TABLET MARKING			

END OF REPORT