

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
658971	78H8385	E	524966.351	0.9996037	0.9999960	378281	84H9701	TERR	181 53 59	419.090	419.256						
		N	5436634.419					864181	79H9457			TERR	271 57 5	224.945	225.034		
		El	44.607					CVD28GVRD2018									
363911	78H8386	E	524166.603	0.9996035	0.9999963	MARKER DESTROYED											
		N	5436641.834														
		El	43.004			CVD28GVRD2018											
352799	78H8387	E	524183.690	0.9996035	0.9999963	352492	79H9465	TERR	184 7 3	246.002	246.100						
		N	5437054.032					704239	87H2616			TERR	269 34 38	268.974	269.082		
		El	42.688					CVD28GVRD2018				638973	79H9452	TERR	358 56 22	122.969	123.018
189506	78H8389	E	524200.804	0.9996063	0.9999991	237412	79H9546	TERR	1 8 5	189.925	190.000						
		N	5437466.068					34074	79H9460			TERR	91 2 58	193.602	193.678		
		El	24.918					CVD28GVRD2018				638973	79H9452	TERR	183 50 14	289.738	289.852
												60269	79H9604	TERR	269 55 46	204.910	204.990
731026	78H8390	E	523645.182	0.9996050	0.9999982	60269	79H9604	TERR	89 51 45	350.713	350.851						
		N	5437464.974					216374	79H9603			TERR	269 56 57	250.484	250.584		
		El	31.032					CVD28GVRD2018				10280	79H9592	TERR	359 18 35	192.720	192.796
293373	78H8391	E	524194.992	0.9996078	1.0000006	608158	79H9605	TERR	112 58 27	217.612	217.697						
		N	5437776.662					237412	79H9546			TERR	175 27 56	121.085	121.132		
		El	15.459					CVD28GVRD2018									
735373	78H8392	E	524840.396	0.9996074	0.9999998	165977	79H9522	TERR	0 31 41	176.947	177.016						
		N	5437502.621					692210	79H9572			TERR	112 56 43	214.316	214.400		
		El	20.592					CVD28GVRD2018				219378	79H9612	TERR	293 2 40	171.181	171.248
216465	78H8393	E	524830.587	0.9996093	1.0000017	387373	89H5077	TERR	1 14 4	214.957	215.041						
		N	5438456.474					580357	89H5059			TERR	88 39 1	221.247	221.334		
		El	8.181					CVD28GVRD2018				803791	79H9531	TERR	176 18 49	89.807	89.842
												380444	89H5081	TERR	269 41 35	328.216	328.344
699009	78H8394	E	524184.262	0.9996087	1.0000016	380444	89H5081	TERR	89 43 19	318.118	318.242						
		N	5438453.172					280396	79H9529			TERR	176 16 22	171.218	171.285		
		El	9.307					CVD28GVRD2018				903070	79H9511	TERR	269 8 13	282.459	282.570
												538777	79H9443	TERR	357 14 29	227.004	227.092

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
694224	78H8396	E	524174.203	0.9996084	1.0000012	381467	79H9594	TERR	89 4 44	352.160	352.297			
		N	5439109.346					862029	79H9441	TERR	181 43 40	162.845	162.908	
		El	11.343					CVD28GVRD2018	824615	87H2613	TERR	271 8 3	407.968	408.128
						172700	91H0421	TERR	356 15 15	132.619	132.671			
261362	78H8400	E	525775.879	0.9996100	1.0000019	841130	79H9583	TERR	358 9 26	109.932	109.975			
		N	5438760.885											
		El	7.224					CVD28GVRD2018						
823443	78H8402	E	525787.325	0.9996086	1.0000004	419838	79H9481	TERR	90 10 28	405.781	405.940			
		N	5437473.703					256107	89H5091	TERR	92 43 12	145.870	145.927	
		El	16.622					CVD28GVRD2018	573691	79H9558	TERR	171 34 40	53.466	53.486
									519355	89H5070	TERR	272 10 1	193.997	194.072
									171629	79H9587	TERR	359 50 17	381.307	381.456
813063	78H8404	E	525767.776	0.9996037	0.9999955	682773	89H5093	TERR	3 17 7	265.611	265.715			
		N	5436632.120					419515	84H9715	TERR	181 28 52	412.354	412.518	
		El	47.921					CVD28GVRD2018						
541151	78H8406	E	525785.274	0.9996099	1.0000017	821710	89H5084	TERR	89 23 9	269.495	269.600			
		N	5439152.815					841130	79H9583	TERR	182 37 29	282.351	282.461	
		El	8.253					CVD28GVRD2018	678342	79H9477	TERR	272 48 29	308.971	309.091
526657	78H8408	E	524049.673	0.9996080	1.0000009	131987	87H2594	TERR	67 33 10	150.100	150.159			
		N	5439826.985					849836	89H5058	TERR	229 9 59	119.865	119.911	
		El	13.441					CVD28GVRD2018						
977082	78H8409	E	525466.409	0.9996094	1.0000014	558999	91H0414	TERR	127 0 53	144.076	144.133			
		N	5439748.232					772301	87H2606	TERR	273 15 17	111.154	111.197	
		El	10.162					CVD28GVRD2018						
862029	79H9441	E	524169.293	0.9996087	1.0000015	694224	78H8396	TERR	1 43 40	162.845	162.908			
		N	5438946.575					765297	79H9442	TERR	173 0 4	138.783	138.838	
		El	9.679					CVD28GVRD2018						
765297	79H9442	E	524186.204	0.9996089	1.0000017	538777	79H9443	TERR	185 41 60	129.554	129.605			
		N	5438808.826					862029	79H9441	TERR	353 0 4	138.783	138.838	
		El	8.360					CVD28GVRD2018						

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
538777	79H9443	E	524173.337	0.9996087	1.0000015	765297	79H9442	TERR	5 41 60	129.554	129.605		
		N	5438679.913					750968	87H2608	TERR	63 34 44	366.974	367.117
		El	9.642					CVD28GVRD2018	699009	78H8394	TERR	177 14 29	227.004
819250	79H9444	E	524056.264	0.9996076	1.0000005	949016	79H9445	TERR	269 13 47	135.394	135.448		
		N	5437903.603										
		El	15.859					CVD28GVRD2018					
949016	79H9445	E	523920.882	0.9996081	1.0000010	819250	79H9444	TERR	89 13 47	135.394	135.448		
		N	5437901.783					708800	79H9446	TERR	352 2 35	98.369	98.408
		El	12.676					CVD28GVRD2018					
708800	79H9446	E	523907.265	0.9996090	1.0000020	949016	79H9445	TERR	172 2 35	98.369	98.408		
		N	5437999.205					428128	79H9447	TERR	282 52 37	243.182	243.278
		El	6.535					CVD28GVRD2018					
428128	79H9447	E	523670.199	0.9996089	1.0000021	708800	79H9446	TERR	102 52 37	243.182	243.278		
		N	5438053.400										
		El	6.096					CVD28GVRD2018					
933762	79H9449	E	523428.385	0.9996088	1.0000021	868661	89H5076	TERR	68 12 37	157.869	157.931		
		N	5437943.717										
		El	6.123					CVD28GVRD2018					
452433	79H9450	E	523405.602	0.9996080	1.0000013	40956	89H5092	TERR	76 24 19	123.250	123.298		
		N	5437867.777										
		El	11.187					CVD28GVRD2018					
381723	79H9451	E	523618.980	0.9996080	1.0000011	696450	89H5096	TERR	171 11 10	129.789	129.839		
		N	5437909.629					40956	89H5092	TERR	262 9 44	94.464	94.500
		El	12.256					CVD28GVRD2018					
638973	79H9452	E	524181.414	0.9996042	0.9999970	189506	78H8389	TERR	3 50 14	289.738	289.852		
		N	5437176.980					662403	79H9453	TERR	119 55 11	162.413	162.477
		El	38.266					CVD28GVRD2018	352799	78H8387	TERR	178 56 22	122.969

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
662403	79H9453	E	524322.181	0.9996038	0.9999966	638973	79H9452	TERR	299 55 11	162.413	162.477
		N	5437095.971								
		El	41.264	CVD28GVRD2018							
447029	79H9454	E	524493.734	0.9996039	0.9999965	622795	79H9463	TERR	29 45 15	211.641	211.725
		N	5436968.777			557660	79H9459	TERR	124 42 11	183.423	183.495
		El	41.610	CVD28GVRD2018		313171	79H9455	TERR	203 52 18	156.777	156.839
						783860	79H9599	TERR	304 53 34	91.841	91.878
313171	79H9455	E	524430.288	0.9996037	0.9999964	447029	79H9454	TERR	23 52 18	156.777	156.839
		N	5436825.412			570952	79H9601	TERR	168 58 14	94.641	94.678
		El	42.580	CVD28GVRD2018							
331421	79H9456	E	524478.133	0.9996035	0.9999962	570952	79H9601	TERR	340 56 38	91.086	91.122
		N	5436646.425								
		El	43.861	CVD28GVRD2018							
864181	79H9457	E	524741.537	0.9996036	0.9999961	658971	78H8385	TERR	91 57 5	224.945	225.034
		N	5436642.079								
		El	44.155	CVD28GVRD2018							
820894	79H9458	E	524775.997	0.9996037	0.9999962	557660	79H9459	TERR	308 32 30	168.085	168.152
		N	5436759.619								
		El	43.532	CVD28GVRD2018							
557660	79H9459	E	524644.528	0.9996038	0.9999964	820894	79H9458	TERR	128 32 30	168.085	168.152
		N	5436864.350			447029	79H9454	TERR	304 42 11	183.423	183.495
		El	42.580	CVD28GVRD2018							
34074	79H9460	E	524394.373	0.9996065	0.9999992	608158	79H9605	TERR	0 14 33	229.205	229.295
		N	5437462.522			61499	89H5089	TERR	89 23 17	145.515	145.572
		El	24.598	CVD28GVRD2018		189506	78H8389	TERR	271 2 58	193.602	193.678
877464	79H9461	E	524694.612	0.9996062	0.9999987	69971	89H5097	TERR	4 33 6	91.155	91.190
		N	5437372.659			437012	79H9563	TERR	83 37 43	157.589	157.651
		El	27.822	CVD28GVRD2018		320770	79H9462	TERR	193 10 46	168.502	168.569

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
320770	79H9462	E	524656.193	0.9996046	0.9999972	877464	79H9461	TERR	13 10 46	168.502	168.569						
		N	5437208.595					79H9463				TERR	225 40 48	80.266	80.298		
		El	37.404					CVD28GVRD2018									
622795	79H9463	E	524598.767	0.9996041	0.9999967	320770	79H9462	TERR	45 40 48	80.266	80.298						
		N	5437152.516					79H9591				TERR	127 51 23	177.426	177.497		
		El	40.499					CVD28GVRD2018				79H9454				TERR	209 45 15
925214	79H9464	E	525133.090	0.9996090	1.0000013	772301	87H2606	TERR	120 9 40	257.160	257.261						
		N	5439883.749					79H9495				TERR	263 56 21	159.155	159.216		
		El	10.945					CVD28GVRD2018									
352492	79H9465	E	524166.027	0.9996035	0.9999963	352799	78H8387	TERR	4 7 3	246.002	246.100						
		N	5436808.665														
		El	42.685					CVD28GVRD2018									
495507	79H9467	E	525412.410	0.9996096	1.0000017	688895	79H9493	TERR	39 21 38	112.490	112.534						
		N	5438938.343					79H9486				TERR	111 11 2	207.066	207.146		
		El	8.267					CVD28GVRD2018				89H5073				TERR	177 26 32
								89H5071				TERR	283 34 58	225.061	225.148		
408799	79H9468	E	525329.786	0.9996040	0.9999961	771956	79H9559	TERR	0 11 45	202.606	202.686						
		N	5436932.342					79H9576				TERR	178 40 59	90.855	90.891		
		El	44.293					CVD28GVRD2018				79H9562				TERR	270 15 55
554337	79H9469	E	523856.902	0.9996078	1.0000008	937995	87H2598	TERR	242 30 57	117.971	118.017						
		N	5439591.552														
		El	14.012					CVD28GVRD2018									
497446	79H9472	E	524334.540	0.9996082	1.0000009	602672	87H2614	TERR	121 7 43	355.469	355.608						
		N	5439889.277					87H2594				TERR	268 2 55	146.225	146.282		
		El	13.544					CVD28GVRD2018									
720979	79H9474	E	524977.059	0.9996041	0.9999964	989483	79H9549	TERR	4 10 42	103.606	103.648						
		N	5437037.871					79H9562				TERR	181 37 14	103.925	103.965		
		El	42.101					CVD28GVRD2018									

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
678342	79H9477	E	525476.674	0.9996096	1.0000016	287078	79H0136	GPS	49 35 60	2451.364	2452.320	
		N	5439167.951			827154	74H2689	GPS	72 29 31	5293.760	5295.825	
		El	8.777			CVD28GVRD2018	755801	91H0148	GPS	79 46 10	8439.290	8442.609
							541151	78H8406	TERR	92 48 29	308.971	309.091
							8979	75H2716	GPS	140 44 55	2193.095	2193.952
							227967	92H0776	GPS	170 10 9	11356.246	11360.734
							688895	79H9493	TERR	177 9 34	142.810	142.865
							60269	79H9604	GPS	221 1 18	2256.097	2256.982
							447771	5169	GPS	249 14 13	4829.458	4831.348
							904904	NO MARKING	GPS	256 10 10	480.982	481.171
							875864	NO MARKING	GPS	300 39 1	37166.513	37181.256
			898734	NO MARKING	GPS	302 16 25	18073.371	18080.626				
			10702		GPS	311 21 39	1978.529	1979.305				
			827048		TERR	313 4 41	218.276	218.362				
389205	79H9480	E	523911.120	0.9996083	1.0000013	818385	79H9508	TERR	159 21 6	205.100	205.180	
		N	5438983.219			878454	79H9503	TERR	272 53 21	135.946	135.999	
		El	10.939			CVD28GVRD2018						
419838	79H9481	E	526193.104	0.9996085	1.0000000	9852	77H2734	TERR	90 4 30	403.919	404.077	
		N	5437472.468			82032	79H9550	TERR	267 14 48	124.943	124.993	
		El	19.090			CVD28GVRD2018	823443	78H8402	TERR	270 10 28	405.781	405.940
814426	79H9482	E	524166.995	0.9996081	1.0000010	679951	79H9501	TERR	0 26 46	155.841	155.901	
		N	5439604.142			539643	91H0409	TERR	174 12 57	160.569	160.632	
		El	12.999			CVD28GVRD2018	208348	91H0423	TERR	180 11 54	248.878	248.975
364224	79H9483	E	523834.623	0.9996079	1.0000010	166496	89H5087	TERR	176 21 26	255.062	255.162	
		N	5439398.504			937995	87H2598	TERR	329 16 32	161.236	161.300	
		El	13.047			CVD28GVRD2018						
239509	79H9486	E	525605.483	0.9996099	1.0000018	980979	89H5072	TERR	22 58 24	106.015	106.057	
		N	5438863.517			70722	79H9535	TERR	180 30 11	283.861	283.972	
		El	7.683			CVD28GVRD2018	495507	79H9467	TERR	291 11 2	207.066	207.146
619262	79H9488	E	524028.477	0.9996086	1.0000015	818385	79H9508	TERR	323 31 24	75.748	75.778	
		N	5438730.385									
		El	9.684			CVD28GVRD2018						

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
827048	79H9489	E	525317.240	0.9996093	1.0000014	445841	91H0413	TERR	31 37 27	141.849	141.904		
		N	5439317.032					678342	79H9477	TERR	133 4 41	218.276	218.362
		El	10.348					CVD28GVRD2018	451922	89H5064	TERR	224 23 43	174.181
334359	79H9490	E	526119.071	0.9996048	0.9999965	680173	79H9538	TERR	4 32 49	73.214	73.244		
		N	5437046.706					98939	79H9564	TERR	181 27 54	148.880	148.938
		El	41.798					CVD28GVRD2018	971846	79H9530	TERR	276 35 0	123.857
688895	79H9493	E	525483.751	0.9996097	1.0000017	980979	89H5072	TERR	111 28 57	175.287	175.356		
		N	5439025.317					495507	79H9467	TERR	219 21 38	112.490	112.534
		El	8.394					CVD28GVRD2018	678342	79H9477	TERR	357 9 34	142.810
535724	79H9494	E	525876.829	0.9996044	0.9999962	971846	79H9530	TERR	91 1 17	119.221	119.268		
		N	5437063.031					893990	87H2602	TERR	258 7 46	109.542	109.585
		El	43.555					CVD28GVRD2018					
370676	79H9495	E	524974.825	0.9996089	1.0000013	925214	79H9464	TERR	83 56 21	159.155	159.216		
		N	5439866.945					196386	87H2604	TERR	211 30 51	305.758	305.878
		El	11.146					CVD28GVRD2018					
925438	79H9499	E	525353.399	0.9996093	1.0000014	MARKER DESTROYED							
		N	5439757.431										
		El	10.503			CVD28GVRD2018							
679951	79H9501	E	524168.208	0.9996081	1.0000009	131987	87H2594	TERR	9 13 31	125.949	125.999		
		N	5439759.978					613257	80H2619	TERR	122 10 20	457.113	457.291
		El	13.407					CVD28GVRD2018	814426	79H9482	TERR	180 26 46	155.841
9225	79H9502	E	524183.504	0.9996086	1.0000014	MARKER DESTROYED							
		N	5439277.577										
		El	10.281			CVD28GVRD2018							
878454	79H9503	E	523775.347	0.9996081	1.0000012	389205	79H9480	TERR	92 53 21	135.946	135.999		
		N	5438990.071					555441	79H9567	TERR	181 33 38	288.049	288.162
		El	11.686					CVD28GVRD2018	824615	87H2613	TERR	355 56 36	127.670

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
419762	79H9504	E	524184.040	0.9996084	1.0000012		MARKER DESTROYED				
		N	5439445.872								
		El	11.385	CVD28GVRD2018							
190892	79H9507	E	524831.971	0.9996090	1.0000014	456095	91H0412	TERR	7 11 50	162.105	162.169
		N	5438863.571			387373	89H5077	TERR	179 1 56	192.217	192.292
		El	10.251	CVD28GVRD2018							
818385	79H9508	E	523983.445	0.9996086	1.0000015	619262	79H9488	TERR	143 31 24	75.748	75.778
		N	5438791.294			389205	79H9480	TERR	339 21 6	205.100	205.180
		El	9.759	CVD28GVRD2018							
896589	79H9510	E	523775.477	0.9996092	1.0000022	702605	88H4537	GPS	37 20 8	5049.772	5051.748
		N	5438547.494			903070	79H9511	TERR	127 57 33	160.262	160.324
		El	5.040	CVD28GVRD2018		649012	88H4663	GPS	180 43 43	3869.121	3870.646
						10280	79H9592	GPS	188 28 37	899.642	899.995
						928333	88H4680	GPS	354 9 52	1966.952	1967.724
						555441	79H9567	TERR	357 2 52	154.841	154.902
903070	79H9511	E	523901.835	0.9996093	1.0000023	699009	78H8394	TERR	89 8 13	282.459	282.570
		N	5438448.917			896589	79H9510	TERR	307 57 33	160.262	160.324
		El	4.877	CVD28GVRD2018							
459180	79H9513	E	525205.332	0.9996098	1.0000020	781138	89H5095	TERR	97 44 9	87.130	87.163
		N	5438470.632			580357	89H5059	TERR	266 39 56	153.819	153.880
		El	6.313	CVD28GVRD2018							
539791	79H9514	E	525433.353	0.9996099	1.0000020	314963	79H9516	TERR	188 50 11	160.392	160.454
		N	5438275.444								
		El	6.553	CVD28GVRD2018							
314963	79H9516	E	525408.715	0.9996098	1.0000019	539791	79H9514	TERR	8 50 11	160.392	160.454
		N	5438116.956			273649	79H9551	TERR	88 25 35	172.075	172.142
		El	7.167	CVD28GVRD2018		249326	79H9517	TERR	220 8 25	205.721	205.801
249326	79H9517	E	525276.095	0.9996096	1.0000018	314963	79H9516	TERR	40 8 25	205.721	205.801
		N	5437959.689								
		El	8.018	CVD28GVRD2018							

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
676130	79H9518	E	525286.160	0.9996096	1.0000017	40113	79H9519	TERR	173 20 20	206.615	206.696		
		N	5437821.102					909127	79H9520	TERR	256 11 55	237.802	237.895
		El	8.305					CVD28GVRD2018					
40113	79H9519	E	525310.127	0.9996090	1.0000011	676130	79H9518	TERR	353 20 20	206.615	206.696		
		N	5437615.882										
		El	12.317					CVD28GVRD2018					
909127	79H9520	E	525055.224	0.9996091	1.0000014	676130	79H9518	TERR	76 11 55	237.802	237.895		
		N	5437764.373					659920	79H9521	TERR	281 14 11	220.638	220.724
		El	10.433					CVD28GVRD2018					
659920	79H9521	E	524838.815	0.9996085	1.0000009	909127	79H9520	TERR	101 14 11	220.638	220.724		
		N	5437807.366					165977	79H9522	TERR	178 33 37	127.846	127.897
		El	13.368					CVD28GVRD2018		660993	79H9523	TERR	358 19 3
165977	79H9522	E	524842.027	0.9996082	1.0000006	735373	78H8392	TERR	180 31 41	176.947	177.016		
		N	5437679.560					659920	79H9521	TERR	358 33 37	127.846	127.897
		El	15.164					CVD28GVRD2018					
660993	79H9523	E	524835.816	0.9996089	1.0000013	659920	79H9521	TERR	178 19 3	102.143	102.183		
		N	5437909.465					468439	79H9525	TERR	272 52 59	172.238	172.305
		El	10.756					CVD28GVRD2018		257824	89H5085	TERR	356 14 38
616516	79H9524	E	524991.101	0.9996090	1.0000013			MARKER DESTROYED					
		N	5439186.821										
		El	10.975					CVD28GVRD2018					
468439	79H9525	E	524663.796	0.9996087	1.0000012	660993	79H9523	TERR	92 52 59	172.238	172.305		
		N	5437918.128					388181	79H9526	TERR	265 19 21	147.844	147.903
		El	11.351					CVD28GVRD2018					
388181	79H9526	E	524516.444	0.9996083	1.0000009	468439	79H9525	TERR	85 19 21	147.844	147.903		
		N	5437906.072					581207	79H9527	TERR	269 50 33	259.656	259.757
		El	13.538					CVD28GVRD2018					

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
581207	79H9527	E	524256.789	0.9996080	1.0000007	388181	79H9526	TERR	89 50 33	259.656	259.757
		N	5437905.358								
		El	14.525	CVD28GVRD2018							
23432	79H9528	E	524199.309	0.9996093	1.0000021	280396	79H9529	TERR	359 1 30	230.189	230.280
		N	5438052.160								
		El	5.943	CVD28GVRD2018							
280396	79H9529	E	524195.392	0.9996092	1.0000020	23432	79H9528	TERR	179 1 30	230.189	230.280
		N	5438282.316			699009	78H8394	TERR	356 16 22	171.218	171.285
		El	6.614	CVD28GVRD2018							
971846	79H9530	E	525996.031	0.9996047	0.9999964	334359	79H9490	TERR	96 35 0	123.857	123.905
		N	5437060.906			268797	79H9553	TERR	181 30 38	161.028	161.091
		El	42.170	CVD28GVRD2018		535724	79H9494	TERR	271 1 17	119.221	119.268
803791	79H9531	E	524836.361	0.9996094	1.0000018	257824	89H5085	TERR	184 18 53	217.291	217.376
		N	5438366.853			216465	78H8393	TERR	356 18 49	89.807	89.842
		El	7.614	CVD28GVRD2018							
226670	79H9533	E	525418.182	0.9996039	0.9999959	590729	79H9555	TERR	0 38 24	205.467	205.548
		N	5436831.968			186734	79H9576	TERR	276 18 34	86.834	86.868
		El	45.345	CVD28GVRD2018							
30361	79H9534	E	526182.426	0.9996076	0.9999992	237842	79H9577	TERR	290 53 32	163.721	163.785
		N	5437276.594								
		El	24.589	CVD28GVRD2018							
70722	79H9535	E	525602.991	0.9996101	1.0000020	239509	79H9486	TERR	0 30 11	283.861	283.972
		N	5438579.667			662908	88H0918	GPS	20 7 46	5248.691	5250.752
		El	6.398	CVD28GVRD2018		287078	79H0136	GPS	38 38 28	2787.276	2788.362
						830976	89H4979	GPS	104 13 4	4507.923	4509.694
						46672	93H1136	GPS	116 57 43	2755.423	2756.506
						693275	NO MARKING	GPS	227 35 33	4198.915	4200.569
						894436	89H5073	TERR	275 11 17	175.990	176.058
						904904	NO MARKING	GPS	308 34 43	759.003	759.300
						10702	93H1153	GPS	319 38 8	2487.978	2488.953
						916924	88H4525	GPS	359 18 4	4312.837	4314.550

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
474353	79H9537	E	526069.800	0.9996100	1.0000016	821710	89H5084	TERR	182 4 49	414.514	414.676		
		N	5439569.945					630301	91H0427	TERR	347 54 3	239.489	239.583
		El	8.728					CVD28GVRD2018					
680173	79H9538	E	526124.875	0.9996062	0.9999978	334359	79H9490	TERR	184 32 49	73.214	73.244		
		N	5437119.690					502591	79H9561	TERR	304 14 54	117.511	117.557
		El	32.975					CVD28GVRD2018					
908806	79H9539	E	524852.565	0.9996089	1.0000014	MARKER DESTROYED							
		N	5439023.565										
		El	10.567			CVD28GVRD2018							
835116	79H9540	E	525668.399	0.9996042	0.9999961	235176	79H9557	TERR	0 24 49	100.832	100.871		
		N	5437031.429					287607	88H5101	TERR	186 22 25	108.701	108.744
		El	44.412					CVD28GVRD2018		590729	79H9555	TERR	271 23 5
135624	79H9541	E	525056.874	0.9996092	1.0000015	629840	89H5060	TERR	1 22 2	196.312	196.389		
		N	5438838.874					123349	79H9552	TERR	181 48 6	188.724	188.798
		El	9.450					CVD28GVRD2018					
634857	79H9542	E	525362.207	0.9996037	0.9999958	586834	86H2327	TERR	178 38 27	231.154	231.246		
		N	5436639.171										
		El	46.373					CVD28GVRD2018					
237412	79H9546	E	524204.565	0.9996074	1.0000002	189506	78H8389	TERR	181 8 5	189.925	190.000		
		N	5437655.956					98640	89H5080	TERR	270 11 40	324.487	324.614
		El	17.858					CVD28GVRD2018		293373	78H8391	TERR	355 27 56
250381	79H9547	E	525468.810	0.9996091	1.0000012	186163	79H9556	TERR	271 1 7	581.127	581.354		
		N	5440091.193										
		El	11.668					CVD28GVRD2018					
989483	79H9549	E	524984.608	0.9996049	0.9999972	720979	79H9474	TERR	184 10 42	103.606	103.648		
		N	5437141.202										
		El	37.136					CVD28GVRD2018					

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
82032	79H9550	E	526068.305	0.9996085	1.0000002	419838	79H9481	TERR	87 14 48	124.943	124.993		
		N	5437466.466					237842	79H9577	TERR	196 27 18	137.102	137.156
		El	18.094					CVD28GVRD2018	256107	89H5091	TERR	270 8 0	135.274
273649	79H9551	E	525580.725	0.9996098	1.0000017	35782	79H9615	TERR	179 14 40	362.384	362.526		
		N	5438121.681					314963	79H9516	TERR	268 25 35	172.075	172.142
		El	8.135					CVD28GVRD2018					
123349	79H9552	E	525050.941	0.9996095	1.0000018	135624	79H9541	TERR	1 48 6	188.724	188.798		
		N	5438650.243					580357	89H5059	TERR	179 44 50	188.560	188.633
		El	7.828					CVD28GVRD2018	387373	89H5077	TERR	275 35 47	216.756
268797	79H9553	E	525991.786	0.9996041	0.9999958	971846	79H9530	TERR	1 30 38	161.028	161.091		
		N	5436899.934					98939	79H9564	TERR	90 57 19	123.496	123.545
		El	45.774					CVD28GVRD2018	682773	89H5093	TERR	269 16 32	208.806
590729	79H9555	E	525420.477	0.9996042	0.9999962	835116	79H9540	TERR	91 23 5	247.994	248.092		
		N	5437037.422					226670	79H9533	TERR	180 38 24	205.467	205.548
		El	43.285					CVD28GVRD2018					
186163	79H9556	E	524887.775	0.9996086	1.0000010	250381	79H9547	TERR	91 1 7	581.127	581.354		
		N	5440101.525										
		El	12.744					CVD28GVRD2018					
235176	79H9557	E	525669.127	0.9996046	0.9999965	835116	79H9540	TERR	180 24 49	100.832	100.871		
		N	5437132.258					771956	79H9559	TERR	270 27 18	338.660	338.793
		El	41.773					CVD28GVRD2018					
573691	79H9558	E	525795.156	0.9996084	1.0000002	383760	79H9570	TERR	111 36 17	163.048	163.111		
		N	5437420.814					15479	79H9568	TERR	180 48 52	171.850	171.918
		El	18.006					CVD28GVRD2018	823443	78H8402	TERR	351 34 40	53.466
771956	79H9559	E	525330.478	0.9996043	0.9999964	235176	79H9557	TERR	90 27 18	338.660	338.793		
		N	5437134.947					408799	79H9468	TERR	180 11 45	202.606	202.686
		El	42.179					CVD28GVRD2018					

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
502591	79H9561	E	526027.740	0.9996067	0.9999984	680173	79H9538	TERR	124 14 54	117.511	117.557
		N	5437185.823								
		El	29.602	CVD28GVRD2018							
979187	79H9562	E	524974.120	0.9996041	0.9999964	720979	79H9474	TERR	1 37 14	103.925	103.965
		N	5436933.988			408799	79H9468	TERR	90 15 55	355.670	355.810
		El	42.305	CVD28GVRD2018							
437012	79H9563	E	524851.228	0.9996061	0.9999985	810598	79H9565	TERR	204 21 1	199.236	199.315
		N	5437390.147			877464	79H9461	TERR	263 37 43	157.589	157.651
		El	28.743	CVD28GVRD2018							
98939	79H9564	E	526115.265	0.9996042	0.9999958	334359	79H9490	TERR	1 27 54	148.880	148.938
		N	5436897.875			268797	79H9553	TERR	270 57 19	123.496	123.545
		El	45.779	CVD28GVRD2018							
810598	79H9565	E	524769.080	0.9996047	0.9999972	437012	79H9563	TERR	24 21 1	199.236	199.315
		N	5437208.635			441071	79H9613	TERR	169 0 53	106.812	106.854
		El	37.441	CVD28GVRD2018							
555441	79H9567	E	523767.502	0.9996084	1.0000015	878454	79H9503	TERR	1 33 38	288.049	288.162
		N	5438702.129			896589	79H9510	TERR	177 2 52	154.841	154.902
		El	9.982	CVD28GVRD2018							
15479	79H9568	E	525792.713	0.9996074	0.9999992	573691	79H9558	TERR	0 48 52	171.850	171.918
		N	5437248.981			59618	89H5088	TERR	280 5 24	186.071	186.143
		El	24.104	CVD28GVRD2018							
383760	79H9570	E	525946.749	0.9996079	0.9999996	237842	79H9577	TERR	107 19 23	86.650	86.684
		N	5437360.780			573691	79H9558	TERR	291 36 17	163.048	163.111
		El	21.832	CVD28GVRD2018							
692210	79H9572	E	525037.755	0.9996073	0.9999996	1313	87H2591	TERR	112 26 20	162.532	162.595
		N	5437419.070			735373	78H8392	TERR	292 56 43	214.316	214.400
		El	21.994	CVD28GVRD2018							

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
281428	79H9574	E	523660.517	0.9996036	0.9999967	477638	79H9610	TERR	2 29 21	108.708	108.750					
		N	5437050.263					704239				87H2616	TERR	89 35 52	254.212	254.313
		El	40.421					CVD28GVRD2018								
664706	79H9575	E	523673.655	0.9996042	0.9999973	431163	89H5098	TERR	91 15 60	257.148	257.250					
		N	5437259.287					730598				79H9585	TERR	214 49 34	58.835	58.858
		El	36.576					CVD28GVRD2018								
186734	79H9576	E	525331.874	0.9996039	0.9999960	226670	79H9533	TERR	96 18 34	86.834	86.868					
		N	5436841.511					408799				79H9468	TERR	358 40 59	90.855	90.891
		El	44.903					CVD28GVRD2018								
237842	79H9577	E	526029.469	0.9996080	0.9999996	82032	79H9550	TERR	16 27 18	137.102	137.156					
		N	5437334.979					30361				79H9534	TERR	110 53 32	163.721	163.785
		El	21.536					CVD28GVRD2018				383760	79H9570	TERR	287 19 23	86.650
907253	79H9578	E	523915.763	0.9996034	0.9999964	MARKER DESTROYED										
		N	5437052.074													
		El	42.288			CVD28GVRD2018										
971366	79H9579	E	523392.659	0.9996059	0.9999991	216374	79H9603	TERR	179 23 40	192.888	192.964					
		N	5437657.629													
		El	24.808					CVD28GVRD2018								
841130	79H9583	E	525772.344	0.9996100	1.0000018	541151	78H8406	TERR	2 37 29	282.351	282.461					
		N	5438870.760					261362				78H8400	TERR	178 9 26	109.932	109.975
		El	7.686					CVD28GVRD2018				980979	89H5072	TERR	305 45 32	154.634
582841	79H9584	E	525995.145	0.9996101	1.0000018	890798	89H5078	TERR	21 11 15	221.350	221.436					
		N	5438747.679					647990				88H4661	TERR	130 58 47	111.429	111.472
		El	7.724					CVD28GVRD2018								
730598	79H9585	E	523640.055	0.9996041	0.9999972	664706	79H9575	TERR	34 49 34	58.835	58.858					
		N	5437210.990					477638				79H9610	TERR	154 12 44	57.887	57.910
		El	36.867					CVD28GVRD2018								

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
836494	79H9586	E	525802.568	0.9996099	1.0000017		MARKER DESTROYED				
		N	5438491.686								
		El	8.125	CVD28GVRD2018							
171629	79H9587	E	525786.248	0.9996096	1.0000014	823443	78H8402	TERR	179 50 17	381.307	381.456
		N	5437855.008								
		El	9.985	CVD28GVRD2018							
535732	79H9589	E	525230.188	0.9996082	1.0000004	519355	89H5070	TERR	88 56 22	363.341	363.484
		N	5437474.313			1313	87H2591	TERR	199 47 34	124.645	124.693
		El	16.754	CVD28GVRD2018							
498329	79H9590	E	525941.012	0.9996098	1.0000015	806109	89H5099	TERR	7 15 10	73.142	73.170
		N	5437935.715			607671	79H9614	TERR	181 17 35	199.557	199.635
		El	9.717	CVD28GVRD2018							
674739	79H9591	E	524738.854	0.9996039	0.9999964	441071	79H9613	TERR	40 3 41	78.588	78.620
		N	5437043.632			622795	79H9463	TERR	307 51 23	177.426	177.497
		El	42.234	CVD28GVRD2018							
10280	79H9592	E	523642.860	0.9996064	0.9999996	896589	79H9510	GPS	8 28 37	899.642	899.995
		N	5437657.680			98640	89H5080	TERR	90 9 2	237.221	237.314
		El	21.960	CVD28GVRD2018		91835	78H8346	GPS	136 27 1	2542.791	2543.796
						339895	84H9666	GPS	153 19 11	5662.023	5664.263
						649012	88H4663	GPS	178 23 45	2980.162	2981.341
						731026	78H8390	TERR	179 18 35	192.720	192.796
						696450	89H5096	TERR	358 9 4	123.757	123.806
						928333	88H4680	GPS	358 38 39	2847.370	2848.492
381467	79H9594	E	524526.317	0.9996087	1.0000013	920199	89H5067	TERR	90 16 26	227.019	227.107
		N	5439115.007			750968	87H2608	TERR	185 6 60	272.891	272.998
		El	11.113	CVD28GVRD2018		694224	78H8396	TERR	269 4 44	352.160	352.297
						138487	79H9595	TERR	355 33 2	260.476	260.579
138487	79H9595	E	524506.109	0.9996085	1.0000011	613257	80H2619	TERR	19 3 39	150.113	150.172
		N	5439374.698			381467	79H9594	TERR	175 33 2	260.476	260.579
		El	11.924	CVD28GVRD2018							
263632	79H9598	E	525789.026	0.9996098	1.0000017		MARKER DESTROYED				
		N	5438119.579								
		El	8.533	CVD28GVRD2018							

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
783860	79H9599	E	524418.404	0.9996038	0.9999965	447029	79H9454	TERR	124 53 34	91.841	91.878				
		N	5437021.314					706051	87H2601			TERR	210 42 18	134.823	134.876
		El	41.890					CVD28GVRD2018							
570952	79H9601	E	524448.394	0.9996036	0.9999963	331421	79H9456	TERR	160 56 38	91.086	91.122				
		N	5436732.519					233296	79H9606			TERR	270 54 28	118.868	118.916
		El	43.101					CVD28GVRD2018				313171	79H9455	TERR	348 58 14
970715	79H9602	E	525408.745	0.9996072	0.9999992	59618	89H5088	TERR	97 41 46	202.600	202.680				
		N	5437308.712					1313	87H2591			TERR	282 20 46	225.990	226.080
		El	24.211					CVD28GVRD2018							
216374	79H9603	E	523394.698	0.9996054	0.9999987	731026	78H8390	TERR	89 56 57	250.484	250.584				
		N	5437464.752					8946	79H9608			TERR	181 9 27	211.206	211.289
		El	27.856					CVD28GVRD2018				971366	79H9579	TERR	359 23 40
60269	79H9604	E	523995.894	0.9996063	0.9999992	904904	NO MARKING	GPS	32 34 1	1883.278	1884.019				
		N	5437465.816			678342	79H9477	GPS	41 1 18			2256.097	2256.982		
		El	24.501			CVD28GVRD2018		8979	75H2716			GPS	89 55 23	2868.404	2869.529
		189506	78H8389			TERR	89 55 46	204.910	204.990						
		189860	79H0146			GPS	137 36 22	5055.675	5057.674						
		392712	78H2744			GPS	152 9 14	7311.241	7314.151						
		23978	78H2743			GPS	178 19 58	6091.831	6094.247						
		431163	89H5098			TERR	197 4 3	221.990	222.077						
		614040	5875			GPS	221 48 25	2216.233	2217.110						
		447771	5169			GPS	269 48 45	3035.041	3036.234						
		731026	78H8390			TERR	269 51 45	350.713	350.851						
		203257	92H0916			GPS	305 49 4	2727.299	2728.381						
		929984	13H2689			GPS	319 10 60	2201.658	2202.524						
587832	92H0922	GPS	335 9 23	3608.705	3610.138										
10702	93H1153	GPS	359 55 10	3009.548	3010.733										
608158	79H9605	E	524395.343	0.9996075	1.0000002	219378	79H9612	TERR	113 0 28	312.381	312.504				
		N	5437691.725					34074	79H9460			TERR	180 14 33	229.205	229.295
		El	17.835					CVD28GVRD2018				293373	78H8391	TERR	292 58 27
233296	79H9606	E	524329.541	0.9996036	0.9999963	706051	87H2601	TERR	6 40 41	172.158	172.226				
		N	5436734.402					570952	79H9601			TERR	90 54 28	118.868	118.916
		El	42.844					CVD28GVRD2018							

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
8946	79H9608	E	523390.431	0.9996049	0.9999982	216374	79H9603	TERR	1 9 27	211.206	211.289				
		N	5437253.589					80H2618				TERR	88 32 38	168.123	168.190
		El	30.768					CVD28GVRD2018							
477638	79H9610	E	523665.238	0.9996039	0.9999970	281428	79H9574	TERR	182 29 21	108.708	108.750				
		N	5437158.868					79H9585				TERR	334 12 44	57.887	57.910
		El	38.193					CVD28GVRD2018							
219378	79H9612	E	524682.875	0.9996075	1.0000000	735373	78H8392	TERR	113 2 40	171.181	171.248				
		N	5437569.629					79H9605				TERR	293 0 28	312.381	312.504
		El	19.478					CVD28GVRD2018							
441071	79H9613	E	524789.434	0.9996041	0.9999966	674739	79H9591	TERR	220 3 41	78.588	78.620				
		N	5437103.780					79H9565				TERR	349 0 53	106.812	106.854
		El	41.265					CVD28GVRD2018							
607671	79H9614	E	525936.509	0.9996093	1.0000010	498329	79H9590	TERR	1 17 35	199.557	199.635				
		N	5437736.209					89H5091				TERR	180 44 22	269.450	269.556
		El	12.538					CVD28GVRD2018							
35782	79H9615	E	525585.503	0.9996092	1.0000012	519355	89H5070	TERR	178 21 39	278.405	278.514				
		N	5437759.329					79H9551				TERR	359 14 40	362.384	362.526
		El	11.782					CVD28GVRD2018							
408583	80H2618	E	523558.500	0.9996043	0.9999975	8946	79H9608	TERR	268 32 38	168.123	168.190				
		N	5437257.861												
		El	35.535					CVD28GVRD2018							
613257	80H2619	E	524555.132	0.9996085	1.0000011	908053	81H4263	TERR	120 44 50	278.067	278.176				
		N	5439516.581					79H9595				TERR	199 3 39	150.113	150.172
		El	11.929					CVD28GVRD2018				79H9501	TERR	302 10 20	457.113
908053	81H4263	E	524794.111	0.9996088	1.0000012	196386	87H2604	TERR	5 8 54	232.803	232.894				
		N	5439374.419					89H5086				TERR	170 25 59	152.400	152.459
		El	11.424					CVD28GVRD2018				80H2619	TERR	300 44 50	278.067

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
515882	85H0937	E	526367.330	0.9996103	1.0000018	593111	85H0938	TERR	91 4 24	495.672	495.865							
		N	5439141.776					821710				89H5084	TERR	272 33 5	312.887	313.009		
		El	7.993					CVD28GVRD2018										
636985	87H2588	E	526152.175	0.9996102	1.0000018	638320	87H2589	TERR	143 11 47	184.494	184.566							
		N	5438600.164					647990				88H4661	TERR	315 35 46	104.197	104.238		
		El	7.762					CVD28GVRD2018										
638320	87H2589	E	526262.701	0.9996101	1.0000016	636985	87H2588	TERR	323 11 47	184.494	184.566							
		N	5438452.441															
		El	8.684					CVD28GVRD2018										
1313	87H2591	E	525187.981	0.9996072	0.9999994	535732	79H9589	TERR	19 47 34	124.645	124.693							
		N	5437357.032					970715				79H9602	TERR	102 20 46	225.990	226.080		
		El	23.316					CVD28GVRD2018				692210	79H9572	TERR	292 26 20	162.532	162.595	
808584	87H2593	E	523499.400	0.9996076	1.0000008	937995	87H2598	TERR	63 57 58	281.398	281.509							
		N	5439413.601					632885				87H2615	TERR	152 21 18	194.850	194.926		
		El	14.313					CVD28GVRD2018										
131987	87H2594	E	524188.400	0.9996080	1.0000008	630848	87H2595	TERR	1 22 2	218.634	218.720							
		N	5439884.298					497446				79H9472	TERR	88 2 55	146.225	146.282		
		El	14.118					CVD28GVRD2018				679951	79H9501	TERR	189 13 31	125.949	125.999	
												526657	78H8408	TERR	247 33 10	150.100	150.159	
630848	87H2595	E	524193.617	0.9996078	1.0000006	131987	87H2594	TERR	181 22 2	218.634	218.720							
		N	5440102.870															
		El	15.443					CVD28GVRD2018										
952051	87H2596	E	525573.998	0.9996095	1.0000014			MARKER DESTROYED										
		N	5439651.669															
		El	10.113					CVD28GVRD2018										
937995	87H2598	E	523752.246	0.9996078	1.0000009	554337	79H9469	TERR	62 30 57	117.971	118.017							
		N	5439537.108					364224				79H9483	TERR	149 16 32	161.236	161.300		
		El	13.746					CVD28GVRD2018				808584	87H2593	TERR	243 57 58	281.398	281.509	

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
183020	87H2599	E	523601.097	0.9996078	1.0000010	824615	87H2613	TERR	87 36 13	165.363	165.427	
		N	5439110.507			993691	5724	TERR	268 46 43	241.665	241.760	
		El	12.905	CVD28GVRD2018		632885	87H2615	TERR	355 3 21	130.975	131.028	
706051	87H2601	E	524349.561	0.9996037	0.9999964	783860	79H9599	TERR	30 42 18	134.823	134.876	
		N	5436905.392			233296	79H9606	TERR	186 40 41	172.158	172.226	
		El	42.293	CVD28GVRD2018								
893990	87H2602	E	525769.630	0.9996043	0.9999961	535724	79H9494	TERR	78 7 46	109.542	109.585	
		N	5437040.498			682773	89H5093	TERR	174 40 2	143.827	143.883	
		El	44.103	CVD28GVRD2018								
196386	87H2604	E	524815.002	0.9996087	1.0000012	370676	79H9495	TERR	31 30 51	305.758	305.878	
		N	5439606.283			110635	89H5063	TERR	121 4 0	385.364	385.515	
		El	11.715	CVD28GVRD2018			908053	81H4263	TERR	185 8 54	232.803	232.894
							602672	87H2614	TERR	299 23 23	202.201	202.280
326181	87H2605	E	525590.337	0.9996100	1.0000019		MARKER DESTROYED					
		N	5438248.506									
		El	6.876	CVD28GVRD2018								
772301	87H2606	E	525355.434	0.9996093	1.0000014	977082	78H8409	TERR	93 15 17	111.154	111.197	
		N	5439754.543			925214	79H9464	TERR	300 9 40	257.160	257.261	
		El	10.444	CVD28GVRD2018								
271296	87H2607	E	523765.555	0.9996080	1.0000011		MARKER DESTROYED					
		N	5439110.172									
		El	12.274	CVD28GVRD2018								
750968	87H2608	E	524501.980	0.9996088	1.0000014	381467	79H9594	TERR	5 6 60	272.891	272.998	
		N	5438843.203			779561	87H2611	TERR	181 11 52	169.601	169.667	
		El	10.434	CVD28GVRD2018		538777	79H9443	TERR	243 34 44	366.974	367.117	
309286	87H2610	E	525084.499	0.9996090	1.0000013		MARKER DESTROYED					
		N	5439161.491									
		El	11.084	CVD28GVRD2018								

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
779561	87H2611	E	524498.435	0.9996088	1.0000014	750968	87H2608	TERR	1 11 52	169.601	169.667			
		N	5438673.639					387373	89H5077	TERR	90 23 3	336.791	336.923	
		El	10.325					CVD28GVRD2018	380444	89H5081	TERR	178 58 7	218.959	219.044
824615	87H2613	E	523766.315	0.9996080	1.0000011	166496	89H5087	TERR	72 34 6	88.581	88.615			
		N	5439117.421					694224	78H8396	TERR	91 8 3	407.968	408.128	
		El	12.349					CVD28GVRD2018	878454	79H9503	TERR	175 56 36	127.670	127.720
									183020	87H2599	TERR	267 36 13	165.363	165.427
602672	87H2614	E	524638.824	0.9996086	1.0000012	196386	87H2604	TERR	119 23 23	202.201	202.280			
		N	5439705.513					497446	79H9472	TERR	301 7 43	355.469	355.608	
		El	11.781					CVD28GVRD2018						
632885	87H2615	E	523589.809	0.9996078	1.0000009	183020	87H2599	TERR	175 3 21	130.975	131.028			
		N	5439240.995					808584	87H2593	TERR	332 21 18	194.850	194.926	
		El	13.284					CVD28GVRD2018						
704239	87H2616	E	523914.723	0.9996035	0.9999965	431163	89H5098	TERR	4 32 37	202.191	202.271			
		N	5437052.047					352799	78H8387	TERR	89 34 38	268.974	269.082	
		El	41.930					CVD28GVRD2018	281428	79H9574	TERR	269 35 52	254.212	254.313
647990	88H4661	E	526079.267	0.9996102	1.0000019	636985	87H2588	TERR	135 35 46	104.197	104.238			
		N	5438674.605					582841	79H9584	TERR	310 58 47	111.429	111.472	
		El	7.265					CVD28GVRD2018						
185546	88H5100	E	526034.346	0.9996100	1.0000017	336107	89H5090	TERR	174 30 5	147.710	147.767			
		N	5438239.294											
		El	8.419					CVD28GVRD2018						
287607	88H5101	E	525656.332	0.9996040	0.9999959	835116	79H9540	TERR	6 22 25	108.701	108.744			
		N	5436923.400											
		El	45.415					CVD28GVRD2018						
434571	88H5102	E	525664.176	0.9996038	0.9999957			MARKER DESTROYED						
		N	5436735.901											
		El	46.751					CVD28GVRD2018						

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
849836	89H5058	E	523958.982	0.9996079	1.0000008	526657	78H8408	TERR	49 9 59	119.865	119.911					
		N	5439748.610					172510				89H5083	TERR	308 11 43	317.543	317.667
		El	13.916					CVD28GVRD2018								
580357	89H5059	E	525051.773	0.9996096	1.0000019	459180	79H9513	TERR	86 39 56	153.819	153.880					
		N	5438461.685					216465				78H8393	TERR	268 39 1	221.247	221.334
		El	7.029					CVD28GVRD2018				123349	79H9552	TERR	359 44 50	188.560
629840	89H5060	E	525061.558	0.9996091	1.0000014	853150	89H5071	TERR	108 23 50	139.200	139.255					
		N	5439035.130					135624				79H9541	TERR	181 22 2	196.312	196.389
		El	10.255					CVD28GVRD2018				456095	91H0412	TERR	267 3 53	209.553
369223	89H5061	E	525810.324	0.9996101	1.0000019	MARKER DESTROYED										
		N	5438247.652													
		El	7.237			CVD28GVRD2018										
726372	89H5062	E	525656.269	0.9996036	0.9999955	MARKER DESTROYED										
		N	5436636.462													
		El	47.703			CVD28GVRD2018										
110635	89H5063	E	525145.092	0.9996090	1.0000013	196386	87H2604	TERR	301 4 0	385.364	385.515					
		N	5439407.421													
		El	11.121					CVD28GVRD2018								
451922	89H5064	E	525195.382	0.9996091	1.0000013	827048	79H9489	TERR	44 23 43	174.181	174.249					
		N	5439192.574													
		El	10.868					CVD28GVRD2018								
190520	89H5065	E	525397.478	0.9996092	1.0000013	MARKER DESTROYED										
		N	5439441.052													
		El	10.719			CVD28GVRD2018										
920199	89H5067	E	524753.333	0.9996088	1.0000013	526533	91H0411	TERR	91 2 2	117.777	117.823					
		N	5439113.922					456095				91H0412	TERR	132 8 15	133.435	133.487
		El	11.026					CVD28GVRD2018				381467	79H9594	TERR	270 16 26	227.019

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
132787	89H5069	E	525082.969	0.9996090	1.0000013		MARKER DESTROYED				
		N	5439158.669								
		El	11.114	CVD28GVRD2018							
519355	89H5070	E	525593.467	0.9996085	1.0000005	823443	78H8402	TERR	92 10 1	193.997	194.072
		N	5437481.038			535732	79H9589	TERR	268 56 22	363.341	363.484
		El	16.158	CVD28GVRD2018		35782	79H9615	TERR	358 21 39	278.405	278.514
853150	89H5071	E	525193.644	0.9996093	1.0000015	495507	79H9467	TERR	103 34 58	225.061	225.148
		N	5438991.198			629840	89H5060	TERR	288 23 50	139.200	139.255
		El	9.660	CVD28GVRD2018							
980979	89H5072	E	525646.861	0.9996098	1.0000018	841130	79H9583	TERR	125 45 32	154.634	154.694
		N	5438961.124			239509	79H9486	TERR	202 58 24	106.015	106.057
		El	7.940	CVD28GVRD2018		688895	79H9493	TERR	291 28 57	175.287	175.356
894436	89H5073	E	525427.722	0.9996099	1.0000019	70722	79H9535	TERR	95 11 17	175.990	176.058
		N	5438595.581			495507	79H9467	TERR	357 26 32	343.104	343.239
		El	6.782	CVD28GVRD2018							
947523	89H5074	E	524167.425	0.9996080	1.0000008		MARKER DESTROYED				
		N	5439879.331								
		El	13.978	CVD28GVRD2018							
969071	89H5075	E	525837.373	0.9996096	1.0000014	630301	91H0427	TERR	126 56 45	228.013	228.102
		N	5439941.164			558999	91H0414	TERR	222 27 41	379.092	379.240
		El	9.955	CVD28GVRD2018							
868661	89H5076	E	523574.975	0.9996088	1.0000020	933762	79H9449	TERR	248 12 37	157.869	157.931
		N	5438002.318								
		El	6.798	CVD28GVRD2018							
387373	89H5077	E	524835.218	0.9996090	1.0000014	123349	79H9552	TERR	95 35 47	216.756	216.841
		N	5438671.381			216465	78H8393	TERR	181 14 4	214.957	215.041
		El	10.149	CVD28GVRD2018		779561	87H2611	TERR	270 23 3	336.791	336.923
						190892	79H9507	TERR	359 1 56	192.217	192.292

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
890798	89H5078	E	526075.145	0.9996102	1.0000018	582841	79H9584	TERR	201 11 15	221.350	221.436		
		N	5438954.066					821710	89H5084	TERR	354 13 31	202.667	202.745
		El	7.704					CVD28GVRD2018					
308072	89H5079	E	526019.661	0.9996098	1.0000015	MARKER DESTROYED							
		N	5439804.191										
		El	9.792			CVD28GVRD2018							
98640	89H5080	E	523880.080	0.9996071	1.0000001	237412	79H9546	TERR	90 11 40	324.487	324.614		
		N	5437657.057					10280	79H9592	TERR	270 9 2	237.221	237.314
		El	18.575					CVD28GVRD2018					
380444	89H5081	E	524502.376	0.9996089	1.0000015	216465	78H8393	TERR	89 41 35	328.216	328.344		
		N	5438454.716					699009	78H8394	TERR	269 43 19	318.118	318.242
		El	9.389					CVD28GVRD2018		779561	87H2611	TERR	358 58 7
156992	89H5082	E	524863.800	0.9996089	1.0000013	MARKER DESTROYED							
		N	5439108.787										
		El	10.880			CVD28GVRD2018							
821710	89H5084	E	526054.753	0.9996101	1.0000017	474353	79H9537	TERR	2 4 49	414.514	414.676		
		N	5439155.704					515882	85H0937	TERR	92 33 5	312.887	313.009
		El	8.189					CVD28GVRD2018		890798	89H5078	TERR	174 13 31
257824	89H5085	E	524820.013	0.9996096	1.0000020	803791	79H9531	TERR	4 18 53	217.291	217.376		
		N	5438150.178					660993	79H9523	TERR	176 14 38	241.231	241.325
		El	6.339					CVD28GVRD2018					
948083	89H5086	E	524819.440	0.9996088	1.0000012	728584	91H0410	TERR	108 30 2	148.453	148.512		
		N	5439224.139					908053	81H4263	TERR	350 25 59	152.400	152.459
		El	11.238					CVD28GVRD2018					
166496	89H5087	E	523850.828	0.9996081	1.0000011	824615	87H2613	TERR	252 34 6	88.581	88.615		
		N	5439143.957					364224	79H9483	TERR	356 21 26	255.062	255.162
		El	12.093					CVD28GVRD2018					

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
59618	89H5088	E	525609.520	0.9996073	0.9999992	15479	79H9568	TERR	100 5 24	186.071	186.143					
		N	5437281.580					970715				79H9602	TERR	277 41 46	202.600	202.680
		El	24.344					CVD28GVRD2018								
253690	89H5088	E	524185.545	0.9996085	1.0000014	MARKER DESTROYED										
		N	5437910.326													
		El	10.635			CVD28GVRD2018										
61499	89H5089	E	524539.880	0.9996062	0.9999988	69971	89H5097	TERR	90 11 40	161.967	162.030					
		N	5437464.076					34074				79H9460	TERR	269 23 17	145.515	145.572
		El	27.031					CVD28GVRD2018								
336107	89H5090	E	526048.500	0.9996099	1.0000016	806109	89H5099	TERR	229 28 29	129.261	129.312					
		N	5438092.264					185546				88H5100	TERR	354 30 5	147.710	147.767
		El	9.215					CVD28GVRD2018								
256107	89H5091	E	525933.031	0.9996087	1.0000005	607671	79H9614	TERR	0 44 22	269.450	269.556					
		N	5437466.781					82032				79H9550	TERR	90 8 0	135.274	135.327
		El	16.186					CVD28GVRD2018				823443	78H8402	TERR	272 43 12	145.870
40956	89H5092	E	523525.399	0.9996079	1.0000011	381723	79H9451	TERR	82 9 44	94.464	94.500					
		N	5437896.747					452433				79H9450	TERR	256 24 19	123.250	123.298
		El	12.046					CVD28GVRD2018								
682773	89H5093	E	525782.997	0.9996040	0.9999959	268797	79H9553	TERR	89 16 32	208.806	208.889					
		N	5436897.294					813063				78H8404	TERR	183 17 7	265.611	265.715
		El	45.617					CVD28GVRD2018				893990	87H2602	TERR	354 40 2	143.827
781138	89H5095	E	525291.669	0.9996098	1.0000020	459180	79H9513	TERR	277 44 9	87.130	87.163					
		N	5438458.904													
		El	6.547					CVD28GVRD2018								
696450	89H5096	E	523638.867	0.9996072	1.0000004	10280	79H9592	TERR	178 9 4	123.757	123.806					
		N	5437781.373					381723				79H9451	TERR	351 11 10	129.789	129.839
		El	17.020					CVD28GVRD2018								

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
69971	89H5097	E	524701.846	0.9996065	0.9999991	877464	79H9461	TERR	184 33 6	91.155	91.190					
		N	5437463.526					61499				89H5089	TERR	270 11 40	161.967	162.030
		El	25.333					CVD28GVRD2018								
431163	89H5098	E	523930.740	0.9996046	0.9999975	60269	79H9604	TERR	17 4 3	221.990	222.077					
		N	5437253.603					704239				87H2616	TERR	184 32 37	202.191	202.271
		El	35.119					CVD28GVRD2018				664706	79H9575	TERR	271 15 60	257.148
806109	89H5099	E	525950.246	0.9996099	1.0000016	336107	89H5090	TERR	49 28 29	129.261	129.312					
		N	5438008.272					498329				79H9590	TERR	187 15 10	73.142	73.170
		El	9.061					CVD28GVRD2018								
539643	91H0409	E	524183.177	0.9996084	1.0000012	814426	79H9482	TERR	354 12 57	160.569	160.632					
		N	5439444.391													
		El	11.389					CVD28GVRD2018								
728584	91H0410	E	524960.221	0.9996090	1.0000013	526533	91H0411	TERR	233 47 56	110.453	110.497					
		N	5439177.033					948083				89H5086	TERR	288 30 2	148.453	148.512
		El	10.919					CVD28GVRD2018								
526533	91H0411	E	524871.091	0.9996089	1.0000013	728584	91H0410	TERR	53 47 56	110.453	110.497					
		N	5439111.797					920199				89H5067	TERR	271 2 2	117.777	117.823
		El	10.875					CVD28GVRD2018								
456095	91H0412	E	524852.280	0.9996090	1.0000014	629840	89H5060	TERR	87 3 53	209.553	209.635					
		N	5439024.399					190892				79H9507	TERR	187 11 50	162.105	162.169
		El	10.474					CVD28GVRD2018				920199	89H5067	TERR	312 8 15	133.435
445841	91H0413	E	525391.618	0.9996093	1.0000014	558999	91H0414	TERR	40 19 15	293.374	293.489					
		N	5439437.817					827048				79H9489	TERR	211 37 27	141.849	141.904
		El	10.476					CVD28GVRD2018								
558999	91H0414	E	525581.451	0.9996094	1.0000014	969071	89H5075	TERR	42 27 41	379.092	379.240					
		N	5439661.495					445841				91H0413	TERR	220 19 15	293.374	293.489
		El	10.182					CVD28GVRD2018				977082	78H8409	TERR	307 0 53	144.076

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
172700	91H0421	E	524165.539	0.9996085	1.0000014	208348	91H0423	TERR	0 18 0	113.586	113.631		
		N	5439241.682					694224	78H8396	TERR	176 15 15	132.619	132.671
		El	10.601					CVD28GVRD2018					
208348	91H0423	E	524166.134	0.9996085	1.0000013	814426	79H9482	TERR	0 11 54	248.878	248.975		
		N	5439355.266					172700	91H0421	TERR	180 18 0	113.586	113.631
		El	10.648					CVD28GVRD2018					
630301	91H0427	E	526019.602	0.9996098	1.0000015	474353	79H9537	TERR	167 54 3	239.489	239.583		
		N	5439804.114					969071	89H5075	TERR	306 56 45	228.013	228.102
		El	9.762					CVD28GVRD2018					

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
904904	NO MARKING	E	525009.637	0.9996071	0.9999994	387381	85H0645	GPS	3 9 14	15420.653	15426.682
		N	5439052.971			81091	02H2496	GPS	8 48 4	10921.027	10925.298
		El	23.125	CVD28GVRD2018		12260	92H0958	GPS	15 59 6	8787.396	8790.835
						325373	84H0055	GPS	21 1 57	15642.012	15648.123
						771543	02H2440	GPS	22 21 14	16896.777	16903.446
						645424	2839	GPS	23 50 48	11329.759	11334.185
						662908	88H0918	GPS	28 18 36	5059.982	5061.976
						200915	02H2433	GPS	29 11 6	27402.813	27413.752
						863944	85H0742	GPS	31 6 43	17097.549	17104.313
						909333	NO MARKING	GPS	33 17 16	15659.389	15665.580
						124644	90H6429	GPS	34 17 42	8869.551	8873.016
						793737	84H0030	GPS	34 40 35	11412.981	11417.425
						956524	85H0699	GPS	39 32 49	16484.324	16490.827
						597328	02H2437	GPS	45 42 11	20465.102	20473.413
						225243	91H9887	GPS	47 9 52	7553.070	7556.027
						375980	91H9898	GPS	51 55 51	11053.045	11057.343
						737478	02H2435	GPS	52 39 50	20137.208	20145.239
						287078	79H0136	GPS	53 52 11	2889.571	2890.701
						393363	91H0295	GPS	59 6 39	9609.219	9613.007
						419036	91H9913	GPS	59 53 51	12965.402	12970.427
						488098	93H1078	GPS	62 43 54	15036.509	15042.325
						575159	82H5753	GPS	71 44 36	16626.040	16632.451
						678342	79H9477	GPS	76 10 10	480.982	481.171
						755801	91H0148	GPS	79 34 32	8919.374	8922.893
						623520	91H9909	GPS	81 33 56	11579.327	11583.899
						777771	NO MARKING	GPS	81 34 52	27242.268	27252.707
						968016	80H2360	GPS	96 27 59	14466.557	14472.251
						56689	75H2713	GPS	97 31 50	8864.959	8868.460
						830976	89H4979	GPS	107 39 49	5208.767	5210.821
						942268	14H2739	GPS	113 30 16	12695.398	12700.429
						49007	84H9663	GPS	118 47 43	16529.049	16535.569
						18564	81H4256	GPS	123 29 46	14489.934	14495.643
						70722	79H9535	GPS	128 34 43	759.003	759.300
						147819	91H9962	GPS	128 40 18	17925.836	17932.813
						8979	75H2716	GPS	130 29 14	2438.568	2439.524
						196121	79H0153	GPS	130 38 29	11645.058	11649.647
						212746	81H4238	GPS	131 9 58	7373.694	7376.612
						854208	91H9966	GPS	133 52 2	16187.307	16193.621
						941757	80H2577	GPS	145 35 57	9823.442	9827.329
						636696	92H0688	GPS	151 47 30	12775.575	12780.626
						392712	78H2744	GPS	163 23 37	8402.248	8405.588
						227967	92H0776	GPS	167 44 34	11332.858	11337.351
						127415	92H0635	GPS	181 22 53	11294.324	11298.867
						23978	78H2743	GPS	186 13 9	7721.850	7724.909
						469304	5109	GPS	191 26 59	8254.440	8257.701
						649012	88H4663	GPS	196 21 3	4558.658	4560.460
						576363	8705	GPS	200 39 34	12094.452	12099.261
						525667	92H0918	GPS	200 55 47	6918.726	6921.460
						756601	13H2682	GPS	203 38 24	6198.488	6200.940

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	GCM-NO	-----				
GCM-NO	TABLET MARKING	Metres				TABLET MARKING				
					336131	NO MARKING	GPS	207 32 58	5384.949	5387.079
					839837	5172	GPS	209 9 35	8337.024	8340.325
					639351	86H1278	GPS	209 40 29	13035.993	13041.132
					976324	92H0924	GPS	211 29 3	12348.107	12352.975
					60269	79H9604	GPS	212 34 1	1883.278	1884.019
					495408	92H0917	GPS	212 58 30	13316.795	13322.044
					136531	92H0917	GPS	212 58 30	13316.794	13322.043
					671651	5170	GPS	215 40 7	6984.051	6986.802
					693275	NO MARKING	GPS	217 10 53	4148.293	4149.933
					614040	5875	GPS	217 33 47	4086.280	4087.895
					200501	13H2681	GPS	219 37 38	6367.897	6370.401
					321372	13H2681	GPS	219 37 38	6367.896	6370.400
					878538	92H0857	GPS	221 52 8	10886.089	10890.408
					455196	5873	GPS	222 20 59	13166.329	13171.512
					30502	8601	GPS	224 59 19	6897.894	6900.604
					787424	80H2013	GPS	230 29 53	11498.552	11503.136
					202903	86H1297	GPS	232 58 39	13122.983	13128.268
					901330	92H0919	GPS	233 37 7	11003.623	11008.021
					782151	80H2067	GPS	235 20 55	8563.351	8566.724
					511907	92H0921	GPS	236 4 13	11678.758	11683.438
					542852	10H2584	GPS	236 38 6	10376.761	10380.896
					703223	677003	GPS	239 24 10	13590.431	13595.916
					940213	92H0920	GPS	241 57 49	15529.282	15535.522
					851287	5476	GPS	242 6 57	17340.258	17347.204
					885012	92H0833	GPS	243 9 16	9039.910	9043.470
					489179	5958	GPS	244 12 28	11640.367	11644.995
					53561	10H2606	GPS	244 27 45	16973.589	16980.379
					879726	10H2605	GPS	245 24 27	13293.596	13298.892
					417725	80H2072	GPS	245 57 43	15460.377	15466.576
					767350	13H2687	GPS	246 27 35	12252.762	12257.629
					447771	5169	GPS	248 28 21	4352.380	4354.089
					602961	86H1306	GPS	250 4 27	5171.712	5173.743
					12765	10H2597	GPS	250 9 58	15553.802	15559.997
					465427	13H2672	GPS	250 27 59	11139.015	11143.411
					4903	92H0897	GPS	251 58 14	14567.142	14572.895
					570986	13H2673	GPS	253 36 28	8594.813	8598.197
					557686	5495	GPS	253 47 42	16711.711	16718.312
					995597	77C056	GPS	255 2 10	12402.876	12407.767
					394825	81	GPS	255 31 15	38009.054	38024.098
					7286	13H2691	GPS	255 46 50	6841.831	6844.522
					439760	5184	GPS	257 23 23	7421.881	7424.800
					686790	92H0898	GPS	262 3 31	11432.309	11436.815
					629519	10H2574	GPS	262 29 2	5716.281	5718.528
					991802	88H4194	GPS	264 55 50	28502.551	28513.836
					607093	5893	GPS	265 17 26	17064.112	17070.856
					901199	5620	GPS	266 1 20	13908.517	13914.005
					531079	6902	GPS	266 22 39	25186.910	25196.879
					995365	6910	GPS	267 21 18	20288.055	20296.078
					548891	92H0829	GPS	269 24 33	7251.924	7254.776

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
					813808	92H0914	GPS	269 51 52	5659.627	5661.852
					737981	92H0915	GPS	269 59 33	4845.150	4847.055
					100123	92H0913	GPS	270 3 58	10472.835	10476.972
					203257	92H0916	GPS	270 9 28	3225.274	3226.552
					286757	13H2684	GPS	270 17 14	6516.459	6519.021
					621482	13H2685	GPS	270 17 44	9618.848	9622.637
					606483	13H2688	GPS	270 23 51	4026.515	4028.108
					56473	10H2596	GPS	270 28 18	7986.945	7990.087
					929984	13H2689	GPS	271 50 47	2454.114	2455.078
					869792	NO MARKING	GPS	271 56 19	35765.734	35779.928
					777862	92H0845	GPS	275 15 44	9139.667	9143.265
					873646	80H2008	GPS	275 59 18	5929.305	5931.637
					803254	92H0864	GPS	276 52 45	13848.512	13854.032
					344507	5944	GPS	277 38 47	4488.010	4489.791
					162420	86H1293	GPS	281 15 7	6608.130	6610.740
					652842	92H0925	GPS	281 33 36	4101.364	4102.994
					546390	5025	GPS	281 35 49	10710.437	10714.669
					306167	10H2568	GPS	282 55 45	7419.527	7422.457
					880526	10H2568	GPS	282 55 45	7419.527	7422.458
					815746	84H9508	GPS	283 27 1	20300.465	20308.542
					88062	14H2736	GPS	283 47 32	23374.572	23383.824
					608869	92H0926	GPS	286 14 15	5923.045	5925.379
					278754	13H2675	GPS	288 27 46	9350.802	9354.484
					90316	80H2099	GPS	289 34 44	14588.019	14593.840
					689091	13H2674	GPS	293 12 24	7887.619	7890.722
					98178	86H1262	GPS	293 17 13	11425.063	11429.568
					770800	5296	GPS	295 24 9	18884.895	18892.487
					89649	5934	GPS	298 21 39	4589.282	4591.107
					875864	NO MARKING	GPS	301 10 28	36824.881	36839.534
					136820	10H2573	GPS	303 2 4	5777.224	5779.505
					898734	NO MARKING	GPS	303 23 34	17743.268	17750.413
					587832	92H0922	GPS	303 42 19	3041.128	3042.335
					785741		GPS	303 54 1	27374.239	27385.122
					17830	10H2578	GPS	303 55 16	6837.404	6840.091
					252833	10H2609	GPS	304 23 57	3945.844	3947.413
					821256	5189	GPS	304 27 27	8802.668	8806.161
					368530	10H2608	GPS	304 28 51	4917.460	4919.411
					228619	5066	GPS	307 33 39	13255.702	13261.020
					606558	5400	GPS	309 17 24	17899.331	17906.477
					852939	02H2470	GPS	310 44 19	43613.661	43631.412
					559500	02H2477	GPS	312 26 51	57238.831	57261.614
					904581	10H2600	GPS	314 59 8	11481.587	11486.135
					608562	92H0923	GPS	315 48 2	3495.764	3497.157
					2949	13H2690	GPS	318 4 6	10920.275	10924.579
					162537	5071	GPS	318 7 10	10889.276	10893.568
					998500	10H2579	GPS	319 3 59	8632.949	8636.341
					969295	13H2676	GPS	319 37 58	8046.823	8049.985
					973289	5157	GPS	320 26 27	6336.500	6338.987
					187641	10H2580	GPS	322 20 30	9259.818	9263.474

Order in Council No. 1112/92

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2019-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres			GCM-NO	TABLET MARKING				
					752048	13H2683	GPS	323 29 46	4143.582	4145.234
					10702	93H1153	GPS	324 24 34	1749.133	1749.821
					56986	10H2599	GPS	324 48 59	9895.196	9899.133
					377754	5680	GPS	326 29 59	5879.641	5881.953
					694950	13H2677	GPS	326 47 9	10347.323	10351.443
					334078	8640	GPS	332 49 55	8911.711	8915.232
					104380	02H2447	GPS	333 39 46	15591.539	15597.671
					885384	10H2613	GPS	334 36 54	9348.664	9352.344
					479550	14H2741	GPS	334 38 1	19943.425	19951.285
					31682	10H2612	GPS	339 7 5	9095.888	9099.462
					564955	8799	GPS	339 41 35	8236.652	8239.895
					663799	14H2745	GPS	341 31 49	22983.995	22993.295
					831958	NO MARKING	GPS	342 9 18	29054.456	29066.245
					695155	77C060	GPS	343 22 18	8494.526	8497.865
					954230	10H2611	GPS	343 55 21	8900.232	8903.728
					459750	5992	GPS	345 9 48	9495.938	9499.664
					675207	10H2610	GPS	348 9 38	8811.391	8814.849
					485250	93H1144	GPS	350 28 8	5006.593	5008.578
					568881	88H4655	GPS	354 13 59	8180.900	8184.114
					1511	02H2456	GPS	356 2 5	10803.140	10807.372
					91694	98SG042	GPS	357 20 14	13075.546	13080.667

END OF REPORT